

Wall Plates & Specialties




Pass & Seymour

Molded of rugged .065" thick polycarbonate.

Seamless, sleek, super smooth construction provides no dirt-catching channel around plate's perimeter.

SWP26W

Two-piece plastic subplate bridges recessed boxes and uneven sheet rock. Fixes floating installations.



An extra 1/8" width and height than standard size wall plates for more tolerance in covering ragged sheet rock openings.

Oversized opening to accommodate all NEMA 26 decorator-style openings.

Automatic alignment pins ensure that devices are properly positioned so that wall plates fit perfectly.

| Style | Page Number |
|---|-------------|
| Specifications & Dimensions | Q-2 – Q-4 |
| Screwless Wall Plates | Q-5, Q-6 |
| Studio Wall Plates | Q-7 |
| Toggle Switch Openings | Q-8 |
| Duplex Receptacle Openings & Decorator Openings | Q-9 |
| Decorator Openings | Q-10 |
| Blank Plates | Q-11, Q-12 |
| Single Receptacle Openings & Power Outlet Openings | Q-13, Q-14 |
| Combination Openings | Q-15 – Q-18 |
| Despard® Openings | Q-19 |
| Two Gang with Center Opening & Locking Switch Plates | Q-20 |
| Louver & Biplex/Triplex Openings | Q-21 |
| Junior-Jumbo & Jumbo Toggle, Duplex, Single Receptacle, Decorator, Blank & Combination Openings | Q-22 – Q-24 |
| Sectional Wall Plates | Q-25 |
| Tandem & Handy Box Plates | Q-26 |
| Narrow Metal | Q-27 |
| Dustproof Stainless Steel Covers | Q-28 |
| Communication Devices & Plates | Q-29 – Q-34 |
| Mounting Straps, Yokes & Jewels | Q-35 |
| Decorator Hallway Lights & Combination Devices | Q-36 |
| Decorator Combination Tamper-Resistant Nightlight/GFCI Receptacles | Q-37 |
| PlugTail™ Nightlight/GFCI Receptacles | Q-38 |
| Incandescent Lampholders, Neon Pilot Lights & Panelites | Q-39 |
| Screws & Screwdrivers | Q-40 |
| Engraved & Pad Printed | Q-41, Q-42 |
| Custom Metal Wall Plates | Q-43 – Q-45 |
| Custom Panel Plates | Q-46, Q-47 |
| Style Selector Guide | Q-48 – Q-60 |


Devices & Wall Plates Color Selection Chart available on Pages A-29, B-78 and Q-61.



Pass & Seymour



Thermoset SP Series



Nylon TP Series



Studio Polycarbonate WP Series



Screwless Polycarbonate SWP Series

Wall Plates Specifications

Application

Legrand/Pass & Seymour's broad line of Standard Size Plastic and Metal Wall Plates features the most complete range of types, sizes, colors, and finishes available. Choose from more than 1,900 standard plates in non-combustible thermoset plastic material, self-extinguishing nylon material, screwless polycarbonate material, or attractively finished metal, for residential, commercial, institutional, and industrial applications. All plastic wall plates color match to Legrand/Pass & Seymour devices.

Thermoset Plastic Wall Plates

- Molded of non-combustible mar-proof material.
- Available in "SP" series in Standard, Junior-Jumbo, and Jumbo sizes.
- Seven standard colors available – Ivory, White, Brown, Gray, Black, Red, and Light Almond.
- Individually wrapped with color-matching screws.
- Resistant to discoloration, grease, oil, solvent and moisture.
- Nominal thickness, .070"

TradeMaster® Thermoplastic Wall Plates

- Molded of rugged, practically indestructible self-extinguishing nylon. ("TP" series only.)
- Available in "TP" series, extra 3/16" width and height than Standard size plates; and "TPJ" series, extra 3/16" width and height than Junior-Jumbo size plates.
- Available in Ivory, White, Brown, Gray, Black, Blue, Orange, Red, and Light Almond.
- Preferred for hospital, industrial, institutional, and other high-abuse applications.
- Nominal thickness, .070"

Studio Polycarbonate Wall Plates

- Wall plate and back plate made of polycarbonate Lexan 241R opaque.
- Wall plate thickness: 0.210
Back plate thickness: 0.28

Screwless Polycarbonate Wall Plates

- Molded of .065" thick polycarbonate, matte finish.
- 2-piece plastic subplate made of polycarbonate.
- Extra 1/8" width and height than Standard size plates.
- Available in Ivory, White, Brown, Gray, Black, and Light Almond; and five metallic and three wood finishes.

Metal Wall Plates

- Constructed of corrosion-resistant stainless steel, brass, aluminum, chrome, brushed bronze or galvanized steel.
- Standard, Jumbo, and Tandem size plates available, as well as special Panel size plates up to 5-gangs high and 10-gangs wide.
- Packaged in protective film, with finish-matching screws.
- Variety of special plated finishes. Paintable to match plastic plates.
- Can be silk-screened or engraved, and custom punched with over 300 opening styles.

Materials


- Type 302 Stainless Steel, non-magnetic, .032" nominal thickness, brushed finish. This alloy contains 18% chromium and 8% nickel for superior resistance to corrosion. Recommended for use in food processing plants, dairies, chemical plants, and other industrial, institutional, and commercial applications where corrosive atmospheres exist.
- Type 430 Stainless Steel, magnetic, .032" nominal thickness, brushed finish. Less corrosion-resistant than Type 302, but ideal for general service in high abuse applications in industrial plants, commercial, and institutional buildings.
- Chrome, Brushed and Polished Brass, .040" thick. 70% copper, 30% zinc alloy gives warm, appealing finish to modern decor as well as retrofit applications. Lacquered to prevent corrosion.
- Aluminum, .040" thick. Lustrous satin finish. Lacquered to prevent corrosion.
- Galvanized Steel. Used only for Handy Box Plates.
- Brushed Bronze, .040" thick. 90% copper, 10% zinc. Lacquered to prevent corrosion.



302 Stainless Steel



Polished Brass



Brushed Brass




Aluminum

Wall Plates Dimensions




Pass & Seymour

| Standard Size Wall Plates | | | | | |
|--|---------------|---------------|--|---------------|---------------|
| <ul style="list-style-type: none"> Standard size wall plates for all applications. Best fit for surface mount boxes. | | | <ul style="list-style-type: none"> Available in plastic and metal only. | | |
| Dimensions | | | | | |
| 1 gang | 2.75" x 4.5" | 4 gang | 8.125" x 4.5" | 7 gang | 13.62" x 4.5" |
| 2 gang | 4.56" x 4.5" | 5 gang | 10" x 4.5" | 8 gang | 15.44" x 4.5" |
| 3 gang | 6.375" x 4.5" | 6 gang | 11.812" x 4.5" | | |




STANDARD

| TradeMaster® Wall Plates | | | | | |
|---|-------------------|---------------|------------------|---------------|-------------------|
| <ul style="list-style-type: none"> Extra 3/16" width and height than Standard size wall plates. Provide better sheet rock coverage with standard size appearance. Available in unbreakable nylon 6 construction only. Screws pre-installed in the duplex, toggle, and decorator single gang plates. | | | | | |
| Dimensions | | | | | |
| 1 gang | 2.9375" x 4.6875" | 3 gang | 6.563" x 4.6875" | 5 gang | 10.188" x 4.6875" |
| 2 gang | 4.75" x 4.6875" | 4 gang | 8.375" x 4.6875" | 6 gang | 12" x 4.6875" |



TRADEMASTER STANDARD


| Studio Polycarbonate Wall Plates | | | | | |
|--|-----------------|---------------|---|---------------|----------------|
| <ul style="list-style-type: none"> Wall plate and back plate made of polycarbonate Lexan 241R opaque. | | | <ul style="list-style-type: none"> Wall plate thickness: 0.210 Back plate thickness: 0.28 | | |
| Wall Plate Dimensions | | | Back Plate Dimensions | | |
| 1 gang | 2.988" x 4.901" | 3 gang | 6.613" x 4.901" | 1 gang | 3.158" x 4.97" |
| 2 gang | 4.80" x 4.901" | 4 gang | 8.425" x 4.901" | 3 gang | 6.783" x 4.97" |
| | | | | 2 gang | 4.97" x 4.97" |
| | | | | 4 gang | 8.595" x 4.97" |



STUDIO


SCREWLESS

| Screwless Polycarbonate Wall Plates | | | | | |
|---|----------------|---------------|---------------------|---------------|----------------|
| <ul style="list-style-type: none"> Available in decorator, toggle, and duplex openings. Extra 1/8" width and height than Standard size wall plates. Provide better sheet rock coverage with standard size appearance. Molded of .065" thick polycarbonate. 2-piece plastic subplate made of polycarbonate. Available in five metallic and three wood finishes; and six standard colors. | | | | | |
| Wall Plate Dimensions | | | Subplate Dimensions | | |
| 1 gang | 3.10" x 4.87" | 3 gang | 6.724" x 4.87" | 1 gang | 2.85" x 4.62" |
| 2 gang | 4.912" x 4.87" | 4 gang | 8.536" x 4.87" | 3 gang | 6.474" x 4.62" |
| | | | | 2 gang | 4.662" x 4.62" |
| | | | | 4 gang | 8.286" x 4.62" |




JUNIOR-JUMBO

| Junior-Jumbo Wall Plates | | | | | |
|---|----------------|---------------|--|---------------|---------------|
| <ul style="list-style-type: none"> Extra 3/8" width and height than Standard size wall plates. Additional coverage for sheet rock gaps. | | | <ul style="list-style-type: none"> Available in plastic and metal only. | | |
| Dimensions | | | | | |
| 1 gang | 3.125" x 4.87" | 2 gang | 4.93" x 4.87" | 3 gang | 6.75" x 4.87" |
| | | 4 gang | 8.56" x 4.87" | | |



TRADEMASTER JUMBO

| TradeMaster Jumbo Wall Plates | | | | | |
|---|-------------------|---------------|-------------------|--|--|
| <ul style="list-style-type: none"> Extra 3/16" width and height than Junior-Jumbo size wall plates. Provide additional coverage for sheet rock gaps, matching the appearance of the TradeMaster Plates. Available in unbreakable nylon 6 construction only. Screws pre-installed in the duplex, toggle, and decorator single gang plates. | | | | | |
| Dimensions | | | | | |
| 1 gang | 3.3125" x 5.0625" | 3 gang | 6.9375" x 5.0625" | | |
| 2 gang | 5.125" x 5.0625" | 4 gang | 8.75" x 5.0625" | | |




JUMBO

| Jumbo Wall Plates | | | | | |
|--|--------------|---------------|--|---------------|---------------|
| <ul style="list-style-type: none"> Extra 3/4" width and height than Standard size wall plates. Largest size wall plates to cover larger wall damage. | | | <ul style="list-style-type: none"> Available in plastic and metal only. | | |
| Dimensions | | | | | |
| 1 gang | 3.5" x 5.25" | 2 gang | 5.31" x 5.25" | 3 gang | 7.12" x 5.25" |
| | | 4 gang | 8.93" x 5.25" | | |



Pass & Seymour



Wall Plates Dimensions




Sectional Wall Plates

- End and center panels with each of five most-used configurations make it possible to improvise custom wall plates on the job. Panels lock securely together on installation. Blank sections furnished with mounting strap.


Wall Plate Mountings



SP Plates




TP Plates



WP Plates

SWP Plates









Wall Plate Sizes



Wall Plates Combination Openings

Standard Size Plastic & Metal



| Description | Color | Nylon | Thermoset | Metal | |
|--|---|--|---|--|--|
| | | TradeMaster® Plates | Smooth | Material | Smooth |
| Toggle Switch & Duplex Receptacle Openings | | | | | |
| Two Gang 1 Toggle, 1 Duplex  | Ivory White Brown Gray Black Red Light Almond | TP18I TP18W TP18 TP18GRY TP18BK TP18RED TP18LA | SP18I SP18W SP18 SP18GRY SP18LA | Brass Polished Brass 302S/S | SB18 SB18PB SS18 |
| Three Gang 2 Toggles, 1 Duplex  | Ivory White Brown Gray Black Red Light Almond | TP28I TP28W TP28 TP28GRY TP28BK TP28RED TP28LA | SP28I SP28W SP28 SP28GRY SP28LA | Brass Polished Brass 302S/S | SB28 SB28PB SS28 |
| Four Gang 3 Toggles, 1 Duplex  | Ivory White Brown Gray Light Almond | | SP38I SP38W SP38 SP38GRY SP38LA | Polished Brass 302S/S | SB38PB SS38 |
| Five Gang 4 Toggles, 1 Duplex  | | | | 302S/S 302S/S Painted Ivory 302S/S Painted White | SS48 SS48I SS48W |
| Toggle Switch & Decorator Openings | | | | | |
| Two Gang 1 Toggle, 1 Decorator  | Ivory White Brown Gray Black Light Almond | TP126I TP126W TP126 TP126GRY TP126BK TP126LA | SP126I SP126W SP126 SP126GRY SP126BK SP126LA | Aluminum Brass Polished Brass 302S/S | SA126 SB126 SB126PB SS126 |
| Three Gang 2 Toggles, 1 Decorator  | Ivory White Brown Gray Light Almond Black | TP226I TP226W TP226 TP226GRY TP226LA TP226BK | SP226I SP226W SP226 SP226GRY SP226LA | 302S/S | SS226 |
| Three Gang 1 Toggle, 2 Decorator  | Ivory White Brown Gray Black Light Almond | | SP1262I SP1262W SP1262 SP1262GRY SP1262BK SP1262LA | 302S/S | SS1262 |
| Four Gang 3 Toggles, 1 Decorator  | Ivory White Brown Gray Light Almond | | SP326I SP326W SP326 SP326GRY SP326LA | 302S/S | SS326 |

These products listed to UL514, Cover Plates for Flush-Mounted Wiring Devices, CSA Certified.

Devices & Wall Plates Color Selection Chart



Pass & Seymour

Devices & Plastic Wall Plate Colors

| | | | | | |
|-------|--------------|-------|-------|--------|-----|
| | | | | | |
| Ivory | Light Almond | White | Green | | |
| | | | | | |
| Black | Blue | Brown | Gray | Orange | Red |

See specific device and wall plate catalog charts for particular color availabilities.

Metal Wall Plates

| | | | | | |
|------------------------------|-----------------|----------------|-----------------|----------------|--------|
| | | | | | |
| Metal Finish Aluminum | Brass (Brushed) | Polished Brass | Stainless Steel | Brushed Bronze | Chrome |

Custom Metal Wall Plates Paint Finish Colors

| | | | | | | |
|---------------------------|-------|------|------------|--------------|--------------|-------|
| | | | | | | |
| Paint Color Orange | Green | Gray | Yellow | Glossy Black | Brown | White |
| | | | | | | |
| Paint Color Primer | Red | Pink | Flat Black | Ivory | Light Almond | Blue |

To order custom metal wall plates, see Pages Q-43 – Q-45.

For additional colors consult factory.