

Cable Finder

2 Conductor Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

Two Conductor	24 AWG				22 AWG			
	Shielded		Unshielded		Shielded		Unshielded	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Plenum	DA252401				D25291			
Plenecon® Flex. Plenum					25291	25290	25221	
Plenecon II® Flex. Plenum					25291B	25290B	25221B	
Aquaseal® 300 V CL3					AQC291			
Power-Limited	460, D2401 DA2401				291, 452, D291, 77291, 77452, AQC291	290, 450	221	220

Two Conductor	20 AWG				19 AWG			
	Shielded		Unshielded		Shielded		Unshielded	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Plenum	D25292							
Plenecon® Flex. Plenum	25292		25222					
Plenecon II® Flex. Plenum	25292B		25222B					
Aquaseal® 300 V PLTC	AQC292							
Power-Limited	292, 292D, D292, 77292, AQC292	289	222					223

Two Conductor			18 AWG				16 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL	AQ293	975, D975	AQ224	980, D980	AQ294	991, D991	AQ225	990, D990
		FPLP		60975, D60975		60980		60990, D60990		60991
	Non Power-Limited	NPLF		1975		1980		1991		1990
		NPLFP		251975		251980		251991		
Plenum			D25293				D25294			
Plenecon® Flex. Plenum			25293	60975	25224	60980	25294	60990	25225	60991
Plenecon II® Flex. Plenum			25293B	60975B	25224B	60980B	25294B	60990B	25225B	60991B
Process Control	Aquaseal® 300 V PLTC & CM		AQ293		AQ224 AQC224		AQ294		AQ225 AQC225	
	600 V Tray		TC1801, TC2975		TC2980		TC1601, TC2991		TC2990	
Power-Limited			293, D293, 77293 AQC293		224, AQC224	228	294, D294 77294		225, 225D	

Two Conductor			14 AWG				12 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire Protective	Power-Limited	FPL	AQ295	995, D995	AQ226	994	AQ296	999, D999	AQ227	998
		FPLP		60992		60993		60994		60995
	Non Power-Limited	NPLF		1995		1994		1999		
		NPLFP		251995		251994				
Plenum										
Plenecon® Flex. Plenum				60992	25226	60993		60994	25227	60995
Plenecon II® Flex. Plenum			25295B	60992B	25226B	60993B	25296B		25227B	60995B
Process Control	Aquaseal® 300 V PLTC		AQ295		AQ226		AQ296		AQ227	
	600 V Tray		TC2995		TC2994		TC2999		TC2998	
Power-Limited			295, 77295		226, 226D		296, 77296		227, 227D	

Cable Finder

3 Conductor Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

Three Conductor			24 AWG				22 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL								
		FPLP								
	Non Power-Limited	NPLF								
		NPLFP								
Plenecon® Flex. Plenum							25301	25300	25231	
Plenecon II® Flex. Plenum							25301B	25300B		
Power-Limited							301, D301	300, 451	231	230

Three Conductor			20 AWG				19 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL								
		FPLP								
	Non Power-Limited	NPLF								
		NPLFP								
Plenecon® Flex. Plenum			25302		25232					
Plenecon II® Flex. Plenum										
Power-Limited			302	306	232					233

Three Conductor			18 AWG				16 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL		976, D976				D989		
		FPLP								
	Non Power-Limited	NPLF								
		NPLFP		251976			251989			
Plenecon® Flex. Plenum			25303		25234			25235		
Plenecon II® Flex. Plenum					25234B					
Power-Limited			303, D303		234	237	304		235, 235D	

Three Conductor			14 AWG				12 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL								
		FPLP								
	Non Power-Limited	NPLF								
		NPLFP								
Plenecon® Flex. Plenum									25238	
Plenecon II® Flex. Plenum										
Power-Limited			305		236				238	

4 Conductor Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

Four Conductor			24 AWG				22 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL						1083		60996
		FPLP								
	Non Power-Limited	NPLF								
		NPLFP								
Plenecon® Flex. Plenum							253241		25241	60996
Plenecon II® Flex. Plenum							253241B		25241B	
Power-Limited							3241	3010	241	240, 392

Four Conductor			20 AWG				19 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Plenecon® Flex. Plenum					25242					
Plenecon II® Flex. Plenum					25242B					
Power-Limited			3011		242					243

Four Conductor			18 AWG				16 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire	Power-Limited	FPL	AQ3244	977, D977	AQ244	982 D982	AQ3245	993, D993	AQ245	992
		FPLP			60982, 60982B		603164B		60164B	
	Non Power-Limited	NPLF		1977	1982				1992	
		NPLFP		251977			251993			
Plenecon® Flex. Plenum			253244	60977	25244	60982		25245		
Plenecon II® Flex. Plenum			253244B		25244B,	60982B		603164B	60164B	
Process Control	Aquaseal® 300V PLTC		AQ3244		AQ244		AQ3245		AQ245	
	600 V Tray		TC2977		TC2982		TC2993		TC2992	
Power-Limited			3244		244	249	3245		245	

Four Conductor			14 AWG				12 AWG			
			Shielded		Unshielded		Shielded		Unshielded	
			Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Fire Protective	Power-Limited	FPL								
		FPLP			60700B					
	Non Power-Limited	NPLF		1997						
		NPLFP	251997							
Plenecon® Flex. Plenum										
Plenecon II® Flex. Plenum						60700B				
Power-Limited					246				248	

Cable Finder

5 to 37 Conductor Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

5 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			11-17
Plenecon II® Flex. Plenum			
Power-Limited			11-17

6 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			11,12,15,17,18 34,35
Plenecon II® Flex. Plenum			
Power-Limited			AQC3186
Indoor / Outdoor			

7 Conductor			See Pages:
Fire Protective	Power Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			13,14,16,17,18
Plenecon II® Flex. Plenum			
Power Limited			13,14,16,17,18

8 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			11,12,15,18,34
Indoor / Outdoor			AQC188

9 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			13,14,16,17,18, 35

10 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited		11,12,15,18	

12 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	58-68
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			11-17,35
Plenecon II® Flex. Plenum			
Power-Limited			AQC3283
Indoor / Outdoor			

15 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			11-17
Indoor / Outdoor			AQC3274

20 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			11-17

25 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			11,12,14,15

30 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			11,12,14,15

37 Conductor			See Pages:
Fire Protective	Power-Limited	FPL	
		FPLP	
	Non-Pwr Limited	NPLF	
		NPLFP	
Plenecon® Flex. Plenum			
Plenecon II® Flex. Plenum			
Power-Limited			

2 and 3 Pair Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog, or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

2 PAIR CABLE	24 AWG		22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded										
Plenum		WP55826R								
600 V Tray Cable										
Power-Limited		WP54982R	651	251	151		751			
Non-Plenum (PVC)		WP55253R								
Overall Shielded										
Plenum			D253651							
600 V Tray Cable							TC1802		TC1602	
Non-Plenum (PVC)			3651, D3651	3251	3151		3751			
Individually Shielded										
Plenum	D252402		D25430	D25420			25440, 25440B			
Indoor / Outdoor			AQC430							
Non-Plenum (PVC)	DA2402		430, D430	420, D420			440			
Individually Shielded and Overall Shielded										
Plenum			D25510, 25510, 25510B							
600 V Tray Cable							TC1802S			
Non-Plenum (PVC)			510, 511, D510							

3 PAIR CABLE	24 AWG		22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded										
Plenum		WP55827, WP54980R								
600 V Tray Cable										
Non-Plenum (PVC)		WP54983R WP55254R	652	252	152		752			
Overall Shielded										
Plenum	D252403		D253652							
600 V Tray Cable							TC1803		TC1603	
Non-Plenum (PVC)	D2403		3652, D3652	3252	3152		3752			
Individually Shielded										
Plenum			D25431							
600 V Tray Cable										
Non-Plenum (PVC)			431, D431	421			441			
Individually Shielded and Overall Shielded										
600 V Tray Cable							TC1803S			

Cable Finder

4 and 6 Pair Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

4 PAIR CABLE	24 AWG		22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded										
Plenum		254245 254246								
600 V Tray Cable										
Non-Plenum (PVC)		4245 4246	653	253	153		753			
Overall Shielded										
Plenum	D252404	WP55082	D25653							
600 V Tray Cable							TC1804		TC1604	
Non-Plenum (PVC)	D2404	WP54783	3653, D3653	3253	3153		3753			
Individually Shielded										
Plenum			D25439							
Indoor/Outdoor			AQC439							
Non-Plenum (PVC)			439, D439	429			442			
Individually Shielded and Overall Shielded										
600 V Tray Cable							TC1804S			
Digital Snake	DA2404S									

6 PAIR CABLE	24 AWG		22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded										
Plenum										
600 V Tray Cable										
Non-Plenum (PVC)			654	254	154		754			
Overall Shielded										
Plenum	D252406		D25654							
600 V Tray Cable							TC1806		TC1606	
Non-Plenum (PVC)	D2406		3654, D3654	3254	3154		3754			
Individually Shielded										
Plenum	DA252406		D25432							
Indoor/Outdoor			AQC432							
Non-Plenum (PVC)	DA2406		432, D432	422			444			
Individually Shielded and Overall Shielded										
600 V Tray Cable							TC1806S			
Individually Shielded and Jacketed Snake Cable										
Snake Cable			WP4546							

WEST PENN WIRE

9 to 19 Pair Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

9 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)	655	255			755			
Overall Shielded								
Non-Plenum (PVC)	3655	3255			3755			
Individually Shielded								
Non-Plenum (PVC)	433	423						

12 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)	656	256						
Overall Shielded								
Non-Plenum (PVC)	3656	3256						
Individually Shielded								
Non-Plenum (PVC)	434	424						
Indoor / Outdoor	AQC434	AQC424						
Individually Shielded and Jacketed Snake Cable								
Snake Cable	WP45412							

15 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)								
Overall Shielded								
Non-Plenum (PVC)								
Individually Shielded								
Non-Plenum (PVC)	435	425						

16 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)	657	257						
Overall Shielded								
Non-Plenum (PVC)	3657	3257						
Individually Shielded								
Non-Plenum (PVC)								
Individually Shielded and Jacketed Snake Cable								
Snake Cable	WP45416							

19 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)		258						
Overall Shielded								
Non-Plenum (PVC)		3258						
Individually Shielded								
Non-Plenum (PVC)	436							

Cable Finder

23 to 32 Pair Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

23 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)		259						
Overall Shielded								
Non-Plenum (PVC)		3259						

24 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Individually Shielded and Jacketed Snake Cable								
Snake Cable	WP45424							

27 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Unshielded								
Non-Plenum (PVC)		260						
Overall Shielded								
Non-Plenum (PVC)		3260						
Individually Shielded								
Non-Plenum (PVC)	438							

32 PAIR CABLE	22 AWG		20 AWG		18 AWG		16 AWG	
	Stranded	Solid	Stranded	Solid	Stranded	Solid	Stranded	Solid
Individually Shielded and Jacketed Snake Cable								
Snake Cable	WP45432							

Coaxial Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

RG/59	Braided Shield				Double Shield				Tri-Shield				Quad Shield			
	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial
CATV/MATV					843 5900	25843		5915		25T843				25Q843		
Dual CATV/MATV					5920											
CCTV	814 815 816 818 804 815R 2815B	25814 25815		5990 4815	819	25819	AQC819 AQC815									
Pro Video					819	25819	AQC819									

RG/6	Braided Shield				Double Shield				Tri-Shield				Quad Shield			
	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial
CATV/MATV					841 841S 842 6100 6170	25841	AQC841	6140 6190					Q841 6300 HQ841 HQ841R	25Q841 25Q841S		
Dual CATV/MATV					6150 6285							6270				
CCTV	806 2806B	25806		4806 6325	6350 6373	256350	AQC806 AQC2806									
Pro Video					6350	256350										

RG/7	Braided Shield				Double Shield				Tri-Shield				Quad Shield			
	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial
CATV/MATV					7100			7120								
CCTV	7200		7325		7210	257210										

RG/11	Braided Shield				Double Shield				Tri-Shield				Quad Shield			
	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial	PVC	Plenum	Outdoor	Burial
CATV/MATV					821 1100	25821		1110				1125	Q821			
CCTV	811 801	25811		4811 1130												

Cable Finder

Coaxial Cable

If the Cable Finder Guide does not help you in your search, please consult one of the other guides in this catalog,
or call the WEST PENN WIRE Sales or Engineering Department: 1-800-245-4964

RGB / SYNC Cable	Miniature Coaxial Units				RG-59/U Type Coaxial Units				RG-6/U Type Coaxial Units							
	Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.	
	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
4 Coax			WP8254	WP258254					WP258194				WP6354			
5 Coax			WP8255	WP258255				WP8195	WP258195				WP6355			
6 Coax			WP82561													

Precision Video Cable	Braided Shield				Foil/Braid Shield				Double Braid Shield							
	Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.	
	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
NEC Rated			825	25825			819 6350 7210 HD825	25819 256350 257210 HD25825								
No Rating							P804				P806					
SVHS			2825	252825												

50Ω Coax	Braided Shield															
	Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.	
	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
RG / 8		25810														
RG / 58	812	25812	813													
ETHERNET TRUNK																
ETHERNET THINNET																

	Braided Shield															
	Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.	
	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
ARCnet																
COMPUTER																

Siamese Cables	RG-59 w/ 2 cond. 18 AWG				Mini Coax w/2 cond. 22 shld.				Dual Minimax Coax							
	Copper Cond.		Copperweld Cond.		Copper Cond.		Copperweld Cond.		Copper Cond.		Copperweld Cond.		Copper Cond.		Copperweld Cond.	
	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
CCTV	2815B	252815	2814		45825				2825	252825						

Triaxial Cable	Braided Shield															
	Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.		Stranded Cond.		Solid Cond.	
	PVC	Plenum	PVC	Plenum	Flex	Outdoor	Flex	Outdoor	PVC	Plenum	PVC	Plenum	PVC	Plenum	PVC	Plenum
RG / 11			3811	253811	1165			1150								
RG / 59			3815	253815			5994	5992								

WEST PENN WIRE