



Cooper Lighting
by **EAT•N**

Austin Energy's
POWERSAVER™ PROGRAM

Energy Solutions

Your community can utilize



This Utility-based program offers financial incentives to business customers to help them maximize energy efficiency and manage energy costs.

stepup
Energy Solutions

LED Opportunities

Cooper Lighting offers a wide array of LED lighting products. Cooper's patented and patent pending technologies catapult LED into the mainstream by providing leading performance, energy, maintenance, and environmental benefits. Our comprehensive capabilities in LED design and manufacturing is unmatched amongst luminaire manufacturers. The most effective way to reduce a lighting fixtures impact on the environment is to minimize its energy consumption. Adoption of LED reduces landfill pollution and waste.

Stock Programs

Stock Program: Inventory is maintained at strategically placed Cooper Lighting Distribution Centers throughout the United States. Each Distribution Center carries different quantities of product reflecting the local market requirements

Quick Ship Program: Designed to offer some of our most popular products in 5-15 day shipping windows, products can now be ordered in quantities up to 200 fixtures and a delivered in 7 days or less! Please contact your Cooper agent for details.

Step Up Program

As part of Cooper Lighting's new "stepup" Energy Solutions program, new brochures and electronic tools have been developed to help educate your customers on energy efficient lighting solutions. Cooper Lighting's advanced lighting and control systems enable comprehensive energy programs to maximize energy efficiency and contribute to your company's sustainability initiatives.

www.cooperenergysolutions.com

CEE Ballasts

One initiative of the Consortium for Energy Efficiency defines efficient high performance lighting products for commercial lighting systems. In order to meet the CEE specification, manufacturers need to include a High Performance Fluorescent T8 system. These fixtures incorporate advanced high lumen 32 watt T8 lamps and efficient ballasts. Among other requirements, the lamps in CEE qualified lamps must have a rated life of at least 24,000 hours. Reference the CEE website to find full specifications and lists of qualifying lamp and ballast systems.

www.cee1.org

DLC

DesignLights™ Consortium (DLC) is a collaboration of utility companies and regional energy efficiency organizations, sponsors, committed to raising awareness of the benefits of efficient lighting in commercial designs. The DLC goal is to ensure that high-quality, energy-efficient lighting design becomes commonplace in all lighting installations. More information can be found at www.designlights.org

DESIGNLIGHTS
CONSORTIUM

ENERGY STAR®

Lighting products that have earned the ENERGY STAR® deliver exceptional features, while using less energy. Saving energy helps you save money on utility bills and emissions. ENERGY STAR® qualified fixtures use 1/4 the energy of traditional lighting and save money on energy bills and bulb replacements. These fixtures also distribute light more efficiently and evenly than standard fixtures.



LENSED TROFFER

T8 FLUORESCENT

INCENTIVE AMOUNT: **\$300 kw reduced**

T8-dedicated lensed troffers offer premium performance in a low profile housing.



Brand	Model	
METALUX	2GC8-232A-UNV-EB81-U	QS
METALUX	2GC8-232A-UNV-HB81-U	QS
METALUX	2GC8-217A-UNV-EB81-U	QS
METALUX	2GC8-332A-UNV-EB81-U	QS
METALUX	2GR8-232A-UNV-EB81-U	QS
METALUX	2GR8-332A-UNV-EB81-U	QS

PARABOLIC

T8 FLUORESCENT

INCENTIVE AMOUNT: **\$300 kw reduced**

Recessed aesthetics and the latest in energy efficient technology. Incorporates 2" deep precision cell louver into a 4-3/4" deep para-contoured housing.




Brand	Model	
METALUX	2P2GX-217S24MI-UNV-EB81-PAF-U	
METALUX	2HP2GX-232S26I-UNV-HB81-U	
METALUX	2HP2GX-217W23P-UNV-HB81-U	
METALUX	2HP2GX-232W26P-UNV-HB81-U	
METALUX	2OPG-217FB23W-UNV-HP81-U	
METALUX	2OPG-232FB26W-UNV-HB81-U	

INDUSTRIAL/COMMERCIAL

T8 FLUORESCENT

INCENTIVE AMOUNT: **\$300 kw reduced**

The Cooper Lighting premium wrap around luminaires feature wide body construction and energy efficient performance. They utilize a clear, low brightness, extruded acrylic refractor with injection molded end caps for high performance and good looks.



Brand	Model	
METALUX	ICF-232-UNV-EB81-U	QS
METALUX	WN-232A-UNV-EB81-U	QS
METALUX	WN-332A-UNV-EB81-U	QS
METALUX	WN-432A-UNV-HR81-U	QS

ENERGY EFFICIENT LIGHTING

LED RECESSED

LED PANELS

INCENTIVE AMOUNT: **\$350 kw reduced**

The Accord™ LED redefines ambient lighting by improving on aesthetics, comfort and energy savings. The accord™ LED provides the right amount of light while eliminating surface shadows commonly found in Parabolics. The accord™ is the ideal solution for offices, schools, hospitals, retail and other applications.

The Corelite R3 LED combines the internally developed linear LED platform with the high sense of style and brightness management that characterizes the Class R family.

GR LED is a lensed troffer series dedicated to the latest solid state lighting and electronic driver technology. The GR LED is compatible with all of today's popular ceiling systems and is available with a number of options and accessories for application versatility.



Brand	Model	
METALUX	AC-LD2-32-UNV-L830-CD1-U	DLC
METALUX	AC-LD2-32-UNV-L835-CD1-U	DLC
METALUX	AC-LD2-32-UNV-L840-CD1-U	DLC
METALUX	GR-LD1-32-A-UNV-L835-CD1-U	DLC
METALUX	GR-LD1-32-A-UNV-L840-CD1-U	DLC
METALUX	GR-LD1-43-A-UNV-L835-CD1-U	DLC
METALUX	2GR-LD1-32-A-UNV-L835-CD1-U	DLC
METALUX	2GR-LD1-32-A-UNV-L840-CD1-U	DLC
METALUX	2GR-LD1-43-A-UNV-L835-CD1-U	DLC
METALUX	2GR-LD1-48-A-UNV-L835-CD1-U	DLC
METALUX	2GR-LD1-48-A-UNV-L840-CD1-U	DLC
METALUX	2GR-LD1-64-A-UNV-L835-CD1-U	DLC
METALUX	2GR-LD1-64-A-UNV-L840-CD1-U	DLC
METALUX	22AC-LD4-23-UNV-L835-CD1-U	DLC
METALUX	22AC-LD4-23-UNV-L840-CD1-U	DLC
METALUX	22AC-LD4-34-UNV-L835-CD1-U	DLC
METALUX	22AC-LD4-34-UNV-L840-CD1-U	DLC
METALUX	24AC-LD4-44-UNV-L835-CD1-U	DLC
METALUX	24AC-LD4-44-UNV-L840-CD1-U	DLC
METALUX	24AC-LD4-55-UNV-L835-CD1-U	DLC
METALUX	24AC-LD4-55-UNV-L840-CD1-U	DLC
CORELITE	R3-WL-2L35-1C-UNV-22-T1	DLC
CORELITE	R3-WL-2L40-1C-UNV-22-T1	DLC

LED INTERIOR

LED PANELS

INCENTIVE AMOUNT: **\$350 kw reduced**

The SkyRidge™ transforms ambient lighting by perfectly blending a refined modern styling with our breakthrough WaveStream™ technology to deliver exceptional performance and an unparalleled combination of optimal light uniformity for enhanced visual comfort and exceptional efficiency for greater energy savings.




Brand	Model	
METALUX	22SR-LD1-20-C-UNV-L835-CD1-U	DLC
METALUX	22SR-LD1-20-C-UNV-L840-CD1-U	DLC
METALUX	22SR-LD1-29-C-UNV-L835-CD1-U	DLC
METALUX	22SR-LD1-29-C-UNV-L840-CD1-U	DLC
METALUX	24SR-LD1-39-C-UNV-L835-CD1-U	DLC
METALUX	24SR-LD1-39-C-UNV-L840-CD1-U	DLC
METALUX	24SR-LD1-48-C-UNV-L835-CD1-U	DLC
METALUX	24SR-LD1-48-C-UNV-L840-CD1-U	DLC

LED INTERIOR

LED PANELS

INCENTIVE AMOUNT: **\$350 kw reduced**

The Metalux Encounter™ Series redefines ambient lighting by blending contemporary styling with Cooper Lighting's proprietary WaveStream™ technology. The result is exceptional performance and superior energy savings – all at an affordable price.



Brand	Model	
METALUX	24EN-LD1-45-UNV-L835-CD1-U	DLC
METALUX	24EN-LD1-45-UNV-L840-CD1-U	DLC
METALUX	24EN-LD1-54-UNV-L835-CD1-U	DLC
METALUX	24EN-LD1-54-UNV-L840-CD1-U	DLC
METALUX	24EN-LD1-67-UNV-L835-CD1-U	DLC
METALUX	24EN-LD1-67-UNV-L840-CD1-U	DLC
METALUX	22EN-LD1-25-UNV-L835-CD1-U	DLC
METALUX	22EN-LD1-25-UNV-L840-CD1-U	DLC
METALUX	22EN-LD1-34-UNV-L835-CD1-U	DLC
METALUX	22EN-LD1-34-UNV-L840-CD1-U	DLC

INDUSTRIAL/COMMERCIAL

4FT REDUCED WATT T8

INCENTIVE AMOUNT: **\$300 kw reduced**

The Cooper Lighting premium wrap around luminaires feature wide body construction and energy efficient performance. They utilize a clear, low brightness, extruded acrylic refractor with injection molded end caps for high performance and good looks.



Brand	Model	
METALUX	SNF-125-UNV-EB81-U	QS
METALUX	SNF-225-UNV-EB81-U	QS
METALUX	SSF-225-UNV-EB81-U	QS
METALUX	SSF-125-UNV-EB81-U	QS
METALUX	WN-228T8A-HB81-U	QS
METALUX	SNF-225-UNV-ER81-U	QS
METALUX	SNF-125-UNV-ER81-U	QS
METALUX	SNF-228T8-UNV-HB81-U	QS
METALUX	SNF-225-UNV-GL-EB81-U	QS
METALUX	SNF-125-UNV-HR81-U	QS
METALUX	SNF-225-UNV-HB81-U	QS

LENSED TROFFER

4FT REDUCED WATT T8 LOW POWER

INCENTIVE AMOUNT: **\$300 kw reduced**

T8-dedicated lensed troffers offer premium performance in a low profile housing.



Brand	Model	
METALUX	2GR8-225T8A125UNV-LGF32T8/25W/SPX50HB81L-U	QS
METALUX	2GR8-228T8A-UNV-HB81L-U	QS
METALUX	2GR8-325T8A125-UNV-LGF32T8/25W/SPX50-HB81L-U	QS
METALUX	2GR8-328T8A125-UNV-LSFO28M/850/XP/SS-HR81L-U	QS
METALUX	2GR8-425T8A-UNV-HB81L-U	QS
METALUX	2GC8-325T8A125-UNV-HB82L-U	QS
METALUX	2GC8-325T8A125-UNV-LGF32T8/25WM/SPX50-HB81L-U	QS

ENERGY EFFICIENT LIGHTING

HIGH INTENSITY FLUORESCENT HIGH BAY

4FT HP T8

INCENTIVE AMOUNT: **\$300 kw reduced**

High Performance fluorescent High Bay lighting systems from Cooper Lighting utilize the latest technologies and design platforms to provide dramatic energy savings and superior performance. Each family is uniquely designed to meet a wide range of applications and temperature requirements.



Brand	Model	
METALUX	HBL432	QS
METALUX	HBL432-L5	QS
METALUX	HBL432-UPL	QS
METALUX	HBL432-UPL-L5	QS
METALUX	HBI432	QS
METALUX	HBI432-L5	QS
METALUX	HBI432-UPL	QS
METALUX	HBI432-UPL-L5	QS

HIGH INTENSITY FLUORESCENT

4FT T5

INCENTIVE AMOUNT: **\$300 kw reduced**

High Performance fluorescent High Bay lighting systems from Cooper Lighting utilize the latest technologies and design platforms to provide dramatic energy savings and superior performance. Each family is uniquely designed to meet a wide range of applications and temperature requirements.



Brand	Model	
METALUX	HBI454HT5	QS
METALUX	HBI654HT5	QS
METALUX	HBI654HT5-L5	
METALUX	HBL454T5	QS
METALUX	HBL654T5	QS
METALUX	HBL654T5-VPL-L5	QS
METALUX	HBL-654T5-L5	QS

HIGH BAY LED

HIGH-BAY/LOW-BAY LED

INCENTIVE AMOUNT: **\$350 kw reduced**

The HB LED is an outstanding value for a wide variety of applications and mounting heights. Precision designed optics, multiple distributions, lumen outputs and color temperatures make the energy-efficient HB LED the ideal solution for industrial, commercial, manufacturing, gymnasium and other high bay applications.



Brand	Model	
METALUX	HBLED-LD3-10-W-UNV-L840-ED1-U	DLC
METALUX	HBLED-LD3-10-W-UNV-L850-ED1-U	DLC
METALUX	HBLED-LD3-18-N-UNV-L840-ED2-U	DLC
METALUX	HBLED-LD3-18-N-UNV-L850-ED2-U	DLC
METALUX	HBLED-LD3-18-W-UNV-L840-ED2-U	DLC
METALUX	HBLED-LD3-18-W-UNV-L850-ED2-U	DLC
METALUX	HBLED-LD3-24-N-UNV-L840-ED3-U	DLC
METALUX	HBLED-LD3-24-N-UNV-L850-ED3-U	DLC
METALUX	HBLED-LD3-24-W-UNV-L840-ED3-U	DLC
METALUX	HBLED-LD3-24-W-UNV-L850-ED3-U	DLC
METALUX	HBLED-LD3-30-N-UNV-L850-ED3-U	DLC
METALUX	HBLED-LD3-30-W-UNV-L850-ED3-U	DLC

HIGH BAY LED

HIGH-BAY/LOW-BAY LED

INCENTIVE AMOUNT: **\$350 kw reduced**

The SkyBar WaveStream™ High Bay Series reimagines high bay and low bay lighting with distinctive aesthetics, industry-first upright and exceptional optical performance. Multiple lumen packages and distributions provide design freedom for a wide variety of lighting applications.



Brand	Model	
METALUX	SKBLED-LD1-10-W-UNV-L840-CD1-U	DLC
METALUX	SKBLED-LD1-10-W-UNV-L850-CD1-U	DLC
METALUX	SKBLED-LD1-14-W-UNV-L840-CD2-U	DLC
METALUX	SKBLED-LD1-14-W-UNV-L850-CD2-U	DLC
METALUX	SKBLED-LD1-19-W-UNV-L840-CD2-U	DLC
METALUX	SKBLED-LD1-19-W-UNV-L850-CD2-U	DLC
METALUX	SKBLED-LD1-24-W-UNV-L840-CD4-U	DLC
METALUX	SKBLED-LD1-24-W-UNV-L850-CD4-U	DLC
METALUX	SKBLED-LD1-29-W-UNV-L840-CD4-U	DLC
METALUX	SKBLED-LD1-29-W-UNV-L850-CD4-U	DLC

LED DOWNLIGHTS RETROFIT KITS

DOWNLIGHT RETROFIT KITS

INCENTIVE AMOUNT: \$350 kw reduced

Halo RL Series luminaires are a retrofit LED Baffle-Trim Module for 4", 5" and 6" aperture recessed downlights. Wet location listed. Halo 6" LED modules are designed for use with 6" housings and 6" LED trims. The 6" LED modules are available in various color temperatures and lumen outputs.



The Halo Surface LED Downlight (SLD) incorporates WaveStream™ technology to create an ultra-low profile surface mounting luminaire with the performance and appearance of a traditional downlight. SLD is designed for installation in many standard square, octagon and round junction boxes, and may also retrofit in 3.5", 4", 5" and 6" aperture IC and Non-IC recessed housings.



Brand	Model	
HALO	RL460WH830	QS ENERGY STAR®
HALO	RL460WH835	QS ENERGY STAR®
HALO	RL460SN830	QS ENERGY STAR®
HALO	RL560WH830	QS ENERGY STAR®
HALO	RL560WH835	QS ENERGY STAR®
HALO	RL560SN830	QS ENERGY STAR®
HALO	ML5606830	QS ENERGY STAR®
HALO	ML5609830	QS ENERGY STAR®
HALO	SLD405830WH	QS ENERGY STAR®
HALO	SLD405930WH	QS ENERGY STAR®
HALO	SLD606830WH	QS ENERGY STAR®
HALO	SLD606930WH	QS ENERGY STAR®

LED DOWNLIGHTS

DOWNLIGHT KITS

INCENTIVE AMOUNT: \$350 kw reduced

Halo LED luminaires not only reduce your energy cost but they also benefit the environment. By lowering the demand for electricity, power plants can generate less energy and lower the amount of carbon emissions discharged into the environment.



Recessed 6 inch aperture downlight for new construction applications. Fixture is suitable for commercial constructions. Insulation must be kept 3" from top and sides of housing. Universal driver with phase cut and 0-10V dimming, with a full offering of lumen, CRI and CCT options. Specify housing, module, and trim separately to complete the luminaire



Brand	Model	
HALO	H455TUNVD010-EL405830-TL402WHS	QS ENERGY STAR®
HALO	H750T-ML706830-493WBS06	QS ENERGY STAR®
HALO	H750T-ML709830ICAT120D-493WBS06	QS ENERGY STAR®
HALO	H750TD010-ML712830TUNVD010-493WBS06	QS ENERGY STAR®
PORTFOLIO	LDSQ409D010-ESQ4835-4LSQ0LI	QS ENERGY STAR®
PORTFOLIO	LDSQ413D010-ESQ4835-4LSQ0LI	QS ENERGY STAR®
PORTFOLIO	LDSQ610D010-ESQ4835-6LSQ0LI	QS ENERGY STAR®
PORTFOLIO	LDSQ615D010-ESQ4835-6LSQ0LI	QS ENERGY STAR®
PORTFOLIO	LD409D120-ERW4835-4LW0LI	QS ENERGY STAR®
PORTFOLIO	LD413D010-ERW4835-4LW0LI	QS ENERGY STAR®
PORTFOLIO	LD610D120-ERW6835-6LW0LI	QS ENERGY STAR®
PORTFOLIO	LD615D010-ERW6835-6LW0LI	QS ENERGY STAR®
HALO COMMERCIAL	PD612ED010	QS ENERGY STAR®
HALO COMMERCIAL	PD618ED010	QS ENERGY STAR®
HALO COMMERCIAL	PD56R12ED010	QS ENERGY STAR®
HALO COMMERCIAL	PD56R18ED010	QS ENERGY STAR®
HALO COMMERCIAL	PD6R12ED010	QS ENERGY STAR®
HALO COMMERCIAL	PD6R18ED010	QS ENERGY STAR®

COMPACT FLUORESCENT

HARDWIRED CFL

INCENTIVE AMOUNT: \$350 kw reduced

Recessed 6 inch aperture downlight, lensed downlight, or open wall wash with one horizontal 18 or 42W DTT CFL. Suitable for commercial construction. Insulation must be kept 3" from housing.



Brand	Model	
HALO COMMERCIAL	PD6H118E-62HC	
HALO COMMERCIAL	PD6H142E-62HC	

Must replace HID fixture.

ENERGY EFFICIENT LIGHTING

LED OR LEC EXIT

LED EXITS

INCENTIVE AMOUNT: **\$25**

Emergency products designed to meet or exceed building codes. Engineered to offer maximum performance while keeping the installation and maintenance costs to a minimum.



Brand	Model
ALL-PRO	APX7
ALL-PRO	APC7
SURE-LITES	LPX7
SURE-LITES	LPXH7

LED EXTERIOR GARAGE CANOPY

LED CANOPY

INCENTIVE AMOUNT: **\$350 kw reduced**

The Valet features a rugged and low profile housing construction and modular LED LightBAR™ technology. The Valet delivers uniform and energy conscious illumination optimized to improve vehicular movement and pedestrian safety in parking structure applications. UL and cUL listed for wet locations.



Brand	Model	
McGRAW-EDISON	VPL-B02-LED-E1-SQ-WH	DLC
McGRAW-EDISON	VPL-B04-LED-E1-SQ-BK	DLC
McGRAW-EDISON	VPL-C02-LED-E1-SQ-WH	DLC
McGRAW-EDISON	VPL-C03-LED-E1-SQ-BZ	DLC
McGRAW-EDISON	VPL-C03-LED-E1-SQ-WH	DLC
McGRAW-EDISON	VPL-C04-LED-E1-SQ-BZ	DLC
McGRAW-EDISON	VPL-C04-LED-E1-SQ-WH	DLC

LED EXTERIOR PARKING LOT

EXTERIOR LED

INCENTIVE AMOUNT: **\$350 kw reduced**

The Ridgeview™ LED area roadway luminaire is the compact, efficient, economical approach to LED area lighting. A pure blend of traditional form and LED efficiency; Ridgeview provides functional, low-profile design with excellent operating performance. Patented modular LightBAR™ technology delivers uniform and energy-conscious illumination to parking lots and perimeter security lighting applications.



Brand	Model	
LUMARK	LDRV-T3-B02-E	DLC
LUMARK	LDRV-T3-B03-E	DLC
LUMARK	LDRV-T3-B04-E	DLC
LUMARK	LDRV-T4-B04-E	DLC
LUMARK	LDRV-T3-C03-E	DLC
LUMARK	LDRV-T3-C04-E	DLC
LUMARK	LDRV-T4-C03-E	DLC
LUMARK	LDRV-T4-C04-E	DLC

LED PARKING/ROADWAY

EXTERIOR LED

INCENTIVE AMOUNT: **\$350 kw reduced**

The Ventus™ LED area luminaire provides uncompromising optical performance and outstanding versatility for a wide variety of area and roadway applications. Patent pending modular LightBAR™ technology delivers uniform and energy conscious illumination to walkways parking lots, roadways, building areas, and any security lighting application.



Brand	Model	
McGRAW-EDISON	VTS-B05-LED-E1-SL2	DLC
McGRAW-EDISON	VTS-B06-LED-E1-T2	DLC
McGRAW-EDISON	VTS-B06-LED-E1-T3	DLC
McGRAW-EDISON	VTS-B09-LED-E1-T4	DLC
McGRAW-EDISON	VTS-B12-LED-E1-T2	DLC
McGRAW-EDISON	VTS-B12-LED-E1-T3	DLC
McGRAW-EDISON	VTS-C06-LED-E1-T2	DLC
McGRAW-EDISON	VTS-C09-LED-E1-T3	DLC
McGRAW-EDISON	VTS-C12-LED-E1-T2	DLC
McGRAW-EDISON	VTS-C12-LED-E1-T3	DLC
McGRAW-EDISON	VTS-C12-LED-E1-T4	DLC

LED PARKING GARAGE/CANOPY

PARKING GARAGE

INCENTIVE AMOUNT: \$350 kw reduced

The TopTier™ Parking Garage and Canopy Luminaire features patented WaveStream™ optical technology and is an innovative solution that delivers an unparalleled combination of performance and visual comfort. The TopTier luminaire is UL/cUL listed for wet locations, IP66 and 3G vibration rated.



Brand	Model	
McGRAW-EDISON	TT-A1-LED-E1	DLC
McGRAW-EDISON	TT-A2-LED-E1	DLC
McGRAW-EDISON	TT-A3-LED-E1	DLC
McGRAW-EDISON	TT-A4-LED-E1	DLC
McGRAW-EDISON	TT-A5-LED-E1	DLC

LED PARKING GARAGE/CANOPY

PARKING GARAGE

INCENTIVE AMOUNT: \$350 kw reduced

The Quadcast™ Parking Garage/Canopy Luminaire is an industry leading, innovative, energy saving fixture. Designed to replace traditional HID, fluorescent and induction light sources. Light panel bars rotate and lock for precise aiming.



Brand	Model	
LUMARK	QDCAST1A	DLC

LED EXTERIOR WALL MOUNT

EXTERIOR FLOOD

INCENTIVE AMOUNT: \$350 kw reduced

The Lumark Crosstour LED Wall Pack Series of luminaries provides style with super bright, energy efficient LEDs. The low-profile, rugged Crosstour is impervious to contaminants.



Brand	Model	
LUMARK	XTOR2A	DLC
LUMARK	XTOR3A	DLC
LUMARK	XTOR5A	DLC
LUMARK	XTOR9A	DLC

OUTDOOR POLE/ARM MOUNTED LED

OUTDOOR LED

INCENTIVE AMOUNT: \$350 kw reduced

The Galleon™ LED luminaire delivers exceptional performance in a highly scalable, low-profile design. Patented, high-efficiency AccuLED Optics™ system provides uniform and energy conscious illumination to walkways, parking lots, roadways, building areas and security lighting applications. IP66 rated and UL/cUL Listed for wet locations.



Brand	Model	
McGRAW-EDISON	GLEON-AE-10-LED-E1-T3-BK	DLC
McGRAW-EDISON	GLEON-AE-10-LED-E1-T3-BZ	DLC
McGRAW-EDISON	GLEON-AE-10-LED-E1-SL3-BK	DLC
McGRAW-EDISON	GLEON-AE-10-LED-E1-SL4-BZ	DLC
McGRAW-EDISON	GLEON-AE-10-LED-E1-5MQ-BK	DLC
McGRAW-EDISON	GLEON-AE-8-LED-E1-T4-BZ	DLC
McGRAW-EDISON	GLEON-AE-8-LED-E1-T4-BK	DLC
McGRAW-EDISON	GLEON-AE-6-LED-E1-T4-BK	DLC
McGRAW-EDISON	GLEON-AE-6-LED-E1-T4-BZ	DLC
McGRAW-EDISON	GLEON-AE-6-LED-E1-T3-BZ	DLC
McGRAW-EDISON	GLEON-AE-6-LED-E1-SL3-BK	DLC
McGRAW-EDISON	GLEON-AE-4-LED-E1-T3-BK	DLC
McGRAW-EDISON	GLEON-AE-4-LED-E1-SL3-BZ	DLC
McGRAW-EDISON	GLEON-AE-4-LED-E1-T4-BK	DLC
McGRAW-EDISON	GLEON-AE-4-LED-E1-T4-BZ	DLC

REMOTE MOUNTED OCCUPANCY SENSOR

OCC SENSOR

INCENTIVE AMOUNT: **\$125 / \$225 kw reduced**

The Dual Technology Ceiling Mounted Occupancy Sensor's combination of Ultrasonic and PIR technologies. For 2000, 1000 and 500 square feet applications and work with coordinating 120/277V Switchpacks.



Brand	Model	
COOPER CONTROLS	OAC-DT-2000	
COOPER CONTROLS	OAC-DT-1000	
COOPER CONTROLS	OAC-DT-0501	
COOPER CONTROLS	SP20-MV	QS

New Construction Incentive: \$125 kw reduced
Retrofit Incentive: \$225 kw reduced

WALL MOUNTED OCCUPANCY SENSOR

OCC SENSOR & DAYLIGHT CTRLS

INCENTIVE AMOUNT: **\$175 / \$225 kw reduced**

Occupancy sensor, daylight sensor, and ECO energy indicator in one easy to use device. Automatically adjusts light levels based on occupancy or natural light. The ECO indicator intensity varies in direct response to occupants lighting energy efficiency habits.



Brand	Model	
COOPER CONTROLS	ONW-D-1001-MV	QS

New Construction Incentive: \$175 kw reduced
Retrofit Incentive: \$225 kw reduced

WALL MOUNTED VACANCY OCCUPANCY SENSOR

OCC SENSOR

INCENTIVE AMOUNT: **\$125 / \$225 kw reduced**

The NeoSwitch wall mounted occupancy sensor is a motion sensing lighting control and conventional wall switch all-in-one that is used to for energy savings and convenience.



Brand	Model	
COOPER CONTROLS	VNLW-P-1001-MV-N-*	QS

New Construction Incentive: \$125 kw reduced
Retrofit Incentive: \$225 kw reduced

Eaton's Cooper Lighting Business

Headquarters
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales

5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

Our Lighting Product Brands

Halo
Halo Commercial
Portfolio
IRiS
RSA
Metalux
Corelite
Neo-Ray
Fail-Safe
MWS
Ametrix
Shaper
io
Lumark
McGraw-Edison
Invue
Lumière
Streetworks
AtLite
Sure-Lites

Our Controls Product Brands

Greengate
iLumin
Zero 88
Fifth Light Technology
iLight (International Only)

This brochure is to be used as a guideline only. All product must be pre-approved by Austin Energy. Incentives are managed and issued by Austin Energy and are subject to its terms, conditions and approval.

For incentives visit www.austinenergy.com

Energy Partner:

Legacy Lighting

901 South Mopac Expressway
Barton Oaks Plaza One, Suite 300
phone: (512) 481-9971
www.legacyltg.com
debbie@legacyltg.com