

# Hubbell Lighting Inventory

Atlanta, GA Distribution Center

EFFECTIVE APRIL 1, 2014

HLI - ATL14 - REV2

COLUMBIA LIGHTING

PRESCOLITE

HUBBELL BUILDING AUTOMATION

HUBBELL OUTDOOR LIGHTING

HUBBELL INDUSTRIAL LIGHTING

DUAL-LITE

COMPASS PRODUCTS



**HUBBELL**  
Lighting

# The Hubbell Lighting Advantage

From lighting design to warranty, Hubbell Lighting is grounded in serving our customers needs. We understand that there is no one size fits all, especially for unique applications. We are your turnkey solution for fixtures and controls that span the full spectrum of lighting technologies. We also provide comprehensive retrofit lighting and controls solutions to help customers choose the best lighting systems and controls, including measurable energy cost reduction. We'll even finance their entire lighting upgrade project, including labor and materials.



## Efficiency<sup>3</sup> Lighting & Controls

Phone: 770-458-9911

Fax: 770-457-1665

Orders: [orders@e3lc.com](mailto:orders@e3lc.com)

### Hubbell Lighting Warehouse for Atlanta Pick Ups


6349 Peachtree St / Norcross, GA 30071

Take Jimmy Carter Blvd to Corley Rd / Turn Left on P'tree St NW

Note: Corley Road is NOT open to Buford Hwy (online maps & GPS are incorrect)

Warehouse contact phone: 800-241-8657

Pick-Up Hours 8:00 am - 4:30 pm






# Your Retrofit Lighting & Controls Headquarters

## Impact of a Commercial Property Lighting Upgrade

The typical commercial office building in the US consumes 30% of its electrical energy for lighting. A well-executed lighting retrofit that reduces lighting energy use by 60% can increase the building owner's net operating income (NOI) up to 3% while improving property values and marketability to potential tenants. Hubbell Lighting provides LED solutions for all applications.



# createchange

**RETROFIT LIGHTING & CONTROLS SOLUTIONS**

[HubbellLighting.com/solutions/retrofit/](http://HubbellLighting.com/solutions/retrofit/)

### Calculators




- Online Proposal Generator
- HVAC Impact Calculator
- Maintenance Calculator
- Productivity Calculator
- Financing Calculator






### Reference Tools



- Audit Tools
- DLC Qualified Product Lookup
- Energy Star Lookup
- Utility Rebate Finder
- Input Watt Finder
- Compare-In-The-Air Program
- Cash Flow Positive Financing





**HUBBELL**  
Lighting

Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
 <b>P4D</b>		<b>PARABOLICS</b>		
P4D22-232U6G-MA33-S-EU	078531043445	2x2, 2-L, 9 Cell MA Lvr, 120-277V T8 Elec Ballast, Static	32.0	28
P4D22-232U6G-MA33-S-EU-FO735-C388	078531046071	2X2 2-L, 9 Cell MA Lvr, 120-277V T8 Elec Ballast, T8 35K Lamps Installed, Static, 3 Wire Flex	32.0	28
P4D24-332G-MA36-S-3EU	078531043711	2x4,3-L, 18Cell MA Lvr,120-277V 3-L T8 Elec Ballast, Static	33.0	16
P4D24-332G-MA36-S-3EU-FO735-C388	078531043261	2X4 3-L, 18 Cell MA Lvr, 120-277V 3-L T8 Elec Ballast, T8 35K Lamps Installed, Static, 3 Wire Flex	33.0	16
 <b>STE</b>		<b>STRATUS RECESSED DIRECT/INDIRECT</b>		
STE22-217G-MPO-EU	078531017415	2 x 2, 2-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast	12.0	24
STE24-232G-MPO-EU	078531017385	2 x 4, 2-L, Metal Perf. Basket w/Overlay, 120-277VT8 Elec Ballast	20.0	14
STE24-332G-MPO-3EU	078531017378	2 x 4, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast	20.0	14
 <b>JT8</b>		<b>Lensed Troffers</b>		
JT822-232U6G-FSA12-EU	078531005603	2 x 2, 2-L, 120-277V, 2-L, T8 Elec Ballast	16.0	36
JT822-232U6G-FSA12-EU-FO735-C388	078531007409	2 x 2, 2-L 120-277V T8 Elec Ballast, T8 35K Lamps Installed, 3 Wire Flex	15.0	36
JT824-332G-FSA12-3EU	078531005627	2 x 4, 3-L, 120-277V 3-L T8 Elec Ball.	20.0	26
JT824-332G-FSA12-3EU-FO735-C388	078531005955	2 x 4, 3-L, 120-277V 3-L T8 Elec Ballast, T8 35K Lamps Installed, 3 Wire Flex	24.0	26
JT824-432G-FSA12-4EU	078531005641	2 x 4, 4-L, 120-277V 4-L T8 Elec Ballast	18.0	26
JT824-432G-FSA12-4EU-FO741-C388	078531009175	2 x 4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 41K Lamps Installed, 3 Wire Flex	24.0	26
JT824-432G-FSA12-4EU-FO735-C388	078531005818	2 x 4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 35K Lamps Installed, 3 Wire Flex	24.0	26
		<b>ACCESSORIES FOR JT8 TROFFERS</b>		
LENS-A12.095 22.500-22.500	078531004781	Lens 2x2 A12	1.0	N/A
LENS-A12.095 22.500-46.562	078531004774	Lens 2x4 A12	2.0	N/A
FK22	078531000752	2 x 2 Flange Kit	5.0	N/A
FK24	078531038991	2 x 4 Flange Kit	5.0	N/A
TBC2K	078531017590	Tall Ballast Cover, For Field Installed Battery Packs	3.0	N/A

Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
 <b>AW</b>		<b>WRAPAROUNDS</b>		
AWN4-232-EU	078531004859	2-L-4' T8, 4', 120-277V 2-L T8 Elec Ballast	14.0	55
AWW4-432-4EU	078531004873	4-L-4' T8, 4', 120-277V 4-L T8 Elec Ballast	14.0	33
 <b>LHA</b>		<b>FLUORESCENT HIGH BAYS</b>		
LHA4-454-NU-4EPU-F554841	078531022129	4-L-4' T5, 4', 120-277V 4-L T5 Elec Ballast, 54 Watt 41K Lamps Installed, Narrow Distribution, Uplight Reflector	23	30
LHA4-632-NU-3EPHLU-FO841	078531122089	6-L-4' T8, 4', 120-277V 2x3-L T8 HL Elec Ballast, 32 Watt 41K Lamps Installed, Narrow Distribution, Uplight Reflector	26	24
LHA4-654-NU-24EPU-F554841	078531022167	6-L-4' T5, 4', 120-277V 2-L & 4-L T5 Elec Ballast, 54 Watt 41K Lamps Installed, Narrow Distribution, Uplight Reflector	26	24
 <b>LHA/LHV</b>		<b>FLUORESCENT HIGH BAY ACCESSORIES (COMPATIBLE WITH LHA &amp; LHV)</b>		
LHVWG4-4	078531012625	Cage Wireguard, 4-L, White	5.0	N/A
LHVWG4-6	078531012618	Cage Wireguard, 6-L, White	5.0	N/A
LHVOS1360	078531023584	Occupancy Sensor 120/277/247V One Relay 360 Degree Lens	1.0	N/A
 <b>XEM</b>		<b>ENCLOSED/GASKETED INDUSTRIALS</b>		
XEM4-232-RA-EU	078531023720	2-L-4' T8, 4', Vapor Tight, 120-277V T8 Elec Ballast, Fiberglass Housing	14.0	55
XEM8-232-RA-4EU	078531023737	4-L-4' T8, 8', Vapor Tight, 120-277V 4-L T8 Elec Ballast, Fiberglass Housing	29.0	45
 <b>CS</b>		<b>STRIPLIGHTS</b>		
CS4-232-EU	078531005016	2-L -4' T8, 4', 120-277V T8 Elec Ballast	9.0	77
CS8-232-4EU	078531005023	4-L -4' T8, 8', 120-277V 4-L T8 Elec Ballast	17.0	77
CS8-296T8-EU	078531005795	2-L -8' T8, 8', 120-277V T8 Elec Ballast	17.0	77
CSR4	078531001575	4' symmetric reflector, white, solid top	2.0	N/A
CSWG4	078531000882	4' Wire Guard for CS series	1.0	N/A





Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
		<b>LiteBox</b>  <b>LiteBox®</b> <b>6" Line Voltage Dual Labeled IC/ n-IC Housings</b>	4.2	
		6", line voltage housing for new construction. Dual labeled for IC/ n-IC.		
		<b>LiteBox®</b> <b>ADJUSTABLE 6" Line Voltage Trims</b>	0.7	
		White eyeball		
		<b>LiteBox®</b> <b>BAFFLE 6" Line Voltage Trims</b>	0.2	
		Stepped white baffle		
		<b>LiteBox®</b> <b>LENSED 6" Line Voltage Trims</b>	1.7	
		Drop Opal shower trim nonmetallic flange. Wet location listed.		
		<b>LiteBox®</b> <b>LENSED 6" Line Voltage Trims</b>	2.0	
		Glass drop opal shower trim. Wet location listed.		
		<b>LiteBox®</b> <b>LENSED 6" Line Voltage Trims</b>	0.2	
		Clear anodized reflector		
		<b>LiteBox®</b> <b>LENSED 6" Line Voltage Trims</b>	0.2	
		White open splay		
		<b>LiteFrame</b>  <b>LiteFrame 6" Compact Fluorescent Housings</b>	4.8	
		6" Vertical, 26/32/42W Triple tube housing		
		<b>LiteFrame 6" Compact Fluorescent Housings</b>	4.8	
		6" Vertical, 26/32/42W Triple tube housing w/ Lutron EcoSystem Dimming Ballast to 5% 3wire line voltage 120-277V		
		<b>LiteFrame 6"</b> <b>Compact Fluorescent Trims</b>	3.7	
		6" Vertical Semi-diffuse clear alzak reflector		
		<b>LiteFrame 6"</b> <b>Compact Fluorescent Trims</b>	3.7	
		6" Vertical Semi-diffuse clear alzak wall wash reflector		
		<b>LiteFrame 4" LED Housings</b>	4.1	
		4" High Efficacy LED Housing 0-10V dimming to 10%		

Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
		<b>LiteFrame (continued)</b>		
		<b>LiteFrame 4" LED Trims</b>		
<b>4LFLED5G435K</b>	785235430104	4" Clear alzak/light engine assembly 1100 Lumen module 3500K 80CRI	3.0	
		<b>LiteFrame Commercial 6" LED Housings</b>		
<b>LC6LED120</b>	785235429269	6" Commerical LED Housing, 120V	5.9	
<b>LC6LED277</b>	785235429283	6" Commerical LED Housing, 277V	5.9	
		<b>LiteFrame Commercial 6" LED Trims</b>		
<b>6LCLED635K8</b>	785235429245	6" Clear alzak reflector/commercial light engine assembly, 1400 Lumen module 3500K 80CRI	3.5	
		<b>LiteFrame 6" LED Housings</b>		
<b>LF6LEDG4</b>	785235430074	6" High Efficacy LED Housing 0-10V dimming to 10%; for 1100 or 2000 Lumen module only	4.1	
<b>LF6LED5G4120HDM</b>	785235430043	6" LED Housing for use with 6LFLED5 trim and HDM driver (Lutron 3w/EcoSys Dim to 1%); 120V	4.1	
<b>LF6LED5G4277HDM</b>	785235430050	6" LED Housing for use with 6LFLED5 trim and HDM driver (Lutron 3w/EcoSys Dim to 1%); 277V	4.1	
		<b>LiteFrame 6" LED Trims</b>		
<b>6LFLED5G435K</b>	785235430098	6" Clear alzak/light engine assembly 1100 Lumen module 3500K	3.0	

Hubbell's LED line is one of the most extensive in the industry


---

**[www.hubbellighting.com/led](http://www.hubbellighting.com/led)** puts you where you need to be to  
find the most up to date information available.

	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
			<b>Floodlights</b>		
	<b>ALF-12LU-5K-BZ</b>	785988020713	Flood, Linear, 23W LED 120-277v, Wide, Bronze	8.0	
	<b>ALF-6LU-5K-BZ</b>	785988109168	Flood, Linear, 11W LED 120-277v, Wide, Bronze	4.0	
					
	<b>FSL-7</b>	785988030675	Flood, 25w LED, 120-277V, Wide beam, Bronze	6.0	
	<b>FML-14</b>	785988030682	Flood, 53w LED, 120-277V, Wide beam, Bronze	8.5	
					
	<b>LFS-100P8-BZ-LP</b>	785988005321	Flood, 100w PSMH, Quad-Tap, Bronze, with Lamp	12.0	
					
	<b>MHS-Y250P8</b>	785988007967	Flood, Yoke, 250w PSMH, Quad-Tap, Bronze, with Lamp	22.0	
	<b>MHS-Y400P8</b>	785988007936	Flood, Yoke, 400w PSMH, Quad-Tap, Bronze, with Lamp	26.0	
					
	<b>Q-500-B</b>	785988465699	Quartz, 500w, 120V, Bronze, with Lamp	3.0	
			<b>Wallpacks</b>		
	<b>LNC-7LU-5K-3-1</b>	785988020669	Wallpack, LNC, 16w LED 120-277V, 5K, 3, Bronze	4.0	
	<b>LNC2-12LU-5K-3-1</b>	785988030071	Wallpack, LNC2, 28w LED 120-277V, 5K, 3, Bronze	7.0	
	<b>LNC2-18LU-5K-3-1</b>	785988021031	Wallpack, LNC2, 45w LED 120-277V, 5K, 3, Bronze	7.0	
					
	<b>NRG-312LU-5K-BZ</b>	785988030026	Wallpack, NRG, 18w LED, 120-277V, 5K, Bronze	6.0	
	<b>NRG-312LU-5K-BZ-PC</b>	785988030033	Wallpack, NRG, 18w LED, 120V, Photocontrol, 5K, Bronze	6.0	



	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
			<b>Wallpacks (continued)</b>		
	<b>PGM3-30LU-5K-BZ</b>	785988029686	Wallpack, 69w LED, 120-277V, 5000K, Bronze	21.0	
					
	<b>PGL-350P-128-1-LP</b>	785988566679	Wallpack, Glass refractor, 350w PSMH, Quad-Tap, Bronze, with Lamp	30.3	
					
	<b>WGH-150P</b>	785988005680	Wallpack, Glass refractor, 150w PSMH, Quad-Tap, Bronze, with Lamp	11.8	
	<b>WGH-250P</b>	785988005697	Wallpack, Glass refractor, 250w PSMH, Quad-Tap, Bronze, with Lamp	34.0	
	<b>WGH-400P</b>	785988005727	Wallpack, Glass refractor, 400w PSMH, Quad-Tap, Bronze, with Lamp	37.0	
					
	<b>DDS-100P</b>	785988012060	24" Alum arm, 12" Screw-on optics, 100w PS, 120V, Kit with lamp, UL approved	6.0	
			<b>Photocontrols</b>		
	<b>PBT-1</b>	785988260119	Photocontrol, 120V, Button type	0.5	
	<b>PBT-234</b>	785988260157	Photocontrol, 208/240/277V, Button type	0.5	

Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
	<b>BL</b>	<b>Industrial Products</b>		
	<b>BL-400P-HB</b>	785988011254 Highbay, 16" Enclosed reflector with Glass Bottom Lens, 400w PS, White, with Lamp & Hook	27.0	
	<b>BL-400P-HB-Q</b>	785988011261 Highbay, 16" Enclosed reflector with Glass Bottom Lens, 400w PS, Qtz restrike, White, with Lamp & Hook	27.0	




Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
		<b>Lampak® Series Dual Voltage - 120/277VAC Powers Standard Lamps</b>		
<b>UFO-RP1</b>	782520866174	500 Initial Lumens, Operates (1) T8, T10, or T12 Lamp	1.70 lbs.	1
		<b>Lampak® Series Dual Voltage - 120/277VAC Powers Standard Lamps</b>		
<b>UFO-RP3</b>	782520866198	1400 Initial Lumens, Operates (1) or (2) T5HO, T8,T10, or T12 Lamp	3.30 lbs.	1
		<b>LE Series Recessed Mounting Edge-Lit LED Exit Sign Emergency</b>		
<b>LECDRCNE-XK</b>	782520867010	Ceiling Mount, Double Face, Red Letters, L/R arrows, satin aluminum, emergency less back-box	2.50 lbs.	1
<b>LECSRKNEM-XK</b>	782520867027	Ceiling Mount, Single Face, Red Letters, no arrows, satin aluminum, emergency less back-box, mirror	3.50 lbs.	1
		<b>URK</b>		
<b>URK</b>	782520843267	Universal Rough-in Kit - Backbox For LE Series exits	3.80 lbs.	1



Are you using Hubbell's ePSG?  
electronic Product Selection Guide  
Online with no installs required!







Desktop



Web



Mobile

Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
		<b>CU2 Series- 2 Head LED, NiCad Battery, Dual Input - 120/277VAC, White Housing Damp Location Listed</b>		
<b>CU2</b>	856143001486	2 head LED Emergency Light	1.00 lbs.	12
		<b>CE Exit Series, Red LED with battery, White Thermoplastic Housing, 120/277VAC Input, Universal Face, Damp Location Listed</b>		
<b>CER</b>	856143001448	Exit sign, Red Letters, Universal Face with NiCad battery	2.00 lbs.	6
		<b>CC Series, Combination Exit/Emergency Light, Combination LED Exit/Unit, 120/277VAC Input, 2 LED Lamp-heads, Universal Face, NiCad Battery</b>		
<b>CCR</b>	856143001400	Red Letters, White Housing, Single/Double Face	2.5 lbs.	6
		<b>CEL Series Edge-Lit LED Exit Sign, Recessed Mount with Battery, 120/277VAC Input</b>		
<b>CELR1RNE</b>	856143001585	Recessed Mount, Single-Face, Red letters, Brushed Aluminum with Battery	6.14 lbs.	3
<b>CELR2RNE</b>	856143001608	Recessed Mount, Double-Face, Red letters, Brushed Aluminum with Battery	6.14 lbs.	3



Are you using Hubbell's web site? There are great resources available at the click of a mouse!

[www.hubbelllighting.com](http://www.hubbelllighting.com)






Are you using **myHubbell** to get order, invoice and inventory information?

---

See your E3LC rep today to help get signed up!

Catalog Number	UPC Code	Description	Wt. Each	Notes
<b>Occupancy Sensors</b>				
		<b>HBA WASP2 High Bay Sensor with Daylighting, End Mnt, 1 SPST Output, 120/277/347VAC</b>		
<b>WSPERMUNV</b>	640181200839	WSPII HBAY SNSR END MNT UNV		<b>*For use w/ WASP2**</b>
		<b>HBA WASP2 FI. High Bay Sensor Lens, 360 Degree Coverage Area up to 45'</b>		
<b>WSPLENS360</b>	640181201256	WSPII HBAY SNSR LENS, 360 COVERAGE		<b>*For use w/ WASP2**</b>
		<b>HBA WASP2 FI. High Bay Sensor Lens, Aisle Coverage Area up to 45'</b>		
<b>WSPLENSAISLE</b>	640181201263	WSPII HBAY SNSR LENS, AISLE COVERAGE		<b>*For use w/ WASP2**</b>
		<b>HBA WASP High Bay Sensor Mounting Extension Adaptor</b>		
<b>WSPADAPTOR</b>	640181300232	WSPII FIXTURE EXTENSION ADAPTOR		
		<b>LightHawk Multi-Technology Wall Switch Sensor with IntelliDAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft., Photocell, White</b>		
<b>LHMTS1W</b>	640181501448	WS, LH IR & US Single Crct One Btn Wht		
		<b>Passive Infrared Wall Switch Sensor, Auto ON / Auto OFF, 120/277VAC, 900 Sq. Ft., White</b>		
<b>IWSZP3PW</b>	640181100559	PIR W-SWITCH, 900 SQ', WH		
		<b>OMNI-BP Passive Infrared &amp; Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Line-Voltage, 120-277VAC</b>		
<b>OMNIDT2000BP1277</b>	640181411945	PIR + US CLG SENS, 2000 SQ', 120/277VAC		
		<b>OMNI Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft. Line-Voltage, 120-277VAC</b>		
<b>OMNIUS2000BP1277</b>	640181411990	US CLG SENS, 2000 SQ', 120/277VAC		
		<b>OMNI-BP Passive Infrared Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., Line-Voltage, 120-277VAC</b>		
<b>OMNIRLBP1277</b>	640181411976	PIR CLG SENS, 2000 SQ', 120/277VAC		



Catalog Number	UPC Code	Description	Wt. Each	Notes
<b>Occupancy Sensors (continued)</b>				
		<b>OMNI Passive Infrared &amp; Ultrasonic Ceiling Sensor with IntelliDAPT, 2000 Sq. Ft., 24v</b>		
<b>OMNIDT2000</b>	640181402868	PIR + US CLG SENS, 2000 SQ',OW		<b>** Requires UVPP **</b>
		<b>Passive Infrared Ceiling Mount Hallway Sensor,</b>		
<b>PIR1000H</b>	640181300607	PIR Ceiling Mount Hallway Sensor, 1000sq		<b>** Requires UVPP **</b>
		<b>Universal Voltage Power Pack, 100-277 VAC</b>		
<b>UVPP</b>	640181801685	Universal Power Pack		
		<b>LightOWL Passive Infrared &amp; Ultrasonic Wall Sensor with IntelliDAPT, 1600 Sq. Ft.</b>		
<b>LODT</b>	640181402264	PIR + US WALL SENSOR,1600 SQ',WH		<b>** Requires UVPP **</b>
		<b>LightOWL Passive Infrared Wall Sensor with IntelliDAPT, 2500 Sq. Ft.</b>		
<b>LOIRWV</b>	640181402363	PIR WALL SENS, 2500 SQ', WH		<b>** Requires UVPP **</b>
<b>Lighting Control Panels</b>				
		<b>CX Lighting Control Panel, 4 Relay 120/277V Input with 4-20A/1P CX Lighting Control Panel, 4 Relay 120/277V Input,</b>		
<b>CX042S042NN</b>	640181200563	CX04N PNL 120/277 W/4 20A/1P EH/NO SURF		
		<b>CX Lighting Control Panel, 8 Relay 120/277V Input, with 8-20A/1P Elect. Held 8 Relays Nema 1 Sur. Encl. Master</b>		
<b>CX082S082NM</b>	640181200624	CX08M PNL 120/277 W/8 20A/1P EH/NO SURF		
		<b>Low Voltage Switch, Momentary, 2 Button, w/Pilot LED's, White</b>		
<b>LVSM2PLWH</b>	640181100399	LVS 2 BTN MOM w/ PILOT LED WHT		

**Don't forget to pick up your sensors!**

*Now in stock at the Norcross warehouse!*



[illegible]

[illegible]



**HUBBELL**  
Lighting

701 Millennium Blvd.  
Greenville, SC 29607

HUBBELLLIGHTING.COM

ALERA LIGHTING  
ARCHITECTURAL AREA LIGHTING  
BEACON PRODUCTS  
COLUMBIA LIGHTING  
COMPASS PRODUCTS  
DEVINE LIGHTING  
DUAL-LITE  
HOMESTYLE LIGHTING  
HUBBELL BUILDING AUTOMATION  
HUBBELL INDUSTRIAL LIGHTING  
HUBBELL OUTDOOR LIGHTING  
KIM LIGHTING  
KURT VERSEN  
PRESCOLITE  
PROGRESS LIGHTING  
SPAULDING  
SPORTSLITER SOLUTIONS  
STERNER LIGHTING

### Industry Leading Product Lines Available at the Atlanta Warehouse

The product lines you offer to your customers are a direct reflection of your business. Our products encompass the most prestigious portfolio of brand names in the lighting industry with leading positions in the markets we serve.

**Columbia**  
LIGHTING

 **prescolite**

 **HUBBELL**  
Building Automation

 **HUBBELL**  
Outdoor Lighting

 **HUBBELL**  
Industrial Lighting

**DUAL LITE**

**COMPASS**  
Products by Hubbell Lighting, Inc.

### Other Innovative Hubbell Lighting Brands

Available from [www.hubbelllighting.com](http://www.hubbelllighting.com)

 **ALERA**  
LIGHTING

**SPAULDING**  
LIGHTING

  
**STERNER**  
LIGHTING SYSTEMS INC.

 **SLS**  
SPORTSLITER SOLUTIONS

 **KIM LIGHTING**

**e3lc**  
efficiency | lighting & controls

*Manufacturer Representatives of  
Quality Lighting & Controls*

4888 South Old Peachtree Road  
Norcross, GA 30071  
P: 770-458-9911 F: 770-457-1665