

# brilliance



Application illustration only, subject lamps not used in photo.

## GE LED Decorative Lamps

GE's LED Decorative Lamps now use a design-inspired crown diffuser to cast light more similar to traditional incandescent candles and globes. This creates better light distribution and adds more brilliance to decorative fixtures where the lamp is visible, such as chandeliers, pendants, and sconces.

### LOW-COST OPERATION

- Uses 87% Less energy than incandescent
- For example, using only 6.5 watts of energy, saves over \$88 in energy costs over the rated life of a lamp versus a standard 60 watt incandescent lamp based on \$0.11 per kWh and provides similar light output (550 vs 650 lumens)
- Dimmable

### COLOR RENDERING

- Available with a CRI of 80

### COLOR TEMPERATURE

- Available in 2700K

### LONG LIFE

- 15,000 hour rated life (L70)
- Lasts 15X longer than incandescent/halogen (1,000 hrs)

### ENVIRONMENTALLY CONSCIOUS

- These lamps are energy efficient, contain no lead or mercury, and are compliant with material restriction requirements of RoHS

### GE QUALITY AND RELIABILITY

- 3-year limited warranty

To learn more about saving money and energy, go to: [gelighting.com/ThinkLED](http://gelighting.com/ThinkLED)

When you Think LED lighting, Think GE.





ecomagination<sup>SM</sup>



imagination at work

Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

# GE LED Decorative Lamps

| Bulb Shape  | Base Type | Watts | Order Code | Description   | Volts           | Case Qty*       | MOL (in) | Lumens Initial | CBCP | Initial Color Temp | CRI  | Wattage Replacement | *Rated Life L70 (Hrs) | Dimmable | ENERGY STAR® Status | #Location Rating | Additional Information |                 |                 |
|---|-----------|-------|------------|---------------|-----------------|-----------------|----------|----------------|------|--------------------|------|---------------------|-----------------------|----------|---------------------|------------------|------------------------|-----------------|-----------------|
| <b>Candles</b>  |           |       |            |               |                 |                 |          |                |      |                    |      |                     |                       |          |                     |                  |                        |                 |                 |
|  | CA11      | MED   | 3.5        | 68168         | LED3DCAM-C/TP   | 120             | 3        | 4.2            | 170  |                    | 2700 | 80                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Clear, Bent tip |                 |
|   |           |       | 4          | 68167         | LED4DCAM-F/TP   | 120             | 3        | 4.2            | 270  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Frost, Bent tip |                 |
|   |           |       |            | 21250         | LED4DCAM-C3/827 | 120             | 6        | 4.2            | 300  |                    | 2700 | 80                  | 40W                   | 15,000   | Yes                 | ★                | Damp                   | Clear, Bent tip |                 |
|   |           |       |            | 69111         | LED4DCAM-C3/850 | 120             | 6        | 4.2            | 300  |                    | 5000 | 80                  | 40W                   | 15,000   | Yes                 | ★                | Damp                   | Clear, Bent tip |                 |
|   |           |       |            | 75554         | LED4DCAMCF/824  | 120             | 6        | 4.2            | 250  |                    | 2400 | 80                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Clear, Bent tip |                 |
|  | CAND      | 3.5   | 68166      | LED3DCAC-C/TP | 120             | 3               | 4.3      | 170            |      | 2700               | 80   | 25W                 | 15,000                | Yes      |                     | Damp             | Clear, Bent tip        |                 |                 |
|   |           |       | 4          | 68165         | LED4DCAC-F/TP   | 120             | 3        | 4.3            | 270  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Frost, Bent tip |                 |
|   |           |       |            | 21231         | LED4DCAC-C3/827 | 120             | 6        | 4.3            | 300  |                    | 2700 | 80                  | 40W                   | 15,000   | Yes                 | ★                | Damp                   | Clear, Bent tip |                 |
|   |           |       |            | 69109         | LED4DCAC-C3/850 | 120             | 6        | 4.3            | 300  |                    | 2700 | 80                  | 40W                   | 15,000   | Yes                 | ★                | Damp                   | Clear, Bent tip |                 |
|   |           |       |            | 75553         | LED4DCACCF/824  | 120             | 6        | 4.3            | 250  |                    | 2400 | 80                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Clear, Bent tip |                 |
|   |           |       |            | 7             | 21233           | LED7DCAC-C3/827 | 120      | 6              | 4.8  | 500                |      | 2700                | 80                    | 60W      | 15,000              | Yes              | ★                      | Damp            | Clear, Bent tip |
|   |           |       |            |               |                 |                 |          |                |      |                    |      |                     |                       |          |                     |                  |                        |                 |                 |
| <b>Globes</b>   |           |       |            |               |                 |                 |          |                |      |                    |      |                     |                       |          |                     |                  |                        |                 |                 |
|   | G16.5     | CAND  | 4.5        | 68169         | LED4DG16C-W/TP  | 120             | 3        | 3.0            | 270  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | White           |                 |
|   |           |       |            | 68170         | LED4DG16C-C/TP  | 120             | 3        | 3.0            | 270  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Clear           |                 |
|   | G25       | MED   | 4.5        | 68171         | LED4DG25M-W/TP  | 120             | 3        | 4.3            | 280  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | White           |                 |
|   |           |       |            | 68172         | LED4DG25M-C/TP  | 120             | 3        | 4.3            | 280  |                    | 2700 | 82                  | 25W                   | 15,000   | Yes                 |                  | Damp                   | Clear           |                 |
|   |           |       |            | 21253         | LED5DG25-W3/827 | 120             | 6        | 4.3            | 350  |                    | 2700 | 80                  | 40W                   | 15,000   | Yes                 | ★                | Damp                   | White           |                 |
|   |           |       | 7          | 21255         | LED7DG25-W3/827 | 120             | 6        | 4.3            | 500  |                    | 2700 | 80                  | 60W                   | 15,000   | Yes                 | ★                | Damp                   | White           |                 |

Get more information at [GELighting.com/ThinkLED](http://GELighting.com/ThinkLED)

Information provided is subject to change without notice. Please verify all details with GE. All values are design or typical values when measured under laboratory conditions, and GE makes no warranty or guarantee, expressed or implied, that such performance will be obtained under end-use conditions.

\* The life rating is based on the hours of operation the lamp will provide before reaching 70% of its original rating (L70)

\*\* Minimum order quantity = 6

# UL 1993 Environmental Requirements for LED LAMPS

Location, damp – Exterior or interior location that is normally or periodically subject to condensation of moisture in, on, or adjacent to, electrical equipment, and includes partially protected locations.

Location, dry – Location not normally subject to dampness, may include a location subject to temporary dampness, i.e., building under construction, provided ventilation is adequate to prevent an accumulation of moisture.

Location, wet – Location in which water or other liquid can drip, splash, or flow on or against electrical equipment.

^ Incandescent or Halogen wattage equivalencies based on ENERGY STAR® guidelines using lumens or CBCP according to lamp type

Notes: 1) Product descriptions ending in "/TP" indicate a carded blister or clamshell package nested in a tray for shelf display. Cards also designed for hook display.



Product is compliant with material restriction requirements of RoHS

ecomagination<sup>SM</sup>



[www.gelighting.com](http://www.gelighting.com)

GE and the GE Monogram are trademarks of the General Electric Company. All other trademarks are the property of their respective owners. Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions. GE Lighting and GE Lighting Solutions, LLC are businesses of the General Electric Company. © 2016 GE.

LEDL020 (Rev 12/05/16)