


ACCESSORIES - LADDER, HAT, AND TROF

COMBINATION HOLD-DOWN CLAMP & EXPANSION GUIDE [9131] (LADDER ONLY)

Catalog No.	Material
9131	Cast Zinc
9131L	316 Type Stainless Steel
9131A	Aluminum

Catalog No. 9131-HDW
(Complete Hardware Kit)
Hardware Kit List:
(2) Hold-Down Clamps
(2) ½" - 13 x 1½" Cap Screws
(2) ½" Flat Washer
(2) Clamping Nut (Strut Nut)

Hardware purchased separately to suit support system.




HOLD-DOWN [9132]

NOTE: For seismic applications or other bolted connections is preferred.

Catalog No.	Material
9132	Mill Galvanized
9133	Stainless Steel

Hardware purchased separately to suit support system.



COMBINATION HOLD-DOWN / EXPANSION GUIDE [9053] (LADDER ONLY)


Universal Guide: for either side of ladder. Use when tray is mounted on I-beams or channels. No drilling required.

NOTE: Use set screws for firm hold down.

Type	Catalog No.	Finish
Combination Guide	6-9053	Elec. Galv.
Combination Guide	8-9053	Aluminum

NOTE: Electroplated set screws included

HOLD-DOWN CLAMP & EXPANSION GUIDE




Load Depth.	Basic No.
3	-9039 (Aluminum)
4	-9040 (ElectroGalv.Steel)
5	-9041 (HDGAF)
6	-9042 (316SS)

Example: 3-9039-EX for 3" load depth, expansion guide.

Complete Kit add "-HDW" to Part Number above.
Hardware Kit List:
(2) Hold-Down Clamps
(2) ½" - 13 x 1½" Cap Screws
(2) ½" Flat Washer
(2) Clamping Nut (Strut Nut)

Hardware purchased separately to suit support system.




ISOLATION PAD [9131-IP]

The Isolation pad provides protection from galvanic corrosion when Aluminum tray is mounted on steel supports.

NOTE: For use with the 9131A shown above.

Hardware purchased separately





COVER SCREW

Part No. EM-CC (electroGalv. steel)
Part No. EM-CC-SS (stainless steel)

No. 10 x ⅝" long, self drilling-self tapping hex head plated steel screw.

Suggested spacing:
Indoor: 8 per 12';
Outdoor: 10 per 12'





9131A

Catalog No.	Material
9131A	Aluminum
H6A-02RC-MID	Stainless Steel Type 316

Hardware purchased separately to suit support system.




PS NS

Catalog No. 9131A-HDW (Complete Hardware Kit)

Hardware list:


- (2) 9131A Combination hold-down clamp & expansion guides
- (2) PS 6024 - 1/2" - 13 x 1 1/4" Cap Screw
- (2) PS 209 - 1/2" Flat Washer
- (2) PS NS - Clamping Nut (Strut Nut)



COMBINATION HOLD-DOWN / EXPANSION GUIDE [9053]

Universal Guide: for either side of ladder. Use when tray is mounted on I-beams or channels. No drilling required.

Note: Use set screws for firm hold down




Type	Catalog Number	Finish
Combination Guide	8-9053	Cast. Alum.

Note: Electroplated set screws included

ISOLATION PAD [9131-IP]

The Isolation pad provides protection from galvanic corrosion when Aluminum tray is mounted on steel supports.




Note: For use with the 9131A-HDW shown above.

Hardware purchased separately

BOX SPLICE PLATE [CA]

Note: Sold in pairs



Use to attach the end of a cable tray to a distribution box or control panel.


CATALOG NUMBER

Part	Load Depth	Finish	Basic No.
H3A	3"	A - Alum.	-02CA
H4A	4"		
H5A	5"		
H6A	6"		
H7A	7"		

Example: H4A -02CA for 4" load depth, aluminum Box Splice Plate.

HOLD-DOWN [9132]

Note: For seismic applications or other bolted connections is preferred.



Catalog No.	Material
9132	Mill Galvanized
9133	Stainless Steel

Hardware purchased separately to suit support system.