


# Security & Low Voltage

Networking  
CCTV  
Burglar & Fire  
Access Control  
Satellite



## Pan Head Slotted/Phillips (2 Way) Sheet Metal Screws - Zinc Plated - PC 4000

Pan head combo (slotted/phillips) sheet metal screws will tap their own mating threads when driven into preformed holes in metal. Length is determined from the base of the fastener head.

CAT NO	SIZE	STD
2WS612	6 x 1/2	100
2WS634	6 x 3/4	100
2WS61	6 x 1	100
2WS812	8 x 1/2	100
2WS834	8 x 3/4	100
2WS81	8 x 1	100
2WS101	10 x 1	100

Other Sizes Available



## Pan Head Square Drive Sheet Metal Screws Zinc Plated - PC 4000

Square drive pan head sheet metal screws will tap their own mating threads when driven into preformed holes in metal. Square drive screws provide a positive grip and resist cam out. Length is determined from the base of the fastener head.



CAT NO	SIZE	BIT SIZE	STD
DDSMS61	#6 6 x 1	#1	100
DDSMST834	#8 8 x 3/4	#2	500
DDSMST81	8 x 1	#2	500

Other Sizes Available

## Toggle Bolts Mushroom Head - Spring Wing Zinc Plated - PC 4050



Combo Square/Slotted Head Styles also available



Light to medium duty anchors for use in hollow walls. Mushroom head provides a large bearing surface.

CAT NO	SIZE	DRILL	DESC	STD
TBC82	1/8 x 2		Slotted/Phillips (Combo)	50
TBC363	3/16 x 3	1/2"	Slotted/Phillips (Combo)	50
TBC43	1/4 x 3		Slotted/Phillips (Combo)	50

Other Sizes Available

## TECH TALK

### Self Drilling Screws

- Manufactured from high quality cold headed material and heat treated under controlled conditions yielding optimum drill performance.
- Better thread engagement and optimum holding powers are achieved by using a product which self-drills its own hole size.
- Available in a variety of head styles and drive systems to meet special application and installation demands.

## Pan Head Phillips Self Drilling Screws Zinc Plated - PC 4220

Self drilling phillips pan head screws drill a hole and tap threads in one operation. The drilling operation removes metal and can be used with heavier gauge metals. Length is determined from the base of the fastener head.



Other Sizes Available

CAT NO	SIZE	STD
TEKPH	6 x 1/2	100



CAT NO	DESC	STD
TK800PH	240 Assorted 1 Self Drilling	1

Phillips Head Screw:  
75 - 8 x 1/2",  
50 - 8 x 3/4", 40 - 8 x 1",  
30 - 8 x 1-1/4",  
25 - 8 x 1-1/2", 20 - 8 x 2",  
+ 1 - IB2P Insert Bit

## Drywall Screws Phillips Bugle Head Fine Thread - Black Oxide - PC 4260

Fine thread Bugle head drywall screws are self piercing and are used for wood, drywall and aluminum. Length is determined from the top of the fastener head.



CAT NO	SIZE	STD
DWSBX61	6 x 1	100
DWT61	6 x 1	500
DWSBX6114 #6	6 x 1-1/4	100
DWT6114	6 x 1-1/4	500

Other Sizes Available

## Drywall Screws Phillips Bugle Head Coarse Thread Wood Rockets - Yellow Zinc - PC 4260



Coarse thread Bugle head drywall screws (Wood Rockets) are self piercing and are used for drywall, particle board and wood. The coarse threads provide for a quicker installation.

CAT NO	SIZE	STD
WR61	6 x 1	100
WR6114 #6	6 x 1-1/4	100
WR6158	6 x 1-5/8	100
WRT6158	6 x 1-5/8	500
WRT6114	6 x 1-1/4	500
WR62	6 x 2	100

Other Sizes Available

## Plastic Anchor Kits PC 4610

Dottie is an industry leader in Anchor Kits. We offer a comprehensive variety for almost any imaginable need.



CAT NO	SCREW TYPE	ANCHOR TYPE	DRILL	STD
<b>8 x 1 Sheet Metal Screws</b>				
RD3	Phillips/Slotted	#22 Red Collar	1/4"	1
<b>10 x 1 Sheet Metal Screws</b>				
K6CO	Phillips/Slotted	#22 Red Collar	1/4"	1
K6HX	Hex/Phil/Slotted	#22 Red Collar	1/4"	1
2AK	Phillips/Slotted	#122 Yellow Wing	1/4"	1

## Plastic Anchors - Tapered with Collar PC 4370

Plastic anchors: Tapered w/Collar. Drill a hole into drywall, concrete, brick or block and insert anchor. The screw is then installed through the fixture into the anchor. Used for light duty work.



CAT NO	SIZE	SCREW LENGTH	STD
20	4-6-8	3/16"	3/4"
21	6-8-10	3/16"	7/8"
22	8-10-12	1/4"	1"

Other Sizes Available

## Wall Driller Anchors - Boxed PC 4465

Wall Driller: Used only in drywall, this anchor has better pullout and shear values than plastic anchors. Installed by inserting Phillips or square drive bit into the anchor and driving it into the drywall until flush. Use the same bit to insert the proper sheet metal screw to mount the fixture. The anchor is easy to spot and will not break out the backing of the drywall. No drill bit needed.



CAT NO	USE SCREW	ANCHOR	DRYWALL	STD
WD6N	#6	Nylon	3/8", 1/2"	100
WD8N	#8	Nylon	3/8", 1/2", 5/8"	100

## Wall Dog - Phillips / Square / Hex PC 4731

- Self-drills small hole in wall-board
- Installs quickly and easily with a Phillips screwdriver
- Can be easily backed-out
- No need for shields
- Case hardened steel anchor
- No hole spotting
- Installs in wallboard, plywood, concrete, hollow or grout filled block, brick and plaster
- No second step, installs directly through fixture into wallboard
- Patented design provides for smooth entry, clean cutting and a powerful hold
- Thread design prevents spinning and stripping
- Heat treated point penetrates metal and wood studs
- When removed it leaves a much smaller hole than toggles or other systems



CAT NO	DESCRIPTION	STD
WDOG	100 Chrome Phillips Wall Dog 1 3/16" Carbide Tip Drill Bit 1 IB2PL Phillips Power Bit	1
WDOGW	100 White Phillips Wall Dog 1 3/16" Carbide Tip Drill Bit 1 IB2PL Phillips Power Bit	1
HXDOG	100 Chrome Hex Drive Wall Dog 1 3/16" Carbide Tip Drill Bit 1 MT10 Magnetic Hex Bit	1

## Driller Toggle Kits PC 4750

- Driller Toggle
- Includes Screws & Power Bit
- Reusable
- Metal/Engineered Plastic
- Versatile for 3/8", 1/2", & 5/8" Drywall



CAT NO	CONTENTS	STD
WDT83	1/8" x 3" Truss Hd. Mach. Screws	1
WDT363	3/16" x 3" Truss Hd. Mach. Screws	1
WDT43	1/4" x 3" Truss Hd. Mach. Screws	1

## Staples - PC 5020, 5025 Plastic Insulated PC 5026

Staples are used to attach NMC (non metallic cable) or BX (armored) cable to wooden studs. The RX Series is used for Romex® and the BX Series is used for Romex® and BX. The SEU staple is used for service entrance cable and is available in 100 pack. For electro galvanized specify G (i.e.; RXG50, BXG or SEU63G). Plastic Insulated staples are used for coaxial cable, bell wire, thermostat wire, telephone wire and Romex®.




CAT NO	CABLE SIZE	SIZE (W X L)	GAUGE	STD
<b>9/16" - 3 Conductor (#10, #12 &amp; #14) Romex®, BX, MC and other Cable - PC 5022</b>				
BX1001	14-3, 12-3, 10-3	9/16 x 1-3/16"	12 GA	100
BXG1005	14-3, 12-3, 10-3	9/16 x 1-3/16"	12 GA	500

CAT NO	CABLE SIZE	SIZE	COLOR	STD
<b>Co-Axial Straps (Use Co-Axial RG-6 &amp; RG-59U)</b>				
PLX250W		1/4"	White	500
<b>Bell, Telephone &amp; Thermostat Wire Straps</b>				
PLX18W		1/4 x 1/8"	White	500

## Bare Ground Clamps PC 5560

Bare ground clamps are used to connect bare copper wire to water pipe, rebar, ground rod or copper water tubing for grounding. 20B is pressure case zinc with Brass Plating. Additional fittings are UL listed and cast from high strength, highly conductive copper alloy with steel, brass or bronze screws.



WIRE	DESCRIPTION	SCREW	PIPE	STD
CAT NO	RANGE	TYPE	SIZE	
20B*	8 Sol to 2 Str	Pressure Cast Brass Plated	Steel 1/2 to 1"	25

\*not UL listed


See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie



## Safety Plates PC 5050

Steel safety plates are affixed to the face of 2" x 4" members to protect utility pipes and to prevent nails from penetrating into hidden live wires (NMC cable) which may be running through notches or through the drilled holes in the stud.



CAT NO	SIZE	GAUGE	STD
411	1-1/2 x 2-3/4"	16	100
415	1-1/2 x 2-3/4"	16	500
41P	1-1/2 x 2-3/4"	16	500(Pail)

## Mounting Hole Cable Ties - Nylon PC 5970



CAT NO	COLOR	L	HOLE	W	THK	TENSILE	DIA.	STD
DTM6	Natural	8.0"	No.10	.177"	.052"	50 lb.	1.75"	100
DTM6B	UV Black	8.0"	No.10	.177"	.052"	50 lb.	1.75"	100
DTM14	Natural	14.5"	No.10	.177"	.053"	50 lb.	4.00"	100
DTM14B	UV Black	14.5"	No.10	.177"	.053"	50 lb.	4.00"	100

## RTV Silicone Sealant PC 6200



- UL Classified
- Clear / White
- Neutral Cure Silicone
- Non Acetic & Non Corrosive
- Low Odor
- Flexible, Non Sagging, Watertight
- Withstands Temperatures

CAT NO	COLOR	CONTENTS	DESCRIPTION	STD
RTV3	Clear	3 oz.	Tube	12
RTV8	Clear	8 oz.	Pressurized Can	12

## Fire Stop Caulking Compound PC 6160

- UL Classified
- Asbestos Free
- Red
- 1 to 4 Hour Rating
- Remains Flexible
- Non Sagging
- Non Toxic-No VOC's
- Interior Use



CAT NO	CONTENTS	COLOR	STD
MC150	10.3 oz.	Red	24

## Premium Color Coding PVC Tape PC 5330



PVC Tape is used for insulation and protection over wires and connectors or over splicing and filler compounds; the holding of high voltage electrical appliances; color code identification; wire harnessing and home maintenance.

### Economy

CAT NO	DIMENSIONS	COLOR	STD
360	3/4" x 60'	Black	10

### Premium

CAT NO	DIMENSIONS	COLOR	STD
66CBLU	3/4" x 66'	Blue	10
66CBRN	3/4" x 66'	Brown	10
66CGRN	3/4" x 66'	Green	10
66CRED	3/4" x 66'	Red	10
66CWHT	3/4" x 66'	White	10
66CYEL	3/4" x 66'	Yellow	10
66CGRY	3/4" x 66'	Gray	10

## Standard Duty Cable Ties - Nylon PC 5970



- Made In U.S.A.
- UL Recognized
- Manufactured With Filtered Nylon 6/6
- Finger Grips
- Angled Tail
- One Piece Design, Transition Rails, And 3 Tooth Pawl
- Rounded Edges
- Bulk quantities and Mil Spec available

CAT NO	COLOR	L	W	THK	TENSILE	DIA.	STD
DT4	Natural	4.12"	.095"	.042"	18 lb.	.875"	100
DT4B	UV Black	4.12"	.095"	.042"	18 lb.	.875"	100
DT5	Natural	5.84"	.140"	.049"	40 lb.	1.437"	100
DT5B	UV Black	5.84"	.140"	.049"	40 lb.	1.437"	100
DT6	Natural	7.56"	.180"	.052"	50 lb.	1.875"	100
DT6B	UV Black	7.56"	.180"	.052"	50 lb.	1.875"	100
DT11	Natural	11.25"	.180"	.052"	50 lb.	3.062"	100
DT11B	UV Black	11.25"	.180"	.052"	50 lb.	3.062"	100
DT14	Natural	14.56"	.180"	.052"	50 lb.	4.125"	100
DT14B	UV Black	14.56"	.180"	.052"	50 lb.	4.125"	100

## Pull Line PC 6000



Pull Line is used to pull rope through conduit and can be used with power fishing systems.

- Two Ply Pull Line
- Dispensing Box
- Dispensing Pail
- Rot & Mildew Resistant

CAT NO	COLOR	LENGTH	WORKLOAD	TENSILE	STD
6502	Blue / White	6500'	20#	200#	1
6502P	Blue / White	6500' Pail	20#	200#	1

**Wiping Rags  
PC 6252**

Rags are all new material bleached white knit. They are medium weight, random size, soft, absorbent, and are a low linting Premium all purpose wiper.



CAT NO	DESCRIPTION	STD
RGZ2	2 Pound Bag White Knit Rags	1

**Tuf Towels  
PC 6250**

Dottie Tuf Towels are perfect on the job site or anywhere water is not readily available. Powerful cleaning formula combined with unique dispensing canister allows for storage and re-use of towels, making your dollars last longer! Tough on grime, but not your hands!



CAT NO	DESCRIPTION	STD
TT75	75 Pre-moistened Multi-Purpose Hand Towels	6

**Dust Air  
PC 6180**

- High-Delivery Trigger Spray Action
- Extension Tube Applicator
- Non-Abrasive, Safe For Use On Plastics and Energized Equipment
- Removes Microscopic Particles
- Ideal For Delicate Components Where Residual Entrapment Could Be A Problem
- Debris Forcefully Dislodged From Delicate Instruments



CAT NO	CAN SIZE	NET	STD
420	12-oz. Aerosol	(10-oz.)	6

**Hornet & Wasp Spray  
PC 6180**

Fast-acting powerful aerosol saturates instantly to eliminate hornets, wasps, and yellow jackets.

- USDA F-2
- Sprays Up To 20 Ft.
- High-Delivery Valve
- High %Active Ingredient
- High Dielectric Strength of 41kV/mm
- EPA Reg. No. 1021-1649
- Lasting Residual Deposit Prevents Reinfestation For Weeks



CAT NO	CAN SIZE	(NET)	STD
862	20-oz. Aerosol	(15-oz.)	12

**Lock Back Knife  
PC 6510**

- Lightweight ABS Handle w/ Clip
- Quick Change Blade Mechanism
- One Hand Opening Mechanism
- Spring Blade Release
- Includes Blade Storage & 6 Blades
- Caution! Always Wear Eye Protection



CAT NO	DESCRIPTION	STD
LBK	Folding Lock-Back Utility Knife Replacement Blades 0	1
UBK	Double Pointed Replacement Blades One Card Contains 5 Blades	1

**ProGrabit - Screw Removal Kit  
PC 6352**

- Quickly And Easily Removes Most Damaged Screws Such As Hex, Phillips, Torx, Square Drive; Sizes No. 4 - No.14 From Wood, Plastic Or Metal
- Two-Step, Drill Bit And Extractor In One Tool Extracts Broken Bolts And Damaged Screws Fast
- Use In Reverse Only With 3/8 In. Variable Speed Reversible Power Drill
- Drills Up To Grade 8 And 10.0 Class Fasteners; Extracts Bolt Sizes No. 10-3/8 In. (5mm-10mm)



CAT NO	DESCRIPTION	STD
GBKP	3-Piece ProGrabit Screw Removal Kit Replacement Bits Available	1

**Wire Stripper / Cutter  
PC 6590**

This handy Wire Stripper/Cutter has been one of the most popular wire strippers contractors use. It is effective and fits easily in a pouch or pocket.

- Adjustable
- Cushion Grip
- Caution! Always Wear Eye Protection



CAT NO	DESCRIPTION	STD
DS1	Adjustable Stripper Cushion Grip	1

**Sharpie® Holder  
PC 6770**

- Constructed of Heavy Duty Webbing
- Heavy Duty Belt Clip
- Die Cast Cap
- Webbing Prevents Accidental Marking of User's Clothing

CAT NO	DESCRIPTION	STD
SH	Sharpie® Holder	1



### 13 in 1 Ratcheting Screwdriver PC 6755



- Convenient Storage For A Wide Range Of Bits
- 1/4" Hex Driver Shaft - Great For 1/4" Hex Head Screws
- Patent Pending ZAD 8 Zinc Alloy SOLID-CORE™ Ratchet Delivers Over 225 lbs Of Torque Strength
- Display Pack
- Precision 28 Tooth Ratchet Makes Driving Fasteners Faster And Easier. Limited Lifetime Warranty.
- Heavy Duty Nylon Reinforced Handle & Chamfered Solid Steel Shaft For Long Life & Durability
- Cushion Grip, Tapered Designed Handle - Extra Comfort And Less Fatigue



CAT NO	CAP/BODY	DESCRIPTION	STD
D131R	Red/Black	13 in 1 Ratcheting Screwdriver	1

### Tamper Proof 15 in 1 Screwdriver PC 6763



Patented Bit Storage in the Handle!

This 15 in 1 Tamper Proof driver is a must for all commercial/industrial tradesmen (Electricians, Security, etc.). The 15 in 1 Tamper Proof comes loaded with the most common security bits, including: Spanner, Hex pin and Star pin.



CAT NO	CAP/BODY	DESCRIPTION	STD
D151TP	Red/Black	15 in 1 Tamper Proof Screwdriver	1

### Dial-A-Drill PC 6340



- Industrial Quality
- M2 High Speed Steel
- Jobber Length
- Fractional Sizes
- Caution! Always Wear Eye Protection

CAT NO	DESCRIPTION	SIZES	STD
DB13K	13 pc. set	1/16"-1/4" x 64th	1

### Snaggletooth Pro Saw PC 6559



The Snaggletooth Pro Saw is the right tool for cutting openings for electrical outlets, and the hardened tip penetrates drywall easily eliminating the need to drill.

CAT NO	DESCRIPTION	LENGTH	STD
SNG6	Snaggletooth Pro Saw	6" Blade/ 12" Overall	1

### 8 in 1 Stubby Ratchet Driver (Tamper Proof) PC 6778



- Contractor Preferred /Industrial Grade
- Includes 8 Industrial Quality Bits
- Non-Slip Grip Design
- High Torque 3 Way Reversible Ratchet Mechanism
- Easy Bit Storage in Handle

CAT NO	DESCRIPTION	STD
SRD8	8 in 1 Stubby Ratchet Driver	1
SRD8TP	8 in 1 Tamper Proof Stubby Ratchet Driver	1

### Compact Combo Bit Kit PC 6340

- 31 Piece Assorted Standard and Tamper Proof
- Packed In A Belt Mount Case
- Contains Most Popular Sizes of Standard and Tamper Proof Bits



#### 31 Piece Assortment Kit contains the following:

- Square Drive 1 Ea IB0, IB1, IB2, IB3
- Phillips 1 Ea IB0P, IB1P, (IB2P 2 Ea), IB3P
- Slotted 1 Ea IB0S, IB1S, (IB2S 2 Ea), IB3S
- Star Pin 1 Ea 60TR10, 15, 20, 25, 27, 30,
- Spanner 1 Ea 115-6, 115-8, 115-10, 115-12, 115-14
- Hex Pin 1 Ea 73TR3, 5, 7, 8, 9
- Bit Holder 1 Ea QCA14

CAT NO	DESCRIPTION	STD
IB31PK	31 Assorted Bits w/ Quick Release Bit Holder	1

## TECH TALK

### Fastener Tools

Dottie provides professional quality Insert & Power Bits, Magnetic Hex Tools and Accessories for all your fastener driving applications including Tamper Proof. Dottie tools and accessories are manufactured using shock resistant tool steel, a proprietary heat treatment process and are precision machined, ensuring maximum durability and an excellent fit which reduces cam out and excessive wear.



## Protective Eyewear PC 6610

Industrial safety eyewear is designed to protect you. Available in a variety of styles, finishes and lens color tints, they are designed down to the smallest detail to provide optimal performance with state of the art comfort, style and protection.



Other colors and styles available

CAT NO	COLOR	CONTENTS	DESCRIPTION	STD
ERAZ100	Razor	Matte Black	Clear	1
ERAZ120	Razor	Matte Black	Yellow	1
ERAZ175	Razor	Matte Black	Dark Blue Mirror	1
EKMD000	Komodo	Crystal Clear	Clear	1
EKMD110	Komodo	Crystal Black	Clear	1

## Dust Mask PC 5310

- General Purpose

CAUTION: Do Not Use As Protection From; Asbestos, Silica or Cotton Dust, Toxic Dust, Fumes, Mists, Gas or Vapor. NOT TO BE USED IN SPRAY PAINT OPERATIONS!



CAT NO	DESCRIPTION	STD
MSK50	General Purpose Dust Mask	50
MSK55	General Purpose Dust Mask (5 pack)	12 packs

## First Aid Kits PC 6615

- Molded Handle For Carry or Mount Kit On Work Site



CAT NO	DESCRIPTION	STD
FK25E	25 Person Contractor Kit	1
FKR25E	25 Person Contractor Refill	1
FK50E	50 Person Contractor Kit	1
FKR50E	50 Person Contractor Refill	1
FK75E	75 Person Contractor Kit	1
FKR75E	75 Person Contractor Refill	1

## Tip-Bits™ PC 6375



- No Need To Buy A New Bit When Just The Tip Is Worn
- A Real Money Saver. Base Bits Last 3 to 4 Times Longer At A Fraction Of The Cost
- Economical Replaceable-Tips Lock In Place.
- Step Bit Performance Remains Identical To That Of Non-Replaceable Tip Bits.
- Constructed Of M2 High Speed Steel, Coated With Titanium And Cobalt.
- Tri-Cut Tip Cuts Smoother, Faster And Cooler.



CAT NO	SIZE RANGE	SHANK	STD
RTTP6000	Replaceable Tip - 2 Pack Fits all Tip Bits. Can also be used as a 1/4" - 1/2" Step Drill Steps: 5/32", 1/4", 5/16", 3/8", 7/16", 1/2"	1/4"	1
RTTP6010	1/4" - 7/8" Base & Tip Steps: 9/16", 11/16", 3/4", 13/16", 7/8"	1/4"	1
RTTP6020	1/4" - 1-1/8" Base & Tip Steps: 19/32", 21/32", 3/4", 13/16", 7/8", 15/16", 1-1/32", 1-1/18"	1/4"	1
RTTP6030	1/4" - 1-3/8" Base & Tip Steps: 5/8", 3/4", 7/8", 1", 1-1/16", 1-3/16", 1-1/4", 1-5/16", 1-3/8"	1/4"	1
RTTP6040	Kit contains: 1/4" - 1/2" Extra Tip 1/4" - 7/8" Base & Tip 1/4" - 1-1/8" Base & Tip	1/4"	1

## Latex Gloves and Shoe Covers PC 6771

### Shoe Covers

- Anti-Static
- Impervious Material
- Non-linting
- EZ On-EZ Off

### Latex Gloves

- Superior Quality
- Resistant To Most Residual Solvents & Chemicals
- Universal Fit
- Perfect For Finish Work



CAT NO	DESCRIPTION	STD
SC	50 Shoe Covers in Jar	1
LG100	100 Latex Gloves in Jar	1

See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie



## Batteries PC 6790



The Ultimate-X Power batteries are manufactured to deliver high-performance results and are quality guaranteed to equal or exceed any standard alkaline battery in the market. Manufactured under ISO-90001-2004 and ISO-1403-2000 Certificates to guarantee manufacturing excellence, the Ultimate X-Power dry cell batteries deliver superior results without the added overhead costs of nationally advertised brands.



CAT NO	DESCRIPTION	STD
<b>Carded Packs</b>		
BATAAACARD	1 Card - 4 AAA Batteries	12
BATAACARD	1 Card - 4 AA Batteries	12
BATCCARD	1 Card - 2 C Batteries	12
BATDCARD	1 Card - 2 D Batteries	12
BAT9VCARD	1 Card - 1 9V Battery	12

CAT NO	DESCRIPTION	STD
<b>Contractor Packs</b>		
BATAAA	1 Pack - 24 AAA Batteries	12
BATAA	1 Pack - 24 AA Batteries	12
BATC	1 Pack - 12 C Batteries	12
BATD	1 Pack - 12 D Batteries	12
BAT9V	1 Pack - 8 9V Batteries	12

## Flex-A-Bit PC 6360



Flex A Bits are used to drill within walls and are able to reach normally inaccessible areas through a small opening. After (drilling) through a stud or header, a wire is attached to the fish hole in the flute and the drill is retracted pulling the wire through. The FG357 Flex A Guide tool aids in positioning the bit.

CAT NO	SIZE	STD
FB3854	3/8 x 54"	1
FB3872	3/8 x 72"	1
FB5054	1/2 x 54"	1
FB5072	1/2 x 72"	1
FB9654	9/16 x 54"	1
FB9672	9/16 x 72"	1
FB7554	3/4 x 54"	1
FB7572	3/4 x 72"	1

## Extension Cords PC 6800



- Available In 13 Or 15 Amp.
- Wattage Rated At 1625 Or 1875
- Conductor Blade / Pin Designed To Prevent Break-Off Or Pull-Out
- Light Embedded In The Female Connector Lights To Let You Know The Power Is On.
- Triple Tap Provided On 100 Ft. Cords Allowing Additional Outlets For Power Distribution.
- Cord Remains Flexible Even Under The Most Extreme Weather Conditions

CAT NO	SIZE	COLOR	AWG	WIRE	AMP	WATTS	STD
PEC14350	50 Ft.	Green Cord/ YELLOW Stripe-with clear lighted end	14/3	SJTW	15	1875	6
PEC143100	100 Ft.	Green Cord Stripe-with clear lighted-Triple Tap end	14/3	SJTW	13	1625	4

## Adapters PC 6805

- 12/3 STW
- Available In 15 or 20Amp.
- Wattage Rated At 1875 or 2500
- Solid Molded Vinyl Connectors



PAY12315



PAW12315



PAS12315



PAT12315

CAT NO	SIZE	COLOR	AWG	WIRE	AMP	WATTS	STD
PAY12315	2 Ft.	Yellow Cord Y Adaptor Straight (15 Amp)	12/3	STW	15	1875	1
PAW12315	2 Ft.	Yellow Cord W Adaptor Straight (15 Amp)	12/3	STW	15	1875	1
PAS12315	2 Ft.	Yellow Cord Straight Adaptor (15 Amp)	12/3	STW	15	1875	1
PAT12315	2 Ft.	Yellow Cord Straight Triple Tap Adaptor (15 Amp)	12/3	STW	15	1875	1



- Ergo Cut Technology
- Neoprene-Spandex Laminated Back
- 100% Washable
- Charmude™ Synthetic Leather Palm For Ventilation
- Double-Stitched Schoeller® Keprotect™ Secondary Palm Layer For Positive Grip And Shock Absorption

Techwear™, a Dottie exclusive, is a form fitting glove that almost feels like part of your hand. Made with the finest materials, they are available in three color coded styles; blue for full finger lined, red for full finger unlined, and yellow for the half finger version.

CAT NO	SIZE	DESCRIPTION	COLOR	STD
GVT1M	Medium	Full Finger (Lined)	Blue	1
GVT1L	Large	Full Finger (Lined)	Blue	1
GVT1X	X Large	Full Finger (Lined)	Blue	1
GVT1XX	XX Large	Full Finger (Lined)	Blue	1
GVT2M	Medium	Full Finger (Unlined)	Red	1
GVT2L	Large	Full Finger (Unlined)	Red	1
GVT2X	X Large	Full Finger (Unlined)	Red	1
GVT2XX	XX Large	Full Finger (Unlined)	Red	1
GVT3M	Medium	Half Finger (Unlined)	Yellow	1
GVT3L	Large	Half Finger (Unlined)	Yellow	1
GVT3X	X Large	Half Finger (Unlined)	Yellow	1
GVT3XX	XX Large	Half Finger (Unlined)	Yellow	1



## TECH TALK

### Techwear™ Gloves

Posi-Grip™ non-slip cradle for sure grip and control when handling tools

Neoprene/Spandex™ laminated back

- Neoprene gives soft padded protection to the back of hand.
- The breathable Spandex™ ventilates to keep hands cool and flexes for a snug, comfortable fit.
- Full-finger, Full-finger lined, and Half-finger versions available
- 100% washable



Chamude™ synthetic leather palm absorbs moisture, ventilates and provides both excellent sensitivity and abrasion resistance

Double-stitched Schoeller®Keprotect™ secondary palm layer for positive grip and shock absorption

### Work Gloves PC 6773

Work gloves are available in a wide variety of fabrics and styles; Cotton, Canvas, Jersey (lined and Unlined), PVC Coated, Cowhide, Deerskin and Pigskin. Additionally Top Sellers include the Super Gripper, a latex dipped cool cotton glove which resists punctures, cuts and abrasions. Our Dottie exclusive line of Techwear™ a form fitting glove that is so comfortable it feels like it's a part of your hand. Techwear™ is available in three color coded styles.

CAT NO	SIZE	DESCRIPTION	STD
GV20M	Medium	Cotton Knit Super Gripper	1
GV20L	Large	Cotton Knit Super Gripper	1
GV20X	Extra Large	Cotton Knit Super Gripper	1
GV35M	Medium	Premium Pigskin Keystone	1
GV35L	Large	Premium Pigskin Keystone	1
GV35X	Extra Large	Premium Pigskin Keystone	1
GV42M	Medium	Top Grain Leather Drivers Pull Strap	1
GV42L	Large	Top Grain Leather Drivers Pull Strap	1
GV42X	Extra Large	Top Grain Leather Drivers Pull Strap	1
GV52M	Medium	Premium Deerskin Drivers	1
GV52L	Large	Premium Deerskin Drivers	1
GV52X	Extra Large	Premium Deerskin Drivers	1



**Quick Sticks  
PC 6055**

Dottie Quick Sticks offer unmatched durability to reach over drop ceilings, through insulated walls, as well as under floors and in any confined space. They are flexible enough to bend to the angle you need, yet rigid enough to push through insulation.

- Quick Sticks Will Flex Up To 90° Without Breaking
- Made From High Strength, Low Weight Fiberglass Material
- Made in USA
- Available Attachments: Pulling Hooks, Pulling Eyes, And Whisk
- Lite Sticks "Glow" In The Dark For Better Visibility During Use
- Caution! Always Wear Eye Protection



Whisk  
QSW36  
QSW25



Hooks  
QSPH36  
QSPH25



Eyes  
QSPE36  
QSOE25

CAT NO	SIZE	DESCRIPTION	STD
QS3630	3/16" x 30'	Tube Contains: Five - 3/16" x 6' Red Rods & Two Pulling Eyes	1
QS3630LS	3/16" x 30'	Tube Contains: Five - 3/16" x 6' Lite Stick Rods & Two Pulling Eyes	1
QS3612	3/16" x 12'	Kit Contains: Four - 3/16" x 3' Red Rods w/ Pulling Eye & Hook	1
QS3612LS	3/16" x 12'	Kit Contains: Four - 3/16" x 3' Lite Stick Rods w/ Pulling Eye & Hook	1
QS3612X4	3/16" x 12'	Tube Contains: Three - 3/16" x 4' Red Rods w/ Pulling Eye & Hook	1
QS3612X4LS	3/16" x 12'	Tube Contains: Three - 3/16" x 4' Lite Stick Rods w/ Pulling Eye & Hook	1
QS2524	1/4" x 24'	Tube Contains: Four - 1/4" x 6' White Rods & Two Pulling Eyes	1
QS2524LS	1/4" x 24'	Tube Contains: Four - 1/4" x 6' Lite Stick Rods & Two Pulling Eyes	1
QS2512	1/4" x 12'	Kit Contains: Four - 1/4" x 3' White Rods w/ Pulling Eye & Hook	1
QS2512X4	1/4" x 12'	Kit Contains: Three - 1/4" x 4' White Rods w/ Pulling Eye & Hook	1
QS2512LS	1/4" x 12'	Kit Contains: Three - 1/4" x 4' Lite Stick Rods w/ Pulling Eye & Hook	1

**Quick Sticks Accessories**

QSPE36	3/16"	3/16" Replacement Pulling Eye	1
QSPH36	3/16"	3/16" Pulling Hook	1
QSW36	3/16"	3/16" Whisk (egg beater) Head	1
QSPE25	1/4"	1/4" Replacement Pulling Eye	1
QSPH25	1/4"	1/4" Pulling Hook	1
QSW25	1/4"	1/4" Whisk (egg beater) Head	1

**TECH TALK**

**Dottie Quick Sticks**


Quick Sticks screw together to reach full or desired length. Use to fish wires through walls, under floors, over suspended ceilings and into many other confined spaces. Quick Sticks will flex up to 90° without breaking. Made from high strength, low weight fiber glass material. Quick Sticks are ideal for pulling and stringing communication wires, alarm system wires, romex, telephone and thermostat wire. Available attachments are; Pulling Hooks, Pulling Eyes and Whisk Heads. Our glow in the dark version is available in 3/16" & 1/4" diameter.



**Web Straps (Tie Down)  
PC 6775**

- Weatherproof
- 750 lb. Test Webbing
- Strong 1" Heavy Duty Web Construction
- Rustproof, Cam-Action Buckle
- For Securing Contractor, DIY, Landscape Maintenance, Recreational Loads
- Available In 2 Piece Bag Or Counter Merchandiser
- 6 Color Coded Lengths: 2 Ft. To 12 Ft.

- Individual Lengths May Be Re-ordered In 1 Dozen Quantities
- Display Box Comes With Header Card



CAT NO	DESCRIPTION	COLOR	STD
2WS02	2' Nylon Tie Down w/Buckle	Red	1
2WS04	4' Nylon Tie Down w/Buckle	Yellow	1
2WS06	6' Nylon Tie Down w/Buckle	Green	1
2WS08	8' Nylon Tie Down w/Buckle	Purple	1

- Ballistic Nylon Bindings And Grip Strip™ Hook And Loop Fastener System Keeps Pouches In Place
- Double Layer Lightweight Nylon Will Not Crack, Harden Or Mildew
- Nylon Stitching & Double Steel Rivets Reinforce Major Stress Points
- All Parts Are Removable & Interchangeable

Need proof positive that something doesn't have to be made of leather to be tough and durable? Look no further than Dottie's lineup of hard working, hard wearing, nylon tool bags, featuring stay open pockets. Softside Tool carriers include handy tote trays and are just one of the creative touches you'll find in our product line.

CAT NO	DESCRIPTION	STD
YA1148	22-Pocket, Drawstring BucketBag™ 10" Round x 6" High	1
YB1137	12-Pocket Traytote™ Bag 12" L x 8" W x 12" H Multi-compartment. Plastic tray included, 11" X 6"	1
YB1139	14-Pocket, Large Traytote™ Bag 2 Pockets inside, 12 outside. 13-1/2" x 6" multi-compartment plastic tray included	1
YB1526	28-Pocket Electrical & Maintenance Tool Pouch 7" x 5-1/2" multi-compartment. Plastic tray included	1
YB1530	43 Pockets w/ Plastic Tray Window pockets & shoulder strap 23" L x 12" W x 15" H	1
YB1537	13" Multi-Compartment Tool Carrier 23 Pockets inside and 10 pockets outside. Zippered side panel. Padded, reinforced web carrying handles. 13" L x 7" W x 13" H	1
YB1572	18" Soft-sided Tool Box 21 Multi-use outside pockets, 12 inside. Padded rubber web carrying handle. 8" x 4" Multi-compartment plastic tray. Large interior. 18" L x 9-1/2" W x 14" H	1
YB1582	15" Zipper Top Tool Carrier with molded base. Exclusive tray system for small parts and accessories. 12 external pockets and 8 inside pockets. 15" L x 8-1/2" W x 12-1/2" H	1
YG6MN	Electrical Meter/Tester/Phone Holder	1
YG1104	4 Pocket Multi-purpose Tool Holder	1
YF5508	20-pocket Pro Electrician's Tool Pouch with shoulder strap, 6 large screwdriver holders 1 steel hammer holder, grip-strip hook & loop fastening system	1
YC345	Professional Kneepad SuperThick High Density foam for maximum comfort. Two strap fastening adds stability.	1



YA1148



YB1137



YB1139



YB1526



YB1530



YB1537



YB1572



YB1582



YG1104



YF5508



YG6MN



YC345



For over four decades L.H. Dottie has manufactured quality products for the Security, Electrical, Plumbing and Industrial trades, and today Dottie continues to provide what the professional expects – guaranteed, high quality products. Keeping up-to-date with the ever changing demands of the modern tradesman is a challenge we happily accept. When Security Professionals specify ‘Dottie’ – we know we are on the right track.

L.H. Dottie’s broad array of products appeals to the distributor seeking to consolidate purchases, as Dottie truly is the one –stop source for Security, Electrical, Plumbing and Industrial products.

## Other Products Available From LH Dottie

- Holesaw & Arbors
- Hacksaws & Re-Clip Blades
- Wire Dispensers & Carts
- Paints & Chemicals
- Caution - Burial - Detectable Tape
- High Speed Drill Bits
- Masonry Drill Bits
- Bellhanger Bits
- Spade Bits
- Wire Marker Books
- Handi Foam

**Check Our Website For The Latest Innovation!**

**[lhdottie.com](http://lhdottie.com)**

LH Dottie

1-800-982-1901

Fax: (323) 721-0000

6131 S. Garfield Ave.

Commerce, CA 90040