

The most complete line to
protect young children.



Meets • • • • •
Requirements



designed to be better.

legrand[®]
Pass & Seymour

P&S Tamper-Resistant Receptacles — the full line to meet the • • • • •[®] and enhance child safety.

Little kids experiment and explore —

and sometimes electrical receptacles draw their attention.


Nobody can watch a child every second.

But P&S Tamper-Resistant Receptacles protect children by letting plugs in, but keeping keys and other objects out with automatic shutters that block access.

This proven safety solution provides a simple way to prevent painful injuries

that are traumatic for children and parents alike.

It's far safer and more convenient than plastic outlet caps — which young kids can easily remove.



Because tamper-resistant receptacles provide a real solution to a real problem, they're required by the 2008 • • • • •[®]

You'll find everything you're looking for in the broad P&S Tamper-Resistant Receptacle line. Protection and traditional style in our 3232 TradeMaster[®] Duplex Receptacle. Unique models like the P&S Nightlight/GFCI Combination. Weather-Resistant models for damp or wet locations. And much more!

For more information visit
<http://tools.passandseymour.com/pstr>.



3232TRW






885TRW



1595TRW*

For all their added safety, P&S Tamper-Resistant Receptacles provide the same fast, easy installation as our standard receptacles.

*GFCI shown with optional screwless wall plate.



Proven safety — our residential Tamper-Resistant Receptacles offer the same protection as our Hospital-Grade Tamper-Resistant Receptacles, used in healthcare-facility pediatric wards, where they've been required by the • • • • •® for years.

Models for every home location and purpose — whatever you're looking for, you'll find it in the complete P&S Tamper-Resistant line with the same features and easy installation that you've come to expect from Legrand/Pass & Seymour.



TM8HWLTRW



1595NTLTRWCC4*

Sealed LED nightlight adds safety — for added convenience, this redesigned P&S Nightlight/GFCI Combination provides a duplex receptacle instead of the single receptacle in the previous version.

*GFCI shown with optional screwless wall plate.

WHY THEY'RE NEEDED.



More than 24,000 children in the U.S. under the age of 10 were treated in emergency rooms for injuries related to electrical receptacles — approximately 7 children per day.* In most of these cases:

- The victims were younger than 4 years old and suffered first- or second-degree burns.
- Children were injured when sticking common objects such as hairpins or keys into receptacles.
- The injuries occurred at home.

Required for years in healthcare facilities' pediatric-care areas, P&S Tamper-Resistant Receptacles are easily affordable for homeowners. The National Electrical Manufacturers Association (NEMA) estimated an incremental cost for installing tamper-resistant receptacles throughout a typical new home at less than the average cost of a single child safety car seat!

*Based on a National Electrical Manufacturers Association analysis of U.S. Consumer Product Safety Commission data.



Weather-resistance that meets all the requirements.

The 2008 • • • requires that Weather-Resistant Receptacles be installed in wet or damp locations such as porches, decks, and other outdoor locations where challenging conditions can cause premature failure due to cracked covers and corrosion. All Weather-Resistant Receptacles must meet stringent UL listing requirements, including:

- Ultraviolet light exposure
- Cold impact
- Accelerated aging
- Proper materials for current-carrying parts, wire binding screws, and mounting straps to ensure superior corrosion resistance

Pass & Seymour Weather-Resistant Receptacles have you covered, with a variety of duplex, Decorator, and specification grade receptacles in commercial versions and in residential versions which are also tamper-resistant. So you can be assured that in tough environments, Legrand/Pass & Seymour is up the challenge.

P&S Weather-Resistant Receptacles and GFCIs are built to last in wet locations like decks, porches, and patios. Their tamper-resistant design meets the latest code requirements.



Tamper-Resistant Receptacles For Residential Applications



3232TRW



TR5351W



TM818TRWCC6




1595TRWCC4



TR20W

Catalog Number	Description	Ratings		Colors	NEMA Config.
A.	V.				
3232TR*	TradeMaster® Duplex Receptacle	15	125	BK, Brown, I, LA, W	5-15R
3232TRS*	TradeMaster Self-Grounding Duplex Receptacle	15	125	Brown, I, LA, W	5-15R
TR5251*	Specification Grade Single Receptacle**	15	125	Brown, I, LA, W	5-15R
TR5351*		20	125	Brown, I, LA, W	5-20R
885TR*	TradeMaster Decorator Receptacle	15	125	BK, Brown, GRY, I, LA, W	5-15R
885TRS*	TradeMaster Self-Grounding Decorator Receptacle	15	125	I, LA, W	5-15R
691TR*	Combination Single-Pole Switch/Single Receptacle, Grounding, Side-Wire	15	120/125	Brown, I, LA, W	5-15R
671TR*		20	120		5-20R
S3713TR*	Clock Hanger Receptacle**	15	125	BK, GRY, I, LA, W	5-15R
TM8HWLTR*CC	Decorator Hallway Light Single Receptacles	15	125	BK, Brown, I, LA, W	5-15R
TM8118TR*	TradeMaster Decorator Combination Two Single-Pole Switches/Single Receptacle	15	120/125	Brown, BK, I, LA, W	5-15R
TM818TR*	TradeMaster Decorator Combination Single-Pole Switch/Single Receptacle	15	120/125	BK, I, LA, W	5-15R
TM838TR*	TradeMaster Decorator Combination Three-Way Switch/Single Receptacle	15	120/125	BK, I, LA, W	5-15R
S885TR*CC14	Signature Decorator Receptacles	15	125	BK, LA, W	5-15R
S1595TR*CC8	Signature GFCI Receptacles**	15	125	BK, LA, W	5-15R
S1595NTLTR*CC8	Signature Combination Nightlight/GFCI Receptacles**	15	125	BK, LA, W	5-15R
1595TR*	TradeMaster Specification Grade GFCI Receptacle**	15	125	BK, Brown, GRY, I, LA, W	5-15R
2095TR*	Specification Grade GFCI Receptacle**	20	125	BK, Brown, GRY, RED, W, I, LA	5-20R
1595SWTTR*CC4	Decorator Combination Single-Pole Switch/GFCI Receptacles	15	120/125	BK, I, LA, W	5-15R
1595NTLTR*CC4	Decorator Combination Nightlight GFCI Receptacles**	15	125	BK, I, LA, W	5-15R
1595TRS*	TradeMaster Specification Grade Self-Grounding GFCI Receptacle**	15	125	I, W, LA	5-15R
2095TRS*		20	125		5-20R
TR20*	Specification Grade Duplex Receptacle	20	125	BK, Brown, GRY, I, LA, W	5-20R
TR26261*	Specification Grade Single Decorator Receptacle**	15	125	BK, Brown, GRY, I, W	5-15R
TR26361*		20	125	BK, Brown, GRY, I, LA, W	5-20R
TR26362*	Specification Grade Decorator Receptacle**	20	125	BK, Brown, GRY, I, LA, RED, W	5-20R
TR5362*	Commercial Grade Duplex Receptacle**	20	125	BK, Brown, GRY, I, LA, RED, W	5-20R

** GFCIs and receptacles listed under FSUL WC596

All P&S Tamper-Resistant Receptacles are  Listed.

*** Color Designation**

BK	Black
—	Brown
GRY	Gray
I	Ivory
LA	Light Almond
RED	Red
W	White

Weather-Resistant Receptacles



.....



.....



.....



.....



.....

Catalog Number	Description	Ratings A. V.	Colors	Listed to FSUL WC596
Weather-Resistant and Tamper-Resistant				
3232TRWR*	TradeMaster® Duplex Receptacle	15 125	Brown, I, LA, W	
885TRWR*	TradeMaster Decorator Receptacle	15 125	Brown, I, LA, W	
1595TRWR*	TradeMaster Specification Grade GFCI Receptacle	15 125	Brown, I, LA, W	••
WR20TR*	Commercial Grade Duplex Receptacle	20 125	Brown, GRY, I, LA, W	
2095TRWR*	Specification Grade GFCI Receptacle	20 125	Brown, GRY, I, LA, W	••
Weather-Resistant only (Not Tamper-Resistant)				
1595DSWRBKCC4	DuraShield™ GFCI Receptacles	15 125	BK	
2095DSWRBK		20 125		
WR5262*	Straight Blade Duplex Receptacle	15 125	GRY, I, W	••
WR5362*		20 125		
WR5662*		15 250		
WR5862*		20 250		

* Color Designation

BK	Black
—	Brown
GRY	Gray
I	Ivory
LA	Light Almond
W	White

For additional technical or application-specific information, call 800-223-4185 or visit our website at www.legrand.us/PassandSeymour. We're eager to put our expertise to work for you.

Distributed by:



Pass & Seymour

P.O. Box 4822
Syracuse, NY 13221-4822
800-776-4035
www.legrand.us/PassandSeymour

Legrand Canada
570 Applewood Crescent
Vaughan, ON, L4K 4B4
Phone: 905.738.9195, Fax: 905.738.9721
www.legrand.ca