



OIL & GAS MAINTENANCE SOLUTIONS



SCAN
FOR MORE
DETAILS



**ENVIRONMENTALLY
PREFERRED PRODUCTS**

HELPING TO GREEN THE WORKPLACE



- NO VOC OR LOW VOC CONTENT • NO HAZARDOUS AIR POLLUTANTS
- NO OZONE DEPLETING CHEMICALS • NO SARA REPORTABLE INGREDIENTS

S.D.[L.]™

Where you need it most...right on the can.



CRC is the only company in the industry to offer the **S.D.[L.]™** – a **Safety Data Sheet** printed on the reverse side of the product label. The label provides the SDS where you need it most, right on the aerosol can. This instant source of disposal and first aid information helps to promote a better, safer work environment.

TABLE OF CONTENTS

For more than 50 years, CRC has made a commitment to provide the best solution for our customers. When it comes to drilling, moving or refining oil & gas resources, CRC has over 700 MRO chemical maintenance products to make each stage run smoothly & efficiently! Whether you are looking for a cleaner, degreaser, lubricant, corrosion inhibitor, or sealant product, CRC will always provide solutions that work!

To help you find the best fit for your application need, we have categorized our MRO chemicals into 4 major areas within the Oil & Gas industry:

UPSTREAM

CRC precision cleaners are perfect for maintaining high-tech exploration equipment, while our extensive line of degreasers and lubricants will keep oil rigs and pump jacks operating efficiently.

MIDSTREAM

Proper maintenance of pipelines and tanker fleets (on land and water) is crucial for minimizing wear & tear, extending service life and eliminating emergency repairs. CRC offers corrosion inhibitors, cleaners, degreasers & fuel additives to maintain these essential investments.

DOWNSTREAM

Specific MRO maintenance chemical needs will vary based on plant size and area of refinery operation, however, CRC has a variety of cleaners, degreasers and lubricants that are excellent for plant-wide facilities maintenance. Turn to page 17, to learn more.

WORKER PERSONAL CARE

Worker safety is always top of mind. CRC's insect management products and sunscreen wipes will keep workers safe, productive and on the job.

In addition, CRC's value-added services can help you improve your overall management of MRO chemicals, comply with today's regulations and prepare for future inspections/audits. These services include our **S.D.[L.]™** product labeling & **Risk Reduction Partnership Plan™**.

CRC is the only company in the industry to offer the **S.D.[L.]™** – a Safety Data Sheet printed on the reverse side of most of its aerosol labels. This feature provides an instant source of disposal and first aid information, and helps facilitate compliance with current regulations.

Our **Risk Reduction Partnership Plan™** was specifically designed by CRC to uncover hidden cost generators and potential regulatory compliance gaps. This innovative 5 step process helps to minimize MRO chemical ownership costs, while maximizing performance of equipment and workforce. Since the programs introduction in 2000, CRC has documented millions of dollars of cost savings! To learn more about the **Risk Reduction Partnership Plan™** from CRC, turn to page 27.

CRC has grown by addressing the needs of our customers, and our commitment to innovation and quality service will allow us to continue to be the one you call when you want the best! **CRC – Your Best Solution™!**

For additional information on CRC products and programs, visit our web site www.crcindustries.com/ei, or call our Technical Service Hotline at 1-800-521-3168.

UPSTREAM



Lubricants	4
Cleaners & Degreasers	6
Greases	8
Tools & Equipment Oils	8

MIDSTREAM



VEHICLE MAINTENANCE


Cleaners & Degreasers	9
Fuel Additives	10
Corrosion Inhibitors	10
Winter Products	11

PIPELINE MAINTENANCE




Cleaners & Degreasers	12
Metalworking	12
Sealants/Adhesives	13
Corrosion Inhibitors	13

MARINE MAINTENANCE



Lubricants	14
Corrosion Inhibitors	14
Fuel Additives	15
Greases	15
Cleaners & Degreasers	15

DOWNSTREAM



Cleaners & Degreasers	17
Lubricants	19
Corrosion Inhibitors	21
Parts Cleaning Systems	22
Paints & Coatings	23

WORKER PERSONAL SAFETY



Insect Management	24
Testing	25
Wipes & Towels	26
Hand Cleaners	26



LUBRICANTS

3-36® MULTI-PURPOSE LUBRICANT AND CORROSION INHIBITOR

- Multi-purpose lubricant, penetrant and corrosion inhibitor
- Forms a clear, thin film that lubricates, prevents corrosion, displaces moisture and penetrates
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue
- VOC compliant★

Part Number	Container Size	Units per Case
03004	6 oz Aerosol	12
03005	16 oz Aerosol	12
03006	1 Gallon Bottle	4
03007	16 oz Trigger Bottle	12
03009	5 Gallon Pail	1
03011	55 Gallon Drum	1

ULTRA-LITE 3-36®

- An ultra-thin, non-staining dry film lubricant that resists oil, dust and dirt build-up
- Penetrates into the most minute openings
- Displaces moisture – excellent for drying out electrical/electronic components
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03160☉	16 oz Aerosol	12
03161	1 Gallon Bottle	4
03162	5 Gallon Pail	1
03163	55 Gallon Drum	1

SCREWLOOSE® SUPER PENETRANT

- Penetrates through rust and corrosion
- Facilitates fast and easy disassembly of mechanical components, fittings, assemblies and other fasteners
- Clear formula contains no dyes and leaves no mess
- VOC compliant★
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03060☉	16 oz Aerosol	12
03062	1 Gallon Bottle	4
03064	55 Gallon Drum	1



Use CRC Knock'er Loose® Penetrating Solvent to remove rust and corrosion, and to ease disassembly during routine repairs.

KNOCK'ER LOOSE® PENETRATING SOLVENT

- Industrial strength, low viscosity lubricant
- Dissolves rust, grease, gum and corrosion
- Creeps into cracks, seams, threads and joints better than the competition
- Eases the disassembly of machinery, tools and equipment for routine maintenance and emergency repairs
- Loosens rusted and corroded nuts, bolts and frozen components
- Lubricating residue prevents corrosion
- VOC compliant★
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03016☉	6 oz Aerosol	12
03020☉	16 oz Aerosol	12
03021	1 Gallon Can	4
03022	5 Gallon Pail	1
03023	55 Gallon Drum	1
03024	16 oz Non-Aerosol Can w/Trigger	12
03025	8 oz Spout Can	24
03031☉	24 oz Aerosol	12

EXTREME DUTY SILICONE

- Premium grade silicone fluid that exhibits superior lubrication and temperature viscosity characteristics
- Reduces friction and galling even on metal-to-metal contact areas
- High temperature (-100°F to 450°F), high pressure (withstands 1200 lbs Falex test)
- High grade release and parting agent
- Clear, non-staining, odorless film resists moisture
- Convenient 360° spray valve – can be sprayed from any position

Part Number	Container Size	Units per Case
03030☉★	16 oz Aerosol	12

FOOD GRADE BELT DRESSING

- Provides a temporary, synthetic treatment for worn belts
- Extends belt life by reducing slippage, hardening, glazing, dirt build-up and friction
- Use on leather, rubber, canvas or fabric
- Ideally suited for flat, round and V-belts
- Meets FDA regulation 21 CFR 178.3570 for incidental food contact
- Tacky, non-drying, water-resistant film minimizes drive belt slippage, resists water wash-off, maintains belt flexibility and prevents loads from slipping on conveyor systems
- Colorless – will not stain finished goods transported on conveyor systems

Part Number	Container Size	Units per Case
03065★	16 oz Aerosol	12

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

★Complies with state and federal Consumer Products VOC Regulations. ☉ 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



TAC 2™ ADHESIVE CHAIN LUBRICANT

- Low viscosity formula provides the ability to penetrate and thoroughly coat vital chain pin and bushing areas
- Contains Molybdenum which provides cling-ability to avoid sling-off or excess dripping
- High temperature stability (up to 350°F continuous)
- Blue color allows instant identification of lubricated parts and equipment

Part Number	Container Size	Units per Case
03076*	16 oz Aerosol	12

NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

- Protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion
- High temperature resistance protects parts up to 2400°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Safe for use on both ferrous and non-ferrous metals
- Will not harden – heat aging won't affect lubricity of product
- Resistant to mild detergents and alkaline wash to protect against rust and corrosion

Part Number	Container Size	Units per Case
SL35911	8 oz Brush-Top Bottle	12
SL35913	16 oz Brush-Top Bottle	12

COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

- Prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion
- A smooth texture, fine particle sizing and familiar copper color, make it an excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous and non-ferrous metals
- High temperature resistance protects parts up to 1800°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Will not harden – heat aging won't affect lubricity of product

Part Number	Container Size	Units per Case
SL35901	8 oz Brush-Top Bottle	12
SL35903	16 oz Brush-Top Bottle	12
14095*	16 oz Aerosol	12

EXTREME DUTY OPEN GEAR & CHAIN LUBE

- A tough, tacky, solid film lubricant used for reducing friction and wear
- Penetrates pores of metal, with exceptional "stay-put" characteristics
- Provides maximum lubrication and shock protection
- Reduces friction and wear
- Contains Moly and Graphite
- Wide temperature range from -25°F to 350°F
- Will not wash or wear because of weather

Part Number	Container Size	Units per Case
03058	16 oz Aerosol	12

CHAIN & WIRE ROPE LUBRICANT

- Blend of synthetic lubricants and an organic molybdenum
- Anti-wear additive penetrates deep, and leaves a tough film that lubricates and protects
- Extends the working life of chains and wire rope
- Reduces wear caused by friction and corrosion
- Resists water wash-off and high-temperature sling off
- Absorbs pin/bushing shock and cushions rollers, pins and bushing
- Can be applied with guards in place to eliminate costly downtime
- High temperature stability (up to 350°F continuous)

Part Number	Container Size	Units per Case
03050*	16 oz Aerosol	12
03052*	5 Gallon Pail	1
03053*	55 Gallon Drum	1

INNER SLIDE LUBE

- Lubricates and increases slide motion, extending forklift equipment life
- Fortified with Molybdenum disulfide and extreme pressure additives
- Resists pound out under severe lubrication requirements
- Adheres to metal surfaces
- Prevents destructive metal-to-metal contact
- Protects against rust and corrosion

Part Number	Container Size	Units per Case
05305*	16 oz Aerosol	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



CLEANERS & DEGREASERS

CO® CONTACT CLEANER

- Optimal alternative to CFC, HCFC and flammable contact cleaners
- Non-flammable
- Plastic Safe
- Evaporates quickly and leaves no residue
- Non-chlorinated, non-staining and non-corrosive
- High dielectric strength of 27,600 volts
- VOC exempt
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
02016 ³⁶⁰	16 oz Aerosol	12
02017 ¹	16 oz Non-Aerosol Can w/Trigger	12

CONTACT CLEANER 2000® PRECISION CLEANER

- Evaporates quickly, leaves no residue
- Contains no Class I or Class II Ozone Depleting Chemicals
- No flash point
- Non-conductive and non-corrosive
- Test on plastics
- Not recommended for use on Noryl® or polycarbonate type plastics

Part Number	Container Size	Units per Case
03150 ³⁶⁰	16 oz Aerosol	12
03152 ¹	5 Gallon Pail	1
03153 ¹	55 Gallon Drum	1

Noryl® is a registered trademark of General Electric Corporation

XT-2000™ PRECISION CLEANER

- Effectively removes dirt, light oils and other contaminants from electronic equipment
- No flash point
- Evaporates rapidly leaving no residue
- Chemically stable, non-conductive, non-corrosive and non-flammable
- Low odor, safe on most plastics

Part Number	Container Size	Units per Case
03155 ³⁶⁰	16 oz Aerosol	12
03157 ¹	5 Gallon Pail	1

QD® CONTACT CLEANER

- Petroleum distillate and alcohol blended precision cleaner suitable for cleaning sensitive electronics
- Plastic Safe
- Evaporates quickly and leaves no residue
- Effectively removes soil and other contaminants from electronic components
- Ideal for applications where lower flashpoint solvents can be used
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03130 ³⁶⁰ *	16 oz Aerosol	12
03134 ^{*1}	1 Gallon Bottle	4
03131 ^{*1}	5 Gallon Pail	1
03132 ^{*1}	55 Gallon Drum	1

BATTERY CLEANER

- Use to restore battery output and reduce voltage leakage due to contaminants
- Assures maximum battery current flow
- Neutralizes acid spills
- Promotes longer battery life

Part Number	Container Size	Units per Case
03176	12 oz Aerosol	12



CO® Contact Cleaner helps prevent electrical failures, increase performance and prolong equipment life.



¹Not for use in CA. *This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

³⁶⁰ 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

**CARB & CHOKE CLEANER**

- Low VOC formula designed to maximize carburetor performance, improve fuel system performance and ensure maximum fuel economy
- Effectively dissolves deposits such as gum, sludge and varnish
- Will not harm oxygen sensors or catalytic converters
- VOC compliant★

Part Number	Container Size	Units per Case
03077*	16 oz Aerosol	12

NATURAL DEGREASER™

- Does not require water wash-off
- Leave no sticky residue commonly associated with citrus-based cleaners
- Contains no Class I or Class II Ozone Depleting Chemicals or chlorinated solvents
- Blend of natural citrus and organic solvents
- Non-corrosive and effective for use on all metals
- High dielectric strength of 28,600 volts
- Non-abrasive and non-staining
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
14005	20 oz Aerosol	12
14007 ¹	5 Gallon Pail	1
14008 ¹	55 Gallon Drum	1

**LECTRA CLEAN®
HEAVY DUTY ELECTRICAL
PARTS DEGREASER**

- Quickly and effectively removes grease, oil, dirt, grime, corrosion, sludge and other stubborn substances
- Increases operating efficiency of electric motors and equipment
- Fast evaporation and no residue
- Excellent alternative to 1,1,1-based cleaning products
- No flash point or flammable limits
- High dielectric strength of 37,500 volts
- Non-corrosive, non-staining and non-conductive
- Contains no 1,1,1-Trichloroethane
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
02018 ⁴	20 oz Aerosol	12
02020 ⁴	1 Gallon Bottle	4
02021 ⁴	5 Gallon Pail	1
02023 ⁴	55 Gallon Drum	1

**LECTRA CLEAN® II
NON-CHLORINATED
HEAVY DUTY DEGREASER**

- Use where chlorinated solvents are not acceptable
- Effectively removes soils and cleans surfaces without residue build-up
- Use caution on plastics
- High flashpoint: 180°F
- Non-chlorinated, non-conductive and non-corrosive
- High dielectric strength of 42,100 volts
- Low odor compound, unlike citrus-based products
- Contains no chlorinated solvents
- Contains no Class I or Class II Ozone Depleting Chemicals
- Zero VOC formula⁺

Part Number	Container Size	Units per Case
02120	20 oz Aerosol	12
02121	1 Gallon Bottle	4
02122	5 Gallon Pail	1
02124	55 Gallon Drum	1

**CABLE CLEAN® DEGREASER
HIGH VOLTAGE SPLICE
CLEANER**

- Prevents current leakage, excessive resistance, reduced performance and arcing at splice and termination junctions
- No flash point
- Evaporates rapidly, leaves no residue
- Non-chlorinated, non-conductive, non-staining
- Contains no 1,1,1-Trichloroethane

Part Number	Container Size	Units per Case
02064 ¹	20 oz Aerosol	12
02066 ¹	1 Gallon Bottle	4
02067 ¹	5 Gallon Pail	1

**CABLE CLEAN® RD™
(RAPID DRY) HIGH VOLTAGE
SPLICE CLEANER**

- Can be used to replace 1,1,1-Trichloroethane without sacrificing performance
- Contains no known Ozone Depleting Chemicals
- Non-flammable
- Residue free, rapid evaporation
- Removes wire pulling compounds, antioxidation compounds, and semi-conductive particles which can remain on cable after removal of insulation
- Non-corrosive, non-conductive and non-staining
- High dielectric strength of 41,100 volts

Part Number	Container Size	Units per Case
02150	16 oz Aerosol	12
02152	1 Gallon Bottle	4

**GREEN FORCE®
HEAVY DUTY CLEANER**

- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Industrial strength aqueous cleaner with the performance of a traditional solvent
- Low odor, pleasant scent
- Non-flammable



Part Number	Container Size	Units per Case
14455	1 Gallon Bottle	4
14456	5 Gallon Pail	1
14458	55 Gallon Drum	1

**HYDROFORCE® BUTYL-FREE
ALL PURPOSE CLEANER**

- Aqueous all-purpose cleaner with maximum regulatory compliance
- Outperforms many competing cleaners containing butyl
- Non-flammable
- Safe on most plastics
- Concentrated
- Non-corrosive, non-abrasive
- Floor wax safe

Part Number	Container Size	Units per Case
14405	20 oz Aerosol	12
14401	32 oz Trigger Spray Bottle	12
14402	1 Gallon Bottle	4
14403	5 Gallon Pail	1
14404	55 Gallon Drum	1
14422	275 Gallon Tote	1

**HYDROFORCE® SUPER
CITRUS™ HEAVY DUTY
DEGREASER**

Naturally formulated degreaser that offers the superb cleaning power of citrus. HYDROFORCE SUPER CITRUS dissolves grease, oil, ink, tar, asphalt and many other industrial residues. Excellent cleaner for cables found in mining equipment.

- For solvent strength degreasing
- Biodegradable (aerosol)
- Non-flammable
- Wipes off easily and leaves no residue
- Pleasant citrus scent
- Water dilutable bulk formula

Part Number	Container Size	Units per Case
14440	20 oz Aerosol	12
14441	1 Gallon Bottle	4
14442	5 Gallon Pail	1
14443	55 Gallon Drum	1
14453	275 Gallon Tote	1

¹Not for use in CA. ⁴For energized equipment use only. ⁺As defined by Consumer Products VOC Regulations.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

★Complies with state and federal Consumer Products VOC Regulations.



GREASES

EXTREME PRESSURE STA-PLEX™ PREMIUM RED GREASE

- Extremely versatile lithium complex, NLGI #2 grease with excellent high temperature lubrication
- Protects against rust and oxidation
- Typical drop point: 500°F

Part Number	Container Size	Units per Case
SL3190	14 oz Cartridge	10
SL3191	14 oz Can	12
SL3195	35 lb Pail	1
SL3197	120 lb Keg	1

LITHIUM GENERAL PURPOSE GREASE

- Lithium base, NLGI #2 grease
- Extremely stable, designed for light duty applications
- Excellent water resistance
- Typical drop point: 350°F

Part Number	Container Size	Units per Case
SL3310	14 oz Cartridge	10
SL3311	14 oz Can	12
SL3315	35 lb Pail	1
SL3317	120 lb Keg	1

MOLY-GRAPH® EXTREME PRESSURE MULTI-PURPOSE LITHIUM GREASE

- Lithium based, NLGI #2 grease
- "Moly" and graphite help establish a fine micron plating on all working surfaces
- Maintains 40 lb Timken OK Load
- Typical drop point: 350°F

Part Number	Container Size	Units per Case
SL3141	14 oz Can	12
SL3144	3 - 3 oz Cartridges	6
SL3145	35 lb Pail	1
SL3146	7 lb Pail	4
SL3330	14 oz Cartridge	10



Sta-Lube® Sta-Plex™ Red Grease provides excellent high pressure lubrication.

BALL & ROLLER BEARING HI-TEMP GREASE

- Aluminum complex, NLGI #2 grease
- Made to handle high loads and high temperatures inherent in bearing applications
- Combines moderately high oil viscosity with low temperature pumpability to provide high performance in a wide operating range
- Won't wash out, splatter or run out under the heaviest loads
- Resists mild detergent and alkaline wash

Part Number	Container Size	Units per Case
SL3630	14 oz Cartridge	10
SL3635	35 lb Pail	1

TOOLS & EQUIPMENT OILS

AIR TOOL OIL SAE 10

- Lubricates and protects pneumatic equipment
- Increases torque; assures long tool life
- Reduces rust, varnish, sludge and acids

Part Number	Container Size	Units per Case
SL2531	15 oz Bottle	12
SL2533	1 Gallon Bottle	4

HYDRAULIC & JACK OIL SAE 20

- Protects all parts in hydraulic jacks over a wide temperature range
- Prevents foaming, rust, oxidation, corrosion and seal swell

Part Number	Container Size	Units per Case
SL2621	15 oz Bottle	12
SL2552	1 Quart Bottle	12
SL2553	1 Gallon Bottle	4
SL2555	5 Gallon Pail	1

BAR & CHAIN LUBRICANT

- Reduces wear and friction
- Remains fluid in cold temperatures
- Performs well on equipment subjected to loads, water and high speeds

Part Number	Container Size	Units per Case
SL2612	1 Quart Bottle	12





VEHICLE MAINTENANCE

CLEANERS/DEGREASERS

BRÄKLEEN® BRAKE PARTS CLEANER

- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Non-flammable
- Cleans fast, dries fast, leaves no residue
- Works without disassembly
- Not for use in CA and NJ

Part Number	Container Size	Units per Case
05089 ²	20 oz Aerosol	12
05089T ²	20 oz Aerosol w/ Trigger	12
05090 ²	1 Gallon Bottle	4
05091 ²	5 Gallon Pail	1
05093 ²	55 Gallon Drum	1

BRÄKLEEN® NON-CHLORINATED FORMULA BRAKE PARTS CLEANER

- Quickly removes brake fluid, grease, oil and other contaminants from brake linings and pads
- Contains no chlorinated solvents
- Cleans fast, dries fast, leaves no residue
- Works without disassembly

Part Number	Container Size	Units per Case
05088* ²	20 oz Aerosol	12
05085* ²	1 Gallon Bottle	4
05186* ²	5 Gallon Pail	1
05087* ²	55 Gallon Drum	1

Low VOC formula

Part Number	Container Size	Units per Case
05084* ¹	20 oz Aerosol	12
05086* ¹	5 Gallon Pail	1

BRÄKLEEN® 50 STATE FORMULA BRAKE PARTS CLEANER

- Removes brake fluid, grease, oil and other contaminants quickly and effectively
- Non-chlorinated solvents, leaves no residue
- Meets all state and federal consumer products VOC regulations
- Low VOC formula
- With Power Jet™ technology

Part Number	Container Size	Units per Case
05050*	20 oz Aerosol	12
05051*	1 Gallon Bottle	4
05052*	5 Gallon Pail	1
05053*	55 Gallon Drum	1

LECTRA-MOTIVE® ELECTRIC PARTS CLEANER

- Dissolves grease, oil, dirt and wax from non-sensitive electrical equipment
- Non-flammable, leaves no residue, zero VOC formula

Part Number	Container Size	Units per Case
05018 ⁴	20 oz Aerosol	12
05019 ⁴	1 Gallon Bottle	4
05024 ⁴	55 Gallon Drum	1

CLEAN-R-CARB™ CARBURETOR CLEANER

- Instantly dissolves deposits on venturies, linkages, butterflies and PCV systems
- Improves fuel system performance
- Harmless to catalytic converters and oxygen sensors
- Low VOC formula – 05379 and 05381

Part Number	Container Size	Units per Case
05081* ²	20 oz Aerosol	12
05379*	16 oz Aerosol	12
05381*	20 oz Aerosol	12

BATTERY CLEANER WITH ACID INDICATOR

- Detects leaks and neutralizes acids
- Spray on, rinse off
- Cleans terminals, cases and cables
- Non-flammable

Part Number	Container Size	Units per Case
05023	12 oz Aerosol	12

HYDROFORCE® SUPER CITRUS™ HEAVY DUTY DEGREASER

- Naturally formulated, aqueous degreaser dissolves grease, oil, ink, tar, asphalt and many other industrial residues
- Non-flammable
- Safe on most plastics
- Wipes off easily and leaves no residue
- Biodegradable (aerosol)

Part Number	Container Size	Units per Case
14440	20 oz Aerosol	12
14441	1 Gallon Bottle	4
14442	5 Gallon Pail	1
14443	55 Gallon Drum	1

HYDROFORCE® GLASS CLEANER PROFESSIONAL STRENGTH

- Ammonia-fortified aqueous based formula contains a foaming agent for greater coverage and less run-off
- Professional strength, ready to use
- Biodegradable, non-abrasive foaming action
- Non-flammable, non-ozone depleting

Part Number	Container Size	Units per Case
14412	20 oz Aerosol	12
14411	32 oz Trigger Spray Bottle	12
14413	1 Gallon Bottle	4
14427	55 Gallon Drum	1



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ⁴For energized equipment use only.
*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.



GREEN FORCE® GLASS & SURFACE CLEANER



- Effectively cuts greasy films and soils
- US EPA Design for Environment (DfE) recognized
- Biodegradable and concentrated
- Low VOC content
- Non-ammoniated, non-abrasive, non-flammable

Part Number	Container Size	Units per Case
14460	32 oz Spray Bottle (RTU)	12
14461	1 Gallon Bottle	4

GLASS & SURFACE WIPES

- Lint-free wipe eliminates messy overspray and is safe to use on tinted windows, safety glasses and fine lenses
- Easily removes smoke film, fingerprints, smudges, dirt and more without leaving streaks or residue
- Withstands the demands of institutional, janitorial, automotive, and industrial applications
- Quick and easy to use
- Ammonia free, streak free formula
- VOC compliant★

Part Number	Towel Size	Towels per Container	Containers per Case
04102	6" x 8"	50	6

FUEL ADDITIVES

FUEL INJECTOR & CARBURETOR CLEANER

- Removes deposits from injectors, carburetor and intake system
- With regular use, eliminates hard starts, rough idling, dieseling and excessive emissions
- Reduces engine demand for high octane fuel
- Harmless to catalytic converters and oxygen sensors

Part Number	Container Size	Units per Case
05061	12 oz Bottle	12

DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER PLUS

- Reliquifies gelled fuel, lubricates upper cylinders
- Reduces emission and smoke
- Dissolves varnish and gum accumulation
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05212	12 oz Bottle	12
05232	1 Quart Bottle	12
05228	1 Gallon Bottle	4
05225	5 Gallon Pail	1

DIESEL FUEL THERAPY® DIESEL INJECTOR CLEANER WITH ANTI-GEL

- Lowers cold filter plug point by as much as 31°F
- Reliquifies gelled diesel fuel, lubricates upper cylinders
- Contains no harmful alcohol
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05412	12 oz Bottle	12
05432	1 Quart Bottle	12
05428	1 Gallon Bottle	4
05425	5 Gallon Pail	1
05455	55 Gallon Drum	1

DIESEL DRY™ DIESEL WATER REMOVER

- Dissipates water to minimize smoke and improve fuel economy
- Prevents corrosion and harmful sludge sediment
- Complies with ULSD fuel requirements
- OK for biodiesel

Part Number	Container Size	Units per Case
05670	12 oz Bottle	12

BIO-CON™ SLUDGE SEDIMENT REMOVER

- Keeps injectors clean
- Removes sludge and sediment from diesel fuel & furnace oils
- Absorbs and disperses moisture
- Improves storage stability of fuel

Part Number	Container Size	Units per Case
05557	12 oz Bottle	12
05558	5 Gallon Pail	1

1-TANK POWER RENEW® WITH G2P® TECHNOLOGY

- Concentrated diesel & emissions system cleanup
- 3X more potent than leading brands
- Maximum power restoration and deposit control
- Helps increase MPG
- Boosts power instantly
- Helps free sticky injectors
- Works great in biodiesel blends

Part Number	Container Size	Units per Case
05832	1 Quart Bottle	12

CORROSION INHIBITORS

BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
03175*	12 oz Aerosol	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

★Complies with state and federal Consumer Products VOC Regulations.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



SEAL COAT® URETHANE COATING

- Conformal polyurethane coating that insulates electrical equipment and seals out water and moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistance make it ideal for electrical/electronics applications
- Effective temperature range of -90°F to 250°F
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations

Part Number	Container Size	Units per Case
18410*	Red 16 oz Aerosol	12
18411*	Clear 16 oz Aerosol	12

WINTER PRODUCTS

JUMP START® STARTING FLUID W/ LUBRICITY

- Assures fast starts in extremely cold or humid climates
- Upper cylinder lubricant minimizes wear during cold starts
- Effective to -65°F
- For diesel and gasoline engines
- Complies with ULSD fuel requirements

Part Number	Container Size	Units per Case
05671*	16 oz Aerosol	12



Keep your fleet running smoothly with CRC® Diesel 1-Tank Power Renew®.

QUICK FLOW™ EMERGENCY DIESEL-GEL RELIEF

- Instantly works to dissolve gelled fuel
- Thaws frozen fuel filters
- Lowers pour point by as much as 35°F
- Complies with ULSD fuel requirements, OK for biodiesel

Part Number	Container Size	Units per Case
05911	1 Quart Bottle	12
05928	1 Gallon Bottle	4
05925	5 Gallon Pail	1
05955	55 Gallon Drum	1

COLD FLOW™ ANTI-GEL W/ LUBRICITY

- Prevents fuel gelling and waxing
- Contains lubricity additive for low sulfur fuels
- Use in all diesel equipment
- Complies with ULSD fuel requirements, OK for biodiesel

Part Number	Container Size	Units per Case
05612	12 oz Bottle	12
05632	1 Quart Bottle	12
05655	55 Gallon Drum	1

CRC FOR GAS TANKS ISOPROPANOL FORMULA

- Removes water from gasoline
- Inhibits rust in gas tank
- Prevents fuel line freezing, protects to -50°F

Part Number	Container Size	Units per Case
05343	12 oz Bottle	12

AIR BRAKE ANTI-FREEZE & CONDITIONER

- Winter protection for air brake systems
- Eliminates and prevents moisture accumulation and icing
- Prevents damage to air brake seals
- Anti-freeze and anti-rust

Part Number	Container Size	Units per Case
05532	32 oz Bottle	12
05528	1 Gallon Bottle	4
05555	55 Gallon Drum	1

ICE-OFF® WINDSHIELD SPRAY DE-ICER

- Melts ice, snow and frost on contact
- Harmless to car finish
- Thaws frozen locks
- Effective to sub-zero temperatures

Part Number	Container Size	Units per Case
05346	16 oz Aerosol	12

STOR-X® FUEL STABILIZER

- Inhibits formation of varnishes, peroxides and gum
- Preserves gasoline and diesel fuel for up to 1 year
- Treats up to 20 gallons
- Does not contribute to induction system deposits
- OK for biodiesel

Part Number	Container Size	Units per Case
402815	8 oz Bottle	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



PIPELINE MAINTENANCE

CLEANERS/DEGREASERS

NATURAL DEGREASER™

- Does not require water wash-off
- Leave no sticky residue commonly associated with citrus-based cleaners
- Contains no Class I or Class II Ozone Depleting Chemicals or chlorinated solvents
- Non-corrosive and effective for use on all metals
- High dielectric strength of 28,600 volts
- Non-abrasive and non-staining
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
14005	20 oz Aerosol	12
14007 ¹	5 Gallon Pail	1
14008 ¹	55 Gallon Drum	1

SUPER SOY™ DEGREASER

- Non-flammable, biodegradable, heavy duty degreaser
- Extremely effective in dissolving and removing grease, oil, lubricants, adhesives and tar
- Contains no Class I or Class II Ozone Depleting Chemicals or chlorinated solvents
- Low odor
- USDA Certified Biobased Product

Part Number	Container Size	Units per Case
03135	20 oz Aerosol	12

INSTA-SOLV® DEGREASER

- Non-chlorinated degreaser for use in industrial and electrical applications
- VOC compliant*
- Complies with SCAQMD Rule 1171
- Fast evaporation, leaves no residue
- Non-corrosive

Part Number	Container Size	Units per Case
03100*	20 oz Aerosol	12

GRAFFITI REMOVER

- Aggressive graffiti & vandal mark remover
- Gelled formula great for use on vertical surfaces
- Easily removes multi-layered or painted over graffiti
- Protects equipment surfaces
- Contains no Methylene Chloride

Part Number	Container Size	Units per Case
03194	16 oz Aerosol	12



CRC Welder's Anti-Spatter Spray allows for easy clean-up without the use of solvent cleaners.

METALWORKING

WELDER'S ANTI-SPATTER SPRAY

- Prevents spatter from adhering to surrounding metal surfaces during welding
- Eliminates the need to chisel, grind or wire brush after welding
- Water-based formula allows easy clean-up without the use of solvent cleaners
- Does not contain silicone
- Contains no ODCs
- Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces
- Non-hazardous decomposition
- Low odor

Part Number	Container Size	Units per Case
03083	16 oz Aerosol	12

TRUETAP® HD

- Designed as a heavy duty cutting fluid for use in severe applications
- Clings to the cutting tool throughout the operation
- Contains no 1,1,1-Trichloroethane
- Use on tough stainless steel and exotic metals
- Thick fluid clings to vertical surfaces
- Provides excellent finish and accurate threads

Part Number	Container Size	Units per Case
03400	16 oz Bottle	12
03403	55 Gallon Drum	1

TRUETAP® WAX STICK LUBRICANT

- Multi-purpose lubricant stick that effectively removes heat and lubricates
- Capable of withstanding extreme pressure
- Convenient stick is easy to use and mess-free
- Multi-purpose lubricant works on all metals
- Can be used as a replacement for cutting fluids and oils

Part Number	Container Size	Units per Case
03480	16 oz stick	10

ZINC-IT® INSTANT COLD GALVANIZE™

- Actively fights rust and corrosion with a film of >92% pure zinc
- Protects base metal even when scratched, abraded, or dented
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability
- Excellent touch-up for damaged galvanized coatings


Part Number	Container Size	Units per Case
18412*	16 oz Aerosol	12
18413	1 Gallon Can	1



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

¹Not for use in CA. *Complies with state and federal Consumer Products VOC Regulations.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



SEALANTS/ADHESIVES

RTV SILICONE ADHESIVE/SEALANTS

- Clear** Forms a barely visible water-tight seal
- White** Designed for high moisture, indoor/outdoor applications
- Blue** Heavy duty industrial gasket sealant
- Red** High temperature, low odor, non-corrosive gasket sealant
- Black** High pressure low odor, non-corrosive gasket sealant
- Seal, bond, waterproof and protect
 - Cure at room temperature – no special curing methods required
 - Shows little change in physical properties after exposure to rain, snow, temperature extremes and weathering

RTV SILICONE PRESSURIZED TUBES

- Convenient alternative to caulking tubes
- Dispenses a uniform bead for consistent results
- Pressurized package keeps silicone fresh
- Self-sealing plug – Simply pull out to re-use the product

Part Number	Container Size	Units per Case
14055	8 oz Pressurized Tube-Clear	12
14056	8 oz Pressurized Tube-White	12
14057	8 oz Pressurized Tube-Blue	12
14059	8 oz Pressurized Tube-Red	12
14072	8 oz Pressurized Tube-Black	12

RTV SILICONE CARTRIDGES

- Economical for large jobs
- Convenient screw-on nozzle
- Fast dispensing for applications that require less precision
- For use with CRC Caulk Gun (#14054)

Part Number	Container Size	Units per Case
14073	12 oz Cartridge-Clear	12
14074	12 oz Cartridge-White	12
14075	12 oz Cartridge-Red	12

FOAM MINIMAL EXPANSION AEROSOL SEALANT

- Polyurethane foam designed to fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities
- Forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal & most plastics
- Stops drafts, dust, moisture, insects and rodents
- When cured, foam can be sanded, painted or stained
- The low expansion formula expands 50% when fully cured
- Cured foam insulates to R-5 for each inch of foam
- UL® classified as a caulking sealant
- Foam and propellant are non-flammable
- Convenient 360° valve – can be sprayed from any position
- Reusable for up to 30 days after initial use

Part Number	Container Size	Units per Case
14077	16 oz Aerosol	12

UL® is a registered trademark of UL LLC.

MINUTE MEND™ EPOXY PUTTY

- Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets
- Can be used in plumbing, electrical, ceramic, vehicle and machinery repair
- Specially formulated to bond to both wet and dry surfaces and can even be applied under water
- A two-part epoxy putty packaged in a convenient one piece stick
- Ready to use in less than one minute
- Can be tapped, sawed, drilled, machined, stained or painted

Part Number	Container Size	Units per Case
14070	4 oz Stick	24
14071	2 oz Stick	40

CORROSION INHIBITORS

SP-400™ CORROSION INHIBITOR

- Long-term indoor/outdoor (up to 2 years outdoors) corrosion inhibitor for machined surfaces and assemblies subjected to long periods of storage or adverse shipping conditions
- Firm, waxy film is highly resistant to humidity and salt spray and never becomes brittle

Part Number	Container Size	Units per Case
03282*	16 oz Aerosol	12
03286	5 Gallon Pail	1
03288	55 Gallon Drum	1

RUST CONVERTER

- Neutralizes rust and converts it to a tough, black primer in one easy step
- Applications include vehicles, trailers, railings, bridges, equipment, storage tanks, transmission towers, etc.
- No more scraping or sandblasting
- Instantly stops rust
- Converts rust to a tough black primer
- Protects surfaces for years

Part Number	Container Size	Units per Case
18418	1 Quart Bottle	12
18419	1 Gallon Bottle	4
14610	20 oz Aerosol	12

RUST REMOVER

- Safe, effective, fast-acting formula removes rust, not metal
- Leaves metal clean and ready to paint, plate or powder coat
- No heavy wire brushing or sand blasting required
- Removes rust quickly
- Uses Acid Safe Technology
- Non-corrosive, non-flammable
- Zero VOC
- No heavy fumes or bad odors
- Packing Group III for shipping

Part Number	Container Size	Units per Case
18420	1 Quart Bottle	12
18421	1 Gallon Bottle	4



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



MARINE MAINTENANCE

LUBRICANTS

6-56® ZERO VOC MULTI-PURPOSE LUBRICANT

- Zero VOC formula⁺
- Lubricates, protects and displaces moisture all-in-one
- Forms clear, thin film that lubricates and protects against corrosion
- Odor free
- Safe on most plastics

Part Number	Container Size	Units per Case
06002	16 oz Aerosol	12

6-56® MULTI-PURPOSE LUBRICANT

- Drives out moisture to help start wet engines
- Lubricates and protects against saltwater corrosion
- Loosens rusted parts

Part Number	Container Size	Units per Case
06005	6 oz Aerosol	12
06006	12 oz Aerosol	12
06007	16 oz Aerosol	12
06008	1 Gallon Bottle	4
06010	5 Gallon Pail	1
06012	55 Gallon Drum	1

MARINE HEAVY DUTY SILICONE LUBRICANT

- Clean, odorless, highly water resistant; fights corrosion
- Lubricates and protects wood, nylon, metal, canvas and leather
- Eliminates squeaking and binding
- Wide temperature range (-40°F to 400°F)

Part Number	Container Size	Units per Case
06077*	16 oz Aerosol	12



CRC Salt Terminator® dissolves salt and leaves a protective coating to inhibit corrosion.

CORROSION INHIBITORS

SALT TERMINATOR® ENGINE FLUSH, CLEANER & CORROSION INHIBITOR

- Cleans & protects anything exposed to salt (saltwater, salt air, road salt)
- Dissolves salt & leaves a protective coating to inhibit corrosion
- Non-flammable, no flash point, minimal odor

Part Number	Container Size	Units per Case
SX10	12 oz Trigger Bottle	12
SX128	1 Gallon Bottle	4
SX22	22 oz Bottle w/ Trigger	12
SX32	32 oz Bottle	7
SX32M	32 oz Bottle w/Mixer	6
SX55	55 Gallon Drum	1
SXMXR	Salt Terminator Mixer Unit	12

ENGINE STOR® FOGGING OIL

- Protects electrical connections, outboard motors and marine engines to ensure longer life
- Keeps pistons, rings and cylinder walls corrosion-free during seasonal storage
- Preserves reels, tools, and metal surfaces subject to rust

Part Number	Container Size	Units per Case
06068	16 oz Aerosol	12
06069	1 Gallon Pail	4
06070	5 Gallon Pail	1
06072*	16 oz Aerosol w/ Hose	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

360° spray valve – can be sprayed from any position. ⁺As defined by Consumer Products VOC Regulations.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



FUEL ADDITIVES

MARINE FUEL TREATMENT & STABILIZER

- Reduces octane requirement, combustion deposits, hydrocarbon emissions, knock & ping and valve seat wear
- Improves fuel economy and stabilizes fuel up to 8 months
- Reduces diesel smoke up to 40%
- 1 ounce treats 16 gallons of gasoline, 12 gallons of diesel fuel

Part Number	Container Size	Units per Case
MK4908	8 oz Bottle	12

PHASEGUARD4® ETHANOL FUEL TREATMENT

- Prevents phase separation
- Maximum protection against corrosion
- Improves fuel economy and stabilizes fuel up to one year
- Cleans entire fuel system
- 1 ounce treats 10 gallons of gasoline
- For all gas powered 2- and 4-cycle engines

Part Number	Container Size	Units per Case
06141	8 oz Bottle	12
06142	16 oz Bottle	12
06143	32 oz Bottle	6

MARINE FUEL STABILIZER – GASOLINE FORMULA

- For all 2 and 4 cycle engines
- Keeps fuel fresh during storage
- Protects against corrosion
- Prevents gum and resin build-up; keeps filters and injectors clean
- Non-staining
- 1 oz treats 5 gallons of gas

Part Number	Container Size	Units per Case
06161	8 oz Bottle	12
06162	16 oz Bottle	12
06163	1 Quart Bottle	12
06164	1 Gallon Bottle	4

MARINE FUEL STABILIZER – DIESEL FORMULA

- Keeps fuel fresh during storage
- Protects against corrosion
- Prevents gum and resin build-up; keeps filters and injectors clean
- Non-staining
- 1 oz treats 10 gallons of diesel fuel

Part Number	Container Size	Units per Case
06171	8 oz Bottle	12
06172	16 oz Bottle	12

MARINE OCTANE BOOST

- Increases octane rating of gasoline for maximum horsepower and torque
- Reduces or eliminates engine knock and ping
- Improves starting
- One bottle treats up to 20 gallons of fuel

Part Number	Container Size	Units per Case
06067	12 oz Bottle	12

GREASES

MARINE ELECTRONICS GREASE

- Seals, protects and insulates electrical contacts from moisture
- Lubricates and seals rubber and plastic parts – including O-rings
- Waterproofs components and contacts to protect against arcing
- Improves electrical performance during adverse conditions such as rain, fog and salt spray

Part Number	Container Size	Units per Case
06106	6 oz Pressurized Can	12

CLEANERS/DEGREASERS

ON & OFF HULL & BOTTOM CLEANER

- Removes waterline stains, algae stains, rust and gas exhaust stains
- Works instantly
- Use on fiberglass only
- Easy to use – brush on, rinse off

Part Number	Container Size	Units per Case
MK2032	1 Quart Bottle	12
MK20128	1 Gallon Bottle	4
MK20550	55 Gallon Drum	1

ON & OFF GEL HULL & BOTTOM CLEANER

- Unique viscous formula that clings to the surface to break down grease, oil and scum lines and stains
- Blue color makes it easy to see where the product has been applied
- Easy to use – brush on, rinse off

Part Number	Container Size	Units per Case
MK3532	1 Quart Bottle	12
MK35128	1 Gallon Bottle	4

BIG BULLY® NATURAL ORANGE BILGE CLEANER

- Works fast to emulsify oil, grease and scum
- Tough citrus cleaning power
- Leaves bilge areas clean and fresh
- Self-cleaning formula is activated by the rolling action of the boat

Part Number	Container Size	Units per Case
MK2332	1 Quart Bottle	12
MK23128	1 Gallon Bottle	4





CLEANING DETAIL® NON-SKID DECK CLEANER

- Cleans and brightens fiberglass, stainless steel, chrome, brass and aluminum
- Quickly and effectively removes dirt, grease, grime and chalking
- Easy to use on most surfaces above the waterline
- Great for non-skid decks, shower stalls and tubs

Part Number	Container Size	Units per Case
MK2132	1 Quart Flip-top Bottle	12

SPRAY AWAY™ ALL PURPOSE CLEANER

- Cleans grease, grime, oil, rain stains, fish blood and more
- Great on virtually any surface
- Heavy duty formula is four times stronger than most spray cleaning products
- Non-flammable

Part Number	Container Size	Units per Case
MK2832	1 Quart Spray Bottle	12
MK28128	1 Gallon Bottle	4

GREASE AWAY ENGINE DEGREASER

- Heavy duty engine degreaser
- Formulated for outboards, inboards, i/o's and more
- Spray on / rinse off
- Contains no petroleum solvents

Part Number	Container Size	Units per Case
MK5232	1 Quart Bottle	12
MK52128	1 Gallon Bottle	4

RUST STAIN REMOVER

- Fast-acting formula attacks rust stains without harming gel coat
- Use on fiberglass, metal, vinyl and other marine surfaces
- Restores rusted tools and metal hardware
- Clings to stain for maximum effectiveness
- Easy to apply – brush on, rinse off

Part Number	Container Size	Units per Case
MK5316	16 oz Bottle	12

HEADS UP™ LIQUID HOLDING TANK DEODORANT

- Works instantly to control odors
- Long-lasting pleasant fragrance
- Detergent additive helps keep holding tanks and recirculating and portable toilets clean
- Helps break down waste and tissue
- Non-formaldehyde formula

Part Number	Container Size	Units per Case
MK4532	1 Quart Bottle	12

MOISTURE ABSORBER

- Dries air in cabins, lockers, closets, bathrooms, basements and other enclosed areas
- Super-dry, concentrated pellet formula absorbs up to 50% more moisture than flake formulas
- Detergent additive helps keep holding tanks and recirculating and portable toilets clean
- Package includes protective web lid

Part Number	Container Size	Units per Case
MK6912	12 oz Tub	12



CRC Rust Stain Remover restores rusted tools and metal hardware.

MOISTURE CONTROL BAG

- Absorbs dampness that leads to rust and musty odors
- Soaks up air moisture like sponge; does not drip
- Great for use in lockers, head, galley, bilge, cuddy cabin and rope storage
- Also great for RV, home and apartment use

Part Number	Container Size	Units per Case
MK7112	12 oz Bag	12


POLY TANK SPRAYER

- Designed for professional use
- Easy to use, holds one gallon
- Excellent corrosion resistance
- High density polyethylene
- Equipped with a 36" reinforced multi-layer PVC braided hose and adjustable nozzle

Part Number	Container Size	Units per Case
MK1991	1 Gallon	1



Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



CLEANERS/ DEGREASERS

ELECTRONIC COMPONENT CLEANER, PRECISION CLEANER & LIGHT DUTY DEGREASER

- Aggressively dissolves grease, dust, lint, dirt, oils, polar soils, and other contaminants from most non-plastic surfaces
- No flash point
- High purity formula
- Fast evaporation, leaves no residue
- Removes flux and polar soils
- Chemically stable, non-conductive and non-corrosive
- Test on plastics

Part Number	Container Size	Units per Case
03200 ¹	16 oz Aerosol	12

HEAVY DUTY DEGREASER

- Effectively removes grease, oil, tar, dirt, grime, corrosion, sludge and other stubborn substances to increase operating efficiency of equipment
- No flash point
- Fast evaporation with no residue
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 36,800 volts
- High cleaning strength of 117 KB
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics

Part Number	Container Size	Units per Case
03095 ²	20 oz Aerosol	12
03095T ²	20 oz Aerosol w/ Trigger	12
03995 ³	20 oz Aerosol	12
03096 ³	1 Gallon Bottle	4
03097 ³	5 Gallon Pail	1
03098 ³	55 Gallon Drum	1

CHLOR-FREE® DEGREASER

- Use where rapid turn-around is necessary
- Fast drying to help minimize downtime
- Leaves no residue
- Non-conductive, non-corrosive and non-staining
- Penetrates quickly to remove oil, grease and other contaminants
- Use caution on plastics
- Use where low flash point solvents can be used

Part Number	Container Size	Units per Case
03185* ¹	20 oz Aerosol	12
03187* ³	5 Gallon Pail	1
03188* ³	55 Gallon Drum	1
03189* ³	16 oz Non-Aerosol Can w/Trigger	12
03985* ³	20 oz Aerosol	12

ISOPROPYL ALCOHOL PRECISION CLEANER

- High purity formula
- Evaporates rapidly leaving no residue
- Removes polar soils and other charged contaminants
- Chemically stable, non-conductive and non-corrosive
- Safe on most plastics

Part Number	Container Size	Units per Case
03201	16 oz Aerosol	12

GASKET REMOVER

- Solvent-based cleaner removes baked-on fiber gaskets, gasket adhesives and sealants
- Contains no methylene chloride
- Loosens carbon deposits
- Protects equipment surfaces by reducing the need for excessive scraping
- Excellent paint, varnish, and graffiti remover
- VOC compliant★

Part Number	Container Size	Units per Case
03017	16 oz Aerosol	12

SUPER DEGREASER™

- Non-conductive, non-corrosive, and non-staining
- No flash point
- Evaporates rapidly and leaves no residue
- Optimal alternative to 1,1,1-Trichloroethane products
- Contains no chlorinated solvents
- High dielectric strength of 26,800 volts
- Contains no Class I or Class II Ozone Depleting Chemicals
- Use caution on plastics


Part Number	Container Size	Units per Case
03110 ¹	20 oz Aerosol	12
03111 ^{1,3}	1 Gallon Bottle	4
03112 ^{1,3}	5 Gallon Pail	1
03113 ^{1,3}	55 Gallon Drum	1
03114 ^{1,3}	16 oz Non-Aerosol Can w/Trigger	12
03510 ³	20 oz Aerosol	12
03910 ^{1,3}	20 oz Aerosol	12



¹Not for use in CA. ²Item restricted from sale in some states. See product page on CRC website for specific instruction. ³Not for retail sale, for use in manufacturing establishments only.

*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

★Complies with state and federal Consumer Products VOC Regulations. 360° spray valve – can be sprayed from any position.



T-FORCE® DEGREASER

- Quickly dissolves grease, oil and sludge for more efficient operation of mechanical equipment
- Evaporates rapidly, leaves no residue and has a good health & safety profile
- Revolutionary formula – does not contain TCE, Perc or nPB
- Reduced VOC formula (#03115 only)
- No flash point
- Non-corrosive, non-staining and non-conductive
- High dielectric strength of 39,000 volts
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units per Case
03115 ¹	20 oz Aerosol	12
03116 ³	1 Gallon Bottle	4
03117 ³	5 Gallon Pail	1
03118 ³	55 Gallon Drum	1
03915 ³	20 oz Aerosol	12

CITRUS DEGREASER

- d-Limonene and petroleum blended degreaser
- Does not require water wash-off
- Controlled evaporation, leaves no residue
- Non-corrosive, non-abrasive and non-staining
- Pleasant citrus scent
- High dielectric strength of 58,600 volts
- Use caution on plastics and paints

Part Number	Container Size	Units per Case
14170 ³	20 oz Aerosol	12
14171 ³	16 oz Non-Aerosol Can w/Trigger	12
14172 ³	1 Gallon Bottle	4
14173 ³	5 Gallon Pail	1
14174 ³	55 Gallon Drum	1

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- Aqueous degreaser with the power of a solvent
- Non-flammable
- Safe on most plastics
- Concentrated, non-abrasive
- Low foaming – perfect for hand-held pressure washers & industrial high pressure parts washers
- Perfect for machinery, motors, concrete and non-porous surfaces
- Use caution on soft metals and painted surfaces

Part Number	Container Size	Units per Case
14414	20 oz Aerosol	12
14415 ¹	32 oz Trigger Spray Bottle	12
14416	1 Gallon Bottle	4
14417	5 Gallon Pail	1
14418	55 Gallon Drum	1
14420	275 Gallon Tote	1

HYDROFORCE® ALL PURPOSE DEGREASER

- For grease busting strength with maximum versatility
- Non-flammable
- Safe on most plastics
- Biodegradable and concentrated
- Non-corrosive, non-abrasive
- Low-foaming – perfect for hand-held pressure washers & industrial high pressure parts washers

Part Number	Container Size	Units per Case
14406	20 oz Aerosol	12
14407 ¹	32 oz Trigger Spray Bottle	12
14408	1 Gallon Bottle	4
14409	5 Gallon Pail	1
14410	55 Gallon Drum	1
14421	275 Gallon Tote	1

HYDROFORCE® GLASS CLEANER PROFESSIONAL STRENGTH

- Ammonia-fortified aqueous based formula contains a foaming agent for greater coverage and less run-off
- For professional strength, streak-free glass cleaning
- Ready to use
- Non-abrasive foaming action
- Non-flammable, non-ozone depleting
- Biodegradable

Part Number	Container Size	Units per Case
14412	20 oz Aerosol	12
14411	32 oz Trigger Spray Bottle	12
14413	1 Gallon Bottle	4
14427	55 Gallon Drum	1

VISICLEAR™ DISPLAY CLEANER & ELECTRONIC SCREEN CLEANER

- Safe for use on TFT, LCD, Plasma, CRT and Touch Screens
- Removes fingerprints, nicotine film, dust and dirt
- Foam cleaner clings to surface – no drips, no runs
- Streak-free formula leaves no residue and dries fast
- Alcohol & Ammonia free (no solvents)
- Will not damage screen protective coatings

Part Number	Container Size	Units per Case
05131	8 oz Aerosol	12

DUSTER™ AEROSOL DUST REMOVAL SYSTEM


- Removes dirt and dust from any surface without damaging sensitive components or surface finish
- Penetrates into cracks and crevices to remove contaminants that normal hand dusting cannot reach
- Delivers a powerful blast of product to remove embedded debris
- Extension tube can be used for more precise delivery
- Non-flammable, plastic safe
- No residue
- Non-abrasive

Part Number	Container Size	Units per Case
14085	12 oz Aerosol w/ Trigger	12



¹Not for use in CA. ³Not for retail sale, for use in manufacturing establishments only.

³ 360° spray valve – can be sprayed from any position.



CRC Power Lube® High-Performance Lubricant is a multi-purpose lubricant with PTFE used to provide long lasting lubrication and protection against friction, wear and corrosion.

LUBRICANTS

TECHNICAL GRADE 3-36® MULTI-PURPOSE LUBRICANT

Multi-purpose, plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. TECHNICAL GRADE 3-36 drives out moisture and leaves a thin, long lasting film to protect against corrosion. Excellent for use around modern plastics and insulators.

- Plastic safe – Will not harm modern plastics, including polycarbonates, ABS and Noryl®
- Cleans, lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Restore resistance values and helps stop current leakage
- Helps restore water damaged electrical equipment
- Cleans light soils and contaminants
- No VOC'S⁺

Part Number	Container Size	Units per Case
03003 ³⁶⁰	16 oz Aerosol	12

Noryl® is a registered trademark of General Electric Corporation

POWER LUBE® HIGH-PERFORMANCE LUBRICANT

- High performance, multi-purpose lubricant with the benefits of PTFE
- Withstands extreme load carrying situations
- Displaces moisture and seals out corrosion
- Surpasses 4,500 lbs on Falex Load Test (ASTM D-3233)

Part Number	Container Size	Units per Case
03045*	16 oz Aerosol	12

DRY MOLY LUBE

- Specially formulated dry film lubricant incorporating a concentrated dispersion of molybdenum disulfide (MoS₂)
- Lowers friction and prevents galling
- Helps to reduce torque and energy consumption
- High anti-friction and anti-seizure properties
- Lubricant resists high temperatures (up to 650°F), high pressure, water and chemical attack
- Non-conductive
- Harmless to most plastics, rubbers and metals

Part Number	Container Size	Units per Case
03084*	16 oz Aerosol	12

RED GREASE

- Heavy-duty, waterproof NLGI Grade 2 aluminum complex based grease
- Waterproof and resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduce wear, galling and scoring
- Withstands high temperature (up to 500°F) and pressure (45 lb. Timken OK load)
- Red color provides easy visual inspection

Part Number	Container Size	Units per Case
03079*	16 oz Aerosol	12

WHITE LITHIUM GREASE

- High-purity, high-quality, NLGI Grade 2 white lithium-based aerosol grease
- Excellent as a break-in lubricant for machinery, tools and equipment
- Excellent heat and water resistance
- Contains rust and oxidation inhibitors for superior metal protection
- Protects with a tough, high viscosity film
- White color allows for easy visual inspection


Part Number	Container Size	Units per Case
03080*	16 oz Aerosol	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

³⁶⁰ 360° spray valve – can be sprayed from any position. ⁺As defined by Consumer Products VOC Regulations.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



HEAVY DUTY CLEAR PENETRATING GREASE

- High tack, clear lubricating gel provides superior lubrication; contains PTFE
- Resistant to acids, alkalis, salt, oxidation, weather and steam
- Extends the operating service life of equipment and reduces wear, galling and scarring
- Withstands high temperature (up to 500°F) and pressure
- Waterproof and prevents corrosion
- Penetrates to form a thick, long-lasting film

Part Number	Container Size	Units per Case
03056*	20 oz Aerosol	12

DI-ELECTRIC GREASE

- Unique, non-curing silicone compound used for electrical sealing, lubricating, protecting and insulating
- Waterproofs electrical connections and components to protect against arcing due to moisture and other contaminants
- Improves electrical performance during adverse conditions such as rain, fog, salt spray and temperature extremes
- Meets FDA Regulation 21 CFR 175.300 (release agent) and 21 CFR 178.3570 (lubricant, incidental food contact)
- Excellent lubricant for rubber and plastic parts
- Wide temperature range (-70°F to 400°F)

Part Number	Container Size	Units per Case
03082*	16 oz Aerosol	12

NICKEL ANTI-SEIZE AND LUBRICATING COMPOUND

- Protects metal-to-metal applications from seizing and galling caused by high temperatures, heavy loads, vibration, chemicals and corrosion
- High temperature resistance protects parts up to 2400°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Safe for use on both ferrous and non-ferrous metals
- Will not harden – heat aging won't affect lubricity of product
- Resistant to mild detergents and alkaline wash to protect against rust and corrosion

Part Number	Container Size	Units per Case
SL35911	8 oz Brush-Top Bottle	12
SL35913	16 oz Brush-Top Bottle	12

COPPER ANTI-SEIZE AND LUBRICATING COMPOUND

- Prevents seizing and galling caused by high temperature, heavy loads, vibration and corrosion
- A smooth texture, fine particle sizing and familiar copper color, make it an excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous and non-ferrous metals
- High temperature resistance protects parts up to 1800°F
- Electrically conductive – does not insulate and interrupt current flow
- Does not compromise integrity of soft metals
- Will not harden – heat aging won't affect lubricity of product

Part Number	Container Size	Units per Case
SL35901	8 oz Brush-Top Bottle	12
SL35903	16 oz Brush-Top Bottle	12
14095*	16 oz Aerosol	12

EXTREME DUTY OPEN GEAR & CHAIN LUBE

- A tough, tacky, solid film lubricant used for reducing friction and wear
- Penetrates pores of metal, with exceptional "stay-put" characteristics
- Provides maximum lubrication and shock protection
- Reduces friction and wear
- Contains Moly and Graphite
- Wide temperature range from -25°F to 350°F
- Will not wash or wear because of weather

Part Number	Container Size	Units per Case
03058	16 oz Aerosol	12

CHAIN & WIRE ROPE LUBRICANT

- Blend of synthetic lubricants and an organic molybdenum
- Anti-wear additive penetrates deep, and leaves a tough film that lubricates and protects
- Extends the working life of chains and wire rope
- Reduces wear caused by friction and corrosion
- Resists water wash-off and high-temperature sling off
- Absorbs pin/bushing shock and cushions rollers, pins and bushing
- Can be applied with guards in place to eliminate costly downtime
- High temperature stability (up to 350°F continuous)

Part Number	Container Size	Units per Case
03050*	16 oz Aerosol	12
03052*	5 Gallon Pail	1
03053*	55 Gallon Drum	1

MAGIC OIL™ LOCK LUBE & DE-ICER


- Frees frozen or seized locks and mechanisms and loosens rusted parts
- Lubricates lock cylinder without leaving a sticky residue
- Safe on all metal surfaces, does not stain
- Quick drying, no mess application
- Reduces friction and wear

Part Number	Container Size	Units per Case
05130*	0.6 oz Aerosol	96



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



Use CRC Zinc-It® Instant Cold Galvanize™ for damaged galvanized coatings.

CORROSION INHIBITORS

ZINC-IT® INSTANT COLD GALVANIZE™

- Actively fights rust and corrosion with a film of >92% pure zinc
- Protects base metal even when scratched, abraded, or dented
- Fast-drying, dries to the touch in 15 minutes
- Excellent weldability
- Excellent touch-up for damaged galvanized coatings

Part Number	Container Size	Units per Case
18412*	16 oz Aerosol	12
18413	1 Gallon Can	1

SP-350™ CORROSION INHIBITOR

- Displaces moisture and protects all metals with a thin non-drying film
- Protects equipment and parts in storage, shipment and in process for up to 2 years indoors
- Promotes easy equipment start-up
- Convenient 360° spray valve – can be sprayed from any position
- High pressure lubricant that withstands up to 1,250 lbs of pressure in Falex test method

Part Number	Container Size	Units per Case
03262 [Ⓢ]	16 oz Aerosol	12
03266	5 Gallon Pail	1
03268	55 Gallon Drum	1

BATTERY TERMINAL PROTECTOR

- Provides a soft, dry, lead-free protective coating that keeps moisture, salts and road grime from corroding metal contacts
- Enhances battery life and power by preventing corrosion-related leakage
- Soft, flexible film completely encapsulates exposed surfaces and will not become brittle, crack or peel
- Red color provides easy visual inspection of application
- Dries quickly and protects instantly
- Prevents hard starts and battery failure

Part Number	Container Size	Units per Case
03175*	12 oz Aerosol	12

SEAL COAT® URETHANE COATING

- Conformal polyurethane coating that insulates electrical equipment and seals out water and moisture
- Dries quickly to a hard, durable, flexible and non-conductive film
- High dielectric strength, high surface and volume resistance make it ideal for electrical/electronics applications
- Effective temperature range of -90°F to 250°F
- Abrasion resistant insulator for electrical and electronic equipment and components
- Available in Clear or Red formulations


Part Number	Container Size	Units per Case
18410*	Red 16 oz Aerosol	12
18411*	Clear 16 oz Aerosol	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

[Ⓢ] 360° spray valve – can be sprayed from any position.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



SMARTWASHER® PARTS CLEANING SYSTEMS

A timely alternative to conventional petroleum-based solvent parts washers. SmartWasher® is a self-contained, self-cleaning system that is completely safe, non-toxic and generates no hazardous waste-without compromising cleaning ability. SmartWasher® uses the process of bioremediation – the accelerated break down of organic compounds such as grease, grime, varnish, oil, carbon and other heavy industrial soils through the use of nonpathogenic microbes. The microbes, suspended in fluid that recirculates through the unit, literally eat their way through soils, converting them into harmless water and Carbon Dioxide (CO2). The solution remains clean and usable, unlike traditional solvent-based systems where the solution becomes dirty and less effective

over time. Disposal becomes a non-issue, as hazardous waste streams are eliminated. This process is non-hazardous, non-caustic, VOC free, non-flammable and does away with the need for regulatory paperwork.

The SmartWasher® System consists of a sturdy, impact resistant, self-contained washing unit with a flexible nozzle and brush that direct warmed cleaning fluid for parts washing. The fluid works in conjunction with a special microbe impregnated filter to effectively clean the dirtiest parts. Each unit requires 25 gallons of SmartWasher® fluid and one filter for start-up.

SMARTWASHER® 41

- Has a large 8"H x 41"W x 24"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14144	1 Unit	1

SMARTWASHER® 28

- Has an 8"H x 28"W x 17"D sink that removes for easy cleaning and a side mounted control panel

Part Number	Container Size	Units per Case
14145	1 Unit	1

SMARTWASHER® MOBILE UNIT

- Has an 8"H x 27"W x 23"D sink that removes for easy cleaning, and a side mounted electronic control panel. Also has a built in dolly which allows for easy mobility

Part Number	Container Size	Units per Case
14161	1 Unit	1

SMARTWASHER® CLEANING SOLUTIONS

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and contains minimal VOCs. Solutions work in conjunction with filters when warmed to 105°F by the units.

INDUSTRIAL GRADE CLEANING SOLUTION



- Removes the toughest industrial soils with minimal odor
- US EPA Design for Environment (DfE) recognized

Part Number	Container Size	Units per Case
14148	5 Gallon Jug	1

AUTOMOTIVE & INK GRADE CLEANING SOLUTION

- Removes printers ink and automotive carbon and varnishes

Part Number	Container Size	Units per Case
14156	5 Gallon Jug	1

SPECIALTY METALS CLEANING SOLUTION

- Maximum strength, low odor formula removes soils from both ferrous and non-ferrous metals. Perfect for use on all aircraft metals

Part Number	Container Size	Units per Case
14158	5 Gallon Jug	1

REGULAR GRADE FILTER

- Works with all grades of fluid

Part Number	Container Size	Units per Case
14149	1 Pack	6

PREMIUM GRADE FILTER

- Works with all fluids and contains 50% more microbes for maximum bioremediation

Part Number	Container Size	Units per Case
14147	1 Pack	6

MULTI-LAYER FILTER


- Three filters in one for heavy use applications. Simply peel back and remove each layer as it becomes clogged to reveal fresh layer. Extends working life of filter. Works with all grades of fluid

Part Number	Container Size	Units per Case
14124	1 Pack	6



Smartwasher® is a registered trademark of ChemFree Corp.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



PAINTS AND COATINGS

ALL-PURPOSE ENAMEL SPRAY PAINT

Remarkably versatile, general purpose, quick-dry, non-fading coating for use in exterior and interior applications. Recommended for general use in every day factory and contractor applications.

- The only paint in the industry with CRC's S.D.[L.]™, a current SDS printed on the reverse side of the label
- Resistant to heat up to 180°F (82°C)
- Dries tack free in 10 to 20 minutes and fully dry in less than 1 hour
- Recoat within 2 hours or after 24 hours
- Yellows and reds cover 10-12 sq. ft. per can, others cover 16-22 sq. ft. per can
- Good resistance to abrasion and corrosion; fair resistance to solvents
- Available in a wide range of colors
- VOC compliant ▲
- Vinyl toluene oil enamel resin system

SPRAY PAINT COLORS

Part Number	Color	Size	Units Per Case
18000	Swift Red	16 oz aerosol	6
18001	Yellow	16 oz aerosol	6
18002	Astro Blue	16 oz aerosol	6
18004	Orange	16 oz aerosol	6
18005	Gloss Black	16 oz aerosol	6
18008	Flat Black	16 oz aerosol	6
18006	Gloss White	16 oz aerosol	6

RUST PROOF ENAMEL SPRAY PAINT & PRIMER

Rust resistant, premium quality alkyd enamel, and the premier corrosion fighter in the marketplace. Rust Proof Enamel is designed for moderate to severe corrosive environments and is specially formulated to resist rusting, peeling and fading. Fights weathering, salt spray and the most severe and demanding industrial conditions.

- The only paint in the industry with CRC's S.D.[L.]™, a current SDS printed on the reverse side of the label
- Dries tack free in 15 to 30 minutes and fully in 1 hour, recoat anytime
- Resistant to heat up to 300°F (149°C)
- Yellows and reds cover 15-18 sq. ft. per can, others cover 22-30 sq. ft. per can
- Coverage increases when CRC Rust Proof Enamel Primer is used
- Excellent resistance to corrosion and solvents and good resistance to abrasion
- Seals out moisture and fills hairline cracks and other slight surface imperfections
- Available in a wide range of colors including OSHA and machinery matches
- VOC compliant ▲
- Modified chain stop alkyd enamel resin system

SPRAY PAINT COLORS

Part Number	Color	Size	Units Per Case
18100	OSHA Red	20 oz aerosol	6
18101	OSHA Yellow	20 oz aerosol	6
18102	OSHA Blue	20 oz aerosol	6
18105	OSHA Black	20 oz aerosol	6
18106	OSHA White	20 oz aerosol	6
18109	Flat Black	20 oz aerosol	6
18114	Machinery Light Gray (ANSI/ASA 61)	20 oz aerosol	6
18150	Gray Primer	20 oz aerosol	6

UPSIDE DOWN MARKING PAINT

Clearly and effectively mark the location of underground utilities and are the professionally preferred markers at construction sites. Colors meet the A.P.W.A One Call International Color Standards. Particularly safe on turf grass, fields and golf courses.

- The only paint in the industry with CRC's S.D.[L.]™, a current SDS printed on the reverse side of the label
- One can covers up to 700 linear feet with a 1 to 3 inch bright vivid line width
- Lead free formula won't harm grass, won't wash away
- Non-clogging nozzle & easy to use spray head
- Twist cap prevents accidental discharge
- Dries fast and tack free in 2 to 5 minutes
- VOC compliant ▲

SPRAY PAINT COLORS

Part Number	Color	Units Per Case
18200	Safety Red	6
18201	Caution Yellow	6
18202	Caution Blue	6
18203	Safety Green	6
18204	Alert Orange	6
18206	White	6
18207	Red Fluorescent	6
18208	Orange Fluorescent	6
18210	Red/Orange Fluorescent	6

LONG HANDLED MARKING WAND

- Constructed of durable, rugged plastic and light weight steel, comfortable pistol grip
- Long handle eliminates back pain

Part Number	Size	Units Per Case
18351	Long Handled Marking Wand	1

SHORT HANDLED MARKING WAND

- Constructed of durable, rugged plastic and light weight steel, comfortable pistol grip
- Perfect for job sites requiring occasional marking applications

Part Number	Size	Units Per Case
18353	Short Handled Marking Wand	1



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

▲ Compliant with state and federal Aerosol Coatings Regulations

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



INSECT MANAGEMENT

WASP & HORNET KILLER PLUS™ INSECTICIDE

- Knocks down and kills wasps, hornets, fire ants, scorpions and black widow spiders
- Contains no chlorinated solvents
- Safe on most plastics
- CRC trigger provides a dense, accurate spray that will reach over 20 feet to drench harmful insects and their nests
- The only wasp and hornet killer in the industry to offer a S.D.[L.]™, a current SDS printed on the reverse side of the product label
- High dielectric strength of 47,600 volts
- Extension tube doubles as a locking mechanism

Part Number	Container Size	Units per Case
14010	20 oz Aerosol w/ Trigger	12

BEE BLAST® WITH RESIDUAL WASP & HORNET KILLER

- Fast-acting, high strength insecticide that instantly soaks harmful insects and their nests
- Contains no chlorinated solvents and is safe to use on all plastics
- High output 20' jet blast
- Kills wasps, hornets, yellow jackets and bees on contact
- Safety Data Label (S.D.[L.]™) right on the can – a CRC exclusive
- High dielectric strength of 47,300 volts
- Kills with residual action as wasps and hornets return to nests

Part Number	Container Size	Units per Case
14009	20 oz Aerosol	12



Protect outdoor workers against stings and bites with CRC Wasp & Hornet Killer PLUS™ Insecticide.

FIRE ANT KILLER

AEROSOL:

- Kills on contact
- Safe on most plastics
- Contains no chlorinated solvents
- High dielectric strength of 47,600 volts
- Use extension wand attachment to kill ants in their mounds

Part Number	Container Size	Units per Case
14037 ²	20 oz Aerosol w/ Trigger	12
14038	extension wand	12

GRANULES:

- Ready to use
- Kills queen within 24 hours
- Prevents new fire ant mounds from forming
- Non-corrosive, non-conductive
- 4 oz. single-use pouch treats up to 12" x 12" area

Part Number	Container Size	Units per Case
14039 ²	4 oz packet	40

INSECT REPELLENT

- High strength formula repels mosquitoes, gnats, chiggers, fleas, ticks, biting flies and other biting insects
- Protects outdoor workers by reducing the risk of contracting Lyme Disease from ticks when sprayed on exposed skin and clothing
- Convenient aerosol package
- Contains 25% active ingredient (DEET)
- The only insect repellent in the industry to offer a S.D.[L.]™, a current SDS printed on the reverse side of the product label

Part Number	Container Size	Units per Case
14011	8 oz Aerosol	12



14009, 14010, 14011, 14037, and 14039 are not registered outside the United States and Puerto Rico.

²Item restricted from sale in some states. See product page on CRC website for specific instruction.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



TESTING

WELD CHECK™ PRODUCTS

A 3-part system used to detect cracks & imperfections on welded surfaces and structures. Consisting of a quick-drying cleaner, penetrant & developer, this system is used for the non-destructive testing of metal surfaces by liquid penetration method.

WELD CLEANER & PENETRANT REMOVER:

A fast drying, powerful solvent blend cleaner, free of 1,1,1-trichloroethane or other chlorinated solvents for the removal of dirt, grime and contaminants from weld surfaces. Designed for the pre-treatment of a weld surface, prior to liquid penetration inspection, and to remove all visible, colored traces of penetrant from weld.

- Fast evaporating
- Non-Chlorinated formula

Part Container Number	Units per Size	Case
03108*	16 oz Aerosol	12

PENETRANT:

A red-dye liquid penetrant for seeking out and identifying cracks & imperfections, when used in conjunction with Weld Check™ Developer. Many cracks in welded materials can be deep in spite of having a very small opening width on the surface and can cause very serious defects. By normal visual inspection, such cracks may be very difficult to detect, but penetrant flaw detection is an extension of the visual inspection method.

- Red color provides easy visual inspection of application area

Part Number	Container Size	Units per Case
03106*	16 oz Aerosol	12

DEVELOPER:

A quick drying developer draws penetrant out of the imperfections of the surface with a dispersion of a white powder in a fast evaporating solvent. With visible dyes, the vivid color contrast between the penetrant and the developer makes the 'bleed-out' easy to see.

- Fast evaporating
- Excellent contrasting background

Part Number	Container Size	Units per Case
03107*	16 oz Aerosol	12



CRC Weld Check™ products help to uncover cracks on welded surfaces.

SMOKE TEST® BRAND SMOKE DETECTOR TESTER

- Simulates smoke to provide a true, functional test for smoke detectors
- Aerosol spray extends user reach up to 6', allows testing to be done while standing safely on the floor
- No harmful residue, plastic safe, non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals
- UL® Listed

Part Number	Container Size	Units per Case
02105*	6 oz Aerosol	12

UL® is a registered trademark of UL LLC.

LEAK DETECTOR

- Highlights all leaks, even under low pressure
- Non-flammable
- Water-based formula – no oils, silicones or harmful solvents
- Aerosol package enables fast and easy application with no waste or spillage
- No odor

Part Number	Container Size	Units per Case
14503	20 oz Aerosol	12



*This product is labeled extremely flammable. Read and observe the special usage warning on the label. Do not apply while equipment is energized.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified



WIPES & TOWELS

HAND CLEANER TOWELS

- Absorbent, non-scratching abrasive hand cleaning towel
- Locks dirt, grease and grime into the towel and not on your hands
- Works fast to loosen, dissolve and absorb dirt and grease
- Deep cleaning scrubbers remove embedded grime easily
- Fortified with emollients for the skin
- Pre-moistened, no water required
- VOC compliant★

Part Number	Towel Size	Towels per Container	Containers per Case
04100	10.5" x 12.25"	72	6

DISINFECTING WIPES

- Clean, disinfect and deodorize hard, non-porous surfaces
- Virucidal – Tuberculocidal – Bactericidal – Pseudomonacidal
- Effective against MRSA and Norwalk Virus
- Bleach and alcohol free
- Fresh lemon scent
- VOC compliant★

Part Number	Towel Size	Towels per Container	Containers per Case
04101	6" x 10.5"	90	6

SUNSCREEN TOWEL

- Large, lint free towel remains open and retains its original size while applying to the face, neck and arms
- SPF 30+
- Water and sweat resistant
- Greaseless
- UVA/UVB protection
- Aminobenzoic acid (PABA)-free

Part Number	Towel Size	Towels per Container	Containers per Case
04105	8" x 10"	1	100

HAND CLEANERS

LANOLIN CREAM HAND CLEANER

- Gentle, odorless hand soap that removes grease, oil, ink, grime, paint, carbon stains, tar, pitch and other stubborn stains
- For use in industrial plants, farms, mines, construction sites and anywhere hands get dirty and soiled
- Can be used with or without water
- Quickly removes the toughest soils

Part Number	Container Size	Units per Case
SL1210	5 oz Tube	12
SL1211	14 oz Tub	12
SL1217	7 lb Can	6

LANOLIN PUMICE HAND CLEANER

- For use in industrial plants, farms, mines, construction sites and anywhere hands get dirty and soiled
- Extra-tough formula with buffing-grade pumice for deep cleaning power
- Removes embedded and stubborn grease, oil, printer's ink, tar, cement, paint and other tough stains
- Leaves hands feeling clean with lanolin and lemon scent
- Use with or without water
- Out cleans regular soaps

Part Number	Container Size	Units per Case
SL1621	14 oz Tub	12
SL1627	7 lb Can	6

MECHANIX ORANGE™ CITRUS LOTION HAND CLEANER WITH PUMICE

- Formulated with the natural cleaning power of citrus
- Fast, yet gentle hand cleaner is pH balanced
- Highly concentrated and very effective at cleaning the toughest soil, grime, ink, oil and paint
- Use with or without water
- Contains no harsh solvents
- Biodegradable formula
- Fortified with pumice for deep cleaning power
- Conditions skin to leave hands feeling clean and fresh
- Fresh citrus scent

Part Number	Container Size	Units per Case
SL1712	16 oz Bottle	12
SL1719	1 Gallon Bottle w/ Pump	4




★Complies with state and federal Consumer Products VOC Regulations.

Customer Service: (800) 272-4620 • Online SDS Faxback: (215) 442-6260 • Technical Assistance: (800) 521-3168
More product information a click away at www.crcindustries.com/ei • ISO-9001:2008 Certified

CRC Risk Reduction Partnership Plan™

Complex Issues Made Simple

Ensure the lowest overall ownership costs and achieve maximum performance benefits with the award winning Risk Reduction Partnership Plan™ by CRC. As experts in MRO maintenance chemicals, CRC and your preferred distributor will team up to improve the management of your MRO chemicals through a five-step process.



What is the purpose of R2P2™?

Identify issues that drive costs:

- Regulatory/Disposal
- Safety/Technical Support/Proper Handling
- Downtime/Low Productivity
- Inventory/Product Duplication/Storage
- Vendor Reduction/Consolidation/Local support

What is the value of R2P2™?

Lower costs and improve management of MRO chemicals:

- Minimize chemical ownership costs
- Achieve compliance
- Improve workforce safety
- Customize a chemical solution program

**View our
Risk Reduction
Video
On-line!**



Take advantage of our free service offer.

For program details call our Risk Reduction Department at 800-556-5074
or click on the Risk Reduction Partnership Plan™ icon on our website www.crcindustries.com/ei



Solutions for Recovery



CRC offers a full line of chemical specialty products to help recover oil damaged property and products, as well as keep workers safe from sun and insects during recovery efforts. Turn to our 8-page brochure for a listing of over 80 SKUs to assist in your recovery efforts.

CRC – Your Best Solution™



CRC Industries, Inc.

885 Louis Drive, Warminster, PA 18974 • Customer Service: 800-272-4620

Fax: 800-272-4560 • Technical Assistance: 800-521-3168

www.crcindustries.com • www.crcindustries.com/ei

www.facebook.com/crcindustrial • www.youtube.com/crcindustrial