


# CABLE TRAY SOLUTIONS





# **Cable Tray Solutions**

Are you looking to simplify your next cable tray installation? Now it's easier than ever with time-saving, innovative CADDY products from Pentair. Ideal for a wide variety of commercial and industrial applications, these products are uniquely suited to help electricians and electrical contractors save time and money on the jobsite.

Our cable tray solutions take the guesswork out of your installations. The products you need are right at your fingertips, saving time and providing you with a competitive edge on projects with cable support applications.

#### Features

- Convenient collection of CADDY fasteners helps simplify the installation of cable tray for a variety of cable support applications
- Utilizing innovative designs, CADDY fasteners are easy to install and contribute to low total installed costs
- Ideal for use in a wide variety of commercial and industrial buildings, such as hospitals, data centers, offices, etc.


### CADDY ROD LOCK

This innovative threaded rod mounting system provides a quick and economical solution for installing cable tray systems supported by threaded rod. The system features a breakthrough "push-install" design and can be used on threaded rod with slightly damaged threads or minor burrs. Utilizing CADDY ROD LOCK can reduce the installation time of threaded rod by up to 52% compared to conventional fasteners.

The components of the CADDY ROD LOCK system include:

Part Number	Fig. #	Description
CRLB37EG	1	3/8" CADDY ROD LOCK Beam Clamp
CRLS37EG	2	3/8" CADDY ROD LOCK Channel Nut
CRLA37EG	3	3/8" CADDY ROD LOCK Anchor Screw








### SN Series Nut

The SN Series Nut is extremely easy to install and can be positioned instantly on threaded rod at any location, helping to significantly reduce installation time. Simply open the nut and insert it on the threaded rod where needed. Then twist it to close and tighten with a wrench. It's that easy! The SN Series Nut is ideal for use on a wide variety of retrofit projects.

Part Number	Description
SN25	1/4" SN Series Nut
SN37	3/8" SN Series Nut
SN50	1/2" SN Series Nut





## **Cable Tray Solutions**

#### **KBT Wire Basket Tray Clip**

No tools or hardware are needed to quickly and easily attach wire basket tray to strut. Simply place the basket tray on top of the strut, position the KBT clip over the tray at the desired position, squeeze the clip and slide it in place to finish the connection. Fits tray wires from 3/16" (4 mm) to 5/16" (8 mm).

Part Number	Description	
KBT	Wire Basket Tray Clip	

#### CADDY SPEED LINK

A cost-effective alternative to using jack chain, threaded rod or associated hardware to support cable tray. A 2 mm or 3 mm wire rope can support static loads up to 100 lbs (45 kg) and 200 lbs (90 kg) respectively. Works with a wide range of CADDY products that quickly and easily fasten to a building structure. Allows for easy adjustment of cable tray systems both during and after installation. CADDY SPEED LINK is cULus Listed and meets the fire rating requirements of DIN 4102-2 for 30 minutes at 30% of rated load.

Part Number	Description
SLD2YH500L2	500 mm (19.6") / 2 m (6.5')
SLD2YH500L3	500 mm (19.6") / 3 m (9.8')
SLD2YH500L7	500 mm (19.6") / 7 m (22.9')
SLD2L3	2 mm (.079") / 3 m (9.9')

Additional sizes available.

cULus is a registered trademark of Underwriters Laboratories, Inc.

#### **CADDY PYRAMID ST Series**

Fixed or adjustable-height strut supports utilize an engineered thermoplastic base and offer excellent load distribution for supporting conduit, cable tray systems and equipment. A unique design and continuous bottom surface help protect the roof membrane from damage caused by concentrated pressure.

Part Number	Description
RPS360400	Fixed height: 4"
RPS360402	Adjusts from: 4.6" to 12"

Additional sizes and configurations available.

### **Strut Plate**


The ISSP375 Strut Plates are ideal for retrofitting a section of strut within an existing trapeze. Only a wrench is required for the installation. The system minimizes installation time and eliminates the need for additional structure fasteners and drop rods.

Part Number	Description
ISSP375	Strut Plate















#### www.erico.pentair.com



AUSTRALIA Phone 1-800-263-508 Fax 1-800-423-091



BELGIUM Phone 0800-757-48 Fax 0800-757-60



BRAZIL Phone +55-11-3623-4333 Fax +55-11-3621-4066



CANADA Phone +1-800-677-9089 Fax +1-800-677-8131



CHILE Phone +56-2-370-2908 Fax +56-2-369-5657



CHINA Phone +86-21-3430-4878 Fax +86-21-5831-8177



DENMARK Phone 808-89-372 Fax 808-89-373



FRANCE Phone 0-800-901-793 Fax 0-800-902-024



GERMANY Phone 0-800-189-0272 Fax 0-800-189-0274



HONG KONG Phone +852-2764-8808 Fax +852-2764-4486



Phone 06-800-16538 Fax +39-0244-386-107



INDONESIA Phone +62-21-575-0941 Fax +62-21-575-0942



ITALY Phone 800-870-938 Fax 800-873-935



MEXICO Phone +52-55-5260-5991 Fax +52-55-5260-3310



NETHERLANDS Phone 0800-0200-135 Fax 0800-0200-136



Phone 800-100-73 Fax 800-100-66



POLAND Phone +48-71-349-04-60 Fax +48-71-349-04-61



SINGAPORE Phone +65-6-268-3433 Fax +65-6-268-1389



SPAIN Phone 900-993-154 Fax 900-807-333



SWEDEN Phone 020-790-908 Fax 020-798-964



SWITZERLAND Phone 0800-55-86-97 Fax 0800-55-96-15



Phone +66-2-267-5776 Fax +66-2-636-6988



UNITED ARAB EMIRATES Phone +971-4-881-7250 Fax +971-4-881-7270



UNITED KINGDOM Phone 0808-2344-670 Fax 0808-2344-676



UNITED STATES Phone 1-800-753-9221 Fax +1-440-248-0723

WARNING Pentair products shall be installed and used only as indicated in Pentair's product instruction sheets and training materials. Instruction sheets are available at www.erico.pentair.com and from your Pentair customer service representative. Improper installation, misuse, misapplication or other failure to completely follow Pentair's instructions and warnings may cause product malfunction, property damage, serious bodily injury and/or death, and void your warranty.

© 2011, 2015 Pentair All Rights Reserved Pentair, CADDY, CADWELD, CRITEC, ERICO, ERIFLEX, ERITECH and LENTON are owned by Pentair or its global affiliates. All other trademarks are the property of their respective owners. Pentair reserves the right to change specifications without prior notice.



