

Stock Guide - April 2015



Halo • Halo Track & Surface • Halo Commercial • All-Pro • Metalux • Metalux Residential • All-Pro Ambient • Lumark Outdoor • Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Atlite Emergency/Exit • Portfolio • IRiS • Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

Cooper Lighting
by **EAT•N**

INDEX

★ Indicates
ARRA
Eligible Product

ⓔ Indicates
EISA Compliant
Pulse Start Products

OTIS Indicates
Off The Shelf
Product

HALO

3" Housings and Trims.....	pg 2
4" Housings and Trims.....	pg 4
4" Halo LED.....	pg 9
5" Housings and Trims.....	pg 13
6" Housings and Trims.....	pg 15
6" Halo LED.....	pg 16
Retrofit Modules.....	pg 21
Chicago Plenum Housings.....	pg 24
6" Allslope LED System.....	pg 30
7" Housings and Trims.....	pg 31
8" Housings and Trims.....	pg 31
10" Housings and Trims.....	pg 31
Step and Wall Lights.....	pg 32
Accessories.....	pg 33

HALO TRACK and SURFACE

LED Luminaire.....	pg 34
Power - Trac Luminaire.....	pg 35
Power - Trac Systems.....	pg 40
Lazer Lampholders and Systems.....	pg 45
Surface.....	pg 50

HALO COMMERCIAL

6" Housings and Trims.....	pg 51
8" Housings and Trims.....	pg 54

ALL-PRO

3" Housings.....	pg 56
4" Housings and Trims.....	pg 56
5" Housings and Trims.....	pg 58
6" Housings and Trims.....	pg 60

METALUX

Recessed Static.....	pg 65
Recessed Direct / Indirect.....	pg 68
Recessed Accessories.....	pg 68
Surface LED.....	pg 69
Modular Surface.....	pg 69
Linear Wraparound.....	pg 69
Wraparound.....	pg 69
Wall Brackets.....	pg 72
Paralux III High Performance.....	pg 73
Parabolic Surface.....	pg 73
Advance Retrofit Kit Technology (ART).....	pg 74
Strip.....	pg 75
Industrial.....	pg 77
Vapor Tite.....	pg 81
Undercabinet.....	pg 82

METALUX RESIDENTIAL

Shoplight.....	pg 83
----------------	-------

ALL-PRO AMBIENT

Parabolics.....	pg 84
Troffers.....	pg 84
Wraparounds.....	pg 85
Striplights.....	pg 86
Vapor Tite.....	pg 86
High Bay.....	pg 87
Low Bay.....	pg 87

LUMARK OUTDOOR

Wall Mount.....	pg 88
Floodlight.....	pg 90
Parking / Canopy.....	pg 93
Canopy.....	pg 93
Area / Site.....	pg 93

LUMARK INDOOR

Worklight.....	pg 95
Industrial.....	pg 95
Industrial Component.....	pg 95
Worklight and Industrial Component Accessories.....	pg 96
Indoor.....	pg 96

ALL-PRO OUTDOOR SECURITY & WORKLIGHTS

Floodlight.....	pg 97
Motion Activated.....	pg 97

Worklight.....	pg 99
Dusk to Dawn.....	pg 100
Accessory.....	pg 100

SURE-LITES

Emergency.....	pg 102
Exit Signs.....	pg 106
Industrial / Hazardous.....	pg 110
Retrofit.....	pg 110
Accessories.....	pg 111
Chicago Code.....	pg 111
Replacement Part.....	pg 112

ALL-PRO EMERGENCY

LED Exit and Emergency.....	pg 113
Exit and Emergency.....	pg 114

ATLITE EMERGENCY/EXIT

Exit and Emergency.....	pg 115
-------------------------	--------

PORTFOLIO

LED.....	pg 117
CFL.....	pg 122
HID.....	pg 126
Incandescent.....	pg 126
HID and Incandescent.....	pg 127
CFL, HID and Incandescent Accessories.....	pg 127

IRIS

Iris Platform.....	pg 128
Iris Power Modules.....	pg 129
Iris Optical Element.....	pg 129
Iris Components and Accessories.....	pg 131

LUMIÈRE

Accent / Flood.....	pg 132
Inground.....	pg 132
Wall.....	pg 133
Step.....	pg 133
Pathway.....	pg 134
Underwater.....	pg 134
Accessories.....	pg 134

McGRAW-EDISON

Wall Mount.....	pg 135
-----------------	--------

FAIL-SAFE

Commercial Vandal Resistant.....	pg 136
Cleanroom.....	pg 136
Medical.....	pg 136

MWS

Starter Fitting.....	pg 137
Extender Cables.....	pg 137
Splitter.....	pg 137
Fixture Fitting.....	pg 137

HID ACCESSORIES

HID Accessories.....	pg 138
----------------------	--------

POLES

Poles.....	pg 139
------------	--------

CONTROLS

Lighting Controls.....	pg 140
Room Controller.....	pg 141
Switchpack.....	pg 142
Wall Switch Occupancy and Vacancy Sensor.....	pg 142
Occupancy and Vacancy Sensors.....	pg 144
Occupancy Sensors.....	pg 147

ARRA

The American Recovery and Reinvestment Act.....	pg 148
---	--------

TERMS & CONDITIONS

Cooper Lighting Stock Guide 2015 Terms and Conditions.....	pg 149
--	--------





CATALOG
NUMBER

DESCRIPTION





UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Halo


3" H3 Housing

	IC Air-Tite - H36ICAT H36ICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961361302	1.977	4	64	•	•	•	•	•	★
	IC Air-Tite - H38ICAT H38ICAT	3" HOUSING IC AIR-TITE 120V LINE VOLTAGE, GU10	623961361272	4.198	4	64	•	•	•	•	•	★
	Non-IC Air-Tite Remodel H36RTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, REMODEL, GU10	623961361326	0.57	6	252	•	•	•	•	•	★
	Non-IC Air-Tite H36TAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961377662	1.733	6	144	•	•	•	•	•	★

3" H3 Low Voltage Housing









	IC Air-Tite - H36LVICAT H36LVICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	623961361333	3.661	4	64	•	•	•	•	•	★	
	IC Air-Tite - H38LVICAT H38LVICAT	3" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	623961361289	4.16	4	80	•	•	•	•	•	★	
	Non-IC Air-Tite Remodel H36LVRTAT H36LVRTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE REMODEL, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, REMODEL, MR16	623961361340 080083528479	2.298 3.2	6 6	168 216	•	•	•	•	•	•	★
	Non-IC Air-Tite H36LVTAT H36LVTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, MR16	623961361357 623961690068	3.323 4.18	6 6	120 168	•	•	•	•	•	•	★

3" H3 Trim

	Adjustable Pinhole Baffle - 15 Degree Tilt 3001TBZBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961591976	0.632	36	576	•	•	•	•	•	•	★
	3001WHBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH BLACK BAFFLE	623961379727	0.632	36	864	•	•	•	•	•	•	★
	3001SNBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961379703	0.638	36	432	•	•	•	•	•	•	★









★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
	Adjustable Pinhole Reflector - 15 Degree Tilt 3002WHC 3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH CLEAR REFLECTOR	623961384349	0.61	36	864					•
	Adjustable Pinhole Baffle - 35 Degree Tilt 3003BKBB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE BLACK TRIM WITH BLACK BAFFLE 3003SNB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE 3003TBZB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE 3003WHBB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH BLACK BAFFLE 3003WHWB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961384929 623961384417 623961591990 623961384431 623961384455	0.675 0.692 0.69 0.6 0.68	36 36 36 36 36	864 864 864 864 864					• • • • •
	Adjustable Reflector - 35 Degree Tilt 3004SN 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR 3004TBZ 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR 3004WHC 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH CLEAR REFLECTOR 3004WHH 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH HAZE REFLECTOR 3004WHW 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH WHITE REFLECTOR 3007TBZ 3" TRIM LENSED SHOWER LIGHT 15 TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961384523 623961592003 623961384547 080083588220 623961401091 080083607389	0.675 0.621 0.596 0.599 0.476 0.764	36 36 36 36 6 36	864 864 864 864 864 432					• • • • • •
	Adjustable Slot Aperture - 35 Degree Tilt 3006TBZBB 3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE TUSCAN BRONZE TRIM WITH BLACK BAFFLE 3006WHBB 3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE WHITE TRIM WITH BLACK BAFFLE	623961592010 623961379635	0.6 0.669	36 36	864 864					• •
	Lensed Shower Light - 15 Degree Tilt 3007PCC 3" TRIM LENSED SHOWER LIGHT 15 DEGREE POLISHED CHROME TRIM WITH CLEAR REFLECTOR 3007SN 3" TRIM LENSED SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR 3007WHC 3" TRIM LENSED SHOWER LIGHT 15 DEGREE WHITE TRIM WITH CLEAR REFLECTOR	623961384776 623961384790 623961384813	0.613 0.6 0.617	6 36 36	864 864 864					• • •
	Shower Light 3008FG 3" TRIM SHOWER LIGHT WHITE PLASTIC TRIM WITH FROSTED GLASS LENS	623961384837	0.417	36	864					•
	Adjustable Gimbal - 35 Degree Tilt 3009BKBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL BLACK WITH BLACK BAFFLE 3009SNBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL SATIN NICKEL WITH BLACK BAFFLE 3009TBZBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL TUSCAN BRONZE WITH BLACK BAFFLE 3009WHBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH BLACK BAFFLE 3009WHWB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH WHITE BAFFLE	623961384592 623961384615 623961592249 623961384646 623961384660	0.6 0.638 0.571 0.599 0.683	36 36 36 36 36	864 864 864 864 864					• • • • •
	Super Adjustable, 80 Degree, Tuscan Bronze 3010WH 3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, WHITE	080083514366	1.14	36	216					•

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Square Adjustable - 15 Degree Tilt										
 3011BKBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE BLACK TRIM WITH BLACK BAFFLE	623961978326	0.693	36	432				•	•
3011SNBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978333	0.656	36	864					•
3011TBZBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978357	0.652	36	864					•
3011WHBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH BLACK BAFFLE	623961978210	0.719	36	432					•
3011WHWB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH WHITE BAFFLE	623961978203	0.666	36	864	•			•	•
Square Regressed Lens Adjustable Shower Light										
 3012BKBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE BLACK TRIM WITH BLACK BAFFLE	623961978395	0.5	36	864					•
3012SNBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978401	0.772	36	864					•
3012TBZBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978425	0.8	36	864					•
3012WHBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH BLACK BAFFLE	623961978364	0.851	36	864					•
3012WHWB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH WHITE BAFFLE	623961978388	0.588	36	864				•	•
Square Adjustable Gimbal										
 3013SN	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, SATIN NICKEL	623961978463	0.508	36	864					•
3013TBZ	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, TUSCAN BRONZE	623961978487	1.556	36	216					•
3013WH	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, WHITE	623961978432	0.556	36	864					•
All-Glass Frost Curve Showerlight Trim										
 3017FGS	3" TRIM, FROST ALL-GLASS CURVE SHOWER TRIM WITH WHITE BASE	080083514502	0.916	1	252					•
Wall Wash Pinhole with Clear Reflector										
 3020WW	3" TRIM WALL WASH PINHOLE WHITE TRIM WITH CLEAR REFLECTOR AND CLEAR KICK REFLECTOR	080083514533	1.135	6	180					•
4" Housing										
IC Air-Tite - H99ICAT										
 H99ICAT	4" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083582259	2.4	6	144	•	•	•	•	•
Non-IC Air-Tite Remodel - H99RAT										
 H99RAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 120V LINE VOLTAGE	080083584369	1.45	6	252	•	•	•	•	•
Non-IC Air-Tite - H99TAT										
 H99TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 120V INCANDESCENT	080083584260	2.1	6	168	•	•	•	•	•

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product




Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA



4" Low Voltage Housing











	IC Air-Tite - H1499ICAT H1499ICAT	4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	080083584079	2.955	4	80	•	•	•	•	•	★
	Non-IC Air-Tite Remodel - H1499RTAT H1499RTAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 12V LOW VOLTAGE MR16	080083584406	3.769	6	144	•	•	•	•	•	★
	Non-IC Air-Tite - H1499TAT H1499TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	080083584383	3.108	6	144	•	•	•	•	•	★
	Non-IC Dual Tap Transformer H1499T75	4" HOUSING NON-IC SHALLOW CEILING 120/277V DUAL TAP TRANSFORMER LOW VOLTAGE 75W MR16 MAX.	662400611660	4.972	6	84				•	•	★

4" CFL Housing

	IC Air-Tite Shallow Ceiling CFL Housing H470ICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING 13W ELECTRONIC BALLAST, 120V	080083516667	1.919	6	72					•	★	
	H471ICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING 18W ELECTRONIC BALLAST, 120V	080083516674	2.678	6	90					•	•	★
	IC Air-Tite Shallow CFL Housing H470RICAT	4" HOUSING, REMODEL, COMPACT FLUORESCENT, IC AIR-TITE SHALLOW 13W ELECTRONIC BALLAST, 120V	080083516629	5	6	144					•	★	
	IC Air-Tite Shallow Ceiling CFL Housing - H471RICAT H471RICAT	4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING REMODEL 18W ELECTRONIC BALLAST, 120V	080083516643	5	6	108					•	•	★



4" Trim









	Adjustable Lensed Shower Light - 15 Degree Tilt 1951PS	4" TRIM LENSED SHOWERLIGHT WHITE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	622697464974	0.801	12	384					•	•	
	1951SNS	4" TRIM LENSED SHOWERLIGHT SATIN NICKEL TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623960387594	0.775	12	216					•		
	1951TBZS	4" TRIM LENSED SHOWERLIGHT TUSCAN BRONZE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623961311758	0.781	12	720					•		
	Metropolitan Ice Lite - For H99T, H99RT & H99ICT 945	4" TRIM METROPOLITAN 120V FROSTED GLASS	662400188612	1.75	6	240					•		★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Metropolitan Deco - For H99T, H99RT & H99ICT										
 946BC	4" TRIM METROPOLITAN 120V BLACK CHROME ACCENT WITH TRANSLUCENT RINGS	662400184430	1.645	1	216					★
Shower Light										
 951PS	4" TRIM LENSED SHOWERLIGHT 120V WHITE TRIM WITH GLASS LENS	622697283117	0.45	6	480	•		•	•	•
951SNS	4" TRIM LENSED SHOWERLIGHT 120V SATIN NICKEL TRIM WITH GLASS LENS	623960387556	0.626	6	432				•	•
951TBZS	4" TRIM LENSED SHOWERLIGHT 120V TUSCAN BRONZE TRIM WITH GLASS LENS	623961311574	0.538	6	432				•	•
Dome Lens Showerlight										
 952PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH FROST DOME GLASS LENS	080083515967	0.683	6	720					
Metal Baffle										
 953P-P8	4" TRIM, METAL BAFFLE, WHITE TRIM WITH BLACK BAFFLE	080083516001	0.4	12	864				•	•
953SN	4" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623960387532	0.3	12	576				•	•
953TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311499	0.379	12	576				•	•
953W	4" TRIM, METAL BAFFLE, WHITE TRIM WITH WHITE BAFFLE	080083516025	0.412	12	864				•	
Shower Light - 955PS										
 955PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH PRISMATIC GLASS LENS	080083515943	0.573	6	1008	•				•
Pinhole Trim										
 990P	4" TRIM PINHOLE TRIM WHITE	662400320647	0.453	6	720				•	•
Wall Wash with Baffle										
 992P	4" TRIM WALL WASH WHITE TRIM AND SCOOP, BLACK BAFFLE	662400320531	0.433	6	216				•	★
992TBZ	4" TRIM WALL WASH TUSCAN BRONZE TRIM AND SCOOP, BLACK BAFFLE	623961311550	0.492	12	576				•	
992W	4" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400320654	0.568	6	1296				•	★
Coilex Baffle										
 993P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	080083628223	0.4	6	840				•	•
993SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960250485	0.4	12	576				•	•
993TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE WITH BLACK BAFFLE	080083628520	0.38	6	840				•	•
993W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	080083628483	0.4	6	840	•	•	•	•	•
Step Baffle										
 994W	4" TRIM STEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400320708	0.28	6	960				•	★
Adjustable Eyeball - 30 Degree Tilt - 996										
 996P	4" TRIM EYEBALL PAR20 LAMP WHITE TRIM WITH WHITE EYEBALL	662400320630	0.94	12	648				•	•
996SN	4" TRIM EYEBALL PAR20 LAMP SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL	623960282769	0.893	12	384				•	
996TBZ	4" TRIM EYEBALL PAR20 LAMP TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL	623961311512	0.904	12	360				•	

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
Adjustable Eyeball - 30 Degree Tilt - 998										
 998P	4" TRIM EYEBALL R16, PAR16 LAMP WHITE TRIM WITH WHITE EYEBALL	080083628209	0.9	6	840	•	•	•	•	•
998TBZ	4" TRIM EYEBALL R16, PAR16 LAMP TUSCAN BRONZE WITH TUSCAN BRONZE EYEBALL	623961311437	1.469	12	840					•
Reflector										
 999H	4" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622696606221	0.339	12	672					• ★
999P	4" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR CLEAR REFLECTOR	662400320586	0.35	12	840					• ★
999RG	4" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400320548	0.367	12	768					• ★
999SN	4" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083628186	0.41	6	720				•	
998TBZ	4" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311451	0.362	12	1200					•
999W	4" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	623961394287	0.369	6	432					• ★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
4" Low Voltage Trim												
1 - 7 / 8" Pinhole Baffle												
	1419P	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320494	0.689	6	1296			•	•	★	
	1419SN	4" TRIM PINHOLE BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295226	0.73	6	720				•		
	1419TBZ	4" TRIM PINHOLE BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311611	0.6	6	1200				•		
	1419W	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320760	0.6	6	1248			•	•	★	
Adjustable Slot Aperture - 35 Degree Tilt												
	1420P	4" TRIM SLOT APERTURE WHITE, MR16	662400132264	0.69	12	864				•	•	
	1420TBZ	4" TRIM SLOT APERTURE TUSCAN BRONZE, MR16	623961311673	0.863	6	1200					•	
Reflector Trim												
	1421C	4" TRIM REFLECTOR WHITE TRIM, CLEAR SPECULAR REFLECTOR, MR16	662400320524	0.474	12	1008		•		•	•	★
	1421CG	4" TRIM REFLECTOR WHITE TRIM, CHAMPAGNE GOLD REFLECTOR, MR16	662400603054	0.4	6	960				•		★
	1421H	4" TRIM REFLECTOR WHITE TRIM, HAZE REFLECTOR, MR16	662400621508	0.476	6	960					•	★
	1421MB1	4" TRIM REFLECTOR WHITE TRIM, SPECULAR BLACK REFLECTOR, MR16	662400102045	0.4	6	720				•		★
	1421SN	4" TRIM REFLECTOR SATIN NICKEL TRIM, SATIN NICKEL REFLECTOR, MR16	623960295257	0.475	6	1200					•	
	1421TBZ	4" TRIM REFLECTOR TUSCAN BRONZE TRIM, TUSCAN BRONZE REFLECTOR, MR16	623961311598	0.513	6	1200					•	
	1421W	4" TRIM REFLECTOR WHITE TRIM, WHITE REFLECTOR, MR16	623961394270	0.538	6	1248					•	★
Metal Baffle - 35 Degree Tilt												
	1453TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE, MR16	623961311659	0.488	6	1200					•	
	1493P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320555	0.533	6	1200				•	•	★
	1493SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295264	0.54	6	960					•	
	1493TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311635	0.555	6	1200					•	
	1493W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320623	0.563	6	972	•	•		•	•	★
Adjustable Gimbal - 30 Degree Tilt												
	1495P	4" TRIM ADJUSTABLE GIMBAL WHITE, MR16	662400659679	0.448	6	1056				•	•	
	1495SN	4" TRIM ADJUSTABLE GIMBAL SATIN NICKEL, MR16	623960295271	0.473	6	720					•	•
	1495TBZ	4" TRIM ADJUSTABLE GIMBAL TUSCAN BRONZE, MR16	623961311697	0.478	6	1200					•	
Retractable Elbow - 60 Degree Tilt												
	1496P	4" TRIM RETRACTABLE ELBOW WHITE, MR16	662400659686	0.506	6	960				•	•	
	1496SN	4" TRIM RETRACTABLE ELBOW SATIN NICKEL, MR16	623960295172	0.528	6	720					•	
	1496TBZ	4" TRIM RETRACTABLE ELBOW TUSCAN BRONZE, MR16	623961311710	0.604	6	1200					•	
Adjustable Mirror Trim - 90 Degree Tilt												
	1497P	4" TRIM ADJUSTABLE MIRROR WHITE TRIM WITH WHITE SCOOP, MR16	662400671879	0.55	6	432				•	•	
Adjustable Eyeball with Baffle - 30 Degree Tilt												
	1498P	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, BLACK BAFFLE, MR16	662400320517	0.8	6	600				•		★
	1498SN	4" TRIM EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, BLACK BAFFLE, MR16	623960295189	0.8	6	720					•	
	1498TBZ	4" TRIM EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, BLACK BAFFLE, MR16	623961311734	0.6	6	1200					•	
	1498W	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, WHITE BAFFLE, MR16	662400302858	0.717	6	216				•	•	★




★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
4" LED Housing										
	4" LED Housing IC Air-Tite, 120V Line Voltage H995ICAT 4" LED HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616930	2.3	6	144				•	•
	H457ICAT1E 4" LED HOUSING IC AIR-TITE, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692484	1.717	6	144	•	•	•	•	•
	4" LED Remodel Housing IC Air-Tite, 120V Line Voltage H995RICAT 4" LED REMODEL HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616947	1.5	6	162				•	•
4" Halo H4 LED										
	4" LED Light Engine, 2700K, for Halo H457 Gen2 LED Housings EL406927 4" LED LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693559	1.206	6	360				•	•
	4" LED Light Engine, 3000K, for Halo H457 Gen2 LED Housings EL406930 4" LED LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693573	1.4	6	360	•			•	•
	4" LED Light Engine, 3500K, for Halo H457 Gen2 LED Housings EL406935 4" LED LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693597	1.52	6	360				•	•
	4" LED Light Engine, 4000K, for Halo H457 Gen2 LED Housings EL406940 4" LED LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693610	1.71	6	360				•	•
	ELG406940SN 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693771	2.815	6	240				•	•
	4" LED White Gimbal Trim / Light Engine, 2700K ELG406927WH 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693634	2.815	6	240				•	•
	4" LED Satin Nickel Gimbal Trim / Light Engine, 3000K ELG406930SN 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693733	2.815	6	240				•	•
	4" LED Tuscan Bronze Gimbal Trim / Light Engine, 3000K ELG406930TBZ 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693818	2.815	6	240				•	•
	4" LED White Gimbal Trim / Light Engine, 3000K ELG406930WH 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693658	2.815	6	240	•			•	•

★ Indicates ARR A Eligible Product EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 ELG406935WH	4" LED White Gimbal Trim / Light Engine, 3500K 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693672	2.815	6	240					•	★	
 ELG406940WH	4" LED White Gimbal Trim / Light Engine, 4000K 4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693696	2.815	6	240					•	★	
 ELSG406927WH	4" LED White Square Gimbal Trim / Light Engine, 2700K 4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693870	2.815	6	240					•	★	
 ELSG406930WH	4" LED White Square Gimbal Trim / Light Engine, 3000K 4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693894	2.815	6	240					•	★	
 H457RICAT1E	4" LED ICAT Remodel Housing, 120V, for Halo EL4, ELG4, ELSG4 series LED Light Engines 4" LED REMODEL HOUSING IC AIR-TITE, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692507	1.909	6	108			•	•	•	★	
 H457TATE010	4" LED NON-IC Housing, 120V-277V, for Halo EL4, ELG4, ELSG4 series LED Light Engines 4" LED HOUSING NON-IC, AIR-TITE, 120V-277V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES; 120V & 0-10VDC DIMMABLE	080083692521	1.224	6	120					•	•	★
 H457RTATE010	4" LED NON-IC Housing, 120V-277V - Remodel, for Halo EL4, ELG4, ELSG4 series LED Light Engines 4" LED REMODEL HOUSING NON-IC, AIR-TITE, 120V-277V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083694464	2.25	6	180					•	★	
 TL410H	4" LED Reflector - Haze, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694501	0.388	18	576					•		
 TL410SBK	4" LED Reflector - Specular Black, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694549	0.4	18	576					•		
 TL410SC	4" LED Reflector - Specular Clear, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694488	0.3	18	630					•		
 TL410TBZ	4" LED Reflector - Tuscan Bronze, Tuscan Bronze Ring 4" LED TRIM, FROST DOME POLYMER LENS, TUSCAN BRONZE REFLECTOR AND RING, SHOWER RATED	080083694587	0.4	18	576					•		








★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product










Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 TL410WH	4" LED Reflector - Matte White, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694525	0.4	18	648					•
 TL411BB	4" LED Reflector - Black Baffle, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, BLACK BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694624	0.4	18	576					•
 TL411WB	4" LED Reflector - White Baffle, Matte White Ring 4" LED TRIM, FROST DOME POLYMER LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694600	0.35	18	630					•
 TL402HS	4" LED Regressed Lens - Haze Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527892	0.549	18	576				•	•
 TL402SBKS	4" LED Regressed Lens - Specular Black Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544264	0.4	18	432					•
 TL402SCS	4" LED Regressed Lens - Specular Clear Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527885	0.43	18	540					•
 TL402SNS	4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring 4" LED TRIM, SOLITE(R) GLASS LENS, SATIN NICKEL REFLECTOR, SATIN NICKEL RING, SHOWER RATED	080083544240	0.452	18	648					•
 TL410SN	4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring 4" LED TRIM, FROST DOME POLYMER LENS, SATIN NICKEL REFLECTOR AND RING, SHOWER RATED	080083694563	0.368	18	576					•
 TL402TBZS	4" LED Regressed Lens - Tuscan Bronze Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, TUSCAN BRONZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544257	0.471	18	540					•
 TL402WHS	4" LED Regressed Lens - Matte White Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, MATTE WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527908	0.441	18	630				•	•
 TL403BBS	4" LED Regressed Lens - Black Baffle Reflector, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, BLACK BAFFLE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544271	0.4	18	720					•
 TL403WBS	4" LED Regressed Lens - White Baffle, Matte White Ring 4" LED TRIM, SOLITE(R) GLASS LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083527915	0.4	18	576				•	•

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 4" LED Wall Wash Trim, White Reflector, Specular Wall Wash Optic, Matte White Ring TL409WHWW	4" LED TRIM, WALL WASH, WHITE REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083575800	0.379	18	576					•
4" LED Optional Reflector Kit 25, 35, 50 degree, for ELG4 and ELSG4 Gimbal Trim / Light Engines TL412RK	4" LED OPTIONAL REFLECTOR KIT 25, 35, 50 DEGREE, FOR ELG4 AND ELSG4 GIMBAL TRIM / LIGHT ENGINES	080083575817	0.288	18	540					•
 4" LED Trim, "Dead Front" Polymer Trim Ring and Lens Lens, Matte White Ring, Shower Rated TL422PS	4" LED TRIM, "DEAD FRONT" POLYMER TRIM RING AND LENS LENS, MATTE WHITE RING, SHOWER RATED	080083527922	0.379	18	540					•
 4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Satin Nickel Ring TLS408SNBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, SATIN NICKEL RING, SHOWER RATED	080083575787	0.4	18	576					•
 4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Tuscan Bronze Ring TLS408TBZBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, TUSCAN BRONZE RING, SHOWER RATED	080083575794	0.46	18	576					•
 4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, White Ring TLS408WHBB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, WHITE RING, SHOWER RATED	080083575770	0.457	18	576					•
 4" LED Square Baffle Trim with Solite(R) Regressed Lens, White Baffle, White Ring TLS408WHWB	4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, WHITE BAFFLE, WHITE RING, SHOWER RATED	080083575763	0.5	18	630	•		•	•	
 4" LED Accessory										
TRM400BK	4" LED ACCESSORY - SLIM RING, BLACK	080083544585	0.178	24	4032					•
TRM400PC	4" LED ACCESSORY - SLIM RING, POLISHED CHROME	080083544646	0.2	24	3600					•
TRM400SN	4" LED ACCESSORY - SLIM RING, SATIN NICKEL	080083544608	0.2	24	3840					•
TRM400TBZ	4" LED ACCESSORY - SLIM RING, TUSCAN BRONZE	080083544622	0.2	24	3840					•
TRM400WH	4" LED ACCESSORY - SLIM RING, MATTE WHITE	080083544561	0.162	24	3840					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
5" CFL Housing										
	IC Air-Tite, CFL H572ICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961305955	0.963	4	80				★
	IC Air-Tite Remodel, CFL H572RICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT REMODEL, ELECTRONIC BALLAST, 120V	080083609376	2.17	6	120				★
5" GU24 Housings										
	IC Air-Tite, GU24 H524ICAT	5" GU24 HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693030	2.37	6	144				★
	H524ICATL	5" GU24 HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693511	2.76	6	120				★
	IC Air-Tite Remodel, GU24 H524RICAT	5" GU24 REMODEL HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693054	1.42	6	144				★
	H524RICATL	5" GU24 REMODEL HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693535	1.81	6	144				★
5" H5 Housing										
	IC Air-Tite H51CAT	5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609413	2.4	6	120				★
	IC Air-Tite Remodel H51RICAT	5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609444	1.4	6	144				★
	Non-IC Remodel H51RT	5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	662400602668	2.4	6	180				★
	Non-IC H51T	5" HOUSING NON-IC 120V LINE VOLTAGE	662400602651	1.86	6	120				★
5" H5 Shallow Housing										
	IC Air-Tite H25ICAT	5" HOUSING ICAT SHALLOW 120V LINE VOLTAGE	662400664109	2.059	6	120				★
5" H5 Trim										



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Splay Trim										
 5000P	5" TRIM SPLAY WHITE TRIM AND WHITE SPLAY	662400602712	0.45	6	300		•		•	•
5000SN	5" TRIM SPLAY SATIN NICKEL TRIM AND SATIN NICKEL SPLAY	623961112881	0.45	6	300				•	•
5000TBZ	5" TRIM SPLAY TUSCAN BRONZE TRIM AND TUSCAN BRONZE SPLAY	623961311802	0.496	6	240					•
Metal Splay Baffle										
 5001MB	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602736	0.45	6	360				•	•
5001P	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602729	0.45	6	360	•	•		•	•
5001SN	5" TRIM BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	080083588866	0.668	6	360				•	•
5001TBZ	5" TRIM BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311826	0.588	6	360					•
Step Baffle										
 5010	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602743	0.74	6	360				•	•
5010W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602750	0.844	6	360	•	•		•	•
High Coilex Baffle										
 5012W	5" TRIM DEEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602811	1.021	6	192				•	•
Shallow Metal Baffle										
 5014P	5" TRIM METAL BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400664086	0.593	6	270					•
Coilex Baffle with Reflector and Torsion Springs										
 5016P	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961558962	1.18	6	180					•
5016W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961558979	0.989	6	144				•	•
Reflector Cone										
 5020H	5" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622697053390	0.337	6	216				•	•
5020P	5" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	662400602781	0.84	6	192				•	•
5020RG	5" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400602798	0.721	6	192				•	•
5020SC	5" TRIM REFLECTOR CONE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602767	0.65	6	288				•	•
5020SN	5" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961112843	0.662	6	144					•
5020TBZ	5" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311772	0.883	6	216					•
Reflector Trim										
 5021H	5" TRIM, FULL REFLECTOR HAZE, WHITE TRIM	622697053406	0.784	6	84				•	•
Full Reflector										
 5021SC	5" TRIM FULL REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602828	0.666	6	216				•	•
5021SN	5" TRIM FULL REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083508587	0.51	6	192					•
Wall Wash with Baffle										
 5030W	5" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400664949	1.06	6	144					•







★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 Frosted Lens Shower Light 5051PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FLAT FROST LENS	080083521388	1.16	6	180	•	•	•	•	•
 Shower Light 5054PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FROSTED DOME DIFFUSER	623961531644	1.25	6	192	•	•	•	•	•
5054SNS	5" TRIM DROP SHOWERLIGHT SATIN NICKEL TRIM WITH FROSTED DIFFUSER	623961836251	1.411	6	144					•
5054TBZS	5" TRIM DROP SHOWERLIGHT TUSCAN BRONZE TRIM WITH FROSTED DIFFUSER	623961827365	1.725	6	144					•
 Adjustable Gimbal - 25 Degree Tilt 5060P	5" TRIM GIMBAL WHITE TRIM WITH WHITE GIMBAL	662400610700	0.734	6	750				•	•
 Adjustable Eyeball - 30 Degree Tilt - 5070 5070P	5" TRIM PAR30 EYEBALL WHITE TRIM WITH WHITE EYEBALL	662400602682	0.8	6	360				•	•
5070SN	5" TRIM PAR30 EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113789	0.963	6	360					•
5070TBZ	5" TRIM PAR30 EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311864	2.617	6	360					•
 Adjustable Eyeball - 30 Degree Tilt - 5071 5071P	5" TRIM PAR20 EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400602705	1.026	6	360				•	•
6" CFL Housing										
 IC Air-Tite, CFL H270ICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900670	2.158	4	80				•	•
H271ICAT	6" HOUSING 18W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900694	3.1	4	80				•	•
H272ICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900700	2.95	4	80	•	•	•	•	•
 IC Air-Tite Remodel, CFL H270RICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597503	1.64	6	120				•	•
H272RICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597527	2.4	6	144				•	•
6" CFL Dimming Housing										
 IC Air-Tite - Slope Ceiling, CFL H247ICAT	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961774751	5.6	4	32				•	•
H248ICAT1D	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961774768	5.6	4	48				•	•
 IC Air-Tite, CFL, Dimming H273ICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961432767	3.425	4	80				•	•
 IC Air-Tite Remodel, CFL, Dimming H273RICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC DIMMING BALLAST, 120V	623961432798	2.8	6	120				•	•







★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" CFL Trim										
	370W Regressed Albalite Lens with White Baffle, CFL 6" TRIM REGRESSED ALBALITE LENS FOR COMPACT FLUORESCENT WITH WHITE BAFFLE	623961559020	0.52	6	144				•	•
	470H Haze Reflector, CFL 6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH HAZE REFLECTOR	623961558993	0.7	6	300				•	•
	470SC Specular Reflector, CFL 6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	623961558986	0.577	6	288				•	•
6" Halo H7 LED										
	ML7RAB 6" LED Accessory Adapter Band 6" LED RETROFIT ADAPTER BAND, ADAPTS HOUSINGS WITHOUT TORSION SPRING BRACKETS, 4-PACK	080083522842	1.721	6	192				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
6" Halo LED											
6" LED ICAT Housing											
	H550ICAT	5" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626533	2.25	6	144			•	•	★
	H550RICAT	5" LED HOUSING, REMODEL, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626557	1.15	6	144			•	•	★
	H2750ICAT	6" LED SHALLOW HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083618163	2.15	6	164	•	•	•	•	★
	H750ICAT	6" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	623961872655	2.25	6	120	•	•	•	•	★
6" LED ICAT Remodel Housing											
	H750RICAT	6" LED HOUSING, IC AIR-TITE, REMODEL, FOR LISTED HALO LED MODULES	623961052248	1.55	6	144			•	•	★
6" LED NON-IC Housing											
	H750T	6" LED HOUSING, NON-IC, FOR LISTED HALO LED MODULES	623961052224	1.428	6	120	•	•	•	•	★
6" LED NON-IC Remodel Housing, 0-10V Dimmer Wiring											
	H750RTD010	6" LED HOUSING, NON-IC REMODEL, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083530755	2.4	6	144		•			★
6" LED NON-IC Housing, 0-10V Dimmer Wiring											
	H750TD010	6" LED HOUSING, NON-IC, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083523078	2.138	6	120	•	•	•	•	★
6" LED NON-IC Housing, Chicago Plenum, for Halo ML7 - 1200 Series LED Modules											
	H750TCPD010	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 1200 SERIES LED MODULES	080083549016	3.5	6	72		•			★
	H750TCP	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 600 & 900 SERIES LED MODULES	623961052231	0.6	6	120	•	•	•	•	★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product




Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
5" LED Trim										
Shallow Baffle Trim										
	591WB	5" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623280	0.588	6	360				•
Reflector Trim										
	592H	5" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634286	0.548	6	432				•
	592SC	5" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083623303	0.5	6	360			•	•
	592W	5" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083623341	0.614	6	360				•
Baffle Trim										
	593BB	5" TRIM, BLACK BAFFLE, WHITE TRIM	080083623884	0.01	6	288				•
	593SNB	5" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634309	0.5	6	270				•
	593TBZB	5" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083623921	0.61	6	270				•
	593WB	5" TRIM, WHITE BAFFLE, WHITE TRIM	080083634293	0.488	6	360				•
Eyeball Trim - 30 degree Tilt										
	594SNB	5" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623198	0.92	6	360				•
	594TBZB	5" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083623211	0.01	6	24				•
	594WB	5" TRIM, LOW PROFILE EYEBALL, WHITE	080083634347	0.95	6	360	•		•	•
Wall Wash Trim										
	595WW	5" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083623945	0.663	6	300				•
Shallow Baffle Trim - 596WB										
	596WB	5" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083623969	0.555	6	270				•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" LED Trim										
	Shallow Baffle Trim 691WB	6" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623983	0.722	6	360				•
	Reflector Trim 692H 692SC 692W	6" TRIM, REFLECTOR, HAZE, WHITE TRIM 6" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM 6" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083634316 080083624003 080083624041	0.643 0.633 0.667	6 6 6	300 432 300				• • •
	Baffle Trim 693BB 693SNB 693TBZB 693WB	6" TRIM, BLACK BAFFLE, WHITE TRIM 6" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM 6" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM 6" TRIM, WHITE BAFFLE, WHITE TRIM	080083624089 080083634330 080083624126 080083634323	0.733 0.667 0.751 0.628	6 6 6 6	300 270 270 300				• • • •
	Eyeball Trim - 30 degree Tilt 694SNB 694TBZB 694WB	6" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL 6" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE 6" TRIM, LOW PROFILE EYEBALL, WHITE	080083623259 080083626373 080083634354	1.097 1.131 1.06	6 6 6	300 300 360				• • •
	Wall Wash Trim 695WW	6" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083624140	0.794	6	240				•
	Shallow Baffle Trim - 696WB 696WB	6" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083624164	0.653	6	300				•

ML56 LED

" LED Module 600 Series" data-bbox="58 600 150 670"/>	5"/6" LED Module 600 Series ML5606827 ML5606830 ML5606835 ML5606840 ML5606927 ML5606930 ML5606935 ML5606940	5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 2700K 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3000K 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3500K 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 4000K 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 2700K 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3000K 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3500K 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 4000K	080083630967 080083633265 080083630981 080083631001 080083631087 080083626496 080083631100 080083631124	1.615 1.541 1.539 1.832 1.301 1.953 1.714 1.714	6 6 6 6 6 6 6 6	288 288 288 288 288 288 288 288				• • • • • • • •
---	--	--	--	--	--------------------------------------	--	--	--	--	--------------------------------------

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
5"/6" LED Module 900 Series										
 ML5609827	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 2700K	080083631025	1.92	6	288				•	• ★
ML5609830	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3000K	080083633289	1.93	6	288		•		•	•
ML5609835	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3500K	080083631049	1.694	6	288		•		•	•
ML5609840	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 4000K	080083631063	1.913	6	288		•		•	•
ML5609927	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 2700K	080083631148	1.758	6	288				•	•
ML5609935	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3500K	080083631162	1.619	6	288		•		•	•
ML5609940	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 4000K	080083631186	1.935	6	288					•
5"/6" LED Module 1200 Series										
ML5612827	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 2700K	080083654048	2.008	6	288		•		•	•
ML5612830	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3000K	080083654666	1.945	6	288		•		•	•
ML5612835	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3500K	080083654703	1.459	6	288		•		•	•
ML5612840	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 4000K	080083654727	2.172	6	288		•		•	•
ML5612927	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 2700K	080083654765	2.3	6	288		•		•	•
ML5612930	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3000K	080083654789	2.3	6	288		•		•	•
ML5612935	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3500K	080083654802	2.3	6	288		•		•	
ML5612940	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 4000K	080083654826	2.3	6	288				•	•
5" LED Accessory - TRM590WH										
 TRM590WH	5" LED ACCESSORY - OVERSIZE TRIM RING	080083624225	0.183	12	1440					•
6" LED Accessory - TRM690WH										
 TRM690WH	6" LED ACCESSORY - OVERSIZE TRIM RING	080083624249	0.353	12	1080					•
6" LED Accessory										
WW695SC	6" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633180	0.05	12	1440					•
Accessory										
ML56CLIP	6" FRICTION CLIP KIT FOR ML56 LED MODULES	080083624195	0.434	12	1200					•
BFR56FL	ML56-1200 / PD6LED BEAM FORMING REFLECTOR - FLOOD	080083691890	0.225	6	2592				•	•
BFR56NFL	ML56-1200 / PD6LED BEAM FORMING REFLECTOR - NARROW FLOOD	080083691876	0.216	6	2700					•
BFR56MH	ML56-1200 / PD6LED MEDIA HOLDER FOR BEAM FORMING REFLECTORS	080083691913	1	1	60					•
L345SF	ACCESSORY 3.45 IN SOFT FOCUS LENS FOR ML56-1200 SERIES LED MODULES	080083691937	1	1	2				•	•

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

RA4 LED Retrofit Module



Narrow Flood

RA406927NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693269	1.483	6	384	•	•	•	•	★	
RA406930NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693283	1.71	6	384	•	•	•	•	★	



Very Wide Flood

RA406927WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693184	1.525	6	384	•	•	•	•	★	
RA406930WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693207	1.5	6	384	•	•	•	•	★	

RA56 LED Retrofit Module



Narrow Flood

RA5606927NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693306	1.71	6	192	•	•	•	•	★	
RA5606930NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693320	2.024	6	192	•	•	•	•	★	



Very Wide Flood

RA5606927WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693221	1.966	6	192	•	•	•	•	★	
RA5606930WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693245	1.967	6	192	•	•	•	•	★	

RL4 LED
























4" LED Retrofit






RL460WH830PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083669844	1.18	6	384	•	•	•	•	•	
RL460SN827PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 2700 K, SATIN NICKEL	080083669820	1.132	6	384	•	•	•	•	•	
RL460SN830PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 3000 K, SATIN NICKEL	080083669967	1.175	6	384	•	•	•	•	•	
RL460WH835PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083690794	0.991	6	384	•	•	•	•	•	
RL460WH930PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690770	0.668	6	384	•	•	•	•	•	
RL460WH935PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690817	1.132	6	384	•	•	•	•	•	
RL460WH827PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 2700 K, WHITE	080083669806	1.008	6	384	•	•	•	•	•	
RL460WH927PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 2700 K, WHITE	080083699445	1.07	6	384	•	•	•	•	•	
RL460SN927PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 2700 K, SATIN NICKEL	080083700066	1.132	6	384	•	•	•	•	•	
RL460SN930PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 3000 K, SATIN NICKEL	080083700080	1.132	6	384	•	•	•	•	•	
RL460WH840PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 4000 K, WHITE	080083711888	1.132	6	384	•	•	•	•	•	
RL460WH940PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 4000 K, WHITE	080083711925	1.132	6	384	•	•	•	•	•	

4" LED Retrofit Module, with E26






HE26LED	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, SINGLE PACK	080083577019	0.03	8	1200	•	•	•	•	•	★	
HE26LED24PK	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, BULK PACK 24PCS.	080083582440	2.5	24	1728	•	•	•	•	•	★	











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
RL56 LED											
	5 1/2" LED Retrofit										
RL560SN6827	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 2700 K, SATIN NICKEL	080083642236	1.7	6	240				•	•	
RL560WH6827	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 2700 K, WHITE	080083642175	2	6	144	•	•	•	•	•	
RL560SN6830	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, SATIN NICKEL	080083681969	1.563	6	240				•	•	★ 
RL560WH6835	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690626	1.7	6	240				•	•	
RL560WH6930	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690602	1.666	6	240				•	•	
RL560WH6835	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083642199	1.387	6	240				•	•	
RL560WH6830	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083682027	2	6	144	•	•	•	•	•	
RL560WH6927	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 2700 K, WHITE	080083699384	2	6	240				•	•	
RL560WH6840	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 4000 K, WHITE	080083710805	2	6	144				•	•	
RL560WH6940	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 4000 K, WHITE	080083710843	1.7	6	240				•	•	
RL560WH9935	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 3500 K, WHITE	080083712557	1.7	6	240				•	•	
RL560SN6927	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 2700 K, SATIN NICKEL	080083699407	1.7	6	240				•	•	
RL560SN6930	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, SATIN NICKEL	080083699421	1.7	6	240				•	•	★ 
RL560WH9827	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 2700 K, WHITE	080083711635	1.7	6	240				•	•	
RL560WH9830	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 3000 K, WHITE	080083711659	1.7	6	240				•	•	
RL560WH9835	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 3500 K, WHITE	080083712472	1.7	6	240				•	•	
RL560WH9940	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 4000 K, WHITE	080083712571	1.7	6	240				•	•	
RL560WH9840	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 4000 K, WHITE	080083712496	1.7	6	240				•	•	
RL560WH9927	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 2700 K, WHITE	080083712519	1.7	6	240				•	•	
RL560WH9930	5 1/2" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 3000 K, WHITE	080083712533	1.7	6	240				•	•	

SLD4 LED

	4" LED										
SLD405830WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697564	1.44	6	360	•	•		•	•	
SLD405930WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697601	1.237	6	360				•	•	
SLD405830WHJB	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083705979	1	6	360					•	
SLD405930WHJB	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083706013	1	6	360					•	








SLD6 LED

	6" LED										
SLD606830WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697588	1.15	6	300				•	•	
SLD606930WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697625	1.823	6	300				•	•	
SLD606930WHJB	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083706037	1.6	6	300					•	★ 
SLD606830WHJB	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083705993	1.6	6	300				•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" GU24 Housings										
	IC Air-Tite, GU24 H724ICAT	6" GU24 HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083692996	2.4	6	120				★
	H724ICATL	6" GU24 HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693474	2.79	6	120				★
	IC Air-Tite Remodel, GU24 H724RICAT	6" GU24 REMODEL HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693016	1.71	6	120				★
	H724RICATL	6" GU24 REMODEL HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693498	2.1	6	120				★
6" H7 Housing										
	IC and IC Air-Tite H71CAT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE INCANDESCENT	080083609628	2.65	6	120	●	●	●	★
	H71CATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400612032	2.5	6	120	●	●	●	★
	H71CT	6" HOUSING IC 120V LINE VOLTAGE	080083609680	3	6	120	●	●	●	★
	H71CTNB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400608523	2.4	6	120	●	●	●	★
	IC and IC Air-Tite Remodel - H7RICAT H7RICAT	6" HOUSING IC AIR-TITE REMODEL HOUSING 120V LINE VOLTAGE	662400610588	1.7	6	144	●	●	●	★
	IC and IC Air-Tite Remodel H7RICT	6" HOUSING IC REMODEL HOUSING 120V LINE VOLTAGE	662400600718	1.65	6	144	●	●	●	★
	Non-IC Remodel H7RT	6" HOUSING NON-IC REMODEL HOUSING 120V LINE VOLTAGE	662400600725	2.4	6	144	●	●	●	★
	Non-IC H7T	6" HOUSING NON-IC 120V LINE VOLTAGE	080083609727	2.444	6	120	●	●	●	★
	6" Housing Non-IC, No Socket Bracket, 120V Line Voltage H7TNB	6" HOUSING NON-IC, NO SOCKET BRACKET, 120V LINE VOLTAGE	662400664628	3.1	6	120				★
	IC Air-Tite Universal H7UICAT	6" HOUSING UNIVERSAL IC AIR-TITE 120V LINE VOLTAGE	662400164753	3.416	4	60	●	●	●	★
	IC Universal H7UICT	6" HOUSING UNIVERSAL IC 120V LINE VOLTAGE	662400164746	2.383	4	64	●	●	●	★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Chicago Plenum Housings										
	Non-IC H7TCP 6" HOUSING NON-IC 120V LINE VOLTAGE CHICAGO PLENUM CONSTRUCTION	662400133032	4.81	6	1200		•			★
6" H7 Trim										
	Albalite Lens with Reflector - 170 170P 6" TRIM ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FROSTED ALBALITE LENS	662400130758	1.2	6	240				•	★
	170PS 6" TRIM SHOWERLIGHT ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	662400130765	1	6	240	•		•	•	
	Drop Opal Lens with Reflector - 171 171PS 6" TRIM SHOWERLIGHT DROP OPAL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400130796	1.558	6	144				•	★
	Dome Shower Light - 172 172ACS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED ANTIQUE COPPER TRIM WITH FROSTED GLASS DOME	623961311031	1.6	6	216					•
	172PS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED GLASS DOME	662400663553	1.3	6	192	•		•	•	
	172SNS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED GLASS DOME	623961114274	1.55	6	192				•	•
	172TBZS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED TUSCAN BRONZE TRIM WITH FROSTED GLASS DOME	623961312038	1.75	6	240				•	•
	Fresnel Lens with Reflector - 173 173P 6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FRESNEL LENS	662400130802	1.2	6	240					•
	173PS 6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400318385	1.094	6	192					•
	Albalite Lens with Reflector - 270 270PS 6" TRIM SHOWERLIGHT TRIM WET LOCATION LISTED WHITE TRIM WITH FROSTED ALBALITE LENS AND REFLECTOR	623961524462	0.99	6	144					•
	Drop Opal Lens 271PS 6" TRIM SHOWERLIGHT WET LOCATION LISTED WHITE TRIM WITH DROP OPAL LENS AND REFLECTOR	623961559037	1.769	6	144					•









★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
Air-Tite Super Trim - Baffle - 30										
 30HAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM WITH HAZE REFLECTOR	622697839826	0.5	6	450				•	•
30PAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, BLACK BAFFLE, CLEAR REFLECTOR	662400603313	0.416	18	360				•	•
30TBZAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE AND REFLECTOR	623961312052	0.477	18	432					•
30WAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, WHITE REFLECTOR	662400603320	0.452	18	540	•	•	•	•	•
30WATH	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, CLEAR REFLECTOR	080083628469	0.4	6	450				•	•
30SNAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE SATIN NICKEL TRIM, SATIN NICKEL BAFFLE AND REFLECTOR	080083588893	0.474	18	648				•	•
Air-Tite Super Trim - Reflector White - 30										
 30RGAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400603344	0.447	18	540					•
30CAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400603337	0.453	18	540	•	•	•	•	•
Air-Tite Super Trim - Reflector Black - 30										
 30SBAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR BLACK SPECULAR REFLECTOR AND TRIM	622697060855	0.441	18	432				•	•
Open Trim with Socket Support - 30										
 300AC	6" TRIM OPEN - SOCKET SUPPORTING ANTIQUE COPPER	623961310935	0.825	6	300					•
300P	6" TRIM OPEN - SOCKET SUPPORTING WHITE	662400302421	0.6	6	288	•	•	•	•	•
300SN	6" TRIM OPEN - SOCKET SUPPORTING SATIN NICKEL	623961113819	0.766	6	360				•	•
Open Trim - 301										
 301P	6" TRIM OPEN WHITE	662400130864	0.4	12	1200				•	•
301SN	6" TRIM OPEN SATIN NICKEL	623961113802	0.45	12	1080				•	•
301TBZ	6" TRIM OPEN TUSCAN BRONZE	623961311901	0.496	12	1200				•	•
Wall Wash - 303										
 303P	6" TRIM WALL WASH WHITE TRIM AND SCOOP	662400130901	1.118	6	288				•	★
Coilex Baffle - 310										
 310P	6" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400130932	0.611	6	360				•	•
310SN	6" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960346508	0.6	6	216				•	★
310TBZ	6" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961311949	0.6	6	360				•	•
310W	6" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163022	0.402	6	360	•	•	•	•	•
310WG	6" TRIM COILEX BAFFLE WHITE OVERSIZE TRIM RING WITH WHITE BAFFLE	662400302360	0.6	6	300	•			•	★
Coilex Baffle - 312										
 312P	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH BLACK BAFFLE	662400634089	0.469	9	360				•	•
312W	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH WHITE BAFFLE	662400634096	0.502	9	360				•	•
White Splay Trim - 327										
 327P	6" TRIM SPLAY TRIM - SOCKET SUPPORTING WHITE SPLAY TRIM WITH TORSION SPRINGS	662400635451	0.78	6	360				•	★

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
White Splay Trim - 328										
 328P	6" TRIM SPLAY WHITE SPLAY TRIM	662400163831	0.554	12	600				•	•
428P	6" TRIM SPLAY WHITE	662400163848	0.51	12	432					★
Metal Baffle - 353										
 353SN	6" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961114236	0.35	6	540				•	•
353TBZ	6" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311963	0.464	6	450				•	•
Adjustable - 376										
 376P	6" TRIM PAR30 ADJUSTABLE WITH BAFFLE WHITE TRIM RING, BLACK BAFFLE	662400183754	0.673	12	600				•	•
Adjustable with Splay - 378										
 378P	6" TRIM PAR30 ADJUSTABLE SPLAY WHITE TRIM WITH WHITE SPLAY	662400164630	0.817	6	300				•	•
Open Trim - 401										
 401AL	6" TRIM OPEN LARGE APERTURE SATIN ALUMINUM TRIM	662400131045	0.39	12	1200				•	•
401P	6" TRIM OPEN LARGE APERTURE WHITE TRIM	662400131069	0.376	12	1200				•	•
Specular Reflector - 404										
 404C	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131120	0.59	6	180				•	★
404H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697063641	0.557	6	144				•	★
404SN	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961114267	0.585	6	180				•	
404TBZ	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961312007	0.743	6	192				•	
Specular Reflector - 405										
 405CG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR	662400131151	0.6	6	180				•	
405H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697053598	0.8	6	360				•	
405RG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400131168	0.8	6	180				•	
405SC	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131175	0.48	6	432				•	•
Self Flanged White Reflector - 4051P										
 4051P	6" TRIM SELF FLANGED REFLECTOR WHITE WITH WHITE TRIM RING	662400161097	0.983	6	180				•	★





★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Specular Reflector - 406										
 406BA	6" TRIM BAFFLE WITH REFLECTOR BLACK BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615811	0.8	6	360				•	•
406RG	6" TRIM BAFFLE WITH RESIDENTIAL GOLD REFLECTOR AND TORSION SPRINGS	080083684106	0.75	6	180					•
406SC	6" TRIM BAFFLE WITH SPECULAR CLEAR REFLECTOR AND TORSION SPRINGS	662400615798	0.8	6	180			•	•	•
406WB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615828	0.592	6	360				•	•
406WWB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH WHITE REFLECTOR AND TORSION SPRINGS	622696032174	0.56	15	360				•	•
Coilex Baffle - 410										
 410P	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400131229	0.5	6	360				•	•
410W	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163039	0.621	6	360	•			•	•
410WG	6" TRIM R40, PAR38 BAFFLE OVERSIZE WHITE TRIM RING WITH WHITE BAFFLE	662400302988	0.54	6	360	•				•
Coilex Baffle Eyeball - 30 Degree Tilt - 417										
 417P	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH BLACK COILEX BAFFLE	662400131250	1.422	4	200				•	•
417W	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH WHITE COILEX BAFFLE	662400302896	1.504	4	200				•	•
Regressed Eyeball - 30 Degree Tilt - 420										
 420P	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND BLACK BAFFLE	662400606000	1.051	6	240				•	•
420W	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND WHITE BAFFLE	662400606017	1.104	6	300				•	•
Wall Wash / Reflector Downlight - 424										
 424P	6" TRIM WALL WASH DOWNLIGHT WHITE TRIM	662400131298	1.01	6	144				•	•
Wall Wash with Coilex Baffle and Reflector Scoop - 425										
 425P	6" TRIM WALL WASH WHITE WITH BLACK BAFFLE	662400131304	1.032	4	240			•	•	•
425W	6" TRIM WALL WASH WHITE WITH WHITE BAFFLE	662400302957	1.03	4	288				•	•
Reflector Cone - 426										
 426	6" TRIM REFLECTOR CONE WHITE WITH CLEAR SPECULAR REFLECTOR CONE	662400131311	0.35	6	360			•	•	•
426CG	6" TRIM REFLECTOR CONE WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR CONE	662400131328	1.631	6	1440				•	•
426H	6" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR CONE	662400165170	0.392	6	360					•
426MB	6" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR BLACK REFLECTOR CONE	662400131342	0.4	6	360				•	
426RG	6" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR CONE	662400131359	0.515	6	360					•
426SN	6" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR CONE	623961114250	0.446	6	288					•
426TBZ	6" TRIM REFLECTOR CONE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR CONE	623961311987	0.448	6	360					•
Self Flanged White Reflector Cone - 426										
 4261P	6" TRIM SELF FLANGED REFLECTOR CONE WHITE WITH WHITE TRIM RING	662400161127	0.31	6	180				•	•









★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
 Dayform White Cone - 429 429P	6" TRIM DAYFORM CONE WHITE TRIM AND SPLAY REFLECTOR	662400167532	0.545	6	432				•	•	★
 Wall Wash with Baffle - 430 430P	6" TRIM WALL WASH WHITE TRIM WITH BLACK BAFFLE	662400664932	1.083	6	180			•			
430W	6" TRIM WALL WASH WHITE TRIM WITH WHITE BAFFLE	662400664925	1.153	6	144				•	•	
 Adjustable with Splay - 478 478P	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH WHITE SPLAY	662400164654	0.682	6	300				•	•	★
 Albalite Lens with Reflector - 70 70P	6" TRIM ALBALITE LENS WHITE TRIM WITH FROSTED ALBALITE LENS	662400130383	0.872	12	720				•	•	
70PS	6" TRIM WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	080083628247	0.625	6	600	•	•		•	•	
 6" Albalite Lens with Reflector and Satin Nickel Ring - 70 70SNS	6" TRIM, WET LOCATION AND AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED ALBALITE LENS	080083628506	1	6	600				•	•	
 Drop Opal Lens with Reflector - 71 71P	6" TRIM DROP OPAL LENS WHITE TRIM WITH DROP OPAL LENS	662400130437	1.28	6	450				•		★
71PS	6" TRIM DROP OPAL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400646631	1.109	6	300				•		★
 Fresnel Lens - 73 73P	6" TRIM FRESNEL LENS WHITE TRIM WITH FRESNEL LENS	662400130505	1	12	480				•	•	
73PS	6" TRIM FRESNEL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400601241	1.258	12	480				•	•	★
 Diffuser - 75 75	6" TRIM ALL GLASS DIFFUSER	662400130529	1.8	6	240				•		★
 Adjustable Gimbal - 76 76P	6" TRIM GIMBAL RING - PAR 38 STANDARD OR SIDE PRONG LAMPS WHITE TRIM WITH GIMBAL RING	662400130536	1.055	12	384				•		★
 Eyeball - 30 Degree Tilt 78AC	6" TRIM PAR30L EYEBALL ANTIQUE COPPER TRIM WITH ANTIQUE COPPER EYEBALL, 30 DEGREE TILT	623961310898	1.239	6	144				•		
78P	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400130628	1.1	6	240	•	•		•	•	
78PAT	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL - AIR-TITE TRIM, 30 DEGREE TILT	662400611745	1.31	6	300				•		★
78SN	6" TRIM PAR30L EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113796	1.1	6	240				•	•	
78TBZ	6" TRIM PAR30L EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311888	0.981	6	240				•	•	




★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 Pinhole Trim - 79 79P	6" TRIM PINHOLE WHITE TRIM - PINHOLE TRIM	662400130666	0.832	12	384					•	★	
 Double Bubble Adjustable - 60 Degree Tilt - 90 90P	6" TRIM DOUBLE BUBBLE ADJUSTABLE WHITE TRIM AND EYEBALL, 60 DEGREE TILT	662400607830	2.8	1	45					•	★	
6" Low Voltage H7T & H7RT Retrofit Trim												
 Low Voltage Adjustable Spot - 30 Degree Tilt 1412P	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE & 30 DEGREE TILT	662400606055	3.622	6	120					•	•	★
1412W	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH WHITE BAFFLE & 30 DEGREE TILT	662400606048	2.937	6	120					•	★	
 Low Voltage Slot Aperture - 30 Degree Tilt 1450P	6" TRIM LOW VOLTAGE ADJUSTABLE SLOT APERTURE 30 DEGREE TILT WITH TRANSFORMER WHITE TRIM & SLOT	662400132363	4.108	1	175					•	•	★
6" Shallow Housing												
 IC and IC Air-Tite H27ICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE 120V LINE VOLTAGE	662400605898	2.7	6	144	•	•	•	•	•	•	★
H27ICT	6" HOUSING SHALLOW CEILING IC 120V LINE VOLTAGE	662400694571	2.435	6	120	•	•	•	•	•	•	★
 IC and IC Air-Tite Remodel H27RICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609253	1.6	6	180					•	•	★
H27RICT	6" HOUSING SHALLOW CEILING IC REMODEL 120V LINE VOLTAGE	080083609277	1.804	6	180					•	•	★
 Non-IC Remodel H27RT	6" HOUSING SHALLOW CEILING NON-IC REMODEL 120V LINE VOLTAGE	662400600732	1.548	6	180					•	•	★
 Non-IC H27T	6" HOUSING SHALLOW CEILING NON-IC 120V LINE VOLTAGE	662400133148	2.431	6	120	•	•			•	•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----



6" Slope Ceiling Housing









	IC and IC Air-Tite										
	H47ICAT	6" HOUSING SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400302070	4.3	4	48	•	•	•	•	★
	H47ICT HL612ICAT	6" HOUSING SLOPE CEILING IC INCANDESCENT 6" ALLSLOPE LED IC AIR-TITE HOUSING, 120V-277V, DIMMABLE, FOR HLM69XX LIGHT ENGINES	662400133315 080083716425	3.418 3.324	4 4	32 60	•	•	•	•	★
	Non-IC										
	H47T	6" HOUSING SLOPE CEILING NON-IC 120V LINE VOLTAGE	662400133322	2.698	4	48				•	★
	Non-IC Air-Tite										
	H645IC	6" HOUSING ALL-SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400501473	4.5	4	60	•	•		•	★
	HL618TAT	6" ALLSLOPE LED NON-IC AIR-TITE HOUSING, 120V-277V, DIMMABLE, FOR HLM69XX LIGHT ENGINES	080083716449	3.324	4	60	•			•	★

6" Slope Ceiling Trim

	Specular Reflector									
	455H 455SC	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH HAZE REFLECTOR 6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	622697063719 662400679332	0.642 0.863	6 6	360 360				•
	Baffle - 456									
	456P 456W	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE 6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE BAFFLE	662400676270 662400676287	0.79 0.65	6 6	360 360				•
	Baffle - 496									
	496W	6" TRIM BAFFLE WITH REFLECTOR - SLOPE CEILING TRIM WHITE TRIM WITH WHITE BAFFLE AND REFLECTOR	662400302803	1.363	4	144				•
	Baffle - 498									
	498P 498W	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH BLACK COILEX BAFFLE 6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH WHITE COILEX BAFFLE	662400131717 662400167334	1.05 1.096	4 4	160 128				•











HL6 Allslope LED System

	HL6 LED Lenses										
	HL6FL	6" ALLSLOPE LED ACCESSORY 40-DEGREE FLOOD LENS (1-INCLUDED WITH HLM69XX LIGHT ENGINES)	080083716920	3.324	4	60				•	★
	HL6NFL	6" ALLSLOPE LED ACCESSORY 25-DEGREE NARROW FLOOD LENS	080083716906	3.324	4	60				•	★
	HL6WFL	6" ALLSLOPE LED ACCESSORY 55-DEGREE WIDE FLOOD LENS	080083716944	3.324	4	60				•	★
	HL6LHRPK	6" ALLSLOPE LED ACCESSORY REPLACEMENT LENS HOLDER	080083725069	3.324	4	60				•	
	HL6 LED Light Engines										
	HLM6927	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 2700K	080083716784	3.324	4	60		•		•	★
	HLM6930	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 3000K	080083716807	3.324	4	60		•		•	★
	HLM6935	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 3500K	080083716821	3.324	4	60		•		•	★
	HLM6940	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 4000K	080083716845	3.324	4	60		•		•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
7" Slope Ceiling Housing											
	IC Air-Tite H745ICAT	7" HOUSING ALL-SLOPE CEILING IC AIR-TITE HOUSING 120V LINE VOLTAGE	662400601197	3.235	4	72	•	•	•	•	★
7" Slope Ceiling Trim											
	Specular Reflector 457P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400601098	1.11	4	200				•	★
	457PW	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE REFLECTOR	662400601180	1.2	4	128				•	★
	457SC	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400601159	1.139	4	128				•	★
	457W	7" SLOPE CEILING TRIM BAFFLE WITH WHITE COILEX BAFFLE	662400601142	1.427	4	160	•	•	•	•	★
8 1/2" Square Housing											
	Non-IC H1T	8 1/2" HOUSING SQUARE NON-IC INCANDESCENT	662400132820	2.6	6	72			•	•	★
8 1/2" Square Trim											
	Albalite Lens 10P	8 1/2" TRIM SQUARE ALBALITE LENS	662400130031	1.479	12	576			•	•	
	Drop Diffuser 11GP	8 1/2" TRIM SQUARE GLASS DROP DIFFUSER	662400130093	2.225	6	240			•	•	★
	Albalite Glass Diffuser Shower Light 110P	8 1/2" TRIM SQUARE ALBALITE LENS SPLAY	662400304012	1.025	6	300			•	•	★
	Fresnel Lens 13P	8 1/2" TRIM SQUARE FRESNEL LENS	662400130130	1.838	12	288			•	•	★
10 1/2" Square HID Housing											
	Non-IC M200T	10 1/2" HOUSING SQUARE NON-IC, HID	662400603122	4.822	1	36	•	•	•	•	★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
10 1/2" Square Incandescent Housing										
	Non-IC H2T 10 1/2" HOUSING SQUARE NON-IC, INCANDESCENT	662400132844	1.639	6	72				•	• ★
10 1/2" Square Trim (H2 & M200)										
	Albalite Diffuser Shower Light 120P 10 1/2" TRIM ALBALITE SPLAY, WHITE TRIM	662400304081	2.24	6	192				•	★
	Fresnel Splay 123P 10 1/2" TRIM SQUARE FRESNEL LENS SPLAY, WHITE TRIM	662400304104	2.8	9	432				•	★
	Albalite Lens 20P 10 1/2" TRIM SQUARE ALBALITE LENS, WHITE TRIM	662400130192	2.247	9	576				•	•
	Drop Diffuser 21GP 10 1/2" TRIM SQUARE GLASS DROP DIFFUSER, WHITE TRIM	662400130222	4.015	6	216				•	• ★
	Fresnel Lens 23P 11 5/8" TRIM SQUARE FRESNEL LENS, WHITE TRIM	662400130253	2.92	12	480				•	★
Step & Wall Lights										
	Step Light IC - No Junction Box or Bar Hangers H2920ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, NO JUNCTION BOX OR BAR HANGERS	662400135531	2	1	300				•	• • ★
	Step Light IC - Junction Box & Bar Hangers H2922ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, JUNCTION BOX & BAR HANGERS	623961644283	4.155	1	120				•	• ★
	Brick / Aisle Light with Flat Lens H2925PL BRICK/AISLE LIGHT WITH FLAT LENS, 7W COMPACT FLUORESCENT, MAGNETIC BALLAST	662400135579	2.6	6	288				•	★
	H2925TW BRICK/AISLE LIGHT WITH FLAT LENS, INCANDESCENT, WET LOCATION LISTED	662400135593	2.283	6	240				•	• ★
	Brick / Aisle Light with Shade H2926TW BRICK/AISLE LIGHT WITH SHADE, INCANDESCENT, WET LOCATION LISTED	662400135616	2.2	6	240				•	• ★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Halo Track and Surface

LED Luminaire

HU10 Undercabinet



LED Undercabinet - HU10


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	Icons
HU1012D830P	HALO HU10 LED UNDERCABINET 12 IN, 3000K, WHITE	080083641543	1.242	10	1500				•	•	Off The Shelf
HU1018D830MB	HALO HU10 LED UNDERCABINET 18 IN, 3000K, MATTE BLACK	080083641581	1.662	10	1000				•	•	Off The Shelf
HU1018D830P	HALO HU10 LED UNDERCABINET 18 IN, 3000K, WHITE	080083641574	1.75	10	960				•	•	Off The Shelf
HU1024D830MB	HALO HU10 LED UNDERCABINET 24 IN, 3000K, MATTE BLACK	080083641611	2.208	10	1100				•	•	Off The Shelf
HU1024D830P	HALO HU10 LED UNDERCABINET 24 IN, 3000K, WHITE	080083641604	2.22	10	1100				•	•	Off The Shelf

HU10 Undercabinet Accessories













LED Undercabinet Accessories- HU10

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	Icons
HU101MB	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641666	0.028	1	2				•	•	Off The Shelf
HU101P	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR WHITE	080083641659	0.076	200	18000				•	•	Off The Shelf
HU102MB	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641680	0.043	200	24000				•	•	Off The Shelf
HU102P	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR WHITE	080083641673	0.465	200	16000				•	•	Off The Shelf
HU103MB	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641703	0.155	1	2				•	•	Off The Shelf
HU103P	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR WHITE	080083641697	0.14	100	8100				•	•	Off The Shelf
HU104MB	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641727	0.438	1	2				•	•	Off The Shelf
HU104P	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR WHITE	080083641710	0.544	25	3000				•	•	Off The Shelf
HU105MB	HALO HU10 LED UNDERCABINET 48 IN POWER CORD MATTE BLACK	080083641642	2.344	50	2100				•	•	Off The Shelf
HU105P	HALO HU10 LED UNDERCABINET 48 IN POWER CORD CONNECTOR WHITE	080083641635	0.483	50	2100				•	•	Off The Shelf
HU106MB	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX MATTE BLACK	080083641765	0.292	36	3960				•	•	Off The Shelf
HU106P	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX CONNECTOR WHITE	080083641758	0.306	36	2160				•	•	Off The Shelf
HU107MB	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641741	0.041	1	2				•	•	Off The Shelf
HU107P	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR WHITE	080083641734	0.071	250	10000				•	•	Off The Shelf

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
HU20 Undercabinet										
	LED Undercabinet - HU20									
HU2012MB	HALO HU20 LED UNDERCABINET TRACK, 12" MATTE BLACK	080083633661	0.563	36	240				•	• ★
HU2012P	HALO HU20 LED UNDERCABINET TRACK, 12" WHITE	080083633647	1	36	240				•	• ★
HU2018MB	HALO HU20 LED UNDERCABINET TRACK, 18" MATTE BLACK	080083633708	1	36	240				•	• ★
HU2018P	HALO HU20 LED UNDERCABINET TRACK, 18" WHITE	080083633685	1	36	240				•	• ★
HU201MB	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR MATTE BLACK	080083633869	1	10	480				•	• ★
HU201P	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR WHITE	080083633845	0.16	10	640				•	• ★
HU2024MB	HALO HU20 LED UNDERCABINET TRACK, 24" MATTE BLACK	080083633746	1.099	36	240				•	• ★
HU2024P	HALO HU20 LED UNDERCABINET TRACK, 24" WHITE	080083633722	0.988	36	240				•	• ★
HU202MB	HALO HU20 LED UNDERCABINET 6" CONNECTOR MATTE BLACK	080083633906	1	10	480				•	• ★
HU202P	HALO HU20 LED UNDERCABINET 6" CONNECTOR WHITE	080083633883	1	10	480				•	• ★
HU203MB	HALO HU20 LED UNDERCABINET 24" CONNECTOR MATTE BLACK	080083633944	1	10	480				•	• ★
HU203P	HALO HU20 LED UNDERCABINET 24" CONNECTOR WHITE	080083633920	1	10	480				•	• ★
HU204MB	HALO HU20 LED UNDERCABINET 120" CONNECTOR MATTE BLACK	080083633982	1	5	240				•	• ★
HU204P	HALO HU20 LED UNDERCABINET 120" CONNECTOR WHITE	080083633968	1	5	240				•	• ★
HU20C45MB	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY MATTE BLACK	080083633821	0.7	4	60				•	• ★
HU20C45P	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY WHITE	080083633807	1	4	256				•	• ★
HU20P830MB	HALO HU20 UNDERCABINET LED PUCK, 3000K, MATTE BLACK	080083633784	1	20	1280				•	• ★
HU20P830P	HALO HU20 UNDERCABINET LED PUCK, 3000K, WHITE	080083633760	0.086	160	5760				•	• ★







Power - Trac Luminaire
Alto

	Alto - 3750									
L3750MBX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, MATTE BLACK, PAR38	662400149989	2.2	1	126				•	★
L3750PX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, WHITE, PAR38	662400149972	1.315	1	126				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Universal										
	Symmetrical Universal Lampholder - L1701MBX L1701MBX SYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20	662400300021	0.521	6	2000					★
	Symmetrical Universal Lampholder - L1701PX L1701PX SYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20	662400300014	0.5	6	528					★
	Asymmetrical Universal Lampholder - L1702 L1702MBX ASYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38 L1702PX ASYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400300045 662400300038	0.481 0.505	6 6	900 750					★ ★
	Universal Lampholder - L1735 L1735MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38 L1735PX UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400144069 662400144076	 0.878	1 6	600 600					• •
	Quartz Wall Washer - L1752 L1752PX QUARTZ WALL WASHER, WHITE, T4	662400144311	1.6	4	360					★
	Universal Lampholder - L4009 L4009MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, R40, PAR16, PAR20, PAR30, PAR38 L4009PX UNIVERSAL LAMPHOLDER, WHITE 50-300W	662400160960 662400160977	0.66 0.8	6 6	840 864					• •
	Universal Lampholder - L700 L700PX UNIVERSAL LAMPHOLDER, WHITE, R, PAR38	662400137887	1.01	12	720					•
	Universal Lampholder - L702 L702MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38 L702PX UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38 L1700PX UNIVERSAL LAMPHOLDER, WHITE, PAR30, PAR38	662400164333 662400164326 662400143499	0.615 0.642 0.8	24 24 12	1080 864 360					• • ★
	Universal Lampholder - L703 L703MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR30L, PAR38 L703PX UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400301394 662400301387	0.633 0.659	24 24	648 576					• •
Bachetta										
	Bachetta Gimbal Ring - L3703 L3703PX BACHETTA GIMBAL RING, WHITE, PAR30	662400149248	1.513	72	288					•

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Commercial Applications										
	Para Trac Electronic Wall Wash - L3218 L3218EP PARA TRAC ELECTRONIC COMPACT FLUORESCENT WALL WASH, WHITE, F18BX	662400603566	4.105	1	108					★
	Para Trac Electronic Wall Wash - L3239 L3239EP PARA TRAC ELECTRONIC COMPACT FLUORESCENT WALL WASH, WHITE, F39BX	662400603528	7.6	1	96					★
Lampholder Louvers										
	Parabolic Louver - LVR3239 LVR3239P PARABOLIC LOUVER, WHITE	662400603504	0.8	1	250					★
	Parabolic Louver - LVR3240 LVR3240MB PARABOLIC LOUVER, BLACK	662400603450	0.8	1	196					★
Roundback										
	Roundback Cylinder - L1540 L1540PX ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR20, R20, BR25	662400142980	1.35	6	576					★
	Roundback Cylinder - L1542 L1542PX ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR30, R30, BR30	662400143123	1.817	4	320					★
	Roundback Cylinder - L1543 L1543PX ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400143185	1.93	6	192					★
	Roundback Cylinder - L741, L743, L746, L747									
	L741MBX ROUND BACK CYLINDER, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139010	1	6	252					★
	L741PX ROUND BACK CYLINDER, WHITE, BR30, R30, PAR30, BR25, A19	662400139027	1.328	6	324					★
	L743MBX ROUND BACK CYLINDER, MATTE BLACK, R20, PAR20, A19	662400139058	0.92	6	378					★
	L743PX ROUND BACK CYLINDER, WHITE, R20, PAR20, A19	662400139065	0.969	6	378					★
	L746MBX ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139096	1.2	6	324					★
	L746PX ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25, A19	662400139102	1.483	6	252					★
	L747MBX ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400139133	1.17	6	432					★
	L747PX ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400139140	1.2	6	378					★
	Roundback Cylinder - L855 L855PX ROUND BACK CYLINDER, WHITE, PAR38	662400140757	1.21	6	216					★






★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Continental Cylinder										
	Continental Cylinder Yoke - L704									
L704MBX	CONTINENTAL CYLINDER, YOKE, MATTE BLACK, R40, PAR38	662400137917	2.2	6	126					•
L704PX	CONTINENTAL CYLINDER, YOKE, WHITE, R40, PAR38	662400137931	2.254	6	144					•
	Continental Cylinder - L730									
L730MBX	CONTINENTAL CYLINDER, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138358	0.915	6	288				•	•
L730PX	CONTINENTAL CYLINDER, WHITE, BR30, R30, PAR30, A19, BR25	662400138372	1	6	384				•	•
	Continental Cylinder - L734									
L734MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400138815	1.697	6	126					•
L734PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400138839	2.319	6	144					•
	Continental Cylinder - L735									
L735MBX	CONTINENTAL CYLINDER, MATTE BLACK, R20, PAR20, A19	662400138853	0.988	6	432					•
	Continental Cylinder - L736									
L736MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138891	1.25	6	252				•	•
L736PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, A19, BR25	662400138907	1.29	6	2400					•
	Continental Cylinder - L737									
L737MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400138945	0.782	6	486					•
L737PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400138952	0.647	6	432					•
Flatback										
	Flatback Cylinder - L1763									
L1763MBX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, MATTE BLACK, MR16	662400144564	3.52	6	480				•	★
L1763PX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144588	3.5	6	288				•	★
	Flatback Cylinder - L761									
L761PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R16, PAR16	662400139348	0.8	6	360				•	★
	Flatback Cylinder - L763									
L763MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400139690	1.255	4	192				•	★
L763PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400139720	1.646	4	192				•	★
	Flatback Cylinder - L764									
L764MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400139805	1.962	6	192				•	★
L764PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400139836	2.303	6	192				•	★




★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product




Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Gimbal Ring										
	Gimbal Ring - L1730									
L1730MBX	GIMBAL RING, MATTE BLACK, PAR30	662400144014	0.913	6	2400				•	•
L1730PX	GIMBAL RING, WHITE, PAR30	662400144038	0.735	6	576				•	•
	Front Loading Gimbal Ring - L1731									
L1731MB	FRONT LOADING GIMBAL RING, MATTE BLACK, PAR30	662400687696	0.01	6	252					•
L1731P	FRONT LOADING GIMBAL RING, WHITE, PAR30,	662400687702	1.1	6	288					•
	Gimbal Ring - L1738									
L1738MBX	GIMBAL RING, MATTE BLACK, PAR38	662400144151	1.11	6	480					•
L1738PX	GIMBAL RING, WHITE, PAR38	662400144175	1.12	6	480				•	•
	Front Loading Gimbal Ring - L1739									
L1739PX	FRONT LOADING GIMBAL RING, WHITE, PAR38	662400318774	1.575	4	256					• ★
	Low Voltage Gimbal Ring - L2716									
L2716MB	LOW VOLTAGE GIMBAL RING, MATTE BLACK, MR16	662400145325	0.343	48	1152					•
L2716P	LOW VOLTAGE GIMBAL RING, WHITE, MR16	662400145332	0.337	48	1440					•
	Low Voltage Gimbal Ring - L2717									
L2717MBX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145394	0.768	48	1152					• •
L2717PX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145417	0.738	12	960	•	•	•	•	•
Micro Style										
	Low Voltage Micro Style - L1760									
L1760PX	LOW VOLTAGE MICRO STYLE LAMPHOLDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144427	3.423	15	900					• ★
	Low Voltage Lampholder - L2701									
L2701P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, WHITE, MR16	662400615552	0.6	48	576					•
	Low Voltage Lampholder - L2702									
L2702MB	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400615583	1.042	6	384					•
L2702P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400615576	1.043	6	576					•
	Low Voltage Micro Style - L2770									
L2770MBX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145738	0.918	6	192					• ★
L2770PX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145752	1.679	6	192					• ★




★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product












Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Studio										
	Studio Lampholder - L1820 L1820MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR20	662400663720	1.064	6	288				• ★
	L1820P	STUDIO LAMPHOLDER, WHITE, PAR20	662400663713	0.995	6	720				• ★
	Studio Lampholder - L1830 L1830MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR30	662400663768	1.562	6	240				• ★
	L1830P	STUDIO LAMPHOLDER, WHITE, PAR30	662400663744	1.63	6	240				• ★
	Studio Lampholder - L1838 L1838MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR38	662400663799	1.379	6	144				• ★

Studio Classic										
	Studio Classic Lampholder - L1807 L1807MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR30,	662400660439	1.4	12	72				•
	L1807PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR30	662400660446	1.686	12	192				•
	Studio Classic Lampholder - L1808 L1808MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR38	662400660453	3.6	6	48				•
	Studio Classic Lampholder - L1808PAL L1808PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR38	662400660484	3.4	6	72				•











Power - Trac Systems

Single Circuit										
	Single Circuit L650MB	SINGLE CIRCUIT TRAC, 2FT, MATTE BLACK	662400137597	0.908	6	1920				• • • • • ★
	L650P	SINGLE CIRCUIT TRAC, 2FT, WHITE	662400137603	1.05	6	1920				• • • • • ★
	L651MB	SINGLE CIRCUIT TRAC, 4FT, MATTE BLACK	662400137672	2.086	1	360		•	• • • • •	• • • • • ★
	L651P	SINGLE CIRCUIT TRAC, 4FT, WHITE	662400137689	1.7	1	625	•	• • • • •	• • • • •	• • • • •
	L652MB	SINGLE CIRCUIT TRAC, 8FT, MATTE BLACK	662400137764	4.4	1	700		• • • • •	• • • • •	• • • • •
	L652P	SINGLE CIRCUIT TRAC, 8FT, WHITE	662400137771	4.4	1	432	•	• • • • •	• • • • •	• • • • •
	L653MB	SINGLE CIRCUIT TRAC, 12FT, MATTE BLACK	662400137818	6	1	324		• • • • •	• • • • •	• • • • •
	L653P	SINGLE CIRCUIT TRAC, 12FT, WHITE	662400137825	5.75	1	324	•	• • • • •	• • • • •	• • • • •
	Dead End DE60050A - 1 PK	DEAD END, SINGLE CIRCUIT, WHITE	623961478505	0.052	10	360				• • • • • ★
	Live End Connector L901MB	LIVE END CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140825	0.208	12	2160		• • • • •	• • • • •	• • • • • ★
	L901P	LIVE END CONNECTOR, SINGLE CIRCUIT, WHITE	662400140832	0.204	12	2160	•	• • • • •	• • • • •	• • • • • ★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Flex Connector											
 L902MB	FLEX CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140863	0.575	6	1512					★	
L902P	FLEX CONNECTOR, SINGLE CIRCUIT, WHITE	662400140870	0.577	12	4800					★	
Straight Connector											
 L903MB	STRAIGHT CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140894	0.378	12	1440					★	
L903P	STRAIGHT CONNECTOR, SINGLE CIRCUIT, WHITE	662400140900	0.344	12	1440					★	
L Connector											
 L904MB	L CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140924	3.403	6	756					★	
L904P	L CONNECTOR, SINGLE CIRCUIT, WHITE	662400140931	0.377	6	648					★	
T Connector											
 L905MB	T CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140948	0.6	12	864					★	
L905P	T CONNECTOR, SINGLE CIRCUIT, WHITE	662400140955	0.748	12	540					★	
X Connector											
 L906P	X CONNECTOR, SINGLE CIRCUIT, WHITE	662400140979	0.6	6	360					★	
Outlet Box											
 L907MB	OUTLET BOX FOR T-BAR CEILING, MATTE BLACK	662400140986	0.58	1	896					★	
L907P	OUTLET BOX FOR T-BAR CEILING, WHITE	662400140993	0.563	1	896					★	
Mini Joiner											
 L908MB	MINI JOINER, SINGLE CIRCUIT, MATTE BLACK	662400141037	0.126	12	1512					★	
L908P	MINI JOINER, SINGLE CIRCUIT, WHITE	662400141044	0.126	12	2520					★	
Floating Canopy & Connector											
 L909MB	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141068	0.718	12	720					★	
L909P	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, WHITE	662400141075	0.659	12	720					★	
Cord & Plug Connector											
 L950MB	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141792	1.194	12	720					★	
Conduit Continuation Kit											
 L979MB	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, MATTE BLACK	662400142218	0.722	6	1920					★	
L979P	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, WHITE	662400142225	0.71	6	1920					★	
Live End Conduit Adapter											
 L980MB	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, MATTE BLACK	662400142249	0.375	12	1296					★	
L980P	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, WHITE	662400142256	0.334	12	2304					★	

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product









Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Two Circuit										
	Two Circuit									
L641MB	TWO CIRCUIT TRAC, 4FT, MATTE BLACK	662401137497	1.985	1	800				•	★
L641P	TWO CIRCUIT TRAC, 4FT, WHITE	662401137503	1.985	1	800				•	★
L642MB	TWO CIRCUIT TRAC, 8FT, MATTE BLACK	662400137511	3.94	1	576				•	★
L642P	TWO CIRCUIT TRAC, 8FT, WHITE	662401167241	4	1	576	•			•	★
L643MB	TWO CIRCUIT TRAC, 12FT, MATTE BLACK	662400137535	6.4	1	224				•	★
L643P	TWO CIRCUIT TRAC, 12FT, WHITE	662400137542	6.4	1	324				•	★
Live End										
										
L941MB	LIVE END CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141587	0.265	6	3456				•	★
L941P	LIVE END CONNECTOR, TWO CIRCUIT, WHITE	662400141594	0.257	6	6912				•	★
Straight / L Connector										
										
L943MB	STRAIGHT/L CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141624	0.629	6	288				•	★
L943P	STRAIGHT/L CONNECTOR, TWO CIRCUIT, WHITE	662400141631	0.7	6	576				•	★
Mini Joiner										
										
L949MB	MINI JOINER, TWO CIRCUIT, MATTE BLACK	662400141761	0.139	6	2268				•	★
L949P	MINI JOINER, TWO CIRCUIT, WHITE	662400141778	0.17	30	6480				•	★
Left T Connector										
										
L945LMB	LEFT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141648	0.71	6	1176				•	★
Right T Connector										
										
L945RMB	RIGHT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141662	0.71	6	1176				•	★
Flex Joiner										
										
L942MB	FLEX JOINER, TWO CIRCUIT, MATTE BLACK	662400141600	0.6	6	1920				•	★
L942P	FLEX JOINER, TWO CIRCUIT, WHITE	662400141617	0.6	6	2592				•	★
Conduit Connector										
										
L947MB	CONDUIT CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141709	0.404	1	378				•	★
L947P	CONDUIT CONNECTOR, TWO CIRCUIT, WHITE	662400141716	0.473	6	756				•	★
Conduit Continuation Kit										
										
L989MB	CONDUIT CONTINUATION KIT, TWO CIRCUIT, MATTE BLACK	662400142331	0.6	6	960				•	★
Floating Canopy & Connector										
										
L929MB	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400163053	0.6	12	1008				•	★
L929P	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, WHITE	662400163046	0.721	12	1008				•	★

Lampholder and Power - Trac Accessories

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Lens											
QS-L450	SOLITE DIFFUSED LENS 3 3/4"	080083535903	0.21	1	480					•	★
Lens - L110N, L111, L113 & L115											
	L110N	DIFFUSE SAND BLASTED LENS, 2"	662400136774	0.076	1	21000				•	★
	L111	SOFT FOCUS LENS, 2"	662400627517	0.08	42	10080				•	★
	L113	PRISMATIC LENS, 2"	662400136804	0.061	50	6000				•	★
	L115	LINEAR SPREAD LENS, 2"	662400136811	0.052	50	8000				•	★
Low Voltage Canopy Adapter											
	L1973MB	LOW VOLTAGE CANOPY ADAPTER, MATTE BLACK	662400145042	0.328	12	1152				•	★
	L1973P	LOW VOLTAGE CANOPY ADAPTER, WHITE	662400145059	0.375	12	720				•	★
Filters											
	L212	WARM RED COLOR FILTER, 4-11/16	662400136989	0.341	120	1920				•	★
Media Holder											
	L252MB	MEDIA HOLDER, PAR30, L1830, MATTE BLACK	662400301400	0.497	6	378				•	★
Cube Cell Louver - L274											
	L274MB	CUBE CELL LOUVER, 3 3/4"	662400301424	0.19	6	2430				•	★
Cube Cell Louver - L275											
	L275MB	CUBE CELL LOUVER, MATTE BLACK	662400137108	0.145	6	3360				•	★
48" Steel Stem											
	L48MB	48" STEEL STEM, MATTE BLACK	662400136750	1.15	6	396				•	★
	L48P	48" STEEL STEM, WHITE	662400136767	1.07	6	396				•	★
Outlet Box											
	L900MB	OUTLET BOX COVER, MATTE BLACK	662400140771	0.405	12	2352				•	★
	L900P	OUTLET BOX COVER, WHITE	662400140788	0.414	12	3528				•	★
18" Extension Wand											
	L918PX	18" EXTENSION WAND, WHITE	662400141334	0.545	6	1344				•	★
48" Extension Wand											
	L948MBX	48" EXTENSION WAND, MATTE BLACK	662400141730	1.07	6	594				•	★




★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Cord & Plug Connector											
 L950P	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, WHITE	662400141808	1.167	12	432					•	★
Wireway Cover for Pendant Assembly Kit											
 L951MB	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, MATTE BLACK	662400141815	0.155	1	1875					•	★
L951P	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, WHITE	662400141822	0.14	1	1875					•	★
Showroom Fixture Adapter											
 L956P	SHOWROOM FIXTURE ADAPTER, WHITE	662400141884	0.6	12	864					•	★
Pendant Adapter - L957											
 L957MB	PENDANT ADAPTER, MATTE BLACK	662400141907	0.231	12	1200		•		•	•	★
L957P	PENDANT ADAPTER, WHITE	662400141921	0.876	12	4704		•		•	•	★
C Clamp Adapter											
 L972MB	C CLAMP ADAPTER, MATTE BLACK	662400142102	0.8	1	490					•	★
Canopy Adapter											
 L973MBN	CANOPY ADAPTER, MATTE BLACK	662400142126	0.29	12	2592					•	★
L973PN	CANOPY ADAPTER, WHITE	662400142133	0.34	12	2592					•	★
T-Bar Attachment Clip - L983N											
 L983N	T-BAR ATTACHMENT CLIP	662400142300	0.047	6	4752					•	★
Mini-Bar Attachment Clip - L986											
L986	MINI T-BAR ATTACHMENT CLIP	662400142324	0.2	6	6240					•	★
Pendant Kit Assembly - L992											
 L992MB	PENDANT KIT ASSEMBLY, MATTE BLACK	662400142355	1.338	6	252					•	★
L992P	PENDANT KIT ASSEMBLY, WHITE	662400142362	1.274	6	432	•	•			•	★
Pendant Adapter											
 L994MB	PENDANT ADAPTER, 45 DEGREE, MATTE BLACK	662400142393	0.756	1	324					•	★
L994P	PENDANT ADAPTER, 45 DEGREE, WHITE	662400142409	0.726	1	324					•	★

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Power -Trac Transformers										
	Low Voltage Power-Trac Transformer - L2001									
L2001MBX	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400602996	0.415	6	2520				•	•
L2001PX	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400602989	0.443	60	3360					•
	Low Voltage Power-Trac Transformer - L2004									
L2004MB	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400618508	0.4	6	1200					•
L2004P	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400618492	0.356	60	1200					•
	Low Voltage Power-Trac Transformer - L2005									
L2005AH	LOW VOLTAGE POWER-TRAC TRANSFORMER, ALUMINUM HAZE	623961195099	0.8	4	60					•
L2005P	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	623961195310	1	4	600					•








Current Limiters

Circuit Breakers										
CB120P	CIRCUIT BREAKER 1 AMP 120W WHITE	080083508747	0.04	25	1200					• ★
CB600MB	CIRCUIT BREAKER 5 AMP 600W BLACK	080083508754	0.04	25	2160					• ★
CB600P	CIRCUIT BREAKER 5 AMP 600W WHITE	080083508792	0.4	25	1200					• ★
CB1200P	CIRCUIT BREAKER 10 AMP 1200W WHITE	080083508860	0.25	50	1000					• ★
CB120MB	CIRCUIT BREAKER 1 AMP 120W BLACK	080083508761	0.4	25	1200					• ★
	Single Circuit									
LC901MB	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING BLACK	623961052453	0.9	24	768					• ★
LC901P	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING WHITE	623961052477	0.9	24	768					• ★

Lazer Lampholders and Systems









Roundback

	Round Back Cylinder									
LZR311PL	LAZER ROUND BACK CYLINDER, WHITE, 120V MR16 INCLUDED	662400689409	0.705	6	990					•
	Low Voltage Roundback Cylinder									
LZR405P	LAZER LOW VOLTAGE ROUND BACK CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687566	0.91	6	432				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Gimbal Ring											
Front Loading Gimbal - LZR1320											
	LZR1320MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR20	662400663669	0.838	12	720				•	•
	LZR1320P	LAZER FRONT LOADING GIMBAL, WHITE, PAR20	662400663652	0.833	16	720					•
Front Loading Gimbal - LZR1330											
	LZR1330MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR30	662400663683	1.031	6	360			•		•
	LZR1330P	LAZER FRONT LOADING GIMBAL, WHITE, PAR30	662400663676	1.054	6	360			•		•
Front Loading Gimbal - LZR1338											
	LZR1338MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR38	662400663706	0.813	6	96					•
	LZR1338P	LAZER FRONT LOADING GIMBAL, WHITE, PAR38	662400663690	1.227	6	240					•
Gimbal Ring - LZR316											
	LZR316MBL	LAZER GIMBAL RING, MATTE BLACK, 120V MR16 LAMP INCLUDED	662400689454	0.586	6	720					•
	LZR316PL	LAZER GIMBAL RING, WHITE, 120V MR16 LAMP INCLUDED	662400689447	0.575	6	900					•
Small Gimbal Ring - LZR330											
	LZR330MB	LAZER SMALL GIMBAL RING, MATTE BLACK, PAR30	662400613305	0.78	6	480				•	•
	LZR330P	LAZER SMALL GIMBAL RING, WHITE, PAR30	662400613299	0.974	6	384	•			•	•
Gimbal Ring - LZR338											
	LZR338MB	LAZER GIMBAL RING, MATTE BLACK, PAR38	662400613329	0.882	6	480					•
	LZR338P	LAZER GIMBAL RING, WHITE, PAR38	662400613312	0.758	6	360				•	•
Low Voltage Gimbal Ring - LZR401											
	LZR401MB	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400614005	0.579	12	960		•		•	•
	LZR401P	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400613992	0.662	12	960	•	•		•	•










★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product












Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Cylinder										
	Small Roundback Cylinder									
LZR301MB	LAZER SMALL ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612643	0.958	12	432					•
LZR301P	LAZER SMALL ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612636	1.03	12	432				•	•
LZR301P/W	LAZER SMALL ROUND BACK CYLINDER, WHITE BAFFLE, WHITE, R20, PAR20, A19	662400612667	1.076	12	396				•	•
	Roundback Cylinder									
LZR302MB	LAZER ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612681	1.295	12	288				•	•
LZR302P	LAZER ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612674	1.331	10	360					•
LZR302P/W	LAZER ROUND BACK CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612704	1.121	12	360					•
	Large Roundback Cylinder									
LZR303MB	LAZER LARGE ROUND BACK CYLINDER, BLACK BAFFLE, BLACK, PAR38, R40	662400612551	1.628	6	144					•
LZR303P	LAZER LARGE ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR38, R40	662400612544	1.7	6	192					•
	Small Step Cylinder									
LZR304MB	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612728	0.981	12	360					•
LZR304P	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612711	0.745	12	432					•
	Step Cylinder									
LZR305MB	LAZER STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612773	1.213	12	360					•
LZR305P	LAZER STEP CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612759	1.144	12	288					•
LZR305P/W	LAZER STEP CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612797	1.2	12	288					•
	Large Step Cylinder									
LZR306MB	LAZER LARGE STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400612575	1.231	6	192					•
LZR306P	LAZER LARGE STEP CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400612568	1.6	6	108					•
	Flatback Cylinder - LZR307									
LZR307MB-P8	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612810	1.14	12	432					•
LZR307P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612803	1.14	12	432					•
	Flatback Cylinder - LZR308									
LZR308MB	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612599	1.078	12	360					•
LZR308P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612582	1.333	12	360					•

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Glass and Perforated Bell & Contemporary Gimbal										
	Perforated Bell									
LZR402MB	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616559	0.926	12	216					•
LZR402P	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616542	1.02	12	288					•
	Glass Bell									
LZR403MB	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616573	1.106	12	432					•
LZR403P	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616566	1.136	12	432				•	•
	Contemporary Gimbal									
LZR404MB	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616597	0.6	12	720					•
LZR404P	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616580	0.722	12	720					•
Step Cylinder										
	Low Voltage Step Cylinder									
LZR406MB	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400687597	0.942	6	600					•
LZR406P	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687580	0.91	6	432				•	•
Lazer Track System										
	Single Circuit									
LZR102MB	LAZER SINGLE CIRCUIT TRACK, 2FT, MATTE BLACK	662400617464	0.874	6	864					•
LZR102P	LAZER SINGLE CIRCUIT TRACK, 2FT, WHITE	662400617396	0.7	12	2352				•	•
LZR104MB	LAZER SINGLE CIRCUIT TRACK, 4FT, MATTE BLACK	662400617426	1.659	12	960			•		•
LZR104P	LAZER SINGLE CIRCUIT TRACK, 4FT, WHITE	662400617419	1.5	12	1632			•	•	•
LZR106MB	LAZER SINGLE CIRCUIT TRACK, 6FT, MATTE BLACK	662400617440	2.55	12	1152			•		•
LZR106P	LAZER SINGLE CIRCUIT TRACK, 6FT, WHITE	662400617433	2.4	12	960			•		•
LZR108MB	LAZER SINGLE CIRCUIT TRACK, 8FT, MATTE BLACK	662400617402	3.2	12	432			•	•	•
LZR108P	LAZER SINGLE CIRCUIT TRACK, 8FT, WHITE	662400617457	1.7	12	504	•	•	•	•	•
	T-Bar Clip									
LZR207	LAZER T-BAR CLIP	662400617129	0.146	96	3072					•
	Monopoint Feed									
LZR209MB	LAZER MONOPOINT FEED, MATTE BLACK	662400617150	0.438	12	1440				•	•
LZR209P	LAZER MONOPOINT FEED, WHITE	662400617167	0.373	48	2304				•	•
	Monopoint Feed Low Voltage									
LZR210MB	LAZER MONOPOINT FEED, LOW VOLTAGE, MATTE BLACK	662400617174	0.363	12	1296					•
LZR210P	LAZER MONOPOINT FEED, LOW VOLTAGE, WHITE	662400617181	0.29	48	1296					•
	Live End Feed w / Junction Box Cover									
LZR200MB	LAZER LIVE END FEED W/JUNCTION BOX COVER, MATTE BLACK	662400616993	0.354	6	672					•
LZR200P	LAZER LIVE END FEED W/JUNCTION BOX COVER, WHITE	662400617006	0.396	24	1152				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Live End Feed										
 LZR201MB	LAZER LIVE END FEED, MATTE BLACK	662400617013	0.228	8	384			•	•	•
LZR201P	LAZER LIVE END FEED, WHITE	662400617020	0.234	96	2592			•	•	•
Floating Canopy & Connector Feed										
 LZR202MB	LAZER FLOATING CANOPY AND CONNECTOR FEED, MATTE BLACK	662400617037	0.4	24	648					•
LZR202P	LAZER FLOATING CANOPY AND CONNECTOR FEED, WHITE	662400617044	0.538	24	1152					•
Adjustable L & Straight Connector										
 LZR203MB	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, MATTE BLACK	662400617051	0.486	4	384					•
LZR203P	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, WHITE	662400617068	0.395	48	2304					•
Conduit Adapter Feed										
 LZR204MB	LAZER CONDUIT ADAPTER FEED, MATTE BLACK	662400617075	0.271	12	432					•
LZR204P	LAZER CONDUIT ADAPTER FEED, WHITE	662400617082	0.249	8	128					•
Conduit Continuation Feed										
 LZR205MB	LAZER CONDUIT CONTINUATION FEED, MATTE BLACK	662400617099	0.25	48	2304					•
LZR205P	LAZER CONDUIT CONTINUATION FEED, WHITE	662400617105	0.33	6	1296					•
T-Bar Canopy										
 LZR206P	LAZER T-BAR CANOPY, WHITE	662400617112	0.4	12	576					•
Flexible Connector Feed										
 LZR211P	LAZER FLEXIBLE CONNECTOR FEED, WHITE	662400617204	0.4	96	3456					•
Mini Connector										
 LZR212MB	LAZER MINI CONNECTOR, MATTE BLACK	662400617211	0.156	12	288			•	•	•
LZR212P	LAZER MINI CONNECTOR, WHITE	662400617228	0.155	96	3072			•	•	•
T Connector Right										
 LZR213LMB	LAZER T CONNECTOR, LEFT HAND, MATTE BLACK	662400685944	0.37	12	2400					•
LZR213LP	LAZER T CONNECTOR, LEFT HAND, WHITE	662400685951	0.4	12	2400					•
T Connector Left										
 LZR213RMB	LAZER T CONNECTOR, RIGHT HAND, MATTE BLACK	662400685968	0.4	12	2400					•
LZR213RP	LAZER T CONNECTOR FEED RIGHT, WHITE	662400685975	0.37	48	2304					•
X Connector										
 LZR214P	LAZER X CONNECTOR FEED, WHITE	662400685999	0.46	48	2304					•

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER










DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Halo Commercial


Recessed Commercial Lighting


6" Housings

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
6" CFL Commercial Horizontal Lamp Housing											
	PD6H142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120-277V UNV	080083611744	4.216	6	72	•	•	•	•	★
	PD6H1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 347V	080083629077	12	1	28					★
	PD6H213E	HOUSING, 6" (2) 13W DTT / TTT HORZ, 120V	080083628810	2.678	6	108					★
	PD6H2133E	HOUSING, 6" (2) 13W DTT / TTT HORZ, 347V	080083628797	2	6	108					★
	PD6H226E	HOUSING, 6" (2) 26W DTT HORZ, 120-277V UNV	080083611737	3.622	6	108	•	•	•	•	★
6" CFL Commercial Horizontal Lamp Emergency Housing											
	PD6H142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120/277V EM	080083620494	12	1	28			•	•	★
	PD6H226REM	HOUSING, 6" (2) 26W DTT HORZ, 120/277V EM	080083630707	2.467	1	32			•	•	★
6" CFL Commercial Horizontal Lamp Housing, Dimming											
	PD6H1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 120V DIMMING	080083626953	5.5	6	108	•				★
	PD6H1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 277V DIMMING	080083629558	12	1	28	•				★
6" CFL Commercial Vertical Lamp Housing											
	PD6V142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120-277V UNV	080083611812	3.091	6	72	•	•	•	•	★
	PD6V1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 347V	080083630776	3.95	6	108					★
6" CFL Commercial Vertical Lamp Emergency Housing											
	PD6V142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120/277V EM	080083622566	12	1	28			•	•	★
6" CFL Commercial Vertical Lamp Housing Dimming											
	PD6V1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 120V DIMMING	080083652792	4.15	6	108	•				★
	PD6V1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 277V DIMMING	080083649754	12	1	28	•				★
6" LED Housings New Construction											
	PD612ED010	6" LED HSN, 1,200 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691272	2.942	6	108			•	•	Ⓢ
	PD618ED010	6" LED HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691296	4.25	6	48			•		Ⓢ
6" LED Housings Retrofit											
	PD6R18ED010	6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083698554	3.5	6	48					
	PD6R12ED010	6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083698530	3.5	6	48					
5/6" LED Housings Retrofit											
	PD56R12ED010	5/6" LED RETROFIT HSN, 1,200 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691531	3.5	6	48			•	•	Ⓢ
	PD56R18ED010	5/6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691555	3.5	6	48			•	•	Ⓢ

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
6" Metal Halide Commercial Vertical Lamp Housing											
 PD6V70E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 70W MH, 120/277V UNV	080083628834	3.819	1	28		•			•	★
PD6V100E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 100W MH, 120/277V UNV	080083611799	4.281	5	60		•		•	•	★
PD6V1003E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 100W MH, 347V	080083638284	12	1	28						★

6" Incandescent Commercial Vertical Lamp Housing											
 PD6V120	HOUSING, 6" VERT E26, 120V	080083611805	2.321	6	72				•	•	★

6" Modules

6" LED Modules													
PDM6827	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 2700 K CCT	080083691081	1.8	6	240					•	★	Ⓢ	
PDM6830	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 3000 K CCT	080083691104	1.349	6	240					•	★	Ⓢ	
PDM6840	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 4000 K CCT	080083691142	1.64	6	240					•	•	★	Ⓢ
PDM6835	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 3500 K CCT	080083691128	1.876	6	240					•	•	★	Ⓢ













6" Reflectors








6" Commercial Vertical Lamp Reflector											
60VC	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605286	0.57	6	108		•	•	•	•	
60V1GC	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652969	1.41	6	108					•	
60VH	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652891	1	6	108		•		•		★
60V1GH	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652884	1	6	108		•				★
60V1GW	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652877	1	6	108		•				★
60V1GCWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652754	0.965	6	108		•			•	★
60V1GHWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR, WHITE FLANGE	080083652747	1	6	108		•				★
60VCWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652730	0.889	1	125		•			•	★
60VHWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652723	0.612	6	108		•			•	★

6" Commercial Vertical Lamp Wall Wash Reflector											
60VWWH	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652860	1	6	108		•			•	★
60VWWC	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR	080083605293	0.913	6	108					•	
60VWWCWF	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652716	1	6	108		•			•	
60VWWHWF	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652709	1	6	108		•				★

6" CFL Commercial Horizontal Lamp Reflector											
62HC	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605262	0.865	6	144		•		•	•	
62H1GC	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652952	1.381	6	108					•	★
62HH	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652921	0.744	6	108		•			•	★
62H1GH	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652914	1	6	108		•			•	★
62H1GW	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652907	1	6	108		•				★
62H1GCWF	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652693	0.82	6	108		•			•	★
62HCWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652679	0.95	1	225		•			•	
62HHWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652662	0.603	6	108		•			•	
62H4GDF	REFLECTOR, 6" HORZ, LENS, FRESNEL GLASS FLUSH MOUNT (DEAD FRONT TRIM)	080083660322	1	6	108					•	★

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					NJ	IL	TX	CA	GA		
6" CFL Commercial Horizontal Lamp Wall Wash Reflector											
62HWWH	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083655977	1	6	108		•				
62HWWCWF	REFLECTOR, 6" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652655	1.013	6	108					•	
6" LED Reflectors											
61VBB	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, BLACK BAFFLE, WHITE FLANGE	080083669295	1.1	6	108				•	•	
61VC	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR	080083669028	0.826	6	108				•	•	
61VCWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669035	0.664	6	108				•	•	
61VH	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669264	0.85	6	150				•	•	
61VHWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669271	0.754	6	108				•		
61WWC	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SPECULAR CLEAR	080083669509	1.003	6	108				•	•	
61WWCWF	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083692682	1.1	6	108				•	•	
61WWH	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669523	1.1	6	108				•	•	
64VC	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR	080083669318	1.1	6	108				•	•	
64VCWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669325	1.1	6	108				•	•	
64VH	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669356	1.1	6	108				•	•	
64VHWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669462	1.1	6	108				•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
8" Housings										
8" CFL Commercial Horizontal Lamp Housing										
	PD8H142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT HORZ., 120-277V UNV	080083611782	1.649	6	72	•	•	•	★
	PD8H242E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORZ., 120-277V UNV	080083611775	3.988	6	72	•	•	•	★
	PD8H2423E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORIZONTAL, 347V	080083628858	4.75	1	72			•	★
8" CFL Commercial Horizontal Lamp Housing, Emergency										
	PD8H242REM	HOUSING 8" (2) 26W DTT, 26/32/42W TTT HORZ., 120-277V EM	080083631704	4.75	1	72	•			★
8" CFL Commercial Vertical Lamp Housing										
	PD8V142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT., 120-277V UNV	080083611768	3.379	1	72	•	•	•	★
8" CFL Commercial Vertical Lamp Housing, Emergency										
	PD8V142REM	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT., 120/277V EM	080083633036	4.75	1	72			•	★
8" Metal Halide Commercial Vertical Lamp Housing										
	PD8V100E	HOUSING, 8" VERT, E26 (PROTECTED) 100W MH, 120/277V UNV	080083626915	3.488	1	72			•	★
	PD8V1003E	HOUSING, 8" VERT, E26 (PROTECTED) 100W MH, 347V UNV	080083638291	4.75	1	72			•	★
	PD8V150E	HOUSING, 8" VERT, E26 (PROTECTED) 150W MH, 120/277V UNV	080083630769	4.75	1	72			•	★
	PD8V1503E	HOUSING, 8" VERT, E26 (PROTECTED) 150W MH, 347V UNV	080083638260	4.75	1	72			•	★
8" Metal Halide Commercial Vertical Lamp Housing, Dimming										
	PD8V1421DMARKX	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT., 120V DIMMING	080083633029	4.75	1	72			•	★
8" Incandescent Commercial Vertical Lamp Housing										
	PD8V120	HOUSING, 8" VERT, E26, 120V	080083611751	4.75	1	72			•	★

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
8" Reflectors										
8" CFL Commercial Horizontal Lamp Reflector										
82HC	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605309	0.861	6	108				•	•
82H1GC	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS, SPECULAR CLEAR	080083660339	2.294	6	108				•	•
82HH	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652853	1	6	108		•			•
82H1GW	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652846	1	6	108		•			•
82HCWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652594	0.894	6	108		•			•
82HHWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652587	0.337	6	108		•			•
8" CFL Commercial Horizontal Lamp Wall Wash Reflector										
82HWWC	REFLECTOR, 8" HORIZONTAL, OPEN WALL WASH SPECULAR CLEAR	080083605316	1	6	108				•	•
82HWWH	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652839	1	6	108		•			•
82HWWCWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652570	1	6	108		•			
82HWWHWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652563	1	6	108		•			•
8" Commercial Vertical Lamp Reflector										
80VC	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605323	0.572	6	108				•	•
80V1GC	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083655984	2.375	6	108		•			•
80VH	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652822	1	6	108		•		•	•
80V1GW	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652815	1	6	108		•			•
80V1GCWF	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652624	1	6	108		•			•
80VCWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652617	1.107	6	108		•			•
80VHWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652600	1	6	108		•			•
8" Commercial Vertical Lamp Wall Wash Reflector										
80VWWH	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652808	1	6	108		•			•
80VWWCWF	REFLECTOR, 8" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652785	1	6	108		•			
80VWWHWF	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652778	1	6	108		•			•

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE PALLET
QTY QTY NJ IL TX CA GA

All-Pro

3" MiniCan Housing



3" Round Housing ETR300

ETR300W

3" ROUND HOUSING W/ GLOSS WHITE BAFFLE TRIM, NON-IC AIR-TITE SHALLOW NEW CONST/REMODEL, 120V, PAR16

080083509317 1.564 6 120

4" Housing



IC Air-Tite - EI400ATSB

EI400ATSB

4" HOUSING NON-IC, AIR-TITE 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083543762 1.658 6 144



Non-IC - ET400ATSB

ET400ATSB

4" HOUSING NON-IC, AIR-TITE 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083584093 1.588 6 168



Non-IC Remodel - ET400RATSB

ET400RATSB

4" HOUSING NON-IC, AIR-TITE, REMODEL 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083584116 1.495 6 168

4" Low Voltage Housing



IC Air-Tite - EI400LVAT

EI400LVAT

4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16

622696556915 3.424 4 80



Non-IC - ET400LVAT

ET400LVAT

4" HOUSING NON-IC, AIR-TITE, 12V LOW VOLTAGE, MR16

080083584420 3.359 6 168









Non-IC Remodel - ET400LVRAT

ET400LVRAT

4" HOUSING NON-IC, AIR-TITE, REMODEL HOUSING 12V LOW VOLTAGE, MR16










080083584444 3.016 6 168

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
4" Trim												
	Black Baffle - ERT401 ERT401 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK BAFFLE	662400212928	0.38	12	840				•	•	•	★
	Eyeball - ERT402 ERT402 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE EYEBALL	662400212942	0.654	12	480				•	•		★
	Reflector - ERT403 ERT403 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400212959	0.293	12	768				•	•		
	White Metal Cone Baffle - ERT410 ERT410WHT 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	080083542185	0.306	12	768	•			•	•		
	Black Baffle - ERT413 ERT413 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK METAL BAFFLE	662400679684	0.185	12	576						•	
	Prismatic Glass Lens - ERT455 Showerlight ERT455 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH FLAT PRISMATIC GLASS LENS	080083515981	0.55	6	864	•					•	
	White Baffle - ERT401WHT ERT401WHT 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE BAFFLE	662400212935	0.184	12	576	•	•	•	•	•		
	White Baffle - ERT413WHT ERT413WHT 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	662400660361	0.233	12	1152				•	•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
5" Trim										
	Metal Splay Baffle - ERT501 ERT501 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL SPLAY BAFFLE	623960342197	0.483	6	360					•
	Metal Splay Baffle - ERT501WHT ERT501WHT 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL SPLAY BAFFLE	623960342180	0.349	6	360	•			•	•
	Black Baffle - ERT513 ERT513 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE	662400679691	0.375	48	864				•	•
	Black Baffle - ERT513TS ERT513TS 5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH BLACK METAL BAFFLE AND TORSION SPRINGS	623960380618	0.3	36	864					•
	White Baffle - ERT513WHT ERT513WHT 5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE	662400679707	0.249	48	864	•			•	•
	White Baffle - ERT513WHTTS ERT513WHTTS 5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE AND TORSION SPRINGS	623960380595	0.2	36	576				•	•
	Wall Wash - ERT530 ERT530WHT 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SCOOP AND WHITE BAFFLE	623961562570	0.6	6	288					•
	Frosted Dome Glass Lens Shower Light - ERT550 ERT550 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED DROP DOME GLASS LENS	623961733680	1.202	6	180					•
	Frosted Glass Lens Shower Light - ERT551 ERT551 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED LENS	623961733697	0.823	6	288	•				•
	Fresnel Glass Lens Shower Lens - ERT552 ERT552 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	622697152956	1.383	4	144				•	•





★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 Eyeball - 30 Degree Tilt - ERT570 ERT570	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL, PAR 30 LAMP	622697152987	0.99	4	384					• ★
6" Housing										
 IC - EI700 EI700	6" HOUSING IC 120V LINE VOLTAGE	662400316664	2.75	6	120					• ★
 IC Air-Tite - EI700AT EI700AT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609031	2.65	6	120	•	•	•	•	• ★
 IC and IC Air-Tite No Socket Bracket - EI700ATNB EI700ATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE	622696854462	2.5	6	120		•	•	•	• ★
 IC and IC Air-Tite No Socket Bracket - EI700NB EI700NB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE	662400502654	1.458	6	120					• ★
 IC and IC Air-Tite Remodel - EI700R EI700R	6" HOUSING IC REMODEL 120V LINE VOLTAGE	622696731138	1.148	6	168					• ★
 IC and IC Air-Tite Remodel - EI700RAT EI700RAT	6" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	622696731169	1.28	6	120	•		•	•	• ★
 Non-IC - ET700 ET700	6" HOUSING NON-IC 120V LINE VOLTAGE	662400212744	3.246	6	120	•				• ★
 Non-IC Remodel - ET700R ET700R	6" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	622696731121	2.3	6	120	•				• ★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
6" Shallow Housing										
IC and IC Air-Tite - EI2700										
 EI2700	6" HOUSING SHALLOW IC 120V LINE VOLTAGE	622696731077	1.396	6	120					★
 EI2700AT	6" HOUSING SHALLOW IC AIR-TITE 120V LINE VOLTAGE	622696731084	1.627	6	120					★
IC Remodel - EI2700										
 EI2700R	6" HOUSING SHALLOW IC REMODEL 120V LINE VOLTAGE	622696731107	1.626	6	168					★
Non-IC - ET2700										
 ET2700	6" HOUSING SHALLOW NON-IC 120V LINE VOLTAGE	622696731053	1.658	6	120					★

6" CFL Energy Star / Title 24 Housing












IC Air-Tite - EI2072AT										
 EI2072AT	6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961966798	3.309	4	80					★
IC Remodel - EI2072RAT										
 EI2072RAT	6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961967849	2.95	6	120					★


6" Trim

Albalite Lens Shower Light - ERT701										
 ERT701X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH ALBALITE LENS	662400212751	0.644	12	720					
Drop Opal Plastic Lens Shower Light - ERT702										
 ERT702X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH DROP OPAL LENS	662400212768	0.364	12	480					
Fresnel Lens Shower Light - ERT703										
 ERT703X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	662400212775	0.67	12	600					
Eyeball - ERT704 Eyeball										
 ERT704	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL	662400212782	1.093	6	300					
Open Trim - ERT705										
 ERT705	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM, WITH SOCKET SUPPORT	662400316718	0.902	6	240					★












★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 Open Trim - ERT706 ERT706	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM	662400316732	0.448	24	960					★
 Metal Baffle - ERT707 ERT707	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400316749	0.45	18	1008					
 Metal Baffle - ERT707WHT ERT707WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212874	0.401	18	648					
 Metal Baffle, Torsion Springs - ERT707WHTTS ERT707WHTSP	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	662401001514	0.183	18	900					
 Large Aperture Open - ERT708 ERT708	6" TRIM HIGH GLOSS APPLIANCE WHITE LARGE APERTURE OPEN TRIM	662400212829	0.37	24	600					★
 Large Aperture Open Metal Baffle - ERT709 ERT709	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212836	0.476	18	864					
 Large Aperture Open Metal Baffle - ERT709WHT ERT709WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212881	0.455	18	864					
 Specular Reflector - ERT710 ERT710	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400212843	0.526	6	360					★
 White Reflector - ERT712 ERT712	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR	662400615378	0.301	48	768					
 White Reflector, Torsion Springs - ERT712 ERT712TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR AND TORSION SPRINGS	662400687450	0.338	36	432					
 Black Trim, Black Metal Baffle - ERT713 ERT713	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE	662400649564	0.4	48	1152					




★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
 ERT713L	Black Trim, Black Metal Baffle - ERT713L 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE (LONGER VERSION)	662400677437	0.3	48	1152				•		•
 ERT713TS	Black Trim, Torsion Springs Black Metal Baffle - ERT713TS 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS	662400687467	0.337	36	576				•		•
 ERT713WHT	White Trim, White Metal Baffle - ERT713WHT 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE	662400643104	0.261	48	1152	•			•		•
 ERT713WHTTS	White Trim, Torsion Springs, White Metal Baffle - ERT713WHTTS 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE AND TORSION SPRINGS	662400687474	0.261	36	576	•	•	•	•	•	•
 ERT714	Black Plastic Baffle - ERT714 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK PLASTIC BAFFLE	662400646884	0.253	36	1080						•
 ERT714WHT	White Plastic Baffle - ERT714WHT 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE	662400646891	0.262	36	1728				•		•
 ERT714WHTSP	White Plastic Baffle - ERT714WHTTS 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	622697764067	0.259	36	1800						•
 ERT716WHT	White Shallow Metal Baffle - ERT716WHT 6" TRIM SHALLOW HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE FULL BAFFLE	662400671558	0.339	24	576				•		•
 ERT721	Shower Light with Frosted Glass Lens and Reflector - ERT721 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FROSTED LENS	623961051210	0.79	6	240	•				•	•
 ERT723	Shower Light with Fresnel Glass Lens and Reflector - ERT723 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FRESNEL LENS	662400688112	0.901	6	240				•		•
 ERT713LTS	Black Trim, Torsion Springs Black Metal Baffle - ERT713L 6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS (LONGER VERSION)	662400687481	0.295	36	648						•

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 Black Metal Baffle, Torsion Springs, Splay - ERT725TS ERT725TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293024	0.35	36	648					•
 White Metal Baffle, Splay - ERT725WHT ERT725WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE, NARROW COLLAR	623960293031	0.35	48	1152					•
 White Metal Baffle, Torsion Springs, Splay - ERT725WHTTS ERT725WHTTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293062	0.325	36	864					•

6" CFL Energy Star / Title 24 Trim

 Reflector - ERT770 ERT770MTS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, MATTE HAZE REFLECTOR WITH TORSION SPRINGS	623961442643	0.407	36	576					•
ERT770TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, CLEAR SPECULAR REFLECTOR WITH TORSION SPRINGS	623961307164	0.418	12	360					• •
 Reflector - ERT771 ERT771TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING AND GLOSS WHITE REFLECTOR WITH TORSION SPRINGS	623961307171	0.54	36	576					• •
 Black Metal Baffle - ERT772TS ERT772TS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, BLACK BAFFLE WITH TORSION SPRINGS	623961307188	0.54	36	432					•
 White Metal Baffle - ERT772WHTTS ERT772WHTTS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, GLOSS WHITE BAFFLE WITH TORSION SPRINGS	623961307201	0.381	36	576					• •

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Metalux

Recessed Static

Accord Series



2'x2'

22AC-214T5-UNV-L5835-EBT1-U	LAMP, 2'X2' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961580406	36	1	48		★
22AC-LD4-23-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718306	13.05	1	48		★
22AC-LD4-23-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718313	13.05	1	48		★
22AC-LD4-34-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718290	13.05	1	48		★
22AC-LD4-34-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718283	13.05	1	48		★



2'x4'



















2AC-228T5-UNV-L5835-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961677014	36	1	12		★
2AC-228T5-UNV-L5841-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	080083553068	36	1	14		★
2AC-232-UNV-EB81-U	2 LAMP, 2'X4' ACCORD, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8	080083670987	36	1	9		★
24AC-LD4-44-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083717705	21.45	1	24		★
24AC-LD4-44-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083717712	21.45	1	24		★
24AC-LD4-55-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718276	21.45	1	24		★
24AC-LD4-55-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718269	21.45	1	24		★
2AC-254T5-UNV-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT	080083610655	36	1	12		★
2AC-228T5-UNV-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT	080083653478	36	1	12		

ArcLine Series







2'x4'

2ALNG-232-UNV-EB81-GW-U	2 LAMP, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8	080083718832	20.5	1	24		★
-------------------------	---	--------------	------	---	----	--	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
GC8 Series												
	1'x4' Flanged											
	FC8-232A-UNV-EB81-U	2 LAMP, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961174018	12.071	1	36					★	
	FC8IC-232A-UNV-EB81-U	2-LAMP, IC RATED, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	080083626946	15.8	1	33					★	
	2'x4'											
	2GC8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696152865	20.5	1	28					★	
	2GC8-332A-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401730094	20.5	1	28					★	
	2GC8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696380657	20.5	1	28					★	
	2GC8-432A-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	622697823832	20.5	1	24					★	
	2GC8-432A125-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961023187	20.5	1	24					★	
GR8 Series												
	2'x2'											
2GR8-2U6T8A-UNV-EB81-U	2 LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 U6	623961643842	11.25	1	56	●	●	●	●	●	★ 	
	2'x4'											
	GR83	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961285875	22.5	1	24					★ 	
	GR8-232A-UNV-EB81-U	2 LAMP, 1'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401551330	7.858	1	33					★	
	2GR8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689376	20.5	1	28					★	
	2GR8-232A-UNV-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961759802	22.5	1	28	●	●	●	●	●	★ 
	2GR8-232A-UNV-L8735-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401340095	21.85	1	24						★
	2GR8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689697	20.5	1	24						★
	2GR8-332A-UNV-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286805	20.5	1	28	●	●	●	●	●	
	2GR8-332A-UNV-EB82-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662401341405	22.5	1	28						★ 
	2GR8-332A-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335831	23.83	1	28						★ 
	2GR8-332A-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401012213	21.85	1	28						★ 
	2GR8-332A-UNV-L8741-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961689840	23.83	1	28						★ 
	2GR8-432A125-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, #12 .125 THICK ACRYLIC LENS, CEE LISTED ELECTRONIC BALLAST, T8	662401334247	20.5	1	24						★
	2GR8-432A-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286812	20.5	1	28	●	●	●	●	●	★ 
	2GR8-432A-UNV-EB82-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662400102229	22.5	1	24						★ 
	2GR8-432A-UNV-L8735-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335848	24.28	1	28						★ 
	2GR8-432A-UNV-L8735-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401335862	22.3	1	28						
2GR8-432A-UNV-L8741-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401321902	22.5	1	28	●						
2GR8-432A-UNV-L8741-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	623961689482	22.3	1	28	●	●	●				


★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA		GA
GR LED Series											
	2'x2' 22GR-LD4-24-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 2400 LUMEN, 3500K, 0 TO 10V DRIVER	080083717729	8.27	1	56	•	•	•	•	Ⓢ
	22GR-LD4-24-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 2400 LUMEN, 4000K, 0 TO 10V DRIVER	080083717736	8.27	1	48	•	•	•	•	Ⓢ
	22GR-LD4-32-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 3500K, 0 TO 10V DRIVER	080083717743	8.27	1	56	•	•	•	•	★ Ⓢ
	22GR-LD4-32-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 4000K, 0 TO 10V DRIVER	080083717750	8.27	1	48	•	•	•	•	Ⓢ
	22GR-LD4-43-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 3500K, 0 TO 10V DRIVER	080083718467	8.27	1	56	•	•	•	•	★ Ⓢ
	22GR-LD4-43-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 4000K, 0 TO 10V DRIVER	080083718481	8.27	1	56	•	•	•	•	★ Ⓢ
	2'x4' 24GR-LD4-38-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 3800 LUMEN, 3500K, 0 TO 10V DRIVER	080083724178	13	1	56	•	•	•	•	Ⓢ
	24GR-LD4-48-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 3500K, 0 TO 10V DRIVER	080083718474	20.5	1	28	•	•	•	•	Ⓢ
	24GR-LD4-48-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 4000K, 0 TO 10V DRIVER	080083718498	20.5	1	28	•	•	•	•	Ⓢ
	24GR-LD4-64-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 3500K, 0 TO 10V DRIVER	080083718504	20.5	1	28	•	•	•	•	Ⓢ
	24GR-LD4-64-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 4000K, 0 TO 10V DRIVER	080083718511	20.5	1	28	•	•	•	•	Ⓢ
	Encounter Series										
	2'x2' 22EN-LD1-25-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690923	14	1	18	•	•	•	•	★ Ⓢ
	22EN-LD1-25-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690930	14	1	18	•	•	•	•	★ Ⓢ
	22EN-LD1-34-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690886	14	1	18	•	•	•	•	★ Ⓢ
	22EN-LD1-34-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690954	14	1	18	•	•	•	•	★ Ⓢ
	2'x4' 24EN-LD1-45-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690862	28	1	9	•	•	•	•	★ Ⓢ
	24EN-LD1-45-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690879	28	1	9	•	•	•	•	★ Ⓢ
	24EN-LD1-54-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690947	28	1	9	•	•	•	•	★ Ⓢ
	24EN-LD1-54-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083705009	28	1	9	•	•	•	•	★ Ⓢ
	24EN-LD1-67-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083704989	28	1	9	•	•	•	•	★ Ⓢ
	24EN-LD1-67-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083704996	28	1	9	•	•	•	•	★ Ⓢ



★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
SkyRidge Series											
	2'x2' 22SR-LD1-20-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083691005	14	1	16	•	•	•	•	★
	22SR-LD1-20-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083691012	14	1	16	•	•	•	•	★
	22SR-LD1-29-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083691029	14	1	16	•	•	•	•	★
	22SR-LD1-29-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083691036	14	1	16	•	•	•	•	★

	2'x4' 24SR-LD1-39-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690961	28	1	8	•	•	•	•	★
	24SR-LD1-39-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690978	28	1	8	•	•	•	•	★
	24SR-LD1-48-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690985	28	1	8	•	•	•	•	★
	24SR-LD1-48-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690992	28	1	8	•	•	•	•	★

Recessed Direct / Indirect
RDI Ovation Series


	2'x2' - Center Mount 2RDI-217RP-UNV-EB81-U	2 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696299461	14.2	1	28	•	•	•	•	★
	2RDI-317RP-UNV-EB81-U	3 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401814206	5.706	1	28	•	•	•	•	★
	2'x4' - Center Mount 2RDI-232RP-UNV-EB81-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696409877	36	1	14	•	•	•	•	★
	2RDI-332RP-UNV-EB81-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401732708	36	1	14	•	•	•	•	★
	2RDI-332RP-UNV-EB82-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST (2), T8	622696299065	37	1	14	•	•	•	•	★
	2RDI-228T5RP-UNV-EBT1-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T5	622697241193	23.36	1	14	•	•	•	•	★

Recessed
Accessory



Accessory											
A12-100-22GP-U	2'X2' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106357	1.526	5	300	•	•	•	•	•	★
A12-100-242G-U	2'X4' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106227	2.151	20	200	•	•	•	•	•	★
A12-125-24GC-U	2'X4' #12 .125 LENS FOR G, GR8, GC & GC8 SERIES	662400230144	2.8	200	200	•	•	•	•	•	★
EQ-CLIP-U	T-BAR SAFETY CLIP FOR TROFFERS AND OVATION SERIES - ORDER 4 PER FIXTURE	662400107194	0.017	4500	81000	•	•	•	•	•	★
FCS-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR G, GR8, GC8, GR5	662400105978	3.867	1	418	•	•	•	•	•	★
FCS-24W-U	2'X4' WHITE STEEL FLANGE KIT, FOR 2G, 2GR8, 2GC8 & 2GR5 SERIES	662400105985	2.806	1	418	•	•	•	•	•	★
FCTKA-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083617166	2.1	1	1	•	•	•	•	•	★
FCTKA-24W-U	2'X4' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083608423	2.635	1	200	•	•	•	•	•	★
2GR8-4-A W/SPGL FRM	2'X4' REPLACEMENT FRAME & LENS FOR 2G & 2GR8 SERIES	622697133917	4.4	6	48	•	•	•	•	•	★
T3A END E.Q. BRACKET PARTS BAG	EQ CLIPS FOR USE ON FIXTURE ENDS. INCLUDES FOUR SCREWS AND BRACKETS.	662400107279	0.154	24	2880	•	•	•	•	•	★

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Surface LED										
	FMLED									
	FMLED8WH840PR	8", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083719037	0.9	8	192			•	•
	FMLED12WH840PR	12", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706792	1.8	4	72			•	•
	FMLED16WH840PR	16", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706808	3.5	4	32			•	•
FMLED20WH840PR	20", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706815	2.06	2	24			•	•	

Modular Surface

	2'x2'									
	2M-2U6T8A-UNV-EB81-U	2 U-LAMP, 2'X2' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401879502	11.232	1	48			•	★
	2'x4'									
	2M-332A-UNV-EB81-U	3 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401793532	32	1	26		•		•
2M-432A-UNV-EB81-U	4 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401812486	33.2	1	26				•	★







Linear Wraparound LED

	SLWP									
	2SLWP2040ND-120V	2 FT., LINEAR LED WRAP, 2000 LUMEN, 4000K, NON-DIM ELECTRONIC DRIVER	080083706570	2.5	9	144			•	•
	4SLWP3940ND-120V	4 FT., LINEAR LED WRAP, 3900 LUMEN, 4000K, NON-DIM ELECTRONIC DRIVER	080083706587	4.7	2	72			•	•
4SLWP4040ND-UNV	4 FT., LINEAR LED WRAP, 4000 LUMEN, 4000K, NON-DIM ELECTRONIC DRIVER	080083706594	4.7	9	72			•	•	


Wraparound







Specification Wraparound




	4' - 2 Lamp											
	WS-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191352	8.651	1	48	•	•	•	•	•	★
WS-232A-UNV-ER81-U	2 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	622697665234	11.22	1	48		•				★	
	4' - 3 Lamp											
	WS-332A-UNV-EB81-U	3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191345	10.25	1	24				•	★	
	4' - 4 Lamp											
	WS-432A-UNV-EB81-U	4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191338	15.59	1	24		•	•	•	•	★
Replacement Lens												
WS-2A-U	2 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106302	3.072	1	48				•	•	★	
WS-4A-U	4 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106319	2.487	1	36				•	•	★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA				
Commercial Wraparound														
	4' LED Frost													
	4WNLED-LD1-41-F-UNV-L835-CD1-U	4 FT. LINEAR LED WRAP W FROST LENS, 4100 LUMENS, 3500K, 0-10V DRIVER	080083699957	8.682	1	64				•	•	★		
	4WNLED-LD1-41-F-UNV-L840-CD1-U	4 FT. LINEAR LED WRAP W FROST LENS, 4100 LUMENS, 4000K, 0-10V DRIVER	080083697984	8.442	1	64				•	•	★		
	4WNLED-LD1-54-F-UNV-L835-CD1-U	4 FT. LINEAR LED WRAP W FROST LENS, 5400 LUMENS, 3500K, 0-10V DRIVER	080083700363	11.863	1	64				•	•	★		
	4WNLED-LD1-54-F-UNV-L840-CD1-U	4 FT. LINEAR LED WRAP W FROST LENS, 5400 LUMENS, 4000K, 0-10V DRIVER	080083699926	8.919	1	64				•	•	★		
	2' - 2 Lamp													
	WN-217A-UNV-EB81-U	2 LAMP, 2' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518852	4.154	1	180				•	•	•	★	
	4' - 2 Lamp													
	WN-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518845	5.19	1	90				•	•	•	•	★
	WN-232A-UNV-ER81-U	2 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083545766	9.6	1	180				•	•	•	•	★
	4' - 3 Lamp													
	WN-332A-UNV-EB81-U	3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518524	8.602	1	54				•	•	•	★	
	WN-332A-UNV-ER81-U	3 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083569083	11.96	1	54				•	•	•	★	
	4' - 4 Lamp													
	WN-432A-UNV-EB81-U	4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518517	7.158	1	54				•	•	•	•	★
	8' - 4 Lamp													
	8TWN-232A-UNV-EB81-U	4 LAMP, 8' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518487	21.98	1	90				•	•	•	★	
Replacement Lens														
WN-2A-U	WN SERIES - 2 LAMP REPLACEMENT LENS	080083517749	2.276	1	120					•	•	★		
WN-4A-U	WN SERIES - 4 LAMP REPLACEMENT LENS	080083517756	3.269	1	54					•	•	★		

Commercial Wraparound - WP

	4' - 2 Lamp										
	WP232R	2 LAMP, 4' WRAPAROUND, INSTANT START ELECTRONIC BALLAST, T8	080083518654	6	1	120				•	•


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Commercial Softside Cloud										
	2' - 2 Lamp WSC-232-D-W-UNV-EB81-U 2 LAMP, 2' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523610	12.6	1	28					★
	4' - 2 Lamp WSC-432-D-W-UNV-EB81-U 2 LAMP, 4' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523627	17.1	1	21					★
Replacement Lens										
	WSC-2A-U 2 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587506	6.5	1	28					★
	WSC-4A-U 4 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587490	6.5	1	30					★
Residential Wraparound										
	2' - 2 Lamp WN-217A-120V-REB1-U 2 LAMP, 2' WRAPAROUND, 120V RESIDENTIAL, T8	080083523269	4.924	1	180					★
	4' - 2 Lamp WN-232A-120V-REB1-U 2 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL, T8	080083523276	5.467	1	180					★
	4' - 4 Lamp WN-432A-120V-REB1-U 4 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL ELECTRONIC BALLAST, T8	080083523283	14	1	54					★
Economy Wraparound										
	4' - 2 Lamp WE-232A-UNV-EB81-U 2 LAMP, 4' WRAPAROUND CEE LISTED ELECTRONIC BALLAST, T8	662401234493	8.288	1	96					★
Replacement Lens										
	WE-A-U WE SERIES - 2 LAMP REPLACEMENT LENS	662401640881	1.716	1	132					★


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET				
				QTY	QTY	NJ	IL	TX
Wall Brackets								
BE Wall Brackets								
	4' - 2 Lamp							
	BEU-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED CEE LISTED ELECTRONIC BALLAST, T8 W/UPLIGHT	622696153060	14.192	1	40		
	BE-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401715107	10.195	1	40	•	• ★
BC Wall Bracket								
	2' - 2 Lamp							
	BC-217-UNV-EB81-U	2 LAMP, 2' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401753703	4.325	1	72		• ★
	4' - 2 Lamp							
	BC-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401620364	8.45	1	54	• • • • •	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Paralux III High Performance


EP3GAX Series

	2'x2' - 9 Cell									
	AP32U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	080083520176	16.1	1	32				★ Ⓢ
	2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, W/VANES, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520220	14.3	1	40				★ Ⓢ
	2EP3GX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520145	7.773	1	36				★ Ⓢ
	2EP3GX-317S33I-UNV-EB81-U	3 LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520084	14.3	1	40				★

	2'x4' - 12 Cell									
	2EP3GX-232S26I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 12 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520169	27.36	1	20				★

	2'x4' - 18 Cell									
	AP3	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622696199785	27.36	1	16				★ Ⓢ
	2EP3GAVX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401000685	27.36	1	20				★ Ⓢ
	2EP3GAX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401339785	27.36	1	20				★
	2EP3GX-232S36I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520237	27.36	1	20				★
	2EP3GX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401012084	27.36	1	20				★ Ⓢ
	2EP3GX-332S36I-UNV-EB82-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, TWO - CEE LISTED ELECTRONIC BALLAST, T8	662401339761	27.36	1	20				★
	2EP3GX-332S36I-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8, W/LAMPS & FLEX	662401339730	27.36	1	20				★ Ⓢ
	2EP3GX-332S36I-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662400201908	27.36	1	20				★ Ⓢ
	2EP3GX-332S36I-UNV-L8741-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	622697478087	27.36	1	20				★ Ⓢ

	2'x4' - 32 Cell									
	2EP3GX-432S48I-UNV-EB81-U	4 LAMP, 2'X4' STATIC PARABOLIC, 32 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	080083520206	27.36	1	20				★

	Chicago Approved - 2'x2' 9 Cell									
	ATW-SW4-2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC W/VANES, 9 CELL SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, ELECTRONIC BALLAST, T8, CHICAGO PLENUM APPROVED	623961053474	16.47	1	32				★

Parabolic Surface High Performance

Standard 3" Parabolic



EP3X-S36I-24-C-U	REPLACEMENT LOUVER, 2EP3, 18 CELL, SEMI-SPECULAR, 2'X4'	080083684380	6.2	1	20					★
------------------	---	--------------	-----	---	----	--	--	--	--	---

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

Advanced Retrofit Kit Technology (ART)


Architectural Kits - ARCDUO

	2'x2' Architectural																		
	ART-2ARC-217L-UNV-EB81-U	ARCDUO 2' X 2' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED TO CEE LISTED BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083590742	26.04	1	40													
	2'x4' Architectural																		
	ART-2ARC-232L-UNV-HB81-U	ARCDUO 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609888	26.04	1	10													


Troffer / Parabolic Kits

	2'x4' Commercial																		
	ART-2CRK-232-W-UNV-EB81-U	COMMERCIAL 2' X 4' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK	080083590711	7	1	20													

Architectural Kits - CRUZE



	2'x4' Architectural																		
	ART-2CRZ-232L-UNV-HB81-U	CRUZE 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT/INDIRECT CENTER BASKET LENS DOOR AND WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609895	26.04	1	10													

Optica Kits

	2'x4' High Performance - 12 Cell																		
	ART-2OP-232-UNV-HB81-U	OPTICAHP 2' X 4' RETROFIT KIT, 2-LAMP, 12-CELL FACETED STRAIGHT BLADE DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083608348	14.74	1	10													










Strip

★ Indicates ARRA Eligible Product Ⓡ Indicates EISA Compliant Pulse Start Products Ⓛ Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
LED										
	SNLED Base									
2SNLED-LD4-24SL-UNV-L835-CD1-U	2 FT., LINEAR LED STRIPLIGHT, 2400 LUMEN, 3500K, 0 - 10V DIMMABLE DRIVER	080083729463	3.3	1	168					★
2SNLED-LD4-24SL-UNV-L840-CD1-U	2 FT., LINEAR LED STRIPLIGHT, 2400 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083730032	3.3	1	168					★
4SNLED-LD4-28SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 2800 LUMEN, 3500K, 0 - 10V DIMMABLE DRIVER	080083730001	4.984	1	81					★
4SNLED-LD4-28SL-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 2800 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083729999	4.984	1	81					★
4SNLED-LD4-32SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 3200 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729968	4.984	1	81					★
4SNLED-LD4-32SL-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 3200 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083729982	4.984	1	81					★
4SNLED-LD4-48SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 4800 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729470	4.984	1	81					★
	SNLED Lensed									
4SNLED-LD4-27SL-LW-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH FROST LENS, 2700 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083730025	6.6	1	81					★
4SNLED-LD4-30SL-LN-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 3000 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729159	6.6	1	81					★
4SNLED-LD4-30SL-LN-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 3000 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083729975	6.6	1	81					★
4SNLED-LD4-41SL-LW-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH FROST LENS, 4100 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083730018	6.6	1	81					★
4SNLED-LD4-46SL-LN-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 4600 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083730049	6.6	1	81					★
4SNLED-LD4-46SL-LC-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH CLEAR LENS, 4600 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083730056	6.6	1	81					★












★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Commercial Strip											
	2' - T8 SSF-217-UNV-EB81-U 2 LAMP, 2' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519613	3.012	1	180					★	
	3' - T8 SSF-225-UNV-EB81-U 2 LAMP, 3' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519521	4.145	1	90					★	
	4' - T5HO SSF-254T5-UNV-EBT1-U 2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T5HO, FLIP-UP SOCKETS	080083552511	5.4	1	190					★	
	4' - T8 SSF-132-UNV-EB81-U 1 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519637	5.475	1	90					★	
	SSF-232-UNV-EB81-U 2 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519590	3.294	1	90					★ 	
	SSF-232-UNV-EB81/PLUS-U 2 LAMP, 4' STANDARD STRIP, T8 INSTANT START CEE LISTED HBF, FLIP-UP SOCKETS	080083571819	2.717	1	190					★	
	SSF-232-UNV-ER81-U 2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620845	5.4	1	190					★	
	4' - T12 SSF-248HO-120V-EB21-U 2 LAMP, 4' HIGH OUTPUT STANDARD STRIP, ELECTRONIC T12, FLIP-UP SOCKETS	080083519491	12	1	190					★	
	8' - T8 8TSSF-132-UNV-EB81-U 2 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519729	11.4	1	72					★	
	8TSSF-232-UNV-EB81-U 4 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519682	11.4	1	72					★ 	
	8TSSF-232-UNV-ER81-U 4 LAMP, 8' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620852	11.4	1	50					★	
	8' - T12 SSF-296-120V-EB21-U 2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083519279	12	1	50					★	
	SSF-296-UNV-EB81-U 2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519569	12	1	50					★	
	SSF-296HO-120V-EB21-U 2 LAMP, 8' HIGH OUTPUT STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083521395	12	1	50					★	
Accessory											
	1/4-TN-FSTN-U 1/4 TURN FASTENER	662400106876	0.018	1	10000					★	
	GRP-SSF-U GRIPPER FOR USE W/SSF, IAF & ICF SERIES EXCEPT IA/IC - HO SERIES	080083519262	0.494	50	5376					★	
	SSF-ASY-4-B ASYMMETRIC REFLECTOR FOR SSF STRIPS (4')	080083519187	1.615	15	900					★	
	WG/SSF-4FT-B 4' WHITE WIRE GUARD FOR USE W/SSF SERIES ONLY	662400106647	0.646	24	192					★	

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
Commercial Narrow Strip											
	4' LED Lensed SNLED-LENS-LN-4FT-U 4' LINEAR LED LENS FOR SNLED, NARROW DISTRIBUTION	080083699940	2.3	1	140				•	•	★
	2' - T8 SNF-117-UNV-EB81-U 1 LAMP, 2' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519897	2.402	1	360	•	•		•	•	★ 
	3' - T8 SNF-125-UNV-EB81-U 1 LAMP, 3' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519873	2.975	1	380				•	•	★
	4' - T8 SNF-132-UNV-EB81-U 1 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519859	4.395	1	320	•	•	•	•	•	★ 
	SNF-232-UNV-EB81-U 2 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519750	4.189	1	84				•	•	★ 
	8' - T5 8TSNF-254T5-UNV-EBT1-U 4 LAMP, TANDEM 8' NARROW STRIP, UNIVERSAL PROGRAM RAPID START BALLAST	080083603008	11.4	1	126				•	•	★
	8' - T8 8TSNF-132-UNV-EB81-U 2 LAMP, TANDEM 8' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519927	11.4	1	280		•		•	•	★ 
	Accessory WG/SNF-4FT-B 4' WHITE WIRE GUARD FOR USE W/SNF SERIES ONLY	662400106630	0.72	30	240				•	•	
Staggered Strip											
	3' SSL-225-UNV-EB81-U 2 LAMP, 3' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715138	7.91	1	90				•	•	★
	4' SSL-232-UNV-EB81-U 2 LAMP, 4' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715114	7.606	1	190				•	•	★

Industrial

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
F-Bay HBL											
4 Lamp											
	HBL432	(4) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083563272	17.5	1	36	•			★	
	HBL432-MP-UPL	(4) 32W T8 INSTANT START CEE LISTED HBF, 120-277V , UPLIGHT, V HANGERS PROVIDED,	080083553938	17.5	1	36	•			★	
	HBL454T5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V V-HANGERS	080083535491	17.5	1	36	•	•		★	
	HBL454T5-MP-UPL	(4) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589104	17.5	1	36	•			★	
	HBL454T5-UPL-L5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039829	17.5	1	36		•		★	Ⓢ
6 Lamp											
	HBL632	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083547760	17.5	1	36	•	•		★	
	HBL632-MP-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083549795	17.5	1	36	•			★	
	HBL632-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED	623961020759	17.5	1	36			•	★	
	HBL632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039812	17.5	1	36		•		★	Ⓢ
	HBL632-UPL-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED	080083644261	17.5	1	36	•			★	
	HBL654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH AMBIENT BALLAST, W/ 5000K LAMPS, V-HANGERS	623961039850	17.5	1	36	•	•		★	Ⓢ
	HBL654T5	(6) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, V-HANGERS	080083517718	17.5	1	36	•	•		★	
	HBL654T5-L5	(6) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , 5000K LAMPS, V HANGERS PROVIDED	080083563258	17.5	1	36	•			★	
	HBL654T5-MP-UPL	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589111	17.5	1	36	•			★	
	HBL654T5-UPL-L5	(6) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED	080083521487	17.5	1	36		•		★	
F-Bay HBI											
4 Lamp											
	HBI454HT5	(4) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083563692	17.5	1	20	•			★	
	HBI454HT5-UPL	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535378	17.5	1	20			•	★	Ⓢ
	HBI454HT5-UPL-L5	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535385	17.5	1	20		•		★	Ⓢ
6 Lamp											
	HBI632	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, V-HANGERS PROVIDED	080083535408	17.5	1	20	•			★	Ⓢ
	HBI632PS	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , V HANGERS PROVIDED	080083563005	17.5	1	20	•			★	
	HBI632-UPL	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V-HANGERS PROVIDED	080083535415	17.5	1	20			•	★	Ⓢ
	HBI632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, LAMPS, 85CRI, 5000K, V-HANGERS PROVIDED	080083534838	17.5	1	20			•	★	Ⓢ
	HBI632-UPL-L5HL	(6) 32W T8 INSTANT START CEE LISTED HBF, 120-277V , 5000K HIGH LUMEN LAMPS, UPLIGHT,V HANGERS PROVIDED	080083554966	17.5	1	20	•			★	
	HBI654HT5	(6) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083547708	17.5	1	20	•	•		★	
	HBI654HT5-UPL	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535354	17.5	1	20			•	★	Ⓢ
	HBI654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535361	21.5	1	20	•	•	•	★	Ⓢ

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
F-Bay HBLED										
12,000 Lumen										
	HBLED-LD4-12-W-UNV-L840-CD1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 4000K, 0-10V	080083721009	20.6	1	34				★
	HBLED-LD4-12-W-UNV-L840-ED1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083720989	24	1	34				★
	HBLED-LD4-12-W-UNV-L850-CD1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 5000K, 0-10V	080083721016	24	1	34				★
	HBLED-LD4-12-W-UNV-L850-ED1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083720996	24	1	34				★
18,000 Lumen										
	HBLED-LD4-18-N-UNV-L840-CD2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, 0-10V	080083720941	24	1	34				★
	HBLED-LD4-18-N-UNV-L840-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083717842	21.2	1	34				★
	HBLED-LD4-18-N-UNV-L850-CD2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, 0-10V	080083720958	24	1	34				★
	HBLED-LD4-18-N-UNV-L850-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083720910	22.6	1	34				★
	HBLED-LD4-18-W-UNV-L840-CD2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, 0-10V	080083720927	24	1	34				★
	HBLED-LD4-18-W-UNV-L840-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083719273	24	1	34				★
	HBLED-LD4-18-W-UNV-L850-CD2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, 0-10V	080083720934	24	1	34				★
	HBLED-LD4-18-W-UNV-L850-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083717859	24	1	34				★
24,000 Lumen										
	HBLED-LD4-24-N-UNV-L840-CD2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, 0-10V	080083721788	24	1	34				★
	HBLED-LD4-24-N-UNV-L840-ED2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083721764	24	1	34				★
	HBLED-LD4-24-W-UNV-L840-CD2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, 0-10V	080083721771	24	1	34				★
	HBLED-LD4-24-W-UNV-L840-ED2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083719174	24	1	34				★
	HBLED-LD4-24-N-UNV-L850-CD2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, 0-10V	080083721801	24	1	34				★
	HBLED-LD4-24-N-UNV-L850-ED2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083719167	24	1	34				★
	HBLED-LD4-24-W-UNV-L850-CD2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, 0-10V	080083721795	24	1	34				★
	HBLED-LD4-24-W-UNV-L850-ED2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083719181	24	1	34				★
30,000 Lumen										
	HBLED-LD4-30-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721818	34.8	1	34				★
	HBLED-LD4-30-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083718542	34.8	1	34				★
36,000 Lumen										
	HBLED-LD4-36-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 36,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721832	34.8	1	34				★
	HBLED-LD4-36-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 36,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721825	34.8	1	34				★
F-Bay I5										
4 Lamp										
	I5454HT5-UPL-L5	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS	623961832376	27.5	1	25				★
	I5454HT5-UPL-L5-MS	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS, MOTION SENSOR	623961832390	27.5	1	24				★
F-Bay HBE Accessory										
Accessory										
	HBE-4/6LT-FRM/LENS WDF PK	HBE DOORFRAME WITH PRISMATIC LENS	080083552559	6.15	3	60				★
	MC6	MODULAR CORD & PLUG, 6' LENGTH, USE WITH MP OPTION	623961368455	0.51	60	1620				★

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
F-Bay HBI Accessory											
Accessory											
HBI-FRM/CL PK	HBI DOORFRAME WITH CLEAR LENS	080083545865	3.307	4	96	•	•	•	•	★	
HBI-FRM/LENS PK	HBI DOORFRAME WITH PRISMATIC LENS	080083545872	3.351	4	72	•	•	•	•	★	
HBI-FRM/LENS/WG PK	HBI DOORFRAME, PRISMATIC LENS AND WIREGUARD	080083545889	7.25	4	72	•	•	•	•	★	
HBI-FRM/WG PK	WIREGUARD FOR HBI	080083545896	7.25	4	72	•	•	•	•	★	
HBI-MS-KIT PK (120V-347V)	MOTIONS SENSOR KIT FOR HBI	080083582464	0.7	4	50	•	•	•	•	★	
HBAYC-CHAIN/SET-U	(2) HOOK-STYLE V-HANGERS, 36" CHAIN & (2) S-HOOKS (HBI AND HBL ONLY)	080083575756	0.479	24	1440	•	•	•	•	★	
HB-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBI ONLY)	623961956218	1.995	1	494	•	•	•	•	★	
SWG/HBI-4FT-B	HEAVY DUTY WIREGUARD FOR HBI	080083545964	4.2	6	108	•	•	•	•	★	

F-Bay HBL Accessory

Accessory											
HBL-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBL ONLY)	623961956201	1.224	1	494	•	•	•	•	★	
MMS	MODULAR MOTION SENSOR, GREENGATE, 120 THRU 277V, AISLE (180-DEG) AND GENERAL COVERAGE (360-DEG) LENS INCLUDED	623961344213	1.53	12	585	•	•	•	•	★	
MPC6-120	MODULAR CORD & PLUG, 6FT, WITH 120V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368462	0.623	40	960	•	•	•	•	★	
MPC6-277	MODULAR CORD & PLUG, 6FT, WITH 277V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368479	0.634	40	960	•	•	•	•	★	
WG/HBL6-4FT-B	4FT WIREGUARD FOR HBL 4 OR 6 LAMP	080083521494	4.2	8	48	•	•	•	•	★	


Light Duty








IAF Series											
	IAF-232-UNV-EB81-U	2 LAMP, 4' APERTURED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519392	6.197	1	48	•	•	•	•	★
	IAF-296-UNV-EB81-U	2 LAMP, 8' APERTURED UPLIGHT, INDUSTRIAL, T12, ELECTRONIC BALLAST, UNV, FLIP-UP SOCKETS	080083519323	33.09	1	48	•	•	•	•	★
	8TIAF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL APERTURED UPLIGHT, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519453	22.4	1	48	•	•	•	•	★

ICF Series											
	ICF-232-UNV-EB81-U	2 LAMP, 4' INDUSTRIAL CLOSED TOP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519361	8.953	1	48	•	•	•	•	★
	ICF-296-UNV-EB81-U	2 LAMP, 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, 1UNV, FLIP-UP SOCKETS	080083519330	33.09	1	48	•	•	•	•	★
	8TICF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519439	22.4	1	60	•	•	•	•	★

Accessory											
	ICF-4FT-REFL-B	WHITE 4' CLOSED TOP INDUSTRIAL REFLECTOR	080083519224	5.238	4	120	•	•	•	•	★
	WG/ICF-4FT-B	4' WHITE WIRE GUARD FOR USE W/IAF & ICF SERIES ONLY	662400106623	0.774	12	288	•	•	•	•	★

Heavy Duty

2 Lamp 4'											
	DMF-232-UNV-EB81-U	2 LAMP, 4' HEAVY INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8	080083608003	4.991	1	24	•	•	•	•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA			
Vapor Tite													
VT1 Vapor Tite													
	4' VT1-154T5-PCR-UNV-EHT1-WL-U	(1) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION	080083521326	15	1	24				•	★		
VT2 Vapor Tite													
	4' VT2-248HODR-120V-EB21-WL-U	2 LAMP, 4' 48W HO VAPORTITE, HIGH IMPACT PRISMATIC LENS, ELECTRONIC T12 BALLAST, WET LOCATION	623961216091	13.05	1	30		•			★		
	VT2-254T5DR-UNV-EBT1-WL-U	2 LAMP, 4' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, ELECTRONIC BALLAST, T5HO, SUITABLE FOR WET LOCATIONS	623961168826	8.218	1	35				•	★		
	8' VT2-296DR-UNV-EB81-WL-U	2 LAMP, 8' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, SLIMLINE ELECTRONIC BALLAST, T8, SUITABLE FOR WET LOCATIONS	623961014086	22.3	1	30			•		★		
	VT2-296HODR-120V-EB21-WL-U	2 LAMP, 8' 96W HO VAPORTITE, 120V, ELECTRONIC T12 BALLAST, WET LOCATION	662401552405	23.97	1	30				•	★		
Accessory													
	VT LATCH	VAPOR-TITE LATCHES	662400106685	0.021	1000	18000					•	★	
	VT2-CHAIN/SET-U	VAPOR-TITE CHAIN MOUNTING KIT	080083565740	0.545	25	2100					•	★	
	VT2-4DR-U	4' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233237	2.047	1	40		•		•	•	★	
	VT2-8DR-U	8' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233220	15	1	30		•			•	★	
VT3 Vapor Tite													
	4' VT3-232DR-UNV-EB81-WL-GT4-U	(2) 32W T8 INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996689	4.572	1	35		•	•	•	•	•	★
	VT3-254T5DR-UNV-EHT1-WL-GT4-U	(2) 54W T5 PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996702	6.567	1	35				•	•	★	
	8' 8TVT3-232DR-UNV-EB81-WL-GT4-U	(4) 32W T8 8' TANDEM INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	080083534319	17.21	1	30		•				★	
VT4 Vapor Tite													
	4 Lamp VT4-454T5-M-DR-UNV-EHT1-WL-U	(4) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521425	20	1	24				•	★		
	6 Lamp VT4-654T5-M-DR-UNV-EHT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521432	18	1	24				•	★		
	VT4-654T5-M-DR-UNC-EBT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 347-480V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521371	27	1	24				•	★		


★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

Undercabinet

UC Series

	1 Lamp																		
	UC12T518	12" 1 LAMP T5 8 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594801	1.828	6	378													
	UC18T8115	18" 1 LAMP T8 15 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594818	1.693	6	252													
	UC21T5113	21" 1 LAMP T5 13 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594825	3.134	6	288													
	UC24T8117	24" 1 LAMP T8 17 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594849	2.973	6	168													
	UC36T8125	36" 1 LAMP T8 25 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595860	3.75	6	180													
	UC48T8132	48" 1 LAMP T8 32 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595884	4.979	6	108													
	CL-125-UNV-EB81-U	1 LAMP, 3' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401910229	4.647	1	50													

	2 Lamp																		
	UC24T528	24" 2 LAMP T5 2/8 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594832	3.4	6	384													
	UC33T51813	33" 2 LAMP T5 1/8 & 1/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594856	4.649	6	216													
	UC42T5213	42" 2 LAMP T5 2/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083595877	4.138	6	192													

Accessories

DF-14W-U	1'X4' DRY WALL FRAME KIT	662401232949	1.77	1	418															★
DF-22W-U	2'X2' DRY WALL FRAME KIT	662401232963	1.537	1	418															★
DF-24W-U	2'X4' DRY WALL FRAME KIT	662401232970	2.714	1	418															★
AYC-CHAIN/SET-U	(2) V HOOKS & 36" CHAIN SET W/S HOOKS	080083545704	0.484	24	3600															★

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Metalux Residential

Shoplight LED



SLSHP

40SLSHP3840ND-120V

40", UTILITY LED SHOPLIGHT, 3800 LUMEN, 4000K, 080083706563
ELECTRONIC DRIVER, PULL CHAIN AND 5 FT
CORD SET

4.3

2

56



CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

All-Pro Ambient

Parabolics

APP/APPV Series



3 Lamp

APP-332	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621866	23.65	1	20	● ● ● ● ● ●	★	Ⓢ
APP-332-L735	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083621910	27.36	1	18	● ● ● ● ● ●	★	Ⓢ
APP-332-L735F	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621903	27.36	1	20	● ● ● ● ● ●	★	Ⓢ
APPV-332	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621873	27.36	1	9	● ● ● ● ● ●	★	Ⓢ

Troffers

APT Series



2 Lamp

APT-232	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622009	20.5	1	28	● ● ● ● ● ●	★	Ⓢ
APT-232-L735	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083653591	21.2	1	28	● ● ● ● ● ●	★	Ⓢ
APT-232-L735F	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622078	23.38	1	28	● ● ● ● ● ●	★	Ⓢ
APP-2U6T8	2 U-LAMP, 2'X2' PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621880	13.7	1	40	● ● ● ● ● ●	★	Ⓢ
APT-2U6T8	2 LAMP, 2'X2' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM U6T8 UNV ELECTRONIC BALLAST	080083621958	3.879	1	56	● ● ● ● ● ●	★	Ⓢ



3 Lamp

APT-332	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621941	20.5	1	28	● ● ● ● ● ●	★	Ⓢ
APT-332-2EB	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622023	23.1	1	28	● ● ● ● ● ●	★	Ⓢ
APT-332-L735	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083622016	21.85	1	28	● ● ● ● ● ●	★	Ⓢ
APT-332-L735F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621996	24.28	1	28	● ● ● ● ● ●	★	Ⓢ
APT-332-L741	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083622054	21.85	1	28	● ● ● ● ● ●	★	Ⓢ
APT-332-L741F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622061	23.83	1	28	● ● ● ● ● ●	★	Ⓢ






















4 Lamp

APT-432	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621934	20.5	1	28	● ● ● ● ● ●	★	Ⓢ
APT-432-2EB	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622030	23.1	1	28	● ● ● ● ● ●	★	Ⓢ
APT-432-L735	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM UNV ELECTRONIC BALLAST, T8 W/735 LAMPS	080083621972	22.3	1	28	● ● ● ● ● ●	★	Ⓢ
APT-432-L735F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621989	24.28	1	28	● ● ● ● ● ●	★	Ⓢ
APT-432-L741	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083621965	22.3	1	28	● ● ● ● ● ●	★	Ⓢ
APT-432-L741F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622047	24.28	1	28	● ● ● ● ● ●	★	Ⓢ

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Cooper Lighting
by E.T.N.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					★	Ⓞ	
				QTY	QTY	NJ	IL	TX	CA	GA			
Wraparounds													
APW-GPW Series													
	2 Lamp												
	APW-GPW232	2 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622115	5.881	1	90	•	•	•	•	•	★	Ⓞ
	APW-GPW217	2 LAMP, 2' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622146	6.51	1	180			•			★	
	4 Lamp												
	APW-GPW432	4 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622139	7.567	1	54	•	•	•	•	•	★	Ⓞ
APW-SW Series													
	2 Lamp												
	APW-SW232	2 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622153	11.22	1	48				•	•	★	Ⓞ
	3 Lamp												
	APW-SW332	3 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622160	10.25	1	24	•					★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
Striplights												
APS-NS Series												
	2' APS-NS117	1 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622313	2.975	1	168	•	•	•	•	•	★ 
	APS-NS217	2 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622320	3.042	1	168	•	•	•	•	•	★ 
	3' APS-NS125	1 LAMP, 36" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622337	4.2	1	84	•	•	•	•	•	★ 
	4' APS-NS132	1 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622351	3.266	1	336	•	•	•	•	•	★ 
	APS-NS232	2 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622382	2.891	1	336	•	•	•	•	•	★ 
		8' APS-8NS132	2 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622368	11.4	1	126	•	•	•	•	•
APS-8NS232		4 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622399	11.4	1	126	•	•	•	•	•	★ 
APS-WS Series												
	4' APS-WS232	2 LAMP, 48" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622412	4.669	1	90	•	•	•	•	•	★ 
		8' APS-8WS232	4 LAMP, 96" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622405	11.4	1	72	•	•	•	•	•
Vapor Tite												
APHDVT Series												
	2 Lamp APHDVT-232	2 LAMP, 48" HEAVY DUTY VAPORTITE, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083623563	8.382	1	35	•	•	•	•	•	★ 



★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----


High Bay

APHL Series



	4 Lamp									
	APHL-432-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622191	17.5	1	34	•	•	•	★
	APHL-432-SW-UPL	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622207	17.5	1	34	•	•	•	★
	APHL-454-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622238	15.5	1	34	•	•	•	★
	APHL-454-SW-UPL-L850	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622245	17.5	1	34	•	•	•	★
	6 Lamp									
	APHL-632-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622214	17.5	1	34	•	•	•	★
	APHL-632-SW-UPL	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622221	17.5	1	34	•	•	•	★
	APHL-654-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622252	17.5	1	34	•	•	•	★
	APHL-654-SW-UPL-L850	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622269	17.5	1	34	•	•	•	★
	APHBI-632-SN-C9	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR, NEMA PREMIUM BALLAST, WITH CORD SET	080083691166	19	1	14				★

Low Bay

APLBA Series

	2 Lamp									
APLBA-232	2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST WITH 8 PERCENT UPLIGHT	080083622085	10.55	1	48					★

APLBC Series

	2 Lamp									
APLBC-232	2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622092	7.4	1	48	•	•			★
	4 Lamp									
AP8LBC-232	4 LAMP, 96" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622108	22.4	1	48	•	•	•	•	★

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Lumark Outdoor

Wall Mount

Crosstour MAXX LED



Full Cutoff - LED

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA			
XTOR5A	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083654970	8.896	2	60	•	•	•	•	•	Off The Shelf		
XTOR5A-N	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 3500K	080083655052	12.106	2	60					•	Off The Shelf		
XTOR5A-WT	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, SUMMIT WHITE, 5000K	080083654994	12.063	2	60					•	Off The Shelf		
XTOR5A-PC1	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655076	12.106	2	60				•	•	Off The Shelf		
XTOR9A	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083655250	7.776	2	60	•	•	•	•	•	Off The Shelf		
XTOR9A-PC1	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655359	10	2	60					•	•	Off The Shelf	
XTOR9A-PC2	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 208-277V PHOTO CONTROL	080083655373	9.85	2	60					•	★	Off The Shelf	
XTOR9A-480V	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 480V, CARBON BRONZE, 5000K	080083729562	11	1	60					•	Off The Shelf		
XTOR9A-PMA	CROSSTOUR MAXX LED 79W, POLE MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083699575	8.208	1	60					•	•	★	Off The Shelf
XTOR5A-PMA	CROSSTOUR MAXX LED 41W, POLE MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083700165	3.7	1	60					•	•	★	Off The Shelf



Refractive Lens - LED


XTOR5ARL	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655113	7.407	2	60	•	•	•	•	•	Off The Shelf	
XTOR5ARL-N	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 3500K	080083655199	10.8	2	60					•	Off The Shelf	
XTOR5ARL-PC1	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655212	6.042	2	60					•	•	Off The Shelf
XTOR5ARL-WT	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, SUMMIT WHITE, 5000K	080083655137	5.33	2	60					•	Off The Shelf	
XTOR9ARL	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655397	7.209	2	60	•	•	•	•	•	Off The Shelf	
XTOR9ARL-PC1	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655496	9.172	2	60					•	Off The Shelf	
XTOR9ARL-PMA	CROSSTOUR MAXX LED 79W, POLE MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083699582	12.082	1	60					•	★	Off The Shelf
XTOR5ARL-PMA	CROSSTOUR MAXX LED 41W, POLE MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083729661	3.7	1	60					•	Off The Shelf	

Crosstour MAXX LED Accessory

WG-XTORMX	CROSSTOUR MAXX LED WIRE GUARD	080083665334	1.938	1	60					•	•	Off The Shelf	
EWP/XTORMX	CROSSTOUR MAXX WALL PLATE, CARBON BRONZE	080083700592	10	1	120					•	•	★	Off The Shelf
EWP/XTORMX-WT	CROSSTOUR MAXX WALL PLATE, SUMMIT WHITE	080083700608	10	1	120					•	•	★	Off The Shelf






★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Crosstour - LED											
	Full Cutoff - LED										
XTOR1A	CROSSTOUR, LED, 7W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083643189	3.574	6	240	•	•	•	•	•	
XTOR1A-PC1	CROSSTOUR, LED, 7W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083643226	3.501	6	240				•	•	
XTOR2A	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592418	3.689	6	240	•	•	•	•	•	
XTOR2A-WT	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592401	4.037	6	240					•	
XTOR2A-PC1	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592395	3.625	6	240				•	•	
XTOR2A-N	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083592357	3.875	6	240	•	•	•	•	•	
XTOR3A	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592296	3.66	6	240	•	•	•	•	•	
XTOR3A-N	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083591831	4.846	6	240		•		•	•	
XTOR3A-PC1	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592272	4.522	6	240				•	•	
XTOR3A-WT	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592289	4.784	6	240					•	
Crosstour LED Accessory											
WG/XTOR	CROSSTOUR WIRE GUARD	080083607402	1.75	15	120				•	•	
EWP/XTOR	CROSSTOUR WALL PLATE, CARBON BRONZE	080083700578	4	1	117				•	•	★
EWP/XTOR-WT	CROSSTOUR WALL PLATE, SUMMIT WHITE	080083700585	4	1	117				•	•	★

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product
















Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.








CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Wal-Pak											
Refractive Lens - LED											
	WPL4A WAL-PAK 40W LED, 120-277V, DIE CAST, BRONZE, BOROSILICATE GLASS, HINGED REMOVABLE DOOR	080083557080	8.06	1	24			•	•	•	★
Refractive Lens - Pulse Start Metal Halide											
	WPP15 WAL-PAK 150W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541164	16.379	1	24	•	•	•			★
	WPP25 WAL-PAK 250W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541171	24.6	1	24	•	•	•	•		★ E
	WPP32 WAL-PAK 320W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083547005	22.8	1	24						★ E
	WPP40 WAL-PAK 400W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541195	12.169	1	24	•	•	•	•		★ E
	MPWP-GL-150-MT WAL-PAK 150W MP, GLASS DOOR, BRONZE	080083641970	22.8	1	24						★
	MPWP-GL-400-480V-LL WAL-PAK 400W MP, 480V GLASS DOOR, BRONZE W/LAMP	080083702275	32	1	27						★
Refractive Lens - High Pressure Sodium											
	WPS10 WAL-PAK 100W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541201	22.8	1	24						★
	WPS15 WAL-PAK 150W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541218	10.146	1	36						★
	WPS25 WAL-PAK 250W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541225	9.623	1	24						★
	WPS40 WAL-PAK 400W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541232	10.898	1	24						★
Full Cutoff - LED											
	WPL4AC WAL-PAK 40W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557097	7.918	1	16						★
Full Cutoff - Pulse Start Metal Halide											
	WPP15C WAL-PAK 150W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541249	22.8	1	24						★
	WPP25C WAL-PAK 250W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541256	22.8	1	24			•			★ E
Wal-Pak Accessory											
	WG/WPGL WAL-PAK BOROSILICATE GLASS DOOR WIRE GUARD	080083545674	1.679	1	63						•
	VS/WPGL WAL-PAK BOROSILICATE GLASS DOOR VANDAL SHEILD	080083547685	1.196	1	117						•
	WG/WPFC WAL-PAK FULL CUTOFF DOOR WIRE GUARD	080083545698	1.679	1	30						•
	WG/WPFL WAL-PAK FLAT LENS DOOR WIRE GUARD	080083545681	1.317	1	30						•

Floodlight

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA			
Night Falcon LED Floodlight													
	Slipfitter Mount												
	NFFLD-A25-S	NFFLD, 85W, 4000K, 120-277V, 6X6, SLIPFITTER, CBN BZ	080083721061	13.752	1	20					•		
	NFFLD-A40-S	NFFLD, 129W, 4000K, 120-277V, 6X6, SLIPFITTER, CBN BZ	080083721085	23.7	1	20					•		
	Trunnion Mount												
	NFFLD-A25-T	NFFLD, 85W, 4000K, 120-277V, 6X6, TRUNNION, CBN BZ	080083721078	26.75	1	20					•		
	NFFLD-A40-T	NFFLD, 129W, 4000K, 120-277V, 6X6, TRUNNION, CBN BZ	080083721092	13.752	1	20					•		
Crosstour Floodlight													
	Knuckle Mount												
	XTORFLD-KNC	CROSSTOUR, KNUCKLE FLOODLIGHT KIT CARBON BRONZE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619115	1.352	12	120	•	•	•	•	•		
	XTORFLD-KNC-WT	CROSSTOUR, KNUCKLE FLOODLIGHT KIT SUMMIT WHITE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619139	1.421	4	120					•		
	Trunnion Mount												
	XTORFLD-TRN	CROSSTOUR, TRUNNION FLOODLIGHT KIT CARBON BRONZE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619153	1.968	4	120	•	•	•	•	•		
	XTORFLD-TRN-WT	CROSSTOUR, TRUNNION FLOODLIGHT KIT SUMMIT WHITE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619177	2.006	4	120					•		
SF Falcon													
	Knuckle - Pulse Start Metal Halide												
	MPSF50K	SF FALCON FLOODLIGHT 50W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978036	11.8	1	64						★	
	MPSF70K	SF FALCON FLOODLIGHT 70W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978043	16	1	96			•			•	★
	MPSF10K-MT	SF FALCON FLOODLIGHT 100W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961978111	13.2	1	60			•			•	★
	MPSF15K-MT	SF FALCON FLOODLIGHT 150W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961757723	15.825	1	48			•		•	•	★ 
	Trunnion - Pulse Start Metal Halide												
	MPSF10T-MT	SF FALCON FLOODLIGHT 100W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961042898	14.6	1	72					•	★	
	MPSF15T-MT	SF FALCON FLOODLIGHT 150W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961757730	16	1	120						★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Warrior											
	Slipfitter - Pulse Start Metal Halide										
XP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961751479	13.752	1	24					★ E	
XP32	WARRIOR FLOODLIGHT 320W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961009273	36.5	1	24					★ E	
XP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961754463	15.678	1	24					★ E	
	Slipfitter - High Pressure Sodium										
XS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117476	34	1	24					★	
	Trunnion - Pulse Start Metal Halide										
WP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754487	15.088	1	24					★ E	
WP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754524	12.784	1	20					★ E	
	Trunnion - High Pressure Sodium										
WS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400117360	38	1	24					★	
Nighthawk											
	Slipfitter - Metal Halide										
MHNS1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961565205	64	1	16					★	
	Yoke - Metal Halide										
MHNKY1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP YOKE W/LAMP BRONZE	623961565328	65.17	1	12					★	
Eagle											
	Sports Lighting Metal Halide										
MHXL-T5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, INCLUDES BALLAST POD, REFLECTOR AND DOOR	662400914938		1	1	8				★	
MHXL-T5-1500-480V	EAGLE SPORTS LIGHT 1500W MH 480V CWA NEMA TYPE V, INCLUDES BALLAST POD, REFLECTOR AND DOOR	662400915607		1	1	8				★	
MHXL-5-1000-480V	EAGLE SPORTS LIGHT 1000W MH 480V NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400916970	36.8	1	45					★	
MHXL-5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120476	36.6	1	45					★	
MHXL-5-1500-480V	EAGLE SPORTS LIGHT 1500W MH 480V CWA NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400917946	41.5	1	45					★	
MHXL-5-1500-MT	EAGLE SPORTS LIGHT 1500W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120490	41.8	1	45					★	
Eagle Accessory											
S/XL	EAGLE SPORTS LIGHT SLIPFITTER ADAPTER FOR USE WITH 2 3/8" OD VERTICAL TENON	662400121220	3.889	1	60					★	
XL-SA22-T5-MH	EAGLE SPORTS LIGHT REFLECTOR ASSEMBLY NEMA TYPE V, INCLUDES DOOR	662400121558	10.5	4	16					★	

★ Indicates ARRA Eligible Product E EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
Parking/Canopy												
Quadcast - LED												
	Quadcast - LED QDCAST1A	QUADCAST LED PARKING GARAGE/CANOPY, 56W, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS, 120V-277V, 4000K, CONCRETE GREY	080083632749	6.067	1	54	•	•	•	•	OTS	
	QDCAST1A-OCC	QUADCAST LED PARKING GARAGE/CANOPY, 56W, LED W/FACTORY INSTALLED OCC SENSOR, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS, 120V-277V, 4000K, CONCRETE GREY	080083654963	6.981	4	48				•	OTS	
	Quadcast Birdguard QDPBG	QUADCAST LED PARKING GARAGE, 6" PENDANT BIRD GUARD	080083650989	1.95	1	36				•	★ OTS	
	Quadcast Occupancy Sensor QDOCC	QUADCAST LED PARKING GARAGE, ON/OFF OPERATION PHOTOCONTROL AND OCCUPANCY SENSOR	080083650996	0.13	1	480				•	★ OTS	
Canopy												
Canopy Light												
	Pulse Start Metal Halide MPCL-150-MT-LL	CANOPY LIGHT 150W MP MULTI-TAP CWA W/LAMP WHITE	080083587834	27.1	1	16				•	★	
	MPCL-320-MT	CANOPY LIGHT 320W MP MULTI-TAP CWA W/LAMP WHITE	662401381890	28.6	1	16				•	★ E	
Area / Site												
Caretaker LED Area Luminaire												
	Full-cutoff-LED CTKRV1A	CARETAKER LED AREA LUMINAIRE, 50W	080083699063	7.098	3	54	•	•	•	•	★ OTS	
	Pulse Start Metal Halide MPTR2315	TRIBUTE SITE LUMINAIRE 150W MP MULTI-TAP TYPE II & III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961009440	49	1	20	•	•	•	•	•	★ OTS
	MPTR2325	TRIBUTE SITE LUMINAIRE 250W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750960	41.7	1	20	•	•	•	•	•	★ E OTS
	MPTR2340	TRIBUTE SITE LUMINAIRE 400W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750984	40	1	20	•	•	•	•	•	★ E OTS
	MPTR4F32	TRIBUTE SITE LUMINAIRE 320W MP MULTI-TAP TYPE IV TRIBUTE W/8" ARM ROUND POLE ADAPTER LAMP BRONZE	080083528448	41.7	1	20				•	★ E	
	Tribute Accessory MA1219-BZ	WALL MOUNTING PLATE, BRONZE	623961746994	14.87	1	108					★ OTS	
Tribute Pole Fixture Combo												

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	NJ	IL	TX	CA	MS		
Pulse Start Metal Halide Single Fixture												
 PFT11523P15N/AB	TRIBUTE POLE COMBO 15' 4" SQ. STEEL POLE & 150W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2315 POLSS4APSA15M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517015		Consult	Factory	•				•	★	
PFT12523P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784675		Consult	Factory		•	•	•	•	•	ⓔ
PFT12523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517244		Consult	Factory		•	•	•	•	•	★ ⓔ
PFT12523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817236		Consult	Factory		•			•	•	★ ⓔ
PFT12523P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517176		Consult	Factory		•			•	•	★ ⓔ
PFT14023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784705		Consult	Factory		•	•		•	•	★ ⓔ
PFT14023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517459		Consult	Factory		•	•	•	•	•	★ ⓔ
PFT14023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817212		Consult	Factory		•			•	•	★ ⓔ
PFT14023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517145		Consult	Factory		•			•	•	★ ⓔ
Pulse Start Metal Halide Twin Fixture												
 PFT22523P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784699		Consult	Factory		•	•	•	•	•	★ ⓔ
PFT22523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517237		Consult	Factory		•	•	•	•	•	★ ⓔ
PFT24023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784583		Consult	Factory		•	•				★ ⓔ
PFT24023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517206		Consult	Factory		•			•	•	★ ⓔ
PFT22523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817106		Consult	Factory		•			•	•	★ ⓔ
PFT24023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP AB1 TMP1 NO ANCHOR BOLTS	080083517350		Consult	Factory		•			•	•	★ ⓔ
PFT24023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817304		Consult	Factory		•			•	•	★ ⓔ

★ Indicates ARRA Eligible Product ⓔ Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE PALLET QTY QTY NJ IL TX CA GA

Lumark Indoor

Worklight Steeler Series



Pulse Start Metal Halide																					
MPCW40-OR	400W MP MULTI-TAP UNIT PACK W/OPEN LAMP & HOOK UNIT PACK	623961013270	7.136	1	18																★ (E)

Industrial Steeler



High Bay Unit Pack - Pulse Start Metal Halide																						
MPSS40-OR	400W MP MULTI-TAP ALUMINUM REFLECTOR, OPEN RATED LAMP	623961086366	11.081	1	18																	★ (E)
MPSS40-PD-OR	400W MP MULTI-TAP HIGH-BAY 22" ACRYLIC REFRACTOR OPEN RATED W/LAMP	623961797446	30.36	1	8																	★ (E)



Pulse Start Metal Halide																						
MPSS-400-480V-OR	400W MP MULTI-TAP, 480V OPEN RATED SOCKET	662401596126	20.26	1	56																	★

Enterprise



Low Bay Unit Pack - Pulse Start Metal Halide																						
FP25-OR	250W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535859	29.2	1	8																	★ (E)
FP40-OR	400W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535880	29.75	1	12																	★ (E)

Industrial Component Ballast Pod

Steeler Series - Metal Halide																						
MHSS-1000-MT-OR	1000W MH MULTI-TAP OPEN RATED	623961126727	13.167	1	56																	★

Steeler Series - Pulse Start Metal Halide																						
MPSS-400-MT-OR	400W MP MULTI-TAP, OPEN RATED SOCKET	623961925986	5.98	1	56																	★ (E)

Optics

SA15	15" ALUMINUM HIGH-BAY REFLECTOR	662400127505	1	10	180																	★
PD22	22" ACRYLIC HIGH-BAY REFRACTOR	662400125211	3.033	1	8																	★
DB22	22" DROP ACRYLIC LENS	662400975779	2.923	5	40																	★
SA23	23" ALUMINUM HIGH-BAY REFLECTOR	662400609636	3.2	5	40																	★

Accessory

Wire Guard																						
WG15	15" WIRE GUARD	662400121381	0.896	5	280																	★

★ Indicates ARR A Eligible Product (E) Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

Worklight and Industrial Component Accessories

Accessory

FH-1	FIXTURE HOOK 2-1/2"	662400121244	0.236	10	3500				•		•	★
------	---------------------	--------------	-------	----	------	--	--	--	---	--	---	---

Indoor

Vertimark II



<i>Pulse Start Metal Halide</i>												
MPBE-5A-250H-MT-OR-LL	250W MP MULTI-TAP HPF TYPE V W/LAMP	080083580330	8.127	1	12						•	★ ⓔ

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

All Pro Outdoor Security & Worklights

Floodlight FSL2030L



LED
FSL2030L LED FLOODLIGHT, BRONZE 080083624324 0.82 2 150

FSL2030LW



LED
FSL2030LW LED FLOODLIGHT, WHITE 080083630400 0.8 2 150

MQF150W



Quartz Halogen
MQF150W 150W QUARTZ HALOGEN 120V W/LAMP WHITE 044427001929 1.081 6 378

MX1W



Quartz Halogen
MX1W TWIN 100W QUARTZ HALOGEN 120V W/LAMP WHITE 044427003282 1.36 2 300

Motion Activated HS8



Incandescent
HS8 90 DEGREE MOTION-ACTIVATED NIGHT LIGHT 044427500064 0.27 6 504

MS100PG



LED
MS100PG 110 DEGREE 100W QUARTZ HALOGEN MOTION-ACTIVATED PLUG-IN SECURITY LIGHT 044427351239 5.9 2 120

MS180



Sensor
MS180 180 DEGREE SENSOR 120V 500W MAX. BRONZE 044427006313 0.579 4 1372









MS180W



Sensor
MS180W 180 DEGREE SENSOR 120V 500W MAX. WHITE 044427006337 0.486 4 1372

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
MS185D											
 PAR MS185D	180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083602285	1.57	2	240					•	
MS185DW											
 PAR MS185DW	180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083602292	1.57	2	240					•	•
MS276RD											
 PAR MS276RD	270 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083539147	1.8	2	160					•	•
MS34W											
 PAR MS34W	110 DEGREE 300W PAR, WHITE	044427351284	1.05	6	252					•	•
MS80											
 Quartz Halogen MS80	110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BLACK	044427002360	1.5	2	200					•	
MSLED100											
 LED MSLED100	100 DEGREE LED MOTION-ACTIVATED SOLAR LIGHT, BLACK	080083517848	1.669	2	192					•	•
MSLED180W											
 LED MSLED180W	180 DEGREE LED MOTION-ACTIVATED SOLAR FLOODLIGHT, WHITE	080083565313	3.35	2	80					•	
MSS11315LES											
 LED MSS11315LES	110 DEGREE MOTION SMALL SINGLE LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624300	2.45	2	144					•	•

Worklight

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
LED110											
	LED LED110	LED PLUG-IN WORKLIGHT	080083508945	1.897	4	160				•	•
LED120											
	LED LED120	LED RECHARGEABLE WORKLIGHT	080083508952	2.073	4	160				•	•
LED125											
	MIGHT-D-LIGHT, MINI LED125	LED COMPACT FOLDING WORKLIGHT	080083585816	1.265	6	216				•	
LED125C											
	MIGHT-D-LIGHT, MINI LED125C	LED COMPACT FOLDING CAMO WORKLIGHT	080083610204	0.967	6	216				•	•
LED130C											
	MIGHT-D-LIGHT LED130C	LED RECHARGEABLE FOLDING CAMO WORKLIGHT	080083570782	2.632	2	120				•	•
PQS45											
	Quartz Halogen PQS45	500W QUARTZ HALOGEN PORTABLE WORKLIGHT	044427002605	2.398	8	128				•	•
PQS600R											
	Quartz Halogen PQS600R	600W QUARTZ HALOGEN PORTABLE WORKLIGHT	080083528752	6.94	4	48				•	•
SQS505QD											
	Quartz Halogen SQS505QD	500W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535941	8.8	2	36				•	•

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA	
				QTY	QTY						
TQS1000QD											
	Quartz Halogen TQS1000QD	1000W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535958	7.91	4	64				•	•
TQS1200QDR											
	Quartz Halogen TQS1200QDR	1200W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535965	7.378	2	24				•	•
Dusk to Dawn											
FE0650LPC											
	LED FE0650LPC	LED JELLY JAR, BRONZE	080083666928	1.5	2	200				•	•
FE13PC											
	Fluorescent FE13PC	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, BRONZE	044427450529	2.18	2	240				•	•
FE13PCW											
	Fluorescent FE13PCW	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, WHITE	044427450536	1.33	2	240				•	•
FSS1530LPCES											
	LED FSS1530LPCES	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, ENERGY STAR, BRONZE	080083630509	0.9	2	192					
Accessory											
EA24											
	Hardware EA24	24" EXTENSION ARM	044427000717	0.3	1	240				•	•
SL3120											
	Sensor SL3120	TWIST & LOCK PHOTO SENSOR	044427531204	0.2	6	576				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
PLC13W										
<i>Fluorescent</i>										
PLC13W	13W FLUORESCENT 4-PIN LAMP	044427450345	0.3	4	1152				•	•

CATALOG
NUMBER




























DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Sure-Lites







Emergency

Emergency Commercial

	LED Thermoplastic Emergency Light - LEM												
	LEM	LED EMERGENCY LIGHT, 2 HEAD	080083637263	1.212	28	504				•	•		
	LEMSD	LED EMERGENCY LIGHT, 2 HEAD, SELF DIAGNOSTICS	080083637409	1.208	28	504	•				•		
	LEMRO	LED EMERGENCY LIGHT, 2 HEAD	080083689569	0.75	6	504	•	•		•			
	LED Thermoplastic Emergency Light - LEM 2 Head Remote												
	LEM2	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY	080083637287	1.9	16	320				•	•		
	LEM2BK	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, BLACK	080083637560	2	1	48					•		
	LEM2SD	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, SELF DIAGNOSTICS	080083637423	1.992	1	48					•		
	LED Thermoplastic Emergency Light - LEM 4 Head Remote												
	LEM4	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE	080083637300	2.275	16	576				•	•		
	LEM4BK	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK	080083637584	2.275	16	480					•		
	LEM4SD	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, SELF DIAGNOSTICS	080083637447	2	1	48							
	LEM4BKSD	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK, SELF-DIAGNOSTICS	080083637706	2	1	48					•		
	LED Thermoplastic Emergency Light Remote - LEMR1												
	LEM1	LED REMOTE 1 HEAD	080083637324	0.81	36	864					•	•	
	LEM1BK	LED REMOTE 1 HEAD, BLACK	080083637607	0.81	36	864					•	•	
	LED Thermoplastic Emergency Light Remote - LEMR2												
	LEM2	LED REMOTE 2 HEAD	080083637348	0.92	36	864					•	•	
	LEM2BK	LED REMOTE 2 HEAD, BLACK	080083637621	0.92	36	864					•	•	
	LED Thermoplastic Emergency Light Remote - LEMWR1												
	LEMWR1	LED REMOTE 1 HEAD, WET LOCATION	080083637362	0.723	24	576					•	•	
	LEMWR1BK	LED REMOTE 1 HEAD, WET LOCATION. BLACK	080083637645	0.87	24	576					•	•	
	LED Thermoplastic Emergency Light Remote - LEMWR2												
	LEMWR2	LED REMOTE 2 HEAD, WET LOCATION	080083637386	0.93	24	576					•	•	
	LEMWR2BK	LED REMOTE 2 HEAD, WET LOCATION, BLACK	080083637669	0.6	1	48					•	•	
	Steel Housing - AA1												
AA1	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400107422	6.548	1	72	•					•	★	
	Steel Housing - LM1												
LM1	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400107415	3.807	6	108	•					•		






★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE	PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA
Steel Housing - XR										
 XR12206	12V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107484	12.113	1	63					★
XR12208	12V, (2) 9W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662400107491	14.967	1	63					★
XR3	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662400107439	7.775	1	63					★
XR7	6V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107453	11.8	1	72					★
Polycarbonate Housing - CC2										
 CC2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400238034	3.258	6	144					
Polycarbonate Housing - CC3, CC4, CC5										
 CC3WH	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401965793	3.447	6	48					
CC3WHSD	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE, SELF-DIAGNOSTICS	662401967902	5.292	1	108					★
CC4WH	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662401903924	4.963	1	108					
CC5WH	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662401903948	5.978	6	48					
CC5WHSQ	6V, (2) 5.4W INCANDESCENT LAMPS (SQUARE), 16W REMOTE CAPACITY, WHITE	662401919291	8	1	108					★
Polycarbonate Housing - CC7										
 CC7	12V, (2) 12W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662401162970	10.514	4	72					
CC7NCSD	12V, (2) 12W INCANDESCENT LAMPS, NICKEL CADMIUM BATTERY, 26W REMOTE CAPACITY, WHITE	623961349287	8.981	4	72					
Polycarbonate Housing - CC8										
 CC8	12V, (2) 12W INCANDESCENT LAMPS, 76W REMOTE CAPACITY, WHITE	662401162987	10.995	2	60					
Polycarbonate Housing - CU2										
 CU2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401222728	3.691	6	216					











★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
Emergency Architectural												
	Die Cast Aluminum Housing - AEL231, AEL246 AEL231 ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, SILVER	080083593835	3.142	4	144						•	
	Die Cast Aluminum Housing - AEL231BK, AEL246BK AEL246BKSD ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BLACK, SELF-DIAGNOSTICS	080083679737	5.093	4	144						•	
	Die Cast Aluminum Housing - AEL231WH, AEL246WH AEL231WH ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, WHITE	080083593897	5.106	4	144						•	
	AEL246WH ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, WHITE	080083593903	5.106	4	144						•	
	Recessed - GC15012 GC15012 STEEL, RECESSED, STEEL, (2) 9W INCANDESCENT LAMPS, WHITE	662400108252	6.275	1	12						•	★
	Recessed - P4C1 P4C1 SURFACE/RECESSED, 6V, 10W HALOGEN LAMP, WHITE COLLAR/BLACK HOUSING	662400107521	8.2	1	180						•	★
	Recessed - RLM1 and RLM2 RLM1 RECESSED, 6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400108313	4.391	1	55						•	★
	RLM2 RECESSED, 6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400108320	8.404	1	55						•	★

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Emergency Remote Heads										
	Remote Heads Thermoplastic - Universal 12T8WHU UNIVERSAL, 12V, 8W HALOGEN LAMP, WHITE	662401426003	1.337	6	216					★
	Remote Heads Thermoplastic - Weatherproof Halogen 6T6WGY WEATHERPROOF, 6V, 6W HALOGEN LAMP, GREY 6T6WWH WEATHERPROOF, 6V, 6W HALOGEN LAMP, WHITE	662400238416 662401318803	1.252 1.33	6 6	216 216					★ ★
	Remote Heads Thermoplastic - Weatherproof Doublehead Incandescent 6XW54DWWH WEATHERPROOF, DOUBLE HEAD, 6V, 5.4W INCANDESCENT LAMPS, WHITE	662401472222	1.6	6	180					★
	Remote Heads Thermoplastic - Weatherproof Incandescent 6X9WWH WEATHERPROOF, 6V, 8W INCANDESCENT LAMP, WHITE 6XW54WWH WEATHERPROOF, 6V, 5.4W INCANDESCENT LAMPS, WHITE 6X54WHU WEATHERPROOF REMOTE EMERGENCY LIGHT, 6V, 5.4W, (2) INCANDESCENT LAMP HEADS, WHITE HOUSING 6X7WWH WEATHERPROOF, 6V, 7.2W INCANDESCENT LAMP, WHITE	662401139095 662401472215 662401222926 662401195428	1.342 0.9 0.8 1.379	6 6 6 6	216 120 216 216					★ ★ ★ ★
	Remote Heads Metal - Weatherproof Incandescent, Single Head 6T12WMHWH WEATHERPROOF, 6V, 12W INCANDESCENT LAMP, WHITE, SINGLE HEAD	622696586813	1.57	6	120					★
	Thermoplastic Remote Head Incandescent Lamp - 12V 12X9WHU REMOTE EMERGENCY LIGHT, 12V, 9W, WHITE HOUSING	662401645039	0.95	6	216					★
Emergency Light										
	Thermoplastic Emergency - CC5 CC5WH266 EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 12W	662401183227	4.391	1	108					★
	Thermoplastic Emergency - CC6 CC6WH EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 9W INCANDESCENT HEADS	662401103706	8	4	108					★
	Thermoplastic Emergency - CC7 CC70 EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, NO HEADS, RUNS 12V WITH 60W	662401452569	12.65	1	72					★
	Steel Housing, Emergency Light - CEL CELBKXB RECESSED EMERGENCY LIGHT HOUSING, CONCELED EMERGENCY LIGHT	080083587520	5	1	48					★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Exit Signs

Exits Signs Commercial - Edge-lit - ECHX



Edge-lit - ECHX Recessed

ECHX6RH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, RECESSED MOUNT	080083665631	2.8	6	0	•				
ECHX7RH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, RECESSED MOUNT	080083665648	3.3	6	0	•				
ECHX1RT	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, BRUSHED ALUMINUM	080083665662	4.8	4	0	•				
ECHX1RTAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, BRUSHED ALUMINUM	080083665709	4.8	4	0	•				★
ECHX1RTALWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, WHITE	080083665846	4.8	4	0	•				
ECHX1RTAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT	080083665686	4.8	4	0	•				★
ECHX1RTARWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT, WHITE	080083665822	4.8	4	0	•				
ECHX1RTDAWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, DOUBLE ARROW, WHITE	080083665860	4.8	4	0	•				
ECHX1RTWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, WHITE	080083665808	4.8	4	0	•				
ECHX2RT	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT	080083665747	4.8	4	0	•				
ECHX2RTARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT	080083665785	4.8	4	0	•				
ECHX2RTARLWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT, WHITE	080083665921	4.8	4	0	•				
ECHX2RTDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT DOUBLE ARROW	080083665761	4.8	4	0	•				
ECHX2RTDAWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, DOUBLE ARROW, WHITE	080083665907	4.8	4	0	•				
ECHX2RTWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, WHITE	080083665884	4.8	4	0	•				



Edge-lit - ECHX Surface

ECHX6SHA	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, BRUSHED ALUMINUM	080083665938	2.5	6	0	•				
ECHX6SHWH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, WHITE	080083665952	2.5	6	0	•				
ECHX7SHA	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, BRUSHED ALUMINUM	080083665945	3	6	24	•				
ECHX7SHWH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, WHITE	080083665969	3	6	0	•				
ECHX1ST	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, NO ARROW	080083665976	2	6	48	•				
ECHX1STAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW LEFT	080083665990	2	6	40	•				
ECHX1STAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW RIGHT	080083665983	2	6	48	•				
ECHX1STDA	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, DOUBLE ARROW	080083666003	2	6	0	•				
ECHX2ST	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM	080083666010	2	6	0	•				
ECHX2STARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, ARROW RIGHT/ARROW LEFT	080083666034	2	6	0	•				
ECHX2STDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, DOUBLE ARROW	080083666027	2	6	0	•				

Exit Signs Commercial - Edge-lit - EUR Recessed



Edge-lit - EUR Recessed

EUR60R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725617	9.099	4	64					•
EUR70R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725594	8.871	4	64					•
EUR70G	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072742	5.905	4	64					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Exit Signs Commercial - Edge-lit - EUS Surface





Edge-lit - EUS Surface

EUS60R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725587	6.081	1	27					•
EUS70R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725556	5.619	4	256					•
EUS60G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, AC ONLY	623960072681	6.146	4	176					•
EUS70G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072728	4.75	4	120				•	•

Exit Signs Commercial - Steel Housing - CHX




Steel Housing - CHX

CHX61	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083574629	11.3	1	60	•				★	
CHX71	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083567614	11.3	1	90	•				★	
CHX61-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH STAIR LENS	080083592777	11.3	1	54	•				★	
CHX61AL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT	080083574766	11.3	1	54	•				★	
CHX61AL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT AND STAIR LENS	080083708178	11.3	1	54	•				★	
CHX61AR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT	080083574650	11.3	1	54	•				★	
CHX61AR-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT AND STAIR LENS	080083708161	11.3	1	54	•				★	
CHX61DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH DOUBLE ARROW LENS	080083576715	11.3	1	54	•				★	
CHX62	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, DOUBLE SIDED	080083574636	11.3	1	54	•				★	
CHX62-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, DOUBLE SIDED WITH STAIR LENS	080083708185	11.3	1	54	•				★	
CHX62ARL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT	080083574643	11.3	1	54	•				★	
CHX62ARL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT WITH STAIR LENS	080083576722	11.3	1	54	•				★	
CHX62DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE ARROW	080083576739	11.3	1	54	•				★	
CHX71-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, SINGLE SIDED WITH STAIR LENS	080083576678	11.3	1	54	•				★	
CHX71AL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW LEFT	080083576647	11.3	1	54	•				★	
CHX71AL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW LEFT WITH STAIR LENS	080083708208	11.3	1	54	•				★	
CHX71ALDH	CHICAGO, COMBO, EXIT SIGN, WHITE LED, SINGLE SIDED, ARROW LEFT	080083708215	11.3	1	54	•				★	
CHX72DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, DOUBLE ARROW	080083576708	11.3	1	54	•				★	
CHX71AR	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW RIGHT	080083576654	11.3	1	54	•				★	
CHX71AR-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW RIGHT WITH STAIR LENS	080083708192	11.3	1	54	•				★	
CHX72ARL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, DOUBLE SIDED, ARROW RIGHT OR LEFT, WITH STAIR LENS	080083651573	11.3	1	54	•				★	
CHX71DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, DOUBLE ARROW	080083576661	11.3	1	54	•				★	
CHX72	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED	080083576685	11.3	1	54	•				★	
CHX72ARL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, ARROW LEFT	080083576692	11.3	1	54	•				★	

Exit and Emergency Commercial - Steel Combo - CHX Combo

Steel Combo - CHX Combo


CHX71DH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE FACE	080083623365	11.3	1	60	•				★	
CHX70DH	CHICAGO, COMBO, EXIT SIGN, WHITE LED, NO LENS	080083623372	11.3	2	45	•				★	
CHX72ARLDH	CHICAGO, COMBO, EXIT AND EMERGENCY, DOUBLE SIDED, ARROW RIGHT OR LEFT	080083650132	11.3	1	54	•				★	
CHX71ARDH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE SIDED, ARROW RIGHT	080083660704	11.3	1	54	•				★	

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Exit Signs Commercial - Steel Housing - ELE										
Steel Housing - ELE										
ELE770	POWER TRAY, ELX EDGE-LIT COMPATIBLE	662401278466	2.655	1	216					★


Exit Signs Commercial - Steel Housing - SLX										
--	--	--	--	--	--	--	--	--	--	--

Steel Housing - SLX										
	SLX6	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083534227	4.188	6	270				•
	SLX7	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534234	5.295	6	144		•		•


Exit Signs Commercial - Steel Housing - SLX Self Diagnostic										
--	--	--	--	--	--	--	--	--	--	--

Steel Housing - SLX Self Diagnostic										
	SLX7SD	SELF-POWERED, EXIT SIGN, STEEL HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083534241	6	6	180				•

Exit and Emergency Commercial - Steel Combo - UN1SR Combo										
--	--	--	--	--	--	--	--	--	--	--

Steel Combo - UN1SR Combo										
	UNH1SRWDH	COMBO UNIT, INCANDESCENT-EXIT, (2) 9W INCANDESCENT LAMPS-EMERGENCY, WHITE, UNIVERSAL FACE, RED LETTERS	662400107798	12.142	1	36		•		•


Exit Signs Commercial - Polycarbonate Housing - LPX										
--	--	--	--	--	--	--	--	--	--	--

Polycarbonate Housing - LPX										
	LPX6	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083532742	1.84	6	144	•	•		•
	LPX6-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, AC ONLY	080083552078	3	6	180				•
	LPX7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532773	3.169	6	144	•	•	•	•
	LPX7BK	LED, BLACK HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532780	3.041	6	144				•
	LPX7-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, SELF-POWERED	080083552061	3	6	270				•
	LPX7SD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083532797	3.14	6	180	•	•		•

Exit Signs Commercial - Thermoplastic Housing - LPX Self Diagnostic										
--	--	--	--	--	--	--	--	--	--	--







Thermoplastic Housing - LPX Self Diagnostic										
	LPX7BKSD	SELF-POWERED, EXIT SIGN, THERMOPLASTIC BLACK HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083532803	3.133	6	180				•

Exit and Emergency Commercial - Polycarbonate Combo - LPX Combo										
--	--	--	--	--	--	--	--	--	--	--

Polycarbonate Combo - LPX Combo										
	LPX7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY	080083605057	8.242	4	80		•	•	•
	LPX7DHNC	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604944	7.8	4	80				•
	LPX7DHNCSD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY, SELF-DIAGNOSTIC	080083604968	8.209	4	80				•


★ Indicates ARRA Eligible Product EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
Exit Signs Commercial - Polycarbonate Housing - LPXH												
	Polycarbonate Housing - LPXH LPXH7 LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, HIGH POWER UNIT	080083605095	7.583	4	120					•		
Exit and Emergency Commercial - Polycarbonate Combo - LPXH Combo												
	Polycarbonate Combo - LPXH Combo LPXH7DH LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY	080083604982	6.605	4	72	•	•			•		
	LPXH7DHNC LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604869	7.8	4	80					•		
Exit Signs Commercial												
	Aluminum Trim Kit TC71R TRIM KIT, ELX EDGE-LIT COMPATIBLE	662401278459	6.5	1	40					•	★	
Exit Signs Architectural												
	Die Cast Aluminum Housing - CX CX61 LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534043	1.485	6	180		•			•		
	CX61WH LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534067	4.942	6	180		•			•		
	CX62 LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534050	3.728	6	180					•		
	CX62WH LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534074	3.774	6	180					•		
	CX71 LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534104	3.806	6	144					•		
	CX71SD LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534166	4.948	6	180		•	•	•	•		
	CX71WH LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534128	3.991	6	144					•		
	CX71WHSD LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534180	5.002	6	180					•		
	CX72SD LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534173	4.685	6	180		•			•		
	CX72WHSD LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534197	6	6	180					•		
Edge-lit - ESH71												
	ESH71 RECESSED HOUSING - ES EXIT SIGN	080083502332	3.4	1	210					•	★	
Edge-lit - UHLED												
	UHLED RECESSED HOUSING ELX EXIT SIGN (LED)	662401278473	2.079	1	210					•	•	★

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Photoluminescent - PHL										
 PHL1GBA	PHOTOLUMINESCENT, BRUSHED ALUMINUM HOUSING/FACE, SINGLE FACE, GREEN LETTERS	623961142697	1.489	20	480					•

Industrial / Hazardous
Industrial Emergency



UEL										
 UEL1BKSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, BLACK, SELF DIAGNOSTICS	080083508396	8.504	1	144					•
UEL1SD	NEMA 4X, DIE CAST HOUSING, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, SILVER, SELF DIAGNOSTICS	080083508402	9.865	4	72	•	•	•	•	•
UEL1WHSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, WHITE, SELF DIAGNOSTICS	080083508426	11.463	4	96					•

Industrial Exit Signs

UX										
 UX61G	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, AC ONLY	662400687849	9.943	4	144					•
UX61R	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	662400687832	10.8	4	144					•
UX61RWH	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	622696170173	0.999	4	48					•
UX71GWHSD	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170210	8.395	4	144					•
UX71RBKSD	NEMA 4X, LED, DIE CAST ALUMINUM, BLACK HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170227	11.083	4	144					•
UX71RSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662400687856	11.142	4	120					•
UX71RWHSD	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696167531	8.21	4	144					•
UX71GSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662401000838	4.496	4	144					•
UXUK	CONVERSION KIT - UX EXIT (SILVER) SINGLE TO DOUBLE FACE	662400687870	2.4	1	216					•
UXUKWH	CONVERSION KIT - UX EXIT (WHITE) SINGLE TO DOUBLE FACE	622696170241	1.768	1	144					•

Retrofit





Fluorescent Emergency Battery Pack

FBP										
 FBP3500	ONE/TWO LAMPS, 1450-3500 LUMENS	662401531325	5.699	2	96					•
EBP										
 EBP450X	FLUORESCENT BATTERY PACK, 450 LUMEN	080083561650	1.665	12	768	•	•	•	•	★
EBP700X	FLUORESCENT BATTERY PACK, 700 LUMEN	080083564262	2.021	12	336	•	•	•	•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA





Accessories

Accessories

	FRK1 FRK1	FULLY RECESSING KIT - P4C/R4C	662400109389	5	1	54						•	★
	Laser LASER	RED LASER POINTER (USED TO ACTIVATE REMOTE TESTING FIXTURES)	662401215256	0.185	12	288						•	★
	Vandal Guard - VS1 VS1	POLYCARBONATE VANDAL SHIELD	662401459674	4.5	1	24						•	★
	Wireguard - WG WG1	WIREGUARD (18"X15"X6")	662400109419	2.474	1	80						•	★
	WG10	WIREGUARD (13 3/4"X13 3/8"X4 3/8")	662400109426	2.438	1	84						•	★

Chicago Code

Chicago Code Emergency

	Steel Housing - GC15072 GC15072	RECESSED, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400108276	7.388	1	18		•				•	★
	Steel Housing - ST1 ST1	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107583	8.4	1	126		•					★
	Steel Housing - XR6C XR6C	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107507	10	4	108		•				•	Ⓞ
	Steel Housing - XR9C XR9C	STEEL, 6V, (2) 12W HALOGEN LAMPS, 30W REMOTE CAPACITY, WHITE	662400107514	15	4	48		•					Ⓞ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
Replacement part											
Replacement part											
<i>Transformer</i>											
004213SP	REPLACEMENT PART, TRANSFORMER	662400111160	0.3	10	360		•				★
004214SP	REPLACEMENT PART, TRANSFORMER TESTING	662400111177	1.45	10	600		•				★
004215SP	REPLACEMENT PART, TRANSFORMER	662400111184	0.2	10	1200		•				★
004216SP	REPLACEMENT PART, TRANSFORMER	662401182107	0.3	10	480		•				★
004260SP	REPLACEMENT PART, TRANSFORMER	662400111207	1.3	10	840		•				★
004261SP	REPLACEMENT PART, TRANSFORMER	662400112389	1.35	10	840		•				★
004262SP	REPLACEMENT PART, TRANSFORMER	662400112396	1.34	10	840		•				★
004321SP	REPLACEMENT PART, TRANSFORMER	662401812639	1.4	10	720		•				★
<i>Replacement part</i>											
026117SP	REPLACEMENT PART, BATTERY	662400109273	1.705	1	500					•	★
02650SP	REPLACEMENT PART, BATTERY	662400109259	3.361	1	480					•	★

All-Pro Emergency LED Exit and Emergency Exit Signs Commercial



Thermoplastic Housing - APXEL

Model	Description	UPC Code	Weight	Case Qty	Pallet Qty	NJ	IL	TX	CA	GA
APXEL61G	EXIT SIGN EDGE LIT, 1F, GREEN, AC ONLY	080083635481	4.1	6	108				•	
APXEL61R	EXIT SIGN EDGE LIT, 1F, RED, AC ONLY	080083635245	4.1	6	108				•	
APXEL62G	EXIT SIGN EDGE LIT, 2F, GREEN, AC ONLY	080083635566	4.03	6	108				•	
APXEL62R	EXIT SIGN EDGE LIT, 2F, RED, AC ONLY	080083635528	4	6	108				•	
APXEL71G	EXIT SIGN EDGE LIT, 1F, GREEN, BATTERY	080083635504	4.2	6	108				•	•
APXEL71R	EXIT SIGN EDGE LIT, 1F, RED, BATTERY	080083635467	3.966	6	108				•	•
APXEL72G	EXIT SIGN EDGE LIT, 2F, GREEN, BATTERY	080083635580	3.128	6	108				•	•
APXEL72R	EXIT SIGN EDGE LIT, 2F, RED, BATTERY	080083635542	4.14	6	108				•	•



Thermoplastic Combos - Double Head - APC

APC7G	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567164	0.68	8	216				•	•	Ⓢ
APC7R	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083566556	0.68	8	192	•	•	•	•	•	Ⓢ



Thermoplastic Combos - Double Head - APCH

APCH7G	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567188	2.817	8	288				•	•	
APCH7R	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083567171	2.721	8	256	•	•	•	•	•	Ⓢ



Thermoplastic Housing - APX6 and APX7

APX6G	AC ONLY, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566525	1.954	6	216				•	•	Ⓢ
APX6R	AC ONLY, WHITE HOUSING, LED EXIT, RED LETTERS	080083566518	1.835	6	216	•			•	•	Ⓢ
APX7G	SELF POWERED, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566549	0.56	6	216				•	•	Ⓢ
APX7R	SELF POWERED, WHITE HOUSING, LED EXIT, RED LETTERS	080083566532	0.54	6	270	•	•	•	•	•	Ⓢ

Emergency Commercial



Thermoplastic Housing - APEL

APEL	3.6V, (2) .78W LED EMERGENCY LIGHT HEAD, EQUIVALENT TO (2) 5.4W INCANDESCENT LAMPS	080083566501	0.95	8	512	•	•	•	•	•	Ⓢ
------	--	--------------	------	---	-----	---	---	---	---	---	---




Thermoplastic Housing - APR


APR1	LED REMOTE, SINGLE HEAD	080083567195	0.17	8	192				•		
------	-------------------------	--------------	------	---	-----	--	--	--	---	--	--



Thermoplastic Housing - APWR

APWR1	REMOTE, SINGLE HEAD, WET LISTED	080083608560	0.378	30	1080				•	•	Ⓢ
APWR2	REMOTE, DOUBLE HEAD, WET LISTED	080083608584	0.499	30	720				•	•	Ⓢ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET													
				QTY	QTY	NJ	IL	TX	CA	GA							
Exit and Emergency																	
Exit Signs Commercial																	
<i>Thermoplastic Combos - Double Head Square</i>																	
	AP70RWHDSQ			080083555871	4.686	6	72									•	
	APH70RWHDSQ			080083555888	6.211	6	72										

Emergency Commercial																	
<i>Thermoplastic Housing - AP2SQ</i>																	
	AP2SQ			662401000753	3.634	6	144	•	•	•	•	•					

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Atlite Emergency/Exit

Exit and Emergency Emergency Commercial



Steel Housing - LED

10REL72-LED82	NY LED EMERGENCY LIGHT, 2 HEADS, 6 REMOTES	080083574346	3.5	6	192															ⓔ	
10REL72-LED83	NY LED EMERGENCY LIGHT, 3 HEADS, 5 REMOTES	080083574339	3.5	6	192																ⓔ



Steel Housing - Incandescent

12ACNY3-3	NY INC EMERGENCY LIGHT, 3 HEADS, 12 V, 36 W, WHITE	080083718009	11	1	1																★ ⓔ
12REL50-3	NY INC EMERGENCY LIGHT, 3 HEADS, 12 V, 50 W, WHITE	080083634613	16.2	1	144																ⓔ
6ACNY1	NY INC EMERGENCY LIGHT, 2 HEADS, 6 V, 27 W, WHITE	080083718016	9.46	1	1																★ ⓔ
6BCNY1	NY 6V, 12 W PER HEAD, 2 HEAD, EMERGENCY LIGHT	781490132463	9.46	1	1																★ ⓔ
6REL18	NY INC EMERGENCY LIGHT, 2 HEADS, 6 V, 18 W, WHITE	080083634590	16.2	1	144																ⓔ
6REL27	NY INC EMERGENCY LIGHT, 2 HEADS, 6 V, 27 W, WHITE	080083634606	16.2	1	144																ⓔ
6RG10	NY STEEL RECESSED EMERGENCY LIGHT, 6 V	662401633043	8.1	1	60																★ ⓔ
CB6	NY 6V, 12 W PER HEAD, 2 HEAD, EMERGENCY LIGHT	080083718146	6.5	1	1																★



Polycarbonate Housing - Incandescent

PC1-10	POLYCARBONATE, 6V, (2) 5.4W LAMPS, EMERGENCY LIGHT, WHITE	623961985751	3.7	6	270	•															
PC2-10WH	POLYCARBONATE, 6V, (2) 5.4W LAMPS, EMERGENCY LIGHT, WHITE	662401382071	5.5	6	108																★

Exit Signs Architectural











Universal Edge Lit - AUX

AUXA	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER	080083703265	8.5	1	50																ⓔ
AUXA18	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER, 1 FACE	080083718023	8.5	1	50																ⓔ
AUXA6	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER, 6 INCH LENS	080083718030	8.5	1	50																ⓔ
AUXABK	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK	080083703289	8.5	4	50																ⓔ
AUXABK18	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK, 1 FACE	080083718047	8.5	4	50																ⓔ
AUXABK6	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK, 6 INCH LENS	080083718054	8.5	4	50																ⓔ
AUXAWH	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE	080083703272	8.5	1	50																ⓔ
AUXAWH18	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE, 1 FACE	080083718061	8.5	1	50																ⓔ
AUXAWH6	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE, 6 INCH LENS	080083718078	8.5	1	50																
AUXSBKSD18	NY UNIVERSAL EDGE LIT, SELF POWERED, BLACK, SD, 1 FACE	080083718085	9.4	1	50																
AUXSBKSD6	NY UNIVERSAL EDGE LIT, SELF POWERED, BLACK, SD, 6 INCH LENS	080083718092	9.4	1	50																
AUXSSD	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD	080083703296	18.66	1	50																
AUXSSD18	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD, 1 FACE	080083718108	18.66	1	50																
AUXSSD6	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD, 6 INCH LENS	080083718115	18.66	1	50																
AUXSWHSD	NY UNIVERSAL EDGE LIT, SELF POWERED, WHITE, SD	080083703302	9.6	1	50																
AUXSWHSD18	NY UNIVERSAL EDGE LIT, SELF POWERED, WHITE, SD, 1 FACE	080083718122	9.4	1	50																
AUXSWHSD6	NY UNIVERSAL EDGE LIT, SELF POWERED, WHITE, SD, 6 INCH LENS	080083718139	9.4	1	50																

★ Indicates ARRA Eligible Product ⓔ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Exit Signs Commercial										
	Edge Lit Recessed REURN28R	NY RECESSED EDGE LIT EXIT, SELF POWERED, 2 FACE	080083634637	16.2	1	2				
	Edge Lit Surface REUSN18R	NY SURFACE EDGE LIT EXIT, SELF POWERED, 1 FACE	080083696987	16.2	1	0				
	REUSN28R	NY SURFACE EDGE LIT EXIT, SELF POWERED, 2 FACE	080083718177	16.2	1	0				
	Steel Housing - LED RXSN8RU	NY LED EXIT, STEEL, SELF POWERED, UNIVERSAL FACE	080083634576	16.2	1	144				
	Polycarbonate Housing - LED PAL-RU	NY LED EXIT, POLYCARBONATE, AC ONLY, UNIVERSAL FACE	781490132036	3.48	1	1080				
Combo Exit Signs Commercial										
	Steel Housing - LED RCS283LED	NY LED COMBO, 2 FACE, 3 HEADS, WHITE	080083574292	3.5	6	192				
	Steel Housing - Incandescent PC3-RU	COMBO UNIT, WHITE HOUSING, LED-EXIT, 5.4W LAMPS-EMERGENCY, UNIVERSAL FACE, RED LETTERS	662400775843	7.01	6	144	•			
	PC4-RU	COMBO UNIT, WHITE HOUSING, LED-EXIT, 5.4W LAMPS-EMERGENCY, UNIVERSAL FACE, RED LETTERS	623961568978	9.4	1	1	•			★
	RCS8R-3	NY INC COMBO, 1 FACE, 3 HEADS, WHITE	080083634583	16.2	1	144				
	Polycarbonate Housing - LED PNL-RU	LED, WHITE HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	662401740093	3.5	6	192	•			
Remote Emergency Commercial										
	Polycarbonate - LED RFLED401	POLYCARBONATE, LED 9.6 V REMOTE, 1 HEAD, WHITE	080083574285	3.5	6	192				
	RFLED402	POLYCARBONATE, LED 9.6 V REMOTE, 2 HEAD, WHITE	080083574278	3.5	6	192				

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Portfolio

LED Recessed



4" Downlight

LD4A13D010TE	4" LED HOUSING, 1300 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678372	2.858	1	54	•	•	•	•	★
LD4A09D010TE	4" LED HOUSING, 900 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678389	2.495	1	54	•	•	•	•	★
LD4A09DL3	4" LED HOUSING, 900 LUMENS, LUTRON DRIVER	080083722563	4.25	1	54					•
LD4A13D010TR	4" LED HOUSING, 1300 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722556	4.25	1	54					•
LD4A18D010TE	4" LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678365	4.244	1	54					•
LD4A18D010TR	4" LED HOUSING, 1300 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722549	4.25	6	54					•
LD4ACP18D010TE	4" LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722518	4.25	1	54	•	•	•	•	
LDSQ4A09D010TE	4" SQUARE LED HOUSING, 900 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722419	4.25	1	54					•
LDSQ4A18D010TE	4" SQUARE LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722402	4.25	1	54					
ERM4A13840	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 4000K	080083678709	1.367	6	480					•

4" Power Modules

ERM4A09835	LED MODULE 4" MEDIUM 900 LUMEN 80CRI 3500K	080083678716	1.2	6	504					•
ERM4A13835	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 3500K	080083678723	1.246	6	480	•				•
ERM4A09935	LED MODULE 4" MEDIUM 900 LUMEN 90CRI 3500K	080083678198	1.2	6	504					•
ERM4A13935	LED MODULE 4" MEDIUM 1300 LUMEN 90CRI 3500K	080083678150	1.2	6	504					•
LD4A28DE010	4" LED HOUSING, 2800 LUMENS, 0-10V 1% DIMMING DRIVER	080083722532	4.25	1	54					•
ERM4A13830	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 3000K	080083678747	1.396	6	480					•
ERW4A09830	LED MODULE 4" WIDE 900 LUMEN 80CRI 3000K	080083678594	1.25	6	504					•
ERW4A09840	LED MODULE 4" WIDE 900 LUMEN 80CRI 4000K	080083678556	1.2	6	480					•
ERW4A13840	LED MODULE 4" WIDE 1300 LUMEN 80CRI 4000K	080083678563	1.2	6	480					•
ERW4A13935	LED MODULE 4" WIDE 1300 LUMEN 90CRI 3500K	080083678044	1.2	6	480					•
ERW4A18835	LED MODULE 4" WIDE 1800 LUMEN 80CRI 3500K	080083678259	1.9	6	360					•
ERW4A18840	LED MODULE 4" WIDE 1800 LUMEN 80CRI 4000K	080083729838	1.95	6	360					•

4" Square Downlight

ESQ4A09835	LED MODULE 4" SQUARE, 900 LUMEN, 80CRI, 3500K	080083678419	1.25	6	504					•
ESQ4A13830	LED MODULE 4" SQUARE, 900 LUMEN, 80CRI, 3000K	080083729791	1.2	6	480					•
ESQ4A13835	LED MODULE 4" SQUARE, 900 LUMEN, 80CRI, 3500K	080083678426	1.25	6	480					•

4" Square Trim

4LSQ0LI	4" SQUARE LED REFLECTOR, POLYMER TRIM RING, SPECULAR FINISH	080083606696	1.249	1	96					•
4LSQ0H	4" SQUARE LED REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083606702	0.85	1	96					•
4LSQ1GPH	4" LED SQUARE REFLECTOR, SELF FLANGED, GRAPHITE HAZE FINISH	080083721528	0.85	1	96					•
4LSQ1H	4" LED SQUARE REFLECTOR, SELF FLANGED, HAZE FINISH	080083721535	0.85	1	96					•
4LSQ1HWF	4" LED SQUARE REFLECTOR, SELF FLANGED PINTED WHITE, HAZE FINISH	080083722792	2	1	96					•
4LSQ1LIWF	4" LED SQUARE REFLECTOR, SELF FLANGED PINTED WHITE, SPECULAR CLEAR FINISH	080083619214	0.85	1	96					•
4LSQLWW0H	4" SQUARE LED LENSED WALL WASH, POLYMER TRIM RING, HAZE FINISH	080083722808	1.988	1	96					•
4LSQLWW1LIWF	4" SQUARE LED LENSED WALL WASH, SELF FLANGED PINTED WHITE, SPECULAR CLEAR FINISH	080083706938	0.85	1	96					•
LDSQ4A13D010TE	4" SQUARE LED HOUSING, 1300 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678297	5.55	1	36					•

★ Indicates ARRA Eligible Product Ⓢ Indicates EISA Compliant Pulse Start Products Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
4" Trims										
4LM11LI	4" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599295	1.025	1	180					★
4LM1H	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083599288	0.307	1	180					★
4LM1LI	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599271	0.473	1	180					★
4LSQ1LI	4" LED SQUARE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083602551	0.85	1	96					
4LW0LI	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599318	0.561	1	216					★
4LW11LI	4" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630042	0.763	1	100					★
4LW0H	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599073	0.203	1	150					★
4LW1H	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083630059	0.668	1	180					★
4LW1LI	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630066	0.852	1	180					★
4LM0LI	4" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083721504	0.75	1	150					★
4LM1HWF	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083618880	0.8	1	216		•			★
4LM1LIWF	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083616091	0.8	1	180		•			★
4LN1WMH	4" LED NARROW BEAM REFLECTOR, SELF FLANGED, WARM HAZE FINISH	080083729876	1	1	1					★
4LW0WMH	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, WARM HAZE FINISH	080083722884	1	1	1					
4LW1WWF	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, PAINTED WHITE WHITE PAINT FINISH	080083722860	1	1	1					★
4LW1HWF	4" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722877	1	1	180					★
4LW110H	4" LED WIDE WALL WASH REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083722891	1	1	180					★
4LM0H	4" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083729869	1	1	1		•			★

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
6" Downlight										
LD6A15D010TE	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678341	3.148	1	45		•	•	•	★
LD67ART15D010TE	6" RETROFIT LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722365	3.25	4	480					•
LD67ART20D010TE	6" RETROFIT LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722259	3.25	4	480					•
LD6A10D010TE	6" LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678358	2.997	1	54		•		•	•
LD6A10D010TEEMBOD	6" LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER WITH EMERGENCY BACKUP	080083722501	4.25	1	20					•
LD6A10DL3	6" LED HOUSING, 1000 LUMENS, LUTRON DRIVER	080083722495	4.25	1	54					•
LD6A15D010TEEMBOD	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER WITH EMERGENCY BACKUP	080083678334	4.495	1	20		•			•
LD6A15D010TR	6" LED HOUSING, 1500 LUMENS, 0-10V DIMMING, LEADING EDGE OR 0-10V DRIVER	080083722488	4.25	1	54					•
LD6A15DL3	6" LED HOUSING, 1500 LUMENS, LUTRON DRIVER	080083678327	2.844	1	54					•
LD6A20D010TE	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678310	4.346	1	54		•	•	•	•
LD6A20D010TEEMBOD	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, EMERGENCY BACKUP	080083722471	4.25	1	20					•
LD6A20D010TEIEMBOD	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, INTEGRAL EMERGENCY BACKUP	080083722464	4.25	1	20					•
LD6A20D010TR	6" LED HOUSING, 2000 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722457	4.25	1	54					•
LD6A20DL3	6" LED HOUSING, 2000 LUMENS, LUTRON DRIVER	080083678303	19	1	54					•
LD6A30D010TE	6" LED HOUSING, 3000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722440	4.25	1	54					•
LD6A30DE010	6" LED HOUSING, 3000 LUMENS, 0-10V 1% DIMMING DRIVER	080083722631	4.954	1	54					•
LD6ACP15D010TE	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722433	4.25	1	54					•
LD6ACP20D010TE	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722426	4.25	1	54					•
LD6AR15D010TE	6" REMODEL LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722655	3.1	4	480					•
LD6AR20D010TE	6" REMODEL LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722648	3.1	4	480					•
LD6ART15D010TE	6" RETROFIT LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722389	3.25	4	480					•
LD6ART20D010TE	6" RETROFIT LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722372	3.25	4	480					•



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
6" Power Modules										
ERM6A15835	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 3500K	080083678655	1.28	6	480		•		•	•
ERN6A10840	LED MODULE 6" NARROW 1000 LUMEN 80CRI 4000K	080083722587	1.25	6	480					•
ERM6A10840	LED MODULE 6" MEDIUM 1000 LUMEN 80CRI 4000K	080083678617	6	6	480					•
ERM6A10935	LED MODULE 6" MEDIUM 1000 LUMEN 90CRI 3500K	080083678129	1.2	6	504					• ★
ERM6A15830	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 3000K	080083678686	1.342	6	480				•	•
ERM6A15840	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 4000K	080083678624	1.176	6	480					•
ERM6A20830	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 3000K	080083678662	1.519	6	360					•
ERM6A20840	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 4000K	080083729814	1.85	6	360					•
ERM6A20935	LED MODULE 6" MEDIUM 2000 LUMEN 90CRI 3500K	080083678068	1.85	6	360					•
ERM6A30830	LED MODULE 6" MEDIUM 3000 LUMEN 80CRI 3000K	080083729852	1.85	6	360					•
ERM6A30835	LED MODULE 6" MEDIUM 3000 LUMEN 80CRI 3500K	080083729807	2.144	6	360					•
ERW6A10835	LED MODULE 6" WIDE 1000 LUMEN 80CRI 3500K	080083678488	1.351	6	324					•
ERW6A10840	LED MODULE 6" WIDE 1000 LUMEN 80CRI 4000K	080083678457	1.93	6	270					•
ERW6A15827	LED MODULE 6" WIDE 1500 LUMEN 80CRI 2700K	080083678549	6	6	324					• ★
ERW6A15830	LED MODULE 6" WIDE 1500 LUMEN 80CRI 3000K	080083678525	1.487	6	270					•
ERW6A15835	LED MODULE 6" WIDE 1500 LUMEN 80CRI 3500K	080083678495	1.352	6	270					•
ERW6A15840	LED MODULE 6" WIDE 1500 LUMEN 80CRI 4000K	080083678464	1.865	6	270					•
ERW6A20835	LED MODULE 6" WIDE 2000 LUMEN 80CRI 3500K	080083678471	6	6	180					• ★
ERW6A20840	LED MODULE 6" WIDE 2000 LUMEN 80CRI 4000K	080083729821	2.25	6	180					•
ERW6A30840	LED MODULE 6" WIDE 3000 LUMEN 80CRI 4000K	080083729845	2.25	6	180					• ★
6" Square Downlight										
LDSQ6A10D010TE	6" SQUARE LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722396	4.25	1	54					• ★
LDSQ6A15D010TE	6" SQUARE LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678280	19	1	54		•			• ★
ESQ6A10835	LED MODULE 6" SQUARE, 1000 LUMEN, 80CRI, 3500K	080083678396	3.166	6	324					• ★
6" Square										
6LSQ0LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083606719	0.85	1	96					•
6LSQ0H	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083606726	0.85	1	96					
6LSQ1LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083635405	0.742	1	96					•



★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
6" Trims										
6LM0H	6" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083722242	0.9	1	150					★
6LM0LI	6" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083706860	0.863	1	150					
6LM1ELI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, FOR IEM	080083722228	3	1	1					★
6LM1H	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083598953	0.77	1	180					★
6LM1HWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722822	1	1	180					★
6LM1LI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083598946	0.447	1	180					★
6LM1LIWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722815	1.039	1	180					
6LM111H	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, HAZE FINISH	080083722235	1	1	8					★
6LM111LI	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630073	0.592	1	180					★
6LM111HWF	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722785	0.9	1	150					★
6LM111LIWF	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722839	1	1	10					★
6LW0H	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599066	0.854	1	180					★
6LW0LI	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599301	0.911	1	180					★
6LW1H	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083613212	0.743	1	216					★
6LW1LI	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083601011	0.793	1	216					
6LW1LIWF	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083601677	1	1	150					★
6LW111LI	6" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630080	1	1	180					★
LGSKT6IP66	6" IP66 GASKET KIT FOR LED	080083722198	0.13	12	448					★
6LM1WWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, PAINTED WHITE FINISH	080083722778	1	1	180					★
6LN0H	6" LED NARROW BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083722211	1	1	1					★
6LN0LI	6" LED NARROW BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083722204	0.75	1	150					★
6LW1HWF	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083698776	1	1	150					★
6LW1WHH	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, WHEAT HAZE FINISH	080083722846	0.9	1	180					
8" Downlight										
LD8A401D010TE	8" LED HOUSING, 4000 LUMENS, 120V TRAILING EDGE OR 0-10V DRIVER	080083696352	4	1	54					★
LD8A402D010TE	8" LED HOUSING, 4000 LUMENS, 277V 0-10V DRIVER	080083696376	4	1	54					★
LD8A501D010TE	8" LED HOUSING, 5000 LUMENS, 120V TRAILING EDGE OR 0-10V DRIVER	080083696369	4	1	54					
LD8A502D010TE	8" LED HOUSING, 5000 LUMENS, 277V 0-10V DRIVER	080083696383	4	1	54					★
8" Trims										
8LM0LI	8" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083694808	1.253	1	80					
8LM1LI	8" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083694815	1.5	1	80					
8LN1LI	8" LED NARROW BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083694822	1.6	1	80					
8LW0LI	8" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083694839	1.2	1	80					
8LW1LI	8" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083694846	1.2	1	80					

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
8" Power Modules											
ER8A40830	LED MODULE 8" 4000 LUMEN 80CRI 3000K	080083694853	2.61	6	144					•	★
ER8A40835	LED MODULE 8" 4000 LUMEN 80CRI 3500K	080083696260	1.875	6	144					•	★
ER8A40840	LED MODULE 8" 4000 LUMEN 80CRI 4000K	080083696277	2.773	6	144					•	★
ER8A40930	LED MODULE 8" 4000 LUMEN 90CRI 3000K	080083696284	2.8	6	144					•	★
ER8A40935	LED MODULE 8" 4000 LUMEN 90CRI 3500K	080083696291	2.8	6	144					•	★
ER8A50830	LED MODULE 8" 5000 LUMEN 80CRI 3000K	080083696307	3	6	144					•	★
ER8A50835	LED MODULE 8" 5000 LUMEN 80CRI 3500K	080083696314	2.722	6	144					•	★
ER8A50840	LED MODULE 8" 5000 LUMEN 80CRI 4000K	080083696321	1.741	6	144					•	★
ER8A50930	LED MODULE 8" 5000 LUMEN 90CRI 3000K	080083696338	3	6	144					•	★
ER8A50935	LED MODULE 8" 5000 LUMEN 90CRI 3500K	080083696345	3	6	144					•	★


**CFL
Recessed**


4" Vertical Downlight											
	C4013E	VERTICAL 4" 13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553662	3.178	1	80				•	
	C4018E	VERTICAL 4" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553679	2.827	1	80				•	★
	C4026E	VERTICAL 4" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558643	3.408	1	48				•	★



4" Trims											
	4050LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313366	0.527	1	216				•	★
	4051LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313397	0.609	1	216				•	★

4" Square											
	CSQ4132E	HORIZONTAL 4" 26/32W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610075	3.152	1	36				•	

4" SQ Trims											
	4CSQ1LI	SQUARE 4" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083610082	0.288	1	96				•	★

6" Lens Wall Wash											
	CLWW6132E	6" LENSED WALL WASH 26/32W, 120-277V ELECTRONIC BALLAST	080083722662	6	1	54				•	★

6" Square											
	CSQ6142E	HORIZONTAL 6" 26/32/42W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610044	4.039	1	54				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					NJ	IL	TX	CA	GA	
6" Vertical Downlight										
 CD6018E	VERTICAL 6" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660896	2.324	1	80					★
CD6042D26/32	VERTICAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660902	2.986	1	80					★
CD6042E	VERTICAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660919	4.69	1	80	•	•	•	•	★
CD6042ECP	VERTICAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660926	5.3	1	80		•			★
CD6042EEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660933	4.55	1	80				•	★
CD6042EIEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH INTEGRAL EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660940	2.511	1	80				•	★
CD60423E	VERTICAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661022	5.3	1	54				•	★
CD6042D42	VERTICAL 6" 42W LUTRON BALLAST	080083722754	4.8	1	54				•	
CD6042D42MARKVII	VERTICAL 6" 42W MARKVII BALLAST	080083695188	2	1	60				•	★
CD6042EDR32	VERTICAL 6" 32W DERATED HOUSING	080083695195	4.6	1	80				•	★
6" Horizontal Downlight										
 CD6126E	HORIZONTAL 6" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660957	4.7	1	80	•			•	★
CD6142D26/32	HORIZONTAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660964	2.323	1	80				•	★
CD6142E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660971	4.056	1	63	•	•	•	•	★
CD6142ECP	HORIZONTAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660988	5.2	1	63		•		•	★
CD61423E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661039	4.6	1	54				•	★
CD6213E	HORIZONTAL 6" 2-13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660995	4.5	1	63				•	★
CD6218E	HORIZONTAL 6" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661008	2.65	1	63				•	★
CD6226E	HORIZONTAL 6" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661015	3.181	1	63	•			•	★
CD6126D	HORIZONTAL 6" 26W LUTRON BALLAST	080083722761	9.17	1	80				•	★
CD6142EDR32	HORIZONTAL 6" 32W DERATED HOUSING	080083722679	4.75	1	63				•	
CD6142EEM	HORIZONTAL 6" 23/32/42W HOUSING WITH EMERGENCY BACKUP	080083722693	11.1	1	30				•	
CD6142EIEM	HORIZONTAL 6" 23/32/42W HOUSING WITH INTEGRAL EMERGENCY BACKUP	080083722686	11.1	1	30				•	
6" SQ Trims										
6CSQ1LI	REFLECTOR 6" COMPACT FLUORESCENT SQUARE SELF FLANGED SPECULAR CLEAR FINISH	080083610051	1.43	1	96				•	★

★ Indicates ARRA Eligible Product **E** Indicates EISA Compliant Pulse Start Products **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					NJ	IL	TX	CA	GA	
6" Trims										
6CV142M0LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660773	0.639	1	125	•	•	•	•	★
6CV142M1H	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660780	0.833	1	125			•	•	★
6CV142M1LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660797	0.761	1	150	•		•	•	★
6CV142M1LIWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083660803	0.939	1	150	•			•	★
6CWWV1420LI	VERTICAL 6" CFL WALL WASH REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660810	0.868	1	125			•	•	
6CWWV1421LI	VERTICAL 6" CFL WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660827	0.511	1	125			•	•	★
6CV142W1H	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660834	0.653	1	100			•	•	★
6CLV142M1LI1	VERTICAL 6" CFL ACRYLIC PRISMATIC MEDIUM BEAM LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660841	0.8	1	100				•	★
6CLH1420LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	080083660858	1.539	1	216				•	★
6CLH1421LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED TRIM, SPECULAR CLEAR FINISH	080083660865	1.219	1	216				•	★
6CV142W0LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660872	0.531	1	150	•	•	•	•	★
6CV142W1LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660889	1.031	1	150	•		•	•	★
6CH1420LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661046	1.188	1	150	•		•	•	★
6CH1421H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, HAZE FINISH	080083661053	0.815	1	150			•	•	★
6CH1421LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661060	0.679	1	150	•		•	•	★
6CH2260LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661077	0.748	1	150	•			•	★
6CH2261H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661084	1.1	1	150				•	★
6CH2261LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661091	1.1	1	150	•		•	•	★
6CH1421HWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661107	1.1	1	150	•				★
6CH1421LIWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083661114	1.1	1	150	•				★
6CV142W1LIWF	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722730	1.2	1	125				•	★
6CV142M1HWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722747	1.2	1	125				•	★
6CLV142M0LI1G	VERTICAL 6" CFL GLASS PRISMATIC MEDIUM BEAM LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083722709	1.2	1	125				•	★
6CLH1421LI1WF	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722716	1.2	1	125				•	★



7" Vertical Downlight





C7042E	VERTICAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616023	4.402	1	36	•			•	★
--------	--	--------------	-------	---	----	---	--	--	---	---



7" Horizontal Downlight

C7142EADV	HORIZONTAL 7" 42W CFL HOUSING, ADVANCE DIMMING	080083617180	2.238	1	36				•	★
C7126E	HORIZONTAL 7" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613275	5.2	1	54				•	★
C7218E	HORIZONTAL 7" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613152	5.4	1	54				•	★
C7226E	HORIZONTAL 7" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400005209	3.129	1	54	•	•		•	★
C7226D	HORIZONTAL 7" 2-26W CFL HOUSING, LUTRON DIMMING	080083660766	5.65	1	54				•	★

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA	GA	
7" Horizontal Downlight - C7142, C7242											
 C7142E	HORIZONTAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616054	3.366	1	36		•		•	•	★
C7242E	HORIZONTAL 7" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	623961436604	3.161	1	36					•	★
7" Trims											
7001LI	VERTICAL 7" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313816	1.114	1	80					•	★
7050LI	VERTICAL 7" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	662400313847	1.1	1	125					•	★
7150LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313946	1.154	1	125					•	★
7151LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313977	0.846	1	125		•			•	★
7181LI1	HORIZONTAL 7" CFL PRISMATIC LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313991	2	1	125					•	★
7251LIWF	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF WHITE FLANGE, SPECULAR CLEAR FINISH	662400642305	1.12	1	150		•				★
7351LI	HORIZONTAL, 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961498947	1.425	1	150					•	★
8" Vertical Downlight											
 C8042E	VERTICAL 8" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558636	2.726	1	36					•	★
8" Horizontal Downlight											
 C8242E	HORIZONTAL 8" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558650	4.131	1	54					•	★
C82421D42MARKVII	HORIZONTAL 2-LAMP 42W MARKVII BALLAST	080083722907	5.7	1	36						★
8" Trims											
8351LI	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961545566	1.268	1	80					•	★
8351LIWF	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722914	1.2	1	80					•	★
9" Horizontal Downlight											
 C9242E	HORIZONTAL 9" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616115	7.7	1	12					•	★
9" Trims											
9250LI	HORIZONTAL 9" CFL DOWNLIGHT REFLECTOR', POLYMER TRIM, SPECULAR CLEAR FINISH	662400314332	1.8	1	80		•			•	★
9251LI	HORIZONTAL 9" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400316282	2	1	80					•	★

CFL Accessories

Accessories

C836P	PENDANT KIT, CFL, 36", WHITE	662400602187	3.618	4	300					•	★
-------	------------------------------	--------------	-------	---	-----	--	--	--	--	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA




HID

Recessed

	6" Vertical Downlight MD670E	VERTICAL 6" 70W METAL HALIDE	080083534395	7.3	1	45													•	★
	7" Vertical Downlight MD7100E	VERTICAL 6" 100W METAL HALIDE	080083534449	7.7	1	45													•	★
	Lens - Round 8"-12" 10002P	9" ROUND REGRESSED FRESNEL LENS WITH BLACK BAFFLE, WHITE TRIM	662400122845	2.464	1	160													•	★
	Lens - Square 13" 11302P	13" SQUARE REGRESSED LENS	662400122890	6.8	1	44													•	★

Incandescent

Recessed

	3" Adjustable HA3MR	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING	662400648857	9.9	2	72	•	•											•	★
	HA3MRDR37	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 37W DERATED LABEL	622696245604	9.475	2	72													•	★
	HA3MRDR50	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 50W DERATED LABEL	622696245598	9.225	2	72													•	★
	3" Trims 3470PIN	PINHOLE REFLECTOR FOR HA3MR	662400664321	0.701	6	576													•	★
	6" Downlight HD6	VERTICAL 6" INCANDESCENT HOUSING	662400619024	4.05	1	72	•	•	•	•	•	•	•	•	•	•	•	•	•	★
	7" Downlight HD7	VERTICAL 7" INCANDESCENT HOUSING	662400620433	1.994	1	45		•											•	★

Incandescent Accessories

	Accessories H836P	PENDANT KIT, 36", INCANDESCENT, WHITE	662400133681	1.879	1	50													•	★
	SA91	SOCKET ADAPTER MR16 75W MAX	662400317029	0.591	4	504													•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

HID and Incandescent Recessed

6" Trims

6471LI	6" CUT CONE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HA6/MA6	662400619758	0.7	1	360						•	★
6500LI	VERTICAL 6" DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400625773	1.05	1	150						•	★
6601LI	VERTICAL 6" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD6/MD6	662400623564	0.578	1	216						•	★
6700LI	VERTICAL 6" MEDIUM BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400623243	0.8	1	252						•	★

7" Trims

7601LI	VERTICAL 7" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD7/MD7	662400620549	1.4	1	125						•	★
7750LI	VERTICAL 7" WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD7/MD7	662400626541	1	1	150						•	★

CFL, HID, and Incandescent Accessories

CFL, HID, and Incandescent Accessories

Accessories

HB26	BAR HANGER, C-CHANNEL 26" LONG	662400136187	1.3	20	720	•	•				•	•
RMB22	22" LONG WOOD JOIST MOUNTING BARS	662401000821	1.141	4	756						•	★
TRM6P	6" METAL TRIM RING, WHITE	662400149170	0.1	12	175						•	★
DT7DISC	7" FROSTED DISC FOR USE ON 7" CFL, INCANDESCENT AND HID DOWNLIGHTS	662400680512	3.4	1	84						•	★
TRMC6P	6-3/8" WHITE METAL TRIM RING	080083692866	0.1	1	175						•	

CFL Accessories

Frosted Disc

DTC6DISC	6" FROSTED DISC DECORATIVE TRIM RING FOR 6-3/8" CFL	080083661121	2.45	1	72						•	
----------	---	--------------	------	---	----	--	--	--	--	--	---	--

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA











Iris

Iris Platform

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
3" IC Rated LED												
	P3LED09827E	3" IC LED HOUSING, 900LM, 80CRI, 2700K	080083729647	0.12	10	6240				•		
	P3LED09830E	3" IC LED HOUSING, 900LM, 80CRI, 3000K	080083694662	14.2	1	20				•		
	P3LED09927E	3" IC LED HOUSING, 900LM, 90CRI, 2700K	080083729654	14.1	1	20			•	•		
	P3LED09930E	3" IC LED HOUSING, 900LM, 90CRI, 2300K	080083729760	0.12	10	6240			•	•		
3" Non-IC LED												
	PN3LED12830E	3" NON-IC LED HOUSING, 1200LM, 80CRI, 3000K	080083729777	15.4	1	16				•		
	PN3LED12930E	3" NON-IC LED HOUSING, 1200LM, 90CRI, 3000K	080083729784	15.4	1	16				•		
3" IC Rated Low Voltage												
	P3MR	3" IC RATED LOW VOLTAGE HOUSING	662400609674	10.35	1	48	•	•	•	•	•	★
3" Non-IC Low Voltage												
	PN3MR	3" NON-IC LOW VOLTAGE HOUSING	662400609667	5.794	1	126	•	•	•	•	•	★
3" Non-IC Low Voltage Remodel												
	RPN3MR	3" NON-IC LOW VOLTAGE REMODEL HOUSING 50W	623961149153	4.685	1	140	•			•	•	
4" Square IC Rated												
	P408ICAT	4" IC RATED MODULAR HOUSING	623961387203	6.475	2	40				•	•	
	P4MRICAT	4" SQUARE IC MR16 HOUSING	623961542787	8.9	2	40					•	
4" Square Non-IC												
	P406TAT	4" SQUARE NON-IC MODULAR HOUSING	623961082795	8.9	2	48				•	•	
	P4MRTAT	4" SQUARE NON-IC MR16 HOUSING	623961542770	8.9	2	64					•	★
5" IC Rated												
	P5	5" IC RATED MODULAR HOUSING	662400611356	5.585	1	48	•	•	•	•	•	
5" Non-IC												
	PN5	5" NON-IC MODULAR HOUSING	622697326531	3.943	1	75					•	★
6" Square Non-IC												
	PN61H42E	6" SQUARE NON-IC 26/32/42W CFL HOUSING, 120 - 277V	080083629985	14.4	1	24					•	★






★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
Iris Power Modules										
	4" Square MR16 Low Voltage - MA4MR MA4MR 4" SQUARE ADJUSTABLE MR16 LOW VOLTAGE MODULE	623961379352	5.35	12	144				•	•
	4" Square MR16 Low Voltage - MV4MR MV4MR 4" SQUARE VERTICAL MR16 LOW VOLTAGE MODULE	623961677809	1.2	1	400				•	★
	5" and 7" Line Voltage Downlight M120 5" AND 7" LINE VOLTAGE A AND PAR LAMP DOWNLIGHT MODULE	662400615415	0.34	16	1920	•	•		•	•
	5" Line Voltage M5P30 5" PAR30 ADJUSTABLE LINE VOLTAGE MODULE	662400615422	1.016	6	288				•	★
Iris Optical Element										
	3" Adjustable Accent E3AAC 3" ADJUSTABLE ACCENT, CLEAR REFLECTOR	662400684831	0.521	6	480				•	
	E3AAH 3" ADJUSTABLE ACCENT, HAZE REFLECTOR	080083666737	0.501	6	480				•	
	E3AAMW 3" ADJUSTABLE ACCENT, MATTE WHITE REFLECTOR	080083729579	0.53	6	432				•	•
	E3OVAL 3" OVAL PINHOLE	662400685920	0.5	6	480				•	★
	E3SLOTH 3" ADJUSTABLE ACCENT SLOT, HAZE REFLECTOR	080083729623	0.5	6	480			•	•	•
	3" Downlight Pinhole E3DNPIN 3" DOWNLIGHT PINHOLE	662400635116	0.814	6	240				•	•
	3" Lensed Wall Wash E3LWWH 3" LENSED WALL WASH, HAZE REFLECTOR	080083729593	0.85	6	432				•	
	E3LWWW 3" LENSED WALL WASH, MATTE WHITE REFLECTOR	080083729609	0.7	6	432				•	
	3" Downlight Shower E3SRH 3" DOWNLIGHT SHOWER, HAZE REFLECTOR	662400685470	0.625	6	432				•	★
	3" Lensed Shower Adjustable Accent E3AASRC 3" LENSED SHOWER ADJUSTABLE ACCENT, CLEAR REFLECTOR	080083729586	0.64	6	360				•	•
	3" Lensed Shower Downlight E3SRC 3" LENSED SHOWER DOWNLIGHT, CLEAR REFLECTOR	080083729630	0.61	6	432				•	









★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA	GA	
3" MR16 Downlight											
 E3MRC	3" MR16 DOWNLIGHT, CLEAR REFLECTOR	662400685357	0.557	6	432					•	
E3MRH	3" MR16 DOWNLIGHT, HAZE REFLECTOR	662400685364	0.549	20	800	•				•	
E3MRWB	3" MR16 DOWNLIGHT, WHITE BAFFLE	662400685777	0.503	6	480					•	★
E3MRMW	3" MR16 DOWNLIGHT, MATTE WHITE REFLECTOR	080083729616	0.4	6	240					•	•
3" Pinhole											
 E3PIN	3" PINHOLE	662400684183	0.719	6	480		•		•	•	★
E3PINLARGE	3" PINHOLE LARGE	662400684275	0.6	6	480			•	•		★
3" Super Adjustable											
 E3SA	3" SUPER ADJUSTABLE	623961149191	1.389	6	252					•	★
4" Lensed Shower Adjustable Accent											
 E4AASRHSF	4" LENSED SHOWER ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366413		1	1	50				•	★
4" Lensed Shower Downlight											
 E4DLSRH	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR	623961359583	1	6	180					•	★
E4DLSRHSF	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961359590	1.2	6	300					•	★
4" Square Adjustable Accent											
 E4AAH	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR	623961366369	1	36	288					•	★
E4AAHSF	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366376	1	36	288					•	★
4" Square Downlight											
 E4DLH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR	623961366321	1	36	288					•	★
E4DLHSF	4" SQUARE DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961366338	1	6	360					•	★
4" Square Pinhole											
 E4PIN	4" SQUARE PINHOLE, WHITE	623961366444	0.661	36	288					•	
E4PINRL	4" SQUARE PINHOLE, WHITE, RIMLESS	623961366451	1	6	420					•	
4" Square Regressed Pinhole											
 E4RPIN	4" SQUARE REGRESSED PINHOLE, WHITE	623961366482	0.866	6	420					•	
E4RPINRL	4" SQUARE REGRESSED PINHOLE, WHITE, RIMLESS	623961366499	0.525	6	420					•	
4" Square Regressed Shower Pinhole											
 E4RPINSR	4" SQUARE REGRESSED SHOWER PINHOLE, WHITE SHOWER	623961366505	1	6	420					•	
4" Square Shower Pinhole											
 E4PINSR	4" SQUARE SHOWER PINHOLE, WHITE	623961366468	1	6	420					•	
E4PINSRRL	4" SQUARE SHOWER PINHOLE, WHITE, RIMLESS	080083521746	0.85	36	288					•	

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
 4" Parabolic Lower Shielding Reflector E4MRH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR	623961520594	0.31	6	240					•	★
 5" Adjustable Accent E5AAH	5" ADJUSTABLE ACCENT, HAZE REFLECTOR	662400624271	0.98	6	360					•	★
 5" A Lamp Downlight and Wall Wash E5A19H	5" A LAMP DOWNLIGHT, HAZE REFLECTOR	662400615934	0.681	6	144					•	★
 5" PAR30 Downlight E5P30H E5P30WB	5" PAR30 DOWNLIGHT, HAZE REFLECTOR 5" PAR30 DOWNLIGHT, WHITE BAFFLE	662400615996 662400673149	1.37 1.05	6 6	144 144					•	★
 6" Square Downlight E6DLLI E6DLHSF E6LWWHSF	6" SQUARE DOWNLIGHT, LOW IRRIDESCENT CLEAR REFLECTOR 6" SQUARE DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED 6" SQUARE LENSED WALL WASH, HAZE SELF FLANGED REFLECTOR	080083595051 080083596607 080083596928	1.125 1.3 1.3	6 6 6	288 288 288					•	★
 7" Decorative Lens Shower Downlight E7LUNA	7" DECORATIVE LENS SHOWER DOWNLIGHT	662400628422	2.4	6	96					•	★
Iris Components & Accessories											
 Lenses LHEX LSPD	2" HEX CELL LOUVER 2" SPREAD LENS	662400614845 662400614715	0.041 0.114	50 50	6000 5000					•	★
 Mount Collars FMC3	3" FLUSH MOUNT COLLAR	622696870677	0.448	6	600					•	★
LC16KIT	RETROFIT LAMP CAPSULE KIT FOR PN3MR	623961078651	0.17	36	432						
PLR4X4	4" PLASTER LATHING RING	623961523991	0.181	180	2160					•	
RLA4X4	4" RIMLESS ADAPTER	623961524912	0.263	6	750					•	
RA4X4	4" SQUARE RIMLESS ADAPTER	080083603169	0.938	12	600					•	
RA6X6-P8	6" SQUARE RIMLESS ADAPTER	080083594795	0.43	12	216					•	
RG50FL40	50MM GLASS LED REFLECTOR, 40 DEGREE	080083615261	0.14	10	5400					•	
RG50MH	50MM LED REFLECTOR MEDIA HOLDER	080083617623	0.79	1	1540					•	★
RG50NFL25	50MM GLASS LED REFLECTOR, 25 DEGREE	080083615278	0.12	10	6240					•	
RG50NSP10	50MM GLASS LED REFLECTOR, 10 DEGREE	080083615285	0.12	10	6240					•	
RG50SP15	50MM GLASS LED REFLECTOR, 15 DEGREE	080083628742	0.153	1	10					•	

★ Indicates ARRA Eligible Product EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Lumiere

Accent / Flood

Cambria - 203



Low Voltage - 203

203-50MR16-12-BZ	50W MR16 SIDE STEM, BRONZE	080083694907	0.92	1	400					•	•	★
203-50MR16-12-CS	50W MR16 SIDE STEM, CITY SILVER	080083694914	1.2	1	400					•	•	★
203-50MR16-12-VE	50W MR16 SIDE STEM, VERDE	783363038476	1.2	1	400					•	•	★
203-50MR16-12-WT	50W MR16 SIDE STEM, WHITE	783363038469	1.2	1	400					•	•	★
203-CRS-50MR16-12-BZ	50W MR16 CENTER REAR SWIVEL STEM, BRONZE	080083694921	1.429	1	650					•	•	★

Cambria - 204



Low Voltage - 204

204-75MR16-12-BK	75W MR16 SIDE STEM, BLACK	783363038865	1.4	1	1728					•	•	★
204-75MR16-12-BZ	75W MR16 SIDE STEM, BRONZE	783363039305	0.717	1	280					•	•	★

Cambria - 355



Line Voltage - 355

355-50MR16-120-BK	50W MR16 COMPOSITE BODY, BLACK	783363148540	1.176	1	650					•	•	★
-------------------	--------------------------------	--------------	-------	---	-----	--	--	--	--	---	---	---

Carmel - 403



Low Voltage - 403

403-50T4-12-BZ	50W T4 HALOGEN, BRONZE	783363041667	1.75	1	560					•	•	★
----------------	------------------------	--------------	------	---	-----	--	--	--	--	---	---	---

Coronado - 806



Line Voltage - 806

806-50PAR20-120-BK	50W PAR20, SIDE STEM, BLACK	662400743934	1.6	1	650					•	•	★
806-50PAR20-120-BZ	50W PAR20 SIDE STEM, BRONZE	783363040134	1.65	1	650					•	•	★

Inground

Monaco - 6000A-BB



Metal Halide, HPS, CFL - 6000A-BB

6000A-BB	BACKBOX FOR MONACO 6000A, BLACK	623961123177	4.417	1	18					•	•	★
----------	---------------------------------	--------------	-------	---	----	--	--	--	--	---	---	---

Boca - 613



Low Voltage - 613





613-50MR16-12-BK	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, BLACK	662400742845	3.1	1	486					•	•	★
613-50MR16-12-NBR	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363038957	3.787	1	486					•	•	★

Boca - 615



Low Voltage - 615

615-50MR16-12-NBR	50W MR16, 6" DIAMETER SLOTTED APERTURE 35 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363039374	4.192	1	196					•	•	★
-------------------	--	--------------	-------	---	-----	--	--	--	--	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
Wall											
Westwood - 903											
	Low Voltage - 903 dual head 903-2-50MR16-120/12-BZ	50W MR16 DUAL HEAD INTEGRAL TRANSFORMER, BRONZE	783363045313	5.658	1	112					★
	Low Voltage - 903 903-50MR16-120/12-BZ	50W MR16 SINGLE HEAD INTEGRAL TRANSFORMER, BRONZE	783363044798	2.054	1	60					★
Westwood - 912											
	Line Voltage - 912 dual head 912-2-50PAR20-120-BZ	50W PAR20 DUAL HEAD, BRONZE	783363087474	2.806	1	180					★
	Line Voltage - 912 912-50PAR20-120-BK	50W PAR20, BLACK	662400753667	1	1	486					★
Step											
Zuma - 1201											
	Low Voltage - 1201 1201-LA-35T4-12-BZ	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BRONZE	783363039602	1.4	1	650					★
Zuma - 1203											
	Low Voltage - 1203 1203-INC13-12-BZ	13W T5 INCANDESCENT EYELID FACEPLATE, BRONZE	662400761105	0.618	1	200					★
Zuma - 1211											
	Compact Fluorescent - 1211 1211-LP-CF9-120-BK	9W TT LOUVERED POLYCARBONATE FACEPLATE, BLACK	783363038490	1.581	1	650					★
	1211-LP-CF9-120-WT	9W TT LOUVERED POLYCARBONATE FACEPLATE, WHITE	783363038483	1.55	1	288					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Pathway
Maui - 1502



Low Voltage - 1502

1502-INC18-12-BK	18W S8 INCANDESCENT, BLACK	783363039411		2	1	120				★
1502-INC18-12-BZ	18W S8 INCANDESCENT, BRONZE	622697348359	1.65	1	360				•	★

Cambria - 206



Low Voltage - 206

206-50MR16-12-BK	50W MR16, 13.375" SIDE STEM, BLACK	783363038988	1.613	1	360				•	★
206-50MR16-12-BZ	50W MR16, 13.375" SIDE STEM, BRONZE	662400743439	1.795	1	360				•	★


Underwater
Atlantis - 1407



Low Voltage - 1407

1407-75MR16-12-NBZ	75W MR16, NATURAL BRONZE	622697307103	6.268	1	490				•	★
--------------------	--------------------------	--------------	-------	---	-----	--	--	--	---	---

Accessories



Lenses, Louvers & Filters

DIF	DIFFUSED LENS FOR PAR20 LAMPS	662400756798	0.068	50	7500				•	★
QS-DIF-20	DIFFUSED LENS FOR MR16 LAMPS	783363047560	0.097	1	2000				•	★
LSL	LINEAR SPREAD LENS FOR MR16 FIXTURES	662401101856	0.083	20	2160				•	★
LVR	HEX CELL LOUVER FOR MR16 FIXTURES	662400740308	0.048	1	10500				•	★
OSL	OVERALL SPREAD LENS FOR MR16 FIXTURES	662400741404	0.269	1	800				•	★



Ground Mounting

GS03 BK	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BLACK	783363039008	0.543	1	100				•	★
GS05	GROUND SPIKE HEIGHT ADJUSTABLE POLYCARBONATE, BLACK	662400740537	0.556	1	600				•	★
GS08	GROUND SPIKE W/ SIDE OR BOTTOM WIRE WAY ABS	783363038735	0.28	1	500				•	★



Optical Accessories

FH 203 BK	GLARE SHIELD FOR 203 FIXTURE, BLACK	783363038797	0.235	1	1536				•	★
FH 203 BZ	GLARE SHIELD FOR 203 FIXTURE, BRONZE	783363038704	0.468	1	1440				•	★
FH 203 WT	GLARE SHIELD FOR 203 FIXTURE, WHITE	783363044767	0.27	1	1536				•	★



Surface, Wall & Tree Mounting

FS1 BK	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BLACK	783363039534		1	1	270			•	★
FS1 BZ	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BRONZE	783363078960	0.463	66	3300				•	★
RS1 BK	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BLACK	783363039282	0.943	1	200				•	★
RS1 BZ	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BRONZE	783363040028	0.776	1	5000				•	★
TM01 BZ	ROUND MOUNT SURFACE/TREE, BRONZE	662400743583	0.2	1	2000				•	★
TM01 WT	ROUND MOUNT SURFACE/TREE, WHITE	662400743644	0.2	1	200				•	★
TM04 BZ	EXPANDING TREE STRAP FOR ONE FIXTURE, BRONZE	662400743576	0.368	1	500				•	★
TM05 BK	RECTANGULAR MOUNT SURFACE/TREE, BLACK	783363039312	0.25	1	1000				•	★
TM05 BZ	RECTANGULAR MOUNT SURFACE/TREE, BRONZE	783363038858	0.3	20	2100				•	★
TM05 WT	RECTANGULAR MOUNT SURFACE/TREE, WHITE	783363041834		1	1	1			•	★

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

McGraw-Edison

Wall Mount Impact



Trapezoid - Pulse Start Metal Halide

MPIT15	150W MP MULTI-TAP W/LAMP BRONZE	623961904714	16.6	1	40	●	●	★
--------	---------------------------------	--------------	------	---	----	---	---	---



Cylinder - Pulse Start Metal Halide

MPIC10	100W MP MULTI-TAP W/LAMP BRONZE	623961932298	18.34	1	40	●		
MPIC15	150W MP MULTI-TAP W/LAMP BRONZE	623961904936	19	1	32	●		★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

MWS

Starter Fitting



277V 27ST12/2G	277V 1-HOT, NEUTRAL AND GROUND	622697277604	0.539	60	1440	■	■	■	■	■	●	★
27ST12/3G	277V 2-HOTS, NEUTRAL AND GROUND	622697277635	0.9	60	1620	■	■	■	■	■	●	★

Extender Cables



277V 27EC12/2G13	277V 1-HOT, NEUTRAL AND GROUND, 13' LENGTH	622697310158	2.294	6	108	■	■	■	■	■	●	★
----------------------------	--	--------------	-------	---	-----	---	---	---	---	---	---	---

Splitter



277V 27SP12/4G	277V 3-HOTS, NEUTRAL AND GROUND	622697383220	0.9	36	864	■	■	■	■	■	●	★
--------------------------	---------------------------------	--------------	-----	----	-----	---	---	---	---	---	---	---

Fixture Fitting



120V 12FF12/4G	120V 3-HOTS, NEUTRAL AND GROUND	622697395445	0.9	32	864	■	■	■	■	■	●	★
--------------------------	---------------------------------	--------------	-----	----	-----	---	---	---	---	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

HID Accessories

HID Accessories Industrial

ILMLAA5A	ACRYLIC TYPE 5 LENS, VERTIMARK II	662400116523	3.629	1	16					• ★
----------	-----------------------------------	--------------	-------	---	----	--	--	--	--	-----

Industrial Component Accessory

PC3-277V	3 FOOT CORD WITH NEMA 277V L7-15P PLUG	662401550029		1	16	1536				• ★
----------	--	--------------	--	---	----	------	--	--	--	-----

Lumark

OA/RA1013	SHORTING CAP FOR NEMA TWISTLOCK PHOTOCONTROL RECEPTACLE, FLOODLIGHTS ACCESSORY	662400116974	0.246	1	1120					• ★
PB120V	BUTTON PHOTOCONTROL 120V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400121206	0.177	6	256					• ★
PB277V BUTTON PC	BUTTON PHOTOCONTROL 277V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400124283	0.162	1	12					• ★
SR-CARETAKER	CARETAKER SMALL ACRYLIC REFRACTOR	080083699087	0.8	4	240				• •	★

McGraw Edison

OA1090	ADJUSTABLE SLIPFITTER FOR 2 3/8" OD VERTICAL TENON	662400117322	4.4	1	126					• ★
--------	--	--------------	-----	---	-----	--	--	--	--	-----

Lumark and McGraw Edison

Lumark Floodlight and McGraw Edison Galleria Square

OA/RA1016	NEMA TWISTLOCK PHOTOCELL 105-285V	662400117001	0.23	100	1800					• ★
-----------	-----------------------------------	--------------	------	-----	------	--	--	--	--	-----

Lumark Floodlight and McGraw Edison Pole Bracket / Adapters

TASQ-4-2	2 3/8" OD VERTICAL REMOVABLE TENON FOR 4" SQUARE STRAIGHT STEEL POLE BRONZE	662401692699	7.2	1	200					• ★
101-A22	TWO AT 180 DEGREE BULLHORN FOR 2 3/8" OD VERTICAL TENON BRONZE	662401675739	22	1	20					• ★
101-A23	TWO AT 180 DEGREE BULLHORN FOR 3 1/2" OD VERTICAL TENON BRONZE	662400673446	27.6	1	24					• ★
OA/RA1027	NEMA TWISTLOCK PHOTOCELL 480V	662400117018	0.223	50	1000					• ★
RABBZ	RIGHT ANGLE BRACKET WALL MOUNT 8" BRONZE	662401691739	7.513	1	96	•	•	•		• ★
SAB	SIDE ANGLE BRACKET WALL MOUNT GALVANIZED	662400121107	7.749	1	72					• ★
SAB-BZ	SIDE ANGLE BRACKET WALL MOUNT BRONZE	662400971702	6.29	2	60					• ★
MA1011-BZ	TWO AT 180 DEGREE TENON ADAPTER FOR 3 1/2" OD VERTICAL TENON BRONZE, GALLERIA SQUARE	662400123897	15.975	1	160					• ★
TYS-BZ	TRUNNION YOKE SLIPFITTER FOR 2 3/8", 3" & 3 1/2" OD VERTICAL TENON BRONZE, FLOODLIGHTS ACCESSORY	080083521654	3.022	8	256					•
101-J33	STEEL BRACKET FOR FLOODLIGHTS- 3 ARM ON 180 DEGREE SEPARATION	662401675944	38.8	1	200					• ★

CATALOG
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

Poles

Poles

Steel Poles

Accessories

AB1GF	3/4" X 25" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS, FULLY GALVANIZED	080083587544	3.15	4	200															★
AB3	1" X 36" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS	662400115038	5.614	4	100															★
TMP2	ANCHOR BOLT TEMPLATE 12 1/2" SSS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400119159	0.194	500	9000															★
TMP4	ANCHOR BOLT TEMPLATE 11" RTS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400124917	0.129	1	10000															★
TMP5	ANCHOR BOLT TEMPLATE 12 1/2" RTS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400124245	0.346	300	10800															★
AB1	3/4" X 25 ANCHOR BOLT W/2 NUTS, 2 FLAT WASHER	662400115014	2.787	4	200															★
TMP1	ANCHOR BOLT TEMPLATE 11" SSS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400119142	0.04	1200	9600															★










4"

SSS4A20SFM4	4" SQUARE STRAIGHT STEEL X .120 X 20' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	622697005276		1	1	1														★
SSS4A25SFM4	4" SQUARE STRAIGHT STEEL X .120 X 25' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	662401143467	216	1	1															★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	



Controls

Lighting Control Panels - Stand-Alone

	LiteKeeper 4 LK4-277NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 277 VAC, NORMALLY OPEN RELAYS	080083594603	10	1	8							★
	LK4-120NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 120 VAC, NORMALLY OPEN RELAYS	080083592043	9.4	1	126							★
	LiteKeeper 8 LK8	LITEKEEPER 8 STAND ALONE LIGHTING CONTROL PANEL	080083594573	11.602	1	45							
	LiteKeeper 16 LK16-120/277-S2-L0-M0-T0-HVBO	LITEKEEPER 16 STAND ALONE LIGHTING CONTROL PANEL	080083594580	13.488	1	1							★ 
	LiteKeeper 32 LK32-120/277-S4-L0-M0-T0-HVBO	32 SIZE SA ENC WITH 32 RELAYS	080083598175	42	1	12							★
LiteKeeper Boards and Accessories													
LK LB	LITEKEEPER LOGIC BOARD	080083594566	7.619	1	32								



Lighting Controls - Daylighting

Daylight Sensor

	Indoor Contact Input Photosensor PPS-4	INDOOR CONTACT INPUT PHOTOCCELL	080083626298	0.354	1	24							★
	Outdoor Contact Input Photosensor PPS-5	OUTDOOR CONTACT INPUT PC PPS-5	080083598168	0.447	1	1536							★

Lighting Controls - Emergency


Emergency Power Control


	120V or 277V CEPC-1	EMERGENCY POWER CONTROL 120V OR 277V	080083718153	1	2	40							★
	0-10V: 120 or 277V CEPC-1-D	EMERGENCY POWER CONTROL 0-10V: 120V OR 277V	080083718160	1	2	40							★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Room Controller

Room Controller

	3 Zone Dimming RC3D ROOM CONTROLLER 3 ZONE DIMMING	080083657148	0.3	1	1120				•	•
--	---	--------------	-----	---	------	--	--	--	---	---


	3 Zone w/ PEM RC3DE ROOM CONTROLLER 3 ZONE DIM ENH W/PEM	080083657179	0.3	1	1120				•	•
--	---	--------------	-----	---	------	--	--	--	---	---

Daylight Sensor

Room Controller Daylight Sensor, CAT5


DSRC-FMOIR	DAYLIGHT SENSOR RC, CAT5	080083656653	0.094	50	2100				•	•
------------	--------------------------	--------------	-------	----	------	--	--	--	---	---


Switchpack

	Room Controller Switchpack CAT5 Receptacle Rated 20A 120V SPRC-R-20-120 SWITCHPACKCAT5 RECP RATED 20A 120V BULK10	080083718191	1.15	10	720				•	•
--	--	--------------	------	----	-----	--	--	--	---	---


Wallstation

	3 Button RC-3TLB-Z1D-W	RC, ZONE 1, RL WHITE	080083695126	0.3	1	1120			•	•
	RC-3TLB-Z2D-W	RC, ZONE 2, RL WHITE	080083695133	0.3	1	1120			•	•
	RC-3TLB-Z3D-W	RC, ZONE 3, RL WHITE	080083695140	0.3	1	1120			•	•

	5 Button RC-5TSB-OS2-W	OFFICE STATION 2 WHITE	080083657322	0.3	1	1120			•	•
--	----------------------------------	------------------------	--------------	-----	---	------	--	--	---	---

	6 Button RC-6TSB-ZAD-W	RC, INDIVIDUAL DIMMERS WHITE	080083697168	0.3	1	1120			•	•
--	----------------------------------	------------------------------	--------------	-----	---	------	--	--	---	---





Accessories

	Room Controller Input/Output Device OCC-RJ45	CAT5 COUPLER TO SENSOR	080083657124	0.081	1	1120			•	•
--	--	------------------------	--------------	-------	---	------	--	--	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA



Switchpack

Receptacle Rated




	20A 120V (General Use / Non-Room Controller) SP-R-20-120	SWITCHPACK RECPATED 20A 120V BULK10	080083718184	1.15	10	540					•	•		
	Heavy Duty Switchpack SP20-MV	SWITCHPACK, 120/277, 20A	080083503223	0.745	30	1350					•	•	•	
	Dual Relay SPD20-MV-NO	DUAL RELAY SWITCHPACK, 120/277, 20A	080083503841	1.28	64	260					•		★	

Wall Switch Occupancy and Vacancy Sensor - 120V

PIR - Occupancy

	PIR Single Level 120V Occupancy Sensor Switch OSW-P-0801-120-B	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, BLACK	032664730757	0.314	1	990					•		
	OSW-P-0801-120-G	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, GRAY	032664729850	0.314	10	990					•		
	OSW-P-0801-120-V	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, IVORY	032664729836	0.314	1	990					•	•	
	OSW-P-0801-120-W	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, WHITE	032664729829	0.314	1	990					•	•	


PIR - Vacancy


	PIR Single Level 120V Vacancy Sensor Switch VSW-P-0801-120-W	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, WHITE	032664729874	0.314	36	864					•	•	
	VSW-P-0801-120-V	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, IVORY	032664729881	0.314	1	990					•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----


Wall Switch Occupancy and Vacancy Sensor - 120/277V Tier One

PIR - Occupancy


	PIR Single Level 120/277V Occupancy Sensor Switch											
	OSW-P-0451-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503377	0.332	48	384				•		
	OSW-P-1001-MV-LA	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	032664729799	0.36	30	990				•	•	
	OSW-P-1001-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	032664729782	0.36	40	990					•	
	OSW-P-1001-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	032664729775	0.36	40	990				•	•	
OSW-P-0451-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503391	0.328	48	48					•		

	PIR Dual Level 120/277V Occupancy Sensor Switch										
	OSW-P-0451-DMV-V	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503513	0.383	50	1920				•	•
OSW-P-0451-DMV-W	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503490	0.401	50	2400				•	•	

Ultrasonic - Occupancy


	Ultrasonic Single Level 120/277V Occupancy Sensor Switch										
	OSW-U-0721-MV-V	ULTRASONIC SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503339	0.308	48	1920				•	
OSW-U-0721-MV-W	ULTRASONIC SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503315	0.308	48	90				•	•	


Dual Technology - Occupancy

	Dual Technology Single Level 120/277V Occupancy Sensor Switch										
	OSW-DT-0601-MV-V	DUAL TECH SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083504466	0.304	10	1680				•	•
OSW-DT-0601-MV-W	DUAL TECH SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083504473	0.299	10	1680				•	•	★


Wall Switch Occupancy and Vacancy Sensor - 120/277V Tier Two

PIR - Occupancy

	PIR Single Level 120/277V Occupancy Sensor Switch											
	ONW-P-1001-MV-G	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, GRAY	080083523894	0.508	1	8				•	•	
	ONW-P-1001-MV-W	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083523863	0.546	10	1200				•	•	
ONW-P-1001-MV-V	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083523870	0.538	1	8				•	•		

	PIR Dual Level 120/277V Occupancy Sensor Switch										
	ONW-P-1001-DMV-V	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, IVORY	080083524020	0.618	10	100				•	•
ONW-P-1001-DMV-W	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, WHITE	080083524013	0.538	10	4				•	•	

PIR - Vacancy

	PIR Single Level 120/277V Vacancy Sensor Switch										
	VNW-P-1001-MV-W	NEOSWITCH VACANCY PIR WHITE	080083644384	0.484	1	1				•	
VNLW-P-1001-MV-N-W	NEOSWITCH WITH NIGHTLIGHT VACANCY PIR SINGLE LEVEL, WITH NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083626311	0.486	0	0				•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

Dual Technology - Occupancy



Dual Technology Single Level 120/277V Occupancy Sensor Switch

ONW-D-1001-MV-B	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, BLACK	080083524747	0.464	1	4				•	•
ONW-D-1001-MV-G	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524730	0.522	1	1				•	•
ONW-D-1001-MV-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524723	0.458	1	300				•	•
ONW-D-1001-MV-N-G	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, GRAY	080083524624	0.508	1	8				•	•
ONW-D-1001-MV-N-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524617	0.464	10	10				•	•
ONW-D-1001-MV-N-V	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, IVORY	080083524600	0.531	10	200				•	•
ONW-D-1001-MV-N-W	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, WHITE	080083524594	0.514	10	10				•	•
ONW-D-1001-MV-V	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524716	0.51	10	1350				•	•
ONW-D-1001-MV-W	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524709	0.517	10	30				•	•
ONW-D-1001-SP-W	NEOSWITCH DUAL TECH LOW VOLTAGE WHITE	080083560929	0.45	10	900				•	•



Dual Technology Dual Level 120/277V Occupancy Sensor Switch

ONW-D-1001-DMV-G	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524785	0.496	1	20				•	•
ONW-D-1001-DMV-LA	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524778	0.494	1	8				•	•
ONW-D-1001-DMV-N-G	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, GRAY	080083524686	0.5	1	1				•	•
ONW-D-1001-DMV-N-V	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, IVORY	080083524662	0.563	1	2				•	•
ONW-D-1001-DMV-N-W	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, WHITE	080083524655	0.531	10	100				•	•
ONW-D-1001-DMV-W	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524754	0.546	10	1350				•	•
ONW-D-1001-DMV-V	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524761	0.515	1	500				•	•

Dual Technology - Vacancy



Dual Technology Single Level 120/277V Vacancy Sensor Switch









VNW-D-1001-MV-N-W	NEOSWITCH VACANCY DUAL TECH SINGLE LEVEL, WITH NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083644483	0.484	1	1				•	•
VNW-D-1001-MV-W	NEOSWITCH VACANCY DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083644438	0.484	1	1				•	•



Dual Technology Dual Level 120/277V Vacancy Sensor Switch

















VNW-D-1001-DMV-W	NEOSWITCH VACANCY DUAL TECH DUAL LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083652068	0.484	1	1				•	•
------------------	--	--------------	-------	---	---	--	--	--	---	---

Occupancy and Vacancy Sensors - Ceiling Mount

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
Line Voltage - Occupancy										
	PIR									
OAC-P-0500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579396	0.01	10	0				•	
OAC-P-0500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579389	0.01	1	2				•	
OAC-P-1500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083608607	0.01	1	24				•	•
OAC-P-1500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579402	0.01	1	8				•	
	Ultrasonic									
OAC-U-2000-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, ULTRASONIC, DUAL RELAY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083605927	0.01	0	0				•	
OAC-U-2000-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, ULTRASONIC, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579419	0.01	1	2				•	
	Dual Technology									
OAC-DT-2000-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, DUAL TECHNOLOGY, DUAL RELAY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579433	0.01	1	24				•	
OAC-DT-2000-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, DUAL TECHNOLOGY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579426	0.01	1	10				•	
OAC-DT-2000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579266	0.619	10	770				•	•

★ Indicates ARRA Eligible Product Indicates EISA Compliant Pulse Start Products Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
Low Voltage - Occupancy											
	PIR										
OAC-P-0500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579129	0.653	10	770				•	•	
OAC-P-0500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702008	0.01	10	770				•		
OAC-P-1500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579143	0.45	10	770				•		
OAC-P-1500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579150	0.01	10	770				•		
	Ultrasonic										
OAC-U-0501	MICROSET CEILING SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579167	0.01	1	10				•		
OAC-U-0501-R	MICROSET CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702022	0.01	10	20				•		
OAC-U-1000	MICROSET CEILING SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579181	0.55	1	540				•		
OAC-U-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702039	0.01	10	4				•		
	Dual Technology										
OAC-DT-0501	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579228	0.45	10	770				•		
OAC-DT-0501-R	MICROSET CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702053	0.01	10	770				•		
OAC-DT-1000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579242	0.55	10	540				•	•	
OAC-DT-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702060	0.01	10	770				•		
OMC-DT-2000-R	OMC MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	623961698958	0.756	2	360						★
OAC-DT-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702077	0.01	10	770				•	•	

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product



Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA


Low Voltage - Vacancy

	PIR																			
	VAC-P-1500-R	MICROSET VACANCY CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083605798	0.01	0	0														
	Ultrasonic																			
	VAC-U-0501-R	MICROSET VACANCY CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083605811	0.01	0	0														
	VAC-U-2000-R	MICROSET VACANCY CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083605859	0.01	0	0														
	VAC-U-1000-R	CEILING VACANCY US W/BAS 1000 SQ FT	080083605835	0.01	0	0														
	Dual Technology																			
	VAC-DT-0501-R	MICROSET VACANCY CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083605873	0.01	0	0														
	VAC-DT-2000-R	MICROSET VACANCY CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702152	0.01	10	12														

Occupancy and Vacancy Sensors - Wall/Corner Mount

	PIR																				
	OAWC-P-009L-H	PIR WALL/CORNER SENSOR, 90 LINEAR	080083577873	0.79	1	12															
	OAWC-P-009L-H-R	PIR WALL/CORNER SENSOR, 90 LINEAR, W/BAS RELAY AND DAYLIGHT SENSOR	080083577880	0.814	1	10															
	OAWC-P-120W	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083577668	0.792	1	360															
	OAWC-P-120W-R	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083626304	0.818	2	360															
	Dual Technology																				
	OAWC-DT-120W	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083579563	0.913	10	250															
	OAWC-DT-120W-R	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083579570	0.958	1	80															

Occupancy Sensors - Fixture Mount

	OEF-P, High-Bay Fixture Mount Sensor																			
	OEF-P-2MH0-MV-S	FIXTURE MOUNT PIR SENSOR, 2-WAY (360 DEGREE), 120-277V, SIDE MOUNT	623961699030	0.25	30	10														

ARRA

Cooper Lighting is uniquely positioned to help customers take advantage of the vast opportunities brought forth by the passing of the American Recovery and Reinvestment Act (ARRA)



The American Recovery and Reinvestment Act

On February 17, 2009 Congress passed the final version of the financial stimulus legislation "American Recovery and Reinvestment Act," also called ARRA. ARRA contains a strong "Buy American" provision to ensure the support of domestic companies and domestic workers.

Elements of the Act

- Revive the renewable energy industry and provide the capital over the next three years to eventually double domestic renewable energy capacity.
- Enact the largest increase in funding of our nation's roads, bridges, and mass transit systems since the creation of the national highway system in the 1950s.
- Invest \$4.5B on Energy Delivery and Reliability, and \$16.8B on Energy Efficiency.

We have added an additional column to the Cooper Lighting stock guide so that you will be able to easily identify products in our inventory that meet ARRA requirements.

Look for the ★

This guide only represents a small portion of the products Cooper Lighting has to offer. If you have any questions or need additional information on these or other products that are to be used on ARRA Stimulus, or government projects please contact one of our customer service experts and they will give you detailed information to ensure the product qualifies for the specific project.

ARRA identified items in this guide are for informational purposes only and represent products that Cooper has initially determined to be eligible under the Buy American provision (section 1605) of the American Recovery and Reinvestment Act (ARRA) for federally-funded ARRA projects. Cooper Lighting will provide an appropriate certification upon request after reviewing eligibility requirements and funding sources of a specific project.

As noted in this guide, the products were produced in the United States, in a Free Trade Agreement (FTA) country, a Least Developed Country (LDC), or in a World Trade Agreement Government Procurements Agreement (WTO GPA) country. If produced in an FTA country, LDC, or WTO GPA country, Cooper Lighting understands that the project must meet the applicable contract thresholds in order for the goods to be eligible for ARRA funding. Cooper Lighting has not sought nor has it received any waiver of the ARRA Buy American provision.

This guide does not provide country of origin or certification that any listed products satisfy the requirements of any applicable free trade agreements.

Remember, The Buy American Indicator ★ is for Stock Guide items ONLY. For all other products, please contact your Customer Service Representative.



For additional information on ARRA and Stimulus visit www.cooperindustries.com/stimulusrecovery/index.cfm

Cooper Lighting, L.L.C.

Terms and Conditions

1. Applicable Terms and Conditions

(a) These terms and conditions of sale establish the rights, obligations, and remedies of Buyer and Seller that apply to any order issued by Buyer for the purchase of Seller's products and/or services ("Products"). No additional or different terms or conditions, whether contained in Buyer's purchase order form or in any other document or communication pertaining to Buyer's order, will be binding on Seller unless accepted in writing by an authorized representative of Seller. Seller expressly objects to and rejects any additional or different terms and conditions, which shall be ineffective.

(b) If Seller's order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions is found to be an acceptance of an offer, acceptance is expressly made conditional upon Buyer's assent solely to these terms and conditions, and acceptance of any part of Products delivered by Seller shall be deemed to constitute such assent by Buyer. If the order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions constitutes an offer, Buyer's acceptance of the offer is hereby limited to the terms of the offer.

2. Price, Payment Terms, and Title

(a) All prices represent those in effect at the time of quotation and are subject to change without notice. Unless prices are bid or quoted as "firm," Seller reserves the right to invoice at prices in effect at the date of shipment, regardless of any prior bid and whether notice was received by Buyer. Prices are stated in United States dollars unless otherwise indicated, are exclusive of shipping, handling, shipping insurance, duties, and sales, use, excise or similar taxes. Export packaging or any other special handling requested by Buyer will be at Buyer's expense. A service charge of \$25 will be assessed for any order less than \$100.

(b) Buyer acknowledges that the pricing of the Products has been set based on the agreed allocation of risks contained in these terms and conditions. If, notwithstanding the provisions of these terms and conditions, a court of competent jurisdiction determines that Buyer's terms and conditions apply to an order, then Seller shall have the right to either (i) modify the prices (including retroactively) according to the additional level of risk and responsibility that Buyer's terms and conditions require Seller to undertake, or (ii) cancel the order any time after such a determination without liability for the termination other than for the Products already delivered on these terms and conditions.

(c) Unless different credit terms have been extended to Buyer in writing by Seller, payment terms are net 30 days after delivery or date of invoice, whichever first occurs, in the currency invoiced. Seller reserves the right to modify or withdraw credit terms at any time without notice. If Buyer fails to fulfill the terms of payment, Seller may defer further shipments to Buyer or, at its option, cancel the unshipped portions of Buyer's orders. Buyer agrees to pay interest on all past due invoices at the lesser of 18% per annum, compounded monthly, or the highest contractual rate allowable under the law.

(d) Until full payment of all obligations of the Buyer for an order, Seller reserves the title (but not the risk of loss) to all Products furnished under that order. If the Buyer defaults in payment or performance or becomes subject to insolvency, receivership or bankruptcy proceedings or makes an assignment for the benefit of creditors, or without the consent of Seller voluntarily or involuntarily sells, transfers, leases or permits any lien or attachment on the Products, Seller may treat all amounts then or thereafter owing by Buyer to be immediately due and payable and Seller at its election may repossess Products for which Buyer has not paid in full. In the event of repossession of Products under this section, Buyer agrees that Seller may enter the premises where the Products may be located and remove them without notice and without being liable to Buyer for such repossession. Buyer will not set off invoiced amounts or any portion thereof against sums that are due or may become due from Seller, its parents, affiliates, or subsidiaries. Buyer grants Seller a security interest in all Products for which title has passed (including all after-acquired Products) that Seller sells Buyer and all proceeds of Products (including but not limited to all products in which Products are incorporated and any funds and products that Buyer receives in exchange for Products). Buyer consents to Seller's execution of any documents to evidence and perfect this security interest, and agrees to execute the same if requested by Seller.

3. Delivery and Risk of Loss

(a) Unless otherwise agreed in writing, all deliveries of Products will be EXW (Incoterms 2000) Seller's facility. Products will be packed in Seller's standard commercial shipping packages. Charges for shipping may not reflect net transportation costs paid by Seller. Buyer shall reimburse Seller for all costs of storage and handling incurred by Seller after the date that Seller is prepared to make shipment.

(b) Delivery and shipping dates are approximate and represent Seller's best estimate of the time required to make delivery or shipment. Time is not of the essence with respect to the transactions covered by these terms and conditions, except with respect to Buyer's obligation to make all related payments. Seller's obligations under these terms and conditions will be dependent upon Seller's ability to obtain necessary raw materials and components. Seller shall have the right to make partial deliveries and to ship up to forty (40) days in advance of shipping date.

4. Acceptance

Acceptance shall occur, if not before, when Buyer fails to reject within ten (10) days after delivery of the Products. Buyer may rightfully reject only when a reasonable inspection shows that the Products fail to conform substantially to the specifications for the Products. Buyer waives any right to revoke acceptance. Buyer's remedies for any nonconformity detected after acceptance are limited to those expressly provided in these terms and conditions for breach of warranty.

5. Limited Warranty

(a) Seller warrants to each original Buyer of Products that Products are, at the time of delivery to the Buyer, in good working order and conform to Seller's official published specifications, provided that no warranty is made with respect to any Product, ballasts, lamps, component parts, or accessories manufactured by others but supplied by Seller.

(b) Seller's obligation under this warranty for any Product provided not to be as warranted within the applicable warranty period is limited to, at its option, replacing the Product, refunding the purchase price of the Product, or using reasonable efforts to repair the Product during normal business hours at any authorized service facility of Seller. All costs of transportation of any Product claimed not to be as warranted and of any repaired or replacement Product to or from such service facility shall be borne by Buyer.

(c) Seller may require the return of any Product claimed not to be as warranted to one of its facilities as designated by Seller, transportation prepaid by Buyer, to establish a claim under this warranty. The cost of labor for removing a Product and for installing a repaired or replacement Product shall be borne by Buyer. Replacement parts provided under the terms of this warranty are warranted for the remainder of the warranty period of the Products in which they are installed to the same extent as if such parts were original components. Warranty services provided under these terms and conditions do not assure uninterrupted operations of Products; Seller shall not be liable for damages caused by any delays involving warranty service.

(d) The warranty period for Products is twelve (12) months from the date of shipment unless otherwise agreed by Seller in writing.

(e) EXCEPT FOR THE EXPRESS WARRANTY SET FORTH ABOVE, SELLER PROVIDES PRODUCTS AS-IS AND MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, REGARDING THE PRODUCTS, THEIR FITNESS FOR ANY PARTICULAR PURPOSE, THEIR MERCHANTABILITY, THEIR QUALITY, THEIR NONINFRINGEMENT, OR OTHERWISE. IN NO EVENT SHALL SELLER BE LIABLE FOR THE COST OF PROCUREMENT OR INSTALLATION OF SUBSTITUTE GOODS. THIS WARRANTY SPECIFICALLY EXCLUDES POLE FAILURE RESULTING FROM A THIRD-PARTY ACT OR OMISSION, MISUSE, UNANTICIPATED USE, FATIGUE, FAILURE, OR SIMILAR PHENOMENA RESULTING FROM INDUCED VIBRATION, HARMONIC OSCILLATION, OR RESONANCE FROM AIR CURRENT MOVEMENT AROUND THE PRODUCT. THIS WARRANTY SPECIFICALLY EXCLUDES POLES INSTALLED WITHOUT THE LUMINAIRES OR WITH UNAPPROVED DEVICES SUCH AS BANNERS, PENNANTS, CAMERAS, OR SIGNS, FOR WHICH THE POLE WAS NOT DESIGNED. USE OF SUCH ACCESSORIES MAY RESULT IN INJURY, DEATH OR PROPERTY DAMAGE. THIS WARRANTY SPECIFICALLY EXCLUDES POLES USING PRE-EXISTING ANCHORAGES, ANCHOR BOLTS, OR BOLT ADAPTERS NOT SUPPLIED BY COOPER LIGHTING. IT ALSO EXCLUDES ISSUES RELATED TO FOUNDATION OR SOIL CONDITIONS AT THE INSTALLATION SITE.

6. LIMITATION OF LIABILITY

IN NO EVENT WILL SELLER BE LIABLE FOR ANY SPECIAL DAMAGES, CONSEQUENTIAL DAMAGES, INDIRECT DAMAGES, INCIDENTAL DAMAGES, STATUTORY DAMAGES, EXEMPLARY OR PUNITIVE DAMAGES, LOSS OF PROFITS, LOSS OF REVENUE, LIQUIDATED DAMAGES, OR LOSS OF USE, EVEN IF INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. SELLER'S LIABILITY FOR DAMAGES ARISING OUT OF OR RELATED TO A PRODUCT SHALL IN NO CASE EXCEED THE PURCHASE PRICE OF THE PRODUCT FROM WHICH THE CLAIM ARISES. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THESE LIMITATIONS AND EXCLUSIONS WILL APPLY WHETHER SELLER'S LIABILITY ARISES OR RESULTS FROM BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE, GROSS NEGLIGENCE, MALICE, OR INTENTIONAL CONDUCT), STRICT LIABILITY, BY OPERATION OF LAW, OR OTHERWISE.

7. Cancellation and Return of Products

Orders shall not be subject to cancellation or modification either in whole or in part without Seller's written consent and then only with terms that will reimburse Seller for all applicable costs incurred by virtue of the sale, including costs of purchased materials, engineering costs and a reasonable allowance for profit. Seller's written consent must be given in advance of Buyer's return of Products for credit. Seller reserves the right to cancel any sale of Products without liability to Buyer (except for refund of monies already paid), if the manufacturer or sale of the goods is or becomes technically or economically impractical.

8. Force Majeure

Seller shall not be liable for any failure to perform or delay in performing its obligations resulting directly or indirectly from or contributed to by any acts of God, acts of Buyer or those under Buyer's control, acts of government or other civil or military authorities, priorities, strikes, or other labor disputes, fires, accidents, floods, epidemics, war, riot, embargoes, delays in transportation, lack of or inability to obtain raw materials, components, labor, fuel or supplies, or other circumstances beyond Seller's reasonable control ("Force Majeure Event"). If Seller elects, the time for performance shall be extended by a period of time equal to the time lost because of any delays caused by reasons of a Force Majeure Event. Should Seller be prevented from completing Buyer's order or any part thereof because of any Force Majeure Event, then Buyer agrees promptly upon request and upon receipt of invoice therefor, to pay Seller for any Product or Products then completed.

9. Work Product

"Work Product" shall include, without limitation, all designs, discoveries, creations, works, devices, masks, models, work in progress, service deliverables, inventions, products, special tooling, computer programs, procedures, improvements, developments, drawings, notes, documents, business processes, information and materials made, conceived or developed by Seller alone or with others that result from or relate to the Products. All Work Product shall at all times be and remain the sole and exclusive property of Seller. Buyer hereby agrees to irrevocably assign and transfer to Seller and does hereby assign and transfer to Seller all of its worldwide right, title and interest in and to the Work Product including all associated intellectual property rights. Buyer hereby waives any and all moral and other rights in any Work Product or any other intellectual property created, developed or acquired in respect of the Products. Seller will have the sole right to determine the treatment of any Work Product, including the right to keep it as trade secret, execute and file patent applications on it, to use and disclose it without prior patent application, to file registrations for copyright or trademark in its own name or to follow any other procedure that Seller deems appropriate. All tools and equipment supplied by Buyer to Seller shall remain the sole property of Seller.

10. Confidentiality

(a) Buyer may acquire knowledge of Seller Confidential Information (as defined below) in connection with Products and/or its performance hereunder and agrees to keep Seller Confidential Information in confidence during and following termination or expiration of this Agreement. "Seller Confidential Information" includes but is not limited to all information, whether written or oral, in any form, including, without limitation, information relating to the research, development, products, methods of manufacture, trade secrets, business plans, customers, vendors, finances, personnel data, Work Product, and other material or information considered proprietary by Seller relating to the current or anticipated business or affairs of Seller that is disclosed directly or indirectly to Buyer. In addition, Seller Confidential Information means any third party's proprietary or confidential information disclosed to Buyer in the course of providing Products to Buyer.

(b) Buyer agrees not to copy, alter or directly or indirectly disclose any Seller Confidential Information. Additionally, Buyer agrees to limit its internal distribution of Seller Confidential Information to Buyer's employees who have a need to know, and to take steps to ensure that the dissemination is so limited. In no event will Buyer use less than the degree of care and means that it uses to protect its own information of like kind, but in any event not less than reasonable care to prevent the unauthorized use of Seller Confidential Information. Buyer may disclose Seller Confidential Information that is required to be disclosed pursuant to a requirement of a government agency or law but only after Buyer provides prompt notice to Seller of such requirement and gives Seller the opportunity to challenge or limit the scope of the disclosure.

(c) Buyer further agrees not to use Seller Confidential Information except in the course of performing hereunder and will not use such Seller Confidential Information for its own benefit or for the benefit of any third party. All Seller Confidential Information is and shall remain the property of Seller. Upon Seller's written request, Buyer shall return, transfer or assign to Seller all Seller Confidential Information, including all Work Product, and all copies containing Seller Confidential Information.

11. Patent Indemnity

In the event any Product is made in accordance with drawings, samples or manufacturing specifications designated by Buyer, Buyer agrees to indemnify, defend and hold Seller harmless from any and all damages, costs and expenses (including attorney's fees) relating to any claim arising from or relating to the design, distribution, manufacture, marketing, sale, or use of the Product or arising from or relating to a claim that such Product furnished to Buyer by Seller, or the use thereof, infringes any claim of any patent, foreign or domestic, and Buyer agrees at its own expense to undertake the defense of any suit against Seller brought upon such claim or claims.

12. Changes in Product Design or Manufacture

Seller shall have the right to change, discontinue or modify the design and construction of any of its products and to substitute material equal to or superior to that originally specified.

13. Software License

Software, if included with a Product, is hereby licensed and not sold. The license is nonexclusive, and is limited to use with the Product with which it is included. No other use is permitted and Seller retains for itself (or, if applicable, its suppliers) all title and ownership to any software delivered hereunder, all of which contains confidential and proprietary information and which ownership includes without limitation all rights in patents, copyrights, trademarks and trade secrets. Buyer shall not attempt any sale, transfer, sublicense, reverse compilation or disassembly (save to the extent expressly permitted by law) or redistribution of the software. Buyer shall not copy, disclose or display any such software, or otherwise make it available to others.

14. Compliance with Laws

Buyer shall comply with all laws and regulations applicable to Products, including but not limited to all applicable import and export laws and regulations. Buyer and Buyer's Agent shall provide all information requested by Seller relating to Seller's voluntary or mandatory compliance with any law or regulation, and Buyer shall indemnify Seller for any losses incurred by Seller arising from Buyer's or Buyer's Agent's failure to provide the information requested by Seller.

15. Waiver

No waiver of any provision of these terms and conditions (or any right or default hereunder) shall be effective unless in writing and signed by an authorized representative of Seller. Any such waiver shall be effective only for the instance given, and shall not operate as a waiver with respect to any other rights or obligations under these terms and conditions or applicable law in connection with any other instances or circumstances.

16. Language

The parties have expressly required that these terms and conditions be prepared in the English language. *Les parties aux présentes ont expressément exigé que les présents termes et les bons de commandes émis aux termes des présentes soient rédigés en langue Anglaise.*

17. Choice of Law and Dispute Resolution

Except as set forth below, these terms and conditions shall be governed by and construed in accordance with the laws of the State of Texas, without reference to its choice of law rules. If both Seller and Buyer are incorporated under the laws of Canada or a province of Canada, these terms and conditions shall be governed by and construed in accordance with the laws of the Province of Ontario and the federal laws of Canada. If Buyer is incorporated in the United States, any claim or litigation arising out of or relating to Products shall be brought exclusively in a court of competent jurisdiction in Harris County, Texas. If Buyer is incorporated outside of the United States, any dispute will be resolved by arbitration in Houston, Texas, by three arbitrators and under the International Chamber of Commerce Rules of Arbitration. The language of the arbitration will be English. In all cases, Buyer and Seller expressly exclude from application the United Nations Convention on Contracts for the International Sale of Goods.

18. Assignment

Buyer may not assign, transfer or subcontract the performance of its services, or any of its rights and/or obligations hereunder, without Seller's prior written consent.

19. Severability

If any provision of these terms and conditions is determined to be illegal, invalid, or unenforceable, the validity and enforceability of the remaining provisions of these terms and conditions will not be affected and, in lieu of such illegal, invalid, or unenforceable provision, there will be added, as part of these terms and conditions, one or more provisions as similar in terms as may be legal, valid and enforceable under applicable law.

CL 022311

Eaton's Cooper Lighting Business

Headquarters
1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.cooperlighting.com

Canada Sales

5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

Our Lighting Product Brands

Halo
Halo Commercial
Portfolio
IRiS
RSA
Metalux
Corelite
Neo-Ray
Fail-Safe
MWS
Ametrix
Shaper
io
Lumark
McGraw-Edison
Invue
Lumière
Streetworks
AtLite
Sure-Lites

Our Controls Product Brands

Greengate
iLumin
Zero 88
Fifth Light Technology
iLight (International Only)