

## Stock Guide - April 2016



Halo • Halo Track & Surface • Halo Commercial • Metalux • All-Pro Ambient • Lumark Outdoor • Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Atlite Emergency/Exit • Portfolio • IRiS • Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

**EATON**

*Powering Business Worldwide*

## Stock Guide - April 2016



Halo • Halo Track & Surface • Halo Commercial • Metalux • All-Pro Ambient • Lumark Outdoor • Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Atlite Emergency/Exit • Portfolio • IRiS • Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

**EATON**

*Powering Business Worldwide*

## Stock Guide - April 2016



Halo • Halo Track & Surface • Halo Commercial • Metalux • All-Pro Ambient • Lumark Outdoor • Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Atlite Emergency/Exit • Portfolio • IRiS • Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

**EATON**

*Powering Business Worldwide*

## Stock Guide - April 2016



Halo • Halo Track & Surface • Halo Commercial • Metalux • All-Pro Ambient • Lumark Outdoor • Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Atlite Emergency/Exit • Portfolio • IRiS • Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

**EATON**

*Powering Business Worldwide*

# INDEX

★ Indicates  
ARRA  
Eligible Product

(E) Indicates  
EISA Compliant  
Pulse Start Products

OTS Indicates  
Off The Shelf  
Product

## HALO

3" Housings and Trims.....	pg 1
4" Housings and Trims.....	pg 3
4" Halo LED.....	pg 6
5" Housings and Trims.....	pg 11
6" Housings and Trims.....	pg 20
6" Halo LED.....	pg 32
Retrofit Modules.....	pg 35
6" GU24 Housings.....	pg 39
6" H7 Chicago Plenum Housings.....	pg 39
6" Low Voltage H7t and H7RT.....	pg 40
6" Slope Ceiling Housing.....	pg 40
6" Slope Ceiling Trim.....	pg 40
6" Allslope LED System.....	pg 41
8" Housings and Trims.....	pg 41
10" Housings and Trims.....	pg 41
Step and Wall Lights.....	pg 42
Accessories.....	pg 43

## HALO TRACK and SURFACE

LED Luminaire.....	pg 44
Power - Trac Luminaire.....	pg 46
Power - Trac Systems.....	pg 50
Lazer Lampholders and Systems.....	pg 56
Surface.....	pg 61

## HALO COMMERCIAL

6" Housings and Trims.....	pg 62
8" Housings and Trims.....	pg 65

## METALUX

Recessed Static.....	pg 66
Recessed Direct / Indirect.....	pg 70
Recessed Accessories.....	pg 72
Surface LED.....	pg 73
Modular Surface.....	pg 73
Wraparound.....	pg 73
Wall Brackets.....	pg 75
Paralux III High Performance.....	pg 76
Parabolic Surface.....	pg 77
Advance Retrofit Kit Technology (ART).....	pg 77
Strip.....	pg 77
Industrial.....	pg 80
Vapor Tite.....	pg 85
Undercabinet.....	pg 86

## ALL-PRO AMBIENT

Parabolics.....	pg 87
Troffers.....	pg 87
Wraparounds.....	pg 88
Striplights.....	pg 89
Vapor Tite.....	pg 89
High Bay.....	pg 90
Low Bay.....	pg 90
Flushmount.....	pg 91

## LUMARK OUTDOOR

Wall Mount.....	pg 92
Floodlight.....	pg 94
Parking / Canopy.....	pg 96
Area / Site.....	pg 96

## LUMARK INDOOR

Worklight.....	pg 99
Industrial.....	pg 99
Industrial Component.....	pg 99
Worklight and Industrial Component Accessories.....	pg 100
Indoor.....	pg 100

## ALL-PRO OUTDOOR SECURITY & WORKLIGHTS

Floodlight.....	pg 101
Motion Activated.....	pg 102
Worklight.....	pg 103
Dusk to Dawn.....	pg 105
Accessory.....	pg 106

## SURE-LITES

LED Remote.....	pg 108
Emergency.....	pg 111
Exit Signs.....	pg 113
Retrofit.....	pg 117
Accessories.....	pg 117
Chicago Code.....	pg 117

## ALL-PRO EMERGENCY

LED Exit and Emergency.....	pg 118
-----------------------------	--------

## ATLITE EMERGENCY/EXIT

Exit and Emergency.....	pg 119
-------------------------	--------

## PORTFOLIO

LED.....	pg 121
CFL.....	pg 126
HID.....	pg 129
Incandescent.....	pg 129
CFL, HID and Incandescent Accessories.....	pg 130

## IRIS

Iris Platform.....	pg 131
Iris Power Modules.....	pg 132
Iris Optical Element.....	pg 132
Iris Components and Accessories.....	pg 134

## LUMIÈRE

Accent / Flood.....	pg 135
Inground.....	pg 135
Wall.....	pg 136
Bollards.....	pg 136
Step.....	pg 137
Pathway.....	pg 137
Underwater.....	pg 137
Accessories.....	pg 138

## McGRAW-EDISON

Wall Mount.....	pg 139
-----------------	--------

## FAIL-SAFE

Commercial Vandal Resistant.....	pg 140
Cleanroom.....	pg 140
Medical.....	pg 140

## MWS

Starter Fitting.....	pg 141
Extender Cables.....	pg 141
Splitter.....	pg 141

## HID ACCESSORIES

HID Accessories.....	pg 142
----------------------	--------

## POLES

Poles.....	pg 143
------------	--------

## CONTROLS

Lighting Controls.....	pg 144
Room Controller.....	pg 145
Switchpack.....	pg 146
Wall Switch Occupancy and Vacancy Sensor.....	pg 146
Occupancy and Vacancy Sensors.....	pg 149
Occupancy Sensors.....	pg 151

## ARRA

The American Recovery and Reinvestment Act.....	pg 152
-------------------------------------------------	--------





## TERMS & CONDITIONS

Cooper Lighting Stock Guide 2016 Terms and Conditions.....	pg 153
------------------------------------------------------------	--------





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

## Halo


### 3" H3 Housing

	<b>IC Air-Tite - H36ICAT</b> H36ICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961361302	5.977	4	64	•	•	•	•	•	•	★
	<b>IC Air-Tite - H38ICAT</b> H38ICAT	3" HOUSING IC AIR-TITE 120V LINE VOLTAGE, GU10	623961361272	4.198	4	64	•	•	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel</b> H36RTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, REMODEL, GU10	623961361326	0.57	6	252	•	•	•	•	•	•	★
	<b>Non-IC Air-Tite</b> H36TAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961377662	1.733	6	144	•	•	•	•	•	•	★

### 3" H3 Low Voltage Housing

	<b>IC Air-Tite - H36LVICAT</b> H36LVICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	623961361333	5.661	4	64	•	•	•	•	•	•	★
	<b>IC Air-Tite - H38LVICAT</b> H38LVICAT	3" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	623961361289	5.16	4	80	•	•	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel</b> H36LVRTAT H36LVRTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE REMODEL, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, REMODEL, MR16	623961361340 080083528479	2.298 3.2	6 6	168 216	•	•	•	•	•	•	★
	<b>Non-IC Air-Tite</b> H36LVTAT H36LVTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, MR16	623961361357 623961690068	3.323 4.18	6 6	120 168	•	•	•	•	•	•	★

### 3" H3 Trim

	<b>Adjustable Pinhole Baffle - 15 Degree Tilt</b> 3001BKBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE BLACK TRIM WITH BLACK BAFFLE	623961379673	0.675	36	864	•	•	•	•	•	•	•	Ⓞ
	3001TBZBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961591976	0.632	36	576	•	•	•	•	•	•	•	Ⓞ
	3001WHBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH BLACK BAFFLE	623961379727	0.632	36	864	•	•	•	•	•	•	•	Ⓞ
	3001SNBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961379703	0.638	36	432	•	•	•	•	•	•	•	Ⓞ









★ Indicates ARR A Eligible Product ⓘ Indicates EISA Compliant Pulse Start Products Ⓞ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
	<b>Adjustable Pinhole Reflector - 15 Degree Tilt</b> 3002WHC    3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH CLEAR REFLECTOR	623961384349	0.61	36	864	•			•		
	<b>Adjustable Pinhole Baffle - 35 Degree Tilt</b> 3003BKBB    3" TRIM ADJUSTABLE 35 DEGREE BAFFLE BLACK TRIM WITH BLACK BAFFLE	623961384929	0.675	36	864	•	•				
	3003SNB    3" TRIM ADJUSTABLE 35 DEGREE BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961384417	0.692	36	864	•					
	3003TBZB    3" TRIM ADJUSTABLE 35 DEGREE BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961591990	0.69	36	864	•					
	3003WHBB    3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961384431	0.6	36	864	•		•			
	3003WHWB    3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961384455	0.68	36	864	•	•	•	•	•	
	<b>Adjustable Reflector - 35 Degree Tilt</b> 3004SN    3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384523	0.675	36	864	•					
	3004TBZ    3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961592003	0.621	36	864	•					
	3004WHC    3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH CLEAR REFLECTOR	623961384547	0.596	36	864	•	•	•	•	•	
	3004WHH    3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH HAZE REFLECTOR	080083588220	0.599	36	864	•		•		•	
	3004WHW    3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH WHITE REFLECTOR	623961401091	0.476	6	864	•	•	•	•	•	
	3007TBZ    3" TRIM LENSED SHOWER LIGHT 15 TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	080083607389	0.764	36	432	•					
	<b>Adjustable Slot Aperture - 35 Degree Tilt</b> 3006TBZBB    3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961592010	0.6	36	864	•					
	3006WHBB    3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE WHITE TRIM WITH BLACK BAFFLE	623961379635	0.669	36	864	•		•			
	<b>Lensed Shower Light - 15 Degree Tilt</b> 3007PCC    3" TRIM LENSED SHOWER LIGHT 15 DEGREE POLISHED CHROME TRIM WITH CLEAR REFLECTOR	623961384776	0.613	6	864	•					
	3007SN    3" TRIM LENSED SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384790	0.6	36	864	•					
	3007WHC    3" TRIM LENSED SHOWER LIGHT 15 DEGREE WHITE TRIM WITH CLEAR REFLECTOR	623961384813	0.617	36	864	•	•	•	•		
	<b>Shower Light</b> 3008FG    3" TRIM SHOWER LIGHT WHITE PLASTIC TRIM WITH FROSTED GLASS LENS	623961384837	0.417	36	864	•	•	•	•	•	
	<b>Adjustable Gimbal - 35 Degree Tilt</b> 3009BKBB    3" TRIM ADJUSTABLE 35 DEGREE GIMBAL BLACK WITH BLACK BAFFLE	623961384592	0.6	36	864	•					
	3009SNBB    3" TRIM ADJUSTABLE 35 DEGREE GIMBAL SATIN NICKEL WITH BLACK BAFFLE	623961384615	0.638	36	864	•		•			
	3009TBZBB    3" TRIM ADJUSTABLE 35 DEGREE GIMBAL TUSCAN BRONZE WITH BLACK BAFFLE	623961592249	0.571	36	864	•		•	•		
	3009WHBB    3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH BLACK BAFFLE	623961384646	0.599	36	864	•		•			
	3009WHWB    3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH WHITE BAFFLE	623961384660	0.683	36	864	•	•	•	•	•	
	<b>Super Adjustable, 80 Degree, Tuscan Bronze</b> 3010WH    3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, WHITE	080083514366	1.14	36	216	•					

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product









Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Square Adjustable - 15 Degree Tilt</b>											
	3011BKBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE BLACK TRIM WITH BLACK BAFFLE	623961978326	0.693	36	432	•	•	•		OTS
	3011SNBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978333	0.656	36	864	•	•	•		OTS
	3011TBZBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978357	0.652	36	864	•	•	•		OTS
	3011WHBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH BLACK BAFFLE	623961978210	0.719	36	432	•	•	•		OTS
	3011WHWB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH WHITE BAFFLE	623961978203	0.666	36	864	•	•	•	•	OTS
<b>Square Regressed Lens Adjustable Shower Light</b>											
	3012BKBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE BLACK TRIM WITH BLACK BAFFLE	623961978395	0.5	36	864	•	•	•		OTS
	3012SNBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978401	0.772	36	864	•	•	•		OTS
	3012TBZBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978425	0.8	36	864	•	•	•		OTS
	3012WHBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH BLACK BAFFLE	623961978364	0.851	36	864	•	•	•		OTS
	3012WHWB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH WHITE BAFFLE	623961978388	0.588	36	864	•	•	•	•	OTS
<b>Square Adjustable Gimbal</b>											
	3013SN	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, SATIN NICKEL	623961978463	0.508	36	864	•	•	•		OTS
	3013TBZ	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, TUSCAN BRONZE	623961978487	1.556	36	216	•	•	•		OTS
	3013WH	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, WHITE	623961978432	0.556	36	864	•	•	•	•	OTS
<b>All-Glass Frost Curve Showerlight Trim</b>											
	3017FGS	3" TRIM, FROST ALL-GLASS CURVE SHOWER TRIM WITH WHITE BASE	080083514502	0.916	1	252	•	•	•		OTS
<b>Wall Wash Pinhole with Clear Reflector</b>											
	3020WW	3" TRIM WALL WASH PINHOLE WHITE TRIM WITH CLEAR REFLECTOR AND CLEAR KICK REFLECTOR	080083514533	1.135	6	180	•	•	•		OTS
<b>4" H99 Housing</b>											
<b>IC Air-Tite - H99ICAT</b>											
	H99ICAT	4" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083582259	2.4	6	144	•	•	•	•	★
<b>Non-IC Air-Tite Remodel - H99RAT</b>											
	H99RAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 120V LINE VOLTAGE	080083584369	1.45	6	252	•	•	•	•	★
<b>Non-IC Air-Tite - H99TAT</b>											
	H99TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 120V INCANDESCENT	080083584260	2.1	6	168	•	•	•	•	★
<b>4" H99 Trim</b>											

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Adjustable Lensed Shower Light - 15 Degree Tilt</b>											
 1951PS	4" TRIM LENSED SHOWERLIGHT WHITE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	622697464974	0.801	12	384	•	•	•	•	•	Ⓢ
1951TBZS	4" TRIM LENSED SHOWERLIGHT TUSCAN BRONZE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623961311758	0.781	12	720	•	•	•	•	•	Ⓢ
<b>Metropolitan Ice Lite - For H99T, H99RT &amp; H99ICT</b>											
 945	4" TRIM METROPOLITAN 120V FROSTED GLASS	662400188612	1.75	6	240	•	•	•	•	•	★ Ⓢ
<b>Metropolitan Deco - For H99T, H99RT &amp; H99ICT</b>											
 946BC	4" TRIM METROPOLITAN 120V BLACK CHROME ACCENT WITH TRANSLUCENT RINGS	662400184430	1.645	1	216	•	•	•	•	•	★ Ⓢ
<b>Shower Light</b>											
 951PS	4" TRIM LENSED SHOWERLIGHT 120V WHITE TRIM WITH GLASS LENS	622697283117	0.45	6	480	•	•	•	•	•	Ⓢ
951SNS	4" TRIM LENSED SHOWERLIGHT 120V SATIN NICKEL TRIM WITH GLASS LENS	623960387556	0.626	6	432	•	•	•	•	•	Ⓢ
951TBZS	4" TRIM LENSED SHOWERLIGHT 120V TUSCAN BRONZE TRIM WITH GLASS LENS	623961311574	0.538	6	432	•	•	•	•	•	Ⓢ
<b>Dome Lens Showerlight</b>											
 952PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH FROST DOME GLASS LENS	080083515967	0.683	6	252	•	•	•	•	•	Ⓢ
<b>Metal Baffle</b>											
 953P	4" TRIM, METAL BAFFLE, WHITE TRIM WITH BLACK BAFFLE	080083516001	0.4	12	864	•	•	•	•	•	Ⓢ
953SN	4" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623960387532	0.3	12	576	•	•	•	•	•	Ⓢ
953TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311499	0.379	12	576	•	•	•	•	•	Ⓢ
953W	4" TRIM, METAL BAFFLE, WHITE TRIM WITH WHITE BAFFLE	080083516025	0.412	12	864	•	•	•	•	•	Ⓢ
<b>Pinhole Trim</b>											
 990P	4" TRIM PINHOLE TRIM WHITE	662400320647	0.453	6	720	•	•	•	•	•	★ Ⓢ
<b>Wall Wash with Baffle</b>											
 992P	4" TRIM WALL WASH WHITE TRIM AND SCOOP, BLACK BAFFLE	662400320531	0.433	6	216	•	•	•	•	•	★ Ⓢ
992TBZ	4" TRIM WALL WASH TUSCAN BRONZE TRIM AND SCOOP, BLACK BAFFLE	623961311550	0.492	12	576	•	•	•	•	•	Ⓢ
992W	4" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400320654	0.568	6	1296	•	•	•	•	•	★ Ⓢ
<b>Coilex Baffle</b>											
 993P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	080083628223	0.4	6	840	•	•	•	•	•	Ⓢ
993SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960250485	0.4	12	576	•	•	•	•	•	Ⓢ
993TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE WITH BLACK BAFFLE	080083628520	0.38	6	840	•	•	•	•	•	Ⓢ
993W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	080083628483	0.4	6	840	•	•	•	•	•	Ⓢ
<b>Adjustable Eyeball - 30 Degree Tilt - 996</b>											
 996P	4" TRIM EYEBALL PAR20 LAMP WHITE TRIM WITH WHITE EYEBALL	662400320630	0.94	12	648	•	•	•	•	•	Ⓢ
996SN	4" TRIM EYEBALL PAR20 LAMP SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL	623960282769	0.893	12	384	•	•	•	•	•	Ⓢ
996TBZ	4" TRIM EYEBALL PAR20 LAMP TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL	623961311512	0.904	12	360	•	•	•	•	•	Ⓢ


★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY							
					GA	IL	CA	NJ	TX			
	<b>Adjustable Eyeball - 30 Degree Tilt - 998</b>											
	998P	4" TRIM EYEBALL R16, PAR16 LAMP WHITE TRIM WITH WHITE EYEBALL	080083628209	0.9	6	840	•	•	•	•	•	OTS
	998TBZ	4" TRIM EYEBALL R16, PAR16 LAMP TUSCAN BRONZE WITH TUSCAN BRONZE EYEBALL	623961311437	1.469	12	840	•	•	•	•	•	OTS


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY								
					GA	IL	CA	NJ	TX				
	<b>Reflector</b>												
	999H	4" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622696606221	0.339	12	672	•	•	•	•	•	★	OTS
	999P	4" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR CLEAR REFLECTOR	662400320586	0.35	12	840	•	•	•	•	•	★	OTS
	999RG	4" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400320548	0.367	12	768	•	•	•	•	•	★	OTS
	999SN	4" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083628186	0.41	6	720	•	•	•	•	•	OTS	
	999TBZ	4" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311451	0.362	12	1200	•	•	•	•	•	OTS	
	999W	4" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	623961394287	0.369	6	432	•	•	•	•	★	OTS	

**4" H1499 Low Voltage Housing**


	<b>IC Air-Tite - H1499ICAT</b>										
H1499ICAT	4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	080083584079	5.955	4	80	•	•	•	•	•	★


	<b>Non-IC Air-Tite Remodel - H1499RTAT</b>										
H1499RTAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 12V LOW VOLTAGE MR16	080083584406	3.769	6	144	•	•	•	•	•	★






























	<b>Non-IC Air-Tite - H1499TAT</b>										
H1499TAT	4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	080083584383	3.108	6	144	•	•	•	•	•	★

	<b>Non-IC Dual Tap Transformer</b>										
H1499T75	4" HOUSING NON-IC SHALLOW CEILING 120/277V DUAL TAP TRANSFORMER LOW VOLTAGE 75W MR16 MAX.	662400611660	4.972	6	84	•	•	•	•	•	★


**4" H1499 Low Voltage Trim**

	<b>1 - 7 / 8" Pinhole Baffle</b>											
	1419P	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320494	0.689	6	1296	•	•	•	•	★	OTS
	1419SN	4" TRIM PINHOLE BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295226	0.73	6	768	•	•	•	•	OTS	
	1419TBZ	4" TRIM PINHOLE BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311611	0.6	6	1200	•	•	•	•	OTS	
	1419W	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320760	0.6	6	1248	•	•	•	•	★	OTS

	<b>Adjustable Slot Aperture - 35 Degree Tilt</b>										
	1420P	4" TRIM SLOT APERTURE WHITE, MR16	662400132264	0.69	12	864	•	•	•	•	OTS
	1420TBZ	4" TRIM SLOT APERTURE TUSCAN BRONZE, MR16	623961311673	0.863	6	1200	•	•	•	•	OTS











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>Reflector Trim</b>												
 1421C	4" TRIM REFLECTOR WHITE TRIM, CLEAR SPECULAR REFLECTOR, MR16	662400320524	0.474	12	1008	•	•	•	•	•	★	
1421CG	4" TRIM REFLECTOR WHITE TRIM, CHAMPAGNE GOLD REFLECTOR, MR16	662400603054	0.4	6	960			•			★	
1421H	4" TRIM REFLECTOR WHITE TRIM, HAZE REFLECTOR, MR16	662400621508	0.476	6	960	•		•			★	
1421MB1	4" TRIM REFLECTOR WHITE TRIM, SPECULAR BLACK REFLECTOR, MR16	662400102045	0.4	6	720			•			★	
1421SN	4" TRIM REFLECTOR SATIN NICKEL TRIM, SATIN NICKEL REFLECTOR, MR16	623960295257	0.475	6	1200	•		•				
1421TBZ	4" TRIM REFLECTOR TUSCAN BRONZE TRIM, TUSCAN BRONZE REFLECTOR, MR16	623961311598	0.513	6	672	•		•				
1421W	4" TRIM REFLECTOR WHITE TRIM, WHITE REFLECTOR, MR16	623961394270	0.538	6	1248	•		•	•		★	
<b>Metal Baffle - 35 Degree Tilt</b>												
 1453SN	4" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE, MR16	623960387570	1	6	1200	•						
1453TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE, MR16	623961311659	0.488	6	1200	•		•				
1493P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320555	0.533	6	1200	•		•		•	★	
1493TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311635	0.555	6	1200	•		•				
1493W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320623	0.563	6	972	•	•	•	•	•	★	
<b>Adjustable Gimbal - 30 Degree Tilt</b>												
 1495P	4" TRIM ADJUSTABLE GIMBAL WHITE, MR16	662400659679	0.448	6	1056	•	•	•	•			
1495SN	4" TRIM ADJUSTABLE GIMBAL SATIN NICKEL, MR16	623960295271	0.473	6	720	•		•				
1495TBZ	4" TRIM ADJUSTABLE GIMBAL TUSCAN BRONZE, MR16	623961311697	0.478	6	1200	•		•				
<b>Retractable Elbow - 60 Degree Tilt</b>												
 1496P	4" TRIM RETRACTABLE ELBOW WHITE, MR16	662400659686	0.506	6	960	•	•	•	•	•		
1496SN	4" TRIM RETRACTABLE ELBOW SATIN NICKEL, MR16	623960295172	0.528	6	720	•						
1496TBZ	4" TRIM RETRACTABLE ELBOW TUSCAN BRONZE, MR16	623961311710	0.604	6	1200	•		•				
<b>Adjustable Mirror Trim - 90 Degree Tilt</b>												
 1497P	4" TRIM ADJUSTABLE MIRROR WHITE TRIM WITH WHITE SCOOP, MR16	662400671879	0.55	6	432	•		•				
<b>Adjustable Eyeball with Baffle - 30 Degree Tilt</b>												
 1498P	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, BLACK BAFFLE, MR16	662400320517	0.8	6	600			•			★	
1498W	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, WHITE BAFFLE, MR16	662400302858	0.717	6	216	•		•	•		★	
<b>Metropolitan Ice Lite - For H1499T, 1499RT &amp; H1499IC</b>												
 1945	4" TRIM METROPOLITAN FROSTED GLASS, MR16	662400194989	2.19	6	300	•			•		★	

## 4" H4 LED Housing

<b>H457 LED Housing</b>												
 H457ICAT1E	4" LED HOUSING IC AIR-TITE, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692484	1.717	6	144	•	•	•	•	•	★	
H457RICAT1E	4" LED REMODEL HOUSING IC AIR-TITE, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692507	1.909	6	108	•	•	•		•	★	
H457TATE010	4" LED HOUSING NON-IC, AIR-TITE, 120V-277V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES, 120V & 0-10VDC DIMMABLE	080083692521	1.224	6	120	•	•	•	•	•	★	
H457RTATE010	4" LED REMODEL HOUSING NON-IC, AIR-TITE, 120V-277V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083694464	2.25	6	180	•		•	•		★	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>4" 995 LED Housing</b>											
	<b>4" LED Housing IC Air-Tite, 120V Line Voltage</b> H995ICAT      4" LED HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616930	2.25	6	144	•	•	•	•	•	★
	<b>4" LED Remodel Housing IC Air-Tite, 120V Line Voltage</b> H995RICAT      4" LED REMODEL HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616947	1.5	6	162	•	•	•	•	•	★
<b>4" H4 LED Downlight Engine and Trim</b>											
	<b>4" LED Light Engine, 2700K, for Halo H457 Gen2 LED Housings</b> EL406927      4" LED LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693559	1.206	6	310	•	•	•	•	•	★
	<b>4" LED Light Engine, 3000K, for Halo H457 Gen2 LED Housings</b> EL406930      4" LED LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693573	1.4	6	240	•	•	•	•	•	★
	<b>4" LED Light Engine, 3500K, for Halo H457 Gen2 LED Housings</b> EL406935      4" LED LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693597	1.52	6	310	•	•	•	•	•	★
	<b>4" LED Light Engine, 4000K, for Halo H457 Gen2 LED Housings</b> EL406940      4" LED LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693610	1.71	6	310	•	•	•	•	•	★
	<b>4" LED Reflector - Haze, Matte White Ring</b> TL410H      4" LED TRIM, FROST DOME POLYMER LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694501	0.388	18	720	•	•	•	•	•	
	<b>4" LED Reflector - Specular Black, Matte White Ring</b> TL410SBK      4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694549	0.4	18	720	•	•	•	•	•	
	<b>4" LED Reflector - Specular Clear, Matte White Ring</b> TL410SC      4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694488	0.3	18	720	•	•	•	•	•	
	<b>4" LED Reflector - Tuscan Bronze, Tuscan Bronze Ring</b> TL410TBZ      4" LED TRIM, FROST DOME POLYMER LENS, TUSCAN BRONZE REFLECTOR AND RING, SHOWER RATED	080083694587	0.4	18	720	•	•	•	•	•	




★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX
 TL410WH	<b>4" LED Reflector - Matte White, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694525	0.4	18	720	•	•	•	•	•
 TL411BB	<b>4" LED Reflector - Black Baffle, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, BLACK BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694624	0.4	18	720	•	•	•	•	•
 TL411WB	<b>4" LED Reflector - White Baffle, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694600	0.35	18	720	•	•	•	•	•
 TL402HS	<b>4" LED Regressed Lens - Haze Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527892	0.549	18	720	•	•	•	•	•
 TL402SBKS	<b>4" LED Regressed Lens - Specular Black Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544264	0.4	18	432	•	•	•	•	•
 TL402SCS	<b>4" LED Regressed Lens - Specular Clear Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527885	0.43	18	540	•	•	•	•	•
 TL402SNS	<b>4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SATIN NICKEL REFLECTOR, SATIN NICKEL RING, SHOWER RATED	080083544240	0.452	18	648	•	•	•	•	•
 TL410SN	<b>4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, SATIN NICKEL REFLECTOR AND RING, SHOWER RATED	080083694563	0.368	18	720	•	•	•	•	•
 TL402TBZS	<b>4" LED Regressed Lens - Tuscan Bronze Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, TUSCAN BRONZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544257	0.471	18	540	•	•	•	•	•
 TL402WHS	<b>4" LED Regressed Lens - Matte White Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, MATTE WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527908	0.441	18	630	•	•	•	•	•
 TL403BBS	<b>4" LED Regressed Lens - Black Baffle Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, BLACK BAFFLE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544271	0.4	18	720	•	•	•	•	•
 TL403WBS	<b>4" LED Regressed Lens - White Baffle, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083527915	0.4	18	576	•	•	•	•	•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	GA	IL	CA	NJ	TX	
	<b>4" LED Wall Wash Trim, White Reflector, Specular Wall Wash Optic, Matte White Ring</b> TL409WHWW 4" LED TRIM, WALL WASH, WHITE REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083575800	0.379	18	576	•	•	•	•		
	<b>4" LED Wall Wash Trim, Semi-Specular Clear Reflector, Specular Wall Wash Optic, Matte White Ring</b> TL409WW 4" LED TRIM, WALL WASH, SEMI-SPECULAR CLEAR REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083585090	0.4	18	720	•					
	<b>4" LED Optional Reflector Kit 25, 35, 50 degree, for ELG4 and ELSG4 Gimbal Trim / Light Engines</b> TL412RK 4" LED OPTIONAL REFLECTOR KIT 25, 35, 50 DEGREE, FOR ELG4 AND ELSG4 GIMBAL TRIM / LIGHT ENGINES	080083575817	0.288	18	540	•	•	•	•	•	
	<b>4" LED Trim, "Dead Front" Polymer Trim Ring and Lens Lens, Matte White Ring, Shower Rated</b> TL422PS 4" LED TRIM, "DEAD FRONT" POLYMER TRIM RING AND LENS LENS, MATTE WHITE RING, SHOWER RATED	080083527922	0.379	18	540	•		•	•		
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Satin Nickel Ring</b> TLS408SNBB 4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, SATIN NICKEL RING, SHOWER RATED	080083575787	0.4	18	576	•		•			
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Tuscan Bronze Ring</b> TLS408TBZBB 4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, TUSCAN BRONZE RING, SHOWER RATED	080083575794	0.46	18	576	•		•			
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, White Ring</b> TLS408WHBB 4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, BLACK BAFFLE, WHITE RING, SHOWER RATED	080083575770	0.457	18	576	•		•			
	<b>4" LED Square Baffle Trim with Solite(R) Regressed Lens, White Baffle, White Ring</b> TLS408WHWB 4" LED TRIM, SQUARE BAFFLE TRIM WITH SOLITE(R) REGRESSED LENS, WHITE BAFFLE, WHITE RING, SHOWER RATED	080083575763	0.5	18	576	•	•	•	•	•	
	<b>4" LED Accessory</b> TRM400BK 4" LED ACCESSORY - SLIM RING, BLACK	080083544585	0.178	24	4032	•					
	TRM400PC 4" LED ACCESSORY - SLIM RING, POLISHED CHROME	080083544646	0.2	24	3600	•					
	TRM400SN 4" LED ACCESSORY - SLIM RING, SATIN NICKEL	080083544608	0.2	24	3840	•					
	TRM400TBZ 4" LED ACCESSORY - SLIM RING, TUSCAN BRONZE	080083544622	0.2	24	3840	•					
	TRM400WH 4" LED ACCESSORY - SLIM RING, MATTE WHITE	080083544561	0.162	24	3840	•					

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

### 4" H4 LED Gimbal Trim / Light Engine

	<b>4" LED White Gimbal Trim / Light Engine, 2700K</b> ELG406927WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693634	2.815	6	240	•	•	•	•	•	★
	<b>4" LED Satin Nickel Gimbal Trim / Light Engine, 3000K</b> ELG406930SN	4" LED SATIN NICKEL GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693733	2.815	6	240	•					★
	<b>4" LED Tuscan Bronze Gimbal Trim / Light Engine, 3000K</b> ELG406930TBZ	4" LED TUSCAN BRONZE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693818	2.815	6	240	•					★
	<b>4" LED White Gimbal Trim / Light Engine, 3000K</b> ELG406930WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693658	2.815	6	240	•	•	•	•	•	★
	<b>4" LED White Gimbal Trim / Light Engine, 3500K</b> ELG406935WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693672	2.815	6	240	•	•	•	•		★
	<b>4" LED White Gimbal Trim / Light Engine, 4000K</b> ELG406940WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693696	2.815	6	240	•		•			★
	<b>4" LED White Square Gimbal Trim / Light Engine, 2700K</b> ELSG406927WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693870	2.815	6	240	•		•			★
	<b>4" LED White Square Gimbal Trim / Light Engine, 3000K</b> ELSG406930WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693894	2.815	6	240	•		•			★

### 4" LT4 LED Retrofit Trim Kit

	<b>Baffle-Trim</b> LT460WH6930	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083742394		1	6	240	•		•		
------------------------------------------------------------------------------------	-----------------------------------	----------------------------------------------------------------	--------------	--	---	---	-----	---	--	---	--	--

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>5" E5 Housing</b>											
	<b>IC Air-Tite</b> E5ICATNB E5ICAT	5" IC, AIR-TITE, NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V 5" IC, AIR-TITE, NEW CONSTRUCTION HOUSING, 120V	080083737390 080083737420	1.87 1.9	6 6	144 144	•	•	•	•	★
	<b>IC Air-Tite Remodel</b> E5RICAT	5" IC, AIR-TITE, REMODEL HOUSING, 120V	080083737307	1.8	6	180	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel</b> E5RTAT	5" NON-IC, AIR-TITE, REMODEL HOUSING, 120V	080083737277	1.8	6	180	•	•	•	•	★
	<b>Non-IC Air-Tite</b> E5TAT E5TATNB	5" NON-IC, AIR-TITE, NEW CONSTRUCTION HOUSING, 120V 5" NON-IC, AIR-TITE, NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V	080083737369 080083737338	1.87 1.85	6 6	144 144	•	•	•	•	★
<b>5" 5100 and 5200 Trim</b>											
	<b>5102BB Baffle</b> 5102BB	5" BLACK TAPERED METAL BAFFLE, WHITE SELF-FLANGE RING	080083743834	0.33	6	1512	•	•	•	•	Ⓢ
	<b>5102WB Baffle</b> 5102WB	5" WHITE TAPERED METAL BAFFLE, WHITE SELF-FLANGE RING	080083743841	0.33	6	1512	•	•	•	•	Ⓢ
	<b>5107SC Reflector</b> 5107SC	5" SPECULAR CLEAR TAPERED REFLECTOR, WHITE SELF-FLANGE RING	080083743858	0.17	6	1512	•	•	•	•	Ⓢ
	<b>5109BB Baffle</b> 5109BB	5" BLACK PLASTIC TAPERED COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083743049	0.23	6	600	•	•	•	•	Ⓢ
	<b>5109BKBB Baffle</b> 5109BKBB	5" BLACK PLASTIC TAPERED COILEX? BAFFLE, BLACK SELF-FLANGE RING	080083743056	0.23	6	600	•	•	•	•	Ⓢ
	<b>5109WB Baffle</b> 5109WB	5" WHITE PLASTIC TAPERED COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083743063	0.23	36	720	•	•	•	•	Ⓢ

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product












Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>5110BB Baffle</b> 5110BB	5" BLACK PERFTEX? BAFFLE, WHITE SELF-FLANGE RING	080083743070	0.2	6	900	•	•	•				<b>OTS</b>
 <b>5110BKBB Baffle</b> 5110BKBB	5" BLACK PERFTEX? BAFFLE, BLACK SELF-FLANGE RING	080083743087	0.2	6	900	•	•	•				<b>OTS</b>
 <b>5110WB Baffle</b> 5110WB	5" WHITE PERFTEX? BAFFLE, WHITE SELF-FLANGE RING	080083743094	0.2	36	720	•	•	•				<b>OTS</b>
 <b>5120SN Reflector</b> 5120SN	5" FULL CONE SATIN NICKEL REFLECTOR, SATIN NICKEL SELF-FLANGE	080083743100	0.28	6	288	•	•	•				<b>OTS</b>
 <b>5120TBZ Reflector</b> 5120TBZ	5" FULL CONE TUSCAN BRONZE REFLECTOR, TUSCAN BRONZE SELF-FLANGE RING	080083743117	0.28	6	288	•	•	•				<b>OTS</b>
 <b>5120WH Reflector</b> 5120WH	5" FULL CONE WHITE REFLECTOR, WHITE SELF-FLANGE RING	080083743124	0.28	6	288	•	•	•				<b>OTS</b>
 <b>5121WH Reflector</b> 5121WH	5" SHALLOW FULL CONE WHITE REFLECTOR, WHITE SELF-FLANGE RING	080083743131	0.28	6	288	•	•	•				<b>OTS</b>
 <b>5125BB Baffle</b> 5125BB	5" FULL CONE BLACK BAFFLE, WHITE SELF-FLANGE RING	080083743148	0.31	6	288	•	•	•				<b>OTS</b>
 <b>5125BKBB Baffle</b> 5125BKBB	5" FULL CONE BLACK BAFFLE, BLACK SELF-FLANGE RING	080083743155	0.31	6	288	•	•	•				<b>OTS</b>
 <b>5125WB Baffle</b> 5125WB	5" FULL CONE WHITE BAFFLE, WHITE SELF-FLANGE RING	080083743162	0.458	24	288	•	•	•				<b>OTS</b>
 <b>5126BB Baffle</b> 5126BB	5" SHALLOW FULL CONE BLACK BAFFLE, WHITE SELF-FLANGE RING	080083743179	0.26	6	288	•	•	•				<b>OTS</b>

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		GA IL CA NJ TX						
				QTY	QTY							
 <b>5126WB Baffle</b> 5126WB	5" SHALLOW FULL CONE WHITE BAFFLE, WHITE SELF-FLANGE RING	080083745425	0.26	6	288	•	•	•				<b>OTS</b>
 <b>5130WH Eyeball</b> 5130WH	5" WHITE ADJUSTABLE EYEBALL & SELF-FLANGE RING 35-DEGREE MAX. TILT	080083743605	0.66	12	288	•	•	•				<b>OTS</b>
 <b>5135WH Eyeball</b> 5135WH	5" WHITE ADJUSTABLE EYEBALL & SELF-FLANGE RING 35-DEGREE MAX. TILT	080083743612	0.72	6	288	•	•	•				<b>OTS</b>
 <b>5145SN Reflector</b> 5145SN	5" SATIN NICKEL REFL. OPEN WET LOCATION SHOWER, DEEP SELF-FLANGE RING	080083742998	0.29	6	360	•	•	•				<b>OTS</b>
 <b>5145TBZ Reflector</b> 5145TBZ	5" TUSCAN BRONZE REFL. OPEN WET LOCATION SHOWER, DEEP SELF-FLANGE RING	080083743001	0.29	6	360	•	•	•				<b>OTS</b>
 <b>5145WH Reflector</b> 5145WH	5" WHITE REFL. OPEN WET LOCATION SHOWERLIGHT, DEEP SELF-FLANGE RING	080083743018	0.29	6	360	•	•	•				<b>OTS</b>
 <b>5146SN Reflector</b> 5146SN	5" SATIN NICKEL REFL. OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083743025	0.31	6	288	•	•	•				<b>OTS</b>
 <b>5146TBZ Reflector</b> 5146TBZ	5" TUSCAN BRONZE REFL. OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083743032	0.31	6	288	•	•	•				<b>OTS</b>
 <b>5146WH Reflector</b> 5146WH	5" WHITE REFLECTOR, OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083745463	0.31	6	288	•	•	•				<b>OTS</b>
 <b>5150SN Showerlight</b> 5150SN	5" FROST DOME GLASS LENS, SATIN NICKEL PLASTIC SF RING, SHOWERLIGHT	080083743766	0.6	6	180	•	•	•				<b>OTS</b>
 <b>5150TBZ Showerlight</b> 5150TBZ	5" FROST DOME GLASS LENS, TUSCAN BRONZE PLASTIC SF RING, SHOWERLIGHT	080083743773	0.6	6	180	•						<b>OTS</b>

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>5150WH Showerlight</b> 5150WH	5" FROST DOME GLASS LENS, WHITE PLASTIC SELF-FLANGE RING, SHOWERLIGHT	080083743780	0.6	6	180	•	•	•				<b>OTS</b>
 <b>5162WH Reflector</b> 5162WH	5" DROP OPAL PLASTIC LENS, REFLECTOR, WHITE PLASTIC TRIM, SHOWERLIGHT	080083745487	0.34	6	144	•						<b>OTS</b>
 <b>5165BK Gimbal</b> 5165BK	5" BLACK ADJUSTABLE GIMBAL & BLACK TRIM RING 35-DEGREE MAX. TILT	080083743629	0.46	6	576	•	•	•				<b>OTS</b>
 <b>5165SN Gimbal</b> 5165SN	5" SATIN NICKEL ADJUSTABLE GIMBAL & TRIM RING 35-DEGREE MAX. TILT	080083743636	0.46	6	576	•	•	•				<b>OTS</b>
 <b>5165TBZ Gimbal</b> 5165TBZ	5" TUSCAN BRONZE ADJUSTABLE GIMBAL & TRIM RING 35-DEGREE MAX. TILT	080083743643	0.46	6	576	•	•	•				<b>OTS</b>
 <b>5165WH Gimbal</b> 5165WH	5" WHITE ADJUSTABLE GIMBAL & TRIM RING 35-DEGREE MAX. TILT	080083745500	0.46	6	576	•	•	•				<b>OTS</b>
 <b>5175SN Open</b> 5175SN	5" OPEN, SATIN NICKEL SELF-FLANGE	080083743865	0.28	12	1728	•	•	•				<b>OTS</b>
 <b>5175TBZ Open</b> 5175TBZ	5" OPEN, TUSCAN BRONZE SELF-FLANGE	080083743872	0.28	12	1440	•	•	•				<b>OTS</b>
 <b>5175WH Open</b> 5175WH	5" OPEN, WHITE SELF-FLANGE	080083743889	0.28	12	1728	•	•	•				<b>OTS</b>
 <b>5176SN Open</b> 5176SN	5" OPEN, W/ SOCKET SUPPORT, SATIN NICKEL SELF-FLANGE	080083743896	0.54	6	192	•	•	•				<b>OTS</b>
 <b>5176TBZ Open</b> 5176TBZ	5" OPEN, W/ SOCKET SUPPORT, TUSCAN BRONZE SELF-FLANGE	080083743902	0.54	6	192	•	•	•				<b>OTS</b>








★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>5176WH Open</b> 5176WH	5" OPEN, W/ SOCKET SUPPORT, WHITE SELF-FLANGE	080083743919	0.54	6	192	•	•	•				<b>OTS</b>
 <b>5185SN Splay</b> 5185SN	5" SPLAY, SATIN NICKEL SELF-FLANGE	080083743926	0.29	12	1080	•	•	•				<b>OTS</b>
 <b>5185TBZ Splay</b> 5185TBZ	5" SPLAY, TUSCAN BRONZE SELF-FLANGE	080083743933	0.29	12	1080	•	•	•				<b>OTS</b>
 <b>5185WH Splay</b> 5185WH	5" SPLAY, WHITE SELF-FLANGE	080083743940	0.29	12	1080	•	•	•				<b>OTS</b>
 <b>5186SN Splay</b> 5186SN	5" SPLAY, W/ SOCKET SUPPORT, SATIN NICKEL SELF-FLANGE	080083743957	0.57	6	192	•	•	•				<b>OTS</b>
 <b>5186TBZ Splay</b> 5186TBZ	5" SPLAY, W/ SOCKET SUPPORT, TUSCAN BRONZE SELF-FLANGE	080083743964	0.57	6	192	•	•	•				<b>OTS</b>
 <b>5186WH Splay</b> 5186WH	5" SPLAY, W/ SOCKET SUPPORT, WHITE SELF-FLANGE	080083745449	0.57	6	192	•	•	•				<b>OTS</b>
 <b>5222BB Baffle</b> 5222BB	5" REGRESSED ADJUSTABLE, BLACK BAFFLE, WHITE RING 30-DEGREE MAX. TILT	080083743568	3.36	6	1260	•						<b>OTS</b>
 <b>5222H Reflector</b> 5222H	5" REGRESSED ADJUSTABLE, HAZE REFLECTOR, WHITE RING 30-DEG. MAX. TILT	080083743575	3.36	6	1260	•						<b>OTS</b>
 <b>5222SC Reflector</b> 5222SC	5" REGRESSED ADJUSTABLE, SPEC. REFLECTOR, WHITE RING 30-DEG. MAX. TILT	080083743582	3.36	6	1260	•						<b>OTS</b>
 <b>5222WB Baffle</b> 5222WB	5" REGRESSED ADJUSTABLE, WHITE BAFFLE, TRIM RING 30-DEG. MAX. TILT	080083743599	3.36	6	600	•						<b>OTS</b>










★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE					PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX				
 <b>5230AH Showerlight</b> 5230AH	5" SQUIRCLE FROST GLASS LENS, ALUMINUM HAZE METAL RING, SHOWERLIGHT	080083743650		Consult	Factory									<b>OTS</b>
 <b>5230PN Showerlight</b> 5230PN	5" SQUIRCLE FROST GLASS LENS, POLISHED NICKEL METAL RING, SHOWERLIGHT	080083743667		Consult	Factory									<b>OTS</b>
 <b>5230SN Showerlight</b> 5230SN	5" SQUIRCLE FROST GLASS LENS, SATIN NICKEL METAL RING, SHOWERLIGHT	080083743674		Consult	Factory									<b>OTS</b>
 <b>5230TBZ Showerlight</b> 5230TBZ	5" SQUIRCLE FROST GLASS LENS, TUSCAN BRONZE METAL RING, SHOWERLIGHT	080083743681		Consult	Factory									<b>OTS</b>
 <b>5255SN Showerlight</b> 5255SN	5" SOFT SQUARE FROST CURVE GLASS LENS, SATIN NICKEL PLASTIC SF RING, SHOWERLIGHT	080083743698	0.9	6	300	•								<b>OTS</b>
 <b>5255TBZ Showerlight</b> 5255TBZ	5" SOFT SQUARE FROST CURVE GLASS LENS, TUSCAN BRONZE PLASTIC SF RING, SHOWERLIGHT	080083743704	0.9	6	240	•	•	•						<b>OTS</b>
 <b>5255WH Showerlight</b> 5255WH	5" SOFT SQUARE FROST CURVE GLASS LENS, WHITE PLASTIC SF RING, SHOWERLIGHT	080083743711	0.9	18	720	•								<b>OTS</b>










★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>5" H5 Housing</b>											
	<b>IC Air-Tite</b> H5ICATNB 5" IC, AIR-TITE NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V H5ICAT 5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609413	2.4	6	120	●	●	●	●	●	★
	<b>IC Air-Tite Remodel</b> H5RICAT 5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609444	1.4	6	144	●	●	●	●	●	★
	<b>Non-IC Remodel</b> H5RT 5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	662400602668	2.4	6	180	●	●	●	●	●	★
	<b>Non-IC</b> H5TNB 5" NON-IC, NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V H5T 5" HOUSING NON-IC 120V LINE VOLTAGE	080083756087 662400602651	1.86	6	120	●	●	●	●	●	★
<b>5" H5 Shallow Housing</b>											
	<b>IC Air-Tite</b> H25ICAT 5" HOUSING ICAT SHALLOW 120V LINE VOLTAGE	662400664109	2.059	6	120	●	●	●	●	●	★
<b>5" H5 Trim</b>											
	<b>Splay Trim</b> 5000P 5" TRIM SPLAY WHITE TRIM AND WHITE SPLAY 5000SN 5" TRIM SPLAY SATIN NICKEL TRIM AND SATIN NICKEL SPLAY 5000TBZ 5" TRIM SPLAY TUSCAN BRONZE TRIM AND TUSCAN BRONZE SPLAY	662400602712 623961112881 623961311802	0.45 0.45 0.496	6	300 300 240	●	●	●	●	●	OTS
	<b>Metal Splay Baffle</b> 5001MB 5" TRIM METAL BAFFLE WHITE TRIM WITH BLACK BAFFLE 5001P 5" TRIM METAL SPLAY BAFFLE WHITE TRIM WITH WHITE BAFFLE 5001SN 5" TRIM BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE 5001TBZ 5" TRIM BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	662400602736 662400602729 080083588886 623961311826	0.45 0.45 0.668 0.588	6	360 360 360 360	●	●	●	●	●	OTS
	<b>Step Baffle</b> 5010 5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE PAR 5010W 5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE PAR	662400602743 662400602750	0.74 0.844	6	360 360	●	●	●	●	●	★
	<b>High Coilex Baffle</b> 5012W 5" TRIM DEEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602811	1.021	6	192	●	●	●	●	●	★


★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY						
					GA	IL	CA	NJ	TX		
<b>Shallow Metal Baffle</b>											
 5014P	5" TRIM SHALLOW METAL BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400664086	0.593	6	270	•	•	•	•	•	OTS
<b>Coilex Baffle with Reflector and Torsion Springs</b>											
 5016P	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE COILEX	623961558962	1.18	6	180	•					OTS
5016W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE COILEX	623961558979	0.989	6	144	•		•			OTS
<b>Reflector Cone</b>											
 5020H	5" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622697053390	0.337	6	216	•		•	•	•	★ OTS
5020P	5" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	662400602781	0.84	6	192	•		•			★ OTS
5020RG	5" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400602798	0.721	6	192	•		•			★ OTS
5020SC	5" TRIM REFLECTOR CONE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602767	0.65	6	288	•	•	•	•	•	★ OTS
5020SN	5" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961112843	0.662	6	144	•					OTS
5020TBZ	5" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311772	0.883	6	216	•					OTS
<b>Reflector Trim</b>											
 5021H	5" TRIM, FULL REFLECTOR HAZE, WHITE TRIM	622697053406	0.784	6	84	•					★ OTS
<b>Full Reflector</b>											
 5021SC	5" TRIM FULL REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602828	0.666	6	216	•		•			★ OTS
5021SN	5" TRIM FULL REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083508587	0.51	6	192	•					OTS
<b>Wall Wash with Baffle</b>											
 5030W	5" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400664949	1.06	6	144	•					OTS
<b>Frosted Lens Shower Light</b>											
 5051PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FLAT FROST LENS	080083521388	1.16	6	180	•	•	•	•	•	OTS
<b>Shower Light</b>											
 5054PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FROSTED DOME DIFFUSER	623961531644	1.25	6	192	•	•	•	•		OTS
5054SNS	5" TRIM DROP SHOWERLIGHT SATIN NICKEL TRIM WITH FROSTED DIFFUSER	623961836251	1.411	6	144	•					OTS
5054TBZS	5" TRIM DROP SHOWERLIGHT TUSCAN BRONZE TRIM WITH FROSTED DIFFUSER	623961827365	1.725	6	144	•					OTS
<b>Adjustable Gimbal - 25 Degree Tilt</b>											
 5060P	5" TRIM GIMBAL WHITE TRIM WITH WHITE GIMBAL	662400610700	0.734	6	750	•	•	•	•		★ OTS


★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Adjustable Eyeball - 30 Degree Tilt - 5070</b>											
 5070P	5" TRIM PAR30 EYEBALL WHITE TRIM WITH WHITE EYEBALL	662400602682	0.8	6	360	•	•	•	•	•	Ⓢ
5070SN	5" TRIM PAR30 EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113789	0.963	6	360	•					Ⓢ
5070TBZ	5" TRIM PAR30 EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311864	2.617	6	360	•					Ⓢ


<b>Adjustable Eyeball - 30 Degree Tilt - 5071</b>											
 5071P	5" TRIM PAR20 EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400602705	1.026	6	360	•	•		•		★ Ⓢ


## 5" LED Housing


<b>5" IC Air-Tite Housing</b>											
 H550ICAT	5" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626533	2.25	6	120	•	•	•	•	•	★


<b>5" IC Air-Tite Remodel Housing</b>											
 H550RICAT	5" LED HOUSING, REMODEL, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626557	1.15	6	144	•		•			★


## 5" ML56 LED Trim


<b>Shallow Baffle Trim</b>											
 591WB	5" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623280	0.588	6	300	•					

<b>Reflector Trim</b>											
 592H	5" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634286	0.548	6	300	•		•		•	
592SC	5" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083623303	0.5	6	360	•		•	•		
592W	5" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083623341	0.614	6	360	•	•	•			

<b>Baffle Trim</b>											
 593BB	5" TRIM, BLACK BAFFLE, WHITE TRIM	080083623884	0.01	6	288	•					
593SNB	5" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634309	0.5	6	300	•					
593TBZB	5" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083623921	0.61	6	300	•					
593WB	5" TRIM, WHITE BAFFLE, WHITE TRIM	080083634293	0.488	6	300	•		•	•		

<b>Eyeball Trim - 30 degree Tilt</b>											
 594SNB	5" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623198	0.92	6	300	•					
594TBZB	5" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083623211	0.01	6	300	•					
594WB	5" TRIM, LOW PROFILE EYEBALL, WHITE	080083634347	0.95	6	360	•		•			

<b>Wall Wash Trim</b>											
 595WW	5" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083623945	0.663	6	300	•			•		

<b>Shallow Baffle Trim - 596WB</b>											
 596WB	5" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083623969	0.555	6	300	•					

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

## 5/6" LT4 LED Retrofit Trim Kit



### **Baffle-Trim**

LT560WH6930

5"6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE

080083742417    1.1    6    360



## 6" H7 Housing



### **IC and IC Air-Tite**

H7ICAT

6" HOUSING IC AIR-TITE 120V LINE VOLTAGE INCANDESCENT

080083609628

2.65

6

120



H7ICATNB

6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT

662400612032

2.5

6

120



H7ICT

6" HOUSING IC 120V LINE VOLTAGE

080083609680

3

6

120



H7ICTNB

6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT

662400608523

2.4

6

120



### **IC and IC Air-Tite Remodel - H7RICAT**

H7RICAT

6" HOUSING IC AIR-TITE REMODEL HOUSING 120V LINE VOLTAGE

662400610588

1.7

6

144



### **IC and IC Air-Tite Remodel**

H7RICT

6" HOUSING IC REMODEL HOUSING 120V LINE VOLTAGE

662400600718

1.65

6

144



### **Non-IC Remodel**

H7RT

6" HOUSING NON-IC REMODEL HOUSING 120V LINE VOLTAGE

662400600725

2.4

6

144



### **Non-IC**

H7T

6" HOUSING NON-IC 120V LINE VOLTAGE

080083609727

2.444

6

120



### **6" Housing Non-IC, No Socket Bracket, 120V Line Voltage**

H7TNB

6" HOUSING NON-IC, NO SOCKET BRACKET, 120V LINE VOLTAGE

662400664628

3.1

6

120



### **IC Air-Tite Universal**

H7UICAT

6" HOUSING UNIVERSAL IC AIR-TITE 120V LINE VOLTAGE









662400164753

3.416

4










60



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>6" H27 Shallow Housing</b>											
	<b>IC and IC Air-Tite</b> H27ICAT 6" HOUSING SHALLOW CEILING IC AIR-TITE 120V LINE VOLTAGE	662400605898	2.7	6	144	•	•	•	•	•	★
	<b>IC and IC Air-Tite Remodel</b> H27RICAT 6" HOUSING SHALLOW CEILING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609253	1.6	6	180	•	•	•	•	•	★
	<b>Non-IC Remodel</b> H27RT 6" HOUSING SHALLOW CEILING NON-IC REMODEL 120V LINE VOLTAGE	662400600732	1.548	6	180	•	•	•	•	•	★
	<b>Non-IC</b> H27T 6" HOUSING SHALLOW CEILING NON-IC 120V LINE VOLTAGE	662400133148	2.431	6	120	•	•	•	•	•	★
<b>6" H7 Trim</b>											
	<b>Albalite Lens with Reflector - 170</b> 170P 6" TRIM ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FROSTED ALBALITE LENS	662400130758	1.2	6	240	•	•	•	•	•	★
	170PS 6" TRIM ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	662400130765	1	6	240	•	•	•	•	•	★
	<b>Drop Opal Lens with Reflector - 171</b> 171PS 6" TRIM SHOWERLIGHT DROP OPAL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400130796	1.558	6	144	•	•	•	•	•	★
	<b>Dome Shower Light - 172</b> 172ACS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED ANTIQUE COPPER TRIM WITH FROSTED GLASS DOME	623961311031	1.6	6	216	•	•	•	•	•	★
	172PS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED GLASS DOME	662400663553	1.3	6	192	•	•	•	•	•	★
	172SNS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED GLASS DOME	623961114274	1.55	6	192	•	•	•	•	•	★
	172TBZS 6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED TUSCAN BRONZE TRIM WITH FROSTED GLASS DOME	623961312038	1.75	6	240	•	•	•	•	•	★
	<b>Fresnel Lens with Reflector - 173</b> 173P 6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FRESNEL LENS	662400130802	1.2	6	240	•	•	•	•	•	★
	173PS 6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400318385	1.094	6	192	•	•	•	•	•	★
























★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
	<b>Albalite Lens with Reflector - 270</b> 270PS      6" TRIM SHOWERLIGHT TRIM WET LOCATION LISTED WHITE TRIM WITH FROSTED ALBALITE LENS AND REFLECTOR	623961524462	0.99	6	144	•		•				<b>OTS</b>
	<b>Drop Opal Lens</b> 271PS      6" TRIM SHOWERLIGHT WET LOCATION LISTED WHITE TRIM WITH DROP OPAL LENS AND REFLECTOR	623961559037	1.769	6	144	•					★	<b>OTS</b>
	<b>Air-Tite Super Trim - Baffle - 30</b> 30HAT      6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM WITH HAZE REFLECTOR	622697839826	0.5	6	450	•		•		•		<b>OTS</b>
	30PAT      6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, BLACK BAFFLE, CLEAR REFLECTOR	662400603313	0.416	18	360	•		•		•		<b>OTS</b>
	30TBZAT      6" TRIM AIR-TITE SUPER TRIM - BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE AND REFLECTOR	623961312052	0.477	18	432	•	•	•	•			<b>OTS</b>
	30WAT      6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, WHITE REFLECTOR	662400603320	0.452	18	540	•	•	•	•	•		<b>OTS</b>
	30WATH      6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, CLEAR REFLECTOR	080083628469	0.4	6	450	•	•	•				<b>OTS</b>
	30SNAT      6" TRIM AIR-TITE SUPER TRIM - BAFFLE SATIN NICKEL TRIM, SATIN NICKEL BAFFLE AND REFLECTOR	080083588893	0.474	18	648	•	•	•		•		<b>OTS</b>
	<b>Air-Tite Super Trim - Reflector White - 30</b> 30RGAT      6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400603344	0.447	18	540	•						<b>OTS</b>
	30CAT      6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400603337	0.453	18	540	•	•	•	•	•		<b>OTS</b>
	<b>Air-Tite Super Trim - Reflector Black - 30</b> 30SBAT      6" TRIM AIR-TITE SUPER TRIM - REFLECTOR BLACK SPECULAR REFLECTOR AND TRIM	622697060855	0.441	18	432	•	•	•				<b>OTS</b>
	<b>Open Trim with Socket Support - 30</b> 300AC      6" TRIM OPEN - SOCKET SUPPORTING ANTIQUE COPPER	623961310935	0.825	6	300	•						<b>OTS</b>
	300P      6" TRIM OPEN - SOCKET SUPPORTING WHITE	662400302421	0.6	6	288	•	•	•	•	•		<b>OTS</b>
	300SN      6" TRIM OPEN - SOCKET SUPPORTING SATIN NICKEL	623961113819	0.766	6	360			•				<b>OTS</b>
	<b>Open Trim - 301</b> 301P      6" TRIM OPEN WHITE	662400130864	0.4	12	1200	•	•	•	•	•		<b>OTS</b>
	301SN      6" TRIM - OPEN SATIN NICKEL	623961113802	0.45	12	1080			•				<b>OTS</b>
	301TBZ      6" TRIM OPEN TUSCAN BRONZE	623961311901	0.496	12	1200	•		•				<b>OTS</b>
	<b>Wall Wash - 303</b> 303P      6" TRIM WALL WASH WHITE TRIM AND SCOOP	662400130901	1.118	6	288						★	<b>OTS</b>
	<b>Coilex Baffle - 310</b> 310P      6" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400130932	0.611	6	360	•	•	•	•	•	★	<b>OTS</b>
	310SN      6" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	080083515929	0.6	6	360	•		•				<b>OTS</b>
	310W      6" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	080083515882	0.45	6	540	•	•	•	•	•		<b>OTS</b>
	310WG      6" TRIM COILEX BAFFLE WHITE OVERSIZE TRIM RING WITH WHITE BAFFLE	662400302360	0.6	6	300	•		•			★	<b>OTS</b>










★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>Coilex Baffle - 312</b>												
 312P	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH BLACK BAFFLE	662400634089	0.469	9	360	•					★	
312W	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH WHITE BAFFLE	662400634096	0.502	9	360	•	•	•	•		★	
<b>White Splay Trim - 327</b>												
 327P	6" TRIM SPLAY TRIM - SOCKET SUPPORTING WHITE SPLAY TRIM WITH TORSION SPRINGS	662400635451	0.78	6	360	•					★	
<b>White Splay Trim - 328</b>												
 328P	6" TRIM SPLAY WHITE SPLAY TRIM	662400163831	0.554	12	600	•		•				
<b>Metal Baffle - 353</b>												
 353SN	6" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961114236	0.35	6	540	•		•				
353TBZ	6" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311963	0.464	6	450	•		•				
<b>Adjustable - 376</b>												
 376P	6" TRIM PAR30 ADJUSTABLE WITH BAFFLE WHITE TRIM RING, BLACK BAFFLE	662400183754	0.673	12	600	•					★	
<b>Adjustable with Splay - 378</b>												
 378P	6" TRIM PAR30 ADJUSTABLE SPLAY WHITE TRIM WITH WHITE SPLAY	662400164630	0.817	6	300	•					★	
<b>Open Trim - 401</b>												
 401AL	6" TRIM OPEN LARGE APERTURE SATIN ALUMINUM TRIM	662400131045	0.39	12	1200	•		•			★	
401P	6" TRIM OPEN LARGE APERTURE WHITE TRIM	662400131069	0.376	12	1200	•	•	•			★	
<b>Specular Reflector - 404</b>												
 404C	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR INCANDESCENT	662400131120	0.59	6	180	•					★	
404H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR INCANDESCENT	622697063641	0.557	6	144	•					★	
404SN	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961114267	0.585	6	180	•						
404TBZ	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961312007	0.743	6	192	•						
<b>Specular Reflector - 405</b>												
 405H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697053598	0.8	6	360							
405RG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400131168	0.8	6	180	•						
405SC	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131175	0.48	6	180	•		•				

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
	<b>Self Flanged White Reflector - 4051P</b> 4051P      6" TRIM SELF FLANGED REFLECTOR WHITE WITH WHITE TRIM RING	662400161097	0.983	6	180	•					★	Ⓞ
	<b>Specular Reflector - 406</b> 406BA      6" TRIM BAFFLE WITH REFLECTOR BLACK BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS 406WB      6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS 406WWB      6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH WHITE REFLECTOR AND TORSION SPRINGS	662400615811 662400615828 622696032174	0.8 0.592 0.56	6 6 15	360 360 360	•		•			★	Ⓞ
	<b>Coilex Baffle - 410</b> 410P      6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH BLACK BAFFLE 410W      6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH WHITE BAFFLE 410WG      6" TRIM R40, PAR38 BAFFLE OVERSIZE WHITE TRIM RING WITH WHITE BAFFLE	662400131229 662400163039 662400302988	0.5 0.621 0.54	6 6 6	360 360 360	•		•		•	★	Ⓞ
	<b>Regressed Eyeball - 30 Degree Tilt - 420</b> 420P      6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND BLACK BAFFLE 420W      6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND WHITE BAFFLE	662400606000 662400606017	1.051 1.104	6 6	240 300	•		•			★	Ⓞ
	<b>Wall Wash / Reflector Downlight - 424</b> 424P      6" TRIM WALL WASH DOWNLIGHT WHITE TRIM	662400131298	1.01	6	144	•					★	Ⓞ
	<b>Wall Wash with Coilex Baffle and Reflector Scoop - 425</b> 425P      6" TRIM WALL WASH WHITE WITH BLACK BAFFLE 425W      6" TRIM WALL WASH WHITE WITH WHITE BAFFLE	662400131304 662400302957	1.032 1.03	4 4	240 288	•					★	Ⓞ
	<b>Reflector Cone - 426</b> 426      6" TRIM REFLECTOR CONE WHITE WITH CLEAR SPECULAR REFLECTOR CONE 426CG      6" TRIM REFLECTOR CONE WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR CONE 426H      6" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR CONE 426MB      6" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR BLACK REFLECTOR CONE 426RG      6" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR CONE 426SN      6" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR CONE 426TBZ      6" TRIM REFLECTOR CONE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR CONE	662400131311 662400131328 662400165170 662400131342 662400131359 623961114250 623961311987	0.46 1.631 0.392 0.4 0.515 0.446 0.448	6 6 6 6 6 6 6	360 1440 360 360 360 288 360	•	•	•	•	•	★	Ⓞ
	<b>Self Flanged White Reflector Cone - 426</b> 4261P      6" TRIM SELF FLANGED REFLECTOR CONE WHITE WITH WHITE TRIM RING	662400161127	0.31	6	180	•					★	Ⓞ
	<b>Dayform White Cone - 429</b> 429P      6" TRIM DAYFORM CONE WHITE TRIM AND SPLAY REFLECTOR	662400167532	0.545	6	432	•		•			★	Ⓞ











★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY					★	OTS
					GA	IL	CA	NJ	TX		
<b>Wall Wash with Baffle - 430</b>											
 430P	6" TRIM WALL WASH WHITE TRIM WITH BLACK BAFFLE	662400664932	1.083	6	180	•					OTS
430W	6" TRIM WALL WASH WHITE TRIM WITH WHITE BAFFLE	662400664925	1.153	6	144	•		•			OTS
<b>Adjustable with Splay - 478</b>											
 478P	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH WHITE SPLAY	662400164654	0.682	6	300	•					★ OTS
<b>Albalite Lens with Reflector - 70</b>											
 70P	6" TRIM ALBALITE LENS WHITE TRIM WITH FROSTED ALBALITE LENS	662400130383	0.872	12	720	•		•		•	OTS
70PS	6" TRIM WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	080083628247	0.625	6	600	•	•	•	•	•	OTS
<b>6" Albalite Lens with Reflector and Satin Nickel Ring - 70</b>											
 70SNS	6" TRIM, WET LOCATION AND AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED ALBALITE LENS	080083628506	1	6	600	•		•			OTS
<b>Drop Opal Lens with Reflector - 71</b>											
 71P	6" TRIM DROP OPAL LENS WHITE TRIM WITH DROP OPAL LENS	662400130437	1.28	6	450						★ OTS
71PS	6" TRIM DROP OPAL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400646631	1.109	6	300	•		•			★ OTS
<b>Fresnel Lens - 73</b>											
 73P	6" TRIM FRESNEL LENS WHITE TRIM WITH FRESNEL LENS	662400130505	1	12	480	•					OTS
73PS	6" TRIM FRESNEL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400601241	1.258	12	480	•	•	•			★ OTS
<b>Adjustable Gimbal - 76</b>											
 76P	6" TRIM GIMBAL RING - PAR 38 STANDARD OR SIDE PRONG LAMPS WHITE TRIM WITH GIMBAL RING	662400130536	1.055	12	384	•					★ OTS
<b>Eyeball - 30 Degree Tilt</b>											
 78P	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400130628	1.1	6	240	•	•	•	•	•	OTS
78PAT	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL - AIR-TITE TRIM, 30 DEGREE TILT	662400611745	1.31	6	300	•	•				★ OTS
78SN	6" TRIM PAR30L EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113796	1.1	6	240	•		•			OTS
78TBZ	6" TRIM PAR30L EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311888	0.981	6	240	•	•	•		•	OTS
<b>Pinhole Trim - 79</b>											
 79P	6" TRIM PINHOLE WHITE TRIM - PINHOLE TRIM	662400130666	0.832	12	384						★ OTS

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>6" E7 Housing</b>											
	<b>E27ICAT New Construction</b> E27ICAT 6" IC, AIR-TITE, SHALLOW NEW CONSTRUCTION HOUSING, 120V	080083737604	2.06	6	144	•	•	•		★	
	<b>E27RICAT Remodel</b> E27RICAT 6" IC, AIR-TITE, SHALLOW REMODEL HOUSING, 120V	080083737482	1.83	6	192	•	•	•		★	
	<b>E27RTAT Remodel</b> E27RTAT 6" NON-IC, AIR-TITE, SHALLOW REMODEL HOUSING, 120V	080083737451	1.8	6	192	•	•	•		★	
	<b>E27TAT New Construction</b> E27TAT 6" NON-IC, AIR-TITE, SHALLOW NEW CONSTRUCTION HOUSING, 120V	080083737574	1.89	6	144	•	•	•		★	
	<b>E7ICAT New Construction</b> E7ICAT 6" IC, AIR-TITE, NEW CONSTRUCTION HOUSING, 120V	080083737727	2.3	6	144	•	•	•		★	
	<b>E7ICATNB New Construction</b> E7ICATNB 6" IC, AIR-TITE, NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V	080083737697	1.96	6	144	•	•	•		★	
	<b>E7RICAT Remodel</b> E7RICAT 6" IC, AIR-TITE, REMODEL HOUSING, 120V	080083737543	1.95	6	144	•	•	•		★	
	<b>E7TAT New Construction</b> E7TAT 6" NON-IC, AIR-TITE, NEW CONSTRUCTION HOUSING, 120V	080083737666	1.96	6	144	•	•	•		★	
	<b>E7TATNB New Construction</b> E7TATNB 6" NON-IC, AIR-TITE, NEW CONSTRUCTION, NO SOCKET BRACKET HOUSING, 120V	080083737635	1.94	6	144	•	•	•		★	
<b>6" 6100 and 6200 Trim</b>											
	<b>6100BB Baffle</b> 6100BB 6" BLACK TAPERED METAL BAFFLE, 2-WHITE RINGS NARROW & WIDE	080083743445	0.37	18	720	•	•	•		◊	

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>6100WB Baffle</b> 6100WB	6" WHITE TAPERED METAL BAFFLE, 2-WHITE RINGS NARROW & WIDE	080083743452	0.37	6	840	•	•	•				
 <b>6101BB Baffle</b> 6101BB	6" BLACK STRAIGHT-SIDE METAL BAFFLE, 2-WHITE RINGS NARROW & WIDE	080083743469	0.36	18	720	•	•	•				
 <b>6101WB Baffle</b> 6101WB	6" WHITE STRAIGHT-SIDE METAL BAFFLE, 2-WHITE RINGS NARROW & WIDE	080083743476	0.36	6	960	•	•	•				
 <b>6102BB Baffle</b> 6102BB	6" BLACK TAPERED METAL BAFFLE, WHITE SELF-FLANGE RING	080083743483	0.49	18	1080	•	•	•				
 <b>6102WB Baffle</b> 6102WB	6" WHITE TAPERED METAL BAFFLE, WHITE SELF-FLANGE RING	080083743490	0.49	18	1800	•	•	•				
 <b>6103BB Baffle</b> 6103BB	6" BLACK STRAIGHT-SIDE METAL BAFFLE, WHITE SELF-FLANGE RING	080083743506	0.51	18	720	•	•	•				
 <b>6103WB Baffle</b> 6103WB	6" WHITE STRAIGHT-SIDE METAL BAFFLE, WHITE SELF-FLANGE RING	080083743513	0.51	18	720	•	•	•				
 <b>6106SC Reflector</b> 6106SC	6" SPECULAR CLEAR STRAIGHT-SIDE REFLECTOR, WHITE SELF-FLANGE RING	080083743520	0.22	18	1080	•	•	•				
 <b>6107SC Reflector</b> 6107SC	6" SPECULAR CLEAR TAPERED REFLECTOR, WHITE SELF-FLANGE RING	080083743537	0.18	6	300	•	•	•				
 <b>6108BB Baffle</b> 6108BB	6" BLACK PLASTIC STRAIGHT-SIDE COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083743544	0.32	6	300	•	•	•				
 <b>6108BKBB Baffle</b> 6108BKBB	6" BLACK PLASTIC STRAIGHT-SIDE COILEX? BAFFLE, BLACK SELF-FLANGE RING	080083743551	0.32	36	144	•	•	•				

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE	PALLET							
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>6108WB Baffle</b> 6108WB	6" WHITE PLASTIC STRAIGHT-SIDE COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083745548	0.32	36	576	•	•	•				<b>OTS</b>
 <b>6109BB Baffle</b> 6109BB	6" BLACK PLASTIC TAPERED COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083742790	0.29	36	480	•	•	•				<b>OTS</b>
 <b>6109BKBB Baffle</b> 6109BKBB	6" BLACK PLASTIC TAPERED COILEX? BAFFLE, BLACK SELF-FLANGE RING	080083742806	0.29	36	576	•	•	•				<b>OTS</b>
 <b>6109WB Baffle</b> 6109WB	6" WHITE PLASTIC TAPERED COILEX? BAFFLE, WHITE SELF-FLANGE RING	080083742813	0.29	36	648	•	•	•				<b>OTS</b>
 <b>6110BB Baffle</b> 6110BB	6" BLACK PERFTEX? BAFFLE, WHITE SELF-FLANGE RING	080083742820	0.25	36	288	•	•	•				<b>OTS</b>
 <b>6110BKBB Baffle</b> 6110BKBB	6" BLACK PERFTEX? BAFFLE, BLACK SELF-FLANGE RING	080083742837	0.25	36	288	•	•	•				<b>OTS</b>
 <b>6110WB Baffle</b> 6110WB	6" WHITE PERFTEX? BAFFLE, WHITE SELF-FLANGE RING	080083742844	0.25	6	384	•	•	•				<b>OTS</b>
 <b>6120SN Reflector</b> 6120SN	6" FULL CONE SATIN NICKEL REFLECTOR, SATIN NICKEL SELF-FLANGE	080083742851	0.33	6	384	•	•	•				<b>OTS</b>
 <b>6120TBZ Reflector</b> 6120TBZ	6" FULL CONE TUSCAN BRONZE REFLECTOR, TUSCAN BRONZE SELF-FLANGE RING	080083742868	0.33	36	288	•	•	•				<b>OTS</b>
 <b>6120WH Reflector</b> 6120WH	6" FULL CONE WHITE REFLECTOR, WHITE SELF-FLANGE RING	080083742875	0.33	6	384	•	•	•				<b>OTS</b>
 <b>6121WH Reflector</b> 6121WH	6" SHALLOW FULL CONE WHITE REFLECTOR, WHITE SELF-FLANGE RING	080083742882	0.33	36	288	•	•	•				<b>OTS</b>

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>6125BB Baffle</b> 6125BB	6" FULL CONE BLACK BAFFLE, WHITE SELF-FLANGE RING	080083742899	0.35	36	288	•	•	•				<b>OTS</b>
 <b>6125BKBB Baffle</b> 6125BKBB	6" FULL CONE BLACK BAFFLE, BLACK SELF-FLANGE RING	080083742905	0.35	36	288	•	•	•				<b>OTS</b>
 <b>6125WB Baffle</b> 6125WB	6" FULL CONE WHITE BAFFLE, WHITE SELF-FLANGE RING	080083742912	0.483	36	432	•	•	•				<b>OTS</b>
 <b>6126BB Baffle</b> 6126BB	6" SHALLOW FULL CONE BLACK BAFFLE, WHITE SELF-FLANGE RING	080083742929	0.32	6	384	•	•	•				<b>OTS</b>
 <b>6126WB Baffle</b> 6126WB	6" SHALLOW FULL CONE WHITE BAFFLE, WHITE SELF-FLANGE RING	080083742936	0.32	6	120	•	•	•				<b>OTS</b>
 <b>6130WH Eyeball</b> 6130WH	6" WHITE ADJUSTABLE EYEBALL & SELF-FLANGE RING 35-DEGREE MAX. TILT	080083745609	0.95	6	384	•	•	•				<b>OTS</b>
 <b>6145SN Showerlight</b> 6145SN	6" SATIN NICKEL REFL. OPEN WET LOCATION SHOWER, DEEP SELF-FLANGE RING	080083742943	0.35	6	384	•	•	•				<b>OTS</b>
 <b>6145TBZ Showerlight</b> 6145TBZ	6" TUSCAN BRONZE REFL. OPEN WET LOCATION SHOWER, DEEP SELF-FLANGE RING	080083742950	0.35	36	288	•	•	•				<b>OTS</b>
 <b>6145WH Showerlight</b> 6145WH	6" WHITE REFL. OPEN WET LOCATION SHOWERLIGHT, DEEP SELF-FLANGE RING	080083742967	0.35	36	384	•	•	•				<b>OTS</b>
 <b>6146SN Showerlight</b> 6146SN	6" SATIN NICKEL REFL. OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083742974	0.37	6	480	•	•	•				<b>OTS</b>
 <b>6146TBZ Showerlight</b> 6146TBZ	6" TUSCAN BRONZE REFL. OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083742981	0.37	36	288	•	•	•				<b>OTS</b>

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		REGIONAL AVAILABILITY					OTS	
				QTY	QTY	GA	IL	CA	NJ	TX		
 <b>6146WH Showerlight</b> 6146WH	6" WHITE REFLECTOR, OPEN WET LOCATION SHOWERLIGHT, SELF-FLANGE RING	080083745524	0.37	36	120	•	•	•				•
 <b>6150SN Showerlight</b> 6150SN	6" FROST DOME GLASS LENS, SATIN NICKEL PLASTIC SF RING, SHOWERLIGHT	080083743377	0.67	6	120	•	•	•				•
 <b>6150TBZ Showerlight</b> 6150TBZ	6" FROST DOME GLASS LENS, TUSCAN BRONZE PLASTIC SF RING, SHOWERLIGHT	080083743384	0.67	6	120	•	•	•				•
 <b>6150WH Showerlight</b> 6150WH	6" FROST DOME GLASS LENS, WHITE PLASTIC SELF-FLANGE RING, SHOWERLIGHT	080083743391	0.67	12	432	•	•	•				•
 <b>6160WH Showerlight</b> 6160WH	6" DROP OPAL PLASTIC LENS, WHITE PLASTIC TRIM, SHOWERLIGHT	080083743438	0.27	6	120	•						•
 <b>6162WH Showerlight</b> 6162WH	6" DROP OPAL PLASTIC LENS, REFLECTOR, WHITE PLASTIC TRIM, SHOWERLIGHT	080083745562	0.38	6	384	•						•
 <b>6170BK Gimbal</b> 6170BK	5" BLACK ADJUSTABLE GIMBAL & TRIM RING 25-DEGREE MAX. TILT	080083742769	0.6	6	384	•	•	•				•
 <b>6170SN Gimbal</b> 6170SN	5" SATIN NICKEL ADJUSTABLE GIMBAL & TRIM RING 25-DEGREE MAX. TILT	080083742776	0.6	6	384	•	•	•				•
 <b>6170TBZ Gimbal</b> 6170TBZ	5" TUSCAN BRONZE ADJUSTABLE GIMBAL & TRIM RING 25-DEGREE MAX. TILT	080083742783	0.6	6	384	•	•	•				•
 <b>6170WH Gimbal</b> 6170WH	5" WHITE ADJUSTABLE GIMBAL & TRIM RING 25-DEGREE MAX. TILT	080083745586	0.6	6	360	•	•	•				•
 <b>6215BK Gimbal</b> 6215BK	6" BLACK ADJUSTABLE DOUBLE GIMBAL & TRIM RING 35-50-DEGREE MAX. TILT	080083743186	0.72	6	360	•	•	•				•










★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		GA IL CA NJ TX						
				QTY	QTY							
 <b>6215SN Gimbal</b> 6215SN	6" SATIN NICKEL ADJUST. DOUBLE GIMBAL & TRIM RING 35-50-DEGREE MAX. TILT	080083743193	0.72	6	360	•	•	•				<b>OTS</b>
 <b>6215TBZ Gimbal</b> 6215TBZ	6" TUSCAN BRONZE ADJUST. DOUBLE GIMBAL & TRIM RING 35-50-DEGREE MAX. TILT	080083743209	0.72	6	360	•	•	•				<b>OTS</b>
 <b>6215WH Gimbal</b> 6215WH	6" WHITE ADJUSTABLE DOUBLE GIMBAL & TRIM RING 35-50-DEGREE MAX. TILT	080083743216	0.72	6	360	•	•	•				<b>OTS</b>
 <b>6222BB Baffle</b> 6222BB	6" REGRESSED ADJUSTABLE, BLACK BAFFLE, WHITE RING 45-DEGREE MAX. TILT	080083743223	4.5	6	600	•						<b>OTS</b>
 <b>6222H Reflector</b> 6222H	6" REGRESSED ADJUSTABLE, HAZE REFLECTOR, WHITE RING 45-DEG. MAX. TILT	080083743230	4.5	6	720	•						<b>OTS</b>
 <b>6222SC Reflector</b> 6222SC	6" REGRESSED ADJUSTABLE, SPEC. REFLECTOR, WHITE RING 45-DEG. MAX. TILT	080083743247	4.5	6	900	•						<b>OTS</b>
 <b>6222WB Baffle</b> 6222WB	6" REGRESSED ADJUSTABLE, WHITE BAFFLE, TRIM RING 45-DEG. MAX. TILT	080083743254	4.5	6	144	•	•	•				<b>OTS</b>
 <b>6255SN Showerlight</b> 6255SN	6" SOFT SQUARE FROST CURVE GLASS LENS, SATIN NICKEL PLASTIC SF RING, SHOWERLIGHT	080083743308	0.95	6	240	•	•	•				<b>OTS</b>
 <b>6255TBZ Showerlight</b> 6255TBZ	6" SOFT SQUARE FROST CURVE GLASS LENS, TUSCAN BRONZE PLASTIC SF RING, SHOWERLIGHT	080083743315	0.95	6	240	•	•	•				<b>OTS</b>
 <b>6255WH Showerlight</b> 6255WH	6" SOFT SQUARE FROST CURVE GLASS LENS, WHITE PLASTIC SF RING, SHOWERLIGHT	080083743322	0.95	6	240	•						<b>OTS</b>







★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>6" CFL Housing</b>											
	<b>IC Air-Tite, CFL</b> H272ICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900700	2.95	4	80	•	•	•	•	★
	<b>IC Air-Tite Remodel, CFL</b> H272RICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597527	2.4	6	144	•	•	•	•	★
<b>6" CFL Trim</b>											
	<b>Regressed Albalite Lens with White Baffle, CFL</b> 370W	6" TRIM REGRESSED ALBALITE LENS FOR COMPACT FLUORESCENT WITH WHITE BAFFLE	623961559020	0.52	6	108	•	•	•	•	Ⓞ
	<b>Haze Reflector, CFL</b> 470H	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH HAZE REFLECTOR	623961558993	0.7	6	240	•	•	•	•	Ⓞ
	<b>Specular Reflector, CFL</b> 470SC	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	623961558986	0.577	6	288	•	•	•	•	Ⓞ
<b>6" LED Housing</b>											
	<b>6" LED ICAT Housing</b> H2750ICAT	6" LED SHALLOW HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083618163	2.15	6	144	•	•	•	•	★
	H750ICAT	6" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	623961872655	2.25	6	120	•	•	•	•	★
	<b>6" LED ICAT Remodel Housing</b> H750RICAT	6" LED HOUSING, IC AIR-TITE, REMODEL, FOR LISTED HALO LED MODULES	623961052248	1.55	6	144	•	•	•	•	★
	<b>6" LED NON-IC Housing</b> H750T	6" LED HOUSING, NON-IC, FOR LISTED HALO LED MODULES	623961052224	1.428	6	120	•	•	•	•	★
	<b>6" LED NON-IC Housing, Chicago Plenum, for Halo ML7 - 1200 Series LED Modules</b> H750TCP	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 600 & 900 SERIES LED MODULES	623961052231	0.6	6	120	•	•	•	•	★




★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>6" ML56 LED Trim</b>										
	<b>Shallow Baffle Trim</b> 691WB 6" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623983	0.722	6	300	•	•	•	•	•
	<b>Reflector Trim</b> 692H 6" TRIM, REFLECTOR, HAZE, WHITE TRIM 692SC 6" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM 692W 6" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083634316 080083624003 080083624041	0.643 0.633 0.667	6 6 6	300 300 300	•	•	•	•	•
	<b>Baffle Trim</b> 693BB 6" TRIM, BLACK BAFFLE, WHITE TRIM 693SNB 6" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM 693TBZB 6" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM 693WB 6" TRIM, WHITE BAFFLE, WHITE TRIM	080083624089 080083634330 080083624126 080083634323	0.733 0.667 0.751 0.628	6 6 6 6	300 300 300 300	•	•	•	•	•
	<b>Eyeball Trim - 30 degree Tilt</b> 694SNB 6" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL 694TBZB 6" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE 694WB 6" TRIM, LOW PROFILE EYEBALL, WHITE	080083623259 080083626373 080083634354	1.097 1.131 1.06	6 6 6	300 300 360	•	•	•	•	•
	<b>Wall Wash Trim</b> 695WW 6" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083624140	0.794	6	240	•	•	•	•	•
	<b>Shallow Baffle Trim - 696WB</b> 696WB 6" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083624164	0.653	6	300	•	•	•	•	•

**ML56 LED Module**

" LED Module 600 Series" data-bbox="58 596 150 666"/>	<b>5"/" LED Module 600 Series</b> ML5606827 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 2700K ML5606830 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3000K ML5606835 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3500K ML5606840 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 4000K ML5606927 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 2700K ML5606930 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3000K ML5606935 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3500K ML5606940 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 4000K	080083630967 080083633265 080083630981 080083631001 080083631087 080083626496 080083631100 080083631124	1.615 1.541 1.539 1.832 1.301 1.953 1.714 1.714	6 6 6 6 6 6 6 6	288 288 288 288 288 288 288 288	•	•	•	•	•
-------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------	--------------------------------------	------------------------------------------------------	---	---	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>5"/6" LED Module 900 Series</b>										
 ML5609827	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 2700K	080083631025	1.92	6	288	•		•		
ML5609830	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3000K	080083633289	1.93	6	288	•	•	•		•
ML5609835	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3500K	080083631049	1.694	6	288	•	•	•		•
ML5609840	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 4000K	080083631063	1.913	6	288	•	•	•		•
ML5609927	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 2700K	080083631148	1.758	6	288	•		•		
ML5609930	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3000K	080083626519	1.894	6	288	•	•	•		
ML5609935	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3500K	080083631162	1.619	6	288	•	•	•		
ML5609940	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 4000K	080083631186	1.935	6	288	•				
<b>5"/6" LED Module 1200 Series</b>										
ML5612827	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 2700K	080083654048	2.008	6	288	•	•	•		
ML5612830	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3000K	080083654666	1.945	6	288	•	•	•	•	•
ML5612835	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3500K	080083654703	1.459	6	288	•	•	•		•
ML5612840	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 4000K	080083654727	2.172	6	288	•	•	•		•
ML5612927	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 2700K	080083654765	2.3	6	288	•	•	•		
ML5612930	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3000K	080083654789	2.3	6	288	•	•	•		
ML5612935	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3500K	080083654802	2.3	6	288	•	•	•	•	
ML5612940	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 4000K	080083654826	2.3	6	288	•	•	•		
<b>5" LED Accessory - TRM590WH</b>										
 TRM590WH	5" LED ACCESSORY - OVERSIZE TRIM RING	080083624225	0.183	12	1080	•				
<b>6" LED Accessory - TRM690WH</b>										
 TRM690WH	6" LED ACCESSORY - OVERSIZE TRIM RING	080083624249	0.353	12	1152	•	•	•	•	•
<b>6" LED Accessory</b>										
WW695SC	6" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633180	0.05	12	2520	•				
<b>Accessory</b>										
ML56CLIP	6" FRICTION CLIP KIT FOR ML56 LED MODULES	080083624195	0.434	12	1200	•			•	
BFR56NFL	ML56-1200 / PD6LED BEAM FORMING REFLECTOR - NARROW FLOOD	080083691876	0.216	6	2700	•	•			•
BFR56MH	ML56-1200 / PD6LED MEDIA HOLDER FOR BEAM FORMING REFLECTORS	080083691913	1	12	3024	•				
L345SF	ACCESSORY 3.45 IN SOFT FOCUS LENS FOR ML56-1200 SERIES LED MODULES	080083691937	1	1	2	•		•		

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

### RA4 LED Retrofit Module



**Narrow Flood**

RA406927NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693269	1.483	6	384	•	•	•	•	•	•	★	OTS
RA406930NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693283	1.71	6	384	•	•	•	•	•	•	★	OTS



**Very Wide Flood**

RA406927WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693184	1.525	6	384	•	•	•	•	•	•	★	OTS
RA406930WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693207	1.5	6	384	•	•	•	•	•	•	★	OTS

### RA56 LED Retrofit Module



**Narrow Flood**

RA5606927NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693306	1.71	6	192	•	•	•	•	•	•	★	OTS
RA5606930NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693320	2.024	6	192	•	•	•	•	•	•	★	OTS



**Very Wide Flood**

RA5606927WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693221	1.966	6	240	•	•	•	•	•	•	★	OTS
RA5606930WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693245	1.967	6	240	•	•	•	•	•	•	★	OTS

### RL4 LED



**4" LED Retrofit**

RL460WH830PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083669844	0.55	6	540	•	•	•	•	•	•	•	OTS
RL460WH835PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083690794	1.132	6	450	•	•	•	•	•	•	•	OTS
RL460WH930PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690770	1.132	6	540	•	•	•	•	•	•	•	OTS
RL460WH935PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690817	1.132	6	450	•	•	•	•	•	•	•	OTS
RL460WH827PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 2700 K, WHITE	080083669806	1.132	6	300	•	•	•	•	•	•	•	OTS
RL460WH927PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 2700 K, WHITE	080083699445	1.132	6	540	•	•	•	•	•	•	•	OTS
RL460WH840PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 4000 K, WHITE	080083711888	1.132	6	450	•	•	•	•	•	•	•	OTS
RL460WH940PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 4000 K, WHITE	080083711925	1.132	6	360	•	•	•	•	•	•	•	OTS

**4" LED Retrofit Module, with E26**

HE26LED24PK	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, BULK PACK 24PCS.	080083582440	2.5	24	1728	•	•	•	•	•	•	•	★	OTS
-------------	-----------------------------------------------------------	--------------	-----	----	------	---	---	---	---	---	---	---	---	-----

**Accessory**

RL4TRMSN	RL4 DESIGNER TRIM, SATIN NICKEL	080083728398	0.58	6	1260	•	•	•	•	•	•	•	•	OTS
RL4TRMWH	RL4 DESIGNER TRIM, WHITE (PAINTABLE)	080083728435	1	6	1280	•	•	•	•	•	•	•	•	OTS
RL4TRMTBZ	RL4 DESIGNER TRIM, TUSCAN BRONZE	080083728411	0.58	6	1280	•	•	•	•	•	•	•	•	OTS
SLD4TRMTBZ	4" SLD DESIGNER TRIM, TUSCAN BRONZE	080083715312	0.3	6	1080	•	•	•	•	•	•	•	•	OTS



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET				
					QTY	GA	IL	CA	NJ

## RL56 LED
































### 5 1/6" LED Retrofit


RL560WH6827	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 2700 K, WHITE	080083642175	0.57	6	300	•	•	•	•	•	
RL560WH6935	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690626	2	6	300	•	•	•	•	•	
RL560WH6930	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690602	0.9	6	540	•	•	•	•	•	
RL560WH6835	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083642199	2	6	300	•	•	•	•	•	
RL560WH6830	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083682027	0.85	6	280	•	•	•	•	•	
RL560WH6927	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 2700 K, WHITE	080083699384	2	6	300	•	•	•	•	•	
RL560WH6840	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 4000 K, WHITE	080083710805	2	6	300	•	•	•	•	•	
RL560WH6940	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 4000 K, WHITE	080083710843	2	6	240	•	•	•	•	•	
RL560WH9935	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 3500 K, WHITE	080083712557	2	6	300	•	•	•	•	•	
RL560WH9827	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 2700 K, WHITE	080083711635	2	6	240	•	•	•	•	•	
RL560WH9830	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 3000 K, WHITE	080083711659	2	6	240	•	•	•	•	•	
RL560WH9835	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 3500 K, WHITE	080083712472	2	6	288	•	•	•	•	•	★
RL560WH9940	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 4000 K, WHITE	080083712571	2	6	240	•	•	•	•	•	
RL560WH9840	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 80CRI, 4000 K, WHITE	080083712496	2	6	240	•	•	•	•	•	
RL560WH9927	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 2700 K, WHITE	080083712519	2	6	240	•	•	•	•	•	
RL560WH9930	5 1/6" RETROFIT BAFFLE-TRIM LED MODULE, 900 SERIES, 120V, 90CRI, 3000 K, WHITE	080083712533	2	6	192	•	•	•	•	•	




### RL56 Designer Trim Satin Nickel

RL56TRMSN	RL56 DESIGNER TRIM, SATIN NICKEL	080083728459	0.97	6	720	•	•	•	•	•	
RL56TRMTBZ	RL56 DESIGNER TRIM, TUSCAN BRONZE	080083728671	0.97	6	720	•	•	•	•	•	
RL56TRMWH	RL56 DESIGNER TRIM, WHITE (PAINTABLE)	080083728695	0.97	6	720	•	•	•	•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE				PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>SLD4 LED</b>												
	<b>4" LED</b>											
SLD405827WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 2700K, WHITE	080083697526	1.1	6	360	•	•	•				
SLD405830WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697564	1.1	6	630	•	•	•	•	•		
SLD405830WHJB	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083705979	1	6	450	•	•		•	•		
SLD405835WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3500K, WHITE	080083714025	1.1	6	360	•						
SLD405835WHJB	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3500K, WHITE, JUNCTION BOX MOUNT ONLY	080083713868	1	6	360	•						
SLD405840WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 4000K, WHITE	080083714100	1.1	6	450	•		•				
SLD405840WHJB	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 4000K, WHITE, JUNCTION BOX MOUNT ONLY	080083713943	1.35	6	360	•						
SLD405927WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 2700K, WHITE	080083706242	1.1	6	450	•	•	•				
SLD405927WHJB	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 2700K, WHITE, JUNCTION BOX MOUNT ONLY	080083706174	1	6	360			•				
SLD405930WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697601	1.1	6	360	•	•	•	•			
SLD405930WHJB	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083706013	1	6	450	•	•	•				
SLD405935WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3500K, WHITE	080083714063	1.1	6	360			•				
SLD405935WHJB	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3500K, WHITE, JUNCTION BOX MOUNT ONLY	080083713905	1	6	360			•				
SLD405940WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 4000K, WHITE	080083714148	1.1	6	450			•				
SLD405940WHJB	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 4000K, WHITE, JUNCTION BOX MOUNT ONLY	080083713981	1	6	360			•				
SLD405827WHJB	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 2700K, WHITE, JUNCTION BOX MOUNT ONLY	080083706211	1	6	360	•						
	<b>SLD4 Accessory Retrofit Hardware Kit</b>											
SLD4ACCKIT	4" SLD ACCESSORY RETROFIT HARDWARE KIT - TORSION SPRINGS & SCREWBASE ADAPTER	080083705498	0.15	6	900	•						
	<b>SLD4 Accessory Replacement J-Box Bracket</b>											
SLD4BRKT	4" SLD ACCESSORY REPLACEMENT J-BOX BRACKET	080083705504	0.15	1	6	•						
	<b>SLD4 Accessory Surface Extender</b>											
SLD4EXT	4" SLD ACCESSORY SURFACE EXTENDER	080083715671	0.7	6	480	•	•	•				
	<b>SLD4 Accessory Surface Box Adapter</b>											
SLD4RAD	4" SLD ACCESSORY ROUND & OCTAGON SURFACE BOX ADAPTER	080083715718	0.6	6	600	•						
	<b>Designer Trim Satin Nickel</b>											
SLD4TRMSN	4" SLD DESIGNER TRIM, SATIN NICKEL	080083715299	1	6	1080	•	•	•				
	<b>Designer Trim White</b>											
SLD4TRMWH	4" SLD DESIGNER TRIM, WHITE (PAINTABLE)	080083724505	1	6	1080	•	•	•				

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
	<b>6" LED</b>										
	SLD606830WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697588	1.8	6	360	•	•	•	•	•
	SLD606930WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697625	1.823	6	300	•	•	•	•	•
	SLD606930WHJB	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083706037	1.6	6	450	•	•	•	•	★
	SLD606830WHJB	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE, JUNCTION BOX MOUNT ONLY	080083705993	1.253	6	300	•	•	•	•	•
	SLD606827WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 2700K, WHITE	080083697540	1.8	6	300	•	•	•	•	•
	SLD606827WHJB	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 2700K, WHITE, JUNCTION BOX MOUNT ONLY	080083706051	1.6	6	300	•	•	•	•	•
	SLD606835WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3500K, WHITE	080083714049	1.8	6	300	•	•	•	•	•
	SLD606835WHJB	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3500K, WHITE, JUNCTION BOX MOUNT ONLY	080083713882	1.6	6	300	•	•	•	•	•
	SLD606840WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 4000K, WHITE	080083714124	1.8	6	300	•	•	•	•	•
	SLD606840WHJB	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 4000K, WHITE, JUNCTION BOX MOUNT ONLY	080083713967	1.6	6	300	•	•	•	•	★
	SLD606927WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 2700K, WHITE	080083706266	1.83	6	300	•	•	•	•	•
	SLD606927WHJB	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 2700K, WHITE, JUNCTION BOX MOUNT ONLY	080083706198	1.6	6	300	•	•	•	•	★
	SLD606935WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3500K, WHITE	080083714087	1.823	6	300	•	•	•	•	★
	SLD606935WHJB	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3500K, WHITE, JUNCTION BOX MOUNT ONLY	080083713929	1.6	6	300	•	•	•	•	•
	SLD606940WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 4000K, WHITE	080083714162	1.823	6	300	•	•	•	•	★
	SLD606940WHJB	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 4000K, WHITE, JUNCTION BOX MOUNT ONLY	080083714001	1.6	6	300	•	•	•	•	★
	SLD612827WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 2700K, WHITE, 1200 SERIES	080083714186	1.8	6	300	•	•	•	•	•
	SLD612827WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 80CRI, 2700K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724727	2	6	300	•	•	•	•	•
	SLD612830WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE, 1200 SERIES	080083714209	1.823	6	300	•	•	•	•	★
SLD612830WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 80CRI, 3000K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724765	2	6	300	•	•	•	•	•	
SLD612835WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3500K, WHITE, 1200 SERIES	080083714247	1.8	6	300	•	•	•	•	•	
SLD612835WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 80CRI, 3500K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724802	2	6	300	•	•	•	•	•	
SLD612840WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 4000K, WHITE, 1200 SERIES	080083714285	1.8	6	300	•	•	•	•	•	
SLD612840WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 80CRI, 4000K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724840	2	6	300	•	•	•	•	★	
SLD612927WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 2700K, WHITE, 1200 SERIES	080083715275	1.823	6	300	•	•	•	•	•	
SLD612927WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 90CRI, 2700K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724741	2	6	300	•	•	•	•	•	
SLD612930WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE, 1200 SERIES	080083714223	1.823	6	300	•	•	•	•	•	
SLD612930WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 90CRI, 3000K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724789	2	6	300	•	•	•	•	•	
SLD612935WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3500K, WHITE, 1200 SERIES	080083714261	1.823	6	300	•	•	•	•	•	
SLD612935WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 90CRI, 3500K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724826	2	6	300	•	•	•	•	•	
SLD612940WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 4000K, WHITE, 1200 SERIES	080083713745	1.823	6	300	•	•	•	•	★	
SLD612940WHUNVJB	6" SURFACE LED DOWNLIGHT, 120V-277V, 90CRI, 4000K, WHITE, 1200 SERIES, JBOX MOUNT ONLY	080083724864	2	6	300	•	•	•	•	•	




















<b>SLD6 Accessory Retrofit Hardware Kit</b>										
SLD6ACCKIT	6" SLD ACCESSORY RETROFIT HARDWARE KIT - TORSION SPRINGS & SCREWBASE ADAPTER	080083705474	0.22	6	0	•	•	•	•	•

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off The Shelf Product










Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
 SLD6BRKT	<b>SLD6 Accessory Replacement J-Box Bracket</b> 6" SLD ACCESSORY REPLACEMENT J-BOX BRACKET	080083705481	0.13	1	4	•					
 SLD6EXT	<b>SLD6 Accessory Surface Extender</b> 6" SLD ACCESSORY SURFACE EXTENDER	080083715695	1	6	288	•	•	•			
 SLD6RAD	<b>SLD6 Accessory Round and Octagon Surface Box Adapter</b> 6" SLD ACCESSORY ROUND & OCTAGON SURFACE BOX ADAPTER	080083715732	1	6	288	•					
 SLD6SADPLT	<b>SLD6 Accessory Square Surface Box Adapter</b> 4" SLD ACCESSORY SQUARE SURFACE BOX ADAPTER FOR USE W/ SLD6RAD	080083725960	1	6	1800	•					
 SLD6TRMSN	<b>Designer Trim Satin Nickel</b> 6" SLD DESIGNER TRIM, SATIN NICKEL	080083715336	1	6	720	•	•	•			
 SLD6TRMTBZ	<b>Designer Trim Tuscan Bronze</b> 6" SLD DESIGNER TRIM, TUSCAN BRONZE	080083715350	1	6	720	•	•	•			
 SLD6TRMWH	<b>Designer Trim White</b> 6" SLD DESIGNER TRIM, WHITE (PAINTABLE)	080083724529	1	6	720	•	•	•			
<b>6" GU24 Housing</b>											
 H724ICAT	<b>IC Air-Tite, GU24</b> 6" GU24 HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083692996	2.4	6	120	•		•			★
H724ICATL	6" GU24 HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693474	2.79	6	120	•		•			★
 H724RICAT	<b>IC Air-Tite Remodel, GU24</b> 6" GU24 REMODEL HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693016	1.71	6	120	•		•			★
H724RICATL	6" GU24 REMODEL HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693498	2.1	6	120	•		•			★
<b>6" H7 Chicago Plenum Housing</b>											
 H7TCP	<b>Non-IC</b> 6" HOUSING NON-IC 120V LINE VOLTAGE CHICAGO PLENUM CONSTRUCTION	662400133032	4.81	6	1200	•					★








★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product







Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>6" Low Voltage H7T &amp; H7RT Retrofit Trim</b>												
	<b>Low Voltage Adjustable Spot - 30 Degree Tilt</b>											
1412P	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE & 30 DEGREE TILT	662400606055	3.622	6	120						★	Ⓢ
1412W	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH WHITE BAFFLE & 30 DEGREE TILT	662400606048	2.937	6	120	●					★	Ⓢ
	<b>Low Voltage Slot Aperture - 30 Degree Tilt</b>											
1450P	6" TRIM LOW VOLTAGE ADJUSTABLE SLOT APERTURE 30 DEGREE TILT WITH TRANSFORMER WHITE TRIM & SLOT	662400132363	4.108	1	175			●			★	Ⓢ
<b>6" Slope Ceiling Housing</b>												
	<b>IC and IC Air-Tite</b>											
H47ICAT	6" HOUSING SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400302070	4.3	4	48	●	●	●	●	●	★	
H47ICT	6" HOUSING SLOPE CEILING IC INCANDESCENT	662400133315	3.418	4	32	●	●	●	●	●	★	
HL612ICAT	6" ALLSLOPE LED IC AIR-TITE HOUSING, 120V-277V, DIMMABLE, FOR HLM69XX LIGHT ENGINES	080083716425	3.324	4	60	●	●	●			★	
455SN	6" TRIM REFLECTOR FOR SLOPE CEILING WHITE RING WITH SATIN NICKEL REFLECTOR	080083716869	0.863	6	360			●			★	Ⓢ
	<b>Non-IC</b>											
H47T	6" HOUSING SLOPE CEILING NON-IC 120V LINE VOLTAGE	662400133322	2.698	4	48	●		●			★	
	<b>Non-IC Air-Tite</b>											
H645IC	6" HOUSING ALL-SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400501473	4.5	4	60	●	●	●	●	●	★	
HL618TAT	6" ALLSLOPE LED NON-IC AIR-TITE HOUSING, 120V-277V, DIMMABLE, FOR HLM69XX LIGHT ENGINES	080083716449	3.324	4	60	●	●	●			★	
<b>6" Slope Ceiling Trim</b>												
	<b>Specular Reflector</b>											
455H	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH HAZE REFLECTOR	622697063719	0.642	6	360	●		●			★	Ⓢ
455SC	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400679332	0.863	6	360	●		●			★	Ⓢ
455TBZ	6" TRIM REFLECTOR FOR SLOPE CEILING WHITE RING WITH TUSCAN BRONZE REFLECTOR	080083716883	0.863	6	360	●		●			★	Ⓢ
	<b>Baffle - 456</b>											
456P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400676270	0.79	6	360	●	●	●			★	Ⓢ
456W	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE BAFFLE	662400676287	0.65	6	360	●	●	●	●	●	★	Ⓢ
	<b>Baffle - 496</b>											
496W	6" TRIM BAFFLE WITH REFLECTOR - SLOPE CEILING TRIM WHITE TRIM WITH WHITE BAFFLE AND REFLECTOR	662400302803	1.363	4	144	●	●	●			★	Ⓢ
	<b>Baffle - 498</b>											
498P	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH BLACK COILEX BAFFLE	662400131717	1.05	4	160	●		●			★	Ⓢ
498W	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH WHITE COILEX BAFFLE	662400167334	1.096	4	128	●	●	●	●	●	★	Ⓢ





★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product






Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>HL6 Allslope LED System</b>												
<b>HL6 LED Lenses</b>												
	HL6FL	6" ALLSLOPE LED ACCESSORY 40-DEGREE FLOOD LENS (1-INCLUDED WITH HLM69XX LIGHT ENGINES)	080083716920	3.324	4	60	•				★	
	HL6NFL	6" ALLSLOPE LED ACCESSORY 25-DEGREE NARROW FLOOD LENS	080083716906	3.324	4	60	•				★	
	HL6WFL	6" ALLSLOPE LED ACCESSORY 55-DEGREE WIDE FLOOD LENS	080083716944	3.324	4	60	•				★	
	HL6LHRPK	6" ALLSLOPE LED ACCESSORY REPLACEMENT LENS HOLDER	080083725069	3.324	4	60	•					
<b>HL6 LED Light Engines</b>												
	HLM6927	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 2700K	080083716784	3.324	4	60	•	•	•		★	
	HLM6930	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 3000K	080083716807	3.324	4	60	•	•	•		★	
	HLM6935	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 3500K	080083716821	3.324	4	60	•	•	•		★	
	HLM6940	6" ALLSLOPE LED LIGHT ENGINE, 90CRI, 4000K	080083716845	3.324	4	60	•	•	•		★	
<b>8 1/2" Square Housing</b>												
<b>Non-IC</b>												
	H1T	8 1/2" HOUSING SQUARE NON-IC INCANDESCENT	662400132820	2.6	6	72	•	•	•		★	
<b>8 1/2" Square Trim</b>												
<b>Albalite Lens</b>												
	10P	8 1/2" TRIM SQUARE ALBALITE LENS	662400130031	1.479	12	576	•	•	•	•	•	OTS
<b>Drop Diffuser</b>												
	11GP	8 1/2" TRIM SQUARE GLASS DROP DIFFUSER	662400130093	2.225	6	192	•				★	OTS
<b>Fresnel Lens</b>												
	13P	8 1/2" TRIM SQUARE FRESNEL LENS	662400130130	1.838	12	288	•				★	OTS
<b>10 1/2" Square Incandescent Housing</b>												
<b>Non-IC</b>												
	H2T	10 1/2" HOUSING SQUARE NON-IC, INCANDESCENT	662400132844	1.639	6	72	•	•			★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>10 1/2" Square Trim (H2 &amp; M200)</b>											
	<b>Albalite Lens</b> 20P 10 1/2" TRIM SQUARE ALBALITE LENS, WHITE TRIM	662400130192	2.247	9	576	•	•	•			
	<b>Drop Diffuser</b> 21GP 10 1/2" TRIM SQUARE GLASS DROP DIFFUSER, WHITE TRIM	662400130222	4.015	6	216	•					★ 
	<b>Fresnel Lens</b> 23P 11 5/8" TRIM SQUARE FRESNEL LENS, WHITE TRIM	662400130253	2.92	12	480	•	•				★ 

**Step & Wall Lights**

	<b>Step Light IC - No Junction Box or Bar Hangers</b> H2920ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, NO JUNCTION BOX OR BAR HANGERS	662400135531	2	1	300	•	•	•	•		★
	<b>Step Light IC - Junction Box &amp; Bar Hangers</b> H2922ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, JUNCTION BOX & BAR HANGERS	623961644283	4.155	1	120	•					★
	<b>Brick / Aisle Light with Flat Lens</b> H2925TW BRICK/AISLE LIGHT WITH FLAT LENS, INCANDESCENT, WET LOCATION LISTED	662400135593	2.283	6	240	•		•			★
	<b>Brick / Aisle Light with Shade</b> H2926TW BRICK/AISLE LIGHT WITH SHADE, INCANDESCENT, WET LOCATION LISTED	662400135616	2.2	6	240	•					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Accessories</b>											
<b>Bar Hanger</b>											
HB224	ACCESSORY FLAT STEEL BAR HANGERS	662400136156	0.64	100	3000				•		★
<b>Socket Extender</b>											
	H1999	ACCESSORY SCREW-BASE SOCKET EXTENDER	662400134558	0.237	6	768	•				★
<b>Transformer - 300VA</b>											
	H277	STEPDOWN TRANSFORMER, 277V TO 120V, 300VA	662400133476	3.416	1	210	•	•	•	•	★
<b>OverSize Trim Ring</b>											
	OT400P	OVERSIZED WHITE METAL TRIM RING. MAY BE USED BEHIND HALO ML7 LED AND ALL-PRO RL7 LED TRIM RINGS.	662400136507	0.46	12	2700	•	•	•	•	★
	OT403P	OVERSIZED WHITE PLASTIC TRIM RING. FOR USE WHEN CEILING OPENING IS CUT TOO LARGE.	662400136514	0.226	12	1200	•	•	•	•	★
	OT460P	OVERSIZED WHITE METAL TRIM RING COMPATIBLE WITH 466, 468 AND 480 TRIMS.	662400136538	0.615	12	864	•			•	★
	OT500P	OVERSIZE TRIM RING FOR STRAIGHT PRECISION SIDED H5 FAMILY TRIM	623961651830	0.261	12	1080	•	•			
	OT999P	OVERSIZE TRIM RING	662400163572	0.17	24	3000	•	•	•	•	★
<b>Replacement Coil Springs</b>											
	RS7H	REPLACEMENT COIL SPRINGS FOR USE WITH TRIMS - BLISTER PACK OF 4	662400610182	0.05	6	4320	•		•		
<b>Trim Ring</b>											
	TRM6MB	TRIM RING, 6" METAL, MATTE BLACK	662400149163	0.203	1	175	•		•		★
	TRM6TBZ	TRIM RING, 6" METAL, TUSCAN BRONZE	623961311475	0.14	12	1200	•				★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# Halo Track and Surface

## LED Luminaire

### HU10 Undercabinet




#### LED Undercabinet - HU10

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
HU1009D927MB	HALO HU10 LED UNDERCABINET 9" FIXTURE, 2700K, BLACK	080083692811	1.5	10	1120	•					Ⓢ
HU1009D927P	HALO HU10 LED UNDERCABINET 9" FIXTURE, 2700K, WHITE	080083692798	1.5	10	1120	•					Ⓢ
HU1009D930MB	HALO HU10 LED UNDERCABINET 9" FIXTURE, 3000K, BLACK	080083692828	1.5	10	1120	•					Ⓢ
HU1009D930P	HALO HU10 LED UNDERCABINET 9" FIXTURE, 3000K, WHITE	080083692804	1.5	10	1120	•					Ⓢ
HU1009D940MB	HALO HU10 LED UNDERCABINET 9" FIXTURE, 4000K, BLACK	080083724697	1.5	10	1120	•					Ⓢ
HU1009D940P	HALO HU10 LED UNDERCABINET 9" FIXTURE, 4000K, WHITE	080083724703	1.5	10	1120	•					Ⓢ
HU1018D927MB	HALO HU10 LED UNDERCABINET 18" FIXTURE, 2700K, BLACK	080083694198	2	80	560	•					Ⓢ
HU1018D927P	HALO HU10 LED UNDERCABINET 18" FIXTURE, 2700K, WHITE	080083694174	2	80	560	•					Ⓢ
HU1018D930MB	HALO HU10 LED UNDERCABINET 18" FIXTURE, 3000K, BLACK	080083694204	2	10	560	•					Ⓢ
HU1018D930P	HALO HU10 LED UNDERCABINET 18" FIXTURE, 3000K, WHITE	080083694181	2	10	560	•					Ⓢ
HU1018D940MB	HALO HU10 LED UNDERCABINET 18" FIXTURE, 4000K, BLACK	080083724673	2	10	560	•					Ⓢ
HU1018D940P	HALO HU10 LED UNDERCABINET 18" FIXTURE, 4000K, WHITE	080083724680	2	10	560	•					Ⓢ
HU1024D927MB	HALO HU10 LED UNDERCABINET 24" FIXTURE, 2700K, BLACK	080083694235	3	80	560	•					Ⓢ
HU1024D927P	HALO HU10 LED UNDERCABINET 24" FIXTURE, 2700K, WHITE	080083694211	3	10	560	•					Ⓢ
HU1024D930MB	HALO HU10 LED UNDERCABINET 24" FIXTURE, 3000K, BLACK	080083694242	3	10	560	•					Ⓢ
HU1024D930P	HALO HU10 LED UNDERCABINET 24" FIXTURE, 3000K, WHITE	080083694228	2.75	10	560	•					Ⓢ
HU1024D940MB	HALO HU10 LED UNDERCABINET 24" FIXTURE, 4000K, BLACK	080083724659	3	10	560	•					Ⓢ
HU1024D940P	HALO HU10 LED UNDERCABINET 24" FIXTURE, 4000K, WHITE	080083724666	3	10	560	•					Ⓢ
HU1036D927MB	HALO HU10 LED UNDERCABINET 36" FIXTURE, 2700K, BLACK	080083694273	4	4	192	•					Ⓢ
HU1036D927P	HALO HU10 LED UNDERCABINET 36" FIXTURE, 2700K, WHITE	080083694259	4	4	192	•					Ⓢ
HU1036D930MB	HALO HU10 LED UNDERCABINET 36" FIXTURE, 3000K, BLACK	080083694280	4	4	192	•					Ⓢ
HU1036D930P	HALO HU10 LED UNDERCABINET 36" FIXTURE, 3000K, WHITE	080083694266	4	4	192	•					Ⓢ
HU1036D940MB	HALO HU10 LED UNDERCABINET 36" FIXTURE, 4000K, BLACK	080083724635	4	4	192	•					Ⓢ
HU1036D940P	HALO HU10 LED UNDERCABINET 36" FIXTURE, 4000K, WHITE	080083724642	4	4	192	•					Ⓢ
HU1048D927MB	HALO HU10 LED UNDERCABINET 48" FIXTURE, 2700K, BLACK	080083694310	5	4	192	•					Ⓢ
HU1048D927P	HALO HU10 LED UNDERCABINET 48" FIXTURE, 2700K, WHITE	080083694297	5	4	192	•					Ⓢ
HU1048D930MB	HALO HU10 LED UNDERCABINET 48" FIXTURE, 3000K, BLACK	080083694327	5	4	192	•					Ⓢ
HU1048D930P	HALO HU10 LED UNDERCABINET 48" FIXTURE, 3000K, WHITE	080083694303	5	4	192	•					Ⓢ
HU1048D940P	HALO HU10 LED UNDERCABINET 48" FIXTURE, 4000K, WHITE	080083724628	5	4	192	•					Ⓢ


★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>LED Undercabinet Accessories- HU10</b>												
	HU101MB	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641666	0.028	1	2	•	•	•	•	•	Ⓢ
	HU101P	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR WHITE	080083641659	0.076	200	18000	•	•	•	•	•	Ⓢ
	HU102MB	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641680	0.043	200	24000	•	•	•	•	•	Ⓢ
	HU102P	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR WHITE	080083641673	0.465	200	16000	•	•	•	•	•	Ⓢ
	HU103MB	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641703	0.118	100	7200	•	•	•	•	•	Ⓢ
	HU103P	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR WHITE	080083641697	0.14	100	8100	•	•	•	•	•	Ⓢ
	HU104MB	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641727	0.438	1	2	•	•	•	•	•	Ⓢ
	HU104P	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR WHITE	080083641710	0.544	25	3000	•	•	•	•	•	Ⓢ
	HU105MB	HALO HU10 LED UNDERCABINET 48 IN POWER CORD MATTE BLACK	080083641642	2.344	50	2100	•	•	•	•	•	Ⓢ
	HU107MB	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641741	0.02	250	32000	•	•	•	•	•	Ⓢ
	HU107P	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR WHITE	080083641734	0.071	250	10000	•	•	•	•	•	Ⓢ
	HU1010MB	HALO HU10 LED UNDERCABINET 12" DAISEY CHAIN CONNECTOR MATTE BLACK	080083694389	1	10	360	•	•	•	•	•	Ⓢ
	HU1010P	HALO HU10 LED UNDERCABINET 12" DAISEY CHAIN CONNECTOR WHITE	080083694372	1	10	40	•	•	•	•	•	Ⓢ
	HU1011MB	HALO HU10 LED UNDERCABINET 18" DAISEY CHAIN CONNECTOR MATTE BLACK	080083694402	1	4	216	•	•	•	•	•	Ⓢ
	HU1011P	HALO HU10 LED UNDERCABINET 18" DAISEY CHAIN CONNECTOR WHITE	080083694396	1	10	1300	•	•	•	•	•	Ⓢ
	HU109MB	HALO HU10 LED UNDERCABINET SPLICE BOX, LO -PRO, BLACK	080083694365	1	10	200	•	•	•	•	•	Ⓢ
	HU109P	HALO HU10 LED UNDERCABINET SPLICE BOX, LO -PRO, WHITE	080083694358	1	2	30	•	•	•	•	•	Ⓢ
	HU10MSMB	HALO HU10 LED UNDERCABINET MASTER SWITCH, BLACK	080083694341	1	2	120	•	•	•	•	•	Ⓢ
	HU10MSP	HALO HU10 LED UNDERCABINET MASTER SWITCH, WHITE	080083694334	1	1	2	•	•	•	•	•	Ⓢ

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product











Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>HU20 Undercabinet</b>										
	<b>LED Undercabinet - HU20</b>									
HU2012MB	HALO HU20 LED UNDERCABINET TRACK, 12" MATTE BLACK	080083633661	0.563	36	240	•	•	•	•	★
HU2012P	HALO HU20 LED UNDERCABINET TRACK, 12" WHITE	080083633647	1	36	240	•	•	•	•	★
HU2018MB	HALO HU20 LED UNDERCABINET TRACK, 18" MATTE BLACK	080083633708	1	36	240	•	•	•	•	★
HU2018P	HALO HU20 LED UNDERCABINET TRACK, 18" WHITE	080083633685	1	36	240	•	•	•	•	★
HU201MB	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR MATTE BLACK	080083633869	1	10	480	•	•	•	•	★
HU201P	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR WHITE	080083633845	0.16	10	640	•	•	•	•	★
HU2024MB	HALO HU20 LED UNDERCABINET TRACK, 24" MATTE BLACK	080083633746	1.099	36	240	•	•	•	•	★
HU2024P	HALO HU20 LED UNDERCABINET TRACK, 24" WHITE	080083633722	0.988	36	240	•	•	•	•	★
HU202MB	HALO HU20 LED UNDERCABINET 6" CONNECTOR MATTE BLACK	080083633906	1	10	480	•	•	•	•	★
HU202P	HALO HU20 LED UNDERCABINET 6" CONNECTOR WHITE	080083633883	1	10	480	•	•	•	•	★
HU203MB	HALO HU20 LED UNDERCABINET 24" CONNECTOR MATTE BLACK	080083633944	1	10	480	•	•	•	•	★
HU203P	HALO HU20 LED UNDERCABINET 24" CONNECTOR WHITE	080083633920	1	10	480	•	•	•	•	★
HU204MB	HALO HU20 LED UNDERCABINET 120" CONNECTOR MATTE BLACK	080083633982	1	5	240	•	•	•	•	★
HU204P	HALO HU20 LED UNDERCABINET 120" CONNECTOR WHITE	080083633968	1	5	240	•	•	•	•	★
HU20C45MB	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY MATTE BLACK	080083633821	0.7	4	60	•	•	•	•	★
HU20C45P	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY WHITE	080083633807	1	4	256	•	•	•	•	★
HU20P830MB	HALO HU20 UNDERCABINET LED PUCK, 3000K, MATTE BLACK	080083633784	1	20	1280	•	•	•	•	★
HU20P830P	HALO HU20 UNDERCABINET LED PUCK, 3000K, WHITE	080083633760	0.086	160	5760	•	•	•	•	★

**Power - Trac Luminaire**  
**Alto**



<b>Alto - 3750</b>										
L3750MBX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, MATTE BLACK, PAR38	662400149989	2.2	1	126	•	•	•	•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Universal</b>										
	<b>Symmetrical Universal Lampholder - L1701MBX</b> L1701MBX SYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20	662400300021	0.521	6	2000	•				★
	<b>Symmetrical Universal Lampholder - L1701PX</b> L1701PX SYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20	662400300014	0.5	6	528	•	•	•		★
	<b>Asymmetrical Universal Lampholder - L1702</b> L1702PX ASYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400300038	0.505	6	750	•			•	•
	<b>Universal Lampholder - L1735</b> L1735MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38 L1735PX UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400144069	1	6	600	•				
	<b>Universal Lampholder - L4009</b> L4009MBX UNIVERSAL LAMPHOLDER, MATTE BLACK, R40, PAR16, PAR20, PAR30, PAR38 L4009PX UNIVERSAL LAMPHOLDER, WHITE 50-300W	662400160960	0.66	6	840	•			•	★
	<b>Universal Lampholder - L700</b> L700PX UNIVERSAL LAMPHOLDER, 6", WHITE, R, PAR38	662400137887	1.01	12	720	•				
	<b>Universal Lampholder - L702</b> L702MBX UNIVERSAL LAMPHOLDER, 3", MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38 L702PX UNIVERSAL LAMPHOLDER, 3", WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400164333	0.615	24	1080	•			•	•
	<b>Universal Lampholder - L703</b> L703MBX UNIVERSAL LAMPHOLDER, 2.4", MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38 L703PX UNIVERSAL LAMPHOLDER, 2.4", WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400301394	0.633	24	648	•	•	•	•	•
<b>Bachetta</b>										
	<b>Bachetta Gimbal Ring - L3703</b> L3703PX BACHETTA GIMBAL RING, WHITE, PAR30	662400149248	1.513	72	288	•				
<b>Commercial Applications</b>										
	<b>Para Trac Electronic Wall Wash - L3218</b> L3218EP PARA TRAC ELECTRONIC COMPACT FLUORESCENT WALL WASH, WHITE, F18BX	662400603566	4.105	1	108	•				•

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Roundback</b>										
	<b>Roundback Cylinder - L1543</b> L1543PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400143185	1.93	6	192	•				★
	<b>Roundback Cylinder - L741, L743, L746, L747</b> L741MBX      ROUND BACK CYLINDER, MATTE BLACK, BR30, R30, PAR30, BR25, A19 L741PX      ROUND BACK CYLINDER, WHITE, BR30, R30, PAR30, BR25, A19 L743MBX      ROUND BACK CYLINDER, MATTE BLACK, R20, PAR20, A19 L743PX      ROUND BACK CYLINDER, WHITE, R20, PAR20, A19 L746MBX      ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25, A19 L746PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25, A19 L747MBX      ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19 L747PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400139010 662400139027 662400139058 662400139065 662400139096 662400139102 662400139133 662400139140	1 1.328 0.92 0.969 1.2 1.483 1.17 1.2	6 6 6 6 6 6 6 6	252 324 378 378 324 252 432 378	• • • • • • • • • • • • • •				
	<b>Roundback Cylinder - L855</b> L855PX      ROUND BACK CYLINDER, WHITE, PAR38	662400140757	1.21	6	216	•				
<b>Continental Cylinder</b>										
	<b>Continental Cylinder Yoke - L704</b> L704MBX      CONTINENTAL CYLINDER, YOKE, MATTE BLACK, R40, PAR38 L704PX      CONTINENTAL CYLINDER, YOKE, WHITE, R40, PAR38	662400137917 662400137931	2.2 2.254	6 6	126 144	•				
	<b>Continental Cylinder - L730</b> L730MBX      CONTINENTAL CYLINDER, MATTE BLACK, BR30, R30, PAR30, A19, BR25 L730PX      CONTINENTAL CYLINDER, WHITE, BR30, R30, PAR30, A19, BR25	662400138358 662400138372	0.915 1	6 6	288 384	•	•			
	<b>Continental Cylinder - L734</b> L734MBX      CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38 L734PX      CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400138815 662400138839	1.697 2.319	6 6	126 144	•				
	<b>Continental Cylinder - L735</b> L735MBX      CONTINENTAL CYLINDER, MATTE BLACK, R20, PAR20, A19	662400138853	0.988	6	432	•				
	<b>Continental Cylinder - L736</b> L736MBX      CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, A19, BR25 L736PX      CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, A19, BR25	662400138891 662400138907	1.25 1.29	6 6	252 2400	•	•			
	<b>Continental Cylinder - L737</b> L737MBX      CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19 L737PX      CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400138945 662400138952	0.782 0.647	6 6	486 432	•				•




★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Flatback</b>											
	<b>Flatback Cylinder - L1763</b>										
	L1763MBX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, MATTE BLACK, MR16	662400144564	3.52	6	480			•		★
	L1763PX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144588	3.5	6	288	•				★
	<b>Flatback Cylinder - L761</b>										
	L761PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R16, PAR16	662400139348	0.8	6	360	•				★
	<b>Flatback Cylinder - L763</b>										
	L763MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400139690	1.255	4	192	•				★
	L763PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400139720	1.646	4	192	•		•		★
	<b>Flatback Cylinder - L764</b>										
	L764MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400139805	1.962	6	192	•				★
	L764PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400139836	2.303	6	192	•				★
<b>Gimbal Ring</b>											
	<b>Gimbal Ring - L1730</b>										
	L1730MBX	GIMBAL RING, MATTE BLACK, PAR30	662400144014	0.913	6	2400	•		•		•
	L1730PX	GIMBAL RING, WHITE, PAR30	662400144038	0.735	6	576	•	•	•		•
	<b>Front Loading Gimbal Ring - L1731</b>										
	L1731MB	FRONT LOADING GIMBAL RING, MATTE BLACK, PAR30	662400687696	0.01	6	252	•				
	L1731P	FRONT LOADING GIMBAL RING, WHITE, PAR30,	662400687702	1.1	6	288	•				
	<b>Gimbal Ring - L1738</b>										
	L1738MBX	GIMBAL RING, MATTE BLACK, PAR38	662400144151	1.11	6	480	•	•			
	L1738PX	GIMBAL RING, WHITE, PAR38	662400144175	1.12	6	480	•	•	•		•
	<b>Front Loading Gimbal Ring - L1739</b>										
	L1739PX	FRONT LOADING GIMBAL RING, WHITE, PAR38	662400318774	1.575	4	256	•				•
	<b>Low Voltage Gimbal Ring - L2716</b>										
	L2716MB	LOW VOLTAGE GIMBAL RING, MATTE BLACK, MR16	662400145325	0.343	48	1152	•				
	L2716P	LOW VOLTAGE GIMBAL RING, WHITE, MR16	662400145332	0.337	48	1440	•	•	•		•
	<b>Low Voltage Gimbal Ring - L2717</b>										
	L2717MBX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145394	0.768	48	1152	•	•	•		
	L2717PX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145417	0.738	12	960	•	•	•		•












★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Micro Style</b>											
	<b>Low Voltage Lampholder - L2701</b> L2701P      LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, WHITE, MR16	662400615552	0.6	48	576	•		•			
	<b>Low Voltage Lampholder - L2702</b> L2702MB      LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16 L2702P      LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400615583	1.042	6	384	•		•			
	<b>Low Voltage Micro Style - L2770</b> L2770MBX      LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16 L2770PX      LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145738	0.918	6	192	•			•	★	
<b>Studio</b>											
	<b>Studio Lampholder - L1820</b> L1820MB      STUDIO LAMPHOLDER, MATTE BLACK, PAR20 L1820P      STUDIO LAMPHOLDER, WHITE, PAR20	662400663720	1.064	6	288	•				★	
	<b>Studio Lampholder - L1830</b> L1830MB      STUDIO LAMPHOLDER, MATTE BLACK, PAR30 L1830P      STUDIO LAMPHOLDER, WHITE, PAR30	662400663768	1.562	6	240	•			•	★	
	<b>Studio Lampholder - L1838</b> L1838MB      STUDIO LAMPHOLDER, MATTE BLACK, PAR38	662400663799	1.379	6	144	•				★	
<b>Studio Classic</b>											
	<b>Studio Classic Lampholder - L1807</b> L1807PAL      STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR30	662400660446	1.686	12	192	•					
	<b>Studio Classic Lampholder - L1808</b> L1808MB      STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR38	662400660453	3.6	6	48	•		•			
<b>Power - Trac Systems</b>											
<b>Single Circuit</b>											
	<b>Single Circuit</b> L650MB      SINGLE CIRCUIT TRAC, 2FT - MATTE BLACK L650P      SINGLE CIRCUIT TRAC, 2FT, WHITE L651MB      SINGLE CIRCUIT TRAC, 4FT, MATTE BLACK L651P      SINGLE CIRCUIT TRAC, 4FT, WHITE L652MB      SINGLE CIRCUIT TRAC, 8FT, MATTE BLACK L652P      SINGLE CIRCUIT TRAC, 8FT, WHITE L653MB      SINGLE CIRCUIT TRAC, 12FT, MATTE BLACK L653P      SINGLE CIRCUIT TRAC, 12FT, WHITE	662400137597	0.908	6	1920	•		•	•	•	★
		662400137603	1.05	6	1920	•		•	•	•	★
		662400137672	2.086	1	360	•	•	•	•	•	
		662400137689	1.7	1	625	•	•	•	•	•	
		662400137764	3.8	1	550	•	•	•	•	•	
		662400137771	4.4	1	432	•	•	•	•	•	
		662400137818	6	1	324	•	•	•	•	•	
		662400137825	5.75	1	324	•	•	•	•	•	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
 <b>Dead End</b> DE60050A-1-PK	DEAD END, SINGLE CIRCUIT, WHITE	623961478505	0.052	10	360	•	•			★
 <b>Live End Connector</b> L901MB	LIVE END CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140825	0.208	12	2160	•	•	•	•	★
L901P	LIVE END CONNECTOR, SINGLE CIRCUIT, WHITE	662400140832	0.204	12	2160	•	•	•	•	★
 <b>Flex Connector</b> L902MB	FLEX CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140863	0.575	6	1512	•				★
L902P	FLEX CONNECTOR, SINGLE CIRCUIT, WHITE	662400140870	0.577	12	4800	•	•	•	•	★
 <b>Straight Connector</b> L903MB	STRAIGHT CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140894	0.378	12	1440	•	•	•	•	★
L903P	STRAIGHT CONNECTOR, SINGLE CIRCUIT, WHITE	662400140900	0.344	12	1440	•	•	•	•	★
 <b>L Connector</b> L904MB	L CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140924	3.403	6	756	•	•	•	•	★
L904P	L CONNECTOR, SINGLE CIRCUIT, WHITE	662400140931	0.377	6	648	•	•	•	•	★
 <b>T Connector</b> L905MB	T CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140948	0.6	12	864	•		•	•	★
L905P	T CONNECTOR, SINGLE CIRCUIT, WHITE	662400140955	0.748	12	540	•	•	•	•	★
 <b>X Connector</b> L906P	X CONNECTOR, SINGLE CIRCUIT, WHITE	662400140979	0.6	6	360	•				★
 <b>Outlet Box</b> L907MB	OUTLET BOX FOR T-BAR CEILING, MATTE BLACK	662400140986	0.58	1	896	•				★
L907P	OUTLET BOX FOR T-BAR CEILING, WHITE	662400140993	0.563	1	896	•				★
 <b>Mini Joiner</b> L908MB	MINI JOINER, SINGLE CIRCUIT, MATTE BLACK	662400141037	0.126	12	1512	•	•	•	•	★
L908P	MINI JOINER, SINGLE CIRCUIT, WHITE	662400141044	0.126	12	2520	•	•	•	•	★
 <b>Floating Canopy &amp; Connector</b> L909MB	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141068	0.718	12	720	•	•	•	•	★
L909P	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, WHITE	662400141075	0.659	12	720	•	•	•	•	★
 <b>Conduit Continuation Kit</b> L979MB	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, MATTE BLACK	662400142218	0.722	6	1920	•				★
L979P	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, WHITE	662400142225	0.71	6	1920	•				★

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product











Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY						
					GA	IL	CA	NJ	TX		
	<b>Live End Conduit Adapter</b>										
	L980MB	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, MATTE BLACK	662400142249	0.375	12	1296	•	•	•	•	•
L980P	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, WHITE	662400142256	0.334	12	2304	•	•	•	•	•	★

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product









Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Two Circuit</b>										
	<b>Two Circuit</b>									
L641MB	TWO CIRCUIT TRAC, 4FT - MATTE BLACK	662401137497	1.985	1	800	•				★
L641P	TWO CIRCUIT TRAC, 4FT, WHITE	662401137503	1.985	1	800	•	•	•	•	★
L642MB	TWO CIRCUIT TRAC, 8FT, MATTE BLACK	662400137511	3.94	1	576	•	•	•	•	★
L642P	TWO CIRCUIT TRAC, 8FT, WHITE	662401167241	4	1	576	•		•	•	★
L643MB	TWO CIRCUIT TRAC, 12FT, MATTE BLACK	662400137535	6.4	1	224	•	•	•	•	★
L643P	TWO CIRCUIT TRAC, 12FT, WHITE	662400137542	6.4	1	324	•		•	•	★
	<b>Live End</b>									
L941MB	LIVE END CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141587	0.265	6	3456	•	•	•	•	★
L941P	LIVE END CONNECTOR, TWO CIRCUIT, WHITE	662400141594	0.257	6	6912	•	•	•	•	★
	<b>Straight / L Connector</b>									
L943MB	STRAIGHT/L CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141624	0.629	6	288	•				★
L943P	STRAIGHT/L CONNECTOR, TWO CIRCUIT, WHITE	662400141631	0.7	6	576	•	•	•		★
	<b>Mini Joiner</b>									
L949MB	MINI JOINER, TWO CIRCUIT, MATTE BLACK	662400141761	0.139	6	2268	•	•	•	•	★
L949P	MINI JOINER, TWO CIRCUIT, WHITE	662400141778	0.17	30	6480	•	•	•	•	★
	<b>Left T Connector</b>									
L945LMB	LEFT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141648	0.71	6	1176	•				★
	<b>Right T Connector</b>									
L945RMB	RIGHT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141662	0.71	6	1176	•				★
	<b>Flex Joiner</b>									
L942MB	FLEX JOINER, TWO CIRCUIT, MATTE BLACK	662400141600	0.6	6	1920	•				★
L942P	FLEX JOINER, TWO CIRCUIT, WHITE	662400141617	0.6	6	2592	•				★
	<b>Conduit Connector</b>									
L947MB	CONDUIT CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141709	0.404	1	378	•				★
L947P	CONDUIT CONNECTOR, TWO CIRCUIT, WHITE	662400141716	0.473	6	756	•				★
	<b>Conduit Continuation Kit</b>									
L989MB	CONDUIT CONTINUATION KIT, TWO CIRCUIT, MATTE BLACK	662400142331	0.6	6	960	•				★
	<b>Floating Canopy &amp; Connector</b>									
L929MB	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400163053	0.6	12	1008	•				★
L929P	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, WHITE	662400163046	0.721	12	1008	•				★

**Lampholder and Power - Trac Accessories**

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Lens</b>										
QS-L450	SOLITE DIFFUSED LENS 3 3/4"	080083535903	0.21	1	480	•				★
<b>Lens - L110N, L111, L113 &amp; L115</b>										
	L110N	DIFFUSE SAND BLASTED LENS, 2"	662400136774	0.076	1	21000	•		•	★
	L111	SOFT FOCUS LENS, 2"	662400627517	0.08	42	10080	•	•	•	★
	L113	PRISMATIC LENS, 2"	662400136804	0.061	50	6000	•			★
	L115	LINEAR SPREAD LENS, 2"	662400136811	0.052	50	8000	•	•		★
<b>Low Voltage Canopy Adapter</b>										
	L1973MB	LOW VOLTAGE CANOPY ADAPTER, MATTE BLACK	662400145042	0.328	12	1152	•	•	•	★
	L1973P	LOW VOLTAGE CANOPY ADAPTER, WHITE	662400145059	0.375	12	720	•		•	★
<b>Media Holder</b>										
	L252MB	MEDIA HOLDER, PAR30, L1830, MATTE BLACK	662400301400	0.497	6	378	•			★
<b>Cube Cell Louver - L274</b>										
	L274MB	CUBE CELL LOUVER, 3 3/4"	662400301424	0.19	6	2430	•			★
<b>Cube Cell Louver - L275</b>										
	L275MB	CUBE CELL LOUVER, MATTE BLACK	662400137108	0.145	6	3360	•			★
<b>48" Steel Stem</b>										
	L48MB	48" STEEL STEM, MATTE BLACK	662400136750	1.15	6	396	•	•		★
	L48P	48" STEEL STEM, WHITE	662400136767	1.07	6	396	•			★
<b>Outlet Box</b>										
	L900MB	OUTLET BOX COVER, MATTE BLACK	662400140771	0.405	12	2352	•	•	•	★
	L900P	OUTLET BOX COVER, WHITE	662400140788	0.414	12	3528	•	•	•	★
<b>18" Extension Wand</b>										
	L918PX	18" EXTENSION WAND, WHITE	662400141334	0.545	6	1344	•	•		★
<b>48" Extension Wand</b>										
	L948MBX	48" EXTENSION WAND, MATTE BLACK	662400141730	1.07	6	594	•			★
<b>Cord &amp; Plug Connector</b>										
	L950P	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, WHITE	662400141808	1.167	12	432	•	•		★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX
<b>Wireway Cover for Pendant Assembly Kit</b>										
 L951MB	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, MATTE BLACK	662400141815	0.155	1	1875	•	•	•	•	★
L951P	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, WHITE	662400141822	0.14	1	1875	•	•	•	•	★
<b>Showroom Fixture Adapter</b>										
 L956P	SHOWROOM FIXTURE ADAPTER, WHITE	662400141884	0.6	12	864	•	•	•	•	★
<b>Pendant Adapter - L957</b>										
 L957MB	PENDANT ADAPTER, MATTE BLACK	662400141907	0.231	12	1200	•	•	•	•	★
L957P	PENDANT ADAPTER - WHITE	662400141921	0.876	12	4704	•	•	•	•	★
<b>Canopy Adapter</b>										
 L973MBN	CANOPY ADAPTER, MATTE BLACK	662400142126	0.29	12	2592	•	•	•	•	★
L973PN	CANOPY ADAPTER, WHITE	662400142133	0.34	12	2592	•	•	•	•	★
<b>T-Bar Attachment Clip - L983N</b>										
 L983N	T-BAR ATTACHMENT CLIP	662400142300	0.047	6	4752	•	•	•	•	★
<b>Pendant Kit Assembly - L992</b>										
 L992MB	PENDANT KIT ASSEMBLY, MATTE BLACK	662400142355	1.338	6	252	•	•	•	•	★
L992P	PENDANT KIT ASSEMBLY, WHITE	662400142362	1.274	6	432	•	•	•	•	★
<b>Pendant Adapter</b>										
 L994MB	PENDANT ADAPTER, 45 DEGREE, MATTE BLACK	662400142393	0.756	1	324	•	•	•	•	★
L994P	PENDANT ADAPTER, 45 DEGREE, WHITE	662400142409	0.726	1	324	•	•	•	•	★
<b>Power -Trac Transformers</b>										
<b>Low Voltage Power-Trac Transformer - L2001</b>										
 L2001MBX	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400602996	0.415	6	2520	•	•	•	•	
L2001PX	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400602989	0.443	60	3360	•	•	•	•	
<b>Low Voltage Power-Trac Transformer - L2004</b>										
 L2004MB	LOW VOLTAGE LINEA TRANSFORMER, MATTE BLACK	662400618508	0.4	6	1200	•	•	•	•	
L2004P	LOW VOLTAGE LINEA TRANSFORMER, WHITE	662400618492	0.356	60	1200	•	•	•	•	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>Current Limiters</b>											
<b>Circuit Breakers</b>											
CB120P	CIRCUIT BREAKER 1 AMP 120W WHITE	080083508747	0.04	25	1200	•					★
CB600MB	CIRCUIT BREAKER 5 AMP 600W BLACK	080083508754	0.04	25	2160	•					★
CB600P	CIRCUIT BREAKER 5 AMP 600W WHITE	080083508792	0.04	25	1200	•					★
CB1200P	CIRCUIT BREAKER 10 AMP 1200W WHITE	080083508860	0.04	50	1000	•					★
CB120MB	CIRCUIT BREAKER 1 AMP 120W BLACK	080083508761	0.4	25	1200	•					★



<b>Single Circuit</b>											
LC901MB	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING BLACK	623961052453	0.9	24	768	•					★
LC901P	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING WHITE	623961052477	0.9	24	768	•					★

## Lazer Lampholders and Systems



### Roundback



<b>Round Back Cylinder</b>											
LZR311PL	LAZER ROUND BACK CYLINDER, WHITE, 120V MR16 INCLUDED	662400689409	0.705	6	990	•	•	•	•		











<b>Low Voltage Roundback Cylinder</b>											
LZR405P	LAZER LOW VOLTAGE ROUND BACK CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687566	0.91	6	432	•	•	•	•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Gimbal Ring</b>										
<b>Front Loading Gimbal - LZR1320</b>										
	LZR1320MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR20	662400663669	0.838	12	720	•	•	•	•
	LZR1320P	LAZER FRONT LOADING GIMBAL, WHITE, PAR20	662400663652	0.833	16	720	•	•	•	•
<b>Front Loading Gimbal - LZR1330</b>										
	LZR1330MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR30	662400663683	1.031	6	360	•	•		•
	LZR1330P	LAZER FRONT LOADING GIMBAL, WHITE, PAR30	662400663676	1.054	6	360	•	•	•	•
<b>Front Loading Gimbal - LZR1338</b>										
	LZR1338MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR38	662400663706	0.813	6	96	•	•		•
	LZR1338P	LAZER FRONT LOADING GIMBAL, WHITE, PAR38	662400663690	1.227	6	240	•	•		•
<b>Gimbal Ring - LZR316</b>										
	LZR316MBL	LAZER GIMBAL RING, MATTE BLACK, 120V MR16 LAMP INCLUDED	662400689454	0.586	6	720	•	•	•	•
	LZR316PL	LAZER GIMBAL RING, WHITE, 120V MR16 LAMP INCLUDED	662400689447	0.575	6	900	•	•	•	•
<b>Small Gimbal Ring - LZR330</b>										
	LZR330MB	LAZER SMALL GIMBAL RING, MATTE BLACK, PAR30	662400613305	0.78	6	384	•	•	•	•
	LZR330P	LAZER SMALL GIMBAL RING, WHITE, PAR30	662400613299	0.974	6	384	•	•	•	•
<b>Gimbal Ring - LZR338</b>										
	LZR338MB	LAZER GIMBAL RING, MATTE BLACK, PAR38	662400613329	0.882	6	480	•			
	LZR338P	LAZER GIMBAL RING, WHITE, PAR38	662400613312	0.758	6	360	•	•	•	•
<b>Low Voltage Gimbal Ring - LZR401</b>										
	LZR401MB	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400614005	0.579	12	960	•	•	•	•
	LZR401P	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400613992	0.662	12	960	•	•	•	•










★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>Cylinder</b>											
<b>Small Roundback Cylinder</b>											
 LZR301MB	LAZER SMALL ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612643	0.958	12	432	•				•	
LZR301P	LAZER SMALL ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612636	1.03	12	432	•				•	
<b>Roundback Cylinder</b>											
 LZR302MB	LAZER ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612681	1.295	12	288	•	•	•			
LZR302P	LAZER ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612674	1.331	10	360	•	•	•	•		
LZR302P/W	LAZER ROUND BACK CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612704	1.121	12	360	•	•				
<b>Large Roundback Cylinder</b>											
 LZR303MB	LAZER LARGE ROUND BACK CYLINDER, BLACK BAFFLE, BLACK, PAR38, R40	662400612551	1.628	6	144	•					
LZR303P	LAZER LARGE ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR38, R40	662400612544	1.7	6	192	•				•	
<b>Small Step Cylinder</b>											
 LZR304MB	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612728	0.981	12	216	•				•	
LZR304P	LAZER SMALL STEP CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612711	0.745	12	432	•	•			•	
<b>Step Cylinder</b>											
 LZR305MB	LAZER STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612773	1.213	12	360	•	•	•	•		
LZR305P	LAZER STEP CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612759	1.144	12	288	•	•	•	•		
LZR305P/W	LAZER STEP CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612797	1.2	12	288	•	•				
<b>Large Step Cylinder</b>											
 LZR306MB	LAZER LARGE STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400612575	1.231	6	192	•					
<b>Flatback Cylinder - LZR307</b>											
 LZR307MB	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612810	1.14	12	432	•					
LZR307P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612803	1.14	12	432	•					
<b>Flatback Cylinder - LZR308</b>											
 LZR308MB	LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612599	1.078	12	360	•	•				
LZR308P	LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612582	1.333	12	360	•				•	

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product











Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Glass and Perforated Bell &amp; Contemporary Gimbal</b>										
	<b>Perforated Bell</b>									
LZR402MB	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616559	0.926	12	216	•	•			
LZR402P	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616542	1.02	12	288	•	•	•	•	•
	<b>Glass Bell</b>									
LZR403MB	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616573	1.106	12	432	•		•		
LZR403P	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616566	1.136	12	432	•	•	•	•	•
	<b>Contemporary Gimbal</b>									
LZR404MB	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616597	0.6	12	720	•		•		
LZR404P	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616580	0.722	12	720	•	•	•	•	•
<b>Step Cylinder</b>										
	<b>Low Voltage Step Cylinder</b>									
LZR406MB	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400687597	0.942	6	600	•		•		
LZR406P	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687580	0.91	6	432	•		•		
<b>Lazer Track System</b>										
	<b>Single Circuit</b>									
LZR102MB	LAZER SINGLE CIRCUIT TRACK, 2FT, MATTE BLACK	662400617464	0.874	6	864	•	•			•
LZR102P	LAZER SINGLE CIRCUIT TRACK, 2FT, WHITE	662400617396	0.7	12	2352	•	•	•		
LZR104MB	LAZER SINGLE CIRCUIT TRACK, 4FT, MATTE BLACK	662400617426	1.659	12	1632	•	•	•	•	•
LZR104P	LAZER SINGLE CIRCUIT TRACK, 4FT, WHITE	662400617419	1.5	12	1632	•	•	•	•	•
LZR106MB	LAZER SINGLE CIRCUIT TRACK, 6FT, MATTE BLACK	662400617440	2.55	12	1152	•	•	•	•	
LZR106P	LAZER SINGLE CIRCUIT TRACK, 6FT, WHITE	662400617433	2.4	12	960	•	•	•	•	•
LZR108MB	LAZER SINGLE CIRCUIT TRACK, 8FT, MATTE BLACK	662400617402	3.2	12	672	•		•	•	•
LZR108P	LAZER SINGLE CIRCUIT TRACK, 8FT, WHITE	662400617457	1.7	12	504	•	•	•	•	•
	<b>T-Bar Clip</b>									
LZR207	LAZER T-BAR CLIP	662400617129	0.146	96	3072	•	•			
	<b>Monopoint Feed</b>									
LZR209MB	LAZER MONOPOINT FEED, MATTE BLACK	662400617150	0.438	12	1440	•	•	•	•	
LZR209P	LAZER MONOPOINT FEED, WHITE	662400617167	0.373	48	2304	•	•	•	•	•
	<b>Monopoint Feed Low Voltage</b>									
LZR210MB	LAZER MONOPOINT FEED, LOW VOLTAGE, MATTE BLACK	662400617174	0.363	12	1296	•		•		
LZR210P	LAZER MONOPOINT FEED, LOW VOLTAGE, WHITE	662400617181	0.29	48	1296	•		•		
	<b>Live End Feed w / Junction Box Cover</b>									
LZR200MB	LAZER LIVE END FEED W/JUNCTION BOX COVER, MATTE BLACK	662400616993	0.354	6	672	•	•		•	•
LZR200P	LAZER LIVE END FEED W/JUNCTION BOX COVER, WHITE	662400617006	0.396	24	1152	•	•	•	•	•

★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>Live End Feed</b>										
 LZR201MB	LAZER LIVE END FEED, MATTE BLACK	662400617013	0.228	8	384	•	•	•	•	•
LZR201P	LAZER LIVE END FEED, WHITE	662400617020	0.234	96	2592	•	•	•	•	•
<b>Floating Canopy &amp; Connector Feed</b>										
 LZR202MB	LAZER FLOATING CANOPY AND CONNECTOR FEED, MATTE BLACK	662400617037	0.4	24	648	•	•			
LZR202P	LAZER FLOATING CANOPY AND CONNECTOR FEED, WHITE	662400617044	0.538	24	1152	•	•	•	•	
<b>Adjustable L &amp; Straight Connector</b>										
 LZR203MB	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, MATTE BLACK	662400617051	0.486	4	384	•			•	
LZR203P	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, WHITE	662400617068	0.395	48	2304	•	•	•	•	•
<b>Conduit Adapter Feed</b>										
 LZR204MB	LAZER CONDUIT ADAPTER FEED, MATTE BLACK	662400617075	0.271	12	432	•	•	•		
LZR204P	LAZER CONDUIT ADAPTER FEED, WHITE	662400617082	0.249	8	128	•		•		
<b>Conduit Continuation Feed</b>										
 LZR205MB	LAZER CONDUIT CONTINUATION FEED, MATTE BLACK	662400617099	0.25	48	2304	•				
LZR205P	LAZER CONDUIT CONTINUATION FEED, WHITE	662400617105	0.33	6	1296	•				
<b>T-Bar Canopy</b>										
 LZR206P	LAZER T-BAR CANOPY - WHITE	662400617112	0.4	12	576	•				
<b>Flexible Connector Feed</b>										
 LZR211P	LAZER FLEXIBLE CONNECTOR FEED, WHITE	662400617204	0.4	96	3456	•				
<b>Mini Connector</b>										
 LZR212MB	LAZER MINI CONNECTOR, MATTE BLACK	662400617211	0.156	96	3072	•	•	•	•	•
LZR212P	LAZER MINI CONNECTOR, WHITE	662400617228	0.155	96	3072	•	•	•	•	•
<b>T Connector Right</b>										
 LZR213LMB	LAZER T CONNECTOR, LEFT HAND, MATTE BLACK	662400685944	0.37	12	2400	•				
LZR213LP	LAZER T CONNECTOR, LEFT HAND, WHITE	662400685951	0.4	12	2400	•				
<b>T Connector Left</b>										
 LZR213RMB	LAZER T CONNECTOR, RIGHT HAND, MATTE BLACK	662400685968	0.4	12	2400	•				
LZR213RP	LAZER T CONNECTOR FEED RIGHT, WHITE	662400685975	0.37	48	2304	•				

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX

**Surface Etchings**



**Square Etchings Sconce**

H2522MC	SQUARE ETCHINGS SCONCE, INCANDESCENT, MATTE CHROME	662400215806	7.425	4	36	•					
H2523MC	SQUARE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400215813	8.2	4	36	•					



**Rectangle Etchings Sconce**

H2525MC	RECTANGLE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400677727	5.9	4	40	•					
---------	--------------------------------------------------------------	--------------	-----	---	----	---	--	--	--	--	--

CATALOG  
NUMBER









DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   GA   IL   CA   NJ   TX

# Halo Commercial







## Recessed Commercial Lighting

### 6" Housings







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>6" CFL Commercial Horizontal Lamp Housing</b>											
 PD6H142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120-277V UNV	080083611744	4.216	6	72	•	•	•	•	•	★
PD6H213E	HOUSING, 6" (2) 13W DTT / TTT HORZ, 120V	080083628810	2.678	6	108	•	•	•	•	•	★
PD6H226E	HOUSING, 6" (2) 26W DTT HORZ, 120-277V UNV	080083611737	3.622	6	108	•	•	•	•	•	★
<b>6" CFL Commercial Horizontal Lamp Emergency Housing</b>											
 PD6H142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120/277V EM	080083620494	10.95	1	24	•	•	•	•	•	★
PD6H226REM	HOUSING, 6" (2) 26W DTT HORZ, 120/277V EM	080083630707	2.467	1	32	•	•	•	•	•	★
<b>6" CFL Commercial Horizontal Lamp Housing, Dimming</b>											
 PD6H1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 120V DIMMING	080083626953	5.5	6	108	•	•	•	•	•	★
<b>6" CFL Commercial Vertical Lamp Housing</b>											
 PD6V142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120-277V UNV	080083611812	3.091	6	72	•	•	•	•	•	★
PD6V1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 347V	080083630776	3.95	6	108	•	•	•	•	•	★
<b>6" CFL Commercial Vertical Lamp Emergency Housing</b>											
 PD6V142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120/277V EM	080083622566	12	1	28	•	•	•	•	•	★
<b>6" CFL Commercial Vertical Lamp Housing Dimming</b>											
 PD6V1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 120V DIMMING	080083652792	4.15	6	108	•	•	•	•	•	★
PD6V1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 277V DIMMING	080083649754	4.716	1	28	•	•	•	•	•	★
<b>6" LED Housings New Construction</b>											
 PD615ED010	6" LED HSN, 1,500 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723843	4.4	6	108	•	•	•	•	•	OTS
PD620ED010	6" LED HSN, 2,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723805	2.942	6	108	•	•	•	•	•	OTS
PD610ED010	6" LED HSN, 1,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723874	2.942	6	108	•	•	•	•	•	OTS
PD610ED010IEM	6" LED HSN, 1,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM EM	080083723867	3.1	6	48	•	•	•	•	•	OTS
PD615ED010IEM	6" LED HSN, 1,500 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM EM	080083723836	10.95	6	48	•	•	•	•	•	OTS
PD630D010	6" LED HSN, 1,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V DIM	080083723782	2.942	6	108	•	•	•	•	•	OTS
<b>6" LED Housings Retrofit</b>											
 PD6R10ED010	6" LED RETROFIT HSN, 1,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723713	3.1	6	72	•	•	•	•	•	OTS
PD6R15ED010	6" LED RETROFIT HSN, 1,500 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723690	3.5	6	96	•	•	•	•	•	OTS
PD6R20ED010	6" LED RETROFIT HSN, 2,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723676	3.5	6	72	•	•	•	•	•	OTS
PD6R30D010	6" LED RETROFIT HSN, 3,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V	080083723652	3.5	6	72	•	•	•	•	•	OTS

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY						
					GA	IL	CA	NJ	TX		
<b>5/6" LED Housings Retrofit</b>											
 PD56R15ED010	5/6" LED RETROFIT HSN, 1,500 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723973	3.5	6	72	•		•			
PD56R20ED010	5/6" LED RETROFIT HSN, 2,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723959	3.5	6	72	•		•			
PD56R30D010	5/6" LED RETROFIT HSN, 3,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V DIM	080083723935	3.5	6	72	•					
PD56R10ED010	5/6" LED RETROFIT HSN, 1,000 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083723997	3.5	6	96	•		•			
<b>6" Incandescent Commercial Vertical Lamp Housing</b>											
 PD6V120	HOUSING, 6" VERT E26, 120V	080083611805	2.321	6	72	•	•	•	•	•	★





**6" Modules**

<b>6" LED Modules</b>											
PDM6A835	PD6 LED MODULE FOR REMOTE DRIVER, 3500K , 80CRI,	080083724055	1.8	6	180	•		•		•	★ 
PDM6A830	PD6 LED MODULE FOR REMOTE DRIVER, 3000K , 80CRI,	080083724062	1.8	6	180	•		•		•	
PDM6A840	PD6 LED MODULE FOR REMOTE DRIVER, 4000K , 80CRI,	080083724048	1.8	6	180	•		•	•		
PDM6A827	PD6 LED MODULE FOR REMOTE DRIVER, 2700K , 80CRI	080083724079	1.7	6	288	•		•			★ 
PDM6A930	PD6 LED MODULE FOR REMOTE DRIVER, 3000K , 90CRI	080083724024	1.8	6	180		•				
PDM6A940	PD6 LED MODULE FOR REMOTE DRIVER, 4000K , 90CRI	080083724000	1.8	6	180					•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>6" Reflectors</b>											
<b>6" Commercial Vertical Lamp Reflector</b>											
60VC	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605286	0.57	6	72	•	•	•	•	•	
60V1GC	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652969	1.41	6	108	•	•	•	•	•	
60V1GH	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652884	1	6	108	•	•	•	•	•	★
60VCWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652730	0.889	6	72	•	•	•	•	•	★
60VHWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652723	0.612	6	108	•	•	•	•	•	★
<b>6" Commercial Vertical Lamp Wall Wash Reflector</b>											
60VWWH	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652860	1	6	108	•	•	•	•	•	★
60VWWC	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR	080083605293	0.913	6	108	•	•	•	•	•	
60VWWCWF	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652716	1	6	108	•	•	•	•	•	
<b>6" CFL Commercial Horizontal Lamp Reflector</b>											
62HC	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605262	0.865	6	192	•	•	•	•	•	
62H1GC	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652952	1.381	6	108	•	•	•	•	•	★
62HH	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652921	0.744	6	108	•	•	•	•	•	★
62H1GH	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652914	1	6	108	•	•	•	•	•	★
62H1GCWF	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652693	0.82	6	108	•	•	•	•	•	★
62HCWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652679	0.95	6	144	•	•	•	•	•	
62HHWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652662	0.603	6	108	•	•	•	•	•	
<b>6" CFL Commercial Horizontal Lamp Wall Wash Reflector</b>											
62HWWH	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083655977	1	6	108	•	•	•	•	•	
<b>6" LED Reflectors</b>											
61VBB	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, BLACK BAFFLE, WHITE FLANGE	080083669295	1.1	6	144	•	•	•	•	•	OTS
61VC	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR	080083669028	0.826	6	108	•	•	•	•	•	OTS
61VCWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669035	0.664	6	144	•	•	•	•	•	OTS
61VH	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669264	0.85	6	144	•	•	•	•	•	OTS
61VHWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669271	0.754	6	144	•	•	•	•	•	OTS
61WWC	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SPECULAR CLEAR	080083669509	1.003	6	144	•	•	•	•	•	OTS
64VC	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR	080083669318	1.1	6	144	•	•	•	•	•	OTS
64VCWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669325	1.1	6	144	•	•	•	•	•	OTS
64VH	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669356	1.1	6	144	•	•	•	•	•	OTS
64VHWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669462	1.1	6	120	•	•	•	•	•	OTS

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>8" Housings</b>											
	<b>8" CFL Commercial Horizontal Lamp Housing</b>										
PD8H142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT HORZ, 120-277V UNV	080083611782	1.649	6	72	•	•	•	•	•	★
PD8H242E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORZ, 120-277V UNV	080083611775	3.988	6	72	•	•	•	•	•	★
PD8H2423E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORIZONTAL, 347V	080083628858	4.75	1	72	•					★
PD8V1421DMARKX	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT, 120V DIMMING	080083633029	4.75	1	72			•			★
	<b>8" CFL Commercial Vertical Lamp Housing</b>										
PD8V142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT, 120-277V UNV	080083611768	3.379	1	72	•	•	•			★
	<b>8" CFL Commercial Vertical Lamp Housing, Emergency</b>										
PD8V142REM	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT, 120/277V EM	080083633036	4.75	1	72			•			★
	<b>8" Incandescent Commercial Vertical Lamp Housing</b>										
PD8V120	HOUSING, 8" VERT, E26, 120V	080083611751	4.75	1	72	•	•	•			★

**8" Reflectors**

<b>8" CFL Commercial Horizontal Lamp Reflector</b>											
82HC	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605309	0.861	6	72	•	•	•	•		
82HH	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652853	1	6	108					•	★
82H1GW	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652846	1	6	108	•					★
82HCWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652594	0.894	6	108					•	
82HHWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652587	0.337	6	108				•		★
<b>8" CFL Commercial Horizontal Lamp Wall Wash Reflector</b>											
82HWWC	REFLECTOR, 8" HORIZONTAL, OPEN WALL WASH SPECULAR CLEAR	080083605316	1	6	108	•		•			★
82HWWH	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652839	1	6	108	•					★
82HWWCWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652570	1	6	108	•					
82HWWHWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652563	1	6	108	•					★
<b>8" Commercial Vertical Lamp Reflector</b>											
80VC	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605323	0.572	6	48	•		•		•	
80V1GW	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652815	1	6	108	•					★
80V1GCWF	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652624	1	6	108	•	•				
80VCWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652617	1.107	6	108				•		
80VHWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652600	1	6	108	•					★
<b>8" Commercial Vertical Lamp Wall Wash Reflector</b>											
80VWWH	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652808	1	6	108	•					★
80VWWHWF	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652778	1	6	108	•					★

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG  
NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   GA   IL   CA   NJ   TX

# Metalux

## Recessed Static

### Accord Series



2'x2'																		
22AC-214T5-UNV-L5835-EBT1-U	LAMP, 2'X2' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, 14T5 W/NORMAL LIGHT OUTPUT & 3500K LAMPS	623961580406	36	1	48												★	OTS
22AC-LD4-34-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718290	13.05	1	48												★	OTS
22AC-LD4-34-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718283	13.05	1	48												★	OTS
22AC-LD4-23-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718313	13.05	1	48												★	OTS
22AC-LD4-23-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718306	13.05	1	48												★	OTS



2'x4'																		
22AC-228T5-UNV-L5835-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, 28T5 W/NORMAL LIGHT OUTPUT & 3500K LAMPS	623961677014	36	1	12												★	OTS
22AC-228T5-UNV-L5841-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, 28T5 W/NORMAL LIGHT OUTPUT & 4100K LAMPS	080083553068	36	1	14												★	OTS
22AC-228T5-UNV-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, 28T5 W/NORMAL LIGHT OUTPUT	080083653478	21.7	1	12													OTS
22AC-232-UNV-EB81-U	2 LAMP, 2'X4' ACCORD, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, 32T8	080083670987	21.3	1	24												★	OTS
22AC-254T5-UNV-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, 54T5 W/NORMAL LIGHT OUTPUT	080083610655	36	1	12												★	OTS
24AC-LD4-55-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718276	21.45	1	24												★	OTS
24AC-LD4-44-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083717705	21.45	1	24												★	OTS
24AC-LD4-44-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083717712	21.45	1	24												★	OTS
24AC-LD4-55-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718269	21.45	1	24												★	OTS

### ArcLine Series








2'x2'																		
22ALNG-LD4-25-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718771	12.5	1	56													OTS
22ALNG-LD4-35-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	08008371828	12.5	1	56													OTS
22ALNG-LD4-25-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718764	12.5	1	56													OTS
22ALNG-LD4-35-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718788	12.5	1	56													OTS



2'x4'																		
24ALNG-LD4-45-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718344	20.5	1	28													OTS
24ALNG-LD4-45-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718351	20.5	1	28													OTS
24ALNG-LD4-55-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083718320	20.5	1	28													OTS
24ALNG-LD4-55-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083718337	20.5	1	28													OTS



★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>FR LED Series</b>												
	<b>2'x2'</b> 22FR-LD4-32-UNV-L835-CD1-U	PREMIUM LED LUMINAIRE, 2 X 2, 3200 LUMEN, 3500K, 0 TO 10V DIMMING	080083751747	12.5	1	48	•	•	•	•	•	•
	22FR-LD4-32-UNV-L840-CD1-U	PREMIUM LED LUMINAIRE, 2 X 2, 4000 LUMEN, 3500K, 0 TO 10V DIMMING	080083751754	12.5	1	48	•	•	•	•	•	•
<b>GC8 Series</b>												
	<b>1'x4' Flanged</b> FC8-232A-UNV-EB81-U	2 LAMP, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961174018	12.071	1	36	•	•	•	•	•	•
	FC8IC-232A-UNV-EB81-U	2-LAMP, IC RATED, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	080083626946	15.8	1	33	•	•	•	•	•	•
	<b>2'x4'</b> 2GC8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696152865	20.5	1	28	•	•	•	•	•	•
	2GC8-332A-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401730094	20.5	1	28	•	•	•	•	•	•
	2GC8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696380657	20.5	1	28	•	•	•	•	•	•
	2GC8-432A-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	622697823832	20.5	1	24	•	•	•	•	•	•
	2GC8-432A125-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961023187	20.5	1	24	•	•	•	•	•	•
<b>GR8 Series</b>												
	<b>2'x2'</b> 2GR8-2U6T8A-UNV-EB81-U	2 LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 U6	623961643842	11.25	1	56	•	•	•	•	•	•
	<b>2'x4'</b> GR8-232A-UNV-EB81-U	2 LAMP, 1'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401551330	7.858	1	33	•	•	•	•	•	•
	2GR8-232A125-UNV-EB81-U	2 LAMP, 2'X4' COMMERCIAL GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689376	20.5	1	28	•	•	•	•	•	•
	2GR8-232A-UNV-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961759802	22.5	1	28	•	•	•	•	•	•
	2GR8-332A125-UNV-EB81-U	3 LAMP, 2'X4' COMMERCIAL GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689697	20.5	1	24	•	•	•	•	•	•
	2GR8-332A-UNV-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286805	20.5	1	28	•	•	•	•	•	•
	2GR8-332A-UNV-EB82-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662401341405	22.5	1	28	•	•	•	•	•	•
	2GR8-432A125-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, #12 .125 THICK ACRYLIC LENS, CEE LISTED ELECTRONIC BALLAST, T8	662401334247	20.5	1	24	•	•	•	•	•	•
	2GR8-432A-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286812	20.5	1	28	•	•	•	•	•	•
	2GR8-432A-UNV-EB82-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662400102229	22.5	1	24	•	•	•	•	•	•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product




















Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.
























CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		REGIONAL						
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>GR LED Series</b>												
	<b>2'x2'</b> 22GR-LD4-24-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 2400 LUMEN, 3500K, 0 TO 10V DRIVER	080083717729	8.27	1	56	•	•	•	•		Ⓞ
	22GR-LD4-24-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 2400 LUMEN, 4000K, 0 TO 10V DRIVER	080083717736	8.27	1	48	•	•	•	•		Ⓞ
	22GR-LD4-32-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 3500K, 0 TO 10V DRIVER	080083717743	8.27	1	56	•	•	•	•	•	★ Ⓞ
	22GR-LD4-32-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 4000K, 0 TO 10V DRIVER	080083717750	12.4	1	56	•	•	•	•	•	Ⓞ
	22GR-LD4-43-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 3500K, 0 TO 10V DRIVER	080083718467	8.27	1	56	•	•	•			★ Ⓞ
	22GR-LD4-43-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 4000K, 0 TO 10V DRIVER	080083718481	8.27	1	56	•	•	•			★ Ⓞ
	<b>2'x4'</b> 24GR-LD4-38-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 3800 LUMEN, 3500K, 0 TO 10V DRIVER	080083724178	13	1	56	•	•	•			Ⓞ
	24GR-LD4-48-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 3500K, 0 TO 10V DRIVER	080083718474	20.5	1	28	•	•	•	•	•	Ⓞ
	24GR-LD4-48-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 4000K, 0 TO 10V DRIVER	080083718498	20.5	1	28	•	•	•	•	•	Ⓞ
	24GR-LD4-64-F1-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 3500K, 0 TO 10V DRIVER	080083718504	20.5	1	28	•	•	•			Ⓞ
	24GR-LD4-64-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 4000K, 0 TO 10V DRIVER	080083718511	20.5	1	28	•	•	•	•		Ⓞ
	24GR-LD4-38-F1-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 3800 LUMEN, 4000K, 0 TO 10V DRIVER	080083728190	13	1	56	•	•	•			
	24GR-LD4-38-A-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 3800 LUMEN, 4000K, 0 TO 10V DIMMING	080083718528	19.9	1	30	•	•	•	•		Ⓞ

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>Encounter Series</b>												
	<b>2'x2'</b> 22EN-LD2-25-UNV-L835-CD1-SVPD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753345	14	1	18	•				★	
	22EN-LD2-34-UNV-L835-CD1-SVPD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753369	14	1	18	•				★	
	22EN-LD2-25-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752409	14	1	18	•	•	•		★	
	22EN-LD2-25-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752393	14	1	18	•	•	•		★	
	22EN-LD2-34-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752324	14	1	18	•	•	•		★	
	22EN-LD2-34-UNV-L840-CD1-SVPD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753352	14	1	1	•				★	
	22EN-LD2-34-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752317	14	1	18	•	•	•		★	
	<b>2'x4'</b> 24EN-LD2-45-UNV-L835-CD1-SVPD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753383	28	1	9	•				★	
	24EN-LD2-45-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752225	28	1	9	•	•	•	•	★	
	24EN-LD2-45-UNV-L840-CD1-SVPD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753376	28	1	9	•				★	
	24EN-LD2-45-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752218	28	1	9	•	•	•	•	★	
	24EN-LD2-54-UNV-L835-CD1-SVPD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753406	28	1	9	•				★	
	24EN-LD2-54-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083753444	28	1	9	•		•	•	★	
	24EN-LD2-54-UNV-L840-CD1-SVPD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753390	28	1	9	•				★	
	24EN-LD2-54-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083753437	28	1	9	•	•	•	•	★	
	24EN-LD2-67-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752157	28	1	9	•	•	•	•	★	
	24EN-LD2-67-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083753420	28	1	9	•	•	•	•	★	









★ Indicates ARRA Eligible Product     Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET									
				QTY	QTY	GA	IL	CA	NJ	TX			
<b>SkyRidge Series</b>													
	<b>2'x2'</b> 22SR-LD2-20-C-UNV-L835-CD1-SVPD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753277	14	1	16	•				★		
	22SR-LD2-20-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752638	14	1	16	•	•	•	•	•	★	
	22SR-LD2-20-C-UNV-L840-CD1-SVPD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753260	14	1	16	•					★	
	22SR-LD2-20-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752621	14	1	16	•	•	•	•	•	★	
	22SR-LD2-29-C-UNV-L835-CD1-SVPD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753291	14	1	16	•					★	
	22SR-LD2-29-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752584	14	1	16	•	•	•	•	•	★	
	22SR-LD2-29-C-UNV-L840-CD1-SVPD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753284	14	1	16	•					★	
22SR-LD2-29-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752577	14	1	16	•	•	•	•	•	★		
	<b>2'x4'</b> 24SR-LD2-39-C-UNV-L835-CD1-SVPD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753307	28	1	8	•					★	
	24SR-LD2-39-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083753468	28	1	8	•	•	•	•	•	★	
	24SR-LD2-39-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752522	28	1	8	•	•	•	•	•	★	
	24SR-LD2-48-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752492	28	1	8	•	•	•	•	•	★	
	24SR-LD2-48-C-UNV-L840-CD1-SVPD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR. AVAILABLE Q1 2016	080083753314	28	1	8	•					★	
	24SR-LD2-48-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER. AVAILABLE Q1 2016	080083752485	28	1	8	•	•	•	•	•	★	
	<b>SkyRidge Accessories</b>												
	STK-2-PL-10PK	2' SKYTRIM, PEARL, 10 PACK	080083713677	1.5	12	180	•	•	•	•	•	★	
STK-4-PL-10PK	4' SKYTRIM, PEARL, 10 PACK	080083715169	1.5	12	180	•	•	•	•	•	★		

**Recessed Direct / Indirect**

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>Cruze Series</b>											
	<b>2'x2' LED</b>										
22CZ-LD4-24-UNV-L835-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083727520	12.5	1	48	•	•	•	•	•	
22CZ-LD4-24-UNV-L840-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083727537	12.5	1	48	•	•	•	•	•	
22CZ-LD4-34-UNV-L835-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083727483	12.5	1	48	•	•	•	•	•	
22CZ-LD4-34-UNV-L840-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083727544	12.5	1	48	•	•	•	•	•	
22CZ-LD4-24-UNV-L835-CD1-SVPD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737079	12.5	1	48	•					
22CZ-LD4-24-UNV-L840-CD1-SVPD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737062	12.5	1	48	•					
22CZ-LD4-34-UNV-L835-CD1-SVPD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083734900	12.5	1	48	•					
22CZ-LD4-34-UNV-L840-CD1-SVPD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083734917	12.5	1	48	•					
22CZ-LD4-24SE-UNV-L835-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, SE, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083754243	12.5	1	48	•	•	•	•	•	
22CZ-LD4-24SE-UNV-L840-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 2400 LUMENS, SE, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083754236	12.5	1	48	•	•	•	•	•	
22CZ-LD4-32SE-UNV-L835-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3200 LUMENS, SE, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083754229	12.5	1	48	•	•	•	•	•	
22CZ-LD4-32SE-UNV-L840-CD1-U	LED, 2'X2' CRUZE, RIBBED FROSTED ACRYLIC LENS, 3200 LUMENS, SE, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083754212	12.5	1	48	•	•	•	•	•	
	<b>2'x4' LED</b>										
24CZ-LD4-40-UNV-L835-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083727490	20.5	1	28	•	•	•	•	•	
24CZ-LD4-40-UNV-L840-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083727513	27.5	1	28	•	•	•	•	•	
24CZ-LD4-50-UNV-L835-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083727506	20.5	1	28	•	•	•	•	•	
24CZ-LD4-50-UNV-L840-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083727476	20.5	1	28	•	•	•	•	•	
24CZ-LD4-40-UNV-L835-CD1-SVPD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737093	20.5	1	28	•					
24CZ-LD4-40-UNV-L840-CD1-SVPD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737086	20.5	1	28	•					
24CZ-LD4-50-UNV-L835-CD1-SVPD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737116	20.5	1	28	•					
24CZ-LD4-50-UNV-L840-CD1-SVPD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER, INTEGRAL SENSOR	080083737109	20.5	1	28	•					
24CZ-LD4-40SE-UNV-L835-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, SE, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083754205	20.5	1	28	•	•	•	•	•	
24CZ-LD4-40SE-UNV-L840-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 4000 LUMENS, SE, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083754199	20.5	1	28	•	•	•	•	•	
24CZ-LD4-50SE-UNV-L835-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, SE, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083754182	20.5	1	28	•	•	•	•	•	
24CZ-LD4-50SE-UNV-L840-CD1-U	LED, 2'X4' CRUZE, RIBBED FROSTED ACRYLIC LENS, 5000 LUMENS, SE, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083754175	20.5	1	28	•	•	•	•	•	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>RDI Ovation Series</b>												
	<b>2'x2' - Center Mount</b>											
	2RDI-217RP-UNV-EB81-U	2 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696299461	14.2	1	28	•	•	•	•	★	
	2RDI-317RP-UNV-EB81-U	3 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401814206	5.706	1	28	•	•	•	•	★	
	<b>2'x4' - Center Mount</b>											
	2RDI-228T5RP-UNV-EBT1-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T5	622697241193	23.36	1	14	•				★	
	2RDI-232RP-UNV-EB81-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696409877	36	1	14	•	•	•	•	★	
	2RDI-332RP-UNV-EB81-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401732708	36	1	14	•	•	•	•	★	
	2RDI-332RP-UNV-EB82-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST (2), T8	622696299065	37	1	14	•	•	•	•	★	







**Recessed Accessory**






**Accessory**

A12-100-22GP-U	2'X2' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106357	1.526	5	300	•	•		•		★	
A12-100-242G-U	2'X4' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106227	2.151	20	200	•	•	•	•	•	★	
A12-125-24GC-U	2'X4' #12 .125 LENS FOR G, GR8, GC & GC8 SERIES	662400230144	2.8	200	200	•					★	
EQ-CLIP-U	T-BAR SAFETY CLIP FOR TROFFERS AND OVATION SERIES - ORDER 4 PER FIXTURE	662400107194	0.017	4500	81000	•		•	•	•	★	
FCS-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR G, GR8, GC8, GR5	662400105978	3.867	1	418	•					★	
FCS-24W-U	2'X4' WHITE STEEL FLANGE KIT, FOR 2G, 2GR8, 2GC8 & 2GR5 SERIES	662400105985	2.806	1	418	•		•			★	
FCTKA-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083617166	2.1	1	1	•						
FCTKA-24W-U	2'X4' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083608423	2.635	1	200	•	•	•	•	•		
2GR8-4-A-W/SPGL-FRM	2'X4' REPLACEMENT FRAME & LENS FOR 2G & 2GR8 SERIES	622697133917	4.4	6	48	•					★	
T3A-END-E.Q.BRACKET-PARTS-BAG	EQ CLIPS FOR USE ON FIXTURE ENDS. INCLUDES FOUR SCREWS AND BRACKETS.	662400107279	0.154	24	2880	•		•			★	

**Surface**

**Surface Mount Kit**

	<b>2'x2'</b>											
	SK-22-WS	2' X 2' UNIVERSAL SURFACE MOUNT KIT, SHALLOW	080083719402	12.4	1	16	•	•	•		★	
	SK-22-WT	2' X 2' UNIVERSAL SURFACE MOUNT KIT, TALL	080083719396	14.1	1	14	•	•	•		★	
	<b>2'x4'</b>											
	SK-24-WS	2' X 4' UNIVERSAL SURFACE MOUNT KIT, SHALLOW	080083719389	21.3	1	8	•	•	•		★	
	SK-24-WT	2' X 4' UNIVERSAL SURFACE MOUNT KIT, TALL	080083719372	23.9	1	7	•	•	•		★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		GA	IL	CA	NJ	TX	
				QTY	QTY						
<b>Modular Surface</b>											
	<b>2'x2'</b> 2M-2U6T8A-UNV-EB81-U	2 U-LAMP, 2'X2' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401879502	11.232	1	48					★
	<b>2'x4'</b> 2M-332A-UNV-EB81-U	3 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401793532	32	1	26					★
	2M-432A-UNV-EB81-U	4 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401812486	33.2	1	26					★
<b>Wraparound</b>											
<b>Specification Wraparound</b>											
	<b>4' - 2 Lamp</b> WS-232A-UNV-EB81-U	2 LAMP, 4' SPECIFICATION WRAP, CEE LISTED ELECTRONIC BALLAST, T8	662401191352	8.651	1	48					★
	WS-232A-UNV-ER81-U	2 LAMP, 4' SPECIFICATION WRAP, PROGRAM RAPID START ELECTRONIC BALLAST, T8	622697665234	11.22	1	48					★
	<b>4' - 3 Lamp</b> WS-332A-UNV-EB81-U	3 LAMP, 4' SPECIFICATION WRAP, CEE LISTED ELECTRONIC BALLAST, T8	662401191345	10.25	1	24					★
	<b>4' - 4 Lamp</b> WS-432A-UNV-EB81-U	4 LAMP, 4' SPECIFICATION WRAP, CEE LISTED ELECTRONIC BALLAST, T8	662401191338	15.59	1	24					★
	<b>Replacement Lens</b> WS-2A-U	2 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106302	3.072	1	48					★
	WS-4A-U	4 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106319	2.487	1	36					★








★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>Commercial Wraparound</b>												
<b>4' LED Frost</b>												
4WNLED-LD1-54-F-UNV-L835-CD1-U	4 FT. LINEAR LED WRAP W FROST LENS, 5400 LUMENS, 3500K, 0-10V DRIVER	080083749799	11	1	64	•	•	•	•	•	★	
	<b>2' - 2 Lamp</b> WN-217A-UNV-EB81-U	2 LAMP, 2' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518852	4.154	1	180	•	•	•	•	•	★
	<b>4' - 2 Lamp</b> WN-232A-UNV-EB81-U	2 LAMP, 4' SURFACE COMMERCIAL WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518845	5.19	1	50	•	•	•	•	•	★
	WN-232A-UNV-ER81-U	2 LAMP, 4' SURFACE COMMERCIAL WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083545766	9.6	1	180	•	•	•	•	•	★
	<b>4' - 3 Lamp</b> WN-332A-UNV-EB81-U	3 LAMP, 4' SURFACE COMMERCIAL WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518524	8.602	1	54	•	•	•	•	•	★
	WN-332A-UNV-ER81-U	3 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083569083	11.96	1	54	•	•	•	•	•	★
	<b>4' - 4 Lamp</b> WN-432A-UNV-EB81-U	4 LAMP, 4' SURFACE COMMERCIAL WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518517	7.158	1	54	•	•	•	•	•	★
	<b>8' - 4 Lamp</b> 8TWN-232A-UNV-EB81-U	4 LAMP, 8' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518487	21.98	1	90	•	•	•	•	•	★
<b>Replacement Lens</b>												
WN-2A-U	WN SERIES - 2 LAMP REPLACEMENT LENS	080083517749	2.276	1	120	•	•	•	•	•	★	
WN-4A-U	WN SERIES - 4 LAMP REPLACEMENT LENS	080083517756	3.269	1	54	•	•	•	•	•	★	
<b>Commercial Softside Cloud</b>												
	<b>2' - 2 Lamp</b> WSC-232-D-W-UNV-EB81-U	2 LAMP, 2' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523610	12.6	1	28	•	•	•	•	•	★
	<b>4' - 2 Lamp</b> WSC-432-D-W-UNV-EB81-U	2 LAMP, 4' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523627	17.1	1	21	•	•	•	•	•	★
<b>Replacement Lens</b>												
WSC-2A-U	2 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587506	6.5	1	28	•	•	•	•	•	★	
WSC-4A-U	4 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587490	6.5	1	30	•	•	•	•	•	★	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>Residential Wraparound</b>											
	<b>2' - 2 Lamp</b> WN-217A-120V-REB1-U	2 LAMP, 2' WRAPAROUND, 120V RESIDENTIAL, T8	080083523269	4.924	1	180	•				★
	<b>4' - 2 Lamp</b> WN-232A-120V-REB1-U	2 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL, T8	080083523276	5.467	1	180	•		•		★
	<b>4' - 4 Lamp</b> WN-432A-120V-REB1-U	4 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL ELECTRONIC BALLAST, T8	080083523283	14	1	54	•				★
<b>Economy Wraparound</b>											
	<b>4' - 2 Lamp</b> WE-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND CEE LISTED ELECTRONIC BALLAST, T8	662401234493	8.288	1	96	•		•	•	★
	<b>Replacement Lens</b> WE-A-U	WE SERIES - 2 LAMP REPLACEMENT LENS	662401640881	1.716	1	132	•				★
<b>Wall Brackets</b>											
<b>BE Wall Brackets</b>											
	<b>4' - 2 Lamp</b> BEU-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED CEE LISTED ELECTRONIC BALLAST, T8 W/UPLIGHT	622696153060	14.192	1	40	•		•		★
	BE-232-UNV-EB81-U	2 LAMP, 4' STEEL WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401715107	10.195	1	40	•	•	•	•	★
<b>BC Wall Bracket</b>											
	<b>2' - 2 Lamp</b> BC-217-UNV-EB81-U	2 LAMP, 2' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401753703	4.325	1	72	•	•	•	•	★
	<b>4' - 2 Lamp</b> BC-232-UNV-EB81-U	2 LAMP, 4' ALL PURPOSE WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401620364	8.45	1	54	•	•	•	•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					
				QTY	GA	IL	CA	NJ	TX

**Paralux III High Performance**

**EP3GAX Series**



**2'x2' - 9 Cell**

AP32U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	080083520176	16.1	1	32	●					★	Ⓞ
2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, W/VANES, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520220	14.3	1	40	●	●	●	●	●	★	Ⓞ
2EP3GX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520145	7.773	1	36	●	●	●	●	●	★	Ⓞ
2EP3GX-317S33I-UNV-EB81-U	3 LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520084	14.3	1	40	●				●	★	



**2'x4' - 12 Cell**

2EP3GX-232S26I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 12 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520169	27.36	1	20	●	●	●	●	●	★	
---------------------------	-------------------------------------------------------------------------------------------------------------------------	--------------	-------	---	----	---	---	---	---	---	---	--



**2'x4' - 18 Cell**

AP3	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622696199785	27.36	1	16	●					★	Ⓞ
2EP3GAVX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401000685	27.36	1	20	●	●	●	●	●	★	Ⓞ
2EP3GAX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401339785	27.36	1	20	●					★	
2EP3GX-232S36I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520237	27.36	1	20		●	●	●	●	★	
2EP3GX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401012084	27.36	1	20	●	●	●	●	●	★	Ⓞ
2EP3GX-332S36I-UNV-EB82-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, TWO - CEE LISTED ELECTRONIC BALLAST, T8	662401339761	27.36	1	20	●	●	●	●	●	★	

**2'x4' - 32 Cell**

2EP3GX-432S48I-UNV-EB81-U	4 LAMP, 2'X4' STATIC PARABOLIC, 32 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	080083520206	27.36	1	20	●				●	★	
---------------------------	---------------------------------------------------------------------------------------------------------------------------------	--------------	-------	---	----	---	--	--	--	---	---	--



**Chicago Approved - 2'x2' 9 Cell**

ATW-SW4-2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC W/VANES, 9 CELL SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, ELECTRONIC BALLAST, T8, CHICAGO PLENUM APPROVED	623961053474	16.47	1	32	●					★	
---------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	--------------	-------	---	----	---	--	--	--	--	---	--

**Parabolic Surface**

**High Performance**

**Standard 3" Parabolic**

EP3X-S36I-24-C-U	REPLACEMENT LOUVER, 2EP3, 18 CELL, SEMI-SPECULAR, 2'X4'	080083684380	6.2	1	20			●			★	
------------------	---------------------------------------------------------	--------------	-----	---	----	--	--	---	--	--	---	--

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

## Advanced Retrofit Kit Technology (ART)

### Architectural Kits - ARCDUO



#### 2'x2' Architectural

ART-2ARC-217L-UNV-EB81-U

ARCDUO 2' X 2' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED TO CEE LISTED BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK

080083590742

26.04

1

40

• | | | | | | | ★



#### 2'x4' Architectural

ART-2ARC-232L-UNV-HB81-U

ARCDUO 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK

080083609888

26.04

1

10

• | • | | | | | | ★

### Troffer / Parabolic Kits



#### 2'x4' Commercial

ART-2CRK-232-W-UNV-EB81-U

COMMERCIAL 2' X 4' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK

080083590711

7

1

20

• | | | | | | | ★ **OTS**

### Architectural Kits - CRUZE



#### 2'x4' Architectural

ART-2CRZ-232L-UNV-HB81-U

CRUZE 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT/INDIRECT CENTER BASKET LENS DOOR AND WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK

080083609895

26.04

1

10

• | | | | | | | ★

### Optica Kits



#### 2'x4' High Performance - 12 Cell

ART-2OP-232-UNV-HB81-U

OPTICAHP 2' X 4' RETROFIT KIT, 2-LAMP, 12-CELL FACETED STRAIGHT BLADE DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK

080083608348



14.74

1

10










• | • | | | | | | ★

### Strip

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	GA	IL	CA	NJ	TX
<b>LED</b>										
	<b>SNLED Base</b>									
2SNLED-LD4-24SL-UNV-L835-CD1-U	2 FT., LINEAR LED STRIPLIGHT, 2400 LUMEN, 3500K, 0 - 10V DIMMABLE DRIVER	080083729463	3.3	1	168	•	•	•	•	★
2SNLED-LD4-24SL-UNV-L840-CD1-U	2 FT., LINEAR LED STRIPLIGHT, 2400 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083730032	3.3	1	168	•	•	•	•	★
4SNLED-LD4-28SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 2800 LUMEN, 3500K, 0 - 10V DIMMABLE DRIVER	080083730001	4.984	1	81	•	•	•	•	★
4SNLED-LD4-28SL-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 2800 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083729999	4.984	1	81	•	•	•	•	★
4SNLED-LD4-32SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 3200 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729968	4.984	1	81	•	•	•	•	★
4SNLED-LD4-32SL-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 3200 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083729982	4.984	1	81	•	•	•	•	★
4SNLED-LD4-48SL-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT, 4800 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729470	4.984	1	81	•	•	•	•	★
	<b>SNLED Lensed</b>									
4SNLED-LD4-27SL-LW-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH FROST LENS, 2700 LUMEN, 4000K, 0 - 10V DIMMABLE DRIVER	080083730025	6.6	1	81	•	•	•	•	★
4SNLED-LD4-30SL-LN-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 3000 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083729159	6.6	1	81	•	•	•	•	★
4SNLED-LD4-30SL-LN-UNV-L840-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 3000 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083729975	6.6	1	81	•	•	•	•	★
4SNLED-LD4-41SL-LW-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH FROST LENS, 4100 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083730018	6.6	1	81	•	•	•	•	★
4SNLED-LD4-46SL-LN-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH SEMI-FROST LENS, 4600 LUMENS, 4000K, 0 - 10V DIMMABLE DRIVER	080083730049	6.6	1	81	•	•	•	•	★
4SNLED-LD4-46SL-LC-UNV-L835-CD1-U	4 FT., LINEAR LED STRIPLIGHT WITH CLEAR LENS, 4600 LUMENS, 3500K, 0 - 10V DIMMABLE DRIVER	080083730056	6.6	1	81	•	•	•	•	★








★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Commercial Strip</b>											
	<b>2' - T8</b> SSF-217-UNV-EB81-U	2 LAMP, 2' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519613	3.012	1	180	•	•	•	•	★
	<b>3' - T8</b> SSF-225-UNV-EB81-U	2 LAMP, 3' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519521	4.145	1	90	•	•	•	•	★
	<b>4' - T5HO</b> SSF-254T5-UNV-EBT1-U	2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T5HO, FLIP-UP SOCKETS	080083552511	5.4	1	190	•	•	•	•	★
	<b>4' - T8</b> SSF-132-UNV-EB81-U	1 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519637	5.475	1	90	•	•	•	•	★
	SSF-232-UNV-EB81-U	2 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519590	5.6	1	90	•	•	•	•	★ 
	SSF-232-UNV-EB81/PLUS-U	2 LAMP, 4' STANDARD STRIP, T8 INSTANT START CEE LISTED HBF, FLIP-UP SOCKETS	080083571819	2.717	1	190	•	•	•	•	★
	SSF-232-UNV-ER81-U	2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620845	5.4	1	190	•	•	•	•	★
	<b>4' - T12</b> SSF-248HO-120V-EB21-U	2 LAMP, 4' HIGH OUTPUT STANDARD STRIP, ELECTRONIC T12, FLIP-UP SOCKETS	080083519491	12	1	190	•	•	•	•	★
	<b>8' - T8</b> 8TSSF-132-UNV-EB81-U	2 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519729	11.4	1	72	•	•	•	•	★
	8TSSF-232-UNV-EB81-U	4 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519682	11.4	1	72	•	•	•	•	★ 
	8TSSF-232-UNV-ER81-U	4 LAMP, 8' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620852	11.4	1	50	•	•	•	•	★
	<b>8' - T12</b> SSF-296-120V-EB21-U	2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083519279	12	1	50	•	•	•	•	★
	SSF-296-UNV-EB81-U	2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519569	12	1	72	•	•	•	•	★
	SSF-296HO-120V-EB21-U	2 LAMP, 8' HIGH OUTPUT STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083521395	12	1	50	•	•	•	•	★
<b>Accessory</b>											
	1/4-TN-FSTN-U	1/4 TURN FASTENER	662400106876	0.018	1	10000	•	•	•	•	★
	GRP-SSF-U	GRIPPER FOR USE W/SSF, IAF & ICF SERIES EXCEPT IA/IC - HO SERIES	080083519262	0.494	50	600	•	•	•	•	★
	SSF-ASY-4-B	ASYMMETRIC REFLECTOR FOR SSF STRIPS (4')	080083519187	1.615	15	900	•	•	•	•	★
	WG/SSF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SSF SERIES ONLY	662400106647	0.646	24	192	•	•	•	•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

















Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		STATE							
				QTY	QTY	GA	IL	CA	NJ	TX			
<b>Commercial Narrow Strip</b>													
	<b>4' LED Lensed</b> SNLED-LENS-LN-4FT-U	4' LINEAR LED LENS FOR SNLED, NARROW DISTRIBUTION	080083699940	2.3	1	140	•	•	•	•	★		
	<b>2' - T8</b> SNF-117-UNV-EB81-U	1 LAMP, 2' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519897	2.402	1	360	•	•	•	•	•	★	<b>OTS</b>
	<b>3' - T8</b> SNF-125-UNV-EB81-U	1 LAMP, 3' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519873	2.975	1	380	•	•	•	•	•	★	
	<b>4' - T8</b> SNF-132-UNV-EB81-U	1 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519859	4.395	1	320	•	•	•	•	•	★	<b>OTS</b>
	SNF-232-UNV-EB81-U	2 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519750	4.189	1	84	•	•	•	•	•	★	<b>OTS</b>
	<b>8' - T5</b> 8TSNF-254T5-UNV-EBT1-U	4 LAMP, TANDEM 8' NARROW STRIP, UNIVERSAL PROGRAM RAPID START BALLAST	080083603008	11.4	1	126	•	•	•	•	•	★	
	<b>8' - T8</b> 8TSNF-132-UNV-EB81-U	2 LAMP, TANDEM 8' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519927	11.4	1	280	•	•	•	•	•	★	<b>OTS</b>
	<b>Accessory</b> WG/SNF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SNF SERIES ONLY	662400106630	0.72	30	240	•	•	•	•	•		
<b>Staggered Strip</b>													
	<b>3'</b> SSL-225-UNV-EB81-U	2 LAMP, 3' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715138	7.91	1	90	•	•	•	•	•	★	
	<b>4'</b> SSL-232-UNV-EB81-U	2 LAMP, 4' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715114	7.606	1	190	•	•	•	•	•	★	

**Industrial**





★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET											
				QTY	QTY	GA	IL	CA	NJ	TX					
<b>Steeler LED</b>															
<b>12,000 Lumen</b>															
	SSLED-LD1-12-M-UNV-L840-CD1-U	ROUND 12,000 LUMENS, UNV, MEDIUM, 4000K, 0-10V	080083752935	17	1	8	•							★	
	SSLED-LD1-12-W-UNV-L840-CD1-U	ROUND 12,000 LUMENS, UNV, WIDE, 4000K, 0-10V	080083752904	17	1	8	•							★	
<b>18,000 Lumen</b>															
	SSLED-LD1-18-M-UNV-L840-CD1-U	ROUND 18,000 LUMENS, UNV, MEDIUM, 4000K, 0-10V	080083752928	17	1	8	•							★	
	SSLED-LD1-18-M-UNV-L850-CD1-U	ROUND 18,000 LUMENS, UNV, MEDIUM, 5000K, 0-10V	080083752911	17	1	8	•							★	
	SSLED-LD1-18-W-UNV-L840-CD1-U	ROUND 18,000 LUMENS, UNV, WIDE, 4000K, 0-10V	080083752898	17	1	8	•							★	
	SSLED-LD1-18-W-UNV-L850-CD1-U	ROUND 18,000 LUMENS, UNV, WIDE, 5000K, 0-10V	080083752881	17	1	8	•							★	
<b>24,000 Lumen</b>															
	SSLED-LD1-24-M-UNV-L840-CD2-U	ROUND 24,000 LUMENS, UNV, MEDIUM, 4000K, 0-10V	080083752959	18.2	1	8	•							★	
	SSLED-LD1-24-M-UNV-L850-CD2-U	ROUND 24,000 LUMENS, UNV, MEDIUM, 5000K, 0-10V	080083752973	18.2	1	8	•							★	
	SSLED-LD1-24-N-UNV-L840-CD2-U	ROUND 24,000 LUMENS, UNV, NARROW, 4000K, 0-10V	080083752942	18.2	1	8	•							★	
	SSLED-LD1-24-N-UNV-L850-CD2-U	ROUND 24,000 LUMENS, UNV, NARROW, 5000K, 0-10V	080083752966	18.2	1	8	•							★	
	SSLED-LD1-24-W-UNV-L840-CD2-U	ROUND 24,000 LUMENS, UNV, WIDE, 4000K, 0-10V	080083752874	18.2	1	8	•							★	
	SSLED-LD1-24-W-UNV-L850-CD2-U	ROUND 24,000 LUMENS, UNV, WIDE, 5000K, 0-10V	080083752867	18.2	1	8	•							★	
<b>Accessory</b>															
	SSLED-SA23-U	ALUMINUM SHROUD FOR STEELER LED	080083749744	5.7	1	8	•								
	SSLED-UPL-U	UPLIGHT KIT FOR STEELER LED	080083749713	1.25	1	8	•								
	SSLED-WG17-U	WIRE GUARD FOR STEELER LED	080083749720	1.45	1	8	•								

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>F-Bay HBL</b>											
<b>4 Lamp</b>											
	HBL432	(4) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083563272	17.5	1	36	•	•	•	•	★
	HBL432-MP-UPL	(4) 32W T8 INSTANT START CEE LISTED HBF, 120-277V , UPLIGHT, V HANGERS PROVIDED,	080083553938	17.5	1	36	•	•	•	•	★
	HBL454T5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V V-HANGERS	080083535491	17.5	1	36	•	•	•	•	★
	HBL454T5-MP-UPL	(4) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589104	17.5	1	36	•	•	•	•	★
	HBL454T5-UPL-L5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039829	17.5	1	36	•	•	•	•	★ <b>OTS</b>
<b>6 Lamp</b>											
	HBL632	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083547760	17.5	1	36	•	•	•	•	★
	HBL632-MP-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083549795	17.5	1	36	•	•	•	•	★
	HBL632-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED	623961020759	17.5	1	36	•	•	•	•	★
	HBL632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039812	17.5	1	36	•	•	•	•	★ <b>OTS</b>
	HBL632-UPL-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , UPLIGHT 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED	080083644261	17.5	1	36	•	•	•	•	★
	HBL654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH AMBIENT BALLAST, W/ 5000K LAMPS, V-HANGERS	623961039850	17.5	1	36	•	•	•	•	★ <b>OTS</b>
	HBL654T5	(6) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, V-HANGERS	080083517718	17.5	1	36	•	•	•	•	★
	HBL654T5-L5	(6) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , 5000K LAMPS, V HANGERS PROVIDED	080083563258	17.5	1	36	•	•	•	•	★
	HBL654T5-MP-UPL	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V , UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589111	17.5	1	36	•	•	•	•	★
	HBL654T5-UPL-L5	(6) 54W T5HO PROGRAM START START CEE LISTED , 120-277V , UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED	080083521487	17.5	1	36	•	•	•	•	★
<b>F-Bay HBI</b>											
<b>4 Lamp</b>											
	HBI454HT5	(4) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083563692	17.5	1	20	•	•	•	•	★
	HBI454HT5-UPL	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535378	17.5	1	20	•	•	•	•	★ <b>OTS</b>
	HBI454HT5-UPL-L5	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535385	17.5	1	20	•	•	•	•	★ <b>OTS</b>
<b>6 Lamp</b>											
	HBI632	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, V-HANGERS PROVIDED	080083535408	17.5	1	20	•	•	•	•	★ <b>OTS</b>
	HBI632PS	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V , V HANGERS PROVIDED	080083563005	17.5	1	20	•	•	•	•	★
	HBI632-UPL	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V-HANGERS PROVIDED	080083535415	17.5	1	20	•	•	•	•	★ <b>OTS</b>
	HBI632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, LAMPS, 85CRI, 5000K, V-HANGERS PROVIDED	080083534838	17.5	1	20	•	•	•	•	★ <b>OTS</b>
	HBI632-UPL-L5HL	(6) 32W T8 INSTANT START CEE LISTED HBF, 120-277V , 5000K HIGH LUMEN LAMPS, UPLIGHT,V HANGERS PROVIDED	080083554966	17.5	1	20	•	•	•	•	★
	HBI654HT5	(6) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083547708	17.5	1	20	•	•	•	•	★
	HBI654HT5-UPL	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535354	17.5	1	20	•	•	•	•	★ <b>OTS</b>
	HBI654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535361	21.5	1	20	•	•	•	•	★ <b>OTS</b>




★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>F-Bay HBLED</b>											
<b>12,000 Lumen</b>											
	HBLED-LD4-12-W-UNV-L840-CD1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 4000K, 0-10V	080083721009	20.6	1	24	•	•	•	★	Ⓞ
	HBLED-LD4-12-W-UNV-L840-ED1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083720989	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-12-W-UNV-L850-CD1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 5000K, 0-10V	080083721016	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-12-W-UNV-L850-ED1-U	WIDE DISTRIBUTION, 12,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083720996	24	1	34	•	•	•	★	Ⓞ
<b>18,000 Lumen</b>											
	HBLED-LD4-18-N-UNV-L840-CD2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, 0-10V	080083720941	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-N-UNV-L840-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083717842	21.2	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-N-UNV-L850-CD2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, 0-10V	080083720958	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-N-UNV-L850-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083720910	22.6	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-W-UNV-L840-CD2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, 0-10V	080083720927	24	1	24	•	•	•	★	Ⓞ
	HBLED-LD4-18-W-UNV-L840-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083719273	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-W-UNV-L850-CD2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, 0-10V	080083720934	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-18-W-UNV-L850-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083717859	24	1	34	•	•	•	★	Ⓞ
<b>24,000 Lumen</b>											
	HBLED-LD4-24-N-UNV-L840-CD2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, 0-10V	080083721788	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-N-UNV-L840-ED2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083721764	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-N-UNV-L850-CD2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, 0-10V	080083721801	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-N-UNV-L850-ED2-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083719167	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-W-UNV-L840-CD2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, 0-10V	080083721771	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-W-UNV-L840-ED2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT	080083719174	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-W-UNV-L850-CD2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, 0-10V	080083721795	24	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-24-W-UNV-L850-ED2-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083719181	24	1	34	•	•	•	★	Ⓞ
<b>30,000 Lumen</b>											
	HBLED-LD4-30-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721818	34.8	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-30-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083718542	34.8	1	34	•	•	•	★	Ⓞ
<b>36,000 Lumen</b>											
	HBLED-LD4-36-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 36,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721832	34.8	1	34	•	•	•	★	Ⓞ
	HBLED-LD4-36-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 36,000 LUMENS, UNV, 5000K, FIXED OUTPUT	080083721825	34.8	1	34	•	•	•	★	Ⓞ
<b>Industrial LED Linear Bay</b>											
<b>4'</b>											
	4ILED-LD4-11-N-UNV-L840-CD1-U	4FT LED LINEAR BAY, 11000 LUMEN, NARROW, 4000K, 0-10V, UNV	080083753413	15	1	25	•	•	•	★	Ⓞ
	4ILED-LD4-11-W-UNV-L840-CD1-U	4FT LED LINEAR BAY, 11000 LUMEN, WIDE, 4000K, 0-10V, UNV	080083753550	15	1	25	•	•	•	★	Ⓞ
	4ILED-LD4-14-W-UNV-L840-CD2-U	4FT LED LINEAR BAY, 14000 LUMEN, WIDE, 4000K, 0-10V, UNV	080083753543	15	1	25	•	•	•	★	Ⓞ
	4ILED-LD4-7-W-UNV-L840-CD1-U	4FT LED LINEAR BAY, 7000 LUMEN, WIDE, 4000K, 0-10V, UNV	080083753574	15	1	25	•	•	•	★	Ⓞ
	4ILED-LD4-9-W-UNV-L840-CD1-U	4FT LED LINEAR BAY, 9000 LUMEN, WIDE, 4000K, 0-10V, UNV	080083753567	15	1	25	•	•	•	★	Ⓞ
<b>8'</b>											
	8ILED-LD4-22-W-UNV-L840-CD2-U	8FT LED LINEAR BAY, 22000 LUMEN, WIDE, 40K, 0-10V, UNV	080083753536	30	1	28	•	•	•	★	Ⓞ

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product







Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>F-Bay I5</b>												
	<b>4 Lamp</b>											
	I5454HT5-UPL-L5	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS	623961832376	27.5	1	25	•	•	•	•	★	
	I5454HT5-UPL-L5-MS	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS, MOTION SENSOR	623961832390	27.5	1	24	•	•	•	•	★ <b>OTS</b>	
<b>F-Bay HBE Accessory</b>												
<b>Accessory</b>												
	MC6	MODULAR CORD & PLUG, 6' LENGTH, USE WITH MP OPTION	623961368455	0.51	60	1620	•	•	•	•	•	★
<b>F-Bay HBI Accessory</b>												
<b>Accessory</b>												
	HB-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBI ONLY)	623961956218	1.995	1	494	•	•	•	•	•	★ <b>OTS</b>
	HBAYC-CHAIN/SET-U	(2) HOOK-STYLE V-HANGERS, 36" CHAIN & (2) S-HOOKS (HBI AND HBL ONLY)	080083575756	0.479	24	1440	•	•	•	•	•	★ <b>OTS</b>
	HBI-FRM/CL-PK	HBI DOORFRAME WITH CLEAR LENS	080083545865	3.307	4	96	•	•	•	•	•	★
	HBI-FRM/LENS-PK	HBI DOORFRAME WITH PRISMATIC LENS	080083545872	3.351	4	72	•	•	•	•	•	★
	HBI-FRM/LENS/WG-PK	HBI DOORFRAME, PRISMATIC LENS AND WIREGUARD	080083545889	7.25	4	72	•	•	•	•	•	★
	HBI-FRM/WG-PK	WIREGUARD FOR HBI	080083545896	7.25	4	72	•	•	•	•	•	★
	HBI-MS-KIT-PK-120V/347V	MOTIONS SENSOR KIT FOR HBI	080083582464	0.7	4	50	•	•	•	•	•	★
	SWG/HBI-4FT-B	HEAVY DUTY WIREGUARD FOR HBI	080083545964	4.2	6	108	•	•	•	•	•	★
<b>F-Bay HBL Accessory</b>												
<b>Accessory</b>												
	HBL-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBL ONLY)	623961956201	1.224	1	494	•	•	•	•	•	★ <b>OTS</b>
	MMS	MODULAR MOTION SENSOR, GREENGATE, 120 THRU 277V, AISLE (180-DEG) AND GENERAL COVERAGE (360-DEG) LENS INCLUDED	623961344213	1.53	12	585	•	•	•	•	•	★
	MPC6-120	MODULAR CORD & PLUG, 6FT, WITH 120V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368462	0.623	40	960	•	•	•	•	•	★
	MPC6-277	MODULAR CORD & PLUG, 6FT, WITH 277V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368479	0.634	40	960	•	•	•	•	•	★
	WG/HBL6-4FT-B	4FT WIREGUARD FOR HBL 4 OR 6 LAMP	080083521494	4.2	8	48	•	•	•	•	•	★
<b>Light Duty</b>												
	<b>IAF Series</b>											
	8TIAF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL APERTURED UPLIGHT, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519453	22.4	1	48	•	•	•	•	•	★
	IAF-232-UNV-EB81-U	2 LAMP, 4' APERTURED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519392	6.197	1	48	•	•	•	•	•	★
	IAF-296-UNV-EB81-U	2 LAMP, 8' APERTURED UPLIGHT, INDUSTRIAL, T12, ELECTRONIC BALLAST, UNV, FLIP-UP SOCKETS	080083519323	33.09	1	48	•	•	•	•	•	★
	<b>ICF Series</b>											
	8TICF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519439	22.4	1	60	•	•	•	•	•	★
	ICF-232-UNV-EB81-U	2 LAMP, 4' INDUSTRIAL CLOSED TOP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519361	8.953	1	48	•	•	•	•	•	★
	ICF-296-UNV-EB81-U	2 LAMP, 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, 1UNV, FLIP-UP SOCKETS	080083519330	33.09	1	48	•	•	•	•	•	★
<b>Accessory</b>												
	ICF-4FT-REFL-B	WHITE 4' CLOSED TOP INDUSTRIAL REFLECTOR	080083519224	5.238	4	120	•	•	•	•	•	★
	WG/ICF-4FT-B	4' WHITE WIRE GUARD FOR USE W/IAF & ICF SERIES ONLY	662400106623	0.774	12	288	•	•	•	•	•	★



★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Heavy Duty</b>											
	<b>2 Lamp 4'</b> DMF-232-UNV-EB81-U	2 LAMP, 4' HEAVY INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8	080083608003	4.991	1	24	•	•	•	•	★
<b>Vapor Tite</b>											
<b>VT1 Vapor Tite</b>											
	<b>4'</b> VT1-154T5-PCR-UNV-EHT1-WL-U	(1) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION	080083521326	15	1	24	•				★
<b>VT2 Vapor Tite</b>											
	<b>4'</b> VT2-248HODR-120V-EB21-WL-U	2 LAMP, 4' 48W HO VAPORTITE, HIGH IMPACT PRISMATIC LENS, ELECTRONIC T12 BALLAST, WET LOCATION	623961216091	13.05	1	30	•	•			★
	VT2-254T5DR-UNV-EBT1-WL-U	2 LAMP, 4' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, ELECTRONIC BALLAST, T5HO, SUITABLE FOR WET LOCATIONS	623961168826	8.218	1	35	•				★
	4VT2-LD4-4-DR-UNV-L835-CD1-WL-U	4FT VAPORTITE, LED, 4000 LUMEN, 3500K, 0-10V, WET, UNV	080083753857	24.9	1	35					★ <b>OTS</b>
	4VT2-LD4-4-DR-UNV-L840-CD1-WL-U	4FT VAPORTITE, LED, 4000 LUMEN, 4000K, 0-10V, WET, UNV	080083735297	24.9	1	35	•				★ <b>OTS</b>
	4VT2-LD4-4-DR-UNV-L850-CD1-WL-U	4FT VAPORTITE, LED, 4000 LUMEN, 5000K, 0-10V, WET, UNV	080083724253	24.9	1	35	•				★ <b>OTS</b>
	4VT2-LD4-6-DR-UNV-L840-CD1-WL-U	4FT VAPORTITE, LED, 6000 LUMEN, 4000K, 0-10V, WET, UNV	080083725861	24.9	1	35	•				★ <b>OTS</b>
	4VT2-LD4-6-DR-UNV-L850-CD1-WL-U	4FT VAPORTITE, LED, 6000 LUMEN, 5000K, 0-10V, WET, UNV	080083725878	24.9	1	35	•				★ <b>OTS</b>
	4VT2-LD4-8-DR-UNV-L835-CD1-WL-U	4FT VAPORTITE, LED, 8000 LUMEN, 3500K, 0-10V, WET, UNV	080083753840	24.9	1	35					★ <b>OTS</b>
	4VT2-LD4-8-DR-UNV-L840-CD1-WL-U	4FT VAPORTITE, LED, 8000 LUMEN, 4000K, 0-10V, WET, UNV	080083753833	24.9	1	35	•				★ <b>OTS</b>
	4VT2-LD4-8-DR-UNV-L850-CD1-WL-U	4FT VAPORTITE, LED, 8000 LUMEN, 5000K, 0-10V, WET, UNV	080083753826	24.9	1	35	•				★ <b>OTS</b>
	<b>8'</b> VT2-296DR-UNV-EB81-WL-U	2 LAMP, 8' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, SLIMLINE ELECTRONIC BALLAST, T8, SUITABLE FOR WET LOCATIONS	623961014086	22.3	1	30					★
	VT2-296HODR-120V-EB21-WL-U	2 LAMP, 8' 96W HO VAPORTITE, 120V, ELECTRONIC T12 BALLAST, WET LOCATION	662401552405	23.97	1	30	•				★
<b>Accessory</b>											
	VT-LATCH	VAPOR-TITE LATCHES	662400106685	0.021	1000	18000	•	•	•	•	★
	VT2-4DR-U	4' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233237	2.047	1	40	•	•	•	•	★
	VT2-8DR-U	8' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233220	15	1	30	•	•	•	•	★
	VT2-CHAIN/SET-U	VAPOR-TITE CHAIN MOUNTING KIT	080083565740	0.545	25	2100	•	•	•	•	★ <b>OTS</b>
<b>VT3 Vapor Tite</b>											
	<b>4'</b> VT3-232DR-UNV-EB81-WL-GT4-U	(2) 32W T8 INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996689	4.572	1	30	•	•	•	•	★ <b>OTS</b>
	VT3-254T5DR-UNV-EHT1-WL-GT4-U	(2) 54W T5 PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996702	6.567	1	35	•	•	•	•	★
	<b>8'</b> 8T3VT3-232DR-UNV-EB81-WL-GT4-U	(4) 32W T8 8' TANDEM INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	080083534319	17.21	1	30		•	•	•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET									
				QTY	QTY	GA	IL	CA	NJ	TX			
<b>VT4 Vapor Tite</b>													
	<b>4 Lamp</b> VT4-454T5-M-DR-UNV-EHT1-WL-U	(4) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR,.WET LOCATION	080083521425	20	1	24	•	•	•	•	•	★	
		<b>6 Lamp</b> VT4-654T5-M-DR-UNC-EBT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 347-480V, HIGH AMBIENT, SPECULAR REFLECTOR,.WET LOCATION	080083521371	27	1	24	•	•	•	•	•	•
		VT4-654T5-M-DR-UNV-EHT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR,.WET LOCATION	080083521432	18	1	24	•	•	•	•	•	•

**Undercabinet**

**UC Series**

	<b>1 Lamp</b> UC12T518	12" 1 LAMP T5 8 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594801	1.828	6	378	•	•	•	•	•	•	•
	UC18T8115	18" 1 LAMP T8 15 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594818	1.693	6	252	•	•	•	•	•	•	•
	UC21T5113	21" 1 LAMP T5 13 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594825	3.134	6	288	•	•	•	•	•	•	•
	UC24T8117	24" 1 LAMP T8 17 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594849	2.973	6	168	•	•	•	•	•	•	•
	UC36T8125	36" 1 LAMP T8 25 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595860	3.75	6	180	•	•	•	•	•	•	•
	UC48T8132	48" 1 LAMP T8 32 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595884	4.979	6	108	•	•	•	•	•	•	•
	CL-125-UNV-EB81-U	1 LAMP, 3' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401910229	4.647	1	50	•	•	•	•	•	•	•
	<b>2 Lamp</b> UC24T528	24" 2 LAMP T5 2/8 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594832	3.4	6	384	•	•	•	•	•	•	•
	UC33T51813	33" 2 LAMP T5 1/8 & 1/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594856	4.649	6	216	•	•	•	•	•	•	•
	UC42T5213	42" 2 LAMP T5 2/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083595877	4.138	6	192	•	•	•	•	•	•	•

**Accessories**


AYC-CHAIN/SET-U	(2) V HOOKS & 36" CHAIN SET W/S HOOKS	080083545704	0.484	24	3600	•	•	•	•	•	•	•	•	★	Ⓞ
DF-14W-U	1'X4' DRY WALL FRAME KIT	662401232949	1.77	1	418	•	•	•	•	•	•	•	•	★	
DF-22W-U	2'X2' DRY WALL FRAME KIT	662401232963	1.537	1	418	•	•	•	•	•	•	•	•	★	
DF-24W-U	2'X4' DRY WALL FRAME KIT	662401232970	2.714	1	418	•	•	•	•	•	•	•	•	★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

# All-Pro Ambient


## Parabolics


### APP/APPV Series


	<b>3 Lamp</b>												
	APP-332	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621866	23.65	1	20	●	●	●	●	●	★	Ⓞ
	APP-332-L735	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083621910	27.36	1	18	●	●	●	●	●	★	Ⓞ
	APP-332-L735F	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621903	27.36	1	20	●	●				★	Ⓞ
APPV-332	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621873	27.36	1	9						●	★	Ⓞ

## Troffers

### APT Series






	<b>2 Lamp</b>													
	APT-232	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622009	20.5	1	28	●	●	●	●	●	★	Ⓞ	
	APT-232-L735	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083653591	21.2	1	28						●	★	Ⓞ
	APT-232-L735F	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622078	23.38	1	28	●	●	●	●	●	★	Ⓞ	
	APP-2U6T8	2 U-LAMP, 2'X2' PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621880	13.7	1	40	●	●	●	●	●	★	Ⓞ	
APT-2U6T8	2 LAMP, 2'X2' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM U6T8 UNV ELECTRONIC BALLAST	080083621958	10.5	1	56	●	●	●	●	●	★	Ⓞ		

	<b>3 Lamp</b>												
	APT-332	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621941	20.5	1	28	●	●	●	●	●	★	Ⓞ
	APT-332-2EB	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622023	23.1	1	28	●		●			★	Ⓞ
	APT-332-L735	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083622016	21.85	1	28	●	●	●		●	★	Ⓞ
	APT-332-L735F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621996	24.28	1	28	●	●	●		●	★	Ⓞ
	APT-332-L741	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083622054	21.85	1	28	●		●	●	●	★	Ⓞ
	APT-332-L741F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622061	23.83	1	28	●	●	●	●		★	Ⓞ

	<b>4 Lamp</b>												
	APT-432	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621934	20.5	1	28	●	●	●	●	●	★	Ⓞ
	APT-432-2EB	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622030	23.1	1	28	●		●			★	Ⓞ
	APT-432-L735	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM UNV ELECTRONIC BALLAST, T8 W/735 LAMPS	080083621972	22.3	1	28	●	●			●	★	Ⓞ
	APT-432-L735F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621989	24.28	1	28	●	●	●		●	★	Ⓞ
	APT-432-L741	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083621965	22.3	1	28	●	●	●	●	●	★	Ⓞ
	APT-432-L741F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622047	24.28	1	28	●	●	●	●	●	★	Ⓞ










★ Indicates ARRA Eligible Product    Ⓔ Indicates EISA Compliant Pulse Start Products    Ⓞ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					★	Ⓞ	
				QTY	QTY	GA	IL	CA	NJ	TX			
<b>Wraparounds</b>													
<b>APW-GPW Series</b>													
	<b>2 Lamp</b>												
	APW-GPW232	2 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622115	5.881	1	90	•	•	•	•	•	•	★
	APW-GPW217	2 LAMP, 2' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622146	6.51	1	180			•	•		★	
	<b>4 Lamp</b>												
	APW-GPW432	4 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622139	7.567	1	54	•	•	•	•	•	•	★
<b>APW-SW Series</b>													
	<b>2 Lamp</b>												
	APW-SW232	2 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622153	11.22	1	48	•	•	•				★
	<b>3 Lamp</b>												
	APW-SW332	3 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622160	10.25	1	24	•	•					★
<b>SLWP Series</b>													
	<b>2'</b>												
	2SLWP2040ND-120V	2 FT., LINEAR LED WRAP, 2000 LUMEN, 4000K, NON-DIM ELECTRONIC DRIVER	080083706570	2.6	2	112	•		•				

★ Indicates ARRA Eligible Product    Ⓞ Indicates EISA Compliant Pulse Start Products    Ⓞ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Striplights</b>											
<b>APS-NS Series</b>											
	<b>2'</b> APS-NS117	1 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622313	2.975	1	168	•	•	•	•	★
	APS-NS217	2 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622320	3.042	1	168	•	•	•	•	★
	<b>3'</b> APS-NS125	1 LAMP, 36" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622337	4.2	1	84	•	•			★
	<b>4'</b> APS-NS132	1 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622351	3.266	1	336	•	•	•	•	★
	APS-NS232	2 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622382	2.891	1	336	•	•	•	•	★
		<b>8'</b> APS-8NS132	2 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622368	11.4	1	126	•	•	•	•
APS-8NS232		4 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622399	11.4	1	126	•	•	•	•	★
<b>APS-WS Series</b>											
	<b>4'</b> APS-WS232	2 LAMP, 48" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622412	5.55	1	90	•	•	•	•	★
		<b>8'</b> APS-8WS232	4 LAMP, 96" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622405	11.4	1	72	•	•	•	•
<b>SLSTP Series</b>											
	<b>2'</b> 2SLSTP1040DD-120V	2 FT., LINEAR LED STRIPLIGHT, 1000 LUMEN, 4000K, 120V TRIAC DIMMABLE	080083705771	2.52	2	144	•	•			OTS
	2SLSTP2040DD-120V	2 FT., LINEAR LED STRIPLIGHT, 2000 LUMEN, 4000K, 120V TRIAC DIMMABLE	080083705788	4.7	2	144	•	•			OTS
	<b>4'</b> 4SLSTP2040DD-120V	4 FT., LINEAR LED STRIPLIGHT, 2000 LUMEN, 4000K, 120V TRIAC DIMMABLE	080083705795	4.7	2	72	•	•			OTS
	4SLSTP2040DD-UNV	4 FT., LINEAR LED STRIPLIGHT, 2000 LUMEN, 4000K, UNV, 0 TO 10V DIMMABLE	080083705818	6.5	2	72	•	•			OTS
	4SLSTP4040DD-120V	4 FT., LINEAR LED STRIPLIGHT, 4000 LUMEN, 4000K, 120V TRIAC DIMMABLE	080083705801	6.5	2	72	•	•			OTS
	4SLSTP4040DD-UNV	4 FT., LINEAR LED STRIPLIGHT, 4000 LUMEN, 4000K, UNV, 0 TO 10V DIMMABLE	080083705825	6.5	2	72	•	•			OTS
<b>Vapor Tite</b>											
<b>APHDVT Series</b>											
	<b>2 Lamp</b> APHDVT-232	2 LAMP, 48" HEAVY DUTY VAPORTITE, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083623563	8.382	1	35	•	•	•	•	★


★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	REGIONAL AVAILABILITY					★	Ⓢ
						GA	IL	CA	NJ	TX		

## High Bay


### APHL Series


	<b>4 Lamp</b>												
	APHL-432-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622191	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-432-SW-UPL	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622207	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-454-SN-UPL	4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622238	15.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-454-SW-UPL-L850	4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622245	17.5	1	34	•	•	•	•	★	Ⓢ	

	<b>6 Lamp</b>												
	APHL-632-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622214	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-632-SW-UPL	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622221	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-654-SN-UPL	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622252	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHL-654-SW-UPL-L850	6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622269	17.5	1	34	•	•	•	•	★	Ⓢ	
	APHBI-632-SN-C9	6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR, NEMA PREMIUM BALLAST, WITH CORD SET	080083691166	19	1	14	•	•	•	•	★		

## Low Bay


### APLBC Series









	<b>2 Lamp</b>												
APLBC-232	2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622092	7.4	1	48	•	•	•	•	★	Ⓢ		

	<b>4 Lamp</b>												
AP8LBC-232	4 LAMP, 96" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622108	22.4	1	48	•	•	•	•	★	Ⓢ		

## Shoplight

### SLSHP Series

	<b>40"</b>												
40SLSHP3840ND-120V	40", UTILITY LED SHOPLIGHT, 3800 LUMEN, 4000K, ELECTRONIC DRIVER, PULL CHAIN AND 5 FT CORD SET	080083706563	4.3	2	56	•	•	•	•				

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					GA	IL	CA	NJ	TX
				QTY	QTY								
<b>Flushmount</b>													
<b>FMLED Series</b>													
	<b>8"</b> FMLED8WH840PR 8", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083719037	0.9	8	192	•							
	<b>12"</b> FMLED12WH840PR 12", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706792	1.8	4	72	•							
	<b>16"</b> FMLED16WH840PR 16", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706808	3.45	4	32	•							
	<b>20"</b> FMLED20WH840PR 20", LED ROUND FLUSHMOUNT, 4000K, ELECTRONIC DRIVER	080083706815	2.06	2	24	•							



CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# Lumark Outdoor

## Wall Mount

### Crosstour MAXX LED



#### Full Cutoff - LED

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	ARRA	EISA	OTS
XTOR5A	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083654970	12	2	60	•	•	•	•	•			
XTOR5A-N	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 3500K	080083655052	12.106	2	60	•							
XTOR5A-WT	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, SUMMIT WHITE, 5000K	080083654994	12.063	2	60	•							
XTOR5A-PC1	CROSSTOUR MAXX LED 41W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655076	12.106	2	60	•	•	•					
XTOR9A	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083655250	7.776	2	60	•	•	•	•	•	★		
XTOR9A-PC1	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655359	10	2	60	•		•					
XTOR9A-PC2	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 208-277V PHOTO CONTROL	080083655373	9.85	2	60	•							
XTOR9A-480V	CROSSTOUR MAXX LED 79W, WALL MOUNT, FULL CUTOFF DOOR, 480V, CARBON BRONZE, 5000K	080083655298	11	1	60	•							
XTOR9A-PMA	CROSSTOUR MAXX LED 79W, POLE MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083699575	8.208	1	60	•		•					
XTOR5A-PMA	CROSSTOUR MAXX LED 41W, POLE MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083700165	3.7	1	60	•					★		

















#### Refractive Lens - LED

XTOR5ARL	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655113	7.407	2	60	•	•	•	•	•			
XTOR5ARL-N	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 3500K	080083655199	10.8	2	60	•							
XTOR5ARL-PC1	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655212	12	2	60	•	•	•					
XTOR5ARL-WT	CROSSTOUR MAXX LED 41W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, SUMMIT WHITE, 5000K	080083655137	5.33	2	60	•							
XTOR9ARL	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655397	12	2	60	•	•	•	•	•			
XTOR9ARL-480V	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 480V, CARBON BRONZE, 5000K	080083655434	13.84	1	60	•							
XTOR9ARL-PC1	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655496	9.172	2	60	•	•						
XTOR9ARL-PC2	CROSSTOUR MAXX LED 79W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 208-277V PHOTO CONTROL	080083655519	9.461	2	60	•							
XTOR9ARL-PMA	CROSSTOUR MAXX LED 79W, POLE MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083747986	12.082	1	60	•							
XTOR5ARL-PMA	CROSSTOUR MAXX LED 41W, POLE MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083729661	3.7	1	60	•							

#### Crosstour MAXX LED Accessory





WG-XTORMX	CROSSTOUR MAXX LED WIRE GUARD	080083665334	1.938	1	60	•		•					
EWP/XTORMX	CROSSTOUR MAXX WALL PLATE, CARBON BRONZE	080083700592	10	1	120	•					★		
EWP/XTORMX-WT	CROSSTOUR MAXX WALL PLATE, SUMMIT WHITE	080083700608	10	1	120	•					★		

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>Crosstour - LED</b>												
	<b>Full Cutoff - LED</b>											
XTOR1A	CROSSTOUR, LED, 7W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083643189	3.574	6	240	•	•	•	•	•		
XTOR1A-PC1	CROSSTOUR, LED, 7W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083643226	3.501	6	240	•	•	•	•	•		
XTOR2A	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592418	3.689	6	240	•	•	•	•	•		
XTOR2A-WT	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592401	4.037	6	240	•	•	•	•	•		
XTOR2A-PC1	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592395	3.625	6	240	•	•	•	•	•		
XTOR2A-N	CROSSTOUR, LED, 18W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083592357	3.875	6	240	•	•	•	•	•		
XTOR3A	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592296	3.66	6	270	•	•	•	•	•		
XTOR3A-N	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083591831	4.846	6	270	•	•	•	•	•		
XTOR3A-PC1	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592272	4.522	6	270	•	•	•	•	•		
XTOR3A-WT	CROSSTOUR, LED, 26W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592289	4.784	6	270	•	•	•	•	•		
<b>Crosstour LED Accessory</b>												
WG/XTOR	WIRE GUARD FOR CROSSTOUR	080083607402	1.75	15	120	•	•	•	•	•		
EWP/XTOR	CROSSTOUR WALL PLATE, CARBON BRONZE	080083700578	4	1	117	•	•	•	•	•	★	
EWP/XTOR-WT	CROSSTOUR WALL PLATE, SUMMIT WHITE	080083700585	4	1	117	•	•	•	•	•	★	



★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product






Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Wal-Pak</b>											
	<b>Refractive Lens - Pulse Start Metal Halide</b>										
WPP15	WAL-PAK 150W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541164	16.379	1	24	•	•	•	•	•	★ OIS
WPP25	WAL-PAK 250W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541171	24.6	1	24	•	•	•	•	•	★ E OIS
WPP40	WAL-PAK 400W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541195	12.169	1	24	•	•	•	•	•	★ E OIS
	<b>Refractive Lens - High Pressure Sodium</b>										
WPS15	WAL-PAK 150W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541218	10.146	1	36	•					★
WPS25	WAL-PAK 250W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541225	9.623	1	24	•	•				★
WPS40	WAL-PAK 400W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541232	10.898	1	24	•					★
	<b>Full Cutoff - LED</b>										
WPL4AC	WAL-PAK 40W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557097	7.918	1	16	•		•			★
	<b>Full Cutoff - Pulse Start Metal Halide</b>										
WPP15C	WAL-PAK 150W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541249	22.8	1	24	•					★
WPP25C	WAL-PAK 250W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541256	22.8	1	24				•		★ E
<b>Wal-Pak Accessory</b>											
WG/WPGL	WAL-PAK BOROSILICATE GLASS DOOR WIRE GUARD	080083545674	1.679	1	63	•					
VS/WPGL	WAL-PAK BOROSILICATE GLASS DOOR VANDAL SHEILD	080083547685	1.196	1	117	•					★
WG/WPFC	WAL-PAK FULL CUTOFF DOOR WIRE GUARD	080083545698	1.679	1	30	•					
WG/WPFL	WAL-PAK FLAT LENS DOOR WIRE GUARD	080083545681	1.317	1	30	•					

**Floodlight**


**Night Falcon LED Floodlight**

	<b>Slipfitter Mount</b>										
NFFLD-A25-S	NIGHT FALCON, 85W, 4000K, 120-277V, 6X6, SLIPFITTER, CARBON BRONZE	080083721061	19.752	1	20	•	•	•	•	•	OIS
NFFLD-A40-S	NIGHT FALCON, 129W, 4000K, 120-277V, 6X6, SLIPFITTER, CARBON BRONZE	080083721085	19.7	1	20	•	•	•	•	•	OIS
VS/NFFLD	NIGHT FALCON LED FLOODLIGHT VANDAL SHIELD	080083747993	1	1	126	•		•			
WG/NFFLD	NIGHT FALCON LED FLOODLIGHT WIRE GUARD	080083748006	1	1	126	•		•			
	<b>Trunnion Mount</b>										
NFFLD-A25-T	NIGHT FALCON, 85W, 4000K, 120-277V, 6X6, TRUNNION, CARBON BRONZE	080083721078	19.752	1	20	•	•	•	•	•	OIS
NFFLD-A40-T	NIGHT FALCON, 129W, 4000K, 120-277V, 6X6, TRUNNION, CARBON BRONZE	080083721092	22.85	1	20	•	•	•	•	•	OIS

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX		
<b>Crosstour Floodlight</b>												
	<b>Knuckle Mount</b> XTORFLD-KNC	CROSSTOUR, KNUCKLE FLOODLIGHT KIT CARBON BRONZE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619115	1.352	12	120	•	•	•	•	•	OTS
	<b>Trunnion Mount</b> XTORFLD-TRN	CROSSTOUR, TRUNNION FLOODLIGHT KIT CARBON BRONZE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619153	1.968	4	120	•	•	•	•	•	OTS
	XTORFLD-TRN-WT	CROSSTOUR, TRUNNION FLOODLIGHT KIT SUMMIT WHITE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619177	2.006	4	120	•	•	•	•	•	OTS
<b>SF Falcon</b>												
	<b>Knuckle - Pulse Start Metal Halide</b> MPSF70K	SF FALCON FLOODLIGHT 70W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978043	16	1	96	•	•	•	•	•	★
	MPSF10K-MT	SF FALCON FLOODLIGHT 100W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961978111	13.2	1	60	•	•	•	•	•	★
	MPSF15K-MT	SF FALCON FLOODLIGHT 150W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961757723	15.825	1	48	•	•	•	•	•	★ OTS
<b>Warrior</b>												
	<b>Slipfitter - Pulse Start Metal Halide</b> XP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961751479	13.752	1	24	•	•	•	•	•	★ E OTS
	XP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961754463	33	1	24	•	•	•	•	•	★ E OTS
	<b>Slipfitter - High Pressure Sodium</b> XS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117476	34	1	24	•	•	•	•	•	★
	<b>Trunnion - Pulse Start Metal Halide</b> WP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754487	15.088	1	24	•	•	•	•	•	★ E OTS
	WP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754524	12.784	1	20	•	•	•	•	•	★ E OTS
	<b>Trunnion - High Pressure Sodium</b> WS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400117360	38	1	24	•	•	•	•	•	★
<b>Nighthawk</b>												
	<b>Slipfitter - Metal Halide</b> MHNKS1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961565205	64	1	16	•	•	•	•	•	★ OTS
	<b>Yoke - Metal Halide</b> MHNKY1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP YOKE W/LAMP BRONZE	623961565328	65.17	1	12	•	•	•	•	•	★ OTS




★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Eagle</b>											
<b>Sports Lighting Metal Halide</b>											
 MHXL-T5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, INCLUDES BALLAST POD, REFLECTOR AND DOOR	662400914938	1	1	8					★	
MHXL-5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120476	34	1	45					★	
MHXL-5-1500-MT	EAGLE SPORTS LIGHT 1500W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120490	39.65	1	45					★	
MHXL-T5-1500-MT	1500W MH MULTI-TAP NEMA TYPE V, INCLUDES BALLAST POD, REFLECTOR AND DOOR	662400915898	45	1	8					★	
<b>Eagle Accessory</b>											
S/XL	EAGLE SPORTS LIGHT SLIPFITTER ADAPTER FOR USE WITH 2 3/8" OD VERTICAL TENON	662400121220	3.889	1	60	●				★	
XL-SA22-T5-MH	EAGLE SPORTS LIGHT REFLECTOR ASSEMBLY NEMA TYPE V, INCLUDES DOOR	662400121558	10.5	4	6					★	


**Parking/Canopy**

**Quadcast - LED**

 QDCAST1A	QUADCAST LED PARKING GARAGE/CANOPY, 56W, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS, 120V-277V, 4000K, CONCRETE GREY	080083632749	6.067	1	54	●	●	●	●	●	OTS
QDCOV	QUADCAST COVER	080083727261	1	1	1	●					OTS
 QDPBG	QUADCAST LED PARKING GARAGE, 6" PENDANT BIRD GUARD	080083650989	1.95	1	36	●				★	OTS
 QDOCC	QUADCAST LED PARKING GARAGE, ON/OFF OPERATION PHOTOCONTROL AND OCCUPANCY SENSOR	080083650996	0.13	1	480	●				★	OTS



**Area / Site**

**Prevail LED**

 PRVS-A40-UNV-T3	PREVAIL LED AREA/SITE, 143W, 15,100 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083746231	15	1	16	●		●			OTS
PRVS-A25-UNV-T3	PREVAIL LED AREA/SITE, 87W, 10,200 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083746224	14.5	1	16	●		●			OTS
PRVS-A15-UNV-T3	PREVAIL LED AREA/SITE, 57W, 6,100 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083746217	14	1	16	●		●			OTS
PRVS-A15-UNV-T3-MSP/DIM-L30	PREVAIL LED AREA/SITE, 57W, 6,100 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE, DIMMING AND OCCUPANCY SENSOR	080083745715	14	1	16	●		●			OTS
PRVS-A15-UNV-T4	PREVAIL LED AREA/SITE, 57W, 6,100 LUMENS, T4, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083753499	14	1	16	●		●			OTS
PRVS-A25-UNV-T3-MSP/DIM-L30	PREVAIL LED AREA/SITE, 87W, 10,200 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE, DIMMING AND OCCUPANCY SENSOR	080083745722	14.5	1	16			●			OTS
PRVS-A25-UNV-T4	PREVAIL LED AREA/SITE, 87W, 10,200 LUMENS, T4, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083753482	14.5	1	16	●		●			OTS
PRVS-A40-UNV-T3-MSP/DIM-L30	PREVAIL LED AREA/SITE, 143W, 15,100 LUMENS, T3, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE, DIMMING AND OCCUPANCY CENTER	080083745739	15	1	16			●			OTS
PRVS-A40-UNV-T4	PREVAIL LED AREA/SITE, 143W, 15,100 LUMENS, T4, 4000K, 120-277V, STANDARD MOUNTING ARM, BRONZE	080083753475	15	1	16	●		●			OTS

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>Caretaker LED Area Luminaire</b>												
	<b>Full-cutoff-LED</b> CTKRV1A	CARETAKER LED AREA LUMINAIRE, 50W, 120V, 5000K, PHOTOCONTROL, UNIVERSAL MOUNTING BRACKET	080083699063	7.098	3	54	•	•	•	•	•	★ <b>OTS</b>
<b>Tribute</b>												
	<b>Pulse Start Metal Halide</b> MPTR2315	TRIBUTE SITE LUMINAIRE 150W MP MULTI-TAP TYPE II & III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961009440	49	1	20	•	•	•	•	•	★ <b>OTS</b>
	MPTR2325	TRIBUTE SITE LUMINAIRE 250W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750960	41.7	1	20	•	•	•	•	•	★ <b>E</b> <b>OTS</b>
	MPTR2340	TRIBUTE SITE LUMINAIRE 400W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750984	40	1	20	•	•	•	•	•	★ <b>E</b> <b>OTS</b>
<b>Tribute Accessory</b>												
	MA1219-BZ	WALL MOUNTING PLATE, BRONZE	623961746994	14.87	1	108						★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	MS	IL	CA	NJ	TX
<b>Tribute Pole Fixture Combo</b>										
<b>Pulse Start Metal Halide Single Fixture</b>										
	PFT12523P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784675	Consult Factory	•	•	•	•	•	ⓔ
	PFT12523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517244	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT12523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817236	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT12523P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517176	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT14023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784705	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT14023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517459	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT14023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817212	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT14023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517145	Consult Factory	•	•	•	•	•	★ ⓔ
<b>Pulse Start Metal Halide Twin Fixture</b>										
	PFT22523P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784699	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT22523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517237	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT24023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784583	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT24023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517206	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT22523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817106	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT24023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE I/II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP AB1 TMP1 NO ANCHOR BOLTS	080083517350	Consult Factory	•	•	•	•	•	★ ⓔ
	PFT24023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817304	Consult Factory	•	•	•	•	•	★ ⓔ

★ Indicates ARRA Eligible Product   ⓔ Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# Lumark Indoor

## Worklight

### Steeler Series



#### Pulse Start Metal Halide

MPCW40-OR	400W MP MULTI-TAP UNIT PACK W/OPEN LAMP & HOOK UNIT PACK	623961013270	7.136	1	18	•	•	•	•	•	•	★	Ⓔ
-----------	----------------------------------------------------------	--------------	-------	---	----	---	---	---	---	---	---	---	---

## Industrial

### Steeler



#### High Bay Unit Pack - Pulse Start Metal Halide

MPSS40-OR	400W MP MULTI-TAP ALUMINUM REFLECTOR, OPEN RATED LAMP	623961086366	11.081	1	18	•	•	•	•	•	•	★	Ⓔ
MPSS40-PD-OR	400W MP MULTI-TAP HIGH-BAY 22" ACRYLIC REFRACTOR OPEN RATED W/LAMP	623961797446	30.36	1	8	•	•	•	•	•	•	★	Ⓔ



#### Pulse Start Metal Halide

MPSS-400-480V-OR	400W MP MULTI-TAP, 480V OPEN RATED SOCKET	662401596126	20.26	1	56						•	★	
------------------	-------------------------------------------	--------------	-------	---	----	--	--	--	--	--	---	---	--

## Enterprise



#### Low Bay Unit Pack - Pulse Start Metal Halide

FP25-OR	250W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535859	29.2	1	8	•					•	★	Ⓔ
FP40-OR	400W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535880	29.75	1	12	•	•	•	•	•	•	★	Ⓔ

## Industrial Component

### Ballast Pod

#### Steeler Series - Metal Halide

MHSS-1000-MT-OR	1000W MH MULTI-TAP OPEN RATED	623961126727	28.8	1	56	•					•	★	
-----------------	-------------------------------	--------------	------	---	----	---	--	--	--	--	---	---	--

#### Steeler Series - Pulse Start Metal Halide

MPSS-400-MT-OR	400W MP MULTI-TAP, OPEN RATED SOCKET	623961925986	5.98	1	56	•	•				•	★	Ⓔ
----------------	--------------------------------------	--------------	------	---	----	---	---	--	--	--	---	---	---

## Optics

SA15	15" ALUMINUM HIGH-BAY REFLECTOR	662400127505		1	10	180						•	★
PD22	22" ACRYLIC HIGH-BAY REFRACTOR	662400125211	4.65	5	40		•	•				•	★
DB22	22" DROP ACRYLIC LENS	662400975779	2.923	5	40		•					•	★
SA23	23" ALUMINUM HIGH-BAY REFLECTOR	662400609636	3.2	5	40							•	★

## Accessory

#### Wire Guard

WG15	15" WIRE GUARD	662400121381	0.896	5	280		•					•	★
------	----------------	--------------	-------	---	-----	--	---	--	--	--	--	---	---

★ Indicates ARRA Eligible Product    Ⓔ Indicates EISA Compliant Pulse Start Products    OIS Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX

---

## Worklight and Industrial Component Accessories

---

### Accessory

---

FH-1	FIXTURE HOOK 2-1/2"	662400121244	0.236	10	3500	•	•	•	•	•	•	★
------	---------------------	--------------	-------	----	------	---	---	---	---	---	---	---

## Indoor

### Vertimark II

---



**Pulse Start Metal Halide**

MPBE-5A-250H-MT-OR-LL	250W MP MULTI-TAP HPF TYPE V W/LAMP	080083580330	8.127	1	12	•	•	•	•	•	•	•	★ ⓔ
-----------------------	-------------------------------------	--------------	-------	---	----	---	---	---	---	---	---	---	-----

CATALOG NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   GA   IL   CA   NJ   TX

# All Pro Outdoor Security & Worklights

## Floodlight

### Revolve™ Floodlight



**Twin**

REV235F	REVOLVETM FLOOD, 3500K TWIN BRONZE	080083722051	3.9	2	150	•		•		
REV235PCW	REVOLVETM FLOOD WITH PC, 3500K TWIN WHITE	080083722068	3.9	2	150	•		•		
REV250F	REVOLVETM FLOOD, 5000K TWIN BRONZE	080083721993	3.9	2	150	•		•		
REV250FW	REVOLVETM FLOOD, 5000K TWIN WHITE	080083721986	3.9	2	150	•		•		
REV250PC	REVOLVETM FLOOD WITH PC, 5000K TWIN BRONZE	080083722013	3.9	2	150	•		•		
REV250PCW	REVOLVETM FLOOD WITH PC, 5000K TWIN WHITE	080083722006	3.9	2	150	•		•		
REV235FW	REVOLVETM FLOOD, 3500K TWIN WHITE	080083722044	3.9	2	150	•		•		



**Tri**

REV335F	REVOLVETM FLOOD, 3500K TRI BRONZE	080083721931	4.1	2	152	•		•		
REV335FW	REVOLVETM FLOOD, 3500K TRI WHITE	080083721924	4.1	2	152	•		•		
REV335PCW	REVOLVETM FLOOD WITH PC, 3500K TRI WHITE	080083721948	4.1	2	192	•		•		
REV350FW	REVOLVETM FLOOD, 5000K TRI WHITE	080083721863	4.1	2	152	•		•		

### FSL2030L



**LED**

FSL2030L	LED FLOODLIGHT, BRONZE	080083624324	0.82	2	150			•			<b>OTS</b>
----------	------------------------	--------------	------	---	-----	--	--	---	--	--	------------

### FSL2030LW



**LED**

FSL2030LW	LED FLOODLIGHT, WHITE	080083630400	0.8	2	150	•		•	•		<b>OTS</b>
-----------	-----------------------	--------------	-----	---	-----	---	--	---	---	--	------------

### VT100G



**Incandescent**

VT100G	100 WATT VAPOR TIGHT FLOODLIGHT	044427550113	1.8	4	320			•		
--------	---------------------------------	--------------	-----	---	-----	--	--	---	--	--

### WP1050L



**LED**

WP1050L	1000 LUMEN LED WALL PACK, FLOOD	080083720668	2	2	240			•		
---------	---------------------------------	--------------	---	---	-----	--	--	---	--	--

### WP1050LPC



**LED**

WP1050LPC	1000 LUMEN LED WALL PACK, DUSK TO DAWN	080083720675	2	2	240			•		
-----------	----------------------------------------	--------------	---	---	-----	--	--	---	--	--


### WP1850L



















**LED**


WP1850L	1600 LUMEN LED WALL PACK, FLOOD	080083719853	2	2	240			•		
---------	---------------------------------	--------------	---	---	-----	--	--	---	--	--

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX
<b>WP1850LPC</b>										
	<b>LED</b> WP1850LPC	1600 LUMEN LED WALL PACK, DUSK TO DAWN	080083720279	2	2	240			•	
<b>Motion Activated</b>										
<b>Revolve™ Motion Activated</b>										
	<b>Twin</b> REV21835MW REV21850MW	REVOLVETM 180° MOTION, 3500K TWIN WHITE REVOLVETM 180° MOTION, 5000K TWIN WHITE	080083722020 080083721962	3.9 3.9	2 2	150 150	•		•	
	<b>Tri</b> REV32735MW REV32750MW	REVOLVETM 270° MOTION, 3500K TRI WHITE REVOLVETM 270° MOTION, 5000K TRI WHITE	080083721900 080083721849	4.1 4.1	2 2	152 152	•		•	
<b>HS8</b>										
	<b>Incandescent</b> HS8	90 DEGREE MOTION-ACTIVATED NIGHT LIGHT	044427500064	0.27	6	504			•	
<b>MS100PG</b>										
	<b>LED</b> MS100PG	110 DEGREE 100W QUARTZ HALOGEN MOTION-ACTIVATED PLUG-IN SECURITY LIGHT	044427351239	5.9	2	120	•		•	
<b>MS180</b>										
	<b>Sensor</b> MS180	180 DEGREE SENSOR 120V 500W MAX. BRONZE	044427006313	0.579	4	1372	•		•	
<b>MS180W</b>										
	<b>Sensor</b> MS180W	180 DEGREE SENSOR 120V 500W MAX. WHITE	044427006337	0.486	4	1372	•		•	
<b>MS34W</b>										
	<b>PAR</b> MS34W	110 DEGREE 300W PAR, WHITE	044427351284	1.05	6	252	•		•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		GA	IL	CA	NJ	TX	
				QTY	QTY						
<b>MS80</b>											
	<b>Quartz Halogen</b> MS80	110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BLACK	044427002360	1.5	2	200			•		
<b>MSLED100</b>											
	<b>LED</b> MSLED100	100 DEGREE LED MOTION-ACTIVATED SOLAR LIGHT, BLACK	080083517848	1.669	2	192	•		•		
<b>MSLED180W</b>											
	<b>LED</b> MSLED180W	180 DEGREE LED MOTION-ACTIVATED SOLAR FLOODLIGHT, WHITE	080083565313	3.35	2	80	•		•		
<b>MSS11315LES</b>											
	<b>LED</b> MSS11315LES	110 DEGREE MOTION SMALL SINGLE LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624300	1.07	2	240	•		•		
<b>MST18920LES</b>											
	<b>LED</b> MST18920LES	180 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083630264	1.51	2	150	•		•		
<b>MST18920LW</b>											
	<b>LED</b> MST18920LW	180 DEGREE MOTION TWIN LED FLOODLIGHT, WHITE	080083630295	1.51	2	150	•		•		
<b>MST27920LES</b>											
	<b>LED</b> MST27920LES	270 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624317	1.51	2	150			•		
<b>Worklight</b>											
<b>LED110</b>											
	<b>LED</b> LED110	LED PLUG-IN WORKLIGHT	080083508945	1.897	4	160	•		•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>LED120</b>												
	<b>LED</b> LED120	LED RECHARGEABLE WORKLIGHT	080083508952	2.073	4	160	•	•	•	•	•	
<b>LED125</b>												
	<b>MIGHT-D-LIGHT, MINI</b> LED125B	LED COMPACT FOLDING WORKLIGHT	080083730537	0.95	6	216	•	•	•	•	•	
<b>LED125C</b>												
	<b>MIGHT-D-LIGHT, MINI</b> LED125C	LED COMPACT FOLDING CAMO WORKLIGHT	080083610204	0.967	6	216	•	•	•	•	•	
<b>LED140</b>												
	<b>MIGHT-D-LIGHT</b> LED140	LED RECHARGEABLE FOLDING WORKLIGHT, DARK GRAY	080083707195	0.28	2	120	•	•	•	•	•	
<b>LED140C</b>												
	<b>MIGHT-D-LIGHT</b> LED140C	LED RECHARGEABLE FOLDING WORKLIGHT, CAMO	080083707201	2.8	2	120	•	•	•	•	•	
<b>LED150</b>												
	<b>MIGHT-D-LIGHT</b> LED150	LED RECHARGEABLE STICKLIGHT, DARK GRAY	080083707171	0.97	4	192	•	•	•	•	•	
<b>LED150C</b>												
	<b>MIGHT-D-LIGHT</b> LED150C	LED RECHARGEABLE STICKLIGHT, CAMO	080083707188	0.97	4	192	•	•	•	•	•	
<b>WL2540LP</b>												
	<b>LED</b> WL2540LP	2600 LUMEN PORTABLE LED WORKLIGHT	080083700639	3.6	4	96	•	•	•	•	•	

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		GA IL CA NJ TX						
				QTY	QTY							
<b>WL2540LST</b>												
	<b>LED</b> WL2540LST	2600 LUMEN LED PORTABLE WORKLIGHT WITH STAND	080083708062	8.05	2	48						<b>E</b> <b>OTS</b>
<b>WLT5040LST</b>												
	<b>LED</b> WLT5040LST	5100 LUMEN TWIN HEAD LED PORTABLE WORKLIGHT WITH STAND	080083708086	14.2	2	32	•					<b>E</b> <b>OTS</b>
<b>Dusk to Dawn</b>												
<b>AL3050LPCBZ</b>												
	<b>LED</b> AL3050LPCBZ	3100 LED AREA LIGHT WITH INTEGRATED PHOTO CONTROL, BRONZE	080083709960	2.2	2	48	•					<b>OTS</b>
<b>AL3050LPCGY</b>												
	<b>LED</b> AL3050LPCGY	3100 LUMEN LED AREA LIGHT WITH INTEGRATED PHOTO CONTROL	080083709977	5.4	2	48	•					<b>OTS</b>
<b>AL6501FL</b>												
	<b>Fluorescent</b> AL6501FL	65W FLUORESCENT SECURITY AREA LIGHT WITH PHOTO CONTROL	080083584963	3	1	48	•					
<b>FE0650LPC</b>												
	<b>LED</b> FE0650LPC	650 LUMEN LED JELLY JAR, BRONZE	080083666928	1.5	2	200	•					<b>E</b> <b>OTS</b>
	FES0650LPC	650 LUMEN LED JELLY JAR, SHORT LENS BRONZE	080083669080	1.4	2	200						<b>E</b> <b>OTS</b>
<b>FE0650LPCW</b>												
	<b>LED</b> FE0650LPCW	738 LED JELLY JAR, WHITE	080083666935	1.5	2	240	•					<b>E</b> <b>OTS</b>
	FES0650LPCW	738 LUMEN LED JELLY JAR, SHORT LENS WHITE	080083669097	1.4	2	240						<b>E</b> <b>OTS</b>
<b>FE13PC</b>												
	<b>Fluorescent</b> FE13PC	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, BRONZE	044427450529	2.18	2	240	•					<b>OTS</b>

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>FE13PCW</b>											
	<b>Fluorescent</b> FE13PCW	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, WHITE	044427450536	1.33	2	240	•	•			
<b>FSS1530LPCES</b>											
	<b>LED</b> FSS1530LPCES	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, ENERGY STAR, BRONZE	080083630509	0.9	2	288	•	•			
<b>FSS1530LPCW</b>											
	<b>LED</b> FSS1530LPCW	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, WHITE	080083630554	0.5	2	288	•	•			
<b>FW26PC</b>											
	<b>Fluorescent</b> FW26PCI FW26PCIW	26W FLUORESCENT WALL PACK, BRONZE 26W FLUORESCENT WALL PACK, WHITE	080083707300 080083707317	3.3 3.3	2 6	180 216	•	•	•		
<b>Accessory</b>											
<b>EA24</b>											
	<b>Hardware</b> EA24	24" EXTENSION ARM	044427000717	0.3	1	240	•	•			
<b>FLD-KIT-SFCG</b>											
	<b>LED</b> FLD-KIT-SFCGND	SURFACE MOUNT KIT FOR ALL-PRO LED FLOOD, MOTION, BRONZE	080083699605	3.5	48	1296	•	•			
	FLD-KIT-SFCGNDW	SURFACE MOUNT KIT FOR ALL-PRO LED FLOOD, MOTION, WHITE	080083699612	3.5	48	1296	•	•			
<b>800-0411</b>											
	<b>Hardware</b> 800-0411	REPLACEMENT LENS FOR FE13PC / FE13PCW	080083626793	0.41	4	500					
<b>SL3120</b>											
	<b>Sensor</b> SL3120	TWIST & LOCK PHOTO SENSOR	044427531204	0.2	6	576	•	•			
<b>PLC13W</b>											
	<b>Fluorescent</b> PLC13W	13W FLUORESCENT 4-PIN LAMP	044427450345	0.3	4	1440		•			

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX
<b>PLC26W</b>										
<b>Fluorescent</b>										
PLC26W	26W FLUORESCENT 4-PIN LAMP	080083707331	1.5	4	1280			•		

<b>WPFLD-TRN</b>										
<b>LED</b>										
WPFLD-TRN	LED WALL PACK TRUNNION MOUNT KIG	080083724925	1.35	4	576			•		



CATALOG  
NUMBER









DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# Sure-Lites





## LED Remote

### Metal Remote Outdoor Rated

	<b>LED Remote SRM13BK</b> SRM13BK	METAL REMOTE, ONE HEAD, 13 FEET COVERAGE, BLACK	080083734047	1.7	6	270	•					
	<b>LED Remote SRM13GY</b> SRM13GY	METAL REMOTE, ONE HEAD, 13 FEET COVERAGE, GRAY	080083734061	1.7	6	270	•					
	<b>LED Remote SRM13WH</b> SRM13WH	METAL REMOTE, ONE HEAD, 13 FEET COVERAGE, WHITE	080083734023	1.7	6	270	•					
	<b>LED Remote SRM25BK</b> SRM25BK	METAL REMOTE, ONE HEAD, 25 FEET COVERAGE, BLACK	080083734160	1.7	6	270	•					
	<b>LED Remote SRM25BK</b> SRM25DBK	METAL REMOTE, TWO HEAD, 25 FEET COVERAGE, BLACK	080083734108	1.7	6	270	•					
	<b>LED Remote SRM25DG</b> SRM25DGY	METAL REMOTE, TWO HEAD, 25 FEET COVERAGE, GRAY	080083734122	1.7	6	270	•					
	<b>LED Remote SRM25DWH</b> SRM25DWH	METAL REMOTE, TWO HEAD, 25 FEET COVERAGE, WHITE	080083734085	1.7	6	270	•					
	<b>LED remote SRM25GY</b> SRM25GY	METAL REMOTE, ONE HEAD, 25 FEET COVERAGE, GRAY	080083734184	1.7	6	270	•					
	<b>LED remote SRM25WH</b> SRM25WH	METAL REMOTE, ONE HEAD, 25 FEET COVERAGE, WHITE	080083734146	1.7	6	270	•					
	<b>LED remote SRM30BK</b> SRM30BK	METAL REMOTE, ONE HEAD, 30 FEET COVERAGE, BLACK	080083734283	1.7	6	270	•					





★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
 <b>LED remote SRM30GY</b> SRM30GY	METAL REMOTE, ONE HEAD, 30 FEET COVERAGE, GRAY	080083734306	1.7	6	270	•				
 <b>LED remote SRM30WH</b> SRM30WH	METAL REMOTE, ONE HEAD, 30 FEET COVERAGE, WHITE	080083734269	1.7	6	270	•				
<b>LED remote SRM50DBK</b> SRM50DBK	METAL REMOTE, TWO HEAD, 50 FEET COVERAGE, BLACK	080083734221	1.7	6	270	•				
<b>LED remote SRM50DGY</b> SRM50DGY	METAL REMOTE, TWO HEAD, 50 FEET COVERAGE, GRAY	080083734245	1.7	6	270	•				
 <b>LED remote SRM50DWH</b> SRM50DWH	METAL REMOTE, TWO HEAD, 50 FEET COVERAGE, WHITE	080083734207	1.7	6	270	•				
<b>LED remote SRM60DBK</b> SRM60DBK	METAL REMOTE, TWO HEAD, 60 FEET COVERAGE, BLACK	080083734344	1.7	6	270	•				
<b>LED remote SRM60DGY</b> SRM60DGY	METAL REMOTE, TWO HEAD, 60 FEET COVERAGE, GRAY	080083734368	1.7	6	270	•				
 <b>LED remote SRM60DWH</b> SRM60DWH	METAL REMOTE, TWO HEAD, 60 FEET COVERAGE, WHITE	080083734320	1.7	6	270	•				
<b>Plastic Remote Outdoor Rated</b>										
<b>LED remote SRP13BK</b> SRP13BK	PLASTIC REMOTE, ONE HEAD, 13 FEET COVERAGE, BLACK	080083733682	1.7	6	270	•				
<b>LED remote SRP13GY</b> SRP13GY	PLASTIC REMOTE, ONE HEAD, 13 FEET COVERAGE, GRAY	080083733705	1.7	6	270	•				



★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
 <b>LED remote SRP13WH</b> SRP13WH	PLASTIC REMOTE, ONE HEAD, 13 FEET COVERAGE, WHITE	080083733668	1.7	6	270	•				
<b>LED remote SRP25BK</b> SRP25BK	PLASTIC REMOTE, ONE HEAD, 25 FEET COVERAGE, BLACK	080083733804	1.7	6	270	•				
<b>LED remote SRP25DBK</b> SRP25DBK	PLASTIC REMOTE, TWO HEAD, 25 FEET COVERAGE, BLACK	080083733743	1.7	6	270	•				
<b>LED remote SRP25DGY</b> SRP25DGY	PLASTIC REMOTE, TWO HEAD, 25 FEET COVERAGE, GRAY	080083733767	1.7	6	270	•				
 <b>LED remote SRP25DWH</b> SRP25DWH	PLASTIC REMOTE, TWO HEAD, 25 FEET COVERAGE, WHITE	080083733729	1.7	6	270	•				
<b>LED remote SRP25GY</b> SRP25GY	PLASTIC REMOTE, ONE HEAD, 25 FEET COVERAGE, GRAY	080083733828	1.7	6	270	•				
 <b>LED remote SRP25WH</b> SRP25WH	PLASTIC REMOTE, ONE HEAD, 25 FEET COVERAGE, WHITE	080083733781	1.7	6	270	•				
<b>LED remote SRP30BK</b> SRP30BK	PLASTIC REMOTE, ONE HEAD, 30 FEET COVERAGE, BLACK	080083733927	1.7	6	270	•				
<b>LED remote SRP30GY</b> SRP30GY	PLASTIC REMOTE, ONE HEAD, 30 FEET COVERAGE, GRAY	080083733941	1.7	6	270	•				
 <b>LED remote SRP30WH</b> SRP30WH	PLASTIC REMOTE, ONE HEAD, 30 FEET COVERAGE, WHITE	080083733903	1.7	6	270	•				
<b>LED remote SRP50DBK</b> SRP50DBK	PLASTIC REMOTE, TWO HEAD, 50 FEET COVERAGE, BLACK	080083733866	1.7	6	270	•				

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX
<b>LED remote SRP50DGY</b>										
SRP50DGY	PLASTIC REMOTE, TWO HEAD, 50 FEET COVERAGE, GRAY	080083733880	1.7	6	270	•				
<b>LED remote SRP50DWH</b>										
 SRP50DWH	PLASTIC REMOTE, TWO HEAD, 50 FEET COVERAGE, WHITE	080083733842	1.7	6	270	•				
<b>LED remote SRP60DBK</b>										
SRP60DBK	PLASTIC REMOTE, TWO HEAD, 60 FEET COVERAGE, BLACK	080083733989	1.7	6	270	•				
<b>LED remote SRP60DGY</b>										
SRP60DGY	PLASTIC REMOTE, TWO HEAD, 60 FEET COVERAGE, GRAY	080083734009	1.7	6	270	•				
<b>LED remote SRP60DWH</b>										
 SRP60DWH	PLASTIC REMOTE, TWO HEAD, 60 FEET COVERAGE, WHITE	080083733965	1.7	6	270	•				

**Emergency**



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Emergency Commercial</b>											
	<b>LED Emergency Light - CU2-LED</b> CU2-LED      LED EMERGENCY, WHITE PLASTIC HOUSING, NICAD BATTERY	080083745753	1.208	6	270	•		•			
	<b>LED Thermoplastic Emergency Light - LEM</b> LEM      LED EMERGENCY LIGHT, 2 HEAD	080083757282	1.212	28	504	•				Ⓢ	
	LEM2SD      LED EMERGENCY LIGHT, 2 HEAD, SELF DIAGNOSTICS	080083637409	1.208	28	504	•	•		•	Ⓢ	
	LEMRO      LED EMERGENCY LIGHT, 2 HEAD	080083689569	0.75	6	504	•					
	<b>LED Thermoplastic Emergency Light - LEM 2 Head Remote</b> LEM2      LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY	080083637287	1.9	16	320	•	•	•	•	•	
	LEM2BK      LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, BLACK	080083637560	2	1	48	•				Ⓢ	
	LEM2SD      LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, SELF DIAGNOSTICS	080083637423	1.992	1	48	•	•			Ⓢ	
	<b>LED Thermoplastic Emergency Light - LEM 4 Head Remote</b> LEM4      LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE	080083637300	2.275	16	576	•				Ⓢ	
	LEM4BK      LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK	080083637584	2.275	16	480	•				Ⓢ	
	LEM4SD      LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, SELF DIAGNOSTICS	080083637447	2	1	48	•				Ⓢ	
	<b>LED Thermoplastic Emergency Light Remote - LEMR1</b> LEM1      LED REMOTE 1 HEAD	080083637324	0.81	36	864	•	•	•	•	Ⓢ	
	LEM1BK      LED REMOTE 1 HEAD, BLACK	080083637607	0.81	36	864	•				Ⓢ	
	<b>LED Thermoplastic Emergency Light Remote - LEMR2</b> LEM2      LED REMOTE 2 HEAD	080083637348	0.92	36	864	•	•	•	•	Ⓢ	
	LEM2BK      LED REMOTE 2 HEAD, BLACK	080083637621	0.92	36	864	•				Ⓢ	
	<b>LED Thermoplastic Emergency Light Remote - LEMWR1</b> LEMWR1      LED REMOTE 1 HEAD, WET LOCATION	080083637362	0.723	24	576	•	•		•	Ⓢ	
	<b>LED Thermoplastic Emergency Light Remote - LEMWR2</b> LEMWR2      LED REMOTE 2 HEAD, WET LOCATION	080083637386	0.93	24	576	•	•	•	•	Ⓢ	
	LEMWR2BK      LED REMOTE 2 HEAD, WET LOCATION, BLACK	080083637669	0.6	1	48	•				Ⓢ	
	<b>LED Emergency Light - SEL17</b> SEL17      LED EMERGENCY, WHITE PLASTIC HOUSING, NICAD BATTERY	080083722143	1.208	6	270			•	•	•	
	<b>LED Emergency Light - SEL25</b> SEL25SD      LED EMERGENCY, WHITE PLASTIC HOUSING, NICAD BATTERY, SD	080083723027	1.7	6	270	•				Ⓢ	
	SEL25      LED EMERGENCY, WHITE PLASTIC HOUSING, NICAD BATTERY	080083736669	1.208	28	504	•				★ Ⓢ	
	SEL50      LED EMERGENCY, WHITE PLASTIC HOUSING, NICAD BATTERY	080083733347	1.7	6	270	•					

★ Indicates ARRA Eligible Product    ⓔ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX		
<b>Emergency Architectural</b>												
	<b>Die Cast Aluminum Housing - AEL231, AEL246</b> AEL231      ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, SILVER	080083593835	3.142	4	144	•					•	
	<b>Die Cast Aluminum Housing - AEL231BK, AEL246BK</b> AEL246BKSD      ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BLACK, SELF-DIAGNOSTICS	080083679737	5.093	4	144	•						
	<b>Die Cast Aluminum Housing - AEL231WH, AEL246WH</b> AEL231WH      ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, WHITE	080083593897	5.106	4	144	•						

**Retrofit**

	<b>LED Emergency Battery Pack, 7 Watts</b> EBPLED7W      LED BATTERY PACK, 7 WATTS	080083732265	1.665	12	768	•		•				
----------------------------------------------------------------------------------	---------------------------------------------------------------------------------------	--------------	-------	----	-----	---	--	---	--	--	--	-------------------------------------------------------------------------------------

**Exit Signs**

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

**Exits Signs Commercial - Edge-lit - ECHX**



**Edge-lit - ECHX Recessed**

ECHX6RH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, RECESSED MOUNT	080083665631	2.8	6	0	•				
ECHX7RH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, RECESSED MOUNT	080083665648	3.3	6	0	•				
ECHX1RT	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, BRUSHED ALUMINUM	080083665662	4.8	4	0	•				
ECHX1RTAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, BRUSHED ALUMINUM	080083665709	4.8	4	0	•				★
ECHX1RTALWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, WHITE	080083665846	4.8	4	0	•				
ECHX1RTAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT	080083665686	4.8	4	0	•				★
ECHX1RTARWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT, WHITE	080083665822	4.8	4	0	•				
ECHX1RTDAWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, DOUBLE ARROW, WHITE	080083665860	4.8	4	0	•				
ECHX1RTWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, WHITE	080083665808	4.8	4	0	•				
ECHX2RT	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT	080083665747	4.8	4	0	•				
ECHX2RTARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT	080083665785	4.8	4	0	•				
ECHX2RTARLWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT, WHITE	080083665921	4.8	4	0	•				
ECHX2RTDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT DOUBLE ARROW	080083665761	4.8	4	0	•				
ECHX2RTDAWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, DOUBLE ARROW, WHITE	080083665907	4.8	4	0	•				
ECHX2RTWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, WHITE	080083665884	4.8	4	0	•				



**Edge-lit - ECHX Surface**

ECHX6SHA	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, BRUSHED ALUMINUM	080083665938	2.5	6	0	•				
ECHX6SHWH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, WHITE	080083665952	2.5	6	0	•				
ECHX7SHA	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, BRUSHED ALUMINUM	080083665945	3	6	24	•				
ECHX7SHWH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, WHITE	080083665969	3	6	0	•				
ECHX1ST	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, NO ARROW	080083665976	2	6	48	•				
ECHX1STAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW LEFT	080083665990	2	6	40	•				
ECHX1STAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW RIGHT	080083665983	2	6	48	•				
ECHX1STDA	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, DOUBLE ARROW	080083666003	2	6	0	•				
ECHX2ST	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM	080083666010	2	6	0	•				
ECHX2STARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, ARROW RIGHT/ARROW LEFT	080083666034	2	6	0	•				
ECHX2STDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, DOUBLE ARROW	080083666027	2	6	0	•				

**Exit Signs Commercial - Edge-lit - EUR Recessed**



**Edge-lit - EUR Recessed**

EUR60R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725617	9.099	4	64	•	•	•	•	
EUR70R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725594	9.15	4	80	•	•	•	•	
EUR70G	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072742	5.905	4	64	•	•	•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

**Exit Signs Commercial - Edge-lit - EUS Surface**



**Edge-lit - EUS Surface**

EUS60R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725587	6.081	1	27	•	•	•	•	
EUS70R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725556	6.2	6	216	•	•	•	•	
EUS60G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, AC ONLY	623960072681	6.146	4	176	•	•	•	•	
EUS70G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072728	4.75	4	120	•	•	•	•	

**Exit Signs Commercial - Steel Housing - CHX**



**Steel Housing - CHX**

CHX61	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083574629	11.3	1	60	•				★	Ⓞ
CHX71	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083567614	11.3	1	60	•					Ⓞ
CHX61-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH STAIR LENS	080083592777	11.3	1	60	•					
CHX61AL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT	080083574766	11.3	1	60	•					
CHX61AL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT AND STAIR LENS	080083708178	11.3	1	60	•					
CHX61AR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT LENS	080083574650	11.3	1	60	•				★	
CHX61AR-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT AND STAIR LENS	080083708161	11.3	1	60	•					
CHX61DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH DOUBLE ARROW LENS	080083576715	11.3	1	60	•					
CHX62	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, DOUBLE SIDED	080083574636	11.3	1	60	•					
CHX62ARL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT	080083574643	11.3	1	60	•					
CHX62ARL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT WITH STAIR LENS	080083576722	11.3	1	60	•					
CHX62DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE ARROW	080083576739	11.3	1	60	•					
CHX71-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, SINGLE SIDED WITH STAIR LENS	080083576678	11.3	1	60	•					
CHX71AL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW LEFT	080083576647	11.3	1	60	•					
CHX71AL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW LEFT WITH STAIR LENS	080083708208	11.3	1	60	•					
CHX72DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, DOUBLE ARROW	080083576708	11.3	1	60	•					
CHX71AR	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW RIGHT	080083576654	11.3	1	60	•					
CHX71AR-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW RIGHT WITH STAIR LENS	080083708192	11.3	1	60	•					
CHX72ARL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, DOUBLE SIDED, ARROW RIGHT OR LEFT, WITH STAIR LENS	080083651573	11.3	1	60	•					
CHX71DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, DOUBLE ARROW	080083576661	11.3	1	60	•					
CHX72	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED	080083576685	11.3	1	60	•					
CHX72ARL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, ARROW LEFT	080083576692	11.3	1	60	•					

**Exit and Emergency Commercial - Steel Combo - CHX Combo**

**Steel Combo - CHX Combo**

CHX71DH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE FACE	080083623365	11.3	1	60	•				★	Ⓞ
CHX70DH	CHICAGO, COMBO, EXIT SIGN, WHITE LED, NO LENS	080083623372	11.3	2	45	•				★	
CHX71ARDH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE SIDED, ARROW RIGHT	080083660704	11.3	1	54	•				★	

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **Ⓞ** Indicates Off the Shelf Product



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

**Exit Signs Commercial - Polycarbonate Housing - LPX**



**Polycarbonate Housing - LPX**

LPX6	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083532742	2.045	6	144	•							
LPX7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532773	3.169	6	216	•	•	•	•	•			
LPX7SD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083532797	3.14	6	180	•							

**Exit Signs Commercial - Thermoplastic Housing - LPX Self Diagnostic**

**Thermoplastic Housing - LPX Self Diagnostic**

LPX7BKSD	SELF-POWERED, EXIT SIGN, THERMOPLASTIC BLACK HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083532803	3.133	6	180	•							
----------	-----------------------------------------------------------------------------------------------------	--------------	-------	---	-----	---	--	--	--	--	--	--	--

**Exit and Emergency Commercial - Polycarbonate Combo - LPX Combo**



**Polycarbonate Combo - LPX Combo**

LPX7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY	080083605057	8.242	4	80	•	•	•					
LPX7DHNC	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604944	7.8	4	80	•							
LPX7DHNCSD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY, SELF-DIAGNOSTIC	080083604968	8.209	4	80	•	•						

**Exit Signs Commercial - Polycarbonate Housing - LPXH**



**Polycarbonate Housing - LPXH**

LPXH7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, HIGH POWER UNIT	080083605095	7.583	4	120	•	•	•					
-------	------------------------------------------------------------------------------------------	--------------	-------	---	-----	---	---	---	--	--	--	--	--


**Exit and Emergency Commercial - Polycarbonate Combo - LPXH Combo**



**Polycarbonate Combo - LPXH Combo**

LPXH7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY	080083604982	6.605	4	72	•	•	•	•	•			
---------	--------------------------------------------------------------------------------------------------------------------	--------------	-------	---	----	---	---	---	---	---	--	--	--

**Exit Signs Architectural**




**Die Cast Aluminum Housing - CX**

CX61	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534043	4.157	6	180	•							
CX61WH	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534067	4.237	6	180	•							
CX62	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534050	3.728	6	180	•							
CX62WH	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534074	3.774	6	180	•							
CX71SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534166	4.948	6	288	•							
CX71WHSD	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534180	4.323	6	180	•							
CX72SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534173	4.056	6	180	•							
CX72WHSD	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534197	6	6	180	•							


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX


## Retrofit


### LED Emergency Battery Pack

	<b>ELED EBP 14 Watts</b> EBPLED14W	LED BATTERY PACK, 14 WATTS	080083732272	1.665	12	768	•							
----------------------------------------------------------------------------------	---------------------------------------	----------------------------	--------------	-------	----	-----	---	--	--	--	--	--	--	--

### Fluorescent Emergency Battery Pack


	<b>Fluorescent EBP 450 Lumens</b> EBP450X	FLUORESCENT BATTERY PACK, 450 LUMEN	080083561650	1.665	12	768	•	•	•	•	•	•	★	
----------------------------------------------------------------------------------	----------------------------------------------	-------------------------------------	--------------	-------	----	-----	---	---	---	---	---	---	---	--


	<b>Fluorescent EBP 700 lumens</b> EBP700X	FLUORESCENT BATTERY PACK, 700 LUMEN	080083564262	2.021	12	336	•	•	•	•	•	•	★	
----------------------------------------------------------------------------------	----------------------------------------------	-------------------------------------	--------------	-------	----	-----	---	---	---	---	---	---	---	--


	<b>Fluorescent EBP 1400 Lumens</b> EBP1400NCX	FLUORESCENT BATTERY PACK, 1400 LUMEN	080083712793	1.9	12	432	•							
----------------------------------------------------------------------------------	--------------------------------------------------	--------------------------------------	--------------	-----	----	-----	---	--	--	--	--	--	--	--

## Accessories

### Accessories


	<b>Laser</b> LASER	RED POINTER (USED TO ACTIVATE REMOTE TESTING FIXTURES)	662401215256	0.185	12	288	•							★
------------------------------------------------------------------------------------	-----------------------	--------------------------------------------------------	--------------	-------	----	-----	---	--	--	--	--	--	--	---


	<b>Vandal Guard - VS1</b> VS1	POLYCARBONATE VANDAL SHIELD	662401459674	4.5	1	24	•							★
------------------------------------------------------------------------------------	----------------------------------	-----------------------------	--------------	-----	---	----	---	--	--	--	--	--	--	---

	<b>Wireguard - WG</b> WG1	WIREGUARD (18"X15"X6")	662400109419	2.474	1	80	•	•			•	•	★
	WG10	WIREGUARD (13 3/4"X13 3/8"X4 3/8")	662400109426	2.438	1	84	•	•			•	•	★

## Chicago Code

### Chicago Code Emergency

	<b>Steel Housing - XR6C</b> XR6C	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107507	10	4	108	•	•	•			•		
------------------------------------------------------------------------------------	-------------------------------------	-----------------------------------------	--------------	----	---	-----	---	---	---	--	--	---	--	--

	<b>Steel Housing - XR9C</b> XR9C	STEEL, 6V, (2) 12W HALOGEN LAMPS, 30W REMOTE CAPACITY, WHITE	662400107514	15	4	48	•							
------------------------------------------------------------------------------------	-------------------------------------	--------------------------------------------------------------	--------------	----	---	----	---	--	--	--	--	--	--	--

CATALOG NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# All-Pro Emergency

## LED Exit and Emergency

### Exit Signs Commercial


Image	Thermoplastic Housing - APXEL		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APXEL61R	EXIT SIGN EDGE LIT, 1F, RED, AC ONLY	080083635245	4.1	6	108	•				
	APXEL62R	EXIT SIGN EDGE LIT, 2F, RED, AC ONLY	080083635528	4	6	108	•				
	APXEL71G	EXIT SIGN EDGE LIT, 1F, GREEN, BATTERY	080083635504	4.2	6	108	•	•			
	APXEL71R	EXIT SIGN EDGE LIT, 1F, RED, BATTERY	080083635467	3.966	6	108	•	•		•	•
	APXEL72G	EXIT SIGN EDGE LIT, 2F, GREEN, BATTERY	080083635580	3.128	6	108	•		•		
	APXEL72R	EXIT SIGN EDGE LIT, 2F, RED, BATTERY	080083635542	4.14	6	108	•	•			


Image	Thermoplastic Combos - Double Head - APC		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APC7G	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567164	0.68	8	216	•		•		•
	APC7R	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083566556	2.55	8	192	•	•	•	•	•



Image	Thermoplastic Combos - Double Head - APCH		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APCH7G	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567188	2.817	8	288	•		•	•	•
	APCH7R	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083567171	2.721	8	256	•	•	•	•	•

Image	Thermoplastic Housing - APX6 and APX7		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APX6G	AC ONLY, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566525	1.954	6	216	•	•	•		
	APX6R	AC ONLY, WHITE HOUSING, LED EXIT, RED LETTERS	080083566518	1.835	6	216	•	•	•	•	•
	APX7G	SELF POWERED, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566549	0.56	6	216	•	•	•	•	•
	APX7R	SELF POWERED, WHITE HOUSING, LED EXIT, RED LETTERS	080083566532	2.15	6	270	•	•	•	•	•

### Emergency Commercial



Image	Thermoplastic Housing - APEL		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APEL	3.6V, (2) .78W LED EMERGENCY LIGHT HEAD, EQUIVALENT TO (2) 5.4W INCANDESCENT LAMPS	080083566501	0.95	8	512	•	•	•	•	•

Image	Thermoplastic Housing - APWR		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
	Model	Description									
	APWR1	REMOTE, SINGLE HEAD, WET LISTED	080083608560	0.378	30	1080	•	•	•		•
	APWR2	REMOTE, DOUBLE HEAD, WET LISTED	080083608584	0.499	30	720	•	•	•	•	•

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY GA IL CA NJ TX

# Atlite Emergency/Exit

## Exit and Emergency

### Emergency Commercial



#### Steel Housing - Incandescent

12REL50-3	NY INC EMERGENCY LIGHT, 3 HEADS, 12 V, 50 W, WHITE	080083634613	16.2	1	144							(E)
6REL18	NY INC EMERGENCY LIGHT, 2 HEADS, 6 V, 18 W, WHITE	080083634590	16.2	1	144							(E)
6REL27	NY INC EMERGENCY LIGHT, 2 HEADS, 6 V, 27 W, WHITE, INCANDESCENT	080083634606	16.2	1	144							(E)
CB6	NY 6V, 12 W PER HEAD, 2 HEAD, EMERGENCY LIGHT, INCANDESCENT	080083718146	6.5	2	4							★



#### Polycarbonate Housing - Incandescent

PC1-10	POLYCARBONATE, 6V, (2) 5.4W LAMPS, EMERGENCY LIGHT, WHITE, PAR18 INCANDESCENT	623961985751	3.7	6	270							
--------	-------------------------------------------------------------------------------	--------------	-----	---	-----	--	--	--	--	--	--	--

### Exit Signs Architectural



#### Universal Edge Lit - AUX

AUXA	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER	080083703265	8.5	1	50							(E)
AUXA18	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER, 1 FACE	080083718023	8.5	1	50							(E)
AUXA6	NY UNIVERSAL EDGE LIT, AC ONLY, SILVER, 6 INCH LENS	080083718030	8.5	1	50							(E)
AUXABK	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK	080083703289	8.5	4	50							(E)
AUXABK18	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK, 1 FACE	080083718047	8.5	4	50							(E)
AUXABK6	NY UNIVERSAL EDGE LIT, AC ONLY, BLACK, 6 INCH LENS	080083718054	8.5	4	50							(E)
AUXAWH	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE	080083703272	8.5	1	50							(E)
AUXAWH18	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE, 1 FACE	080083718061	8.5	1	50							(E)
AUXAWH6	NY UNIVERSAL EDGE LIT, AC ONLY, WHITE, 6 INCH LENS	080083718078	8.5	1	50							
AUXSSD	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD	080083703296	18.66	1	50							
AUXSSD18	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD, 1 FACE	080083718108	18.66	1	50							
AUXSSD6	NY UNIVERSAL EDGE LIT, SELF POWERED, SILVER, SD, 6 INCH LENS	080083718115	18.66	1	50							
AUXSWHSD6	NY UNIVERSAL EDGE LIT, SELF POWERED, WHITE, SD, 6 INCH LENS	080083718139	9.4	1	50							

### Exit Signs Commercial



#### Edge Lit Surface

REUSN18R	NY SURFACE EDGE LIT EXIT, SELF POWERED, 1 FACE	080083696987	16.2	1	0							
----------	------------------------------------------------	--------------	------	---	---	--	--	--	--	--	--	--







#### Steel Housing - LED

RXSN8RU	NY LED EXIT, STEEL, SELF POWERED, UNIVERSAL FACE	080083634576	16.2	1	144							
---------	--------------------------------------------------	--------------	------	---	-----	--	--	--	--	--	--	--



#### Polycarbonate Housing - LED

PAL-RU	NY LED EXIT, POLYCARBONATE, AC ONLY, UNIVERSAL FACE	781490132036	3.48	1	1080							
--------	-----------------------------------------------------	--------------	------	---	------	--	--	--	--	--	--	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>Combo Exit Signs Commercial</b>											
	<b>Steel Housing - LED</b> RCS283LED	NY LED COMBO, 2 FACE, 3 HEADS, WHITE	080083574292	3.5	6	192					
	<b>Steel Housing - Incandescent</b> PC3-RU	POLYCARBONATE COMBO UNIT, WHITE HOUSING, LED-EXIT, 5.4W LAMPS-EMERGENCY, UNIVERSAL FACE, RED LETTERS	662400775843	7.01	6	144				•	
	PC4-RU	COMBO UNIT, WHITE HOUSING, LED-EXIT, 5.4W LAMPS-EMERGENCY, UNIVERSAL FACE, RED LETTERS	623961568978	9.7	1	60				•	★
	RCS8R-3	NY INC COMBO, 1 FACE, 3 HEADS, WHITE	080083634583	16.2	1	144					
	<b>Polycarbonate Housing - LED</b> PNL-RU	LED, WHITE HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	662401740093	3.5	6	192				•	
<b>Remote Emergency Commercial</b>											
	<b>Polycarbonate - LED</b> RFLED401	POLYCARBONATE, LED 9.6 V REMOTE, 1 HEAD, WHITE	080083574285	3.5	6	192					
	RFLED402	POLYCARBONATE, LED 9.6 V REMOTE, 2 HEAD, WHITE	080083574278	3.5	6	192					

CATALOG  
NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   GA   IL   CA   NJ   TX

# Portfolio

## LED Recessed



### 4" Downlight

LD4A13D010TE	4" LED HOUSING, 1300 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678372	2.858	1	45	•	•	•	•	•	★
LD4A09D010TE	4" LED HOUSING, 900 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678389	2.495	1	45	•	•	•	•	•	★
LD4A09DL3	4" LED HOUSING, 900 LUMENS, LUTRON DRIVER	080083722563	4.25	1	54	•	•	•	•	•	•
LD4A13D010TR	4" LED HOUSING, 1300 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722556	4.25	1	54	•	•	•	•	•	★
LD4A18D010TE	4" LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678365	4.244	1	45	•	•	•	•	•	★
LD4A18D010TR	4" LED HOUSING, 1800 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722549	4.25	6	54	•	•	•	•	•	•
LD4ACP18D010TE	4" LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722518	4.25	1	54	•	•	•	•	•	•
LDSQ4A09D010TE	4" SQUARE LED HOUSING, 900 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722419	4.25	1	20	•	•	•	•	•	•
LDSQ4A18D010TE	4" SQUARE LED HOUSING, 1800 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722402	4.25	1	20	•	•	•	•	•	•
ERM4A13840	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 4000K	080083678709	1.367	6	480	•	•	•	•	•	•
LD4ACP13D010TE	4" LED HOUSING, 1300 LUMENS, 6" ADJUSTABLE/SLOPE LED HOUSING, 3000 LUMENS, 3500K, 80CRI TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083754014	4.25	1	54	•	•	•	•	•	•
LDA4A18830D010TE	4" ADJUSTABLE/SLOPE LED HOUSING, 1800 LUMENS, 3000K, 80CRI, TRAILING EDGE OR 0-10V DRIVER	080083753673	12	1	16	•	•	•	•	•	★
LDA4A18835D010TE	4" ADJUSTABLE/SLOPE LED HOUSING, 1800 LUMENS, 3500K, 80CRI. TRAILING EDGE OR 0-10V DRIVER	080083753659	12	1	16	•	•	•	•	•	★
LDA4A18930D010TE	4" ADJUSTABLE/SLOPE LED HOUSING, 1800 LUMENS, 3000K, 90CRI TRAILING EDGE OR 0-10V DRIVER	080083753666	12	1	16	•	•	•	•	•	★
LDA4A18935D010TE	4" ADJUSTABLE/SLOPE LED HOUSING, 1800 LUMENS, 3500K, 90CRI TRAILING EDGE OR 0-10V DRIVER	080083753642	12	1	16	•	•	•	•	•	★

### 4" Power Modules

ERM4A13835	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 3500K	080083678723	1.246	6	480	•	•	•	•	•	•
ERM4A13935	LED MODULE 4" MEDIUM 1300 LUMEN 90CRI 3500K	080083678150	1.2	6	480	•	•	•	•	•	•
LD4A28DE010	4" LED HOUSING, 2800 LUMENS, 0-10V 1PCT DIMMING DRIVER	080083722532	4.25	1	54	•	•	•	•	•	•
ERM4A13830	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 3000K	080083678747	1.396	6	480	•	•	•	•	•	•
ERW4A09830	LED MODULE 4" WIDE 900 LUMEN 80CRI 3000K	080083678594	1.25	6	480	•	•	•	•	•	•
ERW4A09840	LED MODULE 4" WIDE 900 LUMEN 80CRI 4000K	080083678556	1.2	6	480	•	•	•	•	•	★
ERW4A13840	LED MODULE 4" WIDE 1300 LUMEN 80CRI 4000K	080083678563	1.2	6	480	•	•	•	•	•	•
ERW4A13935	LED MODULE 4" WIDE 1300 LUMEN 90CRI 3500K	080083678044	1.2	6	480	•	•	•	•	•	★
ERW4A18835	LED MODULE 4" WIDE 1800 LUMEN 80CRI 3500K	080083678259	19	6	360	•	•	•	•	•	•
ERW4A18840	LED MODULE 4" WIDE 1800 LUMEN 80CRI 4000K	080083729838	1.95	6	360	•	•	•	•	•	•
ERM4A09830	LED MODULE 4" MEDIUM 900 LUMEN 90CRI 3000K	080083753970	1.2	6	480	•	•	•	•	•	•
ERM4A13835CP	LED MODULE 4" MEDIUM 1300 LUMEN 80CRI 3500K CHICAGO PLENUM	080083753963	1.25	6	360	•	•	•	•	•	•
ERM4A09840	LED MODULE 4" MEDIUM 900 LUMEN 80CRI 4000K	080083678693	1.175	6	480	•	•	•	•	•	•
ERM4A18835CP	LED MODULE 4" MEDIUM 180 LUMEN 80CRI 3500K CHICAGO PLENUM	080083754021	1.95	6	360	•	•	•	•	•	•
ERW4A13830	LED MODULE 4" WIDE 1300 LUMEN 80CRI 3000K	080083753888	1.398	6	480	•	•	•	•	•	•
ERW4A18940	LED MODULE 4" WIDE 1800 LUMEN 90CRI 4000K	080083753581	1.95	6	360	•	•	•	•	•	•

### 4" Square Downlight

ESQ4A09835	LED MODULE 4" SQUARE, 900 LUMEN, 80CRI, 3500K	080083753864	1.25	6	480	•	•	•	•	•	★
ESQ4A13830	LED MODULE 4" SQUARE, 900 LUMEN, 80CRI, 3000K	080083729791	1.2	6	480	•	•	•	•	•	•
ESQ4A13835	LED MODULE 4" SQUARE, 1300 LUMEN, 80CRI, 3500K	080083678426	1.25	6	480	•	•	•	•	•	•

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					GA	IL	CA	NJ	TX	
<b>4" Square Trim</b>										
4LSQ0LI	4" SQUARE LED REFLECTOR, POLYMER TRIM RING, SPECULAR FINISH	080083606696	1.249	1	96	•				
4LSQ0H	4" SQUARE LED REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083606702	0.85	1	96	•				
4LSQ1H	4" LED SQUARE REFLECTOR, SELF FLANGED, HAZE FINISH	080083721535	0.85	1	96	•	•	•		
4LSQ1HWF	4" LED SQUARE REFLECTOR, SELF FLANGED PINTED WHITE, HAZE FINISH	080083722792	2	1	96	•	•			
4LSQ1LIWF	4" LED SQUARE REFLECTOR, SELF FLANGED PINTED WHITE, SPECULAR CLEAR FINISH	080083619214	0.85	1	96	•		•	•	★
4LSQLWW0H	4" SQUARE LED LENSED WALL WASH, POLYMER TRIM RING, HAZE FINISH	080083722808	1.988	1	96	•				★
LDSQ4A13D010TE	4" SQUARE LED HOUSING, 1300 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678297	5.55	1	20	•	•	•		★
<b>4" Trims</b>										
4LM111LI	4" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599295	1.025	1	180	•				★
4LM1H	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083599288	0.307	1	180	•	•	•	•	★
4LM1LI	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599271	0.473	1	180	•	•	•	•	★
4LSQ1LI	4" LED SQUARE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083602551	0.85	1	96	•		•	•	
4LW0LI	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599318	0.561	1	180	•				★
4LW111LI	4" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630042	0.763	1	180	•				★
4LW0H	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599073	0.203	1	180	•	•			★
4LW1H	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083630059	0.668	1	180	•	•	•		★
4LW1LI	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630066	0.852	1	180	•	•	•	•	★
4LM0LI	4" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083721504	0.75	1	180	•	•	•	•	★
4LM1HWF	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083618880	0.8	1	180	•	•	•		★
4LM1LIWF	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083616091	0.8	1	180	•	•	•	•	★
4LW1HWF	4" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722877	1	1	180	•	•		•	★
4LM0H	4" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083729869	1	1	180		•			★
4LW0W	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, WHITE PAINT FINISH	080083754090	1	1	180					
4LW1LIWF	4" LED WIDE BEAM REFLECTOR, SELF FLANGE PAINTED WHITE, SPECULAR CLEAR FINISH	080083601684	1	1	180					★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	GA	IL	CA	NJ	TX
<b>6" Downlight</b>										
LD6A15D010TE	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678341	3.148	1	45	•	•	•	•	★
LD67ART15D010TE	6", 7" RETROFIT LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722365	3.25	4	480	•				
LD67ART20D010TE	6", 7" RETROFIT LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722259	3.25	4	480	•				
LD6A10D010TE	6" LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678358	2.997	1	45	•	•	•	•	★
LD6A10D010TEEMBOD	6" LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER WITH EMERGENCY BACKUP	080083722501	4.25	1	20	•				
LD6A10DL3	6" LED HOUSING, 1000 LUMENS, LUTRON DRIVER	080083722495	4.25	1	54	•				
LD6A15DL3	6" LED HOUSING, 1500 LUMENS, LUTRON DRIVER	080083678327	2.844	1	45	•	•		•	★
LD6A20D010TE	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678310	4.346	1	45	•	•	•	•	★
LD6A20D010TEEMBOD	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, EMERGENCY BACKUP	080083722471	4.25	1	16	•				
LD6A20D010TEIEMBOD	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, INTEGRAL EMERGENCY BACKUP	080083722464	4.25	1	20	•				
LD6A20D010TR	6" LED HOUSING, 2000 LUMENS, LEADING EDGE OR 0-10V DRIVER	080083722457	4.25	1	54	•				★
LD6A20DL3	6" LED HOUSING, 2000 LUMENS, LUTRON DRIVER	080083678303	19	1	45	•				★
LD6A30D010TE	6" LED HOUSING, 3000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722440	4.25	1	45	•	•	•	•	
LD6A30DE010	6" LED HOUSING, 3000 LUMENS, 0-10V 1PCT DIMMING DRIVER	080083722631	4.954	1	45	•	•	•	•	★
LD6ACP15D010TE	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722433	4.25	1	54		•			
LD6ACP20D010TE	6" LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083722426	4.25	1	54		•			
LD6ART15D010TE	6" RETROFIT LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722389	3.25	4	480	•				
LD6ART20D010TE	6" RETROFIT LED HOUSING, 2000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722372	3.25	4	480	•				
LD6A15D010TEEM14	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER, 14W EMERGENCY BACKUP	080083753512	4.495	1	20	•	•	•	•	★
LD6A15D010TEEM7	6" LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER, 7W EMERGENCY BACKUP	080083753529	4.495	1	20	•	•	•	•	★
LD6A30DL3	6" LED HOUSING, 3000 LUMENS, LUTRON DRIVER	080083754083	19	1	54	•				★
LD6ACP10D010TE	6" LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER, CHICAGO PLENUM	080083754007	4.25	1	54		•			
LDA6A30830D010TE	6" ADJUSTABLE/SLOPE LED HOUSING, 3000 LUMENS, 3000K, 80CRI TRAILING EDGE OR 0-10V DRIVER	080083753628	12.5	1	16	•				★
LDA6A30835D010TE	6" ADJUSTABLE/SLOPE LED HOUSING, 3000 LUMENS, 3500K, 80CRI TRAILING EDGE OR 0-10V DRIVER	080083753604	12.5	1	16	•				★
LDA6A30930D010TE	6" ADJUSTABLE/SLOPE LED HOUSING, 3000 LUMENS, 3000K, 90CRI TRAILING EDGE OR 0-10V DRIVER	080083753611	12.5	1	16	•				★
LDA6A30935D010TE	6" ADJUSTABLE/SLOPE LED HOUSING, 3000 LUMENS, 3500K, 90CRI TRAILING EDGE OR 0-10V DRIVER	080083753598	12.5	1	16	•				★





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY					
					GA	IL	CA	NJ	TX	
<b>6" Power Modules</b>										
ERM6A15835	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 3500K	080083678655	1.28	6	480	•	•	•	•	•
ERN6A10840	LED MODULE 6" NARROW 1000 LUMEN 80CRI 4000K	080083722587	1.25	6	480	•				
ERM6A10840	LED MODULE 6" MEDIUM 1000 LUMEN 80CRI 4000K	080083678617	6	6	480	•	•			•
ERM6A10935	LED MODULE 6" MEDIUM 1000 LUMEN 90CRI 3500K	080083678129	1.2	6	480	•				
ERM6A15830	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 3000K	080083678686	1.342	6	480	•		•		
ERM6A15840	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 4000K	080083678624	1.176	6	480	•				
ERM6A20830	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 3000K	080083678662	1.519	6	360	•				
ERM6A20840	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 4000K	080083729814	1.85	6	360	•	•	•		•
ERM6A20935	LED MODULE 6" MEDIUM 2000 LUMEN 90CRI 3500K	080083678068	1.85	6	360	•				
ERM6A30830	LED MODULE 6" MEDIUM 3000 LUMEN 80CRI 3000K	080083729852	1.85	6	360	•				★
ERM6A30835	LED MODULE 6" MEDIUM 3000 LUMEN 80CRI 3500K	080083729807	2.144	6	360	•		•		•
ERW6A10835	LED MODULE 6" WIDE 1000 LUMEN 80CRI 3500K	080083678488	1.351	6	270	•	•			★
ERW6A15827	LED MODULE 6" WIDE 1500 LUMEN 80CRI 2700K	080083678549	6	6	270	•				
ERW6A15830	LED MODULE 6" WIDE 1500 LUMEN 80CRI 3000K	080083678525	1.487	6	270	•				★
ERW6A15835	LED MODULE 6" WIDE 1500 LUMEN 80CRI 3500K	080083678495	1.352	6	270	•				
ERW6A15840	LED MODULE 6" WIDE 1500 LUMEN 80CRI 4000K	080083678464	1.865	6	270	•				
ERW6A20835	LED MODULE 6" WIDE 2000 LUMEN 80CRI 3500K	080083678471	6	6	180	•				★
ERW6A20840	LED MODULE 6" WIDE 2000 LUMEN 80CRI 4000K	080083729821	2.25	6	180	•				
ERW6A30840	LED MODULE 6" WIDE 3000 LUMEN 80CRI 4000K	080083729845	2.25	6	180	•				★
ERM6A10830	LED MODULE 6" MEDIUM 1000 LUMEN 80CRI 3000K	080083753956	1.2	6	480	•		•		★
ERM6A15835CP	LED MODULE 6" MEDIUM 1500 LUMEN 80CRI 3500K CHICAGO PLENUM	080083753932	1.25	6	360		•			
ERM6A20835	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 3500K	080083753918	1.459	6	360	•	•	•		•
ERM6A30840	LED MODULE 6" MEDIUM 3000 LUMEN 80CRI 4000K	080083753895	1.95	6	360	•				
ERM6A10835CP	LED MODULE 6" MEDIUM 1000 LUMEN 80CRI 3500K CHICAGO PLENUM	080083753949	1.25	6	360		•			
ERM6A15935	LED MODULE 6" MEDIUM 1500 LUMEN 90CRI 3500K	080083753925	1.2	6	480	•				★
ERM6A20835CP	LED MODULE 6" MEDIUM 2000 LUMEN 80CRI 3500K CHICAGO PLENUM	080083753901	1.95	6	360		•			
ERW6A10830	LED MODULE 6" WIDE 1000 LUMEN 80CRI 3000K	080083753871	1.8	6	270	•	•			
<b>6" Square Downlight</b>										
LDSQ6A10D010TE	6" SQUARE LED HOUSING, 1000 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083722396	4.25	1	54	•				★
LDSQ6A15D010TE	6" SQUARE LED HOUSING, 1500 LUMENS, TRAILING EDGE OR 0-10V DRIVER	080083678280	19	1	20	•	•		•	★
ESQ6A10835	LED MODULE 6" SQUARE, 1000 LUMEN, 80CRI, 3500K	080083678396	3.166	6	270	•				
<b>6" Square</b>										
6LSQ0LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083606719	0.85	1	96	•				
6LSQ1LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083635405	0.742	1	96	•				



★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					GA	IL	CA	NJ	TX	
<b>6" Trims</b>										
6LM0H	6" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083722242	0.9	1	180	•	•	•	•	★
6LM0LI	6" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083706860	0.863	1	180	•	•	•	•	
6LM1ELI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, FOR IEM	080083722228	3	1	180	•	•	•	•	★
6LM1H	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083598953	0.77	1	180	•	•	•	•	★
6LM1HWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722822	1	1	180	•	•	•	•	★
6LM1LI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083598946	0.447	1	180	•	•	•	•	★
6LM1LIWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722815	1.039	1	180	•	•	•	•	
6LM111H	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, HAZE FINISH	080083722235	1	1	180	•	•	•	•	★
6LM111LI	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630073	0.592	1	180	•	•	•	•	★
6LM111HWF	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722785	0.9	1	180	•	•	•	•	★
6LM111LIWF	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722839	1	1	180	•	•	•	•	★
6LW0H	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599066	0.854	1	180	•	•	•	•	★
6LW0LI	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599301	0.911	1	180	•	•	•	•	★
6LW1H	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083613212	0.743	1	180	•	•	•	•	★
6LW1LI	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083601011	0.793	1	180	•	•	•	•	
6LW1LIWF	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083601677	1	1	180	•	•	•	•	★
6LW111LI	6" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630080	1	1	180	•	•	•	•	★
LGSKT6IP66	6" IP66 GASKET KIT FOR LED	080083722198	0.13	12	448	•	•	•	•	★
6LM1WWF	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, PAINTED WHITE FINISH	080083722778	1	1	180	•	•	•	•	★
6LN0LI	6" LED NARROW BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083722204	0.75	1	180	•	•	•	•	★
6LW1HWF	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083698776	1	1	180	•	•	•	•	★
6LW1WHH	6" LED WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, WHEAT HAZE FINISH	080083722846	0.9	1	180	•	•	•	•	
<b>8" Downlight</b>										
LD8A401D010TE	8" LED HOUSING, 4000 LUMENS, 120V TRAILING EDGE OR 0-10V DRIVER	080083696352	4	1	54	•	•	•	•	★
LD8A402D010TE	8" LED HOUSING, 4000 LUMENS, 277V 0-10V DRIVER	080083696376	4	1	24	•	•	•	•	★
LD8A501D010TE	8" LED HOUSING, 5000 LUMENS, 120V TRAILING EDGE OR 0-10V DRIVER	080083696369	4	1	54	•	•	•	•	
LD8A502D010TE	8" LED HOUSING, 5000 LUMENS, 277V 0-10V DRIVER	080083696383	4	1	54	•	•	•	•	★
<b>8" Trims</b>										
8LM0LI	8" LED MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083694808	1.253	1	80	•	•	•	•	
8LM1LI	8" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083694815	1.5	1	80	•	•	•	•	
8LW0LI	8" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083694839	1.2	1	80	•	•	•	•	
8LW1LI	8" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083694846	1.2	1	80	•	•	•	•	

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	REGIONAL AVAILABILITY					★
						GA	IL	CA	NJ	TX	
<b>8" Power Modules</b>											
ER8A40830	LED MODULE 8" 4000 LUMEN 80CRI 3000K	080083694853	2.61	6	144	●					★
ER8A40835	LED MODULE 8" 4000 LUMEN 80CRI 3500K	080083757275	1.875	6	144	●					★
ER8A40840	LED MODULE 8" 4000 LUMEN 80CRI 4000K	080083696277	2.773	6	144	●	●				★
ER8A40935	LED MODULE 8" 4000 LUMEN 90CRI 3500K	080083696291	2.8	6	144	●					★
ER8A50830	LED MODULE 8" 5000 LUMEN 80CRI 3000K	080083696307	3	6	144	●					★
ER8A50835	LED MODULE 8" 5000 LUMEN 80CRI 3500K	080083696314	2.722	6	144	●			●		★
ER8A50840	LED MODULE 8" 5000 LUMEN 80CRI 4000K	080083696321	1.741	6	144	●					★
ER8A50930	LED MODULE 8" 5000 LUMEN 90CRI 3000K	080083696338	3	6	144	●					★
ER8A50935	LED MODULE 8" 5000 LUMEN 90CRI 3500K	080083696345	3	6	144	●					★



**Adjustable Trims and Accessories**

4LA1LI	4" ADJUSTABLE CUT REFLECTOR SPECULAR CLEAR FINISH	080083753727	0.8	4	504	●					★
4LLWW1LI	4" LENSED WALL WASH REFLECTOR SPECULAR CLEAR FINISH	080083753710	0.9	4	504	●					★
6LA1LI	6" ADJUSTABLE CUT REFLECTOR SPECULAR CLEAR FINISH	080083753703	0.9	1	360	●					★
6LFC1LI	6" DOWNLIGHT REFLECTOR SPECULAR CLEAR FINISH	080083753680	0.9	1	360	●					★
6LLWW1LI	6" LENSED WALL WASH REFLECTOR SPECULAR CLEAR FINISH	080083753697	0.9	1	360	●					★
LAR15SP	BEAM FORMING SPOT REFLECTOR 15" FOR 4" ADJUSTABLE	080083736362	0.2	12	8064	●					★
LAR25NF	BEAM FORMING NARROW FLOOD REFLECTOR 25" FOR 4" ADJUSTABLE	080083736386	0.2	12	8064	●					★
LAR35FL	BEAM FORMING FLOOD REFLECTOR 35" FOR ADJUSTABLE	080083736409	0.2	12	8064	●					★
LARH20SP	BEAM FORMING SPOT REFLECTOR 20" FOR 4" ADJUSTABLE	080083745388	0.2	12	768	●					
LARH30NF	BEAM FORMING NARROW FLOOD REFLECTOR 30" FOR 6" ADJUSTABLE	080083745401	0.2	12	768	●					
LARH40FL	BEAM FORMING FLOOD REFLECTOR 40" FOR 6" ADJUSTABLE	080083745364	0.2	12	768	●					
LARL15SP	BEAM FORMING SPOT REFLECTOR 15" FOR 6" ADJUSTABLE	080083736423	0.2	12	8064	●					★
LARL20NF	BEAM FORMING NARROW FLOOD REFLECTOR 20" FOR 6" ADJUSTABLE	080083736447	0.2	12	8064	●					★

**Surface Mount**

**Cylinders**

AC120MB	AIRCRAFT CABLE FOR CYLINDERS 120" BLACK CANOPY	080083753758	1.53	1	216	●					
AC48P	AIRCRAFT CABLE FOR CYLINDERS 48" WHITE CANOPY	080083753802	1.53	1	216	●					
LSR6A15D010TEMB	6" ROUND CYLINDER, 1500 LUMEN, TRAILING EDGE OR 0-10V DRIVER, BLACK	080083753796	4.4	1	32	●					
LSR6A15D010TEP	6" ROUND CYLINDER, 1500 LUMEN, TRAILING EDGE OR 0-10V DRIVER, WHITE	080083753789	1.421	1	32	●					
LSR6A20D010TEMB	6" ROUND CYLINDER, 2000 LUMEN, TRAILING EDGE OR 0-10V DRIVER, BLACK	080083753772	1.47	1	32	●					
LSR6A20D010TEP	6" ROUND CYLINDER, 2000 LUMEN, TRAILING EDGE OR 0-10V DRIVER, WHITE	080083753765	1.976	1	32	●					
P836MB	PENDANT KIT FOR CYLINDERS 36" BLACK	080083753635	2.8	1	42	●					
P836P	PENDANT KIT FOR CYLINDERS 36" WHITE	080083753741	2.8	1	42	●					

**CFL**

**Recessed**



**4" Vertical Downlight**





C4013E	VERTICAL 4" 13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553662	3.178	1	80	●					
C4018E	VERTICAL 4" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553679	2.827	1	80	●			●		★
C4026E	VERTICAL 4" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558643	3.408	1	80	●	●	●	●	●	★

**4" Trims**

4050LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313366	0.527	1	216			●	●		★
4051LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313397	0.609	1	216			●	●		★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					★	
					GA	IL	CA	NJ	TX		
<b>4" SQ Trims</b>											
4CSQ1LI	SQUARE 4" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083610082	0.288	1	96	•					★
<b>6" Lens Wall Wash</b>											
 CLWW6132E	6" LENSED WALL WASH 26/32W, 120-277V ELECTRONIC BALLAST	080083722662	6	1	54	•	•		•		★
<b>6" Square</b>											
 CSQ6142E	HORIZONTAL 6" 26/32/42W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610044	4.039	1	20					•	★
<b>6" Vertical Downlight</b>											
 CD6018E	VERTICAL 6" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660896	2.324	1	80	•					★
CD6042D26/32	VERTICAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660902	2.986	1	80	•				•	★
CD6042E	VERTICAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660919	4.69	1	45	•	•	•	•	•	★
CD6042ECP	VERTICAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660926	5.3	1	80		•				★
CD6042EEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660933	4.55	1	80	•		•	•	•	★
CD6042EIEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH INTEGRAL EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660940	2.511	1	80	•		•		•	★
CD6042D42MARKVII	VERTICAL 6" 42W MARKVII BALLAST	080083695188	2	1	60			•			★
CD6042EDR32	VERTICAL 6" 32W DERATED HOUSING	080083695195	4.6	1	80			•		•	★
<b>6" Horizontal Downlight</b>											
 CD6126E	HORIZONTAL 6" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660957	4.7	1	80	•	•		•		★
CD6142D26/32	HORIZONTAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660964	2.323	1	80	•	•				★
CD6142E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660971	4.056	1	45	•	•	•	•	•	★
CD6142ECP	HORIZONTAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660988	5.2	1	63		•				★
CD61423E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661039	4.6	1	54	•					★
CD6213E	HORIZONTAL 6" 2-13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660995	4.5	1	63	•					★
CD6218E	HORIZONTAL 6" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661008	2.65	1	63	•					★
CD6226E	HORIZONTAL 6" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661015	3.181	1	45	•	•	•			★
CD6126D	HORIZONTAL 6" 26W LUTRON BALLAST	080083722761	9.17	1	80	•				•	★
CD6142EDR32	HORIZONTAL 6" 32W DERATED HOUSING	080083722679	4.75	1	63	•					★
CD6142EEM	HORIZONTAL 6" 23/32/42W HOUSING WITH EMERGENCY BACKUP	080083722693	11.1	1	30	•			•		★
CD6142EIEM	HORIZONTAL 6" 23/32/42W HOUSING WITH INTEGRAL EMERGENCY BACKUP	080083722686	11.1	1	30	•					★
<b>6" SQ Trims</b>											
6CSQ1LI	REFLECTOR 6" COMPACT FLUORESCENT SQUARE SELF FLANGED SPECULAR CLEAR FINISH	080083610051	1.43	1	96	•				•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	GA	IL	CA	NJ	TX	
<b>6" Trims</b>											
6CV142M0LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660773	0.639	1	125	•	•	•	•	•	★
6CV142M1H	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660780	0.833	1	125	•	•	•	•	•	★
6CV142M1LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660797	0.761	1	150	•	•	•	•	•	★
6CV142M1LIWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083660803	0.939	1	150	•	•	•	•	•	★
6CWWV1420LI	VERTICAL 6" CFL WALL WASH REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660810	0.868	1	125	•	•	•	•	•	★
6CWWV1421LI	VERTICAL 6" CFL WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660827	0.511	1	125	•	•	•	•	•	★
6CV142W1H	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660834	0.653	1	100	•	•	•	•	•	★
6CLV142M1LI1	VERTICAL 6" CFL ACRYLIC PRISMATIC MEDIUM BEAM LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660841	0.8	1	100	•	•	•	•	•	★
6CLH1420LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	080083660858	1.539	1	216	•	•	•	•	•	★
6CLH1421LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED TRIM, SPECULAR CLEAR FINISH	080083660865	1.219	1	216	•	•	•	•	•	★
6CV142W0LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660872	0.531	1	150	•	•	•	•	•	★
6CV142W1LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660889	1.031	1	150	•	•	•	•	•	★
6CH1420LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH, 1 LAMP	080083661046	1.188	1	150	•	•	•	•	•	★
6CH1421H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, HAZE FINISH	080083661053	0.815	1	150	•	•	•	•	•	★
6CH1421LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661060	0.679	1	150	•	•	•	•	•	★
6CH2260LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH, 2 LAMP	080083661077	0.748	1	150	•	•	•	•	•	★
6CH2261LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, 2 LAMP	080083661091	1.1	1	150	•	•	•	•	•	★
6CH1421HWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661107	1.1	1	150	•	•	•	•	•	★
6CH1421LIWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083661114	1.1	1	150	•	•	•	•	•	★
6CV142W1LIWF	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722730	1.2	1	125	•	•	•	•	•	★
6CV142M1HWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083722747	1.2	1	125	•	•	•	•	•	★
6CLH1421LI1WF	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722716	1.2	1	125	•	•	•	•	•	★



**7" Vertical Downlight**

C7042E	VERTICAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616023	4.402	1	36	•	•	•	•	•	★
--------	----------------------------------------------------------------	--------------	-------	---	----	---	---	---	---	---	---



**7" Horizontal Downlight**

C7142EADV	HORIZONTAL 7" 42W CFL HOUSING, ADVANCE DIMMING	080083617180	2.238	1	36	•	•	•	•	•	★
C7218E	HORIZONTAL 7" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613152	5.4	1	54	•	•	•	•	•	★
C7226E	HORIZONTAL 7" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400005209	3.129	1	54	•	•	•	•	•	★



**7" Horizontal Downlight - C7142, C7242**

C7142E	HORIZONTAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616054	3.366	1	36	•	•	•	•	•	★
--------	------------------------------------------------------------------	--------------	-------	---	----	---	---	---	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>7" Trims</b>										
7001LI	VERTICAL 7" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313816	1.114	1	80	•				★
7050LI	VERTICAL 7" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	662400313847	1.1	1	125	•	•			★
7150LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313946	1.154	1	125	•				★
7151LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313977	0.846	1	125	•	•	•		★
7181LI1	HORIZONTAL 7" CFL PRISMATIC LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313991	2	1	125	•				★



<b>8" Horizontal Downlight</b>											
C8242E	HORIZONTAL 8" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558650	4.131	1	24	•	•		•	•	★

<b>8" Trims</b>											
8351LI	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961545566	1.268	1	80	•	•			•	★
8351LIWF	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083722914	1.2	1	80						★

**CFL Accessories**

<b>Accessories</b>											
C836P	PENDANT KIT, CFL, 36", WHITE	662400602187	3.618	4	300	•					★

**HID Recessed**

<b>Lens - Square 13"</b>											
11302P	13" SQUARE REGRESSED LENS	662400122890	6.8	1	44	•					★

**Incandescent Recessed**



<b>3" Adjustable</b>											
HA3MR	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING	662400648857	9.9	2	72	•		•	•		★
HA3MRDR37	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 37W DERATED LABEL	622696245604	9.475	2	72			•			★
HA3MRDR50	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 50W DERATED LABEL	622696245598	9.225	2	72			•			★



<b>6" Downlight</b>											
HD6	VERTICAL 6" INCANDESCENT HOUSING	662400619024	4.05	1	72			•	•	•	★

**Incandescent Accessories**

<b>Accessories</b>											
H836P	PENDANT KIT, 36", INCANDESCENT, WHITE	662400133681	1.879	1	50	•					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX

## CFL, HID, and Incandescent Accessories

### CFL, HID, and Incandescent Accessories

#### Accessories

HB26	BAR HANGER, C-CHANNEL 26" LONG	662400136187	1.3	20	720	•	•	•	•	•										
RMB22	22" LONG WOOD JOIST MOUNTING BARS	662401000821	1.141	4	756	•	•	•	•	•										★
TRM6P	6" METAL TRIM RING - WHITE	662400149170	0.1	12	175	•	•	•	•	•										★
DT7DISC	7" FROSTED DISC FOR USE ON 7" CFL, INCANDESCENT AND HID DOWNLIGHTS	662400680512	3.4	1	84	•	•	•	•	•										★
TRMC6P	6-3/8" WHITE METAL TRIM RING	080083692866	0.1	1	175	•	•	•	•	•										

### CFL Accessories

#### Frosted Disc

DTC6DISC	6" FROSTED DISC DECORATIVE TRIM RING FOR 6-3/8" CFL	080083661121	2.45	1	72	•	•	•	•	•										
----------	-----------------------------------------------------	--------------	------	---	----	---	---	---	---	---	--	--	--	--	--	--	--	--	--	--



CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# Iris










## Iris Platform

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
<b>3" IC Rated LED</b>										
	P3LED09827E	3" IC LED HOUSING, 900LM, 80CRI, 2700K	080083729647	13.85	1	20	•			
	P3LED09830E	3" IC LED HOUSING, 900LM, 80CRI, 3000K	080083694662	14.2	1	20	•			
	P3LED09927E	3" IC LED HOUSING, 900LM, 90CRI, 2700K	080083729654	14.1	1	20	•	•		
	P3LED09930E	3" IC LED HOUSING, 900LM, 90CRI, 2300K	080083729760	0.12	10	6240	•	•		
<b>3" Non-IC LED</b>										
	PN3LED12830E	3" NON-IC LED HOUSING, 1200LM, 80CRI, 3000K	080083729777	15.4	1	16	•			
	PN3LED12930E	3" NON-IC LED HOUSING, 1200LM, 90CRI, 3000K	080083729784	15.4	1	16	•			
<b>3" IC Rated Low Voltage</b>										
	P3MR	3" IC RATED LOW VOLTAGE HOUSING	662400609674	10.35	1	48	•	•	•	•
<b>3" Non-IC Low Voltage</b>										
	PN3MR	3" NON-IC LOW VOLTAGE HOUSING	662400609667	5.794	1	126	•	•	•	•
<b>3" Non-IC Low Voltage Remodel</b>										
	RPN3MR	3" NON-IC LOW VOLTAGE REMODEL HOUSING 50W	623961149153	4.685	1	140	•	•	•	•
<b>4" Square IC Rated</b>										
	P408ICAT	4" IC RATED MODULAR HOUSING	623961387203	6.475	2	40	•			
	P4MRICAT	4" SQUARE IC MR16 HOUSING	623961542787	8.9	2	40	•			
<b>4" Square Non-IC</b>										
	P406TAT	4" SQUARE NON-IC MODULAR HOUSING	623961082795	8.9	2	48	•			
	P4MRTAT	4" SQUARE NON-IC MR16 HOUSING	623961542770	8.9	2	64	•			★
<b>5" IC Rated</b>										
	P5	5" IC RATED MODULAR HOUSING	662400611356	5.585	1	48	•	•	•	•
<b>5" Non-IC</b>										
	PN5	5" NON-IC MODULAR HOUSING	622697326531	3.943	1	75	•			★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product












Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX
<b>Iris Power Modules</b>										
	<b>4" Square MR16 Low Voltage - MA4MR</b> MA4MR 4" SQUARE ADJUSTABLE MR16 LOW VOLTAGE MODULE	623961379352	5.35	12	144	•	•	•	•	•
	<b>4" Square MR16 Low Voltage - MV4MR</b> MV4MR 4" SQUARE VERTICAL MR16 LOW VOLTAGE MODULE	623961677809	1.2	1	400	•	•	•	•	★
	<b>5" and 7" Line Voltage Downlight</b> M120 5" AND 7" LINE VOLTAGE A AND PAR LAMP DOWNLIGHT MODULE	662400615415	0.34	16	1920	•	•	•	•	★
	<b>5" Line Voltage</b> M5P30 5" PAR30 ADJUSTABLE LINE VOLTAGE MODULE	662400615422	1.016	6	288	•	•	•	•	★
<b>Iris Optical Element</b>										
	<b>3" Adjustable Accent</b> E3AAC 3" ADJUSTABLE ACCENT, CLEAR REFLECTOR	662400684831	0.521	6	480	•	•	•	•	•
	E3AAH 3" ADJUSTABLE ACCENT, HAZE REFLECTOR	080083666737	0.501	6	480	•	•	•	•	•
	E3AAMW 3" ADJUSTABLE ACCENT, MATTE WHITE REFLECTOR	080083729579	0.53	6	432	•	•	•	•	•
	E3OVAL 3" OVAL PINHOLE	662400685920	0.5	6	480	•	•	•	•	★
	E3SLOTH 3" ADJUSTABLE ACCENT SLOT, HAZE REFLECTOR	080083729623	0.5	6	480	•	•	•	•	•
	<b>3" Downlight Pinhole</b> E3DNPIN 3" DOWNLIGHT PINHOLE	662400635116	0.814	6	240	•	•	•	•	★
	<b>3" Lensed Wall Wash</b> E3LWWH 3" LENSED WALL WASH, HAZE REFLECTOR	080083729593	0.85	6	432	•	•	•	•	•
	<b>3" Downlight Shower</b> E3SRH 3" DOWNLIGHT SHOWER, HAZE REFLECTOR	662400685470	0.625	6	432	•	•	•	•	★
	<b>3" Lensed Shower Adjustable Accent</b> E3AASRC 3" LENSED SHOWER ADJUSTABLE ACCENT, CLEAR REFLECTOR	080083729586	0.64	6	360	•	•	•	•	•
	<b>3" Lensed Shower Downlight</b> E3SRC 3" LENSED SHOWER DOWNLIGHT, CLEAR REFLECTOR	080083729630	0.61	6	432	•	•	•	•	•






★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX
<b>3" MR16 Downlight</b>										
 E3MRC	3" MR16 DOWNLIGHT, CLEAR REFLECTOR	662400685357	0.557	6	432	•		•	•	
E3MRH	3" MR16 DOWNLIGHT, HAZE REFLECTOR	662400685364	0.549	20	800	•		•	•	
E3MRWB	3" MR16 DOWNLIGHT, WHITE BAFFLE	662400685777	0.503	6	480	•		•		★
E3MRMW	3" MR16 DOWNLIGHT, MATTE WHITE REFLECTOR	080083729616	0.4	6	240	•		•	•	
<b>3" Pinhole</b>										
 E3PIN	3" PINHOLE	662400684183	0.719	6	480	•		•	•	★
E3PINLARGE	3" PINHOLE LARGE	662400684275	0.6	6	480	•		•	•	★
<b>3" Super Adjustable</b>										
 E3SA	3" SUPER ADJUSTABLE	623961149191	1.389	6	252	•		•		★
<b>4" Lensed Shower Downlight</b>										
 E4DLSRHSF	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961359590	1.2	6	300	•				★
<b>4" Square Adjustable Accent</b>										
 E4AAH	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR	623961366369	1	36	288	•				★
E4AAHSF	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366376	1	36	288	•		•		★
<b>4" Square Downlight</b>										
 E4DLH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR, LED	623961366321	1	36	288	•				★
E4DLHSF	4" SQUARE DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961366338	1	6	360	•				★
<b>4" Square Pinhole</b>										
 E4PIN	4" SQUARE PINHOLE, WHITE	623961366444	0.661	36	288	•				
E4PINRL	4" SQUARE PINHOLE, WHITE, RIMLESS	623961366451	1	6	420	•				
<b>4" Square Regressed Pinhole</b>										
 E4RPIN	4" SQUARE REGRESSED PINHOLE, WHITE	623961366482	0.866	6	420	•				
E4RPINRL	4" SQUARE REGRESSED PINHOLE, WHITE, RIMLESS	623961366499	0.525	6	420	•		•		
<b>4" Square Regressed Shower Pinhole</b>										
 E4RPINSR	4" SQUARE REGRESSED SHOWER PINHOLE, WHITE SHOWER	623961366505	1	6	420	•				
<b>4" Square Shower Pinhole</b>										
 E4PINSR	4" SQUARE SHOWER PINHOLE, WHITE	623961366468	1	6	420	•				
E4PINSRRL	4" SQUARE SHOWER PINHOLE, WHITE, RIMLESS	080083521746	0.85	36	288	•				
<b>4" Parabolic Lower Shielding Reflector</b>										
 E4MRH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR	623961520594	0.31	6	240	•				★

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	
 <b>5" Adjustable Accent</b> E5AAH	5" ADJUSTABLE ACCENT, HAZE REFLECTOR	662400624271	0.98	6	360	•					★
 <b>5" A Lamp Downlight and Wall Wash</b> E5A19H	5" A LAMP DOWNLIGHT, HAZE REFLECTOR	662400615934	0.681	6	144	•					★
 <b>5" PAR30 Downlight</b> E5P30H E5P30WB	5" PAR30 DOWNLIGHT, HAZE REFLECTOR	662400615996	1.37	6	144	•					★
	5" PAR30 DOWNLIGHT, WHITE BAFFLE	662400673149	1.05	6	144	•					★
<b>Iris Components &amp; Accessories</b>											
 <b>Lenses</b> LHEX LSPD	2IN HEX CELL LOUVER	662400614845	0.041	50	6000	•		•			★
	2" SPREAD LENS	662400614715	0.114	50	5000	•					★
 <b>Mount Collars</b> FMC3	3" FLUSH MOUNT COLLAR	622696870677	0.448	6	600	•		•	•		★
LC16KIT	RETROFIT LAMP CAPSULE KIT FOR PN3MR	623961078651	0.17	36	432						
RA4X4	4" SQUARE RIMLESS ADAPTER	080083603169	0.938	12	240	•		•			
RA6X6	6" SQUARE RIMLESS ADAPTER	080083594795	0.43	12	216	•					
RG50FL40	50MM GLASS LED REFLECTOR, 40 DEGREE	080083615261	0.14	10	5400	•	•	•		•	
RG50MH	50MM LED REFLECTOR MEDIA HOLDER	080083617623	0.79	1	1540	•				•	★
RG50NFL25	50MM GLASS LED REFLECTOR, 25 DEGREE	080083615278	0.12	10	6240	•		•			
RG50NSP10	50MM GLASS LED REFLECTOR, 10 DEGREE	080083615285	0.12	10	6240	•					
RG50SP15	50MM GLASS LED REFLECTOR, 15 DEGREE	080083628742	0.153	1	10	•					

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					
				QTY	QTY	GA	IL	CA	NJ

## Lumiere

### Accent / Flood

#### Cambria - 203



#### Low Voltage - 203

203-50MR16-12-BK	50W MR16 SIDE STEM, BLACK	080083694891	1.146	1	400	•	•	•	•	•	★
203-50MR16-12-BZ	50W MR16 SIDE STEM, BRONZE	080083694907	0.92	1	400	•	•	•	•	•	★
203-50MR16-12-CS	50W MR16 SIDE STEM, CITY SILVER	080083694914	1.2	1	400	•	•	•	•	•	★
203-50MR16-12-VE	50W MR16 SIDE STEM, VERDE	783363038476	1.2	1	400	•	•	•	•	•	★
203-50MR16-12-WT	50W MR16 SIDE STEM, WHITE	783363038469	1.2	1	400	•	•	•	•	•	★
203-CRS-50MR16-12-BZ	50W MR16 CENTER REAR SWIVEL STEM, BRONZE	080083694921	1.429	1	650	•	•	•	•	•	★

#### Cambria - 204



#### Low Voltage - 204

204-75MR16-12-BK	75W MR16 SIDE STEM, BLACK	783363038865	1.4	1	1728	•	•	•	•	•	★
204-75MR16-12-BZ	75W MR16 SIDE STEM, BRONZE	783363039305	0.717	1	280	•	•	•	•	•	★

#### Coronado - 806



#### Line Voltage - 806

806-50PAR20-120-BK	50W PAR20, SIDE STEM, BLACK	662400743934	1.6	1	650	•	•	•	•	•	★
806-50PAR20-120-BZ	50W PAR20 SIDE STEM, BRONZE		1.65	1	650	•	•	•	•	•	★

## Inground

#### Monaco 3000-BBR



#### Backbox

3000-BBR	BACKBOX FOR MONACO 3000, 3001, 3002, BLACK	080083760565	6	1	30	•	•	•	•	•	★
----------	--------------------------------------------	--------------	---	---	----	---	---	---	---	---	---

#### Monaco - 6000A-BB



#### Metal Halide, HPS, CFL - 6000A-BB

6000A-BB	BACKBOX FOR MONACO 6000A, BLACK	623961123177	4.417	1	18	•	•	•	•	•	★
----------	---------------------------------	--------------	-------	---	----	---	---	---	---	---	---

#### Boca - 613



#### Low Voltage - 613

613-50MR16-12-BK	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, BLACK	662400742845	3.1	1	486	•	•	•	•	•	★
613-50MR16-12-NBR	50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363038957	3.787	1	486	•	•	•	•	•	★

#### Boca - 650



#### Backbox

650-BB	BACKBOX FOR BOCA 650, BLACK	080083760572	0.325	1	100	•	•	•	•	•	★
--------	-----------------------------	--------------	-------	---	-----	---	---	---	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	GA	IL	CA	NJ	TX

**Boca - 696**



**Backbox**

600-BB

BACKBOX FOR BOCA 696, BLACK

080083760589

2.5

1

196

• | • | | | | ★

**Wall**

**Westwood - 903**



**Low Voltage - 903 dual head**

903-2-50MR16-120/12-BZ

50W MR16 DUAL HEAD INTEGRAL TRANSFORMER, BRONZE

783363045313

5.658

1

112

• | | | | | ★



**Low Voltage - 903**

903-50MR16-120/12-BZ

50W MR16 SINGLE HEAD INTEGRAL TRANSFORMER, BRONZE

783363044798

2.054

1

60

• | | | | | ★

**Westwood - 912**



**Line Voltage - 912 dual head**

912-2-50PAR20-120-BZ

50W PAR20 DUAL HEAD, BRONZE

783363087474

2.806

1

180

• | | | | | ★



**Line Voltage - 912**

912-50PAR20-120-BK

50W PAR20, BLACK

662400753667

1

1

486

| | • | | | | ★

**Bollards**

**Anchor Bolt Kit**



**Eon 303 B1**

7581-01PK

BOLLARD ANCHOR BOLT KIT - EON AND SEDONA

622696405985

2.4

1

40

• | • | | | | ★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

**Step**

**Zuma - 1201**



<b>Low Voltage - 1201</b>	1201-LA-35T4-12-BZ	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BRONZE	783363039602	1.4	1	650	•							★
---------------------------	--------------------	----------------------------------------------------	--------------	-----	---	-----	---	--	--	--	--	--	--	---

**Zuma - 1203**



<b>Low Voltage - 1203</b>	1203-INC13-12-BZ	13W T5 INCANDESCENT EYELID FACEPLATE, BRONZE	662400761105	0.618	1	200	•							★
---------------------------	------------------	----------------------------------------------	--------------	-------	---	-----	---	--	--	--	--	--	--	---

**Zuma - 1211**



<b>Compact Fluorescent - 1211</b>	1211-LP-CF9-120-BK	9W TT LOUVERED POLYCARBONATE FACEPLATE, BLACK	783363038490	1.581	1	650	•							
	1211-LP-CF9-120-WT	9W TT LOUVERED POLYCARBONATE FACEPLATE, WHITE	783363038483	1.55	1	288	•							★

**Pathway**

**Mau i - 1502**



<b>Low Voltage - 1502</b>	1502-INC18-12-BK	18W S8 INCANDESCENT, BLACK	783363039411	2	1	360	•							★
	1502-INC18-12-BZ	18W S8 INCANDESCENT, BRONZE	622697348359	1.65	1	360	•							★

**Cambria - 206**



<b>Low Voltage - 206</b>	206-50MR16-12-BK	50W MR16, 13.375" SIDE STEM, BLACK	783363038988	1.613	1	360	•							★
	206-50MR16-12-BZ	50W MR16, 13.375" SIDE STEM, BRONZE	662400743439	1.795	1	360	•							★

**Underwater**


**Atlantis - 1407**



<b>Low Voltage - 1407</b>	1407-75MR16-12-NBZ	75W MR16, NATURAL BRONZE	622697307103	6.268	1	490	•							★
---------------------------	--------------------	--------------------------	--------------	-------	---	-----	---	--	--	--	--	--	--	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	REGIONAL AVAILABILITY				
						GA	IL	CA	NJ	TX

## Accessories



### Lenses, Louvers & Filters

DIF	DIFFUSED LENS FOR MR16 LAMPS	662400756798	0.068	50	7500	•					★
QS-DIF-20	DIFFUSED LENS FOR PAR20 LAMPS	783363047560	0.097	1	2000	•					★
LSL	LINEAR SPREAD LENS FOR MR16 FIXTURES	662401101856	0.083	20	2160	•					★
LVR	HEX CELL LOUVER FOR MR16 FIXTURES	662400740308	0.048	1	10500	•	•	•	•	•	★
OSL	OVERALL SPREAD LENS FOR MR16 FIXTURES	662400741404	0.269	1	800	•		•			★



### Ground Mounting

GS03-BK	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BLACK	783363039008	0.543	1	100	•					★
GS05	GROUND SPIKE HEIGHT ADJUSTABLE POLYCARBONATE, BLACK	662400740537	0.556	1	600	•					★
GS08	GROUND SPIKE W/ SIDE OR BOTTOM WIRE WAY ABS	783363038735	0.28	1	500	•		•			★



### Optical Accessories

FH-203-BK	GLARE SHIELD FOR 203 FIXTURE, BLACK	783363038797	0.235	1	1536	•					★
FH-203-BZ	GLARE SHIELD FOR 203 FIXTURE, BRONZE	783363038704	0.468	1	1440	•	•	•			★
FH-203-WT	GLARE SHIELD FOR 203 FIXTURE, WHITE	783363044767	0.27	1	1536	•					★



### Surface, Wall & Tree Mounting

FS1-BK	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BLACK	783363039534		1	270	•		•			★
FS1-BZ	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BRONZE	783363078960	0.463	66	3300	•		•			★
RS1-BK	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BLACK	783363039282	0.943	1	200	•		•		•	★
RS1-BZ	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BRONZE	783363040028	0.776	1	5000	•		•			★
TM01-BZ	ROUND MOUNT SURFACE/TREE, BRONZE	662400743583	0.2	1	2000			•			★
TM01-WT	ROUND MOUNT SURFACE/TREE, WHITE	662400743644	0.2	1	200	•		•			★
TM04-BZ	EXPANDING TREE STRAP FOR ONE FIXTURE, BRONZE	662400743576	0.368	1	500	•					★
TM05-BK	RECTANGULAR MOUNT SURFACE/TREE, BLACK	783363039312	0.25	1	1000			•			★
TM05-BZ	RECTANGULAR MOUNT SURFACE/TREE, BRONZE	783363038858	0.3	20	2100	•		•			★
TM05-WT	RECTANGULAR MOUNT SURFACE/TREE, WHITE	783363041834		1	1	•		•			★

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    GA    IL    CA    NJ    TX

# McGraw-Edison

## Wall Mount Impact



### *Trapezoid - Pulse Start Metal Halide*

MPIT15	150W MP MULTI-TAP W/LAMP BRONZE TRAPEZOID	623961904714	16.6	1	40	•	•					★
--------	----------------------------------------------	--------------	------	---	----	---	---	--	--	--	--	---



### *Cylinder - Pulse Start Metal Halide*

MPIC10	100W MP MULTI-TAP W/LAMP BRONZE	623961932298	18.34	1	40	•						
MPIC15	150W MP MULTI-TAP W/LAMP BRONZE, CYLINDER	623961904936	19	1	32	•						★



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

## Fail-Safe

### Commercial Vandal Resistant Surface



<b>FPS</b> FPS-232-UNV-EB81	VANDAL RESISTANT HIGH ABUSE POLYCARBONATE LUMINAIRE, 8.7"X50.3"X4.1"	622696936069	13.538	1	21	•						★
--------------------------------	----------------------------------------------------------------------	--------------	--------	---	----	---	--	--	--	--	--	---

#### Wall



<b>FB/IB</b> IB-O-100-120	VANDAL RESISTANT HIGH ABUSE SURFACE LUMINAIRE 100W, 8.5" X 6" X 4.5"	662400712534	4	6	45			•				★
------------------------------	----------------------------------------------------------------------	--------------	---	---	----	--	--	---	--	--	--	---

#### Linear Fluorescent



<b>FWW</b> FWW-232-UNV-EB81	WALL VANDAL WRAP, 4', TWO 32W T8 LAMP, WET LOCATION	622696471058	22	1	40	•						★
--------------------------------	-----------------------------------------------------	--------------	----	---	----	---	--	--	--	--	--	---

#### Vapor Tight Fixture



<b>VRVT</b> VRVT2-232DR-UNV-EB81-WL-U	VAPOR TIGHT FIXTURE, 4', TWO 32W T8 LAMP, WET LOCATION	662401820276	7.38	1	35	•						★
------------------------------------------	--------------------------------------------------------	--------------	------	---	----	---	--	--	--	--	--	---

#### Cleanroom

##### Troffer



<b>CFD</b> CFDFA-332A125-UNV-EB81-U	CLEANROOM TROFFER, 2' X 4', THREE 32W T8 LAMP, CLASS 1000 & ABOVE	080083589593	26	1	22	•						★
CFDFA-432A125-UNV-EB81-U	CLEANROOM TROFFER, 2' X 4', FOUR 32W T8 LAMP, CLASS 1000 & ABOVE	080083545599	26.08	1	22	•	•					★

#### Medical

##### Undercabinet




<b>MAS</b> MAS-32-UNV-IK12-EB81	UNDERCABINET, 32W T8 LAMP	080083589616	7.948	1	60	•						★
MAS-32-120-IK12-EB81-RSW	UNDERCABINET, 32W T8 LAMP, WITH ROCKER SWITCH	080083589623	8.2	1	60	•						★


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					
				QTY	QTY	GA	IL	CA	NJ

## MWS


### Starter Fitting

	<b>277V</b> 27ST12/2G	277V 1-HOT, NEUTRAL AND GROUND	622697277604	0.539	60	1440	•	•					★
----------------------------------------------------------------------------------	--------------------------	--------------------------------	--------------	-------	----	------	---	---	--	--	--	--	---

### Extender Cables

	<b>277V</b> 27EC12/2G13	277V 1-HOT, NEUTRAL AND GROUND, 13' LENGTH	622697310158	2.294	6	108	•	•					★
----------------------------------------------------------------------------------	----------------------------	--------------------------------------------	--------------	-------	---	-----	---	---	--	--	--	--	---

### Splitter

	<b>277V</b> 27SP12/4G	277V 3-HOTS, NEUTRAL AND GROUND	622697383220	0.9	36	864	•	•					★
----------------------------------------------------------------------------------	--------------------------	---------------------------------	--------------	-----	----	-----	---	---	--	--	--	--	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

## HID Accessories


### HID Accessories Industrial

ILMLAA5A	ACRYLIC TYPE 5 LENS, VERTIMARK II	662400116523	3.629	1	16	•				★
----------	-----------------------------------	--------------	-------	---	----	---	--	--	--	---

### Industrial Component Accessory

PC3-277V	3 FOOT CORD WITH NEMA 277V L7-15P PLUG	662401550029		1	16	1536	•			★
----------	----------------------------------------	--------------	--	---	----	------	---	--	--	---

### Lumark

OA/RA1013	SHORTING CAP FOR NEMA TWISTLOCK PHOTOCONTROL RECEPTACLE, FLOODLIGHTS ACCESSORY	662400116974	0.246	1	1120	•	•			★
PB120V	BUTTON PHOTOCONTROL 120V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400121206	0.177	6	256	•				★
PB277V-BUTTON-PC	BUTTON PHOTOCONTROL 277V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400124283	0.162	1	12	•				★
SR-CARETAKER	CARETAKER SMALL ACRYLIC REFRACTOR	080083699087	0.8	4	240	•		•		★ 

### McGraw Edison

OA1090	ADJUSTABLE SLIPFITTER FOR 2 3/8" OD VERTICAL TENON	662400117322	4.4	1	126	•				★
--------	----------------------------------------------------	--------------	-----	---	-----	---	--	--	--	---

### Lumark and McGraw Edison

#### Lumark Floodlight and McGraw Edison Galleria Square

OA/RA1016	NEMA TWISTLOCK PHOTOCELL 105-285V	662400117001	0.23	100	1800	•	•	•		★
-----------	-----------------------------------	--------------	------	-----	------	---	---	---	--	---

#### Lumark Floodlight and McGraw Edison Pole Bracket / Adapters

TASQ-4-2	2 3/8" OD VERTICAL REMOVABLE TENON FOR 4" SQUARE STRAIGHT STEEL POLE BRONZE	662401692699	7.2	1	200	•				★
101-A22	TWO AT 180 DEGREE BULLHORN FOR 2 3/8" OD VERTICAL TENON BRONZE	662401675739	22	1	20	•				★
101-A23	TWO AT 180 DEGREE BULLHORN FOR 3 1/2" OD VERTICAL TENON BRONZE	662400673446	27.6	1	24	•				★
OA/RA1027	NEMA TWISTLOCK PHOTOCELL 480V	662400117018	0.223	50	1000	•				★
RABBZ	RIGHT ANGLE BRACKET WALL MOUNT 8" BRONZE	662401691739	7.513	1	96	•	•		•	★
SAB	SIDE ANGLE BRACKET WALL MOUNT GALVANIZED	662400121107	7.749	1	72	•				★
SAB-BZ	SIDE ANGLE BRACKET WALL MOUNT BRONZE	662400971702	6.29	2	60	•				★
MA1011-BZ	TWO AT 180 DEGREE TENON ADAPTER FOR 3 1/2" OD VERTICAL TENON BRONZE, GALLERIA SQUARE	662400123897	15.975	1	160	•				★
TYS-BZ	TRUNNION YOKE SLIPFITTER FOR 2 3/8", 3" & 3 1/2" OD VERTICAL TENON BRONZE, FLOODLIGHTS ACCESSORY	080083521654	3.022	8	256	•				
101-J33	STEEL BRACKET FOR FLOODLIGHTS- 3 ARM ON 180 DEGREE SEPARATION	662401675944	38.8	1	200	•				★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG  
NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   GA   IL   CA   NJ   TX

# Poles

## Poles

### Steel Poles

#### Accessories

AB1GF	3/4" X 25" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS, FULLY GALVANIZED	080083587544	3.15	4	200							★
AB3	1" X 36" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS	662400115038	5.614	4	100	•	•	•	•	•	•	★
TMP2	ANCHOR BOLT TEMPLATE 12 1/2" SSS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400119159	0.194	500	9000	•	•					★
TMP4	ANCHOR BOLT TEMPLATE 11" RTS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400124917	0.129	1	10000	•						★
TMP5	ANCHOR BOLT TEMPLATE 12 1/2" RTS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400124245	0.346	300	10800	•		•				★
AB1	3/4" X 25 ANCHOR BOLT W/2 NUTS, 2 FLAT WASHER	662400115014	2.787	4	200	•	•	•	•	•	•	★
TMP1	ANCHOR BOLT TEMPLATE 11" SSS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400119142	0.04	1200	9600	•	•	•	•	•	•	★







#### 4"

SSS4A20SFM4	4" SQUARE STRAIGHT STEEL X .120 X 20' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	622697005276		1	1	1		•	•		•	★
SSS4A25SFM4	4" SQUARE STRAIGHT STEEL X .120 X 25' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	662401143467	216	1	1	1		•	•			★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX



## Controls

### Lighting Control Panels - Stand-Alone

	<b>LiteKeeper 4</b> LK4-277NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 277 VAC, NORMALLY OPEN RELAYS	080083594603	10	1	8	•					★
	LK4-120NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 120 VAC, NORMALLY OPEN RELAYS	080083592043	9.4	1	126	•		•			★
	<b>LiteKeeper 8</b> LK8	LITEKEEPER 8 STAND ALONE LIGHTING CONTROL PANEL	080083594573	11.602	1	45	•		•	•		Ⓞ
	<b>LiteKeeper 16</b> LK16-120/277-S2-L0-M0-T0-HVBO	LITEKEEPER 16 STAND ALONE LIGHTING CONTROL PANEL	080083594580	26.4	1	32	•		•			★ Ⓞ
	<b>LiteKeeper 32</b> LK32-120/277-S4-L0-M0-T0-HVBO	32 SIZE SA ENC WITH 32 RELAYS	080083598175	42	1	10	•					★
	<b>LiteKeeper Boards and Accessories</b> LK-LB	LITEKEEPER LOGIC BOARD	080083594566	7.619	1	32	•		•	•		Ⓞ



### Lighting Controls - Daylighting

#### Daylight Sensor

	<b>Indoor Contact Input Photosensor</b> PPS-4	INDOOR CONTACT INPUT PHOTOCCELL	080083626298	0.354	1	24	•			•		★
	<b>Outdoor Contact Input Photosensor</b> PPS-5	OUTDOOR CONTACT INPUT PHOTSENSOR	080083598168	0.447	1	1536	•		•	•		★

### Lighting Controls - Emergency

#### Emergency Power Control

	<b>120V or 277V</b> CEPC-1	EMERGENCY POWER CONTROL 120V / 277V	080083718153	0.45	42	1008	•		•	•		★
	<b>0-10V: 120 or 277V</b> CEPC-1-D	EMERGENCY POWER CONTROL 0-10V: 120V OR 277V	080083718160	0.5	46	920	•		•			★


★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   Ⓞ Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX


## Room Controller

### Room Controller


	<b>3 Zone Dimming</b> RC3D	ROOM CONTROLLER - 3 ZONE DIMMING	080083657148	0.3	1	1120	•		•			
----------------------------------------------------------------------------------	-------------------------------	----------------------------------	--------------	-----	---	------	---	--	---	--	--	--

	<b>3 Zone w/ PEM</b> RC3DE	ROOM CONTROLLER - 3 ZONE DIM ENH W/PEM	080083657179	0.3	1	1120	•		•			
----------------------------------------------------------------------------------	-------------------------------	----------------------------------------	--------------	-----	---	------	---	--	---	--	--	--


### Daylight Sensor

	<b>Room Controller Daylight Sensor, CAT5</b> DSRC-FMOIR	DAYLIGHT SENSOR RC - CAT5	080083656653	0.094	50	2100	•		•			
----------------------------------------------------------------------------------	------------------------------------------------------------	---------------------------	--------------	-------	----	------	---	--	---	--	--	--


### Switchpack

	<b>Room Controller Switchpack CAT5 Receptacle Rated 20A 120V</b> SPRC-R-20-120	SWITCHPACKCAT5 RECP RATED 20A 120V - BULK10	080083718191	1.15	10	720	•		•			
----------------------------------------------------------------------------------	-----------------------------------------------------------------------------------	---------------------------------------------	--------------	------	----	-----	---	--	---	--	--	--


### Wallstation

	<b>3 Button</b> RC-3TLB-Z1D-W	RC, ZONE 1, RL - WHITE	080083695126	0.3	1	1120	•		•			
	RC-3TLB-Z2D-W	RC, ZONE 2, RL - WHITE	080083695133	0.3	1	1120	•		•			
	RC-3TLB-Z3D-W	RC, ZONE 3, RL - WHITE	080083695140	0.3	1	1120	•		•			

	<b>5 Button</b> RC-5TSB-OS2-W	OFFICE STATION 2 - WHITE	080083657322	0.3	1	1120	•		•			
------------------------------------------------------------------------------------	----------------------------------	--------------------------	--------------	-----	---	------	---	--	---	--	--	--


	<b>6 Button</b> RC-6TSB-ZAD-W	RC, INDIVIDUAL DIMMERS - WHITE	080083697168	0.3	1	1120	•		•			
------------------------------------------------------------------------------------	----------------------------------	--------------------------------	--------------	-----	---	------	---	--	---	--	--	--


### Accessories

	<b>Room Controller Input/Output Device</b> OCC-RJ45	CAT5 COUPLER - SENSOR	080083657124	0.081	1	1120	•		•			
------------------------------------------------------------------------------------	--------------------------------------------------------	-----------------------	--------------	-------	---	------	---	--	---	--	--	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----


**Switchpack**  
**Receptacle Rated**

	<b>20A 120V (General Use / Non-Room Controller)</b> SP-R-20-120	SWITCHPACK RECPATED 20A 120V - BULK10	080083718184	1.15	10	540	•		•		
----------------------------------------------------------------------------------	--------------------------------------------------------------------	---------------------------------------	--------------	------	----	-----	---	--	---	--	--


	<b>Heavy Duty Switchpack</b> SP20-MV	SWITCHPACK, 120/277, 20A	080083503223	0.745	30	1350	•		•	•	•
----------------------------------------------------------------------------------	-----------------------------------------	--------------------------	--------------	-------	----	------	---	--	---	---	---

	<b>Dual Relay</b> SPD20-MV-NO	DUAL RELAY SWITCHPACK, 120/277, 20A	080083503841	1.28	64	260			•		★
----------------------------------------------------------------------------------	----------------------------------	-------------------------------------	--------------	------	----	-----	--	--	---	--	---


**Wall Switch No Sensor - 120V**  
**Forward Phase Cut Dimmer**


	<b>Slide Dimmer</b>										
	SAL06P-LA	SLIDE PHASE DIMMER 120V - LIGHT ALMOND	032664730955	0.24	100	2400	•				
	SAL06P-V	SLIDE PHASE DIMMER 120V - IVORY	032664730962	0.24	100	2400	•				
	SAL06P-GY	SLIDE PHASE DIMMER 120V - GREY	032664730948	0.24	100	576	•				
SAL06P-BK	SLIDE PHASE DIMMER 120V - BLACK	032664730931	0.24	100	2400	•					

	<b>Decorator Dimmer</b>										
	DAL06P-C1	DECORATOR DIMMER 120V - W, V, A	032664731068	0.283	36	1620	•				
	DAL06P-C2	DECORATOR DIMMER 120V - W, V, LA	032664731075	0.283	36	1620	•		•		
DAL06P-C5	DECORATOR DIMMER 120V - W, GY, BK	032664731495	0.283	36	576	•					

	<b>Toggle Dimmer</b> TAL06P-C5	TOGGLE DIMMER 120V - W, GY, BK	032664731501	0.264	0	1188	•				
------------------------------------------------------------------------------------	-----------------------------------	--------------------------------	--------------	-------	---	------	---	--	--	--	--

**Wall Switch No Sensor - 120/277V**  
**0-10V Dimmer**


	<b>Slide Dimmer</b>										
	SF10P-W	SLIDE 0-10V DIMMER 120/277V - WHITE	032664736926	0.233	2	3200	•			•	
	SF10P-V	SLIDE 0-10V DIMMER 120/277V - IVORY	032664736919	0.233	100	3200	•		•		
	SF10P-GY	SLIDE 0-10V DIMMER 120/277V - GREY	032664736896	0.233	100	1800	•				
SF10P-BK	SLIDE 0-10V DIMMER 120/277V - BLACK	032664736889	0.233	1	1800	•					

	<b>Decorator Dimmer</b>										
	DF10P-C1	DECORATOR 0-10V DIMMER 120/277V - W, V, A	032664736827	0.283	2	1620	•			•	
	DF10P-C2	DECORATOR 0-10V DIMMER 120/277V - W, V, LA	032664736834	0.283	0	1620	•		•		
DF10P-C5	DECORATOR 0-10V DIMMER 120/277V - W, GY, BK	032664736858	0.283	36	1620	•					


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX

## Wall Switch Occupancy and Vacancy Sensor - 120V

### PIR - Occupancy


	<b>PIR Single Level 120V Occupancy Sensor Switch</b>										
	OSW-P-0801-120-B	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, BLACK	032664730757	0.314	1	990	•				
	OSW-P-0801-120-V	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, IVORY	032664729836	0.314	1	990	•		•		
	OSW-P-0801-120-W	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, WHITE	032664729829	0.314	1	990	•		•		<b>OTS</b>


### PIR - Vacancy

	<b>PIR Single Level 120V Vacancy Sensor Switch</b>										
	VSW-P-0801-120-W	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, WHITE	032664729874	0.314	36	864	•		•	•	
	VSW-P-0801-120-V	PIR SINGLE LEVEL 120V VACANCY SENSOR SWITCH, IVORY	032664729881	0.314	1	990	•				<b>OTS</b>


## Wall Switch Occupancy and Vacancy Sensor - 120/277V Tier One

### PIR - Occupancy


	<b>PIR Single Level 120/277V Occupancy Sensor Switch</b>										
	OSW-P-0451-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE, 450 SQ FEET COVERAGE	080083503377	0.332	48	384			•	•	
	OSW-P-1001-MV-LA	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	032664729799	0.36	30	990	•				
	OSW-P-1001-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY, 1000 SQ FEET COVERAGE	032664729782	0.36	40	990	•				<b>OTS</b>
	OSW-P-1001-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE, 1000 SQ FEET COVERAGE	032664729775	0.36	40	990	•		•		<b>OTS</b>
	OSW-P-0451-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY, 450 SQ FEET COVERAGE	080083503391	0.328	48	48			•		
	OSW-P-0451-MV-N-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR WITH NEUTRAL, WHITE	080083503407	0.25	0	1920			•		

	<b>PIR Dual Level 120/277V Occupancy Sensor Switch</b>										
	OSW-P-0451-DMV-V	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503513	0.383	50	1920	•		•		
	OSW-P-0451-DMV-W	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503490	0.401	50	2400	•		•		

### Ultrasonic - Occupancy






	<b>Ultrasonic Single Level 120/277V Occupancy Sensor Switch</b>										
	OSW-U-0721-MV-V	ULTRASONIC SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503339	0.308	48	1920			•		<b>OTS</b>
	OSW-U-0721-MV-W	ULTRASONIC SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503315	0.308	48	90	•		•		<b>OTS</b>

### Dual Technology - Occupancy



	<b>Dual Technology Single Level 120/277V Occupancy Sensor Switch</b>									
	OSW-DT-0601-MV-V	DUAL TECH SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083504466	0.304	10	1680	•		•	
	OSW-DT-0601-MV-W	DUAL TECH SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083504473	0.299	10	1680		•		★ <b>OTS</b>

## Wall Switch Occupancy and Vacancy Sensor - 120/277V Tier Two





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>PIR - Occupancy</b>											
	<b>PIR Single Level 120/277V Occupancy Sensor Switch</b>										
ONW-P-1001-MV-G	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, GRAY	080083523894	0.508	1	8	•	•				
ONW-P-1001-MV-W	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083523863	0.546	10	1200	•	•				Off The Shelf
ONW-P-1001-MV-V	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083523870	0.538	1	8	•	•				Off The Shelf
	<b>PIR Dual Level 120/277V Occupancy Sensor Switch</b>										
ONW-P-1001-DMV-V	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, IVORY	080083524020	0.618	10	100	•	•				Off The Shelf
ONW-P-1001-DMV-W	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, WHITE	080083524013	0.538	10	4	•	•				Off The Shelf
<b>PIR - Vacancy</b>											
	<b>PIR Single Level 120/277V Vacancy Sensor Switch</b>										
VNW-P-1001-MV-W	NEOSWITCH VACANCY PIR - WHITE	080083644384	0.484	1	1			•			Off The Shelf
VNLW-P-1001-MV-N-W	NEOSWITCH WITH NIGHTLIGHT VACANCY PIR SINGLE LEVEL, WITH NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083626311	0.486	0	700			•			
<b>Dual Technology - Occupancy</b>											
	<b>Dual Technology Single Level 120/277V Occupancy Sensor Switch</b>										
ONW-D-1001-MV-B	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, BLACK	080083524747	0.464	1	4			•			
ONW-D-1001-MV-G	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524730	0.522	1	1	•	•				
ONW-D-1001-MV-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524723	0.458	1	300			•			
ONW-D-1001-MV-N-G	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, GRAY	080083524624	0.508	1	8	•	•				
ONW-D-1001-MV-N-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524617	0.464	10	10			•			
ONW-D-1001-MV-N-V	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, IVORY	080083524600	0.531	10	200	•	•				Off The Shelf
ONW-D-1001-MV-N-W	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, WHITE	080083524594	0.514	10	10	•	•	•	•		Off The Shelf
ONW-D-1001-MV-V	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524716	0.51	10	1350	•	•	•	•		Off The Shelf
ONW-D-1001-MV-W	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524709	0.517	10	30	•	•	•	•		Off The Shelf
ONW-D-1001-SP-W	NEOSWITCH DUAL TECH LOW VOLTAGE WHITE	080083560929	0.45	10	900			•			Off The Shelf
	<b>Dual Technology Dual Level 120/277V Occupancy Sensor Switch</b>										
ONW-D-1001-DMV-G	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524785	0.496	1	20			•			Off The Shelf
ONW-D-1001-DMV-LA	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524778	0.494	1	8			•			
ONW-D-1001-DMV-N-G	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, GRAY	080083524686	0.5	1	1			•			
ONW-D-1001-DMV-N-V	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, IVORY	080083524662	0.563	1	2	•	•				Off The Shelf
ONW-D-1001-DMV-N-W	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, WHITE	080083524655	0.531	10	100	•	•	•	•		Off The Shelf
ONW-D-1001-DMV-W	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524754	0.546	10	1350	•	•	•	•		Off The Shelf
ONW-D-1001-DMV-V	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524761	0.515	1	500	•	•	•	•		Off The Shelf
















★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	GA	IL	CA	NJ	TX
<b>Dual Technology - Vacancy</b>										
	<b>Dual Technology Single Level 120/277V Vacancy Sensor Switch</b>									
VNW-D-1001-MV-N-W	NEOSWITCH VACANCY DUAL TECH SINGLE LEVEL, WITH NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083644483	0.484	1	1			•		
VNW-D-1001-MV-W	NEOSWITCH VACANCY DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083644438	0.45	10	1350			•	•	
	<b>Dual Technology Dual Level 120/277V Vacancy Sensor Switch</b>									
VNW-D-1001-DMV-W	NEOSWITCH VACANCY DUAL TECH DUAL LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083652068	0.484	1	1			•	•	

**Occupancy and Vacancy Sensors - Ceiling Mount**

**Line Voltage - Occupancy**

	<b>PIR</b>									
OAC-P-0500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579396	0.01	10	0			•		
OAC-P-0500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579389	0.01	1	770			•		Ⓢ
OAC-P-1500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083608607	0.01	1	770			•		
OAC-P-1500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579402	0.01	1	770			•		Ⓢ
	<b>Dual Technology</b>									
OAC-DT-2000-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, DUAL TECHNOLOGY, DUAL RELAY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579433	0.01	1	24			•		Ⓢ
OAC-DT-2000-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, DUAL TECHNOLOGY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579426	0.01	1	10			•	•	Ⓢ
OAC-DT-2000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579266	0.619	10	770	•		•	•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	GA	IL	CA	NJ	TX	
<b>Low Voltage - Occupancy</b>											
	<b>PIR</b>										
OAC-P-0500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579129	0.653	10	770	•		•			
OAC-P-0500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702008	0.01	10	770			•			
OAC-P-1500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579143	0.45	10	770			•			
OAC-P-1500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579150	0.01	10	770			•			
	<b>Ultrasonic</b>										
OAC-U-0501	MICROSET CEILING SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579167	0.01	1	770	•		•			
	<b>Dual Technology</b>										
OAC-DT-0501	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579228	0.45	10	770			•			
OAC-DT-0501-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702053	0.01	10	770			•			
OAC-DT-1000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579242	0.55	10	540	•		•	•		
OAC-DT-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702060	0.01	10	770	•		•	•		
OAC-DT-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702077	0.6	10	770	•		•	•	•	
<b>Low Voltage - Vacancy</b>											
	<b>Ultrasonic</b>										
VAC-U-2000-R	MICROSET VACANCY CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083605859	0.01	0	600			•			
VAC-U-1000-R	CEILING VACANCY US W/BAS - 1000 SQ FT	080083605835	0.01	0	600			•			
	<b>Dual Technology</b>										
VAC-DT-0501-R	MICROSET VACANCY CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083702138	0.01	10	0			•			
VAC-DT-2000-R	MICROSET VACANCY CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083702152	0.01	10	600			•	•		

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product





Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	GA	IL	CA	NJ	TX	

### Occupancy and Vacancy Sensors - Wall/Corner Mount





**PIR**

OAWC-P-009L-H	PIR WALL/CORNER SENSOR, 90 LINEAR	080083577873	0.79	1	576			•				
OAWC-P-009L-H-R	PIR WALL/CORNER SENSOR, 90 LINEAR, W/BAS RELAY AND DAYLIGHT SENSOR	080083577880	0.814	1	576			•				
OAWC-P-120W	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083577668	0.792	1	360			•				
OAWC-P-120W-R	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083626304	0.818	2	360	•		•				




**Dual Technology**

OAWC-DT-120W	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083579563	0.913	10	770	•		•				
OAWC-DT-120W-R	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083579570	0.958	1	80			•				

### Occupancy Sensors - Fixture Mount



**OEF-P, High-Bay Fixture Mount Sensor**

OEF-P-2MH0-MV-S	FIXTURE MOUNT PIR SENSOR, 2-WAY ( 360 DEGREE), 120-277V, SIDE MOUNT	623961699030	0.25	30	3000	•		•				
-----------------	---------------------------------------------------------------------	--------------	------	----	------	---	--	---	--	--	--	-------------------------------------------------------------------------------------

# ARRA

*Cooper Lighting is uniquely positioned to help customers take advantage of the vast opportunities brought forth by the passing of the American Recovery and Reinvestment Act (ARRA)*



## **The American Recovery and Reinvestment Act**

*On February 17, 2009 Congress passed the final version of the financial stimulus legislation "American Recovery and Reinvestment Act," also called ARRA. ARRA contains a strong "Buy American" provision to ensure the support of domestic companies and domestic workers.*

### *Elements of the Act*

- Revive the renewable energy industry and provide the capital over the next three years to eventually double domestic renewable energy capacity.
- Enact the largest increase in funding of our nation's roads, bridges, and mass transit systems since the creation of the national highway system in the 1950s.
- Invest \$4.5B on Energy Delivery and Reliability, and \$16.8B on Energy Efficiency.

***We have added an additional column to the Cooper Lighting stock guide so that you will be able to easily identify products in our inventory that meet ARRA requirements.***

### **Look for the ★**

*This guide only represents a small portion of the products Cooper Lighting has to offer. If you have any questions or need additional information on these or other products that are to be used on ARRA Stimulus, or government projects please contact one of our customer service experts and they will give you detailed information to ensure the product qualifies for the specific project.*

*ARRA identified items in this guide are for informational purposes only and represent products that Cooper has initially determined to be eligible under the Buy American provision (section 1605) of the American Recovery and Reinvestment Act (ARRA) for federally-funded ARRA projects. Cooper Lighting will provide an appropriate certification upon request after reviewing eligibility requirements and funding sources of a specific project.*

*As noted in this guide, the products were produced in the United States, in a Free Trade Agreement (FTA) country, a Least Developed Country (LDC), or in a World Trade Agreement Government Procurements Agreement (WTO GPA) country. If produced in an FTA country, LDC, or WTO GPA country, Cooper Lighting understands that the project must meet the applicable contract thresholds in order for the goods to be eligible for ARRA funding. Cooper Lighting has not sought nor has it received any waiver of the ARRA Buy American provision.*

*This guide does not provide country of origin or certification that any listed products satisfy the requirements of any applicable free trade agreements.*

***Remember, The Buy American Indicator ★ is for Stock Guide items ONLY. For all other products, please contact your Customer Service Representative.***



*For additional information on ARRA and Stimulus visit [www.cooperindustries.com/stimulusrecovery/index.cfm](http://www.cooperindustries.com/stimulusrecovery/index.cfm)*

# Cooper Lighting, L.L.C.

## Terms and Conditions

1. **Applicable Terms and Conditions**
  - (a) These terms and conditions of sale establish the rights, obligations, and remedies of Buyer and Seller that apply to any order issued by Buyer for the purchase of Seller's products and/or services ("Products"). No additional or different terms or conditions, whether contained in Buyer's purchase order form or in any other document or communication pertaining to Buyer's order, will be binding on Seller unless accepted in writing by an authorized representative of Seller. Seller expressly objects to and rejects any additional or different terms and conditions, which shall be ineffective.
  - (b) If Seller's order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions is found to be an acceptance of an offer, acceptance is expressly made conditional upon Buyer's assent solely to these terms and conditions, and acceptance of any part of Products delivered by Seller shall be deemed to constitute such assent by Buyer. If the order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions constitutes an offer, Buyer's acceptance of the offer is hereby limited to the terms of the offer.
2. **Price, Payment Terms, and Title**
  - (a) All prices represent those in effect at the time of quotation and are subject to change without notice. Unless prices are bid or quoted as "firm," Seller reserves the right to invoice at prices in effect at the date of shipment, regardless of any prior bid and whether notice was received by Buyer. Prices are stated in United States dollars unless otherwise indicated, are exclusive of shipping, handling, shipping insurance, duties, and sales, use, excise or similar taxes. Export packaging or any other special handling requested by Buyer will be at Buyer's expense. A service charge of \$25 will be assessed for any order less than \$100.
  - (b) Buyer acknowledges that the pricing of the Products has been set based on the agreed allocation of risks contained in these terms and conditions. If, notwithstanding the provisions of these terms and conditions, a court of competent jurisdiction determines that Buyer's terms and conditions apply to an order, then Seller shall have the right to either (i) modify the prices (including retroactively) according to the additional level of risk and responsibility that Buyer's terms and conditions require Seller to undertake, or (ii) cancel the order any time after such a determination without liability for the termination other than for the Products already delivered on these terms and conditions.
  - (c) Unless different credit terms have been extended to Buyer in writing by Seller, payment terms are net 30 days after delivery or date of invoice, whichever first occurs, in the currency invoiced. Seller reserves the right to modify or withdraw credit terms at any time without notice. If Buyer fails to fulfill the terms of payment, Seller may defer further shipments to Buyer or, at its option, cancel the unshipped portions of Buyer's orders. Buyer agrees to pay interest on all past due invoices at the lesser of 18% per annum, compounded monthly, or the highest contractual rate allowable under the law.
  - (d) Until full payment of all obligations of the Buyer for an order, Seller reserves the title (but not the risk of loss) to all Products furnished under that order. If the Buyer defaults in payment or performance or becomes subject to insolvency, receivership or bankruptcy proceedings or makes an assignment for the benefit of creditors, or without the consent of Seller voluntarily or involuntarily sells, transfers, leases or permits any lien or attachment on the Products, Seller may treat all amounts then or thereafter owing by Buyer to be immediately due and payable and Seller at its election may repossess Products for which Buyer has not paid in full. In the event of repossession of Products under this section, Buyer agrees that Seller may enter the premises where the Products may be located and remove them without notice and without being liable to Buyer for such repossession. Buyer will not set off invoiced amounts or any portion thereof against sums that are due or may become due from Seller, its parents, affiliates, or subsidiaries. Buyer grants Seller a security interest in all Products for which title has passed (including all after-acquired Products) that Seller sells Buyer and all proceeds of Products (including but not limited to all products in which Products are incorporated and any funds and products that Buyer receives in exchange for Products). Buyer consents to Seller's execution of any documents to evidence and perfect this security interest, and agrees to execute the same if requested by Seller.
3. **Delivery and Risk of Loss**
  - (a) Unless otherwise agreed in writing, all deliveries of Products will be EXW (Incoterms 2000) Seller's facility. Products will be packed in Seller's standard commercial shipping packages. Charges for shipping may not reflect net transportation costs paid by Seller. Buyer shall reimburse Seller for all costs of storage and handling incurred by Seller after the date that Seller is prepared to make shipment.
  - (b) Delivery and shipping dates are approximate and represent Seller's best estimate of the time required to make delivery or shipment. Time is not of the essence with respect to the transactions covered by these terms and conditions, except with respect to Buyer's obligation to make all related payments. Seller's obligations under these terms and conditions will be dependent upon Seller's ability to obtain necessary raw materials and components. Seller shall have the right to make partial deliveries and to ship up to forty (40) days in advance of shipping date.
4. **Acceptance**

Acceptance shall occur, if not before, when Buyer fails to reject within ten (10) days after delivery of the Products. Buyer may rightfully reject only when a reasonable inspection shows that the Products fail to conform substantially to the specifications for the Products. Buyer waives any right to revoke acceptance. Buyer's remedies for any nonconformity detected after acceptance are limited to those expressly provided in these terms and conditions for breach of warranty.
5. **Limited Warranty**
  - (a) Seller warrants to each original Buyer of Products that Products are, at the time of delivery to the Buyer, in good working order and conform to Seller's official published specifications, provided that no warranty is made with respect to any Products, ballasts, lamps, component parts, or accessories manufactured by others but supplied by Seller.
  - (b) Seller's obligation under this warranty for any Product provided not to be as warranted within the applicable warranty period is limited to, at its option, replacing the Product, refunding the purchase price of the Product, or using reasonable efforts to repair the Product during normal business hours at any authorized service facility of Seller. All costs of transportation of any Product claimed not to be as warranted and of any repaired or replacement Product to or from such service facility shall be borne by Buyer.
  - (c) Seller may require the return of any Product claimed not to be as warranted to one of its facilities as designated by Seller, transportation prepaid by Buyer, to establish a claim under this warranty. The cost of labor for removing a Product and for installing a repaired or replacement Product shall be borne by Buyer. Replacement parts provided under the terms of this warranty are warranted for the remainder of the warranty period of the Products in which they are installed to the same extent as if such parts were original components. Warranty services provided under these terms and conditions do not assure uninterrupted operations of Products; Seller shall not be liable for damages caused by any delays involving warranty service.
  - (d) The warranty period for Products is twelve (12) months from the date of shipment unless otherwise agreed by Seller in writing.
  - (e) EXCEPT FOR THE EXPRESS WARRANTY SET FORTH ABOVE, SELLER PROVIDES PRODUCTS AS-IS AND MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, REGARDING THE PRODUCTS, THEIR FITNESS FOR ANY PARTICULAR PURPOSE, THEIR MERCHANTABILITY, THEIR QUALITY, THEIR NONINFRINGEMENT, OR OTHERWISE. IN NO EVENT SHALL SELLER BE LIABLE FOR THE COST OF PROCUREMENT OR INSTALLATION OF SUBSTITUTE GOODS. THIS WARRANTY SPECIFICALLY EXCLUDES POLE FAILURE RESULTING FROM A THIRD-PARTY ACT OR OMISSION, MISUSE, UNANTICIPATED USE, FATIGUE, FAILURE, OR SIMILAR PHENOMENA RESULTING FROM INDUCED VIBRATION, HARMONIC OSCILLATION, OR RESONANCE FROM AIR CURRENT MOVEMENT AROUND THE PRODUCT. THIS WARRANTY SPECIFICALLY EXCLUDES POLES INSTALLED WITHOUT THE LUMINAIRES OR WITH UNAPPROVED DEVICES SUCH AS BANNERS, PENNANTS, CAMERAS, OR SIGNS, FOR WHICH THE POLE WAS NOT DESIGNED. USE OF SUCH ACCESSORIES MAY RESULT IN INJURY, DEATH OR PROPERTY DAMAGE. THIS WARRANTY SPECIFICALLY EXCLUDES POLES USING PRE-EXISTING ANCHORAGES, ANCHOR BOLTS, OR BOLT ADAPTERS NOT SUPPLIED BY COOPER LIGHTING. IT ALSO EXCLUDES ISSUES RELATED TO FOUNDATION OR SOIL CONDITIONS AT THE INSTALLATION SITE.
6. **LIMITATION OF LIABILITY**

IN NO EVENT WILL SELLER BE LIABLE FOR ANY SPECIAL DAMAGES, CONSEQUENTIAL DAMAGES, INDIRECT DAMAGES, INCIDENTAL DAMAGES, STATUTORY DAMAGES, EXEMPLARY OR PUNITIVE DAMAGES, LOSS OF PROFITS, LOSS OF REVENUE, LIQUIDATED DAMAGES, OR LOSS OF USE, EVEN IF INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. SELLER'S LIABILITY FOR DAMAGES ARISING OUT OF OR RELATED TO A PRODUCT SHALL IN NO CASE EXCEED THE PURCHASE PRICE OF THE PRODUCT FROM WHICH THE CLAIM ARISES. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THESE LIMITATIONS AND EXCLUSIONS WILL APPLY WHETHER SELLER'S LIABILITY ARISES OR RESULTS FROM BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE, GROSS NEGLIGENCE, MALICE, OR INTENTIONAL CONDUCT), STRICT LIABILITY, BY OPERATION OF LAW, OR OTHERWISE.
7. **Cancellation and Return of Products**

Orders shall not be subject to cancellation or modification either in whole or in part without Seller's written consent and then only with terms that will reimburse Seller for all applicable costs incurred by virtue of the sale, including costs of purchased materials, engineering costs and a reasonable allowance for profit. Seller's written consent must be given in advance of Buyer's return of Products for credit. Seller reserves the right to cancel any sale of Products without liability to Buyer (except for refund of monies already paid), if the manufacturer or sale of the goods is or becomes technically or economically impractical.
8. **Force Majeure**

Seller shall not be liable for any failure to perform or delay in performing its obligations resulting directly or indirectly from or contributed to by any acts of God, acts of Buyer or those under Buyer's control, acts of government or other civil or military authorities, priorities, strikes, or other labor disputes, fires, accidents, floods, epidemics, war, riot, embargoes, delays in transportation, lack of or inability to obtain raw materials, components, labor, fuel or supplies, or other circumstances beyond Seller's reasonable control ("Force Majeure Event"). If Seller elects, the time for performance shall be extended by a period of time equal to the time lost because of any delays caused by reasons of a Force Majeure Event. Should Seller be prevented from completing Buyer's order or any part thereof because of any Force Majeure Event, then Buyer agrees promptly upon request and upon receipt of invoice therefor, to pay Seller for any Product or Products then completed.
9. **Work Product**

"Work Product" shall include, without limitation, all designs, discoveries, creations, works, devices, masks, models, work in progress, service deliverables, inventions, products, special tooling, computer programs, procedures, improvements, developments, drawings, notes, documents, business processes, information and materials made, conceived or developed by Seller alone or with others that result from or relate to the Products. All Work Product shall at all times be and remain the sole and exclusive property of Seller. Buyer hereby agrees to irrevocably assign and transfer to Seller and does hereby assign and transfer to Seller all of its worldwide right, title and interest in and to the Work Product including all associated intellectual property rights. Buyer hereby waives any and all moral and other rights in any Work Product or any other intellectual property created, developed or acquired in respect of the Products. Seller will have the sole right to determine the treatment of any Work Product, including the right to keep it as trade secret, execute and file patent applications on it, to use and disclose it without prior patent application, to file registrations for copyright or trademark in its own name or to follow any other procedure that Seller deems appropriate. All tools and equipment supplied by Buyer to Seller shall remain the sole property of Seller.
10. **Confidentiality**
  - (a) Buyer may acquire knowledge of Seller Confidential Information (as defined below) in connection with Products and/or its performance hereunder and agrees to keep Seller Confidential Information in confidence during and following termination or expiration of this Agreement. "Seller Confidential Information" includes but is not limited to all information, whether written or oral, in any form, including, without limitation, information relating to the research, development, products, methods of manufacture, trade secrets, business plans, customers, vendors, finances, personnel data, Work Product, and other material or information considered proprietary by Seller relating to the current or anticipated business or affairs of Seller that is disclosed directly or indirectly to Buyer. In addition, Seller Confidential Information means any third party's proprietary or confidential information disclosed to Buyer in the course of providing Products to Buyer.
  - (b) Buyer agrees not to copy, alter or directly or indirectly disclose any Seller Confidential Information. Additionally, Buyer agrees to limit its internal distribution of Seller Confidential Information to Buyer's employees who have a need to know, and to take steps to ensure that the dissemination is so limited. In no event will Buyer use less than the degree of care and means that it uses to protect its own information of like kind, but in any event not less than reasonable care to prevent the unauthorized use of Seller Confidential Information. Buyer may disclose Seller Confidential Information that is required to be disclosed pursuant to a requirement of a government agency or law but only after Buyer provides prompt notice to Seller of such requirement and gives Seller the opportunity to challenge or limit the scope of the disclosure.
  - (c) Buyer further agrees not to use Seller Confidential Information except in the course of performing hereunder and will not use such Seller Confidential Information for its own benefit or for the benefit of any third party. All Seller Confidential Information is and shall remain the property of Seller. Upon Seller's written request, Buyer shall return, transfer or assign to Seller all Seller Confidential Information, including all Work Product, and all copies containing Seller Confidential Information.
11. **Patent Indemnity**

In the event any Product is made in accordance with drawings, samples or manufacturing specifications designated by Buyer, Buyer agrees to indemnify, defend and hold Seller harmless from any and all damages, costs and expenses (including attorney's fees) relating to any claim arising from or relating to the design, distribution, manufacture, marketing, sale, or use of the Product or arising from or relating to a claim that such Product furnished to Buyer by Seller, or the use thereof, infringes any claim of any patent, foreign or domestic, and Buyer agrees at its own expense to undertake the defense of any suit against Seller brought upon such claim or claims.
12. **Changes in Product Design or Manufacture**

Seller shall have the right to change, discontinue or modify the design and construction of any of its products and to substitute material equal to or superior to that originally specified.
13. **Software License**

Software, if included with a Product, is hereby licensed and not sold. The license is nonexclusive, and is limited to use with the Product with which it is included. No other use is permitted and Seller retains for itself (or, if applicable, its suppliers) all title and ownership to any software delivered hereunder, all of which contains confidential and proprietary information and which ownership includes without limitation all rights in patents, copyrights, trademarks and trade secrets. Buyer shall not attempt any sale, transfer, sublicense, reverse compilation or disassembly (save to the extent expressly permitted by law) or redistribution of the software. Buyer shall not copy, disclose or display any such software, or otherwise make it available to others.
14. **Compliance with Laws**

Buyer shall comply with all laws and regulations applicable to Products, including but not limited to all applicable import and export laws and regulations. Buyer and Buyer's Agent shall provide all information requested by Seller relating to Seller's voluntary or mandatory compliance with any law or regulation, and Buyer shall indemnify Seller for any losses incurred by Seller arising from Buyer's or Buyer's Agent's failure to provide the information requested by Seller.
15. **Waiver**

No waiver of any provision of these terms and conditions (or any right or default hereunder) shall be effective unless in writing and signed by an authorized representative of Seller. Any such waiver shall be effective only for the instance given, and shall not operate as a waiver with respect to any other rights or obligations under these terms and conditions or applicable law in connection with any other instances or circumstances.
16. **Language**

The parties have expressly required that these terms and conditions be prepared in the English language. *Les parties aux présentes ont expressément exigé que les présents termes et les bons de commandes émis aux termes des présentes soient rédigés en langue Anglaise.*
17. **Choice of Law and Dispute Resolution**

Except as set forth below, these terms and conditions shall be governed by and construed in accordance with the laws of the State of Texas, without reference to its choice of law rules. If both Seller and Buyer are incorporated under the laws of Canada or a province of Canada, these terms and conditions shall be governed by and construed in accordance with the laws of the Province of Ontario and the federal laws of Canada. If Buyer is incorporated in the United States, any claim or litigation arising out of or relating to Products shall be brought exclusively in a court of competent jurisdiction in Harris County, Texas. If Buyer is incorporated outside of the United States, any dispute will be resolved by arbitration in Houston, Texas, by three arbitrators and under the International Chamber of Commerce Rules of Arbitration. The language of the arbitration will be English. In all cases, Buyer and Seller expressly exclude from application the United Nations Convention on Contracts for the International Sale of Goods.
18. **Assignment**

Buyer may not assign, transfer or subcontract the performance of its services, or any of its rights and/or obligations hereunder, without Seller's prior written consent.
19. **Severability**

If any provision of these terms and conditions is determined to be illegal, invalid, or unenforceable, the validity and enforceability of the remaining provisions of these terms and conditions will not be affected and, in lieu of such illegal, invalid, or unenforceable provision, there will be added, as part of these terms and conditions, one or more provisions as similar in terms as may be legal, valid and enforceable under applicable law.

CL 022311

### Eaton's Cooper Lighting Business

Headquarters  
1121 Highway 74 South  
Peachtree City, GA 30269  
P: 770-486-4800  
www.cooperlighting.com

### Canada Sales

5925 McLaughlin Road  
Mississauga, Ontario L5R 1B8  
P: 905-501-3000  
F: 905-501-3172

### Our Lighting Product Brands

Halo  
Halo Commercial  
Portfolio  
IRiS  
RSA  
Metalux  
Corelite  
Neo-Ray  
Fail-Safe  
MWS  
Ametrix  
Shaper  
io  
Lumark  
McGraw-Edison  
Invue  
Lumière  
Streetworks  
AtLite  
Sure-Lites

### Our Controls Product Brands

Greengate  
iLumin  
Zero 88  
Fifth Light Technology  
iLight (International Only)