


Connectivity Products



For Home
Communications,
Music and Theater
Connections



www.leviton.com

Table of Contents

A	Audio.....	A1-A6	
B	Phone Accessories.....	B1-B14	
C	Video Accessories.....	C1-C12	
D	Antennas.....	D1-D6	
E	Tools & Installation Accessories.....	E1-E6	
F	Index by Part Number.....	F1-F2	

© Copyright Leviton Manufacturing Co., Inc. 2005. All rights reserved. **All unauthorized quotation and reproduction is strictly forbidden** except for brief examples used in reviews of this work by periodical publications where the source of the information is credited to Leviton; or the reproduction of this material for the purpose of preparing specifications and/or bids in which Leviton products are indicated.

Note: Because Leviton engages in a continuous program of product improvement, data in this catalog is subject to change without notice.

A History of Innovation and Excellence

Leviton holds over 350 original patents and introduces about 500 new products each year.

Originally a manufacturer of mantel tips for gas lighting, Leviton soon became a producer of a single electrical product – the pull-chain lampholder. Through the years, the company has developed thousands of industry-leading wiring devices – products which today total more than 20,000, spanning a vast array of categories from tamper-resistant electrical products that safeguard children to motor starting and disconnect switches for industry.

This catalog contains the most comprehensive selection of connection products and accessories the world over — products that support a diverse range of the telecommunications and entertainment technologies for today's rapidly changing world. From Internet and home office, to security, CCTV and home theatre, to networking, surge protection and home automation, you'll find everything you need inside.

And when it comes to the support and service you need, no single company can serve you better. An ISO-9001 certified manufacturer, we're fully equipped to support our substantial customer base with the technical support and services they need. Our extensive network of support centers is dedicated to supplying information and assistance whenever you need it.



A Complete Selection of Audio, Video, Voice and Data Products for the Home and Office.

Leviton produces over 3.2 million parts per day, and over 25,000 types of products—for every type of facility, from commercial and residential, to health care, educational and industrial.

Technology is fast changing the way we live and work. State-of-the-art communication and entertainment systems now have a place in the average home.

With the wide proliferation of these new technologies, the old wiring systems of the past need to be upgraded with high quality, higher bandwidth components. Not only do homes and businesses require more cables and communication outlets to support the information superhighway of the 21st century but these components need to be future-proofed to accommodate new technological changes as they continue to evolve.

Today the Leviton Manufacturing Company stands ready to deliver the vast selection of future-ready products needed to build a connected world. We're the one company that can provide the full range of connections required for whole-house audio/video, home theatre, high speed data communications, computer networking, home security, surge protection, home automation and much more...a company that has stood at the forefront of our industry since the dawn of the electrical era.



Section **A** Audio Accessories

Audio Accessories

Everything necessary to install or upgrade an audio system. Including high grade cables and speaker wire for enhanced sound quality. Leviton's line of head phones and audio accessories provides great stereo sound reproduction and offers the most popular styles including digital headphones.



In-Line RCA Coupler

Connects two RCA plug audio cables together in-line.

In-Line RCA Coupler	
Description	Part Number
(A) In-Line RCA Coupler	
Carded unit pack, nickel	C5255
Carded unit pack, gold plated	C5255-G0



RCA Y Adapter, 1 RCA Jack to 2 RCA Plugs

Splits RCA audio cable into two cables when the two cables have a plug on one end and jack on the other.

RCA Y Adapter, 1 RCA Jack to 2 RCA Plugs	
Description	Part Number
(B) RCA Y Adapter	
Carded unit pack	C5402



RCA Y Adapter, 1 RCA Jack to 2 RCA Jacks

Splits RCA audio cable into two cables when the two cables have plugs on both ends.


RCA Y Adapter, 1 RCA Jack to 2 RCA Jacks	
Description	Part Number
(C) RCA Y Adapter	
Carded unit pack	C5403



RCA Y Adapter, 1 RCA Plug to 2 RCA Jacks

Splits RCA audio cable into two cables when new cables have plugs on one end and jacks on the other end or splits audio signal out of amplifier.

RCA Y Adapter, 1 RCA Plug to 2 RCA Jacks	
Description	Part Number
(D) RCA Y Adapter	
Carded unit pack	C5405



RCA Y Adapter, 1 RCA Plug to 2 RCA Plugs

Splits RCA audio cable into two cables when the new cables have jacks on both ends.


RCA Y Adapter, 1 RCA Plug to 2 RCA Plugs	
Description	Part Number
(A) RCA Y Adapter Carded unit pack	C5407



Stereo/Mono Adapter

Converts a mono audio jack to stereo so sound can be heard out of both sides of the headphones or speaker.

Stereo/Mono Adapter	
Description	Part Number
(B) Stereo/Mono Adapter Carded unit pack	C5208



20' Stereo Headphone Extension

Includes 6.3mm plug.

20' Stereo Headphone Extension	
Description	Part Number
(C) 20' Stereo Headphone Extension Carded unit pack	C5240-20E



6' Deluxe Shielded Stereo Dubbing Cable

Metal RCA plugs and extra shielded video cable.


6' Deluxe Shielded Stereo Dubbing Cable	
Description	Black
(D) 6' Deluxe Shielded Stereo Dubbing Cable Carded unit pack, gold plated	C5455



Stereo Shielded Cable, 2 RCA Plugs to 2 RCA Plugs

Red and black plugs on both ends.


Stereo Shielded Cable, 2 RCA Plugs to 2 RCA Plugs	
Description	Black
(E) 3' Shielded Stereo Cable Carded unit pack	C5451-3
6' Shielded Stereo Cable Carded unit pack	C5451-6
6' Shielded Stereo Cable Carded unit pack, gold plated plugs	C5451-6G0
12' Shielded Stereo Cable Carded unit pack	C5451-12
25' Shielded Stereo Cable Carded unit pack	C5451-25



RCA Patch Cable - 4 RCA Plugs to 4 RCA Plugs

Yellow, white, red and black plugs on both ends.

RCA Patch Cable - 4 RCA Plugs to 4 RCA Plugs	
Description	Black
(F) Black Cable with Color-Coded Plugs (Y-W-R-B) Carded unit pack	C5454-3



Speaker Wire - RCA Plugs

18/2 AWG speaker wire with black plugs.


Speaker Wire - RCA Plugs	
Description	Clear
(A) 6' Speaker Wire Carded unit pack	C5237-6
20' Speaker Wire Carded unit pack	C5237-20



Shielded Speaker Cable - 1 RCA Plug to 1 RCA Plug

Both conductors shielded inside outer jacket.

Speaker Cable - 1 RCA Plug to 1 RCA Plug	
Description	Black
(B) 6' Shielded Speaker Cable Carded unit pack	C5452-6
12' Shielded Speaker Cable Carded unit pack	C5452-12



20' Speaker Wire - 1 RCA Plug to 1 RCA Jack

18/2 AWG speaker wire with black plug and jack.

20' Speaker Wire - 1 RCA Plug to 1 RCA Jack	
Description	Clear
(C) 20' Speaker wire - 1 RCA plug to 1 RCA Jack Carded unit pack	C5238-20C



Mini Stereo Headphones

6' cord with mini plug. Includes mini to standard plug adapter.

Mini Stereo Headphones	
Description	Part Number
(D) Mini Stereo Headphones Carded unit pack	C5236




Full Size Stereo Headphones

6' cord with mini plug. Includes mini to standard plug adapter.


Full Size Stereo Headphones	
Description	Part Number
(E) Full Size Stereo Headphones Carded unit pack	C5892

Speaker Wire



24/2 AWG Speaker Wire

24/2 AWG Speaker Wire	
Description	Clear
(A) 24/2 AWG Speaker Wire, 50' Sleeve unit pack	X3304-50C
100' Sleeve unit pack	X3304-100



18/2 AWG Speaker Wire

18/2 AWG Speaker Wire	
Description	Clear
(B) 18/2 AWG Speaker Wire, 25' Sleeve unit pack	X3301-25C
50' Sleeve unit pack	X3301-50C
100' Sleeve unit pack	X3301-100
250' Spool unit pack	W5212-250




14/2 AWG Speaker Wire

14/2 AWG Speaker Wire	
Description	Clear
(C) 14/2 AWG Speaker Wire, 25' Sleeve unit pack	X3324-025
50' Sleeve unit pack	X3324-50C
100' Sleeve unit pack	X3324-100
250' Spool unit pack	W5214-250




12/2 AWG Speaker Wire

12/2 AWG Speaker Wire 25'	
Description	Clear
(D) 12/2 AWG Speaker Wire, 25' Sleeve unit pack	X3302-25C



Section **B** Phone Accessories


Wallplates



Decora® Modular Wall Jack

This single flush mount jack is designed to match Leviton's popular Decora line of decorator electrical devices. Screw terminals. Furnished with Decora wallplate.


Decora® Modular Wall Jack		
Description	Ivory	White
(A) Decora® Modular Wall Jack 6-Position, 4-Conductor		
Contractor pack, 5 per unit, rack pack carton	C2449-0CP	C2449-WCP
Carded unit pack	C2449-I	C2449-W
Individual polybag pack	40949-ID	40949-WD
Decora® Modular Wall Jack 6-Position, 6-Conductor		
Carded unit pack	C2677-I	C2677-W



Decora Duplex Modular Wall Jack

This duplex flush mount jack is designed to match Leviton's popular Decora line of decorator electrical devices. Screw terminals. Furnished with Decora wallplate.


Decora Duplex Modular Wall Jack		
Description	Ivory	White
(B) Decora Duplex Modular Wall Jack, 6-Position, 4-Conductor		
Contractor pack, 3 per unit, rack pack carton	C2447-ICP	C2447-WCP
Carded unit pack	C2447-I	C2447-W
Individual polybag pack	40944-ID	40944-WD
Decora Duplex Modular Wall Jack, 6-Position, 6-Conductor		
Carded unit pack	C2647-I	C2647-W



Decora TV/Phone Combination Jacks

Combination jack with 4-Conductor modular jack for phone connections and F-connector for video connections. Furnished with Decora wallplate.

Decora TV/Phone Combination Jacks		
Description	Ivory	White
(C) Decora TV/Phone Combination Jacks, 6-Position, 4-Conductor		
Individual polybag pack	40959-ID	40959-WD



Flush Mount Modular Wall Jack

One-piece construction, single outlet telephone wallplate.


Flush Mount Modular Wall Jack			
Description	Ivory	White	Almond
(D) Flush Mount Modular Wall Jack, 6-Position, 4-Conductor			
Contractor pack, 5 per unit, rack pack carton	C0249-ICP	C0249-WCP	-
Carded unit pack	C0249-I	C0249-W	-
Individual polybag pack	40949-I	40949-W	40949-A
Flush Mount Modular Wall Jack, 6-Position, 6-Conductor			
Contractor pack, 5 per unit, rack pack carton	-	C2675-WCP	-
Carded unit pack	C2675-I	C2675-W	-



Flush Mount Duplex Wall Jack

These smooth finish units include two jacks, plate, and mounting hardware. They can be wired to provide the same dial tone on both jacks (e.g., for phone and answering machine combination) or separate line on each jack. Screw terminals. UL Listed and CSA Certified.


Flush Mount Duplex Wall Jack		
Description	Ivory	White
(A) Flush Mount Duplex Wall Jack, 6-Position, 4-Conductor		
Contractor pack, 3 per pack, rack pack carton	C0254-ICP	C0254-WCP
Carded unit pack	C0254-I	C0254-W
Individual polybag pack	40944-I	40944-W
Flush mount duplex wall jack, 6-Position, 6-Conductor		
Carded unit pack	C2676-I	C2676-W



Flush Mount TV/Phone Wallplate

Connects phone lines and incoming video signals from a single antenna, cable TV or DSS.


Flush Mount TV/Phone Wallplate		
Description	Ivory	White
(B) Flush Mount TV/Phone Wallplate, 6-Position, 4-Conductor		
Contractor pack, 3 per unit, rack pack carton	C2450-ICP	C2450-WCP
Carded unit pack	C2450-I	C2450-W
Individual polybag pack	40959-I	40959-W
Flush mount TV/phone Wallplate, 6-Position, 6-Conductor		
Carded unit pack	C2650	C2650-W



Round Flush Mount Wallplate

One-piece construction installs easily in a Type 63A mounting ring or 63C junction box. Includes jack plate, ring, and mounting screws. Four-conductor jack for use with 4-Conductor modular line cord. Screw terminals.

Round Flush Mount Wallplate		
Description	Ivory	White
(C) Round Flush Mount Wallplate, 6-Position, 4-Conductor,		
Carded unit pack	C0229-I	C0229-W
Round Flush Mount Wallplate, 6-Position, 6-Conductor,		
Carded unit pack	-	C2629-W



Wall Phone Jack

Accommodates all standard style wall phones. Four color-coded screw-down connections.


Wall Phone Jack			
Description	Ivory	White	Almond
(D) Wall Phone Jack, 6-Position, 4-Conductor			
Contractor pack, 3 per unit, rack pack carton	C0253-ICP	C0253-WCP	-
Carded unit pack	C0253-I	C0253-W	-
Individual polybag pack	40914-I	40914-W	40914-A
Wall Phone Jack, 6-Position, 6-Conductor			
Carded unit pack, rack pack carton	C2663-I	C2663-W	-



Stainless Steel Wall Phone Jack

Stainless steel cover with quick-connect, punch-down wire connections. Four color-coded screw-down connections provided.

Stainless Steel Wall Phone Jack	
Description	Stainless Steel
(A) Stainless Steel Wall Phone Jack	
Carded unit pack	C0256-SS
Individual polybag pack, rack pack carton	C0256-SS



Wall Phone Jack

Single outlet telephone wall phone jack with quick-connect, punch-down terminals.

Wall Phone Jack		
Description	Ivory	White
(B) Wall Phone Jack, 6-Position, 6-Conductor		
Carded unit pack	C2682-I	C2682-W



Surface Mount Wall Phone Jack with 2 Extra Jacks

Offers two additional jacks. Ideal for use with answering machines or computer modems. One jack each side. Holds all standard style wall phones.

Surface Mount Wall Phone Jack with 2 Extra Jacks		
Description	Ivory	White
(C) Surface Mount Wall Phone Jack with 2 Extra Jacks , 6-Position, 4-Conductor		
Carded unit pack	C2455	C2455-W
Wall Phone Jack with 2 Extra Jacks , 6-Position, 6-Conductor		
Carded unit pack	C2655-I	C2655-W



QuickPort® Snap-In Modules

Leviton's full range of QuickPort snap-in modules fits a large family of compact wallplates and mounting platforms to combine and consolidate multiple applications under a single surface mount box or flush mount wallplate. A Category 5 connector can be used to connect phones, fax machines and modems; an F-Type connector for cable TV, Digital Satellite Systems (DSS), and VCR hookups; an RCA jack for audio/video connections; a binding post or banana jack for stereo speaker connections; a BNC jack to connect data networks, projection and high-definition TVs, closed-circuit TVs and surveillance cameras; and an ST fiber optic coupling for those ultra-high-bandwidth applications.


The Category 5 modular connectors include a color-coded wiring label to allow for fast, accurate T568-A or T568-B wiring as well as the patented "cutting ledge" on QuickPort connectors to trim the wire during termination when the D814 punchdown tool with a 110 blade is used. Audio and video connectors are bulkhead style, female to female. Category 5 connectors surpass specifications for enhanced performance and are certified to meet TIA/EIA-568-A and FCC Part 68 requirements. All modules are listed in accordance with UL 1863, and fully compliant with NEC Article 800.

Description	Ivory	White	Almond
(D) 8-conductor Category 5 Jack			
Individual polybag pack	40838-BI	40838-BW	40838-BA
Carded unit pack w/termination tool	40838-I	40838-W	-
Contractor unit pack, 10 jacks per unit, rack pack carton	40838-ICP	40838-WCP	40838-ACP
(E) 6-Conductor Jack			
Individual polybag pack	40836-BI	40836-BW	40836-BA
Carded unit pack w/termination tool	40836-I	40836-W	-

Surface-Mount

Surface-Mount Jack, Type 625A


Phone cord plugs into the side of the jack. Provides four color-coded screw-down connections.



Surface-Mount Jack, Type 625A		
Description	Ivory	White
(A) Surface-Mount Jack, Type 625A, 6-Position, 4-Conductor		
Carded unit pack	C2452-I	C2452-W
Individual polybag pack	40974-I	40974-W
Surface-Mount Jack, Type 625A, 6-Position, 6-Conductor		
Carded unit pack	C2652-I	C2652-W

Surface-Mount Jack with Block and Cover

Phone cord plugs into front of jack. Quick-connect insulation displacement connections for quick and easy installation. Four color-coded punch-down connections.



Surface-Mount Jack with Block and Cover		
Description	Ivory	White
(B) Surface-Mount Jack with Block and Cover, 6-Position, 4-Conductor		
Carded unit pack	C0245-I	C0245-W
Surface-Mount Jack with Block and Cover, 6-position, 6-conductor		
Carded unit pack	C2645-I	C2645-W

Surface-Mount Mini Jack


Compact size jack with screw terminations. Phone cord plugs into the front of the jack.



Surface-Mount Mini Jack		
Description	Ivory	White
(C) Surface-Mount Mini Jack, 6-Position, 4-Conductor		
Carded unit pack	C0252-I	C0252-W

Surface-Mount Duplex Jack

Phone cord plugs into side of jack. Jack has two outlets. Six color-coded screw-down connections for each jack. Can operate as two separate jacks or when cross-wired both jacks will carry same phone lines (1 and 2).



Surface-Mount Duplex Jack		
Description	Ivory	White
(D) Surface-Mount Duplex Jack, 6-Position, 6-Conductor		
Carded unit pack	C2680-I	C2680-W

Surface-Mount Jack Cover

Jack cover only with 4-Conductor spade lug connections. Converts old style hard-wired phones by attaching to Type 42A connecting blocks.



Surface-Mount Jack Cover		
Description	Ivory	White
(E) Surface-Mount Jack Cover, 6-Position, 4-Conductor		
Carded unit pack	C0255-I	C0255-W


Surface-Mount Quick Connect Jack

Quick-connect insulation displacement termination for quick and easy installation.



Surface-Mount Quick Connect Jack		
Description	Ivory	White
(F) Surface-Mount Quick Connect Jack, 6-Position, 6-Conductor		
Carded unit pack	C2679-I	C2679-W

Junction Blocks



Junction Block with Plug Extension

Plug connects to telephone demarcation jack and acts as a starting point for inside phone system wiring. Terminal strip, for connection of up to four extensions, uses screws to terminate wires onto insulation displacement contacts so connections can be made without stripping the wire. But, if preferred, wire may be stripped and terminated under screw. Block includes cover, terminal strip, mounting screws, and 12-inch, 4-Conductor cord with modular plug.

Junction Block with Plug Extension	
Description	Ivory
(A) Junction Block with Plug Extension, 4-Conductor Carded unit pack	C0218-I
Contractor pack, 3 per unit pack, rack pack carton	C0218-ICP



Junction Block

Junction point for inside phone system wiring. Terminal strip, for connection of up to three extensions, uses screws to terminate wires onto insulation displacement contacts so connections can be made without stripping wire. But, if preferred, wire may be stripped and terminated under screw. Unit also includes cover and mounting screws.

Junction Block	
Description	Ivory
(B) Junction Block, 4-Conductor Carded unit pack	C0219-I

Adapters

2-Outlet Adapter



Allows a one outlet phone jack to be converted to two outlets. Plugs directly into phone wallplate.


2-Outlet Adapter		
Description	Ivory	White
(A) 2-Outlet Adapter, 4-Conductor Carded unit pack	C0247-I	C0247-W
2-Outlet Adapter, 6-Conductor Carded unit pack	C2607-I	C2607-W

3-Outlet Adapter

Converts any single, one-line modular phone jack with one outlet into three outlets. Plugs directly into phone wallplate.

3-Outlet Adapter		
Description	Ivory	White
(B) 3-Outlet Adapter, 4-Conductor Carded unit pack	C0248-I	C0248-W
3-Outlet Adapter, 6-Conductor Carded unit pack	C2648-I	C2648-W






2-Line Adapter

Converts any single, two-line modular phone jack into three separate lines: 1 outlet for line 1, 1 outlet for line 2, 2nd and 3rd outlet carries lines 1 and 2. Plugs directly into phone wallplate.


2-Line Adapter		
Description	Ivory	White
(A) 2-Line Adapter, 4-Conductor Carded unit pack	C0244	-
2-Line Adapter, 6-Conductor Carded unit pack	C2644-I	C2644-W



5-Outlet Adapter

Up to five phones, answering machines and computer modems can be plugged in to this adapter. Plugs directly into modular jack.

5-Outlet Adapter	
Description	Ivory
(B) 5-Outlet Adapter Carded unit pack	C0261-I



In-Line Cord Coupler

Connects two line cords together to increase length of overall cable connection.


In-Line Cord Coupler		
Description	Ivory	White
(C) In-Line Cord Coupler, 4-Conductor Carded unit pack	C0250-I	C0250-W
In-Line Cord Coupler, 6-Conductor Carded unit pack	C2683-I	C2683-W



In-Line Duplex Cord Coupler

Splits line cord from phone wallplate to two line cords. Female modular input to two female outputs.

In-Line Duplex Cord Coupler		
Description	Ivory	White
(D) In-Line Duplex Cord Coupler, 4-Conductor Carded unit pack	C0280-I	C0280-W



4-Prong to Modular Adapter

Converts old style 4-prong jacks to modular style jack.

4-Prong to Modular Adapter	
Description	Ivory
(E) 4-Prong to Modular Adapter, 4-Conductor Carded unit pack	C0246-I


Line Cords

All Leviton line cords are made with 24 gauge stranded copper wire and are insulated to meet industry standards.



Line Cords


Line Cords		
Description	Ivory	White
(A) 7' 4-Conductor, carded unit pack	C2413-7I	C2413-7W
15' 4-Conductor, carded unit pack	C2413-15I	C2413-15W
25' 4-Conductor, carded unit pack	C2413-25I	C2413-25W
50' 4-Conductor, carded unit pack	C2413-50I	C2413-50W
7' 6-Conductor, carded unit pack	C2613-7I	C2613-7W
15' 6-Conductor, carded unit pack	C2613-15I	C2613-15W
25' 6-Conductor, carded unit pack	-	C2613-25W
50' 6-Conductor, carded unit pack	C2613-50I	C2613-50W



Mini Line Cord

Connects wall phones to wall phone jack. Also used with Telephone Distribution modules. See the Structured Media Section D in this catalog.

Mini Line Cord			
Description	Ivory	White	Grey
(B) 8" 4-Conductor, carded unit pack	C2454-I	-	-
7" 4-Conductor modular flat line cord, 50 per bulk pack	-	-	42400-G



25' Line Extension Cord

Modular plug to a one outlet modular jack.

25' Line Extension Cord		
Description	Ivory	White
(C) 25' Line Extension Cord, 4-Conductor Carded unit pack	C2406-25I	C2406-25W
25' Line Extension Cord, 6-Conductor Carded unit pack	C2606-25I	C2606-25W



25' Duplex Line Extension Cable

Modular plug to a two outlet jack.

25' Line Extension Cord		
Description	Ivory	White
(D) 25' Duplex Line Extension Cable, 4-Conductor Carded unit pack	C2427-25I	C2427-25W
25' Duplex Line Extension Cable, 6-Conductor Carded unit pack	C2627-25I	C2627-25W



25' Replacement Line Cord

Use to repair phone cords wired directly into the phone. Provides four color-coded wires that connect to phone.


25' Replacement Line Cord	
Description	Ivory
(E) 25' Replacement Line Cord, 4-Conductor Carded unit pack	C2411-25I



9' Travel Phone Cord Reel

For lap top connection of PC modem.

9' Travel Phone Cord Reel	
Description	Ivory
(A) 9' Travel Phone Cord Reel, 4-Conductor Carded unit pack, rack pack carton	C0281-I



Handset Cord

Handset Cord			
Description	7 Foot	15 Foot	25 Foot
(B) 4-Conductor Handset Cords			
Ivory, carded unit pack	C2407-7I	C2407-15I	C2407-25I
White, carded unit pack	-	C2407-15W	C2407-25W
Black, carded unit pack	C2407-7E	C2407-15E	C2407-25E
Clear, carded unit pack	-	-	-
Grey, carded unit pack	-	-	-




Handset Untangler

Stops handset cords from twisting and kinking. Plugs into phone.


Handset Untangler	
Description	Clear
(C) Handset Untangler Carded unit pack	C2429-C

Wire

Category Rated Twisted Pair



Category Rated Twisted Pair	
Description	White
(A) 1000' Category 3, UL and CMR, Reelex box, (Order in increments of 1000)	42843-1MW
50' Category 5, UL and CMR, hang box	40874-50
100' Category 5, UL and CMR, hang box	40874-100
1000' Category 5, UL and CMR, spool to go	-
1000' Category 5, UL and CMR, Reelex box, (Order in increments of 1000)	40874-1MB
	-




Twisted Pair Station Wire

Twisted Pair Station Wire 	
Description	Beige
(B) 4-pair, 22 AWG, UL and CMR Rated, Reelex box	-
4-pair, 22 AWG, UL and CMR Rated, Reelex box	43040-1MI†
4-pair, 24 AWG, UL and CMR Rated, Reelex box	42840-1MI†
3-pair, 22 AWG, UL and CMR Rated, Reelex box	W2570-1MB*
3-pair, 22 AWG, UL and CMR Rated, Reelex box	43030-1MI†
3-pair, 24 AWG, UL and CMR Rated, Reelex box	42830-1MI†
2-pair, 22 AWG, UL and CMR Rated, Reelex box	43020-1MI†
2-pair, 24 AWG, UL and CMR Rated, Reelex box	42820-1MI†

* 1 box = 1 unit. † Sold per 1,000 feet, must be ordered in increments of 1000.

Quad Phone Wire


22/4 AWG with solid color-coding (R-B-Y-G)



Quad Phone Wire	
Description	Ivory
(C) 50' 4-Conductor, sleeve	X3109-50I
100' 4-Conductor, sleeve, rack pack carton	X3109-100
500' 4-Conductor, spool	-
1000' 4-Conductor, spool	-


Quad Phone Wire - Jobsite Reelex Box

22/4 or 24/4 AWG solid color coding.



Quad Phone Wire - Jobsite Reelex Box	
Description	Beige
(D) 1000' 22 AWG, 4-Conductor, Indoor/Outdoor, CMX Rated, Reelex box	W2550-1MB*
1000' 22 AWG, 4-Conductor, Indoor/Outdoor CMX and UL Listed, Reelex box	42531-1MI†
1000' 22 AWG, 4-Conductor, CMR and UL Listed, Reelex box	42530-1MI†
500' 24 AWG, 4-Conductor, CMR and UL Listed, Reelex box	42330-5CI†
1000' 24 AWG, 4-Conductor, CMR and UL Listed, Reelex box	42330-1MI†


*1 box = 1 unit. †Sold per 1,000 feet, must be ordered in increments of 1000.



4-Conductor Flat Phone Wire

Flat phone wire with red, green, yellow and black color coding.

4-Conductor Flat Phone Wire			
Description	Ivory	White	Silver/Grey
(A) 24 AWG, 4-Conductor, 50 ft., carded	C0258-50I	C0258-50W	-
26 AWG, 4-Conductor, 7 x 34 stranded, 500' Spool, 4 spools per carton	-	-	42404-5CS




6-Conductor Flat Phone Wire

Flat phone wire with red, green, black, yellow, blue and white color coding.

6-Conductor Flat Phone Wire		
Description	Ivory	White
(B) 100' 6-Conductor, sleeve, rack pack carton		X2686-100
500' 6-Conductor, spool	W3030-500	-

Installation



1 and 2 Gang Wallplate Mounting Brackets

Mounting a flush mount wallplate without a back box is easy. Brackets insert into wall opening, flexible tabs bend up to secure the bracket to the opening. Standard screw holes accept all wallplate configurations.

1 and 2 Gang Wallplate Mounting Brackets	
Description	Part Number
(A) Wallplate Mounting Brackets, 1 Gang	
Contractor pack, 10 per unit pack, rack pack carton	C0224-CP
2 per carded unit pack	C0224
Bulk polybag pack, 2 brackets per unit, rack pack carton	-
(B) Wallplate Mounting Bracket, 2 Gang	
Contractor pack, 5 per unit pack, rack pack carton	C0225-CP
Individual polybag pack, rack pack carton	C0225



Replacement Line Plugs

Terminates 4-Conductor and 6-Conductor flat phone wire line cords.

Replacement Line Plugs	
Description	Part Number
(C) 6-Position, 4-Conductor Replacement Line Plugs	
Contractor pack, 25 per unit, rack pack carton, clear	C0257-CP
6 per carded unit pack, clear	C0257
Bulk polybag pack (Order in increments of 25)	49404
(D) 6-Position, 4-Conductor Replacement Line Plug	
Contractor pack 25 per unit, rack pack carton	C2696-CP



Replacement Modular Handset Plugs

Narrow width, 4-Conductor plugs for terminating handset cords.

Replacement Modular Handset Plugs	
Description	Part Number
(E) Replacement Modular Handset Plugs	
6 per carded unit pack, clear	C2453-CL



Nail-In Phone Wire Clips

Use to hold round or flat phone wire along wall baseboard.


Nail-In Phone Wire Clips	
Description	Ivory
(F) Nail-In Phone Wire Clips	
20 per carded unit pack	C2441



Phone Line Tester

Plugs into wallplate to verify proper connection. Color read-out bulbs indicate connection status.


Phone Line Tester	
Description	Part Number
(A) Phone Line Tester Carded unit pack	C2443



Base & Handset Cord Crimping Tool

Cuts and strips line cord and handset cord plugs. Adapter provided for handset cord.

Base & Handset Cord Crimping Tool	
Description	Part Number
(B) Base & Handset Cord Crimping Tool Carded unit pack	C0260-I



Universal Crimping Tool Kit

Includes 4 plugs for the line cord and 4 plugs for the handset cord. Tool adapter included for handset cord crimping.


Universal Crimping Tool Kit	
Description	Part Number
(C) Universal Crimping Tool Kit Carded unit pack	C5890



Section

Video Accessories

Video Accessories



Coaxial Cables - RG59

Our RG59 coaxial cable is produced with a solid copper center conductor and a 60% aluminum braid over 100% aluminum foil second conductor.


Coaxial Cables - RG59		
Description	Black	White
(A) 3' Coax Cable, carded unit pack	C5851-3E	C5851-3W
3' Coax Cable, gold plated, carded unit pack	C5851-3GO	C5851-3GW
6' Coax Cable, carded unit pack	C5851-6E	C5851-6W
6' Coax Cable, gold plated, carded unit pack	C5851-6GO	C5851-6GW
12' Coax Cable, carded unit pack	C5851-12E	C5851-12W
12' Coax Cable, gold plated, carded unit pack	C5851-12G	C5851-12GW
25' Coax Cable, carded unit pack	C5851-25E	C5851-25W
25' Coax Cable, gold plated, carded unit pack	C5851-25G	C5851-25GW
50' Coax Cable, carded unit pack	C5851-50E	C5851-50W
50' Coax Cable, gold plated, carded unit pack	C5851-50G	C5851-50GW
100' Coax Cable, carded unit pack	C5851-CE	C5851-CW
100' Coax Cable, gold plated, carded unit pack	C5851-CGO	C5851-CGW



Coaxial Cables - RG6

Dual shielded RG6 cable with molded "F" plugs.

Coaxial Cables - RG6		
Description	Black	White
(B) 50' Coax Cable, carded unit pack	-	C5858-050



RG59 Coaxial Cable Free Ends


RG59 Coaxial Cable Free Ends		
Description	Black	White
(C) 250' Coax Cable, spool	W3409-250	W3409-250
500' Coax Cable, spool	W3409-500	-



Two-Way Splitter

One 75 Ohm input to two 75 Ohm outputs.

Two-Way Splitter	
Description	Part Number
(D) Two-Way Splitter, contractor pack, 12/box	C5002-CP
Two-Way Splitter, carded unit pack	C5002
Two-Way Splitter, gold plated, carded unit pack	C5002-GO
Two-Way Splitter, gold plated, individual polybag pack	40987-2



Three-Way Splitter

One 75 Ohm input to three 75 Ohm outputs.

Three-Way Splitter	
Description	Part Number
(A) Three-Way Splitter, carded unit pack	C5003
Three-Way Splitter, gold plated, individual polybag pack	40987-3



Four-Way Splitter

One 75 Ohm input to four 75 Ohm outputs.


Four-Way Splitter	
Description	Part Number
(B) Four-Way Splitter, contractor pack, 12/box	-
Four-Way Splitter, carded unit pack	C5004
Four-Way Splitter, gold plated, carded unit pack	C5004-GO
Four-Way Splitter, gold plated, individual polybag pack	40987-4



75 Ohm Termination Cap

75 Ohm Termination cap for F-connector jacks (order in increments of 25).

75 Ohm Termination Cap	
Description	Part Number
(C) 75 Ohm Termination Cap, 25 per polybag pack	40984



Band Separator 75 to 300/300

One 75 Ohm female connection in to two 300 Ohm spade tip connections out.

Band Separator 75 to 300/300	
Description	Part Number
(D) Band Separator, carded unit pack	C5152



Band Separator 300 to 75/300

One 300 Ohm connection in to one 75 Ohm and one 300 Ohm connection.


Band Separator 300 to 75/300	
Description	Part Number
(E) Band Separator, carded unit pack	C5155



Band Separator 75 to 75/75

One 75 Ohm female connection in to two 75 Ohm male connections out.

Band Separator 75 to 75/75	
Description	Part Number
(F) Band Separator, carded unit pack	C5157




VHF/UHF and FM Signal Combiner 75/300 to 75

75 Ohm and/or 300 Ohm spade tip connection in to one 75 Ohm male jack out.

VHF/UHF and FM Signal Combiner 75/300 to 75

Description	Part Number
(A) VHF/UHF and FM Signal Combiner, carded unit pack	C5159



Twist-On Male F-Connector for 75 Ohm Coaxial Cable

Terminates 75 Ohm coaxial cable with a twist-on male F-connector. No crimping tool is required. Both RG-59 and RG-6 versions available.

Twist-On Male F-Connector for 75 Ohm Coaxial Cable

Description	Part Number
(B) High performance EZ twist RG6 quad shield F-connector Individual polybag kit, includes 4 plastic tools and 100 connectors per bag	40985-HPC
(C) Twist-on F-connector for RG59 Bulk polybag pack, 100 connectors per polybag	40985-TW9
2 per carded unit pack	C5203
2 per carded unit pack, gold plated	C5203-G
Contractor pack, 25 connectors per unit, rack pack carton	C5203-CP
(C) Twist-on F-connector for RG6 Bulk polybag pack, 100 connectors per polybag	40985-TW6
2 per carded unit pack	C5008
2 per carded unit pack, gold plated	C5008-G
Contractor pack, 25 connectors per unit, rackpack carton	C5008-CP



1-Piece and 2-Piece Crimp-On F-Connectors

Terminates 75 Ohm coaxial cable with a crimp-on male F-connector. A crimping tool (see tools, page J3) is required. Comes in either a 2-piece version with separate crimp ring, or a 1-piece version with crimp-ring attached. Both RG-59 and RG-6 versions available.

1-Piece and 2-Piece Crimp-On F-Connectors

Description	Part Number
One piece Crimp-On F-Connector for RG6 Quad Shield Bulk polybag pack, 100 connectors per pack	40985-Q6
(D) One piece Crimp-On F-Connector for RG59 Bulk polybag pack, 100 connectors per pack	40985-1P9
2 per carded unit pack	C5307
2 per carded unit pack, gold plated	C5307-G
Contractor pack, 25 connectors per unit, rack pack carton	C5307-CP
(E) One piece Crimp-On F-Connector for RG6 Bulk polybag pack, 100 connectors per pack	40985-1P6
(F) Two-Piece Crimp-On F-Connector for RG59 Bulk polybag pack, 100 connectors per pack	40985-2P9
4 per carded unit pack	C5009
2 per carded unit pack, gold plated	C5009-G
(G) Two-Piece Crimp-on F-Connector for RG6 Bulk polybag pack, 100 connectors per pack	40985-2P6
2 per carded unit pack	C5007
2 per carded unit pack, gold plated	C5007-G
Contractor pack, 25 connectors per unit, rack pack carton	C5007-CP



RCA to Mini Adapter (3.5 Mono)

Converts RCA jack to 3.5 mono mini-plug connection.

RCA to Mini Adapter (3.5 Mono)	
Description	Part Number
(A) Mini Adapter, gold plated, carded unit pack	C5202-G0



Video Adapter - 1 "F" Jack to 1 RCA Plug

Converts RCA plug to 75 Ohm jack connection.


Video Adapter-1 "F" Jack to 1 RCA Plug	
Description	Part Number
(B) Video Adapter-1 "F" Jack to 1 RCA Plug, carded unit pack	C5229



RCA to F-Type Video Adapter

Used for connecting a 75 Ohm female jack to RCA plug connection.

RCA to F-Type Video Adapter	
Description	Part Number
(C) RCA to F-Type Video Adapter Carded unit pack	C5205



75 Ohm Push-On Connector

Converts 75 Ohm twist-on connection to 75 Ohm push-on connection.

75 Ohm Push-On Connector	
Description	Part Number
(D) Push-on connector, 2 per carded unit pack	C5235
Push-on connector, gold plated, 2 per carded unit pack	C5235-G0




75 Ohm In-Line Cable Connector

Double female "F" connector for joining two cables together.

75 Ohm In-Line Cable Connector	
Description	Part Number
(E) 75 Ohm in-line cable connector, 100 per bulk polybag	40986*


*Note: Retainer nut for wallplate mounting not provided.



Indoor Matching Transformer

Converts 75 Ohm incoming signal into 300 Ohm.

Indoor Matching Transformer	
Description	Part Number
(F) Indoor matching transformer, carded unit pack	C5052
Indoor matching transformer, gold plated, carded unit pack	C5052-G0




Outdoor Matching Transformer

Converts 300 Ohm incoming signal into 75 Ohm. Includes waterproof slip-on boot.

Outdoor Matching Transformer

Description	Part Number
(A) Outdoor matching transformer, carded unit pack	C5053



Push-On Matching Transformer

Converts 300 Ohm incoming signal into 75 Ohm.

Push-On Matching Transformer

Description	Part Number
(B) Push-on matching transformer, carded unit pack	C5055



75 Ohm A/B Switch

Two 75 Ohm incoming signals into one 75 Ohm output. A/B switch selects signal to be viewed on TV or VCR.

75 Ohm A/B Switch

Description	Part Number
(C) A/B Switch, carded unit pack	C5101



A/B Switch 75/75 to 300

Two 75 Ohm incoming signals into one 300 Ohm output. A/B switch selects signal to be viewed on TV or VCR.

A/B Switch 75/75 to 300

Description	Part Number
(D) A/B Switch, carded unit pack	C5102



Video Selector Switch 3/75 Ohm

Three 75 Ohm inputs can be used for cable in, antenna in, VCR in, or any combination imaginable. One 75 Ohm connection out. Select one of three signals to be viewed on TV or VCR.

Video Selector Switch 3/75 Ohm

Description	Black
(E) Video Selector Switch, carded unit pack	C5501-E



Video Selector Switch 2/75 Ohm - 1/RCA 75 Ohm Input Jacks and One RCA Input Jack for Video Games

75 Ohm output connection. Push button to select one of three signals to be viewed on TV.

Video Selector Switch 2/75 Ohm - 1/RCA 75 Ohm Input Jacks and One RCA Input Jack for Video Games

Description	Black
(F) Video Selector Switch, carded unit pack	C5502-E



High Isolation Slide A/B Switch

Same as C5101 except for extra body shielding to protect against video signal loss.

High Isolation Slide A/B Switch


Description	Black
(G) High-Isolation Slide A/B Switch, carded unit pack	C5506



Video Amplifier - 25dB

One input, one output. UL listed.


Video Amplifier - 25dB	
Description	Part Number
(A) Video Amplifier - 25dB, carded unit pack	C5557



6' OFC Video Cable-Gold

Oxygen Free Copper 100% copper cables with right-angle 75 Ohm gold-plated push-on plugs. 95% copper braid for second conductor. Connects video components that have 75 Ohm "F" jacks.


6' OFC Video Cable-Gold	
Description	Part Number
(B) 6' OFC Video Cable, gold plated, carded unit pack	C5243-6GO



6' Mono Dubbing Cable

Gold plated RCA plugs with strain relief. Connects two VHS recorders.

6' Mono Dubbing Cable	
Description	Black
(C) 6' Mono Dubbing Cable, carded unit pack, standard carton	C5245-6GO



Deluxe Shielded Stereo Dubbing Cable

High-quality wire and extra shielding. Gold plated RCA plugs with strain-relief. Permits dubbing of VHS video tapes from one VCR to another.


Deluxe Shielded Stereo Dubbing Cable	
Description	Black
(D) Stereo Dubbing Cable, gold plated, carded unit pack	C5822-GO



6' Stereo Dubbing Cable

High quality wire and extra shielding. Cables and adapters needed to connect two VHS VCR's.


6' Stereo Dubbing Cable	
Description	Black
(E) Stereo Dubbing Cable, carded unit pack	C5822



6' Stereo Dubbing Cable


Molded gold-plated RCA plugs with strain-relief. Permits dubbing of VHS tapes from one VCR to another.

6' Stereo Dubbing Cable	
Description	Black
(F) 6' Stereo Dubbing Cable, gold plated, carded unit pack	C5856-GO



RCA Coax Cable


RCA Coax Cable		
Description	Black	
(A) 6' RCA Coax Cable, gold plated, carded unit pack	C5852-6GO	
12' RCA Coax Cable, gold plated, carded unit pack	C5852-12G	



6' SVHS Cable

Male to male plug. Designed for use with Super VHS video systems. Connects the SVHS TV to the SVHS VCR.

6' SVHS Cable		
Description	Black	
(B) 6' SVHS Cable, carded unit pack	C5853-6	



10' SVHS Extension Cable

Male-plug to female-plug. Connects the SVHS TV to the SVHS VCR.

10' SVHS Extension Cable		
Description	Black	
(C) 10' SVHS Extension Cable, carded unit pack	C5859-10	



6' Push-On Video Cable

75 Ohm coaxial cable with one push-on, right angle "F" plug and one push-on "F" plug. Connects video components that have 75 Ohm "F" jacks.


6' Push-On Video Cable		
Description	Black	
(D) 6' Push-On Video Cable, carded unit pack	C5854-6	
6' Push-On Video Cable, gold plated, carded unit pack	C5854-6GO	



Flush Mount 75 Ohm Decora® Wall Plate

75 Ohm twist-on connections for input and output.

Flush Mount 75 Ohm Decora® Wall Plate			
Description	Ivory	White	
(E) Flush mount 75 Ohm Decora® Wall Plate, carded unit pack	C2448-I	C2448-W	
Decora Single F-connector Wall Jack with Wall Plate			
Individual polybag pack	40981-ID	40981-WD	



75 Ohm Wall Plate

Twist-on connector on both sides.

75 Ohm Wall Plate			
Description	Ivory	White	Almond
(A) Surface Mount 75 Ohm Wall Plate			
Contractor pack, 5/box	-	C5256-WCP	-
Carded unit pack	C5256-I	C5256-W	-
Surface Mount 75 Ohm Wall Plate, gold plated			
Carded unit pack	C5256-IGO	C5256-WGO	-
Single Flush Mount F-Connector Wall jack			
Individual polybag pack, standard carton	40981-I	40981-W	40981-A



Duplex 75 Ohm Wallplate

5 Ohm twist-on connections on both sides. Can be used as two inputs, one input and one output, or two outputs.

Flush Mount Duplex 75 Ohm Wallplate		
Description	Ivory	White
(B) Flush Mount Duplex 75 Ohm Wall Plate,		
Carded unit pack	C2456-I	C2456-W
Duplex Flush Mounted F-Connector Wall Plate,		
Carded unit pack	40982-I	40982-W



Coaxial Cable Crimping and Stripping Tool Kit

Professional, heavy-duty tool for crimping coaxial connectors onto RG6 or RG59 cables; plastic handle grips protect hands. Stripper adjusts for use with RG6 and RG59 cables.

Coaxial Cable Crimping and Stripping Tool Kit	
Description	Part Number
(C) Coaxial Cable Crimping and Stripping Tool Kit	
Carded unit pack	831-C5917
Individual polybag unit pack, rackpack carton	-



Coaxial Stripping Tool

Designed for easy, one-step stripping. This contractor-grade stripping tool includes a hex wrench for adjusting strip blade tension for both inner and outer jacketing dimensions. Use for both RG6 and RG59 cables.

Coaxial Stripping Tool	
Description	Part Number
(D) Coaxial Stripping Tool	
Carded unit pack, rack pack carton	C5914



Coaxial Crimping Tool

Professional, heavy-duty tool for crimping coaxial connectors onto RG6 or RG59 cables; plastic handle grips protect hands.

Coaxial Crimping Tool	
Description	Part Number
(E) Coaxial Crimping Tool	
Carded unit pack	40988



A

Cable Wall Bushing

Installation of video cables through outside and inside walls. Prevents drafts and unsightly holes.

Cable Wall Bushing		
Description	Ivory	White
(A) Cable Wall Bushing 4 per carded unit pack	C5810-I	C5810-W



B

Coax Cable Clips

Nail-in clips to manage RG59 or RG6 coaxial cable.

Coax Cable Clips		
Description	White	Black
(B) Coax Cable Clips 10 per carded unit pack	C5811	C5812



C

DC Power Adapter

Provides multiple voltage settings with four plug adapters and 9 volt battery clip.

DC Power Adapter	
Description	Part Number
(C) DC Power Adapter, carded unit pack	C5601

Digital Satellite System Accessories

DSS 75 Ohm and 2.0 GHz Combiner with DC Blocking

Connects one antenna/cable TV input and one DSS 2.1 GHz input, to one combined output.



DSS 75 Ohm and 2.0GHz Combiner with DC Blocking	
Description	Part Number
(A) DSS 75 Ohm and 2.0GHz Combiner, gold plated, carded unit pack	40856-DSS

DSS Signal Amplifier

Provides 12 dB in-line signal amplification.



DSS Signal Amplifier	
Description	Part Number
(B) DSS Signal Amplifier, gold plated, carded unit pack	40866-DSS

DSS 2-Way Splitter

Connects one input to two outputs. All ports 2.1 GHz.



DSS 2-Way Splitter	
Description	Part Number
(C) DSS 2-Way Splitter, gold plated, carded unit pack	40867-DSS

DSS 4-Way Splitter


Connects one input to four outputs. All ports 2.1 GHz.




DSS 4-Way Splitter	
Description	Part Number
(D) DSS 4-Way Splitter, gold plated, carded unit pack	40868-DSS

RG6 Quad Shield Cables

Digital cable, gold plated "F" plugs.



RG6 Quad Shield Cables		
Description	Black	White
(E) 3' Quad shield cable, gold plated, carded unit pack	-	-
6' Quad shield cable, gold plated, carded unit pack	40871-6E	40871-6W
12' Quad shield cable, gold plated, carded unit pack	40871-12E	40871-12W
25' Quad shield cable, gold plated, carded unit pack	40871-25E	40871-25W
50' Quad shield cable, gold plated, carded unit pack	40871-50E	40871-50W
100' Quad shield cable, gold plated, carded unit pack	40871-CE	40871-CW
500' Quad shield cable, gold plated, spool to go	-	-
100' Quad Shield Cable, gold plated, carded unit pack	40872-CE	40872-CW



Video Amplifier

Outdoor Antenna Amplifier

25db Signal Amplifier	
Description	Steel
(A) Video Amplifier Carded unit pack	C5557



Wood Screw Stand-Offs

Secures antenna wire along exterior wood surface. Fits round (75 Ohm) or flat (300 Ohm) lead wire.

Wood Screw Stand-Offs	
Description	Part Number
(B) Wood Screw Stand-Offs 4 per carded unit pack	C5924



Clip-On Stand-Offs

Clips on to mast to secure antenna wire. Fits round (75 Ohm) or flat (300 Ohm) lead wire.

Clip-On Stand-Offs	
Description	Steel
(C) Clip-On Stand-Offs 2 per carded unit pack	C5928



20/6 AWG Galvanized Steel Guy Wire

Secures antenna mast.

20/6 AWG Galvanized Steel Guy Wire	
Description	Steel
(D) 20/6 AWG Galvanized Steel Guy Wire, 100' Sleeve unit pack	C5922-100



Guy Ring and Clamp

Mounts over antenna mast to secure guy wire to antenna.

Guy Ring and Clamp	
Description	Steel
(E) Guy Ring and Clamp Carded unit pack	C5927



Coax Line Filter

Eliminates and/or reduces signal loss over the coax cable before signal reaches the TV set.

Coax Line Filter	
Description	Part Number
(F) Coax Line Filter Carded unit pack	C5944



Cable Hook-Up Kit

Kit includes RG59 cable, outdoor matching transformer and band separator. Converts antenna lead wire to coax.

Cable Hook-Up Kit	
Description	Part Number
(A) Cable Hook-Up Kit	
Individual polybag unit pack	C5946



VHF/UHF Signal Splitter

Combines separate incoming 300 Ohm VHF and UHF signals from two antennas into one 75 Ohm VHF/UHF outgoing signal.


VHF/UHF Signal Splitter	
Description	Part Number
(B) VHF/UHF Signal Splitter	
Carded unit pack	C5916



20/2 Twinlead TV Wire

Low loss, foam insulated.

20/2 Twinlead TV Wire	
Description	Black
(C) 20/2 Twinlead TV Wire, 50'	
Sleeve unit pack	X3125-50



22/2 AWG TV Wire


22/2 AWG TV Wire	
Description	Clear
(D) 22/2 AWG TV wire, 100'	
Sleeve unit pack	X3300-100



Section
E
Tools

& Installation Accessories


Tools



Multi-Cable Cut and Crimp Tool

Multi-purpose tool to cut and crimp RG-59 coaxial cable, or to cut, strip and crimp 10 to 20 AWG wire.

Multi-Cable Cut and Crimp Tool	
Description	Part Number
(A) Cut and Crimp Tool Carded unit pack	830-C5917



RG-6 F-Connector Insertion Tool

Makes inserting an F-connector onto coaxial cable easier. One end is used for separating the coaxial cable outer jacketing from the core of the cable, while the other end is for screwing the F-connector onto the RG-6 coaxial cable.


RG-6 F-Connector Insertion Tool	
Description	Part Number
(B) RG-6 F-Connector Insertion Tool Carded unit pack, rack pack carton	C5911-RG6




Twist-On Coaxial Cable F-Connectors

Terminates 75 Ohm coaxial cable with a twist-on male F-connector. No crimping tool is required. Both RG-59 and RG-6 versions available.

Twist-On Coaxial Cable F-Connectors	
Description	Part Number
(C) High Performance EZ Twist RG-6 Quad Shield F-Connector Individual polybag kit, includes 4 plastic tools and 100 connectors per bag	40985-HPC
(D) Twist-On F-Connector for RG-59 Bulk polybag pack, order in increments of 100, nickel plated	40985-TW9
2 per carded unit pack, nickel plated	C5203
2 per carded unit pack, gold plated	C5203-G
Contractor pack, 25 connectors per unit, rack pack carton, nickel plated	C5203-CP
(E) Twist-On F-Connector for RG-6 Bulk polybag pack, order in increments of 100, nickel plated	40985-TW6
2 per carded unit pack, nickel plated	C5008
2 per carded unit pack, gold plated	C5008-G
Contractor pack, 25 connectors per unit, rackpack carton, nickel plated	C5008-CP





1-Piece and 2-Piece Crimp-On F-Connectors

Terminates 75 Ohm coaxial cable with a crimp-on male F-connector. A crimping tool (see tools, page J3) is required. Comes in either a 2-piece version with separate crimp ring, or a 1-piece version with crimp-ring attached. Both RG-59 and RG-6 versions available.

1-Piece and 2-Piece Crimp-On F-Connectors		
Description	Part Number	
One-Piece Crimp-On F-Connector for RG-6 Quad Shield Bulk polybag pack, order in increments of 100, nickel plated	40985-Q6	
(A) One-Piece Crimp-On F-Connector for RG-59 Bulk polybag pack, order in increments of 100, nickel plated 2 per carded unit pack, nickel plated 2 per carded unit pack, gold plated Contractor pack, 25 connectors per unit, rack pack carton, nickel plated	40985-1P9 C5307 C5307-G C5307-CP	
(B) One-Piece Crimp-On F-Connector for RG-6 Bulk polybag pack, order in increments of 100, nickel plated	40985-1P6	
(C) Two-Piece Crimp-On F-Connector for RG-59 Bulk polybag pack, order in increments of 100, nickel plated 2 per carded unit pack, nickel plated 2 per carded unit pack, gold plated	40985-2P9 C5009 C5009-G	
(D) Two-Piece Crimp-On F-Connector for RG-6 Bulk polybag pack, order in increments of 100, nickel plated 2 per carded unit pack, nickel plated 2 per carded unit pack, gold plated Contractor pack, 25 connectors per unit, rack pack carton, nickel plated	40985-2P6 C5007 C5007-G C5007-CP	



Base & Handset Cord Crimping Tool Kit

Modular Crimping Tool used for cutting and crimping line cord and handset cords. This kit comes with 4 plugs for crimping line cords and 4 plugs for crimping handset cords. Handset cord adapter is also included.

Base & Handset Cord Crimping Tool Kit		
Description	Part Number	
(E) Base & Handset Cord Crimping Tool Kit Carded unit pack	C5890	



Base & Handset Cord Crimping Tool

Base & Handset Cord Crimping Tool		
Description	Part Number	
(F) Base & Handset Cord Crimping Tool Carded unit pack	C0260-I	



Replacement Line Cord Plugs

Terminates 4-conductor and 6-conductor flat phone wire line cords.

Replacement Line Cord Plugs		
Description	Part Number	
(G) Line Cord Plugs for 4-Conductor Wire Bulk polybag pack, order in increments of 25 6 per carded unit pack Contractor pack, 25 plugs per unit, rack pack carton	49404 C0257 C0257-CP	
Line Cord Plugs for 6-Conductor Wire 6 per carded unit pack Contractor pack, 25 plugs per unit, rackpack carton	- C2696-CP	



Replacement Modular Handset Plugs

Narrow width, 4-conductor plugs for terminating handset cords.

Replacement Modular Handset Plugs	
Description	Part Number
(A) Replacement Modular Handset Plugs 6 per blister unit pack	C2453-CL



Phone Wire Clips

Nail-in phone wire clips to hold round or flat phone wire along wall baseboard.


Phone Wire Clips	
Description	Ivory
(B) Nail-In Phone Wire Clips 20 per carded unit pack	C2441



Cable Wall Bushing

Installation of video cables through outside and inside walls. Prevents drafts and unsightly holes.


Cable Wall Bushing		
Description	Ivory	White
(C) Cable Wall Bushing 4 per carded unit pack	C5810-I	C5810-W



Coax Cable Clips

Nail-in clips to manage RG-59 or RG-6 coaxial cable.


Coax Cable Clips		
Description	White	Black
(D) Coax Cable Clips 10 per carded unit pack	C5811	C5812



Metal Extension Brackets

Designed to be used for new construction or major retrofits prior to drywall installation, these brackets convert a single-gang electrical box into a 2- or 3-gang low voltage outlet for both sectional and standard wallplates. They allow low voltage outlet wiring to be safely combined in one wallplate assembly with electrical wiring by providing the barrier between low-voltage and AC devices required by applicable local electrical codes. The brackets also eliminate an unsightly (and difficult to align) proliferation of separate single-gang outlets throughout the room.

Metal Extension Brackets ®	
Description	Part Number
(E) 2-Gang Metal Extension Bracket Bulk polybag pack	47610-2
3-Gang Metal Extension Bracket (not shown) Bulk polybag pack	47610-3



Wallplate Mounting Brackets

Mounting a flush-mount wallplate without a back box is easy. Brackets insert into wall opening. Flexible tabs bend up to secure the bracket to the opening. Standard screw holes accept all wallplate configurations.

Wallplate Mounting Brackets	
Description	Part Number
(A) 1 Gang Wallplate Mounting Bracket	
2 per carded unit pack	830-C0224
Bulk polybag pack, 2 brackets per unit, rack pack carton	-
Contractor pack, 10 brackets per pack, rack pack carton	C0224-CP
2 Gang Wallplate Mounting Bracket	
Individual polybag pack, rackpack carton	C0225
Contractor pack, 5 brackets per unit, rack pack carton	C0225-CP

40836-BA.....	B4	40981-ID.....	C8	C0225	B12	C2407-25W.....	B9
40836-BI.....	B4	40981-W.....	C9	C0225	E5	C2407-7E.....	B9
40836-BW.....	B4	40981-WD.....	C8	C0225-CP.....	B12	C2407-7I.....	B9
40836-I.....	B4	40982-I.....	C9	C0225-CP.....	E5	C2413-15I.....	B8
40836-W.....	B4	40982-W.....	C9	C0229-I.....	B3	C2413-15W.....	B8
40838-ACP.....	B4	40984	C3	C0229-W.....	B3	C2413-25I.....	B8
40838-BA.....	B4	40985-1P6.....	C4	C0244	B7	C2413-25W.....	B8
40838-BI.....	B4	40985-1P6.....	E3	C0245-I.....	B5	C2413-50I.....	B8
40838-BW.....	B4	40985-1P9.....	C4	C0245-W.....	B5	C2413-50W.....	B8
40838-I.....	B4	40985-1P9.....	E3	C0246-I.....	B7	C2413-7I.....	B8
40838-ICP.....	B4	40985-2P6.....	C4	C0247-I.....	B6	C2413-7W.....	B8
40838-W.....	B4	40985-2P6.....	E3	C0247-W.....	B6	C2427-25I.....	B8
40838-WCP.....	B4	40985-2P9.....	C4	C0248-I.....	B6	C2427-25W.....	B8
40856-DSS.....	C11	40985-2P9.....	E3	C0248-W.....	B6	C2429-C.....	B9
40866-DSS.....	C11	40985-HPC.....	C4	C0249-I.....	B2	C2441	B12
40867-DSS.....	C11	40985-HPC.....	E2	C0249-ICP.....	B2	C2441	E4
40868-DSS.....	C11	40985-Q6.....	C4	C0249-W.....	B2	C2443	B13
40871-12E.....	C11	40985-Q6.....	E3	C0249-WCP.....	B2	C2447-I.....	B2
40871-12W.....	C11	40985-TW6.....	C4	C0250-I.....	B7	C2447-ICP.....	B2
40871-25E.....	C11	40985-TW6.....	E2	C0250-W.....	B7	C2447-W.....	B2
40871-25W.....	C11	40985-TW9.....	C4	C0252-I.....	B5	C2447-WCP.....	B2
40871-50E.....	C11	40985-TW9.....	E2	C0252-W.....	B5	C2448-I.....	C8
40871-50W.....	C11	40986*	C5	C0253-I.....	B3	C2448-W.....	C8
40871-6E.....	C11	40987-2.....	C2	C0253-ICP.....	B3	C2449-0CP.....	B2
40871-6W.....	C11	40987-3.....	C3	C0253-W.....	B3	C2449-I.....	B2
40871-CE.....	C11	40987-4.....	C3	C0253-WCP.....	B3	C2449-W.....	B2
40871-CW.....	C11	40988	C9	C0254-I.....	B3	C2449-WCP.....	B2
40872-CE.....	C11	42330-1MI†.....	B10	C0254-ICP.....	B3	C2450-I.....	B3
40872-CW.....	C11	42400-G.....	B8	C0254-W.....	B3	C2450-ICP.....	B3
40874-100.....	B10	42404-5CS.....	B11	C0254-WCP.....	B3	C2450-W.....	B3
40874-1MB.....	B10	42530-1MI†.....	B10	C0255-I.....	B5	C2450-WCP.....	B3
40874-50.....	B10	42531-1MI†.....	B10	C0255-W.....	B5	C2452-I.....	B5
40914-A.....	B3	42820-1MI†.....	B10	C0256-SS.....	B4	C2452-W.....	B5
40914-I.....	B3	42830-1MI†.....	B10	C0257	B12	C2453-CL.....	E4
40914-W.....	B3	42840-1MI†.....	B10	C0257	E3	C2453-CL.....	B12
40944-I.....	B3	42843-1MW.....	B10	C0257-CP.....	B12	C2454-I.....	B8
40944-ID.....	B2	43020-1MI†.....	B10	C0257-CP.....	E3	C2455	B4
40944-W.....	B3	43030-1MI†.....	B10	C0258-50I.....	B11	C2455-W.....	B4
40944-WD.....	B2	43040-1MI†.....	B10	C0258-50W.....	B11	C2456-I.....	C9
40949-A.....	B2	47610-2.....	E4	C0260-I.....	E3	C2456-W.....	C9
40949-I.....	B2	47610-3.....	E4	C0260-I.....	B13	C2606-25I.....	B8
40949-ID.....	B2	49404	B12	C0261-I.....	B7	C2606-25W.....	B8
40949-W.....	B2	49404	E3	C0280-I.....	B7	C2607-I.....	B6
40949-WD.....	B2	830-C0224.....	E5	C0280-W.....	B7	C2607-W.....	B6
40959-I.....	B3	830-C5917.....	E2	C0281-I.....	B9	C2613-15I.....	B8
40959-ID.....	B2	831-C5917.....	C9	C2406-25I.....	B8	C2613-15W.....	B8
40959-W.....	B3	C0218-I.....	B6	C2406-25W.....	B8	C2613-25W.....	B8
40959-WD.....	B2	C0218-ICP.....	B6	C2407-15E.....	B9	C2613-50I.....	B8
40974-I.....	B5	C0219-I.....	B6	C2407-15I.....	B9	C2613-50W.....	B8
40974-W.....	B5	C0224	B12	C2407-15W.....	B9	C2613-7I.....	B8
40981	C9	C0224-CP.....	B12	C2407-25.....	B9	C2613-7W.....	B8
40981-A.....	C9	C0224-CP.....	E5	C2407-25E.....	B9	C2627-25I.....	B8

F Index by Part Number

C2627-25W.....	B8	C5008-G.....	E2	C5451-25.....	A3	C5856-G0.....	C7
C2629-W.....	B3	C5009.....	C4	C5451-3.....	A3	C5858-050.....	C2
C2644-I.....	B7	C5009.....	E3	C5451-6.....	A3	C5859-10.....	C8
C2644-W.....	B7	C5009-G.....	C4	C5451-6G0.....	A3	C5890.....	B13
C2645-I.....	B5	C5009-G.....	E3	C5452-12.....	A4	C5890.....	E3
C2645-W.....	B5	C5052.....	C5	C5452-6.....	A4	C5892.....	A4
C2647-I.....	B2	C5052-G0.....	C5	C5454-3.....	A3	C5911-RG6.....	E2
C2647-W.....	B2	C5053.....	C6	C5455.....	A3	C5914.....	C9
C2648-I.....	B6	C5055.....	C6	C5501-E.....	C6	C5916.....	D6
C2648-W.....	B6	C5101.....	C6	C5502-E.....	C6	C5919.....	D4
C2650.....	B3	C5102.....	C6	C5506.....	C6	C5920.....	D4
C2650-W.....	B3	C5152.....	C3	C5557.....	C7	C5921.....	D4
C2652-I.....	B5	C5155.....	C3	C5557.....	D5	C5922-100.....	D5
C2652-W.....	B5	C5157.....	C3	C5559.....	D4	C5924.....	D5
C2655-I.....	B4	C5159.....	C4	C5601.....	C10	C5925.....	D4
C2655-W.....	B4	C5202-G0.....	C5	C5650.....	D2	C5927.....	D5
C2663-I.....	B3	C5203.....	C4	C5810-I.....	C10	C5928.....	D5
C2663-W.....	B3	C5203.....	E2	C5810-I.....	E4	C5929.....	D3
C2675-I.....	B2	C5203-CP.....	C4	C5810-W.....	C10	C5931.....	D2
C2675-W.....	B2	C5203-CP.....	E2	C5810-W.....	E4	C5932.....	D2
C2675-WCP.....	B2	C5203-G.....	C4	C5811.....	C10	C5933.....	D2
C2676-I.....	B3	C5203-G.....	E2	C5811.....	E4	C5935.....	D3
C2676-W.....	B3	C5205.....	C5	C5812.....	C10	C5936.....	D3
C2677-I.....	B2	C5208.....	A3	C5812.....	E4	C5941.....	D3
C2677-W.....	B2	C5229.....	C5	C5822.....	C7	C5942.....	D3
C2679-I.....	B5	C5235.....	C5	C5822-G0.....	C7	C5944.....	D5
C2679-W.....	B5	C5235-G0.....	C5	C5851-12E.....	C2	C5946.....	D6
C2680-I.....	B5	C5236.....	A4	C5851-12G.....	C2	C5948.....	D4
C2680-W.....	B5	C5237-20.....	A4	C5851-12W.....	C2	C5950.....	D2
C2682-I.....	B4	C5237-6.....	A4	C5851-25E.....	C2	W2550-1MB*.....	B10
C2682-W.....	B4	C5238-20C.....	A4	C5851-25G.....	C2	W2570-1MB*.....	B10
C2683-I.....	B7	C5240-20E.....	A3	C5851-25W.....	C2	W3030-500.....	B11
C2683-W.....	B7	C5243-6G0.....	C7	C5851-3E.....	C2	W3409-250.....	C2
C2696-CP.....	B12	C5245-6G0.....	C7	C5851-3G0.....	C2	W3409-500.....	C2
C2696-CP.....	E3	C5255.....	A2	C5851-3GW.....	C2	W5212-250.....	A5
C5002.....	C2	C5255-G0.....	A2	C5851-3W.....	C2	W5214-250.....	A5
C5002-CP.....	C2	C5256-I.....	C9	C5851-50E.....	C2	X2686-100.....	B11
C5002-G0.....	C2	C5256-IG0.....	C9	C5851-50G.....	C2	X3109-100.....	B10
C5003.....	C3	C5256-W.....	C9	C5851-50W.....	C2	X3109-50I.....	B10
C5004.....	C3	C5256-WCP.....	C9	C5851-6E.....	C2	X3125-50.....	D6
C5004-G0.....	C3	C5256-WG0.....	C9	C5851-6G0.....	C2	X3300-100.....	D6
C5007.....	C4	C5307.....	C4	C5851-6GW.....	C2	X3301-100.....	A5
C5007.....	E3	C5307.....	E3	C5851-6W.....	C2	X3301-25C.....	A5
C5007-CP.....	C4	C5307-CP.....	C4	C5851-CE.....	C2	X3301-50C.....	A5
C5007-CP.....	E3	C5307-CP.....	E3	C5851-CG0.....	C2	X3302-25C.....	A5
C5007-G.....	C4	C5307-G.....	C4	C5851-CGW.....	C2	X3304-100.....	A5
C5007-G.....	E3	C5307-G.....	E3	C5851-CW.....	C2	X3304-50C.....	A5
C5008.....	C4	C5402.....	A2	C5852-12G.....	C8	X3324-025.....	A5
C5008.....	E2	C5403.....	A2	C5852-6G0.....	C8	X3324-100.....	A5
C5008-CP.....	C4	C5405.....	A2	C5853-6.....	C8	X3324-50C.....	A5
C5008-CP.....	E2	C5407.....	A3	C5854-6.....	C8		
C5008-G.....	C4	C5451-12.....	A3	C5854-6G0.....	C8		



Leviton Manufacturing Co., Inc.

59-25 Little Neck Parkway, Little Neck, NY 11362-2591
Telephone: 1-800-323-8920 • FAX: 1-800-832-9538
Tech Line (8:30AM-6:00PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Voice & Data Headquarters

222 - 222nd St. S.E., Bothell, WA 98021-4422 USA
Telephone: 1-800-722-2082 • International: 425-486-2222

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9
Telephone: 1-800-469-7890 • FAX: 1-800-563-1853

Leviton S.A. de C.V.

General Arista 54-A Col. Argentina, Mexico D.F., C.P. 11270
Telephone: 011-525-386-1131, 011-525-386-2052 • FAX: 011-525-386-1797

Visit Leviton's Web site at <http://www.leviton.com>