

## Stock Guide - March 2014



Halo • Halo Track & Surface • Halo Commercial • All-Pro • Metalux • All-Pro Ambient • Lumark Outdoor  
Lumark Indoor • All-Pro Outdoor Security & Worklights • Sure-Lites • All-Pro Emergency • Portfolio • IRIS  
Lumiere • McGraw-Edison • Fail-Safe • MWS • HID Accessories • Poles • Controls

**Cooper Lighting**  
by **FAT•N**

# INDEX

★ Indicates  
ARRA  
Eligible Product

Ⓔ Indicates  
EISA Compliant  
Pulse Start Products

ⓄTS Indicates  
Off The Shelf  
Product

## HALO

3" Housings and Trims.....	pg 2
4" Housings and Trims.....	pg 5
4" Halo LED.....	pg 9
5" Housings and Trims.....	pg 13
6" Housings and Trims.....	pg 15
6" Halo LED.....	pg 17
Retrofit Modules.....	pg 21
Chicago Plenum Housings.....	pg 23
7" Housings and Trims.....	pg 30
8" Housings and Trims.....	pg 30
10" Housings and Trims.....	pg 31
Step and Wall Lights.....	pg 32
Accessories.....	pg 33

## HALO TRACK and SURFACE

LED Luminaire.....	pg 34
Power - Trac Luminaire.....	pg 35
Power - Trac Systems.....	pg 40
Lazer Lampholders and Systems.....	pg 45
Architectural Flexible Track Lampholders and Systems.....	pg 50
Halo Architectural Linear Track and Connectors.....	pg 50
Linea Lampholders and Systems.....	pg 53
Surface.....	pg 53

## HALO COMMERCIAL

6" Housings and Trims.....	pg 54
8" Housings and Trims.....	pg 57

## ALL-PRO

3" Housings.....	pg 59
4" Housings and Trims.....	pg 59
5" Housings and Trims.....	pg 61
6" Housings and Trims.....	pg 63

## METALUX

Recessed Static.....	pg 69
Recessed Direct / Indirect.....	pg 73
Recessed Accessories.....	pg 74
Modular Surface.....	pg 74
Wraparound.....	pg 74
Wall Brackets.....	pg 77
Paralux III High Performance.....	pg 78
Parabolic Surface.....	pg 78
Advance Retrofit Kit Technology (ART).....	pg 79
Strip.....	pg 79
Industrial.....	pg 82
Vapor Tite.....	pg 86
Undercabinet.....	pg 87

## ALL-PRO AMBIENT

Parabolics.....	pg 88
Troffers.....	pg 89
Wraparounds.....	pg 89
Striplights.....	pg 91
Vapor Tite.....	pg 91
High Bay.....	pg 92
Low Bay.....	pg 92

## LUMARK OUTDOOR

Wall Mount.....	pg 93
Floodlight.....	pg 96
Parking / Canopy.....	pg 98
Canopy.....	pg 98
Area / Site.....	pg 98
Dusk to Dawn.....	pg 100

## LUMARK INDOOR

Worklight.....	pg 101
Industrial.....	pg 101
Industrial Component.....	pg 101
Worklight and Industrial Component Accessories.....	pg 102
Indoor.....	pg 102

## ALL-PRO OUTDOOR SECURITY & WORKLIGHTS

Floodlight.....	pg 103
-----------------	--------

Motion Activated.....	pg 103
Worklight.....	pg 107
Dusk to Dawn.....	pg 109
Accessory.....	pg 112

## SURE-LITES

Emergency.....	pg 113
Exit Signs.....	pg 117
Industrial / Hazardous.....	pg 123
Retrofit.....	pg 123
Accessories.....	pg 124
Chicago Code.....	pg 124
Chicago Code and Emergency.....	pg 124
Replacement Part.....	pg 125

## ALL-PRO EMERGENCY

LED Exit and Emergency.....	pg 126
Exit and Emergency.....	pg 127

## PORTFOLIO

LED.....	pg 128
CFL.....	pg 128
HID.....	pg 132
Incandescent.....	pg 132
HID and Incandescent.....	pg 133
CFL, HID and Incandescent Accessories.....	pg 133

## IRIS

Iris Platform.....	pg 134
Iris Power Modules.....	pg 135
Iris Optical Element.....	pg 135
Iris Components and Accessories.....	pg 138

## LUMIÈRE

Accent / Flood.....	pg 139
Inground.....	pg 140
Wall.....	pg 140
Step.....	pg 141
Pathway.....	pg 141
Underwater.....	pg 141
Accessories.....	pg 142

## McGRAW-EDISON

Wall Mount.....	pg 143
-----------------	--------

## FAIL-SAFE

Commercial Vandal Resistant.....	pg 144
Cleanroom.....	pg 144
Medical.....	pg 145

## MWS

Starter Fitting.....	pg 146
Extender Cables.....	pg 146
Splitter.....	pg 146
Fixture Fitting.....	pg 146

## HID ACCESSORIES

HID Accessories.....	pg 147
----------------------	--------

## POLES

Poles.....	pg 148
------------	--------

## CONTROLS

Lighting Control Panels - Stand-Alone.....	pg 149
Occupancy Sensors.....	pg 149
Vacancy Sensors.....	pg 154

## ARRA

The American Recovery and Reinvestment Act.....	pg 155
---	--------





## TERMS & CONDITIONS

Cooper Lighting Stock Guide 2014 Terms and Conditions.....	pg 156
--	--------





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

# Halo


## 3" H3 Housing









	<b>IC Air-Tite - H36ICAT</b> H36ICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961361302	4.52	4	64	•	•	•	•	•	★
	<b>IC Air-Tite - H38ICAT</b> H38ICAT	3" HOUSING IC AIR-TITE 120V LINE VOLTAGE, GU10	623961361272	4.198	4	64	•	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel</b> H36RTAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, REMODEL, GU10	623961361326	1.316	6	252	•	•	•	•	•	★
	<b>Non-IC Air-Tite</b> H36TAT	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE, GU10	623961377662	2	6	144	•	•	•	•	•	★

## 3" H3 Low Voltage Housing

	<b>IC Air-Tite - H36LVICAT</b> H36LVICAT	3" HOUSING IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	623961361333	6.9	4	64	•	•	•	•	•	★	
	<b>IC Air-Tite - H38LVICAT</b> H38LVICAT	3" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	623961361289	6	4	80	•	•	•	•	•	★	
	<b>Non-IC Air-Tite Remodel</b> H36LVRTAT H36LVRTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE REMODEL, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, REMODEL, MR16	623961361340 080083528479	3.2 3.2	6 6	168 216	•	•	•	•	•	•	★
	<b>Non-IC Air-Tite</b> H36LVTAT H36LVTAT277	3" HOUSING NON-IC AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16 3" HOUSING NON-IC AIR-TITE SHALLOW CEILING, 277V (DUAL-TAP 120/277V) TRANSFORMER, LOW VOLTAGE, MR16	623961361357 623961690068	3.854 4	6 6	120 168	•	•	•	•	•	•	★








## 3" H3 Trim

	<b>Adjustable Pinhole Baffle - 15 Degree Tilt</b> 3001BKBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE BLACK TRIM WITH BLACK BAFFLE	623961379673	0.6	36	864	•	•	•	•	•	•	★
	3001TBZBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961591976	0.8	36	576	•	•	•	•	•	•	★
	3001WHBB	3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH BLACK BAFFLE	623961379727	0.6	36	864	•	•	•	•	•	•	★




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
	<b>Adjustable Pinhole Reflector - 15 Degree Tilt</b> 3002WHC 3" TRIM ADJUSTABLE 15 DEGREE PINHOLE WHITE TRIM WITH CLEAR REFLECTOR	623961384349	0.6	36	864					•
	<b>Adjustable Pinhole Baffle - 35 Degree Tilt</b> 3003BKBB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE BLACK TRIM WITH BLACK BAFFLE	623961384929	0.6	36	864					•
	3003SNB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961384417	0.6	36	864					•
	3003TBZB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961591990	0.6	36	864					•
	3003WHBB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961384431	0.6	36	864					•
	3003WHWB 3" TRIM ADJUSTABLE 35 DEGREE BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961384455	0.5	36	864					•
	<b>Adjustable Reflector - 35 Degree Tilt</b> 3004SN 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384523	0.74	36	864					•
	3004TBZ 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961592003	0.6	36	864					•
	3004WHC 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH CLEAR REFLECTOR	623961384547	0.95	36	720					•
	3004WHH 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH HAZE REFLECTOR	080083588220	0.721	36	864					•
	3004WHW 3" TRIM ADJUSTABLE 35 DEGREE REFLECTOR WHITE TRIM WITH WHITE REFLECTOR	623961401091	0.6	6	864					•
	<b>Adjustable Slot Aperture - 35 Degree Tilt</b> 3006TBZBB 3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961592010	0.6	36	864					•
	3006WHBB 3" TRIM ADJUSTABLE SLOT 35 DEGREE APERTURE WHITE TRIM WITH BLACK BAFFLE	623961379635	0.6	36	864					•
	<b>Lensed Shower Light - 15 Degree Tilt</b> 3007PCC 3" TRIM LENSED SHOWER LIGHT 15 DEGREE POLISHED CHROME TRIM WITH CLEAR REFLECTOR	623961384776	0.6	6	864					•
	3007SN 3" TRIM LENSED SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961384790	0.6	36	864					•
	3007WHC 3" TRIM LENSED SHOWER LIGHT 15 DEGREE WHITE TRIM WITH CLEAR REFLECTOR	623961384813	0.8	36	864					•
	<b>Shower Light</b> 3008FG 3" TRIM SHOWER LIGHT WHITE PLASTIC TRIM WITH FROSTED GLASS LENS	623961384837	0.6	36	864					•
	<b>Adjustable Gimbal - 35 Degree Tilt</b> 3009BKBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL BLACK WITH BLACK BAFFLE	623961384592	0.6	36	864					•
	3009SNBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL SATIN NICKEL WITH BLACK BAFFLE	623961384615	0.6	36	864					•
	3009TBZBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL TUSCAN BRONZE WITH BLACK BAFFLE	623961592249	0.6	36	864					•
	3009WHBB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH BLACK BAFFLE	623961384646	0.6	36	864					•
	3009WHWB 3" TRIM ADJUSTABLE 35 DEGREE GIMBAL WHITE WITH WHITE BAFFLE	623961384660	0.3	36	864					•
	<b>Super Adjustable, 80 Degree, White</b> 3010TBZ 3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, TUSCAN BRONZE	080083514403	0.494	36	288					•

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product





Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Super Adjustable, 80 Degree, Tuscan Bronze</b>										
 3010WH	3" TRIM, SUPER ADJUSTABLE, 80 DEGREE, WHITE	080083514366		1	36	216				•
<b>Square Adjustable - 15 Degree Tilt</b>										
 3011BKBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE BLACK TRIM WITH BLACK BAFFLE	623961978326	0.6	36	432				•	•
3011SNBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978333	0.8	36	864					•
3011TBZBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978357	0.6	36	864					•
3011WHBB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH BLACK BAFFLE	623961978210	0.5	36	432					•
3011WHWB	3" TRIM ADJUSTABLE 15 DEGREE SQUARE WHITE TRIM WITH WHITE BAFFLE	623961978203	1.05	36	864				•	•
<b>Square Regressed Lens Adjustable Shower Light</b>										
 3012BKBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE BLACK TRIM WITH BLACK BAFFLE	623961978395	0.5	36	864					•
3012SNBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE SATIN NICKEL TRIM WITH BLACK BAFFLE	623961978401	0.6	36	864					•
3012TBZBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961978425	0.8	36	864					•
3012WHBB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH BLACK BAFFLE	623961978364	0.6	36	864					•
3012WHWB	3" TRIM LENSED SQUARE SHOWER LIGHT 15 DEGREE WHITE TRIM WITH WHITE BAFFLE	623961978388	0.8	36	864				•	•
<b>Square Adjustable Gimbal</b>										
 3013SN	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, SATIN NICKEL	623961978463	0.6	36	864					•
3013TBZ	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, TUSCAN BRONZE	623961978487	0.6	36	216					•
3013WH	3" TRIM ADJUSTABLE 15 DEGREE SQUARE GIMBAL TRIM, WHITE	623961978432	0.2	36	864					•
<b>Decorative Low-Profile Glass Curve</b>										
 3016AG	3" TRIM, AMBER GLASS CURVE TRIM WITH WHITE BASE	080083514496	0.893	36	288					•
3016BG	3" TRIM, BLUE GLASS CURVE TRIM WITH WHITE BASE	080083514489	0.893	36	864					•
3016FG	3" TRIM, FROST GLASS CURVE WITH WHITE BASE	080083514472	0.893	36	216					•
<b>All-Glass Frost Curve Showerlight Trim</b>										
 3017FGS	3" TRIM, FROST ALL-GLASS CURVE SHOWER TRIM WITH WHITE BASE	080083514502	0.916	36	288					•
<b>Wall Wash Pinhole with Clear Reflector</b>										
 3020WW	3" TRIM WALL WASH PINHOLE WHITE TRIM WITH CLEAR REFLECTOR AND CLEAR KICK REFLECTOR	080083514533	1.375	36	144					•






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>4" Housing</b>											
	<b>IC Air-Tite - H99ICAT</b> H99ICAT 4" HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083582259	2.6	6	144	•	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel - H99RTAT</b> H99RTAT 4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 120V LINE VOLTAGE	080083584369	1.5	6	252	•	•	•	•	•	★
	<b>Non-IC Air-Tite - H99TAT</b> H99TAT 4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 120V INCANDESCENT	080083584260	2.2	6	168	•	•	•	•	•	★

**4" Low Voltage Housing**

	<b>IC Air-Tite - H1499ICAT</b> H1499ICAT 4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16	080083584079	5.84	4	80	•	•	•	•	•	★
	<b>Non-IC Air-Tite Remodel - H1499RTAT</b> H1499RTAT 4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING REMODEL 12V LOW VOLTAGE MR16	080083584406	3.85	6	144	•	•	•	•	•	★
	<b>Non-IC Air-Tite - H1499TAT</b> H1499TAT 4" HOUSING NON-IC, AIR-TITE SHALLOW CEILING 12V LOW VOLTAGE, MR16	080083584383	3.812	6	144	•	•	•	•	•	★
	<b>Non-IC Dual Tap Transformer</b> H1499T75 4" HOUSING NON-IC SHALLOW CEILING 120/277V DUAL TAP TRANSFORMER LOW VOLTAGE 75W MR16 MAX.	662400611660	5.8	6	84				•	•	★

**4" CFL Housing**





	<b>IC Air-Tite Shallow Ceiling CFL Housing</b> H470ICAT 4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING 13W ELECTRONIC BALLAST, 120V	080083516667	5	6	72					•	★
	<b>IC Air-Tite Shallow CFL Housing</b> H470RICAT 4" HOUSING, REMODEL, COMPACT FLUORESCENT, IC AIR-TITE SHALLOW 13W ELECTRONIC BALLAST, 120V	080083516629	5	6	144					•	★
	<b>IC Air-Tite Shallow Ceiling CFL Housing - H471RICAT</b> H471RICAT 4" HOUSING COMPACT FLUORESCENT IC AIR-TITE SHALLOW CEILING REMODEL 18W ELECTRONIC BALLAST, 120V	080083516643	5	6	108				•	•	★

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>4" Trim</b>										
<b>Adjustable Lensed Shower Light - 15 Degree Tilt</b>										
	1951PS	4" TRIM LENSED SHOWERLIGHT WHITE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	622697464974	0.8	12	384				• •
	1951SNS	4" TRIM LENSED SHOWERLIGHT SATIN NICKEL TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623960387594	1	12	216				•
	1951TBZS	4" TRIM LENSED SHOWERLIGHT TUSCAN BRONZE TRIM, CLEAR SPECULAR SPLAY REFLECTOR, MR16	623961311758	0.38	12	720				•
<b>Metropolitan Ice Lite - For H99T, H99RT &amp; H99ICT</b>										
	945	4" TRIM METROPOLITAN 120V FROSTED GLASS	662400188612	1.75	6	240				• ★
<b>Metropolitan Deco - For H99T, H99RT &amp; H99ICT</b>										
	946BC	4" TRIM METROPOLITAN 120V BLACK CHROME ACCENT WITH TRANSLUCENT RINGS	662400184430	1.44	1	216				• ★
<b>Shower Light</b>										
	951PS	4" TRIM LENSED SHOWERLIGHT 120V WHITE TRIM WITH GLASS LENS	622697283117	0.5	6	480	•		• • •	
	951SNS	4" TRIM LENSED SHOWERLIGHT 120V SATIN NICKEL TRIM WITH GLASS LENS	623960387556	0.5	6	432				• •
	951TBZS	4" TRIM LENSED SHOWERLIGHT 120V TUSCAN BRONZE TRIM WITH GLASS LENS	623961311574	0.6	6	432				• •
<b>Dome Lens Showerlight</b>										
	952PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH FROST DOME GLASS LENS	080083515967	0.7	6	720				
<b>Metal Baffle</b>										
	953P-P8	4" TRIM, METAL BAFFLE, WHITE TRIM WITH BLACK BAFFLE	080083516001	0.4	12	864				• •
	953SN	4" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623960387532	0.2	12	576				• •
	953TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311499	0.2	12	576				• •
	953W	4" TRIM, METAL BAFFLE, WHITE TRIM WITH WHITE BAFFLE	080083516025	0.4	12	864				•
<b>Shower Light - 955PS</b>										
	955PS	4" TRIM, LENSED SHOWERLIGHT, WHITE TRIM WITH PRISMATIC GLASS LENS	080083515943	0.6	6	1008	•			•
<b>Pinhole Trim</b>										
	990P	4" TRIM PINHOLE TRIM WHITE	662400320647	0.2	6	720				• • ★
<b>Wall Wash with Baffle</b>										
	992P	4" TRIM WALL WASH WHITE TRIM AND SCOOP, BLACK BAFFLE	662400320531	0.38	6	216				• ★
	992TBZ	4" TRIM WALL WASH TUSCAN BRONZE TRIM AND SCOOP, BLACK BAFFLE	623961311550	0.4	12	576				•
	992W	4" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400320654	0.38	6	1296				• • ★

★ Indicates ARRA Eligible Product   Indicates EISA Compliant Pulse Start Products   Indicates Off the Shelf Product








Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Coilex Baffle</b>										
 993P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	080083628223	0.5	6	840				•	•
993SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960250485	0.5	12	576				•	•
993TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE WITH BLACK BAFFLE	080083628520	0.38	6	840				•	•
993W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	080083628483	0.5	6	840	•	•	•	•	•
<b>Step Baffle</b>										
994W	4" TRIM STEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400320708	0.28	6	960				•	★
<b>Adjustable Eyeball - 30 Degree Tilt - 996</b>										
 996P	4" TRIM EYEBALL PAR20 LAMP WHITE TRIM WITH WHITE EYEBALL	662400320630	1.5	12	648				•	•
996SN	4" TRIM EYEBALL PAR20 LAMP SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL	623960282769	0.68	12	384				•	
996TBZ	4" TRIM EYEBALL PAR20 LAMP TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL	623961311512	0.8	12	360				•	
<b>Adjustable Eyeball - 30 Degree Tilt - 998</b>										
 998P	4" TRIM EYEBALL R16, PAR16 LAMP WHITE TRIM WITH WHITE EYEBALL	080083628209	1.5	6	840	•	•		•	•
998TBZ	4" TRIM EYEBALL R16, PAR16 LAMP TUSCAN BRONZE WITH TUSCAN BRONZE EYEBALL	623961311437	1	12	840				•	
<b>Reflector</b>										
 999H	4" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622696606221	0.31	12	672				•	★
999P	4" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR CLEAR REFLECTOR	662400320586	0.31	12	840				•	★
999RG	4" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400320548	0.4	12	768				•	★
999SN	4" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083628186	0.25	6	720				•	•
999TBZ	4" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311451	0.38	12	1200				•	
999W	4" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	623961394287	0.4	6	432				•	★

**4" Low Voltage Trim**

<b>1 - 7 / 8" Pinhole Baffle</b>										
 1419P	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320494	0.67	6	1296				•	•
1419SN	4" TRIM PINHOLE BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295226	0.41	6	720				•	
1419TBZ	4" TRIM PINHOLE BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311611	0.6	6	1200				•	
1419W	4" TRIM PINHOLE BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320760	0.6	6	1248				•	•
<b>Adjustable Slot Aperture - 35 Degree Tilt</b>										
 1420P	4" TRIM SLOT APERTURE WHITE, MR16	662400132264	0.95	12	864				•	•
1420TBZ	4" TRIM SLOT APERTURE TUSCAN BRONZE, MR16	623961311673	0.38	6	1200				•	



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
<b>Reflector Trim</b>										
 1421C	4" TRIM REFLECTOR WHITE TRIM, CLEAR SPECULAR REFLECTOR, MR16	662400320524	0.43	12	1008	•	•	•	•	★
1421CG	4" TRIM REFLECTOR WHITE TRIM, CHAMPAGNE GOLD REFLECTOR, MR16	662400603054	0.4	6	960			•		★
1421H	4" TRIM REFLECTOR WHITE TRIM, HAZE REFLECTOR, MR16	662400621508	0.475	6	960				•	★
1421MB1	4" TRIM REFLECTOR WHITE TRIM, SPECULAR BLACK REFLECTOR, MR16	662400102045	0.4	6	720			•		★
1421SN	4" TRIM REFLECTOR SATIN NICKEL TRIM, SATIN NICKEL REFLECTOR, MR16	623960295257	0.38	6	1200				•	
1421TBZ	4" TRIM REFLECTOR TUSCAN BRONZE TRIM, TUSCAN BRONZE REFLECTOR, MR16	623961311598	0.38	6	1200				•	
1421W	4" TRIM REFLECTOR WHITE TRIM, WHITE REFLECTOR, MR16	623961394270	0.38	6	1248				•	★
<b>Metal Baffle - 35 Degree Tilt</b>										
 1453TBZ	4" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE, MR16	623961311659	0.38	6	1200				•	
1493P	4" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE, MR16	662400320555	0.42	6	1200			•	•	★
1493SN	4" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE, MR16	623960295264	0.42	6	960				•	
1493TBZ	4" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE, MR16	623961311635	0.38	6	1200				•	
1493W	4" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE, MR16	662400320623	0.5	6	972	•	•	•	•	★
<b>Adjustable Gimbal - 30 Degree Tilt</b>										
 1495P	4" TRIM ADJUSTABLE GIMBAL WHITE, MR16	662400659679	0.2	6	1056				•	•
1495SN	4" TRIM ADJUSTABLE GIMBAL SATIN NICKEL, MR16	623960295271	0.46	6	960				•	•
1495TBZ	4" TRIM ADJUSTABLE GIMBAL TUSCAN BRONZE, MR16	623961311697	0.38	6	1200				•	
<b>Retractable Elbow - 60 Degree Tilt</b>										
 1496P	4" TRIM RETRACTABLE ELBOW WHITE, MR16	662400659686	0.3	6	960				•	•
1496SN	4" TRIM RETRACTABLE ELBOW SATIN NICKEL, MR16	623960295172	0.38	6	720				•	
1496TBZ	4" TRIM RETRACTABLE ELBOW TUSCAN BRONZE, MR16	623961311710	0.4	6	1200				•	
<b>Adjustable Mirror Trim - 90 Degree Tilt</b>										
 1497P	4" TRIM ADJUSTABLE MIRROR WHITE TRIM WITH WHITE SCOOP, MR16	662400671879	0.55	6	432				•	•
<b>Adjustable Eyeball with Baffle - 30 Degree Tilt</b>										
 1498P	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, BLACK BAFFLE, MR16	662400320517	0.8	6	600				•	•
1498SN	4" TRIM EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, BLACK BAFFLE, MR16	623960295189	0.8	6	720				•	
1498TBZ	4" TRIM EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, BLACK BAFFLE, MR16	623961311734	0.6	6	1200				•	
1498W	4" TRIM EYEBALL WHITE TRIM WITH WHITE EYEBALL, WHITE BAFFLE, MR16	662400302858	0.65	6	216				•	•
<b>Metropolitan Ice Lite - For H1499T, 1499RT &amp; H1499IC</b>										
 1945	4" TRIM METROPOLITAN FROSTED GLASS, MR16	662400194989	2.19	6	300				•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>4" LED Housing</b>										
	<b>4" LED Housing IC Air-Tite, 120V Line Voltage</b> H995ICAT      4" LED HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616930	2.24	6	144				•	• ★
	H457ICAT1E      4" LED HOUSING IC AIR-TITE, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692484	2.25	6	144		•	•	•	• ★
	<b>4" LED Remodel Housing IC Air-Tite, 120V Line Voltage</b> H995RICAT      4" LED REMODEL HOUSING IC AIR-TITE SHALLOW CEILING 120V LINE VOLTAGE	080083616947	1.5	6	162				•	• ★
<b>4" Halo H4 LED</b>										
	<b>4" LED Light Engine, 2700K, for Halo H457 Gen2 LED Housings</b> EL406927      4" LED LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693559	1.71	6	360				•	★
	<b>4" LED Light Engine, 3000K, for Halo H457 Gen2 LED Housings</b> EL406930      4" LED LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693573	1.71	6	360		•		•	• ★
	<b>4" LED Light Engine, 3500K, for Halo H457 Gen2 LED Housings</b> EL406935      4" LED LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693597	1.71	6	360				•	★
	<b>4" LED Light Engine, 4000K, for Halo H457 Gen2 LED Housings</b> EL406940      4" LED LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693610	1.71	6	360				•	★
	<b>4" LED White Gimbal Trim / Light Engine, 2700K</b> ELG406927WH      4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693634	1.71	6	180				•	★
	<b>4" LED Satin Nickel Gimbal Trim / Light Engine, 3000K</b> ELG406930SN      4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693733	1.71	6	180				•	★
	<b>4" LED Tuscan Bronze Gimbal Trim / Light Engine, 3000K</b> ELG406930TBZ      4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693818	1.71	6	180				•	★
	<b>4" LED White Gimbal Trim / Light Engine, 3000K</b> ELG406930WH      4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693658	1.71	6	180		•		•	• ★

★ Indicates ARRA Eligible Product   Indicates EISA Compliant Pulse Start Products   Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 <b>4" LED White Gimbal Trim / Light Engine, 3500K</b> ELG406935WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 3500K, FOR HALO H457 LED HOUSINGS - GEN2	080083693672	1.71	6	180					•	★	
 <b>4" LED White Gimbal Trim / Light Engine, 4000K</b> ELG406940WH	4" LED WHITE GIMBAL TRIM / LIGHT ENGINE, 4000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693696	1.71	6	180					•	★	
 <b>4" LED White Square Gimbal Trim / Light Engine, 2700K</b> ELSG406927WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 2700K, FOR HALO H457 LED HOUSINGS - GEN2	080083693870	1.71	6	180					•	★	
 <b>4" LED White Square Gimbal Trim / Light Engine, 3000K</b> ELSG406930WH	4" LED WHITE SQUARE GIMBAL TRIM / LIGHT ENGINE, 3000K, FOR HALO H457 LED HOUSINGS - GEN2	080083693894	1.71	6	180					•	★	
 <b>4" LED ICAT Remodel Housing, 120V, for Halo EL4, ELG4, ELSG4 series LED Light Engines</b> H457RICAT1E	4" LED HOUSING IC AIR-TITE REMODEL, DIMMABLE, 120V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES	080083692507	2.25	6	108			•	•	•	★	
 <b>4" LED NON-IC Housing, 120V-277V, for Halo EL4, ELG4, ELSG4 series LED Light Engines</b> H457TATE010	4" LED HOUSING NON-IC, AIR-TITE, 120V-277V, FOR HALO EL406, ELG406, ELSG406 LED LIGHT ENGINES; 120V & 0-10VDC DIMMABLE	080083692521	2.25	6	120					•	•	★
 <b>4" LED Reflector - Haze, Matte White Ring</b> TL410H	4" LED TRIM, FROST DOME POLYMER LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694501	0.4	18	576					•		
 <b>4" LED Reflector - Specular Black, Matte White Ring</b> TL410SBK	4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694549	0.4	18	576					•		
 <b>4" LED Reflector - Specular Clear, Matte White Ring</b> TL410SC	4" LED TRIM, FROST DOME POLYMER LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083694488	0.4	18	576					•		
 <b>4" LED Reflector - Tuscan Bronze, Tuscan Bronze Ring</b> TL410TBZ	4" LED TRIM, FROST DOME POLYMER LENS, TUSCAN BRONZE REFLECTOR AND RING, SHOWER RATED	080083694587	0.4	18	576					•		
 <b>4" LED Reflector - Matte White, Matte White Ring</b> TL400WH TL410WH	4" LED TRIM - MATTE WHITE REFLECTOR, MATTE WHITE RING 4" LED TRIM, FROST DOME POLYMER LENS, WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527861 080083694525	0.4 0.4	18 18	540 576					• •		








★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.










CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 TL411BB	<b>4" LED Reflector - Black Baffle, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, BLACK BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694624	0.4	18	576					•
 TL411WB	<b>4" LED Reflector - White Baffle, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083694600	0.4	18	576					•
 TL402HS	<b>4" LED Regressed Lens - Haze Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, HAZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527892	0.4	18	576				•	•
 TL402SBKS	<b>4" LED Regressed Lens - Specular Black Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR BLACK REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544264	0.4	18	432					•
 TL402SCS	<b>4" LED Regressed Lens - Specular Clear Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SPECULAR CLEAR REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527885	0.4	18	540					•
 TL402SNS	<b>4" LED Regressed Lens - Satin Nickel Reflector, Satin Nickel Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, SATIN NICKEL REFLECTOR, SATIN NICKEL RING, SHOWER RATED	080083544240	0.4	18	648					•
 TL410SN	<b>4" LED Regressed Lens - Satin Nickel Reflector, Matte White Ring</b> 4" LED TRIM, FROST DOME POLYMER LENS, SATIN NICKEL REFLECTOR AND RING, SHOWER RATED	080083694563	0.4	18	576					•
 TL402TBZS	<b>4" LED Regressed Lens - Tuscan Bronze Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, TUSCAN BRONZE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544257	0.4	18	540					•
 TL402WHS	<b>4" LED Regressed Lens - Matte White Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, MATTE WHITE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083527908	0.4	18	576				•	•
 TL403BBS	<b>4" LED Regressed Lens - Black Baffle Reflector, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, BLACK BAFFLE REFLECTOR, MATTE WHITE RING, SHOWER RATED	080083544271	0.4	18	720					•
 TL403WBS	<b>4" LED Regressed Lens - White Baffle, Matte White Ring</b> 4" LED TRIM, SOLITE(R) GLASS LENS, WHITE BAFFLE, MATTE WHITE RING, SHOWER RATED	080083527915	0.5	18	576				•	•
 TL409WHWW	<b>4" LED Wall Wash Trim, White Reflector, Specular Wall Wash Optic, Matte White Ring</b> 4" LED TRIM, WALL WASH, WHITE REFLECTOR WITH SPECULAR WALL WASH OPTIC, MATTE WHITE RING	080083575800	0.4	18	576					•











★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.











CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
	<b>4" LED Wall Wash Trim, Semi-Specular Clear Reflector, Specular Wall Wash Optic, Matte White Ring</b> TL409WW	080083585090	0.4	18	720					•
	<b>4" LED Optional Reflector Kit 25, 35, 50 degree, for ELG4 and ELSG4 Gimbal Trim / Light Engines</b> TL412RK	080083575817	0.4	18	540					•
	<b>4" LED Trim, "Dead Front" Polymer Trim Ring and Lens Lens, Matte White Ring, Shower Rated</b> TL422PS	080083527922	0.4	18	540					•
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Satin Nickel Ring</b> TLS408SNBB	080083575787	0.4	18	576					•
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, Tuscan Bronze Ring</b> TLS408TBZBB	080083575794	0.4	18	576					•
	<b>4" LED Trim, Square Baffle Trim with Solite(R) Regressed Lens, Black Baffle, White Ring</b> TLS408WHBB	080083575770	0.4	18	576					•
	<b>4" LED Square Baffle Trim with Solite(R) Regressed Lens, White Baffle, White Ring</b> TLS408WHWB	080083575763	0.5	18	576		•		•	•
	<b>4" LED Accessory</b> TRM400BK	080083544585	0.2	24	4032					•
	TRM400PC	080083544646	0.2	24	3600					•
	TRM400SN	080083544608	0.2	24	3840					•
	TRM400TBZ	080083544622	0.2	24	3840					•
	TRM400WH	080083544561	0.2	24	3840					•



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>5" CFL Housing</b>										
	<b>IC Air-Tite, CFL</b> H572ICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961305955	3.2	4	80				★
	<b>IC Air-Tite Remodel, CFL</b> H572RICAT	5" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT REMODEL, ELECTRONIC BALLAST, 120V	080083609376	2.17	6	120				★
<b>5" GU24 Housings</b>										
	<b>IC Air-Tite, GU24</b> H524ICAT	5" GU24 HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693030	2.37	6	144				★
	H524ICATL	5" GU24 HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693511	2.76	6	120				★
	<b>IC Air-Tite Remodel, GU24</b> H524RICAT	5" GU24 REMODEL HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693054	1.42	6	144				★
	H524RICATL	5" GU24 REMODEL HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693535	1.81	6	144				★
<b>5" H5 Housing</b>										
	<b>IC Air-Tite</b> H51CAT	5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609413	2.83	6	120				★
	<b>IC Air-Tite Remodel</b> H51RICAT	5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609444	1.8	6	144				★
	<b>Non-IC Remodel</b> H51RT	5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	662400602668	2.4	6	180				★
	<b>Non-IC</b> H51T	5" HOUSING NON-IC 120V LINE VOLTAGE	662400602651	3.186	6	120				★
<b>5" H5 Shallow Housing</b>										
	<b>IC Air-Tite</b> H25ICAT	5" HOUSING ICAT SHALLOW 120V LINE VOLTAGE	662400664109	2.352	6	120				★
<b>5" H5 Trim</b>										




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Splay Trim</b>										
 5000P	5" TRIM SPLAY WHITE TRIM AND WHITE SPLAY	662400602712	0.5	6	300		•		•	•
5000SN	5" TRIM SPLAY SATIN NICKEL TRIM AND SATIN NICKEL SPLAY	623961112881	0.3	6	300				•	•
5000TBZ	5" TRIM SPLAY TUSCAN BRONZE TRIM AND TUSCAN BRONZE SPLAY	623961311802	0.8	6	240					•
<b>Metal Splay Baffle</b>										
 5001MB	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602736	0.4	6	360				•	•
5001P	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602729	0.7	6	360	•	•		•	•
5001SN	5" TRIM BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	080083588886	1.2	6	360				•	•
5001TBZ	5" TRIM BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311826	0.38	6	360					•
<b>Step Baffle</b>										
 5010	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400602743	0.74	6	360				•	•
5010W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602750	0.75	6	360	•	•		•	•
<b>High Coilex Baffle</b>										
 5012W	5" TRIM DEEP BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400602811	1.04	6	192				•	•
<b>Shallow Metal Baffle</b>										
 5014P	5" TRIM METAL BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400664086	0.81	6	270					•
<b>Coilex Baffle with Reflector and Torsion Springs</b>										
 5016P	5" TRIM BAFFLE WHITE TRIM WITH BLACK BAFFLE	623961558962	1.18	6	180					•
5016W	5" TRIM BAFFLE WHITE TRIM WITH WHITE BAFFLE	623961558979	1.04	6	144				•	•
<b>Reflector Cone</b>										
 5020H	5" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR	622697053390	0.86	6	216				•	•
5020P	5" TRIM REFLECTOR CONE WHITE TRIM WITH WHITE REFLECTOR	662400602781	0.86	6	192				•	•
5020RG	5" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400602798	0.86	6	192				•	•
5020SC	5" TRIM REFLECTOR CONE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602767	0.86	6	288				•	•
5020SN	5" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	623961112843	0.86	6	144					•
5020TBZ	5" TRIM REFLECTOR CONE TUSCAN BRONZE WITH TUSCAN BRONZE REFLECTOR	623961311772	0.38	6	216					•
<b>Reflector Trim</b>										
 5021H	5" TRIM, FULL REFLECTOR HAZE, WHITE TRIM	622697053406	0.78	6	84				•	•
<b>Full Reflector</b>										
 5021SC	5" TRIM FULL REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400602828	0.83	6	216				•	•
5021SN	5" TRIM FULL REFLECTOR SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	080083508587	0.83	6	192					•
<b>Wall Wash with Baffle</b>										
 5030W	5" TRIM WALL WASH WHITE TRIM AND SCOOP, WHITE BAFFLE	662400664949	1.2	6	144					•

★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 <b>Frosted Lens Shower Light</b> 5051PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FLAT FROST LENS	080083521388	0.7	6	180	•	•	•	•	•
 <b>Shower Light</b> 5054PS	5" TRIM SHOWERLIGHT WHITE TRIM WITH FROSTED DOME DIFFUSER	623961531644	12	6	192	•	•	•	•	•
5054SNS	5" TRIM DROP SHOWERLIGHT SATIN NICKEL TRIM WITH FROSTED DIFFUSER	623961836251	1.6	6	144					•
5054TBZS	5" TRIM DROP SHOWERLIGHT TUSCAN BRONZE TRIM WITH FROSTED DIFFUSER	623961827365	1.6	6	144					•
 <b>Adjustable Gimbal - 25 Degree Tilt</b> 5060P	5" TRIM GIMBAL WHITE TRIM WITH WHITE GIMBAL	662400610700	0.75	6	750				•	•
 <b>Adjustable Eyeball - 30 Degree Tilt - 5070</b> 5070P	5" TRIM PAR30 EYEBALL WHITE TRIM WITH WHITE EYEBALL	662400602682	1.5	6	360				•	•
5070SN	5" TRIM PAR30 EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113789	0.8	6	360					•
5070TBZ	5" TRIM PAR30 EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311864	0.8	6	360					•
 <b>Adjustable Eyeball - 30 Degree Tilt - 5071</b> 5071P	5" TRIM PAR20 EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400602705	1.04	6	360				•	•
<b>6" CFL Housing</b>										
 <b>IC Air-Tite, CFL</b> H270ICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900670	3.7	4	80				•	•
H271ICAT	6" HOUSING 18W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900694	3.1	4	80				•	•
H272ICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	622697900700	3.7	4	80	•	•	•	•	•
 <b>IC Air-Tite Remodel, CFL</b> H270RICAT	6" HOUSING 13W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597503	2.08	6	120				•	•
H272RICAT	6" HOUSING 26W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961597527	2.08	6	144				•	•
<b>6" CFL Dimming Housing</b>										
 <b>IC Air-Tite - Slope Ceiling, CFL</b> H247ICAT	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961774751	5.6	4	32				•	•
H248ICAT1D	6" SLOPE CEILING HOUSING 26/32/42W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961774768	5.6	4	48				•	•
 <b>IC Air-Tite, CFL, Dimming</b> H273ICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC DIMMING BALLAST, 120V	623961432767	3.4	4	80				•	•
 <b>IC Air-Tite Remodel, CFL, Dimming</b> H273RICAT1D	6" HOUSING 26/32W IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC DIMMING BALLAST, 120V	623961432798	2.8	1	120				•	•

★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" CFL Trim</b>										
	<b>370W Regressed Albalite Lens with White Baffle, CFL</b> 370W 6" TRIM REGRESSED ALBALITE LENS FOR COMPACT FLUORESCENT WITH WHITE BAFFLE	623961559020	0.52	6	144				•	•
	<b>470H Haze Reflector, CFL</b> 470H 6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH HAZE REFLECTOR	623961558993	0.7	6	300				•	•
	<b>470SC Specular Reflector, CFL</b> 470SC 6" TRIM REFLECTOR FOR COMPACT FLUORESCENT WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	623961558986	0.7	6	288				•	•

**6" CFL Housing - Electronic Ballast**

<b>Non-IC - Electronic Ballast</b>										
	<b>H280E</b> 6" HOUSING COMPACT FLUORESCENT NON-IC 18W ELECTRONIC HPF BALLAST, 120-277V	623961486661	2.72	4	80				•	★
	<b>H285E</b> 6" HOUSING COMPACT FLUORESCENT IC AIR-TITE 26W ELECTRONIC HPF BALLAST, 120-277V	662400623847	4.05	4	80				•	★
	<b>H285EL</b> 6" HOUSING COMPACT FLUORESCENT NON-IC 26W ELECTRONIC HPF BALLAST, 120-277V - LAMP INCLUDED	662400625056	4.35	4	80				•	★
<b>IC Air-Tite - Electronic Ballast</b>										
	<b>H285EICAT</b> 6" HOUSING COMPACT FLUORESCENT IC AIR-TITE HOUSING 26W ELECTRONIC HPF BALLAST, UNIVERSAL 120/277V	623961034930	4.8	4	80				•	★

**6" Halo H7 LED**







<b>6" LED Accessory Adapter Band</b>										
	<b>ML7RAB</b> 6" LED RETROFIT ADAPTER BAND, ADAPTS HOUSINGS WITHOUT TORSION SPRING BRACKETS, 4-PACK	080083522842	1.9	6	192				•	★







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" Halo LED</b>										
<b>6" LED ICAT Housing</b>										
	H550ICAT	5" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626533	2.2	6	144				★
	H550RICAT	5" LED HOUSING, REMODEL, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083626557	1.5	6	144				★
	H2750ICAT	6" LED SHALLOW HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	080083618163	2.6	6	120				★
	H750ICAT	6" LED HOUSING, IC AIR-TITE, FOR LISTED HALO LED MODULES	623961872655	2.77	6	120				★
<b>6" LED ICAT Remodel Housing</b>										
	H750RICAT	6" LED HOUSING, IC AIR-TITE, REMODEL, FOR LISTED HALO LED MODULES	623961052248	2.77	6	120				★
<b>6" LED NON-IC Housing</b>										
	H750T	6" LED HOUSING, NON-IC, FOR LISTED HALO LED MODULES	623961052224	2.77	6	120				★
<b>6" LED NON-IC Remodel Housing, 0-10V Dimmer Wiring</b>										
	H750RTD010	6" LED HOUSING, NON-IC REMODEL, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083530755	2.4	6	144				★
	H750RINTD010	6" LED REMODEL "INTERNATIONAL" HOUSING, NON-IC, FOR HALO ML7 - 600, 900 & 1200 SERIES LED MODULES	080083595570	14.4	6	144				★
<b>6" LED NON-IC Housing, 0-10V Dimmer Wiring</b>										
	H750TD010	6" LED HOUSING, NON-IC, FOR HALO ML7 - 1200 SERIES LED MODULES WITH 0-10V DIMMING WIRING	080083523078	4.5	6	120				★
<b>6" LED NON-IC Housing, Chicago Plenum, for Halo ML7 - 1200 Series LED Modules</b>										
	H750TCPD010	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 1200 SERIES LED MODULES	080083549016	3.5	6	72				★
	H750TCP	6" LED HOUSING, NON-IC, CHICAGO PLENUM, FOR HALO ML7 - 600 & 900 SERIES LED MODULES	623961052231	0.6	6	120				★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>5" LED Trim</b>										
<b>Shallow Baffle Trim</b>										
	591WB	5" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623280	0.48	6	360				•
<b>Reflector Trim</b>										
	592H	5" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634286	0.5	6	432				•
	592SC	5" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083623303	0.5	6	360			•	•
	592W	5" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083623341	0.5	6	360				•
<b>Baffle Trim</b>										
	593BB	5" TRIM, BLACK BAFFLE, WHITE TRIM	080083623884	0.01	6	288				•
	593SNB	5" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634309	0.5	6	270				•
	593TBZB	5" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083623921	0.5	6	270				•
	593WB	5" TRIM, WHITE BAFFLE, WHITE TRIM	080083634293	0.5	6	360				•
<b>Eyeball Trim - 30 degree Tilt</b>										
	594SNB	5" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623198	0.92	6	360				•
	594TBZB	5" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083623211	0.01	6	24				•
	594WB	5" TRIM, LOW PROFILE EYEBALL, WHITE	080083634347	0.95	6	360	•		•	•
<b>Wall Wash Trim</b>										
	595WW	5" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083623945	0.6	6	300				•
<b>Shallow Baffle Trim - 596WB</b>										
	596WB	5" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083623969	0.45	6	270				•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" LED Trim</b>										
	<b>Shallow Baffle Trim</b> 691WB 6" TRIM, "DEAD FRONT" SHALLOW WHITE POLYMER BAFFLE & TRIM	080083623983	0.54	6	360					•
	<b>Reflector Trim</b> 692H 6" TRIM, REFLECTOR, HAZE, WHITE TRIM	080083634316	0.5	6	300					•
	692SC 6" TRIM, REFLECTOR, SPECULAR CLEAR, WHITE TRIM	080083624003	0.58	6	432					•
	692W 6" TRIM, REFLECTOR, WHITE, WHITE TRIM	080083624041	0.01	6	300					•
	<b>Baffle Trim</b> 693BB 6" TRIM, BLACK BAFFLE, WHITE TRIM	080083624089	0.58	6	300					•
	693SNB 6" TRIM, SATIN NICKEL BAFFLE, SATIN NICKEL TRIM	080083634330	0.55	6	270					•
	693TBZB 6" TRIM, TUSCAN BRONZE BAFFLE, TUSCAN BRONZE TRIM	080083624126	0.58	6	270					•
	693WB 6" TRIM, WHITE BAFFLE, WHITE TRIM	080083634323	0.4	6	300	•		•	•	•
	<b>Eyeball Trim - 30 degree Tilt</b> 694SNB 6" TRIM, LOW PROFILE EYEBALL, SATIN NICKEL	080083623259	0.97	6	300					•
	694TBZB 6" TRIM, LOW PROFILE EYEBALL, TUSCAN BRONZE	080083626373	0.97	6	300					•
	694WB 6" TRIM, LOW PROFILE EYEBALL, WHITE	080083634354	1.05	6	8	•		•	•	•
	<b>Wall Wash Trim</b> 695WW 6" WALL WASH TRIM, SPECULAR CLEAR, REPOSITIONABLE KICK REFLECTOR	080083624140	0.7	6	240					•
	<b>Shallow Baffle Trim - 696WB</b> 696WB 6" TRIM, SHALLOW WHITE BAFFLE, WHITE TRIM	080083624164	0.54	6	300					•

**ML56 LED**

" LED Module 600 Series" data-bbox="58 596 151 667"/>	<b>5"/6" LED Module 600 Series</b>									
	ML5606827 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 2700K	080083630967	1.714	6	288					• •
	ML5606830 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3000K	080083633265	1.714	6	288	•		•	•	•
	ML5606835 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 3500K	080083630981	1.714	6	288					• •
	ML5606840 5" / 6" LED MODULE, UNV, 600 SERIES, 80CRI, 4000K	080083631001	1.714	6	288					• •
	ML5606927 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 2700K	080083631087	1.714	6	180					•
	ML5606930 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3000K	080083626496	1.714	6	288					• •
	ML5606935 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 3500K	080083631100	1.714	6	288					• •
	ML5606940 5" / 6" LED MODULE, UNV, 600 SERIES, 90CRI, 4000K	080083631124	1.714	6	288					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ IL TX CA GA					
<b>5"/6" LED Module 900 Series</b>											
ML5609827	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 2700K	080083631025	1.714	6	336				•	•	★
ML5609830	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3000K	080083633289	1.714	6	288		•		•	•	★
ML5609835	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 3500K	080083631049	1.714	6	288		•		•	•	★
ML5609840	5" / 6" LED MODULE, UNV, 900 SERIES, 80CRI, 4000K	080083631063	1.714	6	288		•		•	•	★
ML5609927	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 2700K	080083631148	1.714	6	180					•	★
ML5609930	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3000K	080083626519	1.714	6	288		•		•	•	★
ML5609935	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 3500K	080083631162	1.714	6	180		•		•	•	★
ML5609940	5" / 6" LED MODULE, UNV, 900 SERIES, 90CRI, 4000K	080083631186	1.714	6	288					•	★
<b>5"/6" LED Module 1200 Series</b>											
ML5612827	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 2700K	080083654048	2.3	6	144		•		•	•	
ML5612830	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3000K	080083654666	2.3	6	144		•		•	•	
ML5612835	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 3500K	080083654703	2.3	6	144		•		•	•	
ML5612840	5" / 6" LED MODULE, UNV, 1200 SERIES, 80CRI, 4000K	080083654727	2.3	6	144		•		•	•	
ML5612927	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 2700K	080083654765	2.3	6	144		•		•	•	
ML5612930	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3000K	080083654789	2.3	6	144		•		•	•	
ML5612935	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 3500K	080083654802	2.3	6	144		•		•	•	
ML5612940	5" / 6" LED MODULE, UNV, 1200 SERIES, 90CRI, 4000K	080083654826	2.3	6	144					•	
<b>5" LED Accessory - TRM590WH</b>											
	TRM590WH	5" LED ACCESSORY - OVERSIZE TRIM RING	080083624225	0.183	12	1440					•
<b>5" LED Accessory</b>											
	WW595SC	5" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633173	0.01	1	10					•
<b>6" LED Accessory - TRM690WH</b>											
	TRM690WH	6" LED ACCESSORY - OVERSIZE TRIM RING	080083624249	0.36	12	1080					•
<b>6" LED Accessory</b>											
	WW695SC	6" LED ACCESSORY - WALL WASH KICK REFLECTOR	080083633180	0.05	12	1440					•
<b>Accessory</b>											
	ML56CLIP	6" FRICTION CLIP KIT FOR ML56 LED MODULES	080083624195	0.01	12	1200					•
	BFR56FL	ML56-1200 / PD6LED BEAM FORMING REFLECTOR - FLOOD	080083691890	0.15	6	180				•	•
	BFR56NFL	ML56-1200 / PD6LED BEAM FORMING REFLECTOR - NARROW FLOOD	080083691876	0.216	6	2700				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

### RA4 LED Retrofit Module



**Narrow Flood**

RA406927NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693269	1.71	6	288	•	•	•	•	★	Ⓞ
RA406930NFLWH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693283	1.71	6	288	•	•	•	•	★	Ⓞ



**Very Wide Flood**

RA406927WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693184	1.71	6	288	•	•	•	•	★	Ⓞ
RA406930WH	4" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693207	1.71	6	288	•	•	•	•	★	Ⓞ

### RA56 LED Retrofit Module



**Narrow Flood**

RA5606927NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, NARROW FLOOD, WHITE	080083693306	1.71	6	288	•	•	•	•	★	Ⓞ
RA5606930NFLWH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, NARROW FLOOD, WHITE	080083693320	1.71	6	288	•	•	•	•	★	Ⓞ



**Very Wide Flood**

RA5606927WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 2700 K, VERY WIDE FLOOD, WHITE	080083693221	1.71	6	288	•	•	•	•	★	Ⓞ
RA5606930WH	5/6" RETROFIT ADJUSTABLE LED MODULE, 90CRI, 120V, 3000 K, VERY WIDE FLOOD, WHITE	080083693245	1.71	6	288	•	•	•	•	★	Ⓞ

### RL4 LED










**4" LED Retrofit**




RL460WH830PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083669844	1.132	6	384	•	•	•	•	•	Ⓞ
RL460SN827PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 2700 K, SATIN NICKEL	080083669820	1.132	6	288	•	•	•	•	•	Ⓞ
RL460SN830PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 3000 K, SATIN NICKEL	080083669967	1.132	6	288	•	•	•	•	•	Ⓞ
RL460WH835PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083690794	1.132	6	384	•	•	•	•	•	Ⓞ
RL460WH930PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690770	1.132	6	384	•	•	•	•	•	Ⓞ
RL460WH935PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690817	1.132	6	384	•	•	•	•	•	Ⓞ
RL460WH827PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 80CRI, 120V, 2700 K, WHITE	080083669806	1.25	6	288	•	•	•	•	•	Ⓞ
RL460WH927PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 2700 K, WHITE	080083699445	1.25	6	288	•	•	•	•	•	Ⓞ
RL460SN927PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 2700 K, SATIN NICKEL	080083700066	1.132	6	384	•	•	•	•	•	Ⓞ
RL460SN930PK	4" RETROFIT BAFFLE-TRIM LED MODULE, 90CRI, 120V, 3000 K, SATIN NICKEL	080083700080	1.132	6	384	•	•	•	•	•	Ⓞ
RL560SN6927	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 2700 K, SATIN NICKEL	080083699407	1.7	6	240	•	•	•	•	•	Ⓞ
RL560SN6930	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, SATIN NICKEL	080083699421	1.7	6	240	•	•	•	•	•	★

**4" LED Retrofit Module, with E26**



HE26LED	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, SINGLE PACK	080083577019	0.03	8	1200	•	•	•	•	•	★	Ⓞ
HE26LED24PK	E26 MEDIUM SCREWBASE TO T24 LED ADAPTER, BULK PACK 24PCS.	080083582440	2.5	24	1728	•	•	•	•	•	★	Ⓞ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA	GA	
<b>RL56 LED</b>											
<b>5"/6" LED Retrofit</b>											
	RL560SN6827	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 2700 K, SATIN NICKEL	080083642236	1.7	6	240					
	RL560WH6827	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 2700 K, WHITE	080083642175	1.7	6	240					
	RL560SN6830	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, SATIN NICKEL	080083681969	1.7	6	240				★	
	RL560WH6935	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3500 K, WHITE	080083690626	1.7	6	240					
	RL560WH6930	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 3000 K, WHITE	080083690602	1.7	6	240					
	RL560WH6835	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3500 K, WHITE	080083642199	2	6	240					
	RL560WH6830	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 80CRI, 3000 K, WHITE	080083682027	2	6	240	•	•	•	•	
	RL560WH6927	5"/6" RETROFIT BAFFLE-TRIM LED MODULE, 120V, 90CRI, 2700 K, WHITE	080083699384	1.7	6	240	•	•	•	•	



**SLD4 LED**

<b>4" LED</b>										
	SLD405830WH	4" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697564	1.35	6	360		•	•	
	SLD405930WH	4" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697601	1.35	6	360		•	•	










**SLD6 LED**









<b>6" LED</b>										
	SLD606830WH	6" SURFACE LED DOWNLIGHT, 120V, 80CRI, 3000K, WHITE	080083697588	1.5	6	360		•	•	
	SLD606930WH	6" SURFACE LED DOWNLIGHT, 120V, 90CRI, 3000K, WHITE	080083697625	1.83	6	360		•	•	

**6" GU24 Housings**

<b>IC Air-Tite, GU24</b>										
	H724ICAT	6" GU24 HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083692996	2.4	6	120				★
	H724ICATL	6" GU24 HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693474	2.79	6	120				★
<b>IC Air-Tite Remodel, GU24</b>										
	H724RICAT	6" GU24 REMODEL HOUSING, IC AIR-TITE, FOR GU24 SELF-BALLAST LAMPS	080083693016	1.71	6	120				★
	H724RICATL	6" GU24 REMODEL HOUSING, IC AIR-TITE, GU24 CFL SELF-BALLAST LAMP INCLUDED	080083693498	2.1	6	120				★













CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>6" H7 Housing</b>											
<b>IC and IC Air-Tite</b>											
	H7ICAT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE INCANDESCENT	080083609628	3.17	6	120	●	●	●	●	★
	H7ICATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400612032	2.77	6	120	■	■	■	■	★
	H7ICT	6" HOUSING IC 120V LINE VOLTAGE	080083609680	2.8	6	120	●	●	●	●	★
	H7ICTNB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE INCANDESCENT	662400608523	2.8	6	120	■	■	■	■	★
<b>IC and IC Air-Tite Remodel - H7RICAT</b>											
	H7RICAT	6" HOUSING IC AIR-TITE REMODEL HOUSING 120V LINE VOLTAGE	662400610588	2	6	144	●	●	●	●	★
<b>IC and IC Air-Tite Remodel</b>											
	H7RICT	6" HOUSING IC REMODEL HOUSING 120V LINE VOLTAGE	662400600718	1.75	6	144	●	●	●	●	★
<b>Non-IC Remodel</b>											
	H7RT	6" HOUSING NON-IC REMODEL HOUSING 120V LINE VOLTAGE	662400600725	2.4	6	144	●	●	●	●	★
<b>Non-IC</b>											
	H7T	6" HOUSING NON-IC 120V LINE VOLTAGE	080083609727	3.5	6	120	●	●	●	●	★
<b>6" Housing Non-IC, No Socket Bracket, 120V Line Voltage</b>											
	H7TNB	6" HOUSING NON-IC, NO SOCKET BRACKET, 120V LINE VOLTAGE	662400664628	3.1	6	120	■	■	■	■	★
<b>IC Air-Tite Universal</b>											
	H7UICAT	6" HOUSING UNIVERSAL IC AIR-TITE 120V LINE VOLTAGE	662400164753	4.58	4	60	●	●	■	■	★
<b>IC Universal</b>											
	H7UICT	6" HOUSING UNIVERSAL IC 120V LINE VOLTAGE	662400164746	4.58	4	64	■	■	■	■	★
<b>6" Chicago Plenum Housings</b>											
<b>Non-IC</b>											
	H7TCP	6" HOUSING NON-IC 120V LINE VOLTAGE CHICAGO PLENUM CONSTRUCTION	662400133032	4.81	6	1200	■	■	■	■	★
<b>6" H7 Trim</b>											

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>Albalite Lens with Reflector - 170</b>										
 170P	6" TRIM ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FROSTED ALBALITE LENS	662400130758	1.2	6	240					★
170PS	6" TRIM SHOWERLIGHT ALBALITE LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	662400130765	1	6	240		•		•	•
<b>Drop Opal Lens with Reflector - 171</b>										
 171PS	6" TRIM SHOWERLIGHT DROP OPAL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400130796	1.38	6	144				•	•
<b>Dome Shower Light - 172</b>										
 172ACS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED ANTIQUE COPPER TRIM WITH FROSTED GLASS DOME	623961311031	1.6	6	216					•
172PS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FROSTED GLASS DOME	662400663553	2	6	192		•		•	•
172SNS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED SATIN NICKEL TRIM WITH FROSTED GLASS DOME	623961114274	0.86	6	192				•	•
172TBZS	6" TRIM SHOWERLIGHT WITH DOME LENS AND REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED TUSCAN BRONZE TRIM WITH FROSTED GLASS DOME	623961312038	1.4	6	240				•	•
<b>Fresnel Lens with Reflector</b>										
 173P	6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH FRESNEL LENS	662400130802	1.2	6	240					•
173PS	6" TRIM FRESNEL LENS WITH REFLECTOR - SOCKET SUPPORTING WET LOCATION & AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400318385	1.2	6	192					•
<b>Albalite Lens with Reflector - 270</b>										
 270PS	6" TRIM SHOWERLIGHT TRIM WET LOCATION LISTED WHITE TRIM WITH FROSTED ALBALITE LENS AND REFLECTOR	623961524462	1.4	6	144					•
<b>Drop Opal Lens</b>										
 271PS	6" TRIM SHOWERLIGHT WET LOCATION LISTED WHITE TRIM WITH DROP OPAL LENS AND REFLECTOR	623961559037	0.75	6	144					•
<b>Air-Tite Super Trim - Baffle</b>										
 30HAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM WITH HAZE REFLECTOR	622697839826	0.5	6	450				•	•
30PAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, BLACK BAFFLE, CLEAR REFLECTOR	662400603313	0.3	18	540				•	•
30TBZAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE AND REFLECTOR	623961312052	0.6	18	432					•
30WAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, WHITE REFLECTOR	662400603320	0.6	18	540	•	•	•	•	•
30WATH	6" TRIM AIR-TITE SUPER TRIM - BAFFLE WHITE TRIM, WHITE BAFFLE, CLEAR REFLECTOR	080083628469	0.5	6	450				•	•
30SNAT	6" TRIM AIR-TITE SUPER TRIM - BAFFLE SATIN NICKEL TRIM, SATIN NICKEL BAFFLE AND REFLECTOR	080083588893	0.86	18	648				•	•
<b>Air-Tite Super Trim - Reflector White</b>										
 30RGAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400603344	0.5	18	540					•
30CAT	6" TRIM AIR-TITE SUPER TRIM - REFLECTOR WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400603337	0.6	18	540		•	•	•	•







★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA	GA	
 30SBAT	<b>Air-Tite Super Trim - Reflector Black</b> 6" TRIM AIR-TITE SUPER TRIM - REFLECTOR BLACK SPECULAR REFLECTOR AND TRIM	622697060855	0.5	18	432				•	•	
 300AC	<b>Open Trim with Socket Support</b> 6" TRIM OPEN - SOCKET SUPPORTING ANTIQUE COPPER	623961310935	0.6	6	300					•	
300P	6" TRIM OPEN - SOCKET SUPPORTING WHITE	662400302421	0.5	6	288		•	•	•	•	
300SN	6" TRIM OPEN - SOCKET SUPPORTING SATIN NICKEL	623961113819	0.86	6	360				•		
 301P	<b>Open Trim - 301</b> 6" TRIM OPEN WHITE	662400130864	0.3	12	1200			•	•	•	
301SN	6" TRIM OPEN SATIN NICKEL	623961113802	0.4	12	1080				•	•	
301TBZ	6" TRIM OPEN TUSCAN BRONZE	623961311901	0.3	12	1200				•	•	
 303P	<b>Wall Wash</b> 6" TRIM WALL WASH WHITE TRIM AND SCOOP	662400130901	1.33	6	288				•	★	
 310P	<b>Coilex Baffle - 310</b> 6" TRIM COILEX BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400130932	0.5	6	360				•	•	★
310SN	6" TRIM COILEX BAFFLE SATIN NICKEL TRIM WITH BLACK BAFFLE	623960346508	0.6	6	216				•	•	★
310TBZ	6" TRIM COILEX BAFFLE TUSCAN BRONZE TRIM WITH BLACK BAFFLE	623961311949	0.5	6	360				•	•	★
310W	6" TRIM COILEX BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163022	0.5	6	360	•	•	•	•	•	★
310WG	6" TRIM COILEX BAFFLE WHITE OVERSIZE TRIM RING WITH WHITE BAFFLE	662400302360	0.6	6	300	•				•	★
 312P	<b>Coilex Baffle - 312</b> 6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH BLACK BAFFLE	662400634089	0.6	9	360				•	•	★
312W	6" TRIM COILEX BAFFLE - NARROW LAMP OPENING WHITE TRIM WITH WHITE BAFFLE	662400634096	0.5	9	360				•	•	★
 327P	<b>White Splay Trim - 327</b> 6" TRIM SPLAY TRIM - SOCKET SUPPORTING WHITE SPLAY TRIM WITH TORSION SPRINGS	662400635451	1.2	6	360				•	★	
 328P	<b>White Splay Trim - 328</b> 6" TRIM SPLAY WHITE SPLAY TRIM	662400163831	0.54	12	600				•	•	
 353SN	<b>Metal Baffle</b> 6" TRIM METAL BAFFLE SATIN NICKEL TRIM WITH SATIN NICKEL BAFFLE	623961114236	0.4	6	540				•	•	
353TBZ	6" TRIM METAL BAFFLE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE BAFFLE	623961311963	0.4	6	450				•	•	
 376P	<b>Adjustable</b> 6" TRIM PAR30 ADJUSTABLE WITH BAFFLE WHITE TRIM RING, BLACK BAFFLE	662400183754	0.58	12	600				•	•	★










★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Adjustable with Splay - 378</b>										
 378	6" TRIM PAR30 ADJUSTABLE SPLAY, WHITE TRIM WITH CLEAR SPECULAR SPLAY	662400164647	0.9	6	504				•	★
378P	6" TRIM PAR30 ADJUSTABLE SPLAY WHITE TRIM WITH WHITE SPLAY	662400164630	0.8	6	300				•	•
<b>Open Trim - 401</b>										
 401AL	6" TRIM OPEN LARGE APERTURE SATIN ALUMINUM TRIM	662400131045	0.2	12	1200				•	•
401P	6" TRIM OPEN LARGE APERTURE WHITE TRIM	662400131069	0.2	12	1200				•	•
<b>Specular Reflector - 404</b>										
 404C	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131120	0.8	6	180				•	★
404H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697063641	0.67	6	144				•	★
404SN	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR	62396114267	0.86	6	180				•	
404TBZ	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR	623961312007	0.38	6	192				•	
<b>Specular Reflector - 405</b>										
 405CG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR	662400131151	0.6	6	180				•	
405H	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH HAZE REFLECTOR	622697053598	0.8	6	360				•	
405RG	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR	662400131168	0.8	6	180				•	
405SC	6" TRIM FULL REFLECTOR - SOCKET SUPPORTING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400131175	0.8	6	432				•	•
<b>Self Flanged White Reflector - 4051P</b>										
 4051P	6" TRIM SELF FLANGED REFLECTOR WHITE WITH WHITE TRIM RING	662400161097	0.983	6	180				•	★
<b>Specular Reflector - 406</b>										
 406BA	6" TRIM BAFFLE WITH REFLECTOR BLACK BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615811	0.8	6	360				•	•
406RG	6" TRIM BAFFLE WITH RESIDENTIAL GOLD REFLECTOR AND TORSION SPRINGS	080083684106	0.75	6	180				•	
406SC	6" TRIM BAFFLE WITH SPECULAR CLEAR REFLECTOR AND TORSION SPRINGS	662400615798	0.8	6	180		•		•	•
406WB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH CLEAR SPECULAR REFLECTOR AND TORSION SPRINGS	662400615828	0.52	6	360				•	•
406WWB	6" TRIM BAFFLE WITH REFLECTOR WHITE BAFFLE WITH WHITE REFLECTOR AND TORSION SPRINGS	622696032174	0.8	15	360				•	•
<b>Coilex Baffle - 410</b>										
 410P	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH BLACK BAFFLE	662400131229	0.54	6	360				•	•
410W	6" TRIM R40, PAR38 BAFFLE WHITE TRIM WITH WHITE BAFFLE	662400163039	0.5	6	360	•			•	•
410WG	6" TRIM R40, PAR38 BAFFLE OVERSIZE WHITE TRIM RING WITH WHITE BAFFLE	662400302988	0.54	6	360	•				★
<b>Coilex Baffle Eyeball - 30 Degree Tilt</b>										
 417P	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH BLACK COILEX BAFFLE	662400131250	1.5	4	200				•	★
417W	6" TRIM COILEX BAFFLE EYEBALL WHITE TRIM AND EYEBALL WITH WHITE COILEX BAFFLE	662400302896	1.4	4	200				•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product








Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Regressed Eyeball - 30 Degree Tilt</b>										
 420P	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND BLACK BAFFLE	662400606000	1.2	6	240				•	• ★
420W	6" TRIM REGRESSED EYEBALL WITH BAFFLE WHITE TRIM WITH WHITE EYEBALL AND WHITE BAFFLE	662400606017	0.5	6	300				•	•
<b>Wall Wash / Reflector Downlight</b>										
 424P	6" TRIM WALL WASH DOWNLIGHT WHITE TRIM	662400131298	1	6	144				•	• ★
<b>Wall Wash with Coilex Baffle and Reflector Scoop</b>										
 425P	6" TRIM WALL WASH WHITE WITH BLACK BAFFLE	662400131304	1	4	240			•	•	• ★
425W	6" TRIM WALL WASH WHITE WITH WHITE BAFFLE	662400302957	0.88	4	288				•	• ★
<b>Reflector Cone</b>										
 426	6" TRIM REFLECTOR CONE WHITE WITH CLEAR SPECULAR REFLECTOR CONE	662400131311	0.6	6	360		•	•	•	•
426CG	6" TRIM REFLECTOR CONE WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR CONE	662400131328	0.25	6	1440				•	•
426H	6" TRIM REFLECTOR CONE WHITE TRIM WITH HAZE REFLECTOR CONE	662400165170	0.33	6	360					•
426MB	6" TRIM REFLECTOR CONE WHITE TRIM WITH SPECULAR BLACK REFLECTOR CONE	662400131342	0.18	6	360				•	
426RG	6" TRIM REFLECTOR CONE WHITE TRIM WITH RESIDENTIAL GOLD REFLECTOR CONE	662400131359	0.4	6	360					•
426SN	6" TRIM REFLECTOR CONE SATIN NICKEL TRIM WITH SATIN NICKEL REFLECTOR CONE	623961114250	0.4	6	288					•
426TBZ	6" TRIM REFLECTOR CONE TUSCAN BRONZE TRIM WITH TUSCAN BRONZE REFLECTOR CONE	623961311987	0.6	6	360					•
<b>Self Flanged White Reflector Cone</b>										
 4261P	6" TRIM SELF FLANGED REFLECTOR CONE WHITE WITH WHITE TRIM RING	662400161127	0.21	6	180				•	• ★
<b>Dayform White Cone</b>										
 429P	6" TRIM DAYFORM CONE WHITE TRIM AND SPLAY REFLECTOR	662400167532	0.5	6	432				•	• ★
<b>Wall Wash with Baffle</b>										
 430P	6" TRIM WALL WASH WHITE TRIM WITH BLACK BAFFLE	662400664932	1	6	180			•	•	
430W	6" TRIM WALL WASH WHITE TRIM WITH WHITE BAFFLE	662400664925	1.2	6	144				•	•
<b>Adjustable with Splay - 478</b>										
 478	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH CLEAR SPECULAR SPLAY	662400164661	0.6	6	504				•	• ★
478P	6" TRIM ADJUSTABLE WITH SPLAY REFLECTOR WHITE TRIM WITH WHITE SPLAY	662400164654	0.6	6	300				•	• ★
<b>Albalite Lens with Reflector - 70</b>										
 70P	6" TRIM ALBALITE LENS WHITE TRIM WITH FROSTED ALBALITE LENS	662400130383	1.5	12	720				•	•
70PS	6" TRIM WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FROSTED ALBALITE LENS	080083628247	1.05	6	600	•	•	•	•	•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>Drop Opal Lens with Reflector - 71</b>										
 71P	6" TRIM DROP OPAL LENS WHITE TRIM WITH DROP OPAL LENS	662400130437	1.28	6	450					★
71PS	6" TRIM DROP OPAL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH DROP OPAL LENS	662400646631	0.89	6	300					★
<b>Fresnel Lens</b>										
 73P	6" TRIM FRESNEL LENS WHITE TRIM WITH FRESNEL LENS	662400130505	1	12	480					★
73PS	6" TRIM FRESNEL LENS WET LOCATION AND AIR-TITE LISTED WHITE TRIM WITH FRESNEL LENS	662400601241	1	12	480					★
<b>Diffuser</b>										
 75	6" TRIM ALL GLASS DIFFUSER	662400130529	1.8	6	240					★
<b>Adjustable Gimbal</b>										
 76P	6" TRIM GIMBAL RING - PAR 38 STANDARD OR SIDE PRONG LAMPS WHITE TRIM WITH GIMBAL RING	662400130536	1.2	12	384					★
<b>Eyeball - 30 Degree Tilt</b>										
 78AC	6" TRIM PAR30L EYEBALL ANTIQUE COPPER TRIM WITH ANTIQUE COPPER EYEBALL, 30 DEGREE TILT	623961310898	1.4	6	144					★
78P	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL, 30 DEGREE TILT	662400130628	1.1	6	240	•	•	•	•	★
78PAT	6" TRIM PAR30L EYEBALL WHITE TRIM WITH WHITE EYEBALL - AIR-TITE TRIM, 30 DEGREE TILT	662400611745	1.2	6	300					★
78SN	6" TRIM PAR30L EYEBALL SATIN NICKEL TRIM WITH SATIN NICKEL EYEBALL, 30 DEGREE TILT	623961113796	1	6	240					★
78TBZ	6" TRIM PAR30L EYEBALL TUSCAN BRONZE TRIM WITH TUSCAN BRONZE EYEBALL, 30 DEGREE TILT	623961311888	1.4	6	240					★
<b>Pinhole Trim</b>										
 79P	6" TRIM PINHOLE WHITE TRIM - PINHOLE TRIM	662400130666	0.6	12	384					★
<b>Double Bubble Adjustable - 60 Degree Tilt</b>										
 90P	6" TRIM DOUBLE BUBBLE ADJUSTABLE WHITE TRIM AND EYEBALL, 60 DEGREE TILT	662400607830	2.8	1	45					★

★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" Low Voltage H7T &amp; H7RT Retrofit Trim</b>										
<b>Low Voltage Adjustable Spot - 30 Degree Tilt</b>										
 1412P	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE & 30 DEGREE TILT	662400606055	3.4	6	120				•	• ★
1412W	6" TRIM LOW VOLTAGE ADJUSTABLE SPOT WITH TRANSFORMER WHITE TRIM WITH WHITE BAFFLE & 30 DEGREE TILT	662400606048	3.4	6	120				•	• ★
<b>Low Voltage Slot Aperture - 30 Degree Tilt</b>										
 1450P	6" TRIM LOW VOLTAGE ADJUSTABLE SLOT APERTURE 30 DEGREE TILT WITH TRANSFORMER WHITE TRIM & SLOT	662400132363	4.108	6	120				•	• ★
<b>Low Voltage Pinhole Trim</b>										
 1479P	6" TRIM LOW VOLTAGE PINHOLE WITH TRANSFORMER WHITE TRIM WITH BLACK BAFFLE	662400132387	4	6	72				•	• ★
<b>6" Shallow Housing</b>										
<b>IC and IC Air-Tite</b>										
 H27ICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE 120V LINE VOLTAGE	662400605898	3	6	144	•	•	•	•	• ★
H27ICT	6" HOUSING SHALLOW CEILING IC 120V LINE VOLTAGE	662400694571	2.532	6	120	•	•	•	•	• ★
<b>IC and IC Air-Tite Remodel</b>										
 H27RICAT	6" HOUSING SHALLOW CEILING IC AIR-TITE REMODEL 120V LINE VOLTAGE	080083609253	2	6	180				•	• ★
H27RICT	6" HOUSING SHALLOW CEILING IC REMODEL 120V LINE VOLTAGE	080083609277	2	6	180				•	• ★
<b>Non-IC Remodel</b>										
 H27RT	6" HOUSING SHALLOW CEILING NON-IC REMODEL 120V LINE VOLTAGE	662400600732	2	6	180				•	• ★
<b>Non-IC</b>										
 H27T	6" HOUSING SHALLOW CEILING NON-IC 120V LINE VOLTAGE	662400133148	2.22	6	120	•	•		•	• ★
<b>6" Slope Ceiling Housing</b>										
<b>IC and IC Air-Tite</b>										
 H47ICAT	6" HOUSING SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400302070	5.6	4	48	•	•	•	•	• ★
H47ICT	6" HOUSING SLOPE CEILING IC INCANDESCENT	662400133315	4.2	4	32	•	•	•	•	• ★
<b>Non-IC</b>										
 H47T	6" HOUSING SLOPE CEILING NON-IC 120V LINE VOLTAGE	662400133322	4.63	4	48				•	• ★
<b>Non-IC Air-Tite</b>										
 H645IC	6" HOUSING ALL-SLOPE CEILING IC AIR-TITE 120V LINE VOLTAGE	662400501473	5.5	4	60	•	•		•	• ★

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" Slope Ceiling Trim</b>										
<b>Specular Reflector</b>										
	455H	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH HAZE REFLECTOR	622697063719	0.542	6	360				★
	455SC	6" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400679332	0.55	6	360				★
<b>Baffle - 456</b>										
	456P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400676270	0.758	6	360				★
	456W	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE BAFFLE	662400676287	0.758	6	360				★
<b>Baffle - 496</b>										
	496W	6" TRIM BAFFLE WITH REFLECTOR - SLOPE CEILING TRIM WHITE TRIM WITH WHITE BAFFLE AND REFLECTOR	662400302803	1.13	4	144				★
<b>Baffle - 498</b>										
	498P	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH BLACK COILEX BAFFLE	662400131717	0.75	4	160				★
	498W	6" TRIM BAFFLE - SLOPE CEILING TRIM WHITE TRIM WITH WHITE COILEX BAFFLE	662400167334	0.95	4	128				★
<b>7" Slope Ceiling Housing</b>										
	<b>IC Air-Tite</b> H745ICAT	7" HOUSING ALL-SLOPE CEILING IC AIR-TITE HOUSING 120V LINE VOLTAGE	662400601197	5.26	4	72				★
<b>7" Slope Ceiling Trim</b>										
<b>Specular Reflector</b>										
	457P	6" TRIM BAFFLE TRIM FOR SLOPE CEILING WHITE TRIM WITH BLACK BAFFLE	662400601098	1.663	4	200				★
	457PW	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH WHITE REFLECTOR	662400601180	1.2	4	128				★
	457SC	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400601159	1	4	128				★
	457W	7" SLOPE CEILING TRIM BAFFLE WITH WHITE COILEX BAFFLE	662400601142	1.53	4	160				★
	457CG	7" TRIM REFLECTOR TRIM FOR SLOPE CEILING WHITE TRIM WITH CHAMPAGNE GOLD REFLECTOR	662400601166	1.2	4	128				★
<b>7" M700 HID Trim</b>										
	<b>Fresnel Glass Lens</b> 1773P	7" TRIM REGRESSED FRESNEL LENS SPLAY FOR M700 WHITE TRIM	662400122838	2.2	1	100				★
<b>8 1/2" Square Housing</b>										
	<b>Non-IC</b> H1T	8 1/2" HOUSING SQUARE NON-IC INCANDESCENT	662400132820	2.6	6	72				★


★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>8 1/2" Square Trim</b>											
 <b>Albalite Lens</b> 10P	8 1/2" TRIM SQUARE ALBALITE LENS	662400130031	1.5	12	576				•	•	
 <b>Drop Diffuser</b> 11GP	8 1/2" TRIM SQUARE GLASS DROP DIFFUSER	662400130093	2.4	6	240				•	•	★
 <b>Albalite Glass Diffuser Shower Light</b> 110P	8 1/2" TRIM SQUARE ALBALITE LENS SPLAY	662400304012	1.4	6	300				•	★	
 <b>Fresnel Lens</b> 13P	8 1/2" TRIM SQUARE FRESNEL LENS	662400130130	1.8	12	288				•	★	

**10 1/2" Square HID Housing**


 <b>Non-IC</b> M200T	10 1/2" HOUSING SQUARE NON-IC, HID	662400603122	8.2	1	36	•			•	•	★
--	------------------------------------	--------------	-----	---	----	---	--	--	---	---	---

**10 1/2" Square Incandescent Housing**





 <b>Non-IC</b> H2T	10 1/2" HOUSING SQUARE NON-IC, INCANDESCENT	662400132844	3.4	6	72				•	•	★
---	---	--------------	-----	---	----	--	--	--	---	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----


## 10 1/2" Square Trim (H2 & M200)

	<b>Albalite Diffuser Shower Light</b> 120P 10 1/2" TRIM ALBALITE SPLAY, WHITE TRIM	662400304081	2	6	192					★
	<b>Fresnel Splay</b> 123P 10 1/2" TRIM SQUARE FRESNEL LENS SPLAY, WHITE TRIM	662400304104	2.8	9	432					★
	<b>Albalite Lens</b> 20P 10 1/2" TRIM SQUARE ALBALITE LENS, WHITE TRIM	662400130192	2.4	9	576					★
	<b>Drop Diffuser</b> 21GP 10 1/2" TRIM SQUARE GLASS DROP DIFFUSER, WHITE TRIM	662400130222	3.57	6	240					★
	<b>Fresnel Lens</b> 23P 11 5/8" TRIM SQUARE FRESNEL LENS, WHITE TRIM	662400130253	2.92	12	480					★

## Step & Wall Lights







	<b>Step Light IC - No Junction Box or Bar Hangers</b> H2920ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, NO JUNCTION BOX OR BAR HANGERS	662400135531	2.5	1	300					★
	<b>Step Light IC - Junction Box &amp; Bar Hangers</b> H2922ICT STEP LIGHT, IC, INCANDESCENT, WITH LOUVER FACE PLATE, JUNCTION BOX & BAR HANGERS	623961644283	3.85	1	120					★
	<b>Brick / Aisle Light with Flat Lens</b> H2925PL BRICK/AISLE LIGHT WITH FLAT LENS, 7W COMPACT FLUORESCENT, MAGNETIC BALLAST	662400135579	2.6	6	240					★
	H2925TW BRICK/AISLE LIGHT WITH FLAT LENS, INCANDESCENT, WET LOCATION LISTED	662400135593	2.31	6	240					★
	<b>Brick / Aisle Light with Shade</b> H2926TW BRICK/AISLE LIGHT WITH SHADE, INCANDESCENT, WET LOCATION LISTED	662400135616	2.2	6	240					★

## H7 Accessory

	<b>Power Trac Adapter Trim</b> 477W ACCESSORY ADAPTER FOR TRACK LAMPHOLDER IN RECESSED HOUSING WHITE	662400302841	1.76	6	216					★
--	--	--------------	------	---	-----	--	--	--	--	---

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>Accessories</b>												
<b>Glass Diffuser Kit</b>												
GDK12-P8	12" GLASS DIFFUSER KIT	622696776504	4	1	200					•	★	
<b>Socket Extender</b>												
 H1999	ACCESSORY SCREW-BASE SOCKET EXTENDER	662400134558	0.25	6	768					•	★	
<b>Transformer - 300VA</b>												
 H277	STEPDOWN TRANSFORMER, 277V TO 120V, 300VA	662400133476	5.24	1	210					•	★	
<b>Transformer - 200VA</b>												
 H347200	STEPDOWN TRANSFORMER, 347V TO 120V, 200VA	080083534401	0.75	1	210					•	★	
<b>Enlarge Trim Ring</b>												
 OT400P	OVERSIZE TRIM RING	662400136507	0.5	12	2700					•	•	★
OT403P	OVERSIZE TRIM RING	662400136514	0.2	12	1200					•	•	★
OT460P	OVERSIZE TRIM RING	662400136538	0.6	12	864					•	•	★
OT500P	OVERSIZE TRIM RING FOR STRAIGHT PRECISION SIDED H5 FAMILY TRIM	623961651830	0.2	12	1080					•		
OT999P	OVERSIZE TRIM RING	662400163572	0.2	24	3000					•	•	★
<b>Replacement Coil Springs</b>												
 RS7H	REPLACEMENT COIL SPRINGS FOR USE WITH TRIMS - BLISTER PACK OF 4	662400610182	0.07	24	4320					•	•	
<b>Trim Ring</b>												
 TRM6MB	TRIM RING, 6" METAL, MATTE BLACK	662400149163	0.15	12	900					•	•	★
TRM6TBZ	TRIM RING, 6" METAL, TUSCAN BRONZE	623961311475	0.4	12	1200					•		



CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# Halo Track and Surface

## LED Luminaire

### HU10 Undercabinet



#### LED Undercabinet - HU10


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
HU1012D830MB	HALO HU10 LED UNDERCABINET 12 IN, 3000K, MATTE BLACK	080083641550	1.1	1	2						•	Ⓢ
HU1012D830P	HALO HU10 LED UNDERCABINET 12 IN, 3000K, WHITE	080083641543	1.1	10	1500						•	Ⓢ
HU1018D830MB	HALO HU10 LED UNDERCABINET 18 IN, 3000K, MATTE BLACK	080083641581	1.55	10	1000						•	Ⓢ
HU1018D830P	HALO HU10 LED UNDERCABINET 18 IN, 3000K, WHITE	080083641574	1.55	10	960						•	Ⓢ
HU1024D830MB	HALO HU10 LED UNDERCABINET 24 IN, 3000K, MATTE BLACK	080083641611	2	10	1100						•	Ⓢ
HU1024D830P	HALO HU10 LED UNDERCABINET 24 IN, 3000K, WHITE	080083641604	2	10	1100						•	Ⓢ

### HU10 Undercabinet Accessories




#### LED Undercabinet Accessories- HU10

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
HU101MB	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641666	0.028	1	2						•	Ⓢ
HU101P	HALO HU10 LED UNDERCABINET 3 IN DAISEY CHAIN CONNECTOR WHITE	080083641659	0.05	200	18000						•	Ⓢ
HU102MB	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641680	0.043	200	24000						•	Ⓢ
HU102P	HALO HU10 LED UNDERCABINET 6 IN DAISEY CHAIN CONNECTOR WHITE	080083641673	0.043	200	16000						•	Ⓢ
HU103MB	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641703	0.107	1	2						•	Ⓢ
HU103P	HALO HU10 LED UNDERCABINET 24 IN DAISEY CHAIN CONNECTOR WHITE	080083641697	0.11	100	8100						•	Ⓢ
HU104MB	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641727	0.438	1	2						•	Ⓢ
HU104P	HALO HU10 LED UNDERCABINET 120 IN DAISEY CHAIN CONNECTOR WHITE	080083641710	0.438	25	3000						•	Ⓢ
HU105MB	HALO HU10 LED UNDERCABINET 48 IN POWER CORD MATTE BLACK	080083641642	0.23	50	2100						•	Ⓢ
HU105P	HALO HU10 LED UNDERCABINET 48 IN POWER CORD CONNECTOR WHITE	080083641635	0.235	50	2100						•	Ⓢ
HU106MB	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX MATTE BLACK	080083641765	0.275	36	2160						•	Ⓢ
HU106P	HALO HU10 LED UNDERCABINET DIRECT WIRE SPLICE BOX CONNECTOR WHITE	080083641758	0.275	36	2160						•	Ⓢ
HU107MB	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR MATTE BLACK	080083641741	0.015	1	2						•	Ⓢ
HU107P	HALO HU10 LED UNDERCABINET 1.5 IN DAISEY CHAIN CONNECTOR WHITE	080083641734	0.015	250	10000						•	Ⓢ


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>HU20 Undercabinet</b>										
	<b>LED Undercabinet - HU20</b>									
HU2012MB	HALO HU20 LED UNDERCABINET TRACK, 12" MATTE BLACK	080083633661		1	36	240				★
HU2012P	HALO HU20 LED UNDERCABINET TRACK, 12" WHITE	080083633647		1	36	240				★
HU2018MB	HALO HU20 LED UNDERCABINET TRACK, 18" MATTE BLACK	080083633708		1	36	240				★
HU2018P	HALO HU20 LED UNDERCABINET TRACK, 18" WHITE	080083633685		1	36	240				★
HU201MB	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR MATTE BLACK	080083633869		1	10	480				★
HU201P	HALO HU20 LED UNDERCABINET LINEAR CONNECTOR WHITE	080083633845		1	10	640				★
HU2024MB	HALO HU20 LED UNDERCABINET TRACK, 24" MATTE BLACK	080083633746		1	36	240				★
HU2024P	HALO HU20 LED UNDERCABINET TRACK, 24" WHITE	080083633722		1	36	240				★
HU202MB	HALO HU20 LED UNDERCABINET 6" CONNECTOR MATTE BLACK	080083633906		1	10	480				★
HU202P	HALO HU20 LED UNDERCABINET 6" CONNECTOR WHITE	080083633883		1	10	480				★
HU203MB	HALO HU20 LED UNDERCABINET 24" CONNECTOR MATTE BLACK	080083633944		1	10	480				★
HU203P	HALO HU20 LED UNDERCABINET 24" CONNECTOR WHITE	080083633920		1	10	480				★
HU204MB	HALO HU20 LED UNDERCABINET 120" CONNECTOR MATTE BLACK	080083633982		1	5	240				★
HU204P	HALO HU20 LED UNDERCABINET 120" CONNECTOR WHITE	080083633968		1	5	240				★
HU20C45MB	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY MATTE BLACK	080083633821		1	4	60				★
HU20C45P	HALO HU20 LED UNDERCAB 45W AC POWER SUPPLY WHITE	080083633807		1	4	256				★
HU20P830MB	HALO HU20 UNDERCABINET LED PUCK, 3000K, MATTE BLACK	080083633784		1	20	1280				★
HU20P830P	HALO HU20 UNDERCABINET LED PUCK, 3000K, WHITE	080083633760	0.063	160	5760					★







**Low Profile Track Fixture**

	<b>806</b>									
L806NF8030P	HALO AND LAZER POWER-TRAC, LED, NARROW FLOOD DISTRIBUTION, 3000K, WHITE	080083669127	1.22	1	96					★

**Power - Trac Luminaire**

**Alto**

	<b>Alto - 3750</b>									
L3750MBX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, MATTE BLACK, PAR38	662400149989	2.2	1	126					★
L3750PX	ALTO HIGH INTENSITY DISPLAY LAMPHOLDER, WHITE, PAR38	662400149972	2.2	1	126					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Universal</b>										
	<b>Symmetrical Universal Lampholder - L1701MBX</b> L1701MBX      SYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20	662400300021	0.6	6	2000					★
	<b>Symmetrical Universal Lampholder - L1701PX</b> L1701PX      SYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20	662400300014	0.6	6	528					★
	<b>Asymmetrical Universal Lampholder - L1702</b> L1702MBX      ASYMMETRICAL UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38 L1702PX      ASYMMETRICAL UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400300045	0.6	6	900					★
	<b>Universal Lampholder - L1735</b> L1735MBX      UNIVERSAL LAMPHOLDER, MATTE BLACK, PAR16, PAR20, PAR30, PAR38 L1735PX      UNIVERSAL LAMPHOLDER, WHITE, PAR16, PAR20, PAR30, PAR38	662400144069	1	6	600					★
	<b>Quartz Wall Washer - L1752</b> L1752PX      QUARTZ WALL WASHER, WHITE, T4	662400144311	1.6	4	360					★
	<b>Universal Lampholder - L4009</b> L4009MBX      UNIVERSAL LAMPHOLDER, MATTE BLACK, R40, PAR16, PAR20, PAR30, PAR38 L4009PX      UNIVERSAL LAMPHOLDER, WHITE 50-300W	662400160960	0.92	6	840					★
	<b>Universal Lampholder - L700</b> L700PX      UNIVERSAL LAMPHOLDER, WHITE, R, PAR38	662400137887	1.01	12	720					★
	<b>Universal Lampholder - L702</b> L702MBX      UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38 L702PX      UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38 L1700PX      UNIVERSAL LAMPHOLDER, WHITE, PAR30, PAR38	662400164333	0.5	24	1080					★
	<b>Universal Lampholder - L703</b> L703MBX      UNIVERSAL LAMPHOLDER, MATTE BLACK, R, PAR16, PAR20, PAR30L, PAR38 L703PX      UNIVERSAL LAMPHOLDER, WHITE, R, PAR16, PAR20, PAR30L, PAR38	662400301394	0.8	24	768					★
<b>Bachetta</b>										
	<b>Bachetta Gimbal Ring - L3703</b> L3703PX      BACHETTA GIMBAL RING, WHITE, PAR30	662400149248	1.6	72	288					★

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Commercial Applications</b>										
	<b>Para Trac Electronic Wall Wash - L3218</b> L3218EP      PARA TRAC ELECTRONIC COMPACT FLUORESCENT WALL WASH, WHITE, F18BX	662400603566	5.32	1	108					★
	<b>Para Trac Electronic Wall Wash - L3239</b> L3239EP      PARA TRAC ELECTRONIC COMPACT FLUORESCENT WALL WASH, WHITE, F39BX	662400603528	7.6	1	96					★
<b>Lampholder Louvers</b>										
	<b>Parabolic Louver - LVR3239</b> LVR3239P      PARABOLIC LOUVER, WHITE	662400603504	0.8	1	250					★
	<b>Parabolic Louver - LVR3240</b> LVR3240MB      PARABOLIC LOUVER, BLACK	662400603450	0.8	1	196					★
<b>Roundback</b>										
	<b>Roundback Cylinder - L1540</b> L1540PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR20, R20, BR25	662400142980	1.2	6	576					★
	<b>Roundback Cylinder - L1542</b> L1542PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, PAR30, R30, BR30	662400143123	2	4	320					★
	<b>Roundback Cylinder - L1543</b> L1543PX      ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400143185	1.8	6	192					★
	<b>Roundback Cylinder - L741, L743, L746, L747</b>									
L741MBX	ROUND BACK CYLINDER, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139010	1	6	252					★
L741PX	ROUND BACK CYLINDER, WHITE, BR30, R30, PAR30, BR25, A19	662400139027	1.6	6	324					★
L743MBX	ROUND BACK CYLINDER, MATTE BLACK, R20, PAR20, A19	662400139058	0.92	6	378					★
L743PX	ROUND BACK CYLINDER, WHITE, R20, PAR20, A19	662400139065	0.6	6	378					★
L746MBX	ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25, A19	662400139096	1.2	6	324					★
L746PX	ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25, A19	662400139102	1.2	6	252					★
L747MBX	ROUND BACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400139133	1.17	6	432					★
L747PX	ROUND BACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400139140	1.2	6	378					★
	<b>Roundback Cylinder - L855</b> L855PX      ROUND BACK CYLINDER, WHITE, PAR38	662400140757	1.21	6	216					★

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Continental Cylinder</b>										
	<b>Continental Cylinder Yoke - L704</b>									
L704MBX	CONTINENTAL CYLINDER, YOKE, MATTE BLACK, R40, PAR38	662400137917	2.2	6	126					•
L704PX	CONTINENTAL CYLINDER, YOKE, WHITE, R40, PAR38	662400137931	2	6	144					•
	<b>Continental Cylinder - L730</b>									
L730MBX	CONTINENTAL CYLINDER, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138358	1	6	288				•	•
L730PX	CONTINENTAL CYLINDER, WHITE, BR30, R30, PAR30, A19, BR25	662400138372	0.8	6	384				•	•
	<b>Continental Cylinder - L734</b>									
L734MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400138815	2.4	6	126					•
L734PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400138839	2.6	6	144					•
<b>Continental Cylinder - L735</b>										
L735MBX	CONTINENTAL CYLINDER, MATTE BLACK, R20, PAR20, A19	662400138853	0.8	6	432					•
	<b>Continental Cylinder - L736</b>									
L736MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, A19, BR25	662400138891	1.25	6	252				•	•
L736PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, A19, BR25	662400138907	1.29	6	2400					•
	<b>Continental Cylinder - L737</b>									
L737MBX	CONTINENTAL CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400138945	0.8	6	486					•
L737PX	CONTINENTAL CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400138952	1.2	6	432					•
<b>Flatback</b>										
	<b>Flatback Cylinder - L1763</b>									
L1763MBX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, MATTE BLACK, MR16	662400144564	3.52	6	480				•	★
L1763PX	LOW VOLTAGE, FLATBACK CYLINDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144588	3.52	6	288				•	★
	<b>Flatback Cylinder - L761</b>									
L761PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R16, PAR16	662400139348	0.8	6	360				•	★
	<b>Flatback Cylinder - L763</b>									
L763MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400139690	1.6	4	192				•	★
L763PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400139720	1.4	4	192				•	★
	<b>Flatback Cylinder - L764</b>									
L764MBX	FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400139805	2	6	192				•	★
L764PX	FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400139836	1.6	6	192				•	★

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Gimbal Ring</b>										
	<b>Gimbal Ring - L1730</b>									
L1730MBX	GIMBAL RING, MATTE BLACK, PAR30	662400144014	1.08	6	2400			•	•	•
L1730PX	GIMBAL RING, WHITE, PAR30	662400144038	1.05	6	576			•	•	•
	<b>Front Loading Gimbal Ring - L1731</b>									
L1731MB	FRONT LOADING GIMBAL RING, MATTE BLACK, PAR30	662400687696	0.01	6	252					•
L1731P	FRONT LOADING GIMBAL RING, WHITE, PAR30,	662400687702	1.1	6	288					•
	<b>Gimbal Ring - L1738</b>									
L1738MBX	GIMBAL RING, MATTE BLACK, PAR38	662400144151	1.2	6	480					•
L1738PX	GIMBAL RING, WHITE, PAR38	662400144175	1.15	6	480			•		•
	<b>Front Loading Gimbal Ring - L1739</b>									
L1739PX	FRONT LOADING GIMBAL RING, WHITE, PAR38	662400318774	1.6	4	256					• ★
	<b>Low Voltage Gimbal Ring - L2716</b>									
L2716MB	LOW VOLTAGE GIMBAL RING, MATTE BLACK, MR16	662400145325	0.4	48	1152					•
L2716P	LOW VOLTAGE GIMBAL RING, WHITE, MR16	662400145332	0.4	48	1440					•
	<b>Low Voltage Gimbal Ring - L2717</b>									
L2717MBX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145394	0.83	48	1152					• •
L2717PX	LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145417	0.82	12	960	•	•		•	•
<b>Micro Style</b>										
	<b>Low Voltage Micro Style - L1760</b>									
L1760PX	LOW VOLTAGE MICRO STYLE LAMPHOLDER, MAGNETIC TRANSFORMER, WHITE, MR16	662400144427	3.2	15	900					• ★
	<b>Low Voltage Lampholder - L2701</b>									
L2701P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, WHITE, MR16	662400615552	0.6	48	576					•
	<b>Low Voltage Lampholder - L2702</b>									
L2702MB	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400615583	0.68	6	384					•
L2702P	LOW VOLTAGE LAMPHOLDER, PERFORATED SHADE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400615576	0.89	6	576					•
	<b>Low Voltage Micro Style - L2770</b>									
L2770MBX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400145738	1.81	6	192					• ★
L2770PX	LOW VOLTAGE MICRO STYLE, ELECTRONIC TRANSFORMER, WHITE, MR16	662400145752	1.6	6	192					• ★




★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

**Studio**




	<b>Studio Lampholder - L1820</b>									
	L1820MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR20	662400663720	1	6	288				• ★
	L1820P	STUDIO LAMPHOLDER, WHITE, PAR20	662400663713	0.97	6	720				• ★
	<b>Studio Lampholder - L1830</b>									
	L1830MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR30	662400663768	1.575	6	240				• ★
	L1830P	STUDIO LAMPHOLDER, WHITE, PAR30	662400663744	1.63	6	240				• ★
	<b>Studio Lampholder - L1838</b>									
	L1838MB	STUDIO LAMPHOLDER, MATTE BLACK, PAR38	662400663799	2.23	6	144				• ★

**Studio Classic**

	<b>Studio Classic Lampholder - L1807</b>									
	L1807MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR30,	662400660439	1.4	12	72				•
	L1807PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR30	662400660446	1.8	12	192				•
	<b>Studio Classic Lampholder - L1808</b>									
	L1808MB	STUDIO CLASSIC LAMPHOLDER, MATTE BLACK, PAR38	662400660453	3.6	6	48				•
	<b>Studio Classic Lampholder - L1808PAL</b>									
	L1808PAL	STUDIO CLASSIC LAMPHOLDER, POLISHED ALUMINUM, PAR38	662400660484	3.4	6	72				•

**Power - Trac Systems**

**Single Circuit**

	<b>Single Circuit</b>									
	L650MB	SINGLE CIRCUIT TRAC, 2FT, MATTE BLACK	662400137597	0.85	6	1920				• • • ★
	L650P	SINGLE CIRCUIT TRAC, 2FT, WHITE	662400137603	0.6	6	1920				• • • ★
	L651MB	SINGLE CIRCUIT TRAC, 4FT, MATTE BLACK	662400137672	2	1	360		•		• • •
	L651P	SINGLE CIRCUIT TRAC, 4FT, WHITE	662400137689	1.7	1	625	•	•		• • •
	L652MB	SINGLE CIRCUIT TRAC, 8FT, MATTE BLACK	662400137764	4.4	1	700		•		• • •
	L652P	SINGLE CIRCUIT TRAC, 8FT, WHITE	662400137771	4.4	1	432	•	•		• • •
	L653MB	SINGLE CIRCUIT TRAC, 12FT, MATTE BLACK	662400137818	6	1	324		•		• • •
	L653P	SINGLE CIRCUIT TRAC, 12FT, WHITE	662400137825	5.75	1	324	•	•		• • •
	<b>Dead End</b>									
	DE60050A - 1 PK	DEAD END, SINGLE CIRCUIT, WHITE	623961478505	0.13	10	360				• ★
	<b>Live End Connector</b>									
	L901MB	LIVE END CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140825	0.19	12	2160		•	•	• • • ★
	L901P	LIVE END CONNECTOR, SINGLE CIRCUIT, WHITE	662400140832	0.19	12	2160	•	•	•	• • • ★











★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>Flex Connector</b>										
 L902MB	FLEX CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140863	0.54	6	1512					★
L902P	FLEX CONNECTOR, SINGLE CIRCUIT, WHITE	662400140870	0.5	12	4800					★
<b>Straight Connector</b>										
 L903MB	STRAIGHT CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140894	0.33	12	1440					★
L903P	STRAIGHT CONNECTOR, SINGLE CIRCUIT, WHITE	662400140900	0.33	12	1440					★
<b>L Connector</b>										
 L904MB	L CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140924	0.32	6	756					★
L904P	L CONNECTOR, SINGLE CIRCUIT, WHITE	662400140931	0.32	6	648					★
<b>T Connector</b>										
 L905MB	T CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140948	0.6	12	864					★
L905P	T CONNECTOR, SINGLE CIRCUIT, WHITE	662400140955	0.52	12	540					★
<b>X Connector</b>										
 L906MB	X CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400140962	0.6	6	960					★
L906P	X CONNECTOR, SINGLE CIRCUIT, WHITE	662400140979	0.6	6	360					★
<b>Outlet Box</b>										
 L907MB	OUTLET BOX FOR T-BAR CEILING, MATTE BLACK	662400140986	0.4	1	896					★
L907P	OUTLET BOX FOR T-BAR CEILING, WHITE	662400140993	0.4	1	896					★
<b>Mini Joiner</b>										
 L908MB	MINI JOINER, SINGLE CIRCUIT, MATTE BLACK	662400141037	0.07	12	1512					★
L908P	MINI JOINER, SINGLE CIRCUIT, WHITE	662400141044	0.07	12	2520					★
<b>Floating Canopy &amp; Connector</b>										
 L909MB	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141068	0.6	12	720					★
L909P	FLOATING CANOPY & CONNECTOR, SINGLE CIRCUIT, WHITE	662400141075	0.6	12	720					★
<b>Cord &amp; Plug Connector</b>										
 L950MB	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, MATTE BLACK	662400141792		1	12	720				★
<b>Conduit Continuation Kit</b>										
 L979MB	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, MATTE BLACK	662400142218	0.6	6	1920					★
L979P	CONDUIT CONTINUATION KIT, SINGLE CIRCUIT, WHITE	662400142225	0.71	6	1920					★
<b>Live End Conduit Adapter</b>										
 L980MB	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, MATTE BLACK	662400142249	0.31	16	1296					★
L980P	LIVE END CONDUIT ADAPTER, SINGLE CIRCUIT, WHITE	662400142256	0.4	12	2304					★


★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Two Circuit</b>										
	<b>Two Circuit</b>									
L641MB	TWO CIRCUIT TRAC, 4FT, MATTE BLACK	662401137497	1.985	1	800				•	★
L641P	TWO CIRCUIT TRAC, 4FT, WHITE	662401137503	1.985	1	800				•	★
L642MB	TWO CIRCUIT TRAC, 8FT, MATTE BLACK	662400137511	3.94	1	576				•	★
L642P	TWO CIRCUIT TRAC, 8FT, WHITE	662401167241	4	1	576	•			•	★
L643MB	TWO CIRCUIT TRAC, 12FT, MATTE BLACK	662400137535	6.4	1	224				•	★
L643P	TWO CIRCUIT TRAC, 12FT, WHITE	662400137542	6.4	1	324				•	★
	<b>Live End</b>									
L941MB	LIVE END CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141587	0.2	6	3456				•	★
L941P	LIVE END CONNECTOR, TWO CIRCUIT, WHITE	662400141594	0.17	6	6912				•	★
	<b>Straight / L Connector</b>									
L943MB	STRAIGHT/L CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141624	0.6	6	288				•	★
L943P	STRAIGHT/L CONNECTOR, TWO CIRCUIT, WHITE	662400141631	0.6	6	576				•	★
	<b>Mini Joiner</b>									
L949MB	MINI JOINER, TWO CIRCUIT, MATTE BLACK	662400141761	0.2	6	2268				•	★
L949P	MINI JOINER, TWO CIRCUIT, WHITE	662400141778	0.17	30	6480				•	★
	<b>Left T Connector</b>									
L945LMB	LEFT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141648	0.71	6	1176				•	★
	<b>Right T Connector</b>									
L945RMB	RIGHT T CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141662	0.71	6	1176				•	★
	<b>Flex Joiner</b>									
L942MB	FLEX JOINER, TWO CIRCUIT, MATTE BLACK	662400141600	0.6	6	1920				•	★
L942P	FLEX JOINER, TWO CIRCUIT, WHITE	662400141617	0.6	6	2592				•	★
	<b>X Connector</b>									
L946P	X CONNECTOR, TWO CIRCUIT, WHITE	662400141693	0.74	6	1176				•	★
	<b>Conduit Connector</b>									
L947MB	CONDUIT CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400141709	0.4	1	378				•	★
L947P	CONDUIT CONNECTOR, TWO CIRCUIT, WHITE	662400141716	0.29	6	756				•	★
	<b>Conduit Continuation Kit</b>									
L989MB	CONDUIT CONTINUATION KIT, TWO CIRCUIT, MATTE BLACK	662400142331	0.6	6	960				•	★

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
	<b>Floating Canopy &amp; Connector</b>										
	L929MB	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, MATTE BLACK	662400163053	0.6	12	1008					•
L929P	FLOATING CANOPY & CONNECTOR, TWO CIRCUIT, WHITE	662400163046	0.6	12	1008					•	★

**Lampholder and Power - Trac Accessories**

**Lens**

QS-L450	SOLITE DIFFUSED LENS 3 3/4"	080083535903	0.21	20	3000						•	★
L124	DAYLIGHT BLUE DICHROIC LENS, 2"	662400136866	0.6	1	48000						•	★



**Lens - L110N, L111, L113 & L115**

L110N	DIFFUSE SAND BLASTED LENS, 2"	662400136774	0.1	1	21000						•	★
L111	SOFT FOCUS LENS, 2"	662400627517	0.04	42	10080						•	★
L113	PRISMATIC LENS, 2"	662400136804	0.05	50	6000						•	★
L115	LINEAR SPREAD LENS, 2"	662400136811	0.052	50	8000						•	★

**Lens - L114 & L124**

L114	ULTRAVIOLET DICHROIC LENS, 2"	662400160991	0.09	1	24000						•	★
------	-------------------------------	--------------	------	---	-------	--	--	--	--	--	---	---



**Low Voltage Canopy Adapter**

L1973MB	LOW VOLTAGE CANOPY ADAPTER, MATTE BLACK	662400145042	0.4	12	1152						•	★
L1973P	LOW VOLTAGE CANOPY ADAPTER, WHITE	662400145059	0.4	12	720						•	★



**Filters**

L212	WARM RED COLOR FILTER, 4-11/16	662400136989	0.2	120	1920						•	★
------	--------------------------------	--------------	-----	-----	------	--	--	--	--	--	---	---



**Media Holder**

L252MB	MEDIA HOLDER, PAR30, L1830, MATTE BLACK	662400301400	0.52	6	378						•	★
--------	---	--------------	------	---	-----	--	--	--	--	--	---	---



**Cube Cell Louver - L274**

L274MB	CUBE CELL LOUVER, 3 3/4"	662400301424	0.11	6	2430						•	★
--------	--------------------------	--------------	------	---	------	--	--	--	--	--	---	---



**Cube Cell Louver - L275**

L275MB	CUBE CELL LOUVER, MATTE BLACK	662400137108	0.13	6	3360						•	★
--------	-------------------------------	--------------	------	---	------	--	--	--	--	--	---	---


**48" Steel Stem**


L48MB	48" STEEL STEM, MATTE BLACK	662400136750	1.15	6	396						•	★
L48P	48" STEEL STEM, WHITE	662400136767	1.07	6	396						•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Outlet Box</b>											
 L900MB	OUTLET BOX COVER, MATTE BLACK	662400140771	0.4	12	2352				•	•	★
L900P	OUTLET BOX COVER, WHITE	662400140788	0.4	12	3528		•		•	•	★
<b>18" Extension Wand</b>											
 L918PX	18" EXTENSION WAND, WHITE	662400141334	0.6	6	1344					•	★
<b>48" Extension Wand</b>											
L948MBX	48" EXTENSION WAND, MATTE BLACK	662400141730	1	6	594					•	★
L948PX	48" EXTENSION WAND, WHITE	662400141754	1	6	432					•	★
<b>Cord &amp; Plug Connector</b>											
 L950P	CORD & PLUG CONNECTOR, SINGLE CIRCUIT, WHITE	662400141808	1.01	12	432					•	★
<b>Wireway Cover for Pendant Assembly Kit</b>											
 L951MB	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, MATTE BLACK	662400141815	0.15	1	1875					•	★
L951P	WIREWAY COVER FOR PENDANT ASSEMBLY KIT, WHITE	662400141822	0.14	1	1875					•	★
<b>Showroom Fixture Adapter</b>											
 L956P	SHOWROOM FIXTURE ADAPTER, WHITE	662400141884	0.6	12	864					•	★
<b>Pendant Adapter - L957</b>											
 L957MB	PENDANT ADAPTER, MATTE BLACK	662400141907	0.2	12	1200		•		•	•	★
L957P	PENDANT ADAPTER, WHITE	662400141921	0.2	12	4704		•		•	•	★
<b>C Clamp Adapter</b>											
 L972MB	C CLAMP ADAPTER, MATTE BLACK	662400142102	0.8	1	490					•	★
<b>Canopy Adapter</b>											
 L973MBN	CANOPY ADAPTER, MATTE BLACK	662400142126	0.29	12	2592					•	★
L973PN	CANOPY ADAPTER, WHITE	662400142133	0.4	12	2592					•	★
<b>T-Bar Attachment Clip - L983N</b>											
 L983N	T-BAR ATTACHMENT CLIP	662400142300	0.02	6	4752					•	★
<b>Mini-Bar Attachment Clip - L986</b>											
L986	MINI T-BAR ATTACHMENT CLIP	662400142324	0.2	6	6240					•	★


★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product


Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA			
	<b>Pendant Kit Assembly - L992</b>												
	L992MB	PENDANT KIT ASSEMBLY, MATTE BLACK	662400142355	1.8	6	252					•	•	★
L992P	PENDANT KIT ASSEMBLY, WHITE	662400142362	1.4	6	432		•	•					★

	<b>Pendant Adapter</b>												
	L994MB	PENDANT ADAPTER, 45 DEGREE, MATTE BLACK	662400142393	0.72	1	324						•	★
L994P	PENDANT ADAPTER, 45 DEGREE, WHITE	662400142409	0.8	1	324						•	★	

**Power-Trac Transformers**

	<b>Low Voltage Power-Trac Transformer - L2001</b>												
	L2001MBX	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400602996	0.4	6	2520						•	•
L2001PX	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400602989	0.4	60	3360							•	

	<b>Low Voltage Power-Trac Transformer - L2004</b>												
	L2004MB	LOW VOLTAGE POWER-TRAC TRANSFORMER, MATTE BLACK	662400618508	0.4	6	1200							•
L2004P	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	662400618492	0.44	60	1200								•


	<b>Low Voltage Power-Trac Transformer - L2005</b>												
	L2005AH	LOW VOLTAGE POWER-TRAC TRANSFORMER, ALUMINUM HAZE	623961195099	0.8	4	60							•
L2005P	LOW VOLTAGE POWER-TRAC TRANSFORMER, WHITE	623961195310	1	4	600								•

**Current Limiters**

**Circuit Breakers**


CB120P	CIRCUIT BREAKER 1 AMP 120W WHITE	080083508747	0.04	25	1200								•	★
CB300MB	CIRCUIT BREAKER 2.5 AMP 300W BLACK	080083508785	0.4	25	1200								•	★
CB600MB	CIRCUIT BREAKER 5 AMP 600W BLACK	080083508754	0.04	25	2160								•	★
CB600P	CIRCUIT BREAKER 5 AMP 600W WHITE	080083508792	0.4	25	1200								•	★
CB1200P	CIRCUIT BREAKER 10 AMP 1200W WHITE	080083508860	0.25	50	1000								•	★
CB1200MB	CIRCUIT BREAKER 10 AMP 1200W BLACK	080083508877	0.04	25	3500								•	★
CB120MB	CIRCUIT BREAKER 1 AMP 120W BLACK	080083508761	0.4	25	1200								•	★


**Single Circuit**

	LC901MB	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING BLACK	623961052453	0.9	24	768							•	★
	LC901P	SINGLE CIRCUIT END FEED CONNECTOR AND HOUSING WHITE	623961052477	0.9	24	768								•








**Lazer Lampholders and Systems**









**Roundback**

	<b>Round Back Cylinder</b>													
	LZR311PL	LAZER ROUND BACK CYLINDER, WHITE, 120V MR16 INCLUDED	662400689409	2	6	990								•

	<b>Low Voltage Roundback Cylinder</b>													
	LZR405P	LAZER LOW VOLTAGE ROUND BACK CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687566	0.78	6	432								•























CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Gimbal Ring</b>											
<b>Front Loading Gimbal - LZR1320</b>											
	LZR1320MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR20	662400663669	0.8	12	720				•	•
	LZR1320P	LAZER FRONT LOADING GIMBAL, WHITE, PAR20	662400663652	0.9	16	720					•
<b>Front Loading Gimbal - LZR1330</b>											
	LZR1330MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR30	662400663683	0.8	6	360				•	•
	LZR1330P	LAZER FRONT LOADING GIMBAL, WHITE, PAR30	662400663676	0.8	6	360				•	•
<b>Front Loading Gimbal - LZR1338</b>											
	LZR1338MB	LAZER FRONT LOADING GIMBAL, MATTE BLACK, PAR38	662400663706	1.4	6	96					•
	LZR1338P	LAZER FRONT LOADING GIMBAL, WHITE, PAR38	662400663690	2	6	240					•
<b>Gimbal Ring - LZR316</b>											
	LZR316MBL	LAZER GIMBAL RING, MATTE BLACK, 120V MR16 LAMP INCLUDED	662400689454	0.49	6	720					•
	LZR316PL	LAZER GIMBAL RING, WHITE, 120V MR16 LAMP INCLUDED	662400689447	0.49	6	900					•
<b>Small Gimbal Ring - LZR330</b>											
	LZR330MB	LAZER SMALL GIMBAL RING, MATTE BLACK, PAR30	662400613305	0.6	6	480				•	•
	LZR330P	LAZER SMALL GIMBAL RING, WHITE, PAR30	662400613299	0.7	6	384	•			•	•
<b>Gimbal Ring - LZR338</b>											
	LZR338MB	LAZER GIMBAL RING, MATTE BLACK, PAR38	662400613329	1.38	6	480					•
	LZR338P	LAZER GIMBAL RING, WHITE, PAR38	662400613312	3	6	360				•	•
<b>Low Voltage Gimbal Ring - LZR401</b>											
	LZR401MB	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400614005	0.8	12	960				•	•
	LZR401P	LAZER LOW VOLTAGE GIMBAL RING, ELECTRONIC TRANSFORMER, WHITE, MR16	662400613992	1	12	960	•	•		•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Cylinder</b>										
<b>Small Roundback Cylinder</b>										
	LZR301MB LAZER SMALL ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612643	0.8	12	396					•
	LZR301P LAZER SMALL ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612636	1.03	12	432				•	•
	LZR301P/W LAZER SMALL ROUNDBACK CYLINDER, WHITE BAFFLE, WHITE, R20, PAR20, A19	662400612667	0.9	12	396				•	•
<b>Roundback Cylinder</b>										
	LZR302MB LAZER ROUNDBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612681	1.35	12	288				•	•
	LZR302P LAZER ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612674	1.2	10	360					•
	LZR302P/W LAZER ROUNDBACK CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612704	1.4	12	360					•
<b>Large Roundback Cylinder</b>										
	LZR303MB LAZER LARGE ROUNDBACK CYLINDER, BLACK BAFFLE, BLACK, PAR38, R40	662400612551	2	6	144					•
	LZR303P LAZER LARGE ROUNDBACK CYLINDER, BLACK BAFFLE, WHITE, PAR38, R40	662400612544	1.7	6	192				•	•
<b>Small Step Cylinder</b>										
	LZR304MB LAZER SMALL STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612728	1	12	360					•
	LZR304P LAZER SMALL STEP CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612711	0.9	12	432					•
<b>Step Cylinder</b>										
	LZR305MB LAZER STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612773	1.24	12	360					•
	LZR305P LAZER STEP CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612759	1.2	12	288				•	•
	LZR305P/W LAZER STEP CYLINDER, WHITE BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612797	1.2	12	288					•
<b>Large Step Cylinder</b>										
	LZR306MB LAZER LARGE STEP CYLINDER, BLACK BAFFLE, MATTE BLACK, R40, PAR38	662400612575	1.6	6	192					•
	LZR306P LAZER LARGE STEP CYLINDER, BLACK BAFFLE, WHITE, R40, PAR38	662400612568	1.6	6	108				•	•
<b>Flatback Cylinder - LZR307</b>										
	LZR307MB-P8 LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, R20, PAR20, A19	662400612810	1.14	12	432				•	•
	LZR307P LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, R20, PAR20, A19	662400612803	1.14	12	432					•
<b>Flatback Cylinder - LZR308</b>										
	LZR308MB LAZER FLATBACK CYLINDER, BLACK BAFFLE, MATTE BLACK, BR30, R30, PAR30, BR25	662400612599	1.2	12	360					•
	LZR308P LAZER FLATBACK CYLINDER, BLACK BAFFLE, WHITE, BR30, R30, PAR30, BR25	662400612582	1.2	12	360					•

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Glass and Perforated Bell &amp; Contemporary Gimbal</b>										
	<b>Perforated Bell</b>									
LZR402MB	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616559	0.8	12	216					•
LZR402P	LAZER LOW VOLTAGE PERFORATED BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616542	0.8	12	288					•
	<b>Glass Bell</b>									
LZR403MB	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616573	1.4	12	432					•
LZR403P	LAZER LOW VOLTAGE GLASS BELL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616566	1.13	12	432				•	•
	<b>Contemporary Gimbal</b>									
LZR404MB	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400616597	0.6	12	720					•
LZR404P	LAZER LOW VOLTAGE CONTEMPORARY GIMBAL, ELECTRONIC TRANSFORMER, WHITE, MR16	662400616580	0.8	12	720					•
<b>Step Cylinder</b>										
	<b>Low Voltage Step Cylinder</b>									
LZR406MB	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, MATTE BLACK, MR16	662400687597	0.8	6	432					•
LZR406P	LAZER LOW VOLTAGE STEP CYLINDER, ELECTRONIC TRANSFORMER, WHITE, MR16	662400687580	0.91	6	432				•	•
<b>Lazer Track System</b>										
	<b>Single Circuit</b>									
LZR102MB	LAZER SINGLE CIRCUIT TRACK, 2FT, MATTE BLACK	662400617464	1.2	6	864					•
LZR102P	LAZER SINGLE CIRCUIT TRACK, 2FT, WHITE	662400617396	0.7	12	2352				•	•
LZR104MB	LAZER SINGLE CIRCUIT TRACK, 4FT, MATTE BLACK	662400617426	1.6	12	960			•		•
LZR104P	LAZER SINGLE CIRCUIT TRACK, 4FT, WHITE	662400617419	1.5	12	1632			•	•	•
LZR106MB	LAZER SINGLE CIRCUIT TRACK, 6FT, MATTE BLACK	662400617440	2.55	12	1152			•		•
LZR106P	LAZER SINGLE CIRCUIT TRACK, 6FT, WHITE	662400617433	2.4	12	960			•		•
LZR108MB	LAZER SINGLE CIRCUIT TRACK, 8FT, MATTE BLACK	662400617402	3.2	12	432			•	•	•
LZR108P	LAZER SINGLE CIRCUIT TRACK, 8FT, WHITE	662400617457	1.7	12	504	•	•	•	•	•
	<b>T-Bar Clip</b>									
LZR207	LAZER T-BAR CLIP	662400617129	0.1	96	3072					•
	<b>Monopoint Feed</b>									
LZR209MB	LAZER MONOPOINT FEED, MATTE BLACK	662400617150	0.3	12	1440				•	•
LZR209P	LAZER MONOPOINT FEED, WHITE	662400617167	0.3	48	2304				•	•
	<b>Monopoint Feed Low Voltage</b>									
LZR210MB	LAZER MONOPOINT FEED, LOW VOLTAGE, MATTE BLACK	662400617174	0.4	12	1296					•
LZR210P	LAZER MONOPOINT FEED, LOW VOLTAGE, WHITE	662400617181	0.29	48	1296					•
	<b>Live End Feed w / Junction Box Cover</b>									
LZR200MB	LAZER LIVE END FEED W/JUNCTION BOX COVER, MATTE BLACK	662400616993	0.29	6	672					•
LZR200P	LAZER LIVE END FEED W/JUNCTION BOX COVER, WHITE	662400617006	0.3	24	1152				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Live End Feed</b>										
 LZR201MB	LAZER LIVE END FEED, MATTE BLACK	662400617013	0.16	8	384			•	•	•
LZR201P	LAZER LIVE END FEED, WHITE	662400617020	0.2	96	2592			•	•	•
<b>Floating Canopy &amp; Connector Feed</b>										
 LZR202MB	LAZER FLOATING CANOPY AND CONNECTOR FEED, MATTE BLACK	662400617037	0.4	24	648					•
LZR202P	LAZER FLOATING CANOPY AND CONNECTOR FEED, WHITE	662400617044	0.5	24	1152					•
<b>Adjustable L &amp; Straight Connector</b>										
 LZR203MB	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, MATTE BLACK	662400617051	0.4	4	384					•
LZR203P	LAZER ADJUSTABLE L AND STRAIGHT CONNECTOR, WHITE	662400617068	0.3	48	2304					•
<b>Conduit Adapter Feed</b>										
 LZR204MB	LAZER CONDUIT ADAPTER FEED, MATTE BLACK	662400617075	0.2	12	432					•
LZR204P	LAZER CONDUIT ADAPTER FEED, WHITE	662400617082	0.2	8	128					•
<b>Conduit Continuation Feed</b>										
 LZR205MB	LAZER CONDUIT CONTINUATION FEED, MATTE BLACK	662400617099	0.25	48	2304					•
LZR205P	LAZER CONDUIT CONTINUATION FEED, WHITE	662400617105	0.33	6	1296					•
<b>T-Bar Canopy</b>										
 LZR206P	LAZER T-BAR CANOPY, WHITE	662400617112	0.4	12	576					•
<b>Flexible Connector Feed</b>										
 LZR211P	LAZER FLEXIBLE CONNECTOR FEED, WHITE	662400617204	0.4	96	3456					•
<b>Mini Connector</b>										
 LZR212MB	LAZER MINI CONNECTOR, MATTE BLACK	662400617211	0.2	12	288			•	•	•
LZR212P	LAZER MINI CONNECTOR, WHITE	662400617228	0.1	96	3072			•	•	•
<b>T Connector Right</b>										
 LZR213LMB	LAZER T CONNECTOR, LEFT HAND, MATTE BLACK	662400685944	0.37	12	2400					•
LZR213LP	LAZER T CONNECTOR, LEFT HAND, WHITE	662400685951	0.4	12	2400					•
<b>T Connector Left</b>										
 LZR213RMB	LAZER T CONNECTOR, RIGHT HAND, MATTE BLACK	662400685968	0.4	12	2400					•
LZR213RP	LAZER T CONNECTOR FEED RIGHT, WHITE	662400685975	0.37	48	2304					•
<b>X Connector</b>										
 LZR214P	LAZER X CONNECTOR FEED, WHITE	662400685999	0.46	48	2304					•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Architectural Flexible Track Lampholders and Systems</b>										
<b>Architectural Flexible Track System</b>										
	<b>Clamp Installation Tool</b> LFC1 ARCHITECTURAL FLEXIBLE CLAMP INSTALLATION TOOL	623961404801	0.2	12	600					•
	<b>Hand Roller Installation Tool</b> LFHR1 ARCHITECTURAL FLEXIBLE HAND ROLLER INSTALLATION TOOL	623961768699	1.92	6	360					• ★
	<b>4' &amp; 8'</b> LF4AH ARCHITECTURAL FLEXIBLE TRACK, 4' LF8AH ARCHITECTURAL FLEXIBLE TRACK, 8'	623961138270 623961138287	3.2 3.31	1 1	180 252					• •
	<b>Connectors and Components - LF601AH4</b> LF601AH4 120V FEED WITH J-BOX CANOPY, FLEXIBLE TRACK, 4"	623961198083	1.01	12	288					•
	<b>Connectors and Components - LF602AH4, LF602AH48</b> LF602AH4 CLAM SHELL FLEXIBLE TRACK SUPPORT STEM WITH CANOPY, ALUMINUM HAZE, 4"	623961194955	0.25	12	384					•
	<b>Connectors and Components - LF602AH4, LF602AH49</b> LF602AH48 CLAM SHELL TRACK SUPPORT STEM WITH SMALL CANOPY, ALUMINUM HAZE, 48"	623961138317	1.01	16	256					•
	<b>Connectors and Components - LF607AH</b> LF607AH VARIABLE CONNECTOR, FLEXIBLE TRACK, ALUMINUM HAZE	623961138447	0.85	12	120					•
	<b>Connectors and Components - LF612AH</b> LF612AH FLEXIBLE TRACK DEAD END, ALUMINUM HAZE	623961138676	0.1	10	5000					•
	<b>Connectors and Components - LF614AH</b> LF614AH CABLE SUSPENSION FOR FLEXIBLE TRACK	623961053658	0.1	8	720					• ★
	<b>Transformers and Converters</b> LF2005AH LOW VOLTAGE FLEXIBLE TRACK TRANSFORMER, ALUMINUM HAZE	623961195075		1	24	864				•












**Halo Architectural Linear Track and Connectors**

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Halo Architectural Track</b>										
<b>120V Track - LA631</b>										
	LA631MB	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, MATTE BLACK	622697896737	4.22	1	150				★
	LA631MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, 277V, MATTE BLACK	622697896638	3.72	1	130				★
	LA631P	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, WHITE	622697896690	4.22	1	130				★
	LA631P277	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, 277V, WHITE	622697896553	4.22	1	120				★
	LA631SL	TWO CIRCUIT ARCHITECTURAL TRAC, 4FT, SILVER	080083660261	4.22	1	130				★
<b>120V Track - LA632</b>										
	LA632MB	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, MATTE BLACK	622697896744	9.16	1	130				★
	LA632P	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, WHITE	622697896713	9.16	1	340				★
	LA632SL	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, SILVER	080083660278	9.16	1	130				★
<b>120V Track - LA633</b>										
	LA633MB	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, MATTE BLACK	622697896775	12.6	1	210				★
	LA633SL	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, SILVER	080083660285	14.1	1	66				★
<b>277V Track - LA632</b>										
	LA632MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, 277V, MATTE BLACK	622697896652	8.16	1	130				★
	LA632P277	TWO CIRCUIT ARCHITECTURAL TRAC, 8FT, 277V, WHITE	622697896577	9.16	1	130				★
<b>277V Track - LA633</b>										
	LA633MB277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, MATTE BLACK	622697896669	14.1	1	66				★
	LA633P277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, WHITE	622697896591	14.1	1	66				★
	LA633SL277	TWO CIRCUIT ARCHITECTURAL TRAC, 12FT, 277V, SILVER	080083528288	14.1	1	22				★
<b>Halo Architectural Track Connectors</b>										
<b>120V Connectors - LA670</b>										
	LA670MB	LIVE END CONDUIT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, BLACK	623961396465	0.54	6	960				
	LA670P	LIVE END CONDUIT CONNECTOR, WHITE	623961676833	0.8	6	384				
	LA670SL	LIVE END CONDUIT CONNECTOR, SILVER	623961676826	0.54	6	216				
<b>120V Connectors - LA671</b>										
	LA671MB	LIVE END CONNECTOR, MATTE BLACK	623961676802	0.54	6	198				
	LA671P	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676796	0.8	6	432				
	LA671SL	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	623961414732	0.54	6	432				
<b>120V Connectors - LA672</b>										
	LA672MB	FLEXIBLE CONNECTOR, MATTE BLACK	623961676789	0.54	6	200				
	LA672P	FLEXIBLE CONNECTOR, WHITE	623961676772	0.54	6	270				
<b>120V Connectors - LA673</b>										
	LA673MB	STRAIGHT CONNECTOR, MATTE BLACK	623961676734	0.17	6	198				
	LA673P	STRAIGHT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676727	1.2	6	198				
	LA673SL	STRAIGHT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, SILVER	623961676710	0.17	6	288				



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>120V Connectors - LA674</b>										
 LA674MB	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676598	0.17	6	600					•
LA674P	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676581	0.17	6	396					•
LA674SL	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961414749	0.17	6	198					•
<b>120V Connectors - LA675</b>										
 LA675MB	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676550	1.02	6	360					•
LA675P	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961676543	1.02	6	360					•
<b>120V Connectors - LA676</b>										
 LA676MB	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, MATTE BLACK	623961676529	1.02	6	360					•
LA676P	X CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	080083660308	0.17	6	200					•
<b>120V Connectors - LA678</b>										
 LA678MB	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 120V, BLACK	623961675683	0.17	6	1296					•
LA678P	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 120V, WHITE	623961675676	0.633	6	1296					•
<b>277V Connectors - LA670</b>										
 LA670MB277	LIVE END CONDUIT CONNECTOR, 277V, MATTE BLACK	623961624056	0.54	6	288					•
LA670P277	LIVE END CONDUIT CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019876	0.54	6	432					•
LA670SL277	LIVE END CONDUIT CONNECTOR, 277V, SILVER	623961676819	0.54	6	432					•
<b>277V Connectors - LA671</b>										
 LA671MB277	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V BLACK	623961011610	1	6	720					•
LA671P277	LIVE END CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V WHITE	623961019890	0.54	6	504					•
LA671SL277	LIVE END CONNECTOR, 277V, SILVER	623961200212	0.5	6	648					•
<b>277V Connectors - LA672</b>										
 LA672SL277	FLEXIBLE CONNECTOR, 277V, SILVER	080083660292	0.54	6	1200					•
<b>277V Connectors - LA673</b>										
 LA673MB277	STRAIGHT CONNECTOR, 277V, MATTE BLACK	623961624049	1.2	6	360					•
LA673P277	STRAIGHT CONNECTOR, 277V, WHITE	623961019913	1.6	6	480					•
LA673SL277	STRAIGHT CONNECTOR, 277V, SILVER	623961676604	0.17	6	1200					•
<b>277V Connectors - LA674</b>										
 LA674MB277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, MATTE BLACK	623961011641	0.17	6	198					•
LA674P277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019937	1.2	6	480					•
LA674SL277	L CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961676574	0.17	6	200					•
<b>277V Connectors - LA675</b>										
 LA675SL277	T CONNECTOR, 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961676536	1.02	6	360					•
<b>277V Connectors - LA678</b>										
 LA678P277	MINI JOINER, 2 CIRCUIT ARCHITECTURAL, 277V, WHITE	623961019968	0.54	6	1536					•
LA678SL277	MINI JOINER 2 CIRCUIT ARCHITECTURAL, 277V, SILVER	623961675669	0.17	6	900					•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Halo Architectural Track Accessories</b>										
<b>Accessories - LA995</b>										
 LA995P	PENDANT KIT, ARCHITECTURAL TRACK, WHITE	623960237097	1.01	6	300					★
LA995SL	18 INCH PENDANT KIT, 2 CIRCUIT ARCHITECTURAL, SILVER	623961460319	1.01	3	216					★
<b>Accessories - LA996</b>										
 LA996MB	WIREWAY COVER, 2 CIRCUIT ARCHITECTURAL, MATTE BLACK	623961457340	0.19	60	1080					•
LA996P	WIREWAY COVER, 2 CIRCUIT ARCHITECTURAL, WHITE	623961457333	0.1	80	1440					•
<b>Accessories - LA48</b>										
LA48MB	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, MATTE BLACK	080083660162	2.3	1	500					• ★
LA48P	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, WHITE	080083622498	1.4	6	6					• ★
LA48SL	48 INCH STEM, 2 CIRCUIT ARCHITECTURAL, SILVER	080083660179	1.4	6	6					• ★
<b>Convertors</b>										
 LA1LMB	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, MATTE BLACK	623961195525	0.3	4	1536					•
LA1LP	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, WHITE	623961195518	0.3	4	1440					•
LA1LSL	POWER-TRAC TO ARCHITECTURAL LINEAR TRACK CONVERTOR, SILVER	623961195495	0.3	48	1152					•

## Linea Lampholders and Systems

### Undercabinet

<b>Undercabinet Single Wedge Base</b>										
 LV301P	LINEA UNDERCABINET SINGLE WEDGE BASE LAMPHOLDER, WHITE, T3.25	662400669210	0.06	24	11520					•

### Surface Etchings

<b>Square Etchings Sconce</b>										
 H2522MC	SQUARE ETCHINGS SCONCE, INCANDESCENT, MATTE CHROME	662400215806	8.2	4	36					•
H2523MC	SQUARE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400215813	8.2	4	36					•
<b>Rectangle Etchings Sconce</b>										
 H2525MC	RECTANGLE ETCHINGS SCONCE, COMPACT FLUORESCENT, MATTE CHROME	662400677727	5.9	4	40					•

CATALOG  
NUMBER










DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# Halo Commercial


## Recessed Commercial Lighting

### 6" Housings

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" CFL Commercial Horizontal Lamp Housing</b>										
 PD6H142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120-277V UNV	080083611744	2.77	6	72	•	•	•	•	★
PD6H1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 347V	080083629077	12	1	28					★
PD6H213E	HOUSING, 6" (2) 13W DTT / TTT HORZ, 120V	080083628810	4.4	6	108				•	★
PD6H2133E	HOUSING, 6" (2) 13W DTT / TTT HORZ, 347V	080083628797	2	6	108				•	★
PD6H226E	HOUSING, 6" (2) 26W DTT HORZ, 120-277V UNV	080083611737	4.5	6	108	•		•	•	★
<b>6" CFL Commercial Horizontal Lamp Emergency Housing</b>										
 PD6H142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ, 120/277V EM	080083620494	12	1	28			•	•	★
PD6H226REM	HOUSING, 6" (2) 26W DTT HORZ, 120/277V EM	080083630707	6.9	1	32			•	•	★
<b>6" CFL Commercial Horizontal Lamp Housing, Dimming</b>										
 PD6H1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 120V DIMMING	080083626953	5.5	6	108	•				★
PD6H1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT HORZ., 277V DIMMING	080083629558	12	1	28	•				★
<b>6" CFL Commercial Vertical Lamp Housing</b>										
 PD6V142E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120-277V UNV	080083611812	2	6	72	•	•	•	•	★
PD6V1423E	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 347V	080083630776	3.95	6	108				•	★
<b>6" CFL Commercial Vertical Lamp Emergency Housing</b>										
 PD6V142REM	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT, 120/277V EM	080083622566	12	1	28			•	•	★
<b>6" CFL Commercial Vertical Lamp Housing Dimming</b>										
 PD6V1421DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 120V DIMMING	080083652792	12	6	28	•		•		★
PD6V1422DMARKX	HOUSING, 6" (1) 26W DTT, 26/32/42W TTT VERT., 277V DIMMING	080083649754	12	1	28	•				★
<b>6" LED Housings New Construction</b>										
 PD612ED010	6" LED HSN, 1,200 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691272	3.1	6	48			•	•	Ⓢ
PD618ED010	6" LED HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691296	3.1	6	48			•		Ⓢ
<b>6" LED Housings Retrofit</b>										
 PD6R18ED010	6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083698554	3.5	6	48				•	
PD6R12ED010	6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083698530	3.5	6	48				•	
<b>5/6" LED Housings Retrofit</b>										
 PD56R12ED010	5/6" LED RETROFIT HSN, 1,200 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691531	3.5	6	48			•	•	Ⓢ
PD56R18ED010	5/6" LED RETROFIT HSN, 1,800 LM, UNV 120-277V 50/60HZ, 10 PERCENT 0-10V & PHASE CUT DIM	080083691555	3.5	6	48			•	•	Ⓢ

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET						
					QTY	NJ	IL	TX	CA	GA	
<b>6" Metal Halide Commercial Vertical Lamp Housing</b>											
 PD6V70E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 70W MH, 120/277V UNV	080083628834	12	1	28		•			•	★
PD6V703E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 70W MH, 347V	080083638277	5.4	1	90					•	★
PD6V100E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 100W MH, 120/277V UNV	080083611799	12	5	60		•		•	•	★
PD6V1003E	HOUSING, 6" VERT, E26 METAL HALIDE (PROTECTED) 100W MH, 347V	080083638284	12	1	28					•	★

<b>6" Incandescent Commercial Vertical Lamp Housing</b>												
 PD6V120	HOUSING, 6" VERT E26, 120V	080083611805	3	6	72					•	•	★

**6" Modules**








<b>6" LED Modules</b>													
PDM6827	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 2700 K CCT	080083691081	1.8	6	336					•	•	★	Ⓢ
PDM6830	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 3000 K CCT	080083691104	1.8	6	336					•	•	★	Ⓢ
PDM6840	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 4000 K CCT	080083691142	1.8	6	336					•	•	★	Ⓢ
PDM6835	LED MODULE FOR REMOTE DRIVER, 1,200 & 1,800 LM, 80CRI, 3500 K CCT	080083691128	1.8	6	336					•	•	★	Ⓢ

**6" Reflectors**

<b>6" Commercial Vertical Lamp Reflector</b>												
60VC	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605286	1.1	6	108		•	•	•	•		
60V1GC	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652969	1	6	108					•		
60VH	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652891	1	6	108		•		•			★
60V1GH	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652884	1	6	108		•			•		★
60V1GW	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652877	1	6	108		•					★
60V1GCWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652754	1	6	108		•			•		★
60V1GHWF	REFLECTOR, 6" VERT, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR, WHITE FLANGE	080083652747	1	6	108		•					★
60VCWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652730	1	1	125		•			•		★
60VHWF	REFLECTOR, 6" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652723	1	6	108		•			•		★

<b>6" Commercial Vertical Lamp Wall Wash Reflector</b>												
60VWWH	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652860	1	6	108		•					★
60VWWC	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR	080083605293	1	6	108			•		•		
60VWWCWF	REFLECTOR, 6" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652716	1	6	108		•			•		
60VWWHWF	REFLECTOR, 6" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652709	1	6	108		•					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	
<b>6" CFL Commercial Horizontal Lamp Reflector</b>										
62HC	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605262	0.83	6	144	•	•	•	•	
62H1GC	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083652952	1	6	108			•	•	★
62HH	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652921	1	6	108	•			•	★
62H1GH	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SEMI SPECULAR CLEAR	080083652914	1	6	108	•				★
62H1GW	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652907	1	6	108	•				★
62H1GCWF	REFLECTOR, 6" HORZ, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652693	1	6	108	•			•	★
62HCWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652679	1.001	1	225	•			•	
62HHWF	REFLECTOR, 6" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652662	1	6	108	•			•	
62H4GDF	REFLECTOR, 6" HORZ, LENS, FRESNEL GLASS FLUSH MOUNT (DEAD FRONT TRIM)	080083660322	1	6	108				•	•
<b>6" CFL Commercial Horizontal Lamp Wall Wash Reflector</b>										
62HWWH	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083655977	1	6	108	•				
62HWWCWF	REFLECTOR, 6" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652655	1	6	108				•	
62HWWHWF	REFLECTOR, 6" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652648	1	6	108	•				
<b>6" LED Reflectors</b>										
61VBB	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, BLACK BAFFLE, WHITE FLANGE	080083669295	1.1	6	108				•	•
61VC	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR	080083669028	1.1	6	108				•	•
61VCWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669035	1.1	6	108				•	•
61VH	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669264	1.1	6	108				•	•
61VHWF	6" LED REFLECTOR, VERTICAL, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669271	1.1	6	108				•	•
61WWC	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SPECULAR CLEAR	080083669509	1.1	6	108				•	•
61WWCWF	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083692682	1.1	6	108				•	•
61WWH	6" LED REFLECTOR, WALL WASH, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669523	1.1	6	108				•	•
64VC	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR	080083669318	1.1	6	108				•	•
64VCWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SPECULAR CLEAR, WHITE FLANGE	080083669325	1.1	6	108				•	•
64VH	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR	080083669356	1.1	6	108				•	•
64VHWF	6" LED REFLECTOR, SHALLOW, SELF FLANGED, SEMI-SPECULAR CLEAR, WHITE FLANGE	080083669462	1.1	6	108				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
<b>8" Housings</b>										
<b>8" CFL Commercial Horizontal Lamp Housing</b>										
	PD8H142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT HORZ., 120-277V UNV	080083611782	4.75	6	72	•	•	•	★
	PD8H242E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORZ., 120-277V UNV	080083611775	4.75	6	72	•	•	•	★
	PD8H2423E	HOUSING, 8" (2) 26W DTT, 26/32/42W TTT HORIZONTAL, 347V	080083628858	4.75	1	72			•	★
<b>8" CFL Commercial Horizontal Lamp Housing, Emergency</b>										
	PD8H242REM	HOUSING 8" (2) 26W DTT, 26/32/42W TTT HORZ., 120-277V EM	080083631704	4.75	1	72	•			★
<b>8" CFL Commercial Vertical Lamp Housing</b>										
	PD8V142E	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT., 120-277V UNV	080083611768	4.75	1	72	•	•	•	★
<b>8" CFL Commercial Vertical Lamp Housing, Emergency</b>										
	PD8V142REM	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT., 120/277V EM	080083633036	4.75	1	72			•	★
<b>8" Metal Halide Commercial Vertical Lamp Housing</b>										
	PD8V100E	HOUSING, 8" VERT, E26 (PROTECTED) 100W MH, 120/277V UNV	080083626915	4.75	1	72			•	★
	PD8V1003E	HOUSING, 8" VERT, E26 (PROTECTED) 100W MH, 347V UNV	080083638291	4.75	1	72			•	★
	PD8V150E	HOUSING, 8" VERT, E26 (PROTECTED) 150W MH, 120/277V UNV	080083630769	4.75	1	72			•	★
	PD8V1503E	HOUSING, 8" VERT, E26 (PROTECTED) 150W MH, 347V UNV	080083638260	4.75	1	72			•	★
<b>8" Metal Halide Commercial Vertical Lamp Housing, Dimming</b>										
	PD8V1421DMARKX	HOUSING, 8" (1) 26W DTT, 26/32/42W TTT VERT, 120V DIMMING	080083633029	4.75	1	72			•	★
<b>8" Incandescent Commercial Vertical Lamp Housing</b>										
	PD8V120	HOUSING, 8" VERT, E26, 120V	080083611751	4.75	1	72			•	★

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>8" Reflectors</b>										
<b>8" CFL Commercial Horizontal Lamp Reflector</b>										
82HC	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR	080083605309	1.5	6	108				•	•
82H1GC	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS, SPECULAR CLEAR	080083660339	1	6	108				•	•
82HH	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652853	1	6	108		•			★
82H1GW	REFLECTOR, 8" HORZ, LENS, PRISMATIC GLASS GLOSS WHITE	080083652846	1	6	108		•			★
82HCWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652594	1	6	108		•			•
82HHWF	REFLECTOR, 8" HORZ, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652587	1	6	108		•			•
<b>8" CFL Commercial Horizontal Lamp Wall Wash Reflector</b>										
82HWWC	REFLECTOR, 8" HORIZONTAL, OPEN WALL WASH SPECULAR CLEAR	080083605316	1	6	108				•	•
82HWWH	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652839	1	6	108		•			★
82HWWCWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652570	1	6	108		•			
82HWWHWF	REFLECTOR, 8" HORZ, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652563	1	6	108		•			★
<b>8" Commercial Vertical Lamp Reflector</b>										
80VC	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR	080083605323	1.5	6	108				•	•
80V1GC	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR	080083655984	1	6	108		•			•
80VH	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR	080083652822	1	6	108		•		•	★
80V1GW	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS GLOSS WHITE	080083652815	1	6	108		•			★
80V1GCWF	REFLECTOR, 8" VERT, LENS, PRISMATIC GLASS SPECULAR CLEAR, WHITE FLANGE	080083652624	1	6	108		•			
80VCWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SPECULAR CLEAR, WHITE FLANGE	080083652617	1	6	108		•			•
80VHWF	REFLECTOR, 8" VERT, OPEN REFLECTOR, SEMI SPECULAR CLEAR, WHITE FLANGE	080083652600	1	6	108		•			★
<b>8" Commercial Vertical Lamp Wall Wash Reflector</b>										
80VWWC	REFLECTOR, 8" VERT, OPEN WALL WASH SPECULAR CLEAR	080083605330	1	6	108					•
80VWWH	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR	080083652808	1	6	108		•			★
80VWWCWF	REFLECTOR, 8" VERT, OPEN WALL WASH SPECULAR CLEAR, WHITE FLANGE	080083652785	1	6	108		•			
80VWWHWF	REFLECTOR, 8" VERT, OPEN WALL WASH SEMI SPECULAR CLEAR, WHITE FLANGE	080083652778	1	6	108		•			★

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG  
NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   NJ   IL   TX   CA   GA

## All-Pro

### 3" MiniCan Housing



#### 3" Round Housing ETR300

ETR300W

3" ROUND HOUSING W/ GLOSS WHITE BAFFLE TRIM, NON-IC AIR-TITE SHALLOW NEW CONST/REMODEL, 120V, PAR16

080083509317   1.573   6   120  

### 4" Housing



#### IC Air-Tite - EI400ATSB

EI400ATSB

4" HOUSING NON-IC, AIR-TITE 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083543762   2.61   6   144  



#### Non-IC - ET400ATSB

ET400ATSB

4" HOUSING NON-IC, AIR-TITE 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083584093   2.096   6   168  



#### Non-IC Remodel - ET400RATSB

ET400RATSB

4" HOUSING NON-IC, AIR-TITE, REMODEL 120V LINE VOLTAGE, ADJUSTABLE SOCKET BRACKET

080083584116   1.646   6   168  

### 4" Low Voltage Housing



#### IC Air-Tite - EI400LVAT

EI400LVAT

4" HOUSING IC AIR-TITE 12V LOW VOLTAGE, MR16

622696556915   7.02   4   80  



#### Non-IC - ET400LVAT

ET400LVAT

4" HOUSING NON-IC, AIR-TITE, 12V LOW VOLTAGE, MR16

080083584420   4.51   6   168  









#### Non-IC Remodel - ET400LVRAT

ET400LVRAT

4" HOUSING NON-IC, AIR-TITE, REMODEL HOUSING 12V LOW VOLTAGE, MR16












080083584444   3.2   6   168

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
<b>4" Trim</b>												
	<b>Black Baffle - ERT401</b> ERT401      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK BAFFLE	662400212928	0.2	12	840				•	•	•	★
	<b>Eyeball - ERT402</b> ERT402      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE EYEBALL	662400212942	0.67	12	480				•	•		★
	<b>Reflector - ERT403</b> ERT403      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400212959	0.6	12	768				•	•		
	<b>White Metal Cone Baffle - ERT410</b> ERT410WHT      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	080083542185	0.2	12	768	•			•	•		
	<b>Black Baffle - ERT413</b> ERT413      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH BLACK METAL BAFFLE	662400679684	0.19	12	576						•	
	<b>Prismatic Glass Lens - ERT455 Showerlight</b> ERT455      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH FLAT PRISMATIC GLASS LENS	080083515981	0.8	6	864	•					•	
	<b>White Baffle - ERT401WHT</b> ERT401WHT      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE BAFFLE	662400212935	0.4	12	840	•	•	•	•	•		
	<b>White Baffle - ERT413WHT</b> ERT413WHT      4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM RING WITH WHITE METAL BAFFLE	662400660361	0.2	12	1152				•	•		

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>4" Low Voltage Trim</b>										
	<b>Black Baffle - ERT401LV</b> ERT401LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK BAFFLE, LOW VOLTAGE	662400213574	0.59	12	864					•
	<b>White Baffle - ERT401LVW</b> ERT401LVW 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE BAFFLE, LOW VOLTAGE	662400213581	1.05	12	576	•			•	•
	<b>Eyeball - ERT402LV</b> ERT402LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL, LOW VOLTAGE	662400213598	0.7	12	480					•
	<b>Reflector - ERT403LV</b> ERT403LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR, LOW VOLTAGE	662400213604	0.49	12	576					•
	<b>Slot Aperture - ERT404LV</b> ERT404LV 4" TRIM HIGH GLOSS APPLIANCE WHITE TRIM SLOT APERTURE, LOW VOLTAGE	662400215479	0.64	12	480				•	
<b>5" Housing</b>										
	<b>IC Air-Tite - EI500AT</b> EI500AT 5" HOUSING IC AIR-TITE 120V LINE VOLTAGE	623960274733	3.3	6	120	•				• ★
	<b>IC Air-Tite Remodel - EI500RAT</b> EI500RAT 5" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	622696731268	1.45	6	144	•				• ★
	<b>Non-IC - ET500</b> ET500 5" HOUSING NON-IC 120V LINE VOLTAGE	622696731176	3.95	4	288					• ★
	<b>Non-IC Remodel - ET500R</b> ET500R 5" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	622696731244	2.53	6	252					• ★
<b>5" Trim</b>										
	<b>Metal Splay Baffle - ERT501</b> ERT501 5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL SPLAY BAFFLE	623960342197	0.58	6	360					•

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 <b>Metal Splay Baffle - ERT501WHT</b> ERT501WHT	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL SPLAY BAFFLE	623960342180	0.5	6	360	•				•	•	
 <b>Black Baffle - ERT513</b> ERT513	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE	662400679691	0.27	48	864					•	•	
 <b>Black Baffle - ERT513TS</b> ERT513TS	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH BLACK METAL BAFFLE AND TORSION SPRINGS	623960380618	0.3	36	864						•	
 <b>White Baffle - ERT513WHT</b> ERT513WHT	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE	662400679707	0.2	48	864	•				•	•	
 <b>White Baffle - ERT513WHTTS</b> ERT513WHTTS	5" TRIM METAL BAFFLE GLOSS WHITE TRIM WITH WHITE METAL BAFFLE AND TORSION SPRINGS	623960380595	0.2	36	576					•	•	
 <b>Reflector Cone - ERT520</b> ERT520	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR CONE	622697152963	0.73	6	180					•	★	
 <b>Wall Wash - ERT530</b> ERT530WHT	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SCOOP AND WHITE BAFFLE	623961562570	0.6	6	288						•	
 <b>Frosted Dome Glass Lens Shower Light - ERT550</b> ERT550	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED DROP DOME GLASS LENS	623961733680	1.4	6	180						•	
 <b>Frosted Glass Lens Shower Light - ERT551</b> ERT551	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FROSTED LENS	623961733697	1	6	288	•					•	
 <b>Fresnel Glass Lens Shower Light - ERT552</b> ERT552	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	622697152956	1.1	4	144					•	•	★
 <b>Eyeball - 30 Degree Tilt - ERT570</b> ERT570	5" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL, PAR 30 LAMP	622697152987	0.83	4	384						•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product





Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>6" Housing</b>										
 EI700	6" HOUSING IC 120V LINE VOLTAGE	662400316664	2.7	6	120					★
 EI700AT	6" HOUSING IC AIR-TITE 120V LINE VOLTAGE	080083609031	2.65	6	144	•	•	•	•	★
 EI700ATNB	6" HOUSING IC AIR-TITE NO SOCKET BRACKET 120V LINE VOLTAGE	622696854462	2.4	6	120		•	•	•	★
 EI700NB	6" HOUSING IC NO SOCKET BRACKET 120V LINE VOLTAGE	662400502654	2.55	6	120				•	★
 EI700R	6" HOUSING IC REMODEL 120V LINE VOLTAGE	622696731138	1.9	6	168				•	★
 EI700RAT	6" HOUSING IC AIR-TITE REMODEL 120V LINE VOLTAGE	622696731169	2.04	6	120				•	★
 ET700	6" HOUSING NON-IC 120V LINE VOLTAGE	662400212744	3.246	6	120	•				★
 ET700R	6" HOUSING NON-IC REMODEL 120V LINE VOLTAGE	622696731121	2.3	6	120	•				★



★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>6" Shallow Housing</b>										
<b>IC and IC Air-Tite - EI2700</b>										
 EI2700	6" HOUSING SHALLOW IC 120V LINE VOLTAGE	622696731077	2.526	6	120					★
 EI2700AT	6" HOUSING SHALLOW IC AIR-TITE 120V LINE VOLTAGE	622696731084	2.55	6	120					★
<b>IC Remodel - EI2700</b>										
 EI2700R	6" HOUSING SHALLOW IC REMODEL 120V LINE VOLTAGE	622696731107	1.8	6	168					★
<b>Non-IC - ET2700</b>										
 ET2700	6" HOUSING SHALLOW NON-IC 120V LINE VOLTAGE	622696731053	3.33	6	120					★




**6" CFL Energy Star / Title 24 Housing**












<b>IC Air-Tite - EI2072AT</b>										
 EI2072AT	6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, ELECTRONIC BALLAST, 120V	623961966798	2.95	4	80					★
<b>IC Remodel - EI2072RAT</b>										
 EI2072RAT	6" HOUSING 26W ENERGY STAR TITLE 24 IC AIR-TITE COMPACT FLUORESCENT, REMODEL ELECTRONIC BALLAST, 120V	623961967849	2.95	6	120					★

**6" Slope Ceiling Housing**

<b>IC and IC Air-Tite - EI4700</b>										
 EI4700AT	6" HOUSING IC AIR-TITE SLOPE CEILING 120V LINE VOLTAGE	623961562624	4.63	4	48					★












**6" Trim**

<b>Albalite Lens Shower Light - ERT701</b>										
 ERT701X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH ALBALITE LENS	662400212751	1.3	12	720	•	•	•	•	•
<b>Drop Opal Plastic Lens Shower Light - ERT702</b>										
 ERT702X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH DROP OPAL LENS	662400212768	0.54	12	480					•
<b>Fresnel Lens Shower Light - ERT703</b>										
 ERT703X	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FRESNEL LENS	662400212775	0.75	12	600					•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 <b>Eyeball - ERT704 Eyeball</b> ERT704	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE EYEBALL	662400212782	0.6	6	300	•	•	•	•	•
 <b>Open Trim - ERT705</b> ERT705	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM, WITH SOCKET SUPPORT	662400316718	0.6	6	240	•	•	•	•	★
 <b>Open Trim - ERT706</b> ERT706	6" TRIM HIGH GLOSS APPLIANCE WHITE OPEN TRIM	662400316732	0.4	24	960					• ★
 <b>Metal Baffle - ERT707</b> ERT707	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400316749	0.2	18	1008		•	•	•	
 <b>Metal Baffle - ERT707WHT</b> ERT707WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212874	0.5	18	540	•	•	•	•	•
 <b>Metal Baffle, Torsion Springs - ERT707WHTTS</b> ERT707WHTSP	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	662401001514	0.47	18	900					•
 <b>Large Aperture Open - ERT708</b> ERT708	6" TRIM HIGH GLOSS APPLIANCE WHITE LARGE APERTURE OPEN TRIM	662400212829	0.37	24	600			•		★
 <b>Large Aperture Open Metal Baffle - ERT709</b> ERT709	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212836	0.7	18	864			•		•
 <b>Large Aperture Open Metal Baffle - ERT709WHT</b> ERT709WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE METAL BAFFLE, NARROW AND WIDE TRIM RING INCLUDED	662400212881	0.6	18	864	•		•		•
 <b>Specular Reflector - ERT710</b> ERT710	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH CLEAR SPECULAR REFLECTOR	662400212843	0.8	6	360			•	•	• ★
 <b>White Reflector - ERT712</b> ERT712	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR	662400615378	0.6	48	768			•	•	•

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 <b>White Reflector, Torsion Springs - ERT712</b> ERT712TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE REFLECTOR AND TORSION SPRINGS	662400687450	0.4	36	432				•	•
 <b>Black Trim, Black Metal Baffle - ERT713</b> ERT713	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE	662400649564	0.4	48	1152				•	•
 <b>Black Trim, Black Metal Baffle - ERT713L</b> ERT713L	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE (LONGER VERSION)	662400677437	0.3	48	1152				•	•
 <b>Black Trim, Torsion Springs Black Metal Baffle - ERT713TS</b> ERT713TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS	662400687467	0.4	36	576				•	•
 <b>White Trim, White Metal Baffle - ERT713WHT</b> ERT713WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE	662400643104	0.2	48	1152	•		•	•	•
 <b>White Trim, Torsion Springs, White Metal Baffle - ERT713WHTTS</b> ERT713WHTTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL WHITE BAFFLE AND TORSION SPRINGS	662400687474	0.3	36	576	•	•		•	•
 <b>Black Plastic Baffle - ERT714</b> ERT714	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK PLASTIC BAFFLE	662400646884	0.2	36	1080					•
 <b>White Plastic Baffle - ERT714WHT</b> ERT714WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE	662400646891	0.2	36	1728				•	•
 <b>White Plastic Baffle - ERT714WHTTS</b> ERT714WHTSP	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE PLASTIC BAFFLE AND NARROW TRIM RING	622697764067	0.26	36	1800					•
 <b>White Shallow Metal Baffle - ERT716WHT</b> ERT716WHT	6" TRIM SHALLOW HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE FULL BAFFLE	662400671558	0.26	24	576				•	•
 <b>Shower Light with Frosted Glass Lens and Reflector - ERT721</b> ERT721	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FROSTED LENS	623961051210	1.05	6	240	•			•	•

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
 <b>Shower Light with Fresnel Glass Lens and Reflector - ERT723</b> ERT723	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH GLASS FRESNEL LENS	662400688112	1.38	6	240				•	•
<b>Black Trim, Torsion Springs Black Metal Baffle - ERT713L</b> ERT713LTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH FULL BLACK BAFFLE AND TORSION SPRINGS (LONGER VERSION)	662400687481	0.4	36	648					•
 <b>Black Metal Baffle, Torsion Springs, Splay - ERT725TS</b> ERT725TS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH BLACK SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293024	0.35	36	648					•
 <b>White Metal Baffle, Splay - ERT725WHT</b> ERT725WHT	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE, NARROW COLLAR	623960293031	0.35	48	1152					•
 <b>White Metal Baffle, Torsion Springs, Splay - ERT725WHTTS</b> ERT725WHTTS	6" TRIM HIGH GLOSS APPLIANCE WHITE TRIM WITH WHITE SPLAY BAFFLE AND TORSION SPRINGS, NARROW COLLAR	623960293062	0.3	36	864					•
<b>6" CFL Energy Star / Title 24 Trim</b>										
 <b>Drop Opal Glass Lens Shower Light - ERT724</b> ERT724	6" TRIM DROP OPAL LENS SHOWER FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, DROP OPAL LENS WITH TORSION SPRINGS	623961026553	0.89	6	144				•	•
 <b>Reflector - ERT770</b> ERT770MTS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, MATTE HAZE REFLECTOR WITH TORSION SPRINGS	623961442643	0.54	36	576					•
ERT770TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, CLEAR SPECULAR REFLECTOR WITH TORSION SPRINGS	623961307164	0.2	12	360				•	•
 <b>Reflector - ERT771</b> ERT771TS	6" TRIM REFLECTOR FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING AND GLOSS WHITE REFLECTOR WITH TORSION SPRINGS	623961307171	0.54	36	576				•	•
 <b>Black Metal Baffle - ERT772TS</b> ERT772TS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, BLACK BAFFLE WITH TORSION SPRINGS	623961307188	0.54	36	432					•
 <b>White Metal Baffle - ERT772WHTTS</b> ERT772WHTTS	6" TRIM BAFFLE FOR COMPACT FLUORESCENT GLOSS WHITE TRIM RING, GLOSS WHITE BAFFLE WITH TORSION SPRINGS	623961307201	0.4	36	576				•	•

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

# Metalux

## Recessed Static

### Accord Series



#### 2'x2'

2AC-214T5-UNV-L5835-EBT1-U	LAMP, 2'X2' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961580406	36	1	48	●						★	
22AC-LD3-23-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083697892	13.8	1	48				●	●		★	Off The Shelf
22AC-LD3-23-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 2300 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083697908	13.8	1	48				●			★	Off The Shelf
22AC-LD3-34-UNV-L835-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083697915	13.8	1	48				●	●		★	Off The Shelf
22AC-LD3-34-UNV-L840-CD1-U	LED, 2'X2' ACCORD, FROSTED ACRYLIC LENS, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083697922	13.8	1	48				●			★	Off The Shelf



#### 2'x4'

2AC-228T5-UNV-L5835-EBT1NDIM-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL STEP DIMMING & LAMPS	623961830419	36	1	24				●			★	
2AC-228T5-UNV-L5841-EBT1N-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961511394	36	1	24				●			★	
2AC-228T5-UNV-L5835-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	623961677014	36	1	12	●						★	
2AC-228T5-UNV-L5841-EBT1-U	2 LAMP, 2'X4' ACCORD FROSTED ACRYLIC LENS, ELECTRONIC BALLAST, T5 W/NORMAL LIGHT OUTPUT & LAMPS	080083553068	36	1	14				●			★	
24AC-LD3-48-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4800 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083697861	21.45	1	24				●	●		★	Off The Shelf
24AC-LD3-48-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 4800 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083697878	21.45	1	24				●			★	Off The Shelf
24AC-LD3-55-UNV-L835-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083696970	21.45	1	24				●	●		★	Off The Shelf
24AC-LD3-55-UNV-L840-CD1-U	LED, 2'X4' ACCORD, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083697885	21.45	1	24				●			★	Off The Shelf

★ Indicates ARR A Eligible Product E EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

**Arcline Series**



**2'x2'**

2ALNG-LD1-27-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643790	18.5	1	48						•	
2ALNG-LD1-27-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 2700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654161	18.5	1	48						•	
2ALNG-LD1-36-UNV-L835-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3600 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643783	12.5	1	48						•	
2ALNG-LD1-36-UNV-L840-CD1-U	LED, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, 3600 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654178	12.5	1	48						•	
2ALNG-217-UNV-L8735-EB81-U	2 LAMP, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8 LAMPS	080083613229	10.25	1	24						•	★
2ALNG-224T5-UNV-L5841-EBT1-U	2 LAMP, 2'X2' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T5 LAMPS	080083614363	10.25	1	60						•	★



**2'x4'**

2ALNG-LD1-45-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643806	20.5	1	48						•	
2ALNG-LD1-45-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654185	20.5	1	48						•	
2ALNG-LD1-55-UNV-L835-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083643813	20.5	1	48						•	
2ALNG-LD1-55-UNV-L840-CD1-U	LED, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, 5500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083654192	20.5	1	48						•	
2ALNG-228T5-UNV-L5841-EBT1-U	2 LAMP, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T5 LAMPS	080083613755	20.5	1	28						•	★
2ALNG-232-UNV-L8835-EB81-U	2 LAMP, 2'X4' ARCLINE, FROSTED ACRYLIC LENS, UNV ELECTRONIC BALLAST, T8 LAMPS	080083613236	20.5	1	24						•	★

**GC8 Series**





**1'x4' Flanged**

FC8-232A-UNV-EB81-U	2 LAMP, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961174018	15.56	1	36						•	★
FC8IC-232A-UNV-EB81-U	2-LAMP, IC RATED, 1'X4' DRYWALL LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	080083626946	15.56	1	33						•	★





**2'x4'**

2GC8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696152865	20.5	1	28						•	★
2GC8-332A-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401730094	20.5	1	28		•				•	★
2GC8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	622696380657	20.5	1	28						•	★
2GC8-432A-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	622697823832	20.5	1	24						•	★
2GC8-432A125-UNV-EB81-U	4 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961023187	20.5	1	24						•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>GR8 Series</b>												
	<b>2'x2'</b>											
	2GR8-2U6T8A-UNV-EB81-U	2 LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 U6	623961643842	12.2	1	56	•	•	•	•	•	★ Ⓢ
	GR82U	2 U-LAMP, 2'X2' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961182563	15.13	1	48						★ Ⓢ
	APT-2U6T8	2 LAMP, 2'X2' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM U6T8 UNV ELECTRONIC BALLAST	080083621958	12.2	1	56	•	•	•	•	•	★ Ⓢ
	<b>2'x4'</b>											
	GR8	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622697079918	22.5	1	28						★ Ⓢ
	GR83	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961285875	22.5	1	24						★ Ⓢ
	GR8-232A-UNV-EB81-U	2 LAMP, 1'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401551330	16.2	1	33	•					★
	2GR8-232A125-UNV-EB81-U	2 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689376	20.5	1	28						★
	2GR8-232A-UNV-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	623961759802	22.5	1	28	•	•	•	•	•	★ Ⓢ
	2GR8-232A-UNV-L8735-EB81-U	2 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401340095	21.85	1	24			•			★
	2GR8-332A125-UNV-EB81-U	3 LAMP, 2'X4' SPECIFICATION GRADE LENSED TROFFER W/.125 LENS, CEE LISTED ELECTRONIC BALLAST, T8	623961689697	20.5	1	24						★
	2GR8-332A-UNV-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286805	20.5	1	28	•	•	•	•	•	Ⓢ
	2GR8-332A-UNV-EB82-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662401341405	22.5	1	28		•		•	•	★ Ⓢ
	2GR8-332A-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335831	23.83	1	28		•		•	•	★ Ⓢ
	2GR8-332A-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401012213	21.85	1	28		•	•			★ Ⓢ
	2GR8-332A-UNV-L8741-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	623961689840	23.83	1	28						★ Ⓢ
	2GR8-432A125-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, #12 .125 THICK ACRYLIC LENS, CEE LISTED ELECTRONIC BALLAST, T8	662401334247	20.5	1	24						★
	2GR8-432A-UNV-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8	662401286812	20.5	1	28	•	•	•	•	•	★ Ⓢ
	2GR8-432A-UNV-EB82-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST (2), T8	662400102229	22.5	1	24			•	•	•	★ Ⓢ
	2GR8-432A-UNV-L8735-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401335848	24.28	1	28		•		•	•	★ Ⓢ
2GR8-432A-UNV-L8735-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662401335862	22.3	1	28			•			Ⓢ	
2GR8-432A-UNV-L8741-A3/8-2/18G-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	662401321902	22.5	1	28	•					Ⓢ	
2GR8-432A-UNV-L8741-EB81-U	4 LAMP, 2'X4' STATIC LENSED TROFFER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	623961689482	22.3	1	28	•	•				Ⓢ	






★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product






Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>GR LED Series</b>											
	<b>2'x2'</b> 2GR-LD1-32-A-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 3500K, 0 TO 10V DRIVER	080083656578	11.7	1	56	•	•	•	★	Ⓢ
	2GR-LD1-32-A-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 3200 LUMEN, 4000K, 0 TO 10V DRIVER	080083656585	11.7	1	48	•	•	•		Ⓢ
	2GR-LD1-43-A-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 3500K, 0 TO 10V DRIVER	080083656592	11.7	1	48				•	Ⓢ
	2GR-LD1-43-A-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 2, 4300 LUMEN, 4000K, 0 TO 10V DRIVER	080083656608	11.7	1	48				•	Ⓢ
	<b>2'x4'</b> 2GR-LD1-48-A-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 3500K, 0 TO 10V DRIVER	080083656615	20	1	28	•	•	•		Ⓢ
	2GR-LD1-48-A-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 4800 LUMEN, 4000K, 0 TO 10V DRIVER	080083656622	20	1	28	•	•	•		Ⓢ
	2GR-LD1-64-A-UNV-L835-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 3500K, 0 TO 10V DRIVER	080083656639	20	1	28				•	Ⓢ
	2GR-LD1-64-A-UNV-L840-CD1-U	LED RECESSED TROFFER, 2 X 4, 6400 LUMEN, 4000K, 0 TO 10V DRIVER	080083656646	20	1	28				•	Ⓢ


**Encounter Series**


	<b>2'x2'</b> 22EN-LD1-25-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690923	14	1	18	•	•	•	★	Ⓢ	
	22EN-LD1-25-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 2500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690930	14	1	18	•	•	•	★	Ⓢ	
	22EN-LD1-34-UNV-L835-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690886	14	1	18	•	•	•	★	Ⓢ	
	22EN-LD1-34-UNV-L840-CD1-U	LED, 2'X2' ENCOUNTER, WAVESTREAM, 3400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690954	14	1	18	•	•	•	★	Ⓢ	
	<b>2'x4'</b> 24EN-LD1-45-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690862	28	1	9	•	•	•	★	Ⓢ	
	24EN-LD1-45-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 4500 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690879	28	1	9	•	•	•	★	Ⓢ	
	24EN-LD1-54-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690947	28	1	9	•	•	•	★	Ⓢ	
	24EN-LD1-54-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 5400 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083705009	28	1	9	•	•	•	★	Ⓢ	
	24EN-LD1-67-UNV-L835-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083704989	28	1	9				•	★	Ⓢ
	24EN-LD1-67-UNV-L840-CD1-U	LED, 2'X4' ENCOUNTER, WAVESTREAM, 6700 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083704996	28	1	9				•	★	Ⓢ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET								
				QTY	QTY	NJ	IL	TX	CA	GA		
<b>SkyRidge Series</b>												
	<b>2'x2'</b> 22SR-LD1-20-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083691005	14	1	16	•			•	★	
	22SR-LD1-20-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2000 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083691012	14	1	16	•			•	★	
	22SR-LD1-29-C-UNV-L835-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083691029	14	3	16	•			•	★	
	22SR-LD1-29-C-UNV-L840-CD1-U	LED, 2'X2' SKYRIDGE, WAVESTREAM, 2900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083691036	14	1	16	•			•	★	

	<b>2'x4'</b> 24SR-LD1-39-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690961	28	1	8	•			•	★	
	24SR-LD1-39-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 3900 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690978	28	1	8	•			•	★	
	24SR-LD1-48-C-UNV-L835-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 3500K, UNV 0-10V DIMMING DRIVER	080083690985	28	1	8	•			•	★	
	24SR-LD1-48-C-UNV-L840-CD1-U	LED, 2'X4' SKYRIDGE, WAVESTREAM, 4800 LUMENS, 85 CRI, 4000K, UNV 0-10V DIMMING DRIVER	080083690992	28	1	8	•			•	★	



**Recessed Direct / Indirect**  
**RDI Ovation Series**

	<b>2'x2' - Center Mount</b> 2RDI-217RP-UNV-EB81-U	2 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696299461	14.2	1	28				•	★	
	2RDI-317RP-UNV-EB81-U	3 LAMP, 2'X2' ROUND PERFORATED LAMP SHIELDS, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401814206	14.2	1	28				•	★	

	<b>2'x4' - Center Mount</b> 2RDI-232RP-UNV-EB81-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	622696409877	36	1	14	•	•		•	•	★
	2RDI-332RP-UNV-EB81-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T8	662401732708	36	1	14	•	•	•	•	•	★
	2RDI-332RP-UNV-EB82-U	3 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST (2), T8	622696299065	37	1	14		•			•	★
	2RDI-228T5RP-UNV-EBT1-U	2 LAMP, 2'X4' ROUND PERFORATED LAMP SHIELD, CENTER MOUNT, CEE LISTED ELECTRONIC BALLAST, T5	622697241193	23.36	1	14		•				★






CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Recessed Accessory</b>										
<b>Accessory</b>										
A12-100-22GP-U	2'X2' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106357	1	5	300					★
A12-100-242G-U	2'X4' #12 LENS FOR G, GR8, GC & GC8 SERIES	662400106227	1.2	20	200		•		•	★
A12-125-24GC-U	2'X4' #12 .125 LENS FOR G, GR8, GC & GC8 SERIES	662400230144	2.8	200	200					★
DF-14W-U	1'X4' DRY WALL FRAME KIT	662401232949	2.2	1	418		•		•	★
DF-22W-U	2'X2' DRY WALL FRAME KIT	662401232963	1.95	1	418		•			★
DF-24W-U	2'X4' DRY WALL FRAME KIT	662401232970	2.57	1	418		•	•	•	★
EQ-CLIP-U	T-BAR SAFETY CLIP FOR TROFFERS AND OVATION SERIES - ORDER 4 PER FIXTURE	662400107194	0.01	4500	81000				•	★
FCS-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR G, GR8, GC8, GR5	662400105978	3.8	1	418				•	★
FCS-24W-U	2'X4' WHITE STEEL FLANGE KIT, FOR 2G, 2GR8, 2GC8 & 2GR5 SERIES	662400105985	4.8	1	418				•	★
FCTKA-22W-U	2'X2' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083617166	5.48	1	1				•	
FCTKA-24W-U	2'X4' WHITE STEEL FLANGE KIT FOR 2GR8, 2GC8 & 2GR5 SERIES	080083608423	7	1	200				•	
2GR8-4-A W/SPGL FRM	2'X4' REPLACEMENT FRAME & LENS FOR 2G & 2GR8 SERIES	622697133917	4.4	6	48				•	★
T3A END E.Q. BRACKET PARTS BAG	EQ CLIPS FOR USE ON FIXTURE ENDS. INCLUDES FOUR SCREWS AND BRACKETS.	662400107279	0.4	24	2880				•	★

**Modular Surface**

	<b>2'x2'</b> 2M-2U6T8A-UNV-EB81-U	2 U-LAMP, 2'X2' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401879502	20.67	1	48				•	★
	<b>2'x4'</b> 2M-332A-UNV-EB81-U	3 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401793532	32	1	26		•			★
	2M-432A-UNV-EB81-U	4 LAMP, 2'X4' SURFACE MODULAR, CEE LISTED ELECTRONIC BALLAST, T8	662401812486	33.2	1	26				•	★




















**Wraparound**

**Specification Wraparound**



	<b>4' - 2 Lamp</b> WS-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191352	11.22	1	48	•	•	•	•	•	★	
	WS-232A-UNV-ER81-U	2 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	622697665234	11.22	1	48		•				★	
	<b>4' - 3 Lamp</b> WS-332A-UNV-EB81-U	3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191345	10.25	1	24				•		★	
	<b>4' - 4 Lamp</b> WS-432A-UNV-EB81-U	4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	662401191338	15.59	1	24		•	•	•	•	★	

**Replacement Lens**

WS-2A-U	2 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106302	3.8	1	48				•	•	★
WS-4A-U	4 LAMP, 4' WRAPAROUND LENS FOR WS SERIES	662400106319	4.6	1	36					•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA			
<b>Commercial Wraparound</b>													
	<b>4' LED Frost</b> 4WNLED-LD1-41-F-UNV-L835-CD1-U 4 FT. LINEAR LED WRAP W FROST LENS, 4100 LUMENS, 3500K, 0-10V DRIVER	080083699957	6.1	1	64					★			
	4WNLED-LD1-41-F-UNV-L840-CD1-U 4 FT. LINEAR LED WRAP W FROST LENS, 4100 LUMENS, 4000K, 0-10V DRIVER	080083697984	6.1	1	64					★			
	4WNLED-LD1-54-F-UNV-L835-CD1-U 4 FT. LINEAR LED WRAP W FROST LENS, 5400 LUMENS, 3500K, 0-10V DRIVER	080083700363	6.1	1	64					★			
	4WNLED-LD1-54-F-UNV-L840-CD1-U 4 FT. LINEAR LED WRAP W FROST LENS, 5400 LUMENS, 4000K, 0-10V DRIVER	080083699926	6.1	1	64					★			
	<b>2' - 2 Lamp</b> WN-217A-UNV-EB81-U 2 LAMP, 2' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518852	6.51	1	180		•	•		•	★		
	<b>4' - 2 Lamp</b> WN-232A-UNV-EB81-U 2 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518845	7.5	1	90	•	•	•	•	•	★		
	WN-232A-UNV-ER81-U 2 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083545766	9.6	1	180		•				★		
	<b>4' - 3 Lamp</b> WN-332A-UNV-EB81-U 3 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518524	11.96	1	54		•			•	★		
	WN-332A-UNV-ER81-U 3 LAMP, 4' WRAPAROUND, PROGRAM RAPID START ELECTRONIC BALLAST, T8	080083569083	11.96	1	54		•				★		
	<b>4' - 4 Lamp</b> WN-432A-UNV-EB81-U 4 LAMP, 4' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518517	14	1	54	•	•	•	•	•	★		
	<b>8' - 4 Lamp</b> 8TWN-232A-UNV-EB81-U 4 LAMP, 8' WRAPAROUND, CEE LISTED ELECTRONIC BALLAST, T8	080083518487	21.98	1	90		•			•	★		
<b>Replacement Lens</b>													
	WN-2A-U WN SERIES - 2 LAMP REPLACEMENT LENS	080083517749		1	120					•	•	★	
	WN-4A-U WN SERIES - 4 LAMP REPLACEMENT LENS	080083517756	1.7	1	54					•		★	


**Commercial Wraparound - WP**


	<b>4' - 2 Lamp</b> WP232R 2 LAMP, 4' WRAPAROUND, INSTANT START ELECTRONIC BALLAST, T8	080083518654	6	1	120					•	•	★	
---	--	--------------	---	---	-----	--	--	--	--	---	---	---	---



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

**Commercial Softside Cloud**


	<b>2' - 2 Lamp</b> WSC-232-D-W-UNV-EB81-U	2 LAMP, 2' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523610	12.6	1	28				• ★
--	--	--	--------------	------	---	----	--	--	--	-----


	<b>4' - 2 Lamp</b> WSC-432-D-W-UNV-EB81-U	2 LAMP, 4' SOFTSIDE CLOUD, CEE LISTED ELECTRONIC BALLAST, T8	080083523627	17.1	1	21				• ★
--	--	--	--------------	------	---	----	--	--	--	-----


**Replacement Lens**

WSC-2A-U	2 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587506	6.5	1	28					• ★
WSC-4A-U	4 LAMP, 4' REPLACEMENT PUFF REPLACEMENT LENS	080083587490	6.5	1	30					• ★


**Residential Wraparound**

	<b>2' - 2 Lamp</b> WN-217A-120V-REB1-U	2 LAMP, 2' WRAPAROUND, 120V RESIDENTIAL, T8	080083523269	6.51	1	180				• ★
--	---	---	--------------	------	---	-----	--	--	--	-----

	<b>4' - 2 Lamp</b> WN-232A-120V-REB1-U	2 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL, T8	080083523276	11.91	1	180				• ★
---	---	---	--------------	-------	---	-----	--	--	--	-----

	<b>4' - 4 Lamp</b> WN-432A-120V-REB1-U	4 LAMP, 4' WRAPAROUND, 120V RESIDENTIAL ELECTRONIC BALLAST, T8	080083523283	14	1	54				• ★
--	---	--	--------------	----	---	----	--	--	--	-----

**Economy Wraparound**

	<b>4' - 2 Lamp</b> WE-232A-UNV-EB81-U	2 LAMP, 4' WRAPAROUND CEE LISTED ELECTRONIC BALLAST, T8	662401234493	10.11	1	96				• ★
--	--	---	--------------	-------	---	----	--	--	--	-----





**Replacement Lens**

WE-A-U	WE SERIES - 2 LAMP REPLACEMENT LENS	662401640881	2.58	1	132					• ★
--------	-------------------------------------	--------------	------	---	-----	--	--	--	--	-----

**Corridor Wraparound**

**Replacement Lens**


CR-A-U	REPLACEMENT ACRYLIC LENS FOR CR SERIES	662400106272	1.8	2	96					• ★
--------	--	--------------	-----	---	----	--	--	--	--	-----


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
<b>SA Wrap</b>										
	<b>4' - 2 Lamp</b> SA-232A-UNV-EB81-U	2 LAMP, 4' SURFACE MODULAR WRAP, CEE LISTED ELECTRONIC BALLAST, T8	622696337255	17.1	1	40				★
<b>Wall Brackets</b>										
<b>BE Wall Brackets</b>										
	<b>4' - 2 Lamp</b> BEU-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED CEE LISTED ELECTRONIC BALLAST, T8 W/UPLIGHT	622696153060	17.06	1	40				★
	BE-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401715107	15.23	1	40				★
<b>BC Wall Bracket</b>										
	<b>2' - 2 Lamp</b> BC-217-UNV-EB81-U	2 LAMP, 2' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401753703	6.1	1	72				★
	<b>4' - 2 Lamp</b> BC-232-UNV-EB81-U	2 LAMP, 4' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401620364	10.8	1	36				★
	<b>Replacement Lens</b> BC-4LWH-U	REPLACEMENT LENS, 4FT, BC SERIES	080083708222	1.8	2	90				★


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

## Paralux III High Performance


### EP3GAX Series

	<b>2'x2' - 9 Cell</b>																					
	AP32U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	080083520176	16.1	1	32														★	Ⓢ	
	2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, W/VANES, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520220	14.3	1	40															★	Ⓢ
	2EP3GX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520145	14.3	1	36															★	Ⓢ
	2EP3GX-317S33I-UNV-EB81-U	3 LAMP, 2'X2' STATIC PARABOLIC, 9 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520084	14.3	1	40															★	

	<b>2'x4' - 12 Cell</b>																					
	2EP3GX-232S26I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 12 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520169	27.36	1	20																★

	<b>2'x4' - 18 Cell</b>																								
	AP3	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS & FLEX	622696199785	27.36	1	16																★	Ⓢ		
	2EP3GAVX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, W/VANES, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401000685	27.36	1	20																	★	Ⓢ	
	2EP3GAX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401339785	27.36	1	20																	★		
	2EP3GX-232S36I-UNV-EB81-U	2 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	080083520237	27.36	1	20																	★		
	2EP3GX-332S36I-UNV-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8	662401012084	27.36	1	20																		★	Ⓢ
	2EP3GX-332S36I-UNV-EB82-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, TWO - CEE LISTED ELECTRONIC BALLAST, T8	662401339761	27.36	1	20																		★	
	2EP3GX-332S36I-UNV-L8735-A3/8-2/18G-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8, W/LAMPS & FLEX	662401339730	27.36	1	20																		★	Ⓢ
	2EP3GX-332S36I-UNV-L8735-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	662400201908	27.36	1	20																		★	Ⓢ
	2EP3GX-332S36I-UNV-L8741-EB81-U	3 LAMP, 2'X4' STATIC PARABOLIC, 18 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	622697478087	27.36	1	20																		★	Ⓢ

	<b>2'x4' - 32 Cell</b>																						
	2EP3GX-432S48I-UNV-EB81-U	4 LAMP, 2'X4' STATIC PARABOLIC, 32 CELL, SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, CEE LISTED ELECTRONIC BALLAST, T8 W/LAMPS	080083520206	27.36	1	20																	★

	<b>Chicago Approved - 2'x2' 9 Cell</b>																						
	ATW-SW4-2EP3GAVX-2U6T8S33I-UNV-EB81-U	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC W/VANES, 9 CELL SEMI SPECULAR/LOW IRIDESCENT HAZE 3" LOUVER, ELECTRONIC BALLAST, T8, CHICAGO PLENUM APPROVED	623961053474	16.47	1	32																	★

## Parabolic Surface High Performance

### Standard 3" Parabolic


EP3X-S36I-24-C-U	REPLACEMENT LOUVER, 2EP3, 18 CELL, SEMI-SPECULAR, 2'X4'	080083684380	6.2	1	20																		★
------------------	---	--------------	-----	---	----	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---


★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET			
				QTY	QTY	NJ	IL	TX	CA


## Advanced Retrofit Kit Technology (ART)


### Architectural Kits - ARCDUO

	<b>2'x2' Architectural</b> ART-2ARC-217L-UNV-EB81-U	ARCDUO 2' X 2' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED TO CEE LISTED BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083590742	26.04	1	40						•	★
--	--	--	--------------	-------	---	----	--	--	--	--	--	---	---


	<b>2'x4' Architectural</b> ART-2ARC-232L-UNV-HB81-U	ARCDUO 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT DUAL LENS ARCHITECTURAL DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609888	26.04	1	10	•					•	•	★
--	--	--	--------------	-------	---	----	---	--	--	--	--	---	---	---

### Troffer / Parabolic Kits


	<b>2'x2' Commercial</b> ART-2CRK-217-W-UNV-EB81-U	COMMERCIAL 2' X 2' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK	080083590728	26.04	1	20	•					•	★	Ⓢ
--	--	--	--------------	-------	---	----	---	--	--	--	--	---	---	---

	<b>2'x4' Commercial</b> ART-2CRK-232-W-UNV-EB81-U	COMMERCIAL 2' X 4' RETROFIT KIT, 2-LAMP, WHITE REFLECTOR, PRE-WIRED INSTANT START SOCKETS TO CEE LISTED BALLAST, UNIT PACK	080083590711	7	1	20	•					•	★	Ⓢ
--	--	--	--------------	---	---	----	---	--	--	--	--	---	---	---








### Architectural Kits - CRUZE

	<b>2'x4' Architectural</b> ART-2CRZ-232L-UNV-HB81-U	CRUZE 2' X 4' RETROFIT KIT, 2-LAMP, DIRECT/INDIRECT CENTER BASKET LENS DOOR AND WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083609895	26.04	1	10						•	★
---	--	--	--------------	-------	---	----	--	--	--	--	--	---	---

### Optica Kits





















	<b>2'x4' High Performance - 12 Cell</b> ART-2OP-232-UNV-HB81-U	OPTICAHP 2' X 4' RETROFIT KIT, 2-LAMP, 12-CELL FACETED STRAIGHT BLADE DOOR WITH WHITE REFLECTOR, PRE-WIRED AND ASSEMBLED CEE LISTED HIGH PERFORMANCE BALLAST, READY-SET QUICK INSTALL FEATURE, UNIT PACK	080083608348	14.74	1	10	•					•	★
--	---	--	--------------	-------	---	----	---	--	--	--	--	---	---

### Strip

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Commercial Strip</b>											
	<b>2' - T8</b> SSF-217-UNV-EB81-U      2 LAMP, 2' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519613	5.4	1	180					★	
	<b>3' - T8</b> SSF-225-UNV-EB81-U      2 LAMP, 3' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519521	7.6	1	90					★	
	<b>4' - T5HO</b> SSF-254T5-UNV-EBT1-U      2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T5HO, FLIP-UP SOCKETS	080083552511	5.4	1	190					★	
	<b>4' - T8</b> SSF-132-UNV-EB81-U      1 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519637	5.4	1	90					★	
	SSF-232-UNV-EB81-U      2 LAMP, 4' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519590	5.4	1	90					★	
	SSF-232-UNV-EB81/PLUS-U      2 LAMP, 4' STANDARD STRIP, T8 INSTANT START CEE LISTED HBF, FLIP-UP SOCKETS	080083571819	5.4	1	190					★	
	SSF-232-UNV-ER81-U      2 LAMP, 4' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620845	5.4	1	190					★	
	<b>4' - T12</b> SSF-248HO-120V-EB21-U      2 LAMP, 4' HIGH OUTPUT STANDARD STRIP, ELECTRONIC T12, FLIP-UP SOCKETS	080083519491	12	1	190					★	
	<b>8' - T8</b> 8TSSF-132-UNV-EB81-U      2 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519729	11.4	1	50					★	
	8TSSF-232-UNV-EB81-U      4 LAMP, TANDEM 8' STANDARD STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519682	11.4	1	72					★	
	8TSSF-232-UNV-ER81-U      4 LAMP, 8' STANDARD STRIP, UNIVERSAL PROGRAM RAPID START ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083620852	11.4	1	50					★	
	<b>8' - T12</b> SSF-296-120V-EB21-U      2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083519279	12	1	50					★	
	SSF-296-UNV-EB81-U      2 LAMP, 8' STANDARD STRIP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519569	12	1	50					★	
	SSF-296HO-120V-EB21-U      2 LAMP, 8' HIGH OUTPUT STANDARD STRIP, ELECTRONIC BALLAST, T12, FLIP-UP SOCKETS	080083521395	12	1	50					★	
<b>Accessory</b>											
1/4-TN-FSTN-U	1/4 TURN FASTENER	662400106876	0.001	1	10000					★	
GRP-SSF-U	GRIPPER FOR USE W/SSF, IAF & ICF SERIES EXCEPT IA/IC - HO SERIES	080083519262	0.44	50	2160					★	
SSF-ASY-4-B	ASYMMETRIC REFLECTOR FOR SSF STRIPS (4')	080083519187	2.1	15	900					★	
WG/SSF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SSF SERIES ONLY	662400106647	0.6	24	144					★	

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Commercial Narrow Strip</b>											
	<b>4' LED Base</b>										
SNLED-LD1-32-UNV-L835-CD1-U	4' LINEAR LED STRIPLIGHT, 3200 LUMEN, 3500K, 0 TO 10V DRIVER	080083699704	6.1	1	81				•	★	
SNLED-LD1-32-UNV-L840-CD1-U	4' LINEAR LED STRIPLIGHT, 3200 LUMEN, 4000K, 0 TO 10V DRIVER	080083699933	6.1	1	81				•	★	
SNLED-LD1-50-UNV-L835-CD1-U	4' LINEAR LED STRIPLIGHT, 5000 LUMEN, 3500K, 0 TO 10V DRIVER	080083699919	6.1	1	81				•	★	
SNLED-LD1-50-UNV-L840-CD1-U	4' LINEAR LED STRIPLIGHT, 5000 LUMEN, 4000K, 0 TO 10V DRIVER	080083697977	6.1	1	81				•	★	
	<b>4' LED Lensed</b>										
SNLED-LD1-48-LN-UNV-L835-CD1-U	4' LINEAR LED STRIPLIGHT WITH NARROW LENS, 4800 LUMEN, 3500K, 0 TO 10V DRIVER	080083700691	6.6	1	81				•	★	
SNLED-LD1-48-LN-UNV-L840-CD1-U	4' LINEAR LED STRIPLIGHT WITH NARROW LENS, 4800 LUMEN, 4000K, 0 TO 10V DRIVER	080083700707	6.6	1	81				•	★	
SNLED-LENS-LN-4FT-U	4' LINEAR LED LENS FOR SNLED, NARROW DISTRIBUTION	080083699940	2.31	1	8				•	★	
	<b>18" - T12</b>										
SNF-115-LTS-120V-U	1 LAMP, 18" NARROW STRIP, LOW TRIGGER START BALLAST, T12, FLIP-UP SOCKETS	080083519842	3.6	1	168				•	★	
	<b>2' - T8</b>										
SNF-117-UNV-EB81-U	1 LAMP, 2' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519897	4.2	1	360	•	•	•	•	•	★ 
	<b>3' - T8</b>										
SNF-125-UNV-EB81-U	1 LAMP, 3' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519873	4.2	1	380				•	•	★
	<b>4' - T8</b>										
SNF-132-UNV-EB81-U	1 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519859	4.83	1	320	•	•	•	•	•	★ 
SNF-232-UNV-EB81-U	2 LAMP, 4' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519750	7.59	1	84				•	•	★ 
	<b>8' - T5</b>										
8TSNF-254T5-UNV-EBT1-U	4 LAMP, TANDEM 8' NARROW STRIP, UNIVERSAL PROGRAM RAPID START BALLAST	080083603008	11.4	1	126				•	•	★
	<b>8' - T8</b>										
8TSNF-132-UNV-EB81-U	2 LAMP, TANDEM 8' NARROW STRIP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519927	11.4	1	280	•	•	•	•	•	★ 
	<b>2' - T12</b>										
SNF-120-LTS-120V-U	1 LAMP, 2' NARROW STRIP, MAGNETIC BALLAST, T12, FLIP-UP SOCKETS	080083519835	4.2	1	168	•			•	•	★
	<b>4' - T12</b>										
SNF-140-LRS-120V-U	1 LAMP, 4' NARROW STRIP, MAGNETIC BALLAST, T12, FLIP-UP SOCKETS	080083519781	7.9	1	320				•	•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Accessory</b>											
WG/SNF-4FT-B	4' WHITE WIRE GUARD FOR USE W/SNF SERIES ONLY	662400106630	1.05	30	240					•	•

**Staggered Strip**

	<b>3'</b> SSL-225-UNV-EB81-U	2 LAMP, 3' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715138	7.91	1	90					•	★
--	---------------------------------	---	--------------	------	---	----	--	--	--	--	---	---



	<b>4'</b> SSL-232-UNV-EB81-U	2 LAMP, 4' STAGGERED STRIP, CEE LISTED ELECTRONIC BALLAST, T8	662401715114	7.91	1	190					•	★
--	---------------------------------	---	--------------	------	---	-----	--	--	--	--	---	---

**Accessory**

<b>Accessory</b>													
AYC-CHAIN/SET-U	(2) V HOOKS & 36" CHAIN SET W/S HOOKS	080083545704	0.5	24	3600	•	•			•	•	★	



**Industrial**







CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>F-Bay HBL</b>											
<b>4 Lamp</b>											
	HBL432	(4) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083563272	17.5	1	36	•	•	•	•	★
	HBL432-MP-UPL	(4) 32W T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V HANGERS PROVIDED,	080083553938	17.5	1	36	•	•	•	•	★
	HBL454T5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V V-HANGERS	080083535491	17.5	1	36	•	•	•	•	★
	HBL454T5-MP-UPL	(4) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589104	17.5	1	36	•	•	•	•	★
	HBL454T5-UPL-L5	(4) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039829	17.5	1	36	•	•	•	•	★
	HBL454T5-UPL-L5-MS	(4) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED, MOTION SENSOR	623961039843	17.5	1	20	•	•	•	•	★
<b>6 Lamp</b>											
	HBL632	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, V-HANGERS	080083547760	17.5	1	36	•	•	•	•	★
	HBL632-MP-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083549795	17.5	1	36	•	•	•	•	★
	HBL632-UPL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED	623961020759	17.5	1	36	•	•	•	•	★
	HBL632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF BALLAST, 120-277V, UPLIGHT, W/ 5000K LAMPS, V-HANGERS	623961039812	17.5	1	36	•	•	•	•	★
	HBL632-UPL-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, UPLIGHT 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED	080083644261	17.5	1	36	•	•	•	•	★
	HBL654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH AMBIENT BALLAST, W/ 5000K LAMPS, V-HANGERS	623961039850	17.5	1	36	•	•	•	•	★
	HBL654T5	(6) 54W T5HO PROGRAM START BALLAST, 120-277V, UPLIGHT, V-HANGERS	080083517718	17.5	1	36	•	•	•	•	★
	HBL654T5-L5	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, 5000K LAMPS, V HANGERS PROVIDED	080083563258	17.5	1	36	•	•	•	•	★
	HBL654T5-MP-UPL	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083589111	17.5	1	36	•	•	•	•	★
	HBL654T5-UPL-L5	(6) 54W T5HO PROGRAM START START CEE LISTED, 120-277V, UPLIGHT, 5000K LAMPS, V HANGERS PROVIDED	080083521487	17.5	1	36	•	•	•	•	★



★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>F-Bay HBI</b>										
	<b>4 Lamp</b>									
HBI454HT5	(4) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083563692	17.5	1	20	•				★
HBI454HT5-UPL	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535378	17.5	1	20			•		★
HBI454HT5-UPL-L5	(4) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535385	17.5	1	20	•	•	•	•	★
	<b>6 Lamp</b>									
HBI632	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, V-HANGERS PROVIDED	080083535408	17.5	1	20	•			•	★
HBI632PS	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, V HANGERS PROVIDED	080083563005	17.5	1	20	•				★
HBI632PS-MP-L5HL	(6) 32W T8 PROGRAM RAPID START CEE LISTED, 120-277V, 5000K HIGH LUMEN LAMPS, V HANGERS PROVIDED, MODULAR RECEPTACLE	080083580361	25.5	1	20	•				★
HBI632-UPL	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, V-HANGERS PROVIDED	080083535415	17.5	1	20			•		★
HBI632-UPL-L5	(6) 32W, T8 INSTANT START CEE LISTED HBF, 120-277V, UPLIGHT, LAMPS, 85CRI, 5000K, V-HANGERS PROVIDED	080083534838	17.5	1	20			•		★
HBI632-UPL-L5HL	(6) 32W T8 INSTANT START CEE LISTED HBF, 120-277V, 5000K HIGH LUMEN LAMPS, UPLIGHT, V HANGERS PROVIDED	080083554966	17.5	1	20	•				★
HBI654HT5	(6) 54W T5HO PROGRAM START, 120-277V, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083547708	17.5	1	20	•	•			★
HBI654HT5-UPL	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, V-HANGERS PROVIDED	080083535354	17.5	1	20			•	•	★
HBI654HT5-UPL-L5	(6) 54W T5HO PROGRAM START, 120-277V, UPLIGHT, HIGH TEMP BALLAST, 5000K LAMPS, V-HANGERS PROVIDED	080083535361	21.5	1	20	•	•	•	•	★

**F-Bay HBLED**

	<b>10,000 Lumen</b>									
HBLED-LD3-10-W-UNV-L840-ED1-U	WIDE DISTRIBUTION, 10,000 LUMENS, UNV, 4000K, FIXED OUTPUT DRIVERS	080083703012	24	1	34				•	★
HBLED-LD3-10-W-UNV-L850-ED1-U	WIDE DISTRIBUTION, 10,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083700721	24	1	34				•	★
	<b>18,000 Lumen</b>									
HBLED-LD3-18-W-UNV-L850-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083703647	24	1	34				•	★
HBLED-LD3-18-N-UNV-L840-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT DRIVERS	080083703654	21.2	1	34				•	★
HBLED-LD3-18-N-UNV-L850-ED2-U	NARROW DISTRIBUTION, 18,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083704309	22.6	1	34				•	★
HBLED-LD3-18-W-UNV-L840-ED2-U	WIDE DISTRIBUTION, 18,000 LUMENS, UNV, 4000K, FIXED OUTPUT DRIVERS	080083703630	24	1	34				•	★
	<b>24,000 Lumen</b>									
HBLED-LD3-24-N-UNV-L840-ED3-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT DRIVERS	080083704279	24	1	34				•	★
HBLED-LD3-24-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083700738	24	1	34				•	★
HBLED-LD3-24-W-UNV-L840-ED3-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 4000K, FIXED OUTPUT DRIVERS	080083704262	24	1	34				•	★
HBLED-LD3-24-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 24,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083705511	24	1	34			•	•	★
	<b>30,000 Lumen</b>									
HBLED-LD3-30-N-UNV-L850-ED3-U	NARROW DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083704293	34.8	1	34				•	★
HBLED-LD3-30-W-UNV-L850-ED3-U	WIDE DISTRIBUTION, 30,000 LUMENS, UNV, 5000K, FIXED OUTPUT DRIVERS	080083704286	24	1	34				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA
<b>F-Bay I5</b>										
	<b>4 Lamp</b>									
	I5454HT5-UPL-L5	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS	623961832376	27.5	1	25				• • ★
	I5454HT5-UPL-L5-MS	4 LAMP, 54W T5HO PROGRAM RAPID START ELECTRONIC BALLAST, UPLIGHT, W/850 LAMPS, MOTION SENSOR	623961832390	27.5	1	24				• • ★ 



**F-Bay HBE Accessory**

**Accessory**

HBE-4/6LT-FRM/CL/WG PK	HBE DOORFRAME WITH CLEAR LENS	080083660476	6.15	4	80					• • ★
HBE-4/6LT-FRM/LENS WDF PK	HBE DOORFRAME WITH PRISMATIC LENS	080083552559	6.15	3	60					• • ★
MC6	MODULAR CORD & PLUG, 6' LENGTH, USE WITH MP OPTION	623961368455	0.55	60	1620					• • ★


**F-Bay HBI Accessory**

**Accessory**

HBI-FRM/CL PK	HBI DOORFRAME WITH CLEAR LENS	080083545865	7.25	4	96	• •				• • ★
HBI-FRM/CL/DROP/WG PK	HBI DOORFRAME WITH CLEAR DROP LENS AND WIREGUARD	080083660469	7.25	4	80					• • ★
HBI-FRM/LENS PK	HBI DOORFRAME WITH PRISMATIC LENS	080083545872	7.25	4	72					• • ★
HBI-FRM/LENS/WG PK	HBI DOORFRAME, PRISMATIC LENS AND WIREGUARD	080083545889	7.25	4	72					• • ★
HBI-FRM/WG PK	WIREGUARD FOR HBI	080083545896	7.25	4	72					• • ★
HBI-MS-KIT PK (120V-347V)	MOTIONS SENSOR KIT FOR HBI	080083582464	0.7	4	50					• • ★
HBAYC-CHAIN/SET-U	(2) HOOK-STYLE V-HANGERS, 36" CHAIN & (2) S-HOOKS (HBI AND HBL ONLY)	080083575756	0.45	24	1440					• • ★ 
HB-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBI ONLY)	623961956218	2	1	494					• • ★ 
SWG/HBI-4FT-B	HEAVY DUTY WIREGUARD FOR HBI	080083545964	4.2	6	108					• • • • ★

**F-Bay HBL Accessory**

**Accessory**

HBL-SPM	SINGLE MONOPOINT HANGING KIT WITH HUB (HBL ONLY)	623961956201	0.69	1	494					• • • • ★ 
MMS	MODULAR MOTION SENSOR, GREENGATE, 120 THRU 277V, AISLE (180-DEG) AND GENERAL COVERAGE (360-DEG) LENS INCLUDED	623961344213	1.875	12	585					• • • • ★
MPC6-120	MODULAR CORD & PLUG, 6FT, WITH 120V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368462	0.775	40	960					• • • • ★
MPC6-277	MODULAR CORD & PLUG, 6FT, WITH 277V NEMA TWIST LOCK PLUG. USE WITH MP OPTION	623961368479	0.72	40	960					• • • • ★
WG/HBL6-4FT-B	4FT WIREGUARD FOR HBL 4 OR 6 LAMP	080083521494	4.2	8	48					• • • • • • ★

**Light Duty**



**IAF Series**

IAF-232-UNV-EB81-U	2 LAMP, 4' APERTURED UPLIGHT INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519392	10.55	1	48					• • • • • • ★
IAF-296-UNV-EB81-U	2 LAMP, 8' APERTURED UPLIGHT, INDUSTRIAL, T12, ELECTRONIC BALLAST, UNV, FLIP-UP SOCKETS	080083519323	33.09	1	48					• • • • • • ★
8TIAF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL APERTURED UPLIGHT, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519453	22.4	1	48					• • • • • • ★











**ICF Series**

ICF-232-UNV-EB81-U	2 LAMP, 4' INDUSTRIAL CLOSED TOP, CEE LISTED ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519361	10.55	1	48	• •				• • • • • • ★
ICF-296-UNV-EB81-U	2 LAMP, 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, 1UNV, FLIP-UP SOCKETS	080083519330	33.09	1	48					• • • • • • ★
8TICF-232-UNV-EB81-U	4 LAMP, TANDEM 8' INDUSTRIAL CLOSED TOP, ELECTRONIC BALLAST, T8, FLIP-UP SOCKETS	080083519439	22.4	1	48	• •				• • • • • • ★



**Accessory**

ICF-4FT-REFL-B	WHITE 4' CLOSED TOP INDUSTRIAL REFLECTOR	080083519224	4.2	4	120					• • • • ★
WG/ICF-4FT-B	4' WHITE WIRE GUARD FOR USE W/IAF & ICF SERIES ONLY	662400106623	0.5	12	288					• • • • • • ★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Heavy Duty</b>											
	<b>2 Lamp 4'</b> DMF-232-UNV-EB81-U	2 LAMP, 4' HEAVY INDUSTRIAL, CEE LISTED ELECTRONIC BALLAST, T8	080083608003	13.5	1	24				•	★
<b>Vapor Tite</b>											
<b>VT1 Vapor Tite</b>											
	<b>4'</b> VT1-154T5-PCR-UNV-EHT1-WL-U	(1) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION	080083521326	15	1	24				•	★
<b>VT2 Vapor Tite</b>											
	<b>4'</b> VT2-248HODR-120V-EB21-WL-U	2 LAMP, 4' 48W HO VAPORTITE, HIGH IMPACT PRISMATIC LENS, ELECTRONIC T12 BALLAST, WET LOCATION	623961216091	24.9	1	30				•	★
	VT2-254T5DR-UNV-EBT1-WL-U	2 LAMP, 4' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, ELECTRONIC BALLAST, T5HO, SUITABLE FOR WET LOCATIONS	623961168826	13.2	1	35				•	★
	<b>8'</b> VT2-296DR-UNV-EB81-WL-U	2 LAMP, 8' VAPOR-TITE INDUSTRIAL, HIGH IMPACT PRISMATIC LENS, SLIMLINE ELECTRONIC BALLAST, T8, SUITABLE FOR WET LOCATIONS	623961014086	22.3	1	30			•		★
	VT2-296HODR-120V-EB21-WL-U	2 LAMP, 8' 96W HO VAPORTITE, 120V, ELECTRONIC T12 BALLAST, WET LOCATION	662401552405	23.97	1	30				•	★
<b>Accessory</b>											
	VT LATCH	VAPOR-TITE LATCHES	662400106685	0.01	1000	18000				•	★
	VT2-CHAIN/SET-U	VAPOR-TITE CHAIN MOUNTING KIT	080083565740	0.51	25	2100				•	★
	VT2-4DR-U	4' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233237	3	1	40		•		•	★
	VT2-8DR-U	8' VAPOR-TITE REPLACEMENT LENS FOR VT2 SERIES	662400233220	15	1	30		•		•	★
<b>VT3 Vapor Tite</b>											
	<b>4'</b> VT3-232DR-UNV-EB81-WL-GT4-U	(2) 32W T8 INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996689	10.2	1	35	•	•	•	•	•
	VT3-254T5DR-UNV-EHT1-WL-GT4-U	(2) 54W T5 PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	623961996702	17.21	1	35				•	★
	<b>8'</b> 8T3VT3-232DR-UNV-EB81-WL-GT4-U	(4) 32W T8 8' TANDEM INSTANT START CEE LISTED BALLAST, 120-277V, WET LOCATION, GEAR TRAY PROVIDED WITH HOLES FOR M4 REFLECTOR ACCESSORY	080083534319	17.21	1	30		•			★
<b>VT4 Vapor Tite</b>											
	<b>4 Lamp</b> VT4-454T5-M-DR-UNV-EHT1-WL-U	(4) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521425	20	1	24				•	★
	<b>6 Lamp</b> VT4-654T5-M-DR-UNV-EHT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 120-277V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521432	18	1	24				•	★
	VT4-654T5-M-DR-UNC-EBT2-WL-U	(6) 54 T5HO PROGRAM START BALLAST, 347-480V, HIGH AMBIENT, SPECULAR REFLECTOR, WET LOCATION	080083521371	27	1	24				•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Undercabinet</b>											
<b>UC Series</b>											
	<b>1 Lamp</b>										
	UC12T518	12" 1 LAMP T5 8 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594801	1.14	6	378				•	•
	UC18T8115	18" 1 LAMP T8 15 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594818	3.1	6	252				•	•
	UC21T5113	21" 1 LAMP T5 13 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594825	3.2	6	288					•
	UC24T8117	24" 1 LAMP T8 17 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083594849	2.2	6	168				•	•
	UC36T8125	36" 1 LAMP T8 25 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595860	2.1	6	192					•
	UC48T8132	48" 1 LAMP T8 32 WATT 120V ELECTRONIC BALLAST LAMP INCLUDED	080083595884	4.1	6	108				•	•
	CL-125-UNV-EB81-U	1 LAMP, 3' WALL BRACKET, CEE LISTED ELECTRONIC BALLAST, T8	662401910229	5.6	1	50					•
	<b>2 Lamp</b>										
	UC24T528	24" 2 LAMP T5 2/8 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594832	4.6	6	216				•	•
	UC33T51813	33" 2 LAMP T5 1/8 & 1/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083594856	2	6	216				•	•
	UC42T5213	42" 2 LAMP T5 2/13 WATT 120V ELECTRONIC BALLAST LAMPS INCLUDED	080083595877	3.14	6	192				•	•

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# All-Pro Ambient

## Parabolics

### APP/APPV Series




















#### 2 Lamp

APPV-2U6T8	2 U-LAMP, 2'X2' AIR SUPPLY PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621897	14.3	1	40	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
------------	--	--------------	------	---	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---

#### 3 Lamp







APP-332	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER,NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621866	27.36	1	18	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
APP-332-2EB	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER,TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621927	27.36	1	9	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
APP-332-L735	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER,NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083621910	27.36	1	18	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
APP-332-L735F	3 LAMP, 2'X4' PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER,NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621903	27.36	1	20	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
APPV-332	3 LAMP, 2'X4' AIR SUPPLY PARABOLIC, 18 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621873	27.36	1	9	●	●	●	●	●	●	●	●	●	●	●	●	★	Ⓞ
















CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA			
<b>Troffers</b>													
<b>APT Series</b>													
<b>2 Lamp</b>													
	APT-232	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622009	20.5	1	28	•	•	•	•	•	★	
	APT-232-L735	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083653591	21.2	1	28			•			★	
	APT-232-L735F	2 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622078	23.38	1	28	•	•	•	•	•	★	
	APP-2U6T8	2 U-LAMP, 2'X2' PARABOLIC, 9 CELL, SEMI SPECULAR LOUVER, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621880	13.7	1	40	•	•	•	•	•	★	
<b>3 Lamp</b>													
	APT-332	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621941	20.5	1	28	•	•	•	•	•	★	
	APT-332-2EB	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622023	23.1	1	28		•	•	•	•	★	
	APT-332-L735	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS	080083622016	21.85	1	28	•	•	•	•	•	★	
	APT-332-L735F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621996	24.28	1	28		•	•	•	•	★	
	APT-332-L741	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083622054	21.85	1	28	•	•	•	•	•	★	
	APT-332-L741F	3 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622061	23.83	1	28		•		•	•	★	
<b>4 Lamp</b>													
	APT-432	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083621934	20.5	1	28	•	•	•	•	•	★	
	APT-432-2EB	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, TWO NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622030	23.1	1	28	•	•	•	•	•	★	
	APT-432-L735	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM UNV ELECTRONIC BALLAST, T8 W/735 LAMPS	080083621972	22.3	1	28		•	•		•	★	
	APT-432-L735F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/735 LAMPS & FLEX	080083621989	24.28	1	28		•	•	•	•	★	
	APT-432-L741	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS	080083621965	22.3	1	28	•	•	•	•	•	★	
	APT-432-L741F	4 LAMP, 2'X4' LENSED TROFFER, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST W/741 LAMPS & FLEX	080083622047	24.28	1	28	•	•	•	•	•	★	

★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					★	OTS	
				QTY	QTY	NJ	IL	TX	CA	GA			
<b>Wraparounds</b>													
<b>APW-GPW Series</b>													
	<b>2 Lamp</b>												
	APW-GPW232	2 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622115	9.6	1	90	•	•	•	•	•	•	★
	APW-GPW217	2 LAMP, 2' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622146	6.51	1	180			•			★	
	<b>4 Lamp</b>												
	APW-GPW432	4 LAMP, 4' GENERAL PURPOSE WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622139	14	1	54	•	•	•	•	•	•	★
<b>APW-SW Series</b>													
	<b>2 Lamp</b>												
	APW-SW232	2 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622153	11.22	1	48				•	•	★	OTS
	<b>3 Lamp</b>												
	APW-SW332	3 LAMP, 4' SPECIFICATION WRAP, PRISMATIC LENS, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622160	10.25	1	24	•				•	★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Striplights</b>											
<b>APS-NS Series</b>											
	<b>2'</b> APS-NS117	1 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622313	4.2	1	168	●	●	●	●	★ 
	APS-NS217	2 LAMP, 24" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622320	4.2	1	168	●	●	●	●	★ 
	<b>3'</b> APS-NS125	1 LAMP, 36" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622337	4.2	1	84	●	●	●	●	★ 
	<b>4'</b> APS-NS132	1 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622351	4.83	1	336	●	●	●	●	★ 
	APS-NS232	2 LAMP, 48" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622382	4.87	1	336	●	●	●	●	★ 
		<b>8'</b> APS-8NS132	2 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622368	11.4	1	126	●	●	●	●
APS-8NS232		4 LAMP, 96" NARROW STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622399	11.4	1	126	●	●	●	●	★ 
<b>APS-WS Series</b>											
	<b>4'</b> APS-WS232	2 LAMP, 48" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622412	5.4	1	90	●	●	●	●	★ 
		<b>8'</b> APS-8WS232	4 LAMP, 96" WIDE STRIPLIGHT, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622405	11.4	1	72	●	●	●	●
<b>Vapor Tite</b>											
<b>APHDVT Series</b>											
	<b>2 Lamp</b> APHDVT-232	2 LAMP, 48" HEAVY DUTY VAPORTITE, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083623563	11.77	1	35	●	●	●	●	★ 



★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product






Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

## High Bay



### APHL Series

<b>4 Lamp</b>											
	APHL-432-SN-UPL 4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622191	17.5	1	34	●	●	●	●	★	
	APHL-432-SW-UPL 4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622207	17.5	1	34	●	●	●	●	★	
	APHL-454-SN-UPL 4 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622238	15.5	1	34	●	●	●	●	★	
	APHL-454-SW-UPL-L850 4 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622245	17.5	1	34	●	●	●	●	★	



<b>6 Lamp</b>											
	APHL-632-SN-UPL 6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622214	17.5	1	34	●	●	●	●	★	
	APHL-632-SW-UPL 6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, HIGH OUTPUT T8 UNV ELECTRONIC BALLAST	080083622221	17.5	1	34	●	●	●	●	★	
	APHL-654-SN-UPL 6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST	080083622252	17.5	1	34	●	●	●	●	★	
	APHL-654-SW-UPL-L850 6 LAMP, 48" HIGH BAY, WIDE SPECULAR REFLECTOR WITH UPLIGHT, T5HO UNV ELECTRONIC BALLAST WITH 850 LAMPS	080083622269	17.5	1	34	●	●	●	●	★	
	APHBI-632-SN-C9 6 LAMP, 48" HIGH BAY, NARROW SPECULAR REFLECTOR, NEMA PREMIUM BALLAST, WITH CORD SET	080083691166	19	1	14					★	



## Low Bay

### APLBA Series

<b>2 Lamp</b>											
	APLBA-232 2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST WITH 8 PERCENT UPLIGHT	080083622085	10.55	1	48					★	

### APLBC Series

<b>2 Lamp</b>											
	APLBC-232 2 LAMP, 48" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622092	10.55	1	48	●	●			★	

<b>4 Lamp</b>											
	AP8LBC-232 4 LAMP, 96" LOW BAY INDUSTRIAL, NEMA PREMIUM T8 UNV ELECTRONIC BALLAST	080083622108	22.4	1	48	●	●	●	●	★	

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# Lumark Outdoor

## Wall Mount

### Crosstour MAXX LED



#### Full Cutoff - LED

XTOR5A	CROSSTOUR MAXX LED 50W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083654970	11.25	2	60	● ● ● ● ●	★	OTS
XTOR5A-N	CROSSTOUR MAXX LED 50W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 3500K	080083655052	11.25	2	60	●	★	OTS
XTOR5A-WT	CROSSTOUR MAXX LED 50W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, SUMMIT WHITE, 5000K	080083654994	11.25	2	60	●	★	OTS
XTOR5A-PC1	CROSSTOUR MAXX LED 50W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655076	11.25	2	60	●	★	OTS
XTOR9A	CROSSTOUR MAXX LED 85W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083655250	11.86	2	60	● ● ● ● ●	★	OTS
XTOR9A-WT	CROSSTOUR MAXX LED 85W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, SUMMIT WHITE, 5000K	080083655274	11.86	2	60	●	★	OTS
XTOR9A-PC1	CROSSTOUR MAXX LED 85W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655359	11.86	2	60	●	★	OTS
XTOR9A-PC2	CROSSTOUR MAXX LED 85W, WALL MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K, 208-277V PHOTO CONTROL	080083655373	11.86	2	60	●	★	OTS
XTOR9A-480V	CROSSTOUR MAXX LED 85W, WALL MOUNT, FULL CUTOFF DOOR, 480V, CARBON BRONZE, 5000K	080083655298	14.25	1	60	●	★	OTS
XTOR9A-PMA	CROSSTOUR MAXX LED 85W, POLE MOUNT, FULL CUTOFF DOOR, 120-277V, CARBON BRONZE, 5000K	080083699575	11.86	1	60	●	★	OTS
















#### Refractive Lens - LED

XTOR5ARL	CROSSTOUR MAXX LED 50W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655113	10.8	2	60	● ● ● ● ●	★	OTS
XTOR5ARL-N	CROSSTOUR MAXX LED 50W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 3500K	080083655199	10.8	2	60	●	★	OTS
XTOR5ARL-PC1	CROSSTOUR MAXX LED 50W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655212	10.8	2	60	●	★	OTS
XTOR5ARL-WT	CROSSTOUR MAXX LED 50W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, SUMMIT WHITE, 5000K	080083655137	10.8	2	60	●	★	OTS
XTOR9ARL	CROSSTOUR MAXX LED 85W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083655397	11.42	2	60	● ● ● ● ●	★	OTS
XTOR9ARL-480V	CROSSTOUR MAXX LED 85W, WALL MOUNT, REFRACTIVE LENS DOOR, 480V, CARBON BRONZE, 5000K	080083655434	13.84	1	60	●	★	OTS
XTOR9ARL-PC1	CROSSTOUR MAXX LED 85W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083655496	11.42	2	60	●	★	OTS
XTOR9ARL-PC2	CROSSTOUR MAXX LED 85W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K, 208-277V PHOTO CONTROL	080083655519	11.42	2	60	●	★	OTS
XTOR9ARL-WT	CROSSTOUR MAXX LED 85W, WALL MOUNT, REFRACTIVE LENS DOOR, 120-277V, SUMMIT WHITE, 5000K	080083655410	11.42	2	60	●	★	OTS
XTOR9ARL-PMA	CROSSTOUR MAXX LED 85W, POLE MOUNT, REFRACTIVE LENS DOOR, 120-277V, CARBON BRONZE, 5000K	080083699582	18	1	60	●	★	OTS

#### Crosstour MAXX LED Accessory

WG/XTORMX	CROSSTOUR MAXX LED WIRE GUARD	080083665334	2.5	1	60	●		
EWP/XTORMX	CROSSTOUR MAXX WALL PLATE, CARBON BRONZE	080083700592	10	1	120	●	★	
EWP/XTORMX-WT	CROSSTOUR MAXX WALL PLATE, SUMMIT WHITE	080083700608	10	1	120	●	★	


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Crosstour - LED</b>											
	<b>Full Cutoff - LED</b>										
XTOR1A	CROSSTOUR, LED, 10W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592456	3.35	6	240	•	•	•	•	•	★ 
XTOR1A-WT	CROSSTOUR, LED, 10W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592449	3.35	6	240					•	★ 
XTOR1A-PC1	CROSSTOUR, LED, 10W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592432	3.35	6	240					•	★ 
XTOR2A	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592418	3.8	6	240	•	•	•	•	•	★ 
XTOR2A-WT	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592401	3.8	6	240					•	★ 
XTOR2A-PC1	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592395	3.8	6	240					•	★ 
XTOR2A-N	CROSSTOUR, LED, 20W, SMALL HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083592357	3.8	6	240	•	•	•	•	•	★ 
XTOR3A	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K	080083592296	5.1	6	270	•	•	•	•	•	★ 
XTOR3A-N	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, NEUTRAL WARM 3500K	080083591831	5.1	6	270	•	•	•	•	•	★ 
XTOR3A-PC1	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, CARBON BRONZE, 5000K, 120V PHOTO CONTROL	080083592272	5.1	6	270					•	★ 
XTOR3A-WT	CROSSTOUR, LED, 30W, LARGE HOUSING, UNIVERSAL WALL/LOW LEVEL MOUNT, 120-277V, SUMMIT WHITE, 5000K	080083592289	5.1	6	270					•	★ 
<b>Crosstour LED Accessory</b>											
WG/XTOR	CROSSTOUR WIRE GUARD	080083607402	1.75	15	120					•	
EWP/XTOR	CROSSTOUR WALL PLATE, CARBON BRONZE	080083700578	4	1	117					•	★
EWP/XTOR-WT	CROSSTOUR WALL PLATE, SUMMIT WHITE	080083700585	4	1	117					•	★

★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products     Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Wal-Pak</b>											
	<b>Refractive Lens - LED</b>										
WPL4A	WAL-PAK 40W LED, 120-277V, DIE CAST, BRONZE, BOROSILICATE GLASS, HINGED REMOVABLE DOOR	080083557080	24	1	24			•	•	•	★
	<b>Refractive Lens - Pulse Start Metal Halide</b>										
WPP15	WAL-PAK 150W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541164	19.3	1	24	•	•	•	•	•	★
WPP25	WAL-PAK 250W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541171	22.65	1	24	•	•	•	•	•	★ E
WPP32	WAL-PAK 320W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083547005	22.8	1	24					•	★ E
WPP40	WAL-PAK 400W MP MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541195	24.6	1	24	•	•	•	•	•	★ E
MPWP-GL-150-MT	WAL-PAK 150W MP, GLASS DOOR, BRONZE	080083641970	22.8	1	24					•	★
MPWP-GL-400-480V-LL	WAL-PAK 400W MP, 480V GLASS DOOR, BRONZE W/LAMP	080083702275	32	1	27					•	★
	<b>Refractive Lens - High Pressure Sodium</b>										
WPS10	WAL-PAK 100W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541201	22.8	1	24					•	★
WPS15	WAL-PAK 150W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541218	20.25	1	36					•	★
WPS25	WAL-PAK 250W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541225	22.8	1	24					•	★
WPS40	WAL-PAK 400W HPS MULTI-TAP BOROSILICATE GLASS WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541232	22.8	1	24					•	★
	<b>Full Cutoff - LED</b>										
WPL2AC	WAL-PAK 28W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557073	24	1	16					•	★
WPL4AC	WAL-PAK 40W LED, 120-277V, DIE CAST, BRONZE, FULL CUTOFF HINGED REMOVABLE DOOR	080083557097	24	1	16					•	★
	<b>Full Cutoff - Pulse Start Metal Halide</b>										
WPP15C	WAL-PAK 150W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541249	22.8	1	24					•	★
WPP25C	WAL-PAK 250W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541256	22.8	1	24		•				★ E
WPP40C	WAL-PAK 400W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541263	22.8	1	24						★ E
WPP32C	WAL-PAK 320W MP MULTI-TAP FULL CUTOFF WALL MOUNT, W/LAMP BRONZE, HINGED REMOVABLE DOOR	080083541188	22.8	1	24					•	★ E
<b>Wal-Pak Accessory</b>											
WG/WPGL	WAL-PAK BOROSILICATE GLASS DOOR WIRE GUARD	080083545674		1	1	63				•	
VS/WPGL	WAL-PAK BOROSILICATE GLASS DOOR VANDAL SHEILD	080083547685	2.5	1	117					•	★
WG/WPFC	WAL-PAK FULL CUTOFF DOOR WIRE GUARD	080083545698		1	1	30				•	
WG/WPFL	WAL-PAK FLAT LENS DOOR WIRE GUARD	080083545681		1	1	30				•	

**Z-Pak**

	<b>Refractive Lens - Pulse Start Metal Halide</b>										
MPFZ15	Z-PAK WALL PACK 150W MP MULTI-TAP W/LAMP BRONZE	623961997167	14.034	1	36			•	•	•	★

★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>Z-Pak Cutoff</b>												
	<b>Pulse Start Metal Halide</b> MPFZ15C	Z-PAK WALL PACK 150W MP MULTI-TAP W/LAMP BRONZE CUTOFF	623961997525	16.56	1	48				•	★	
<b>Wally</b>												
	<b>Pulse Start Metal Halide</b> LP70G	WALLY WALL PACK 70W MP 120/277V NPF W/LAMP BRONZE	623961978241	11	1	48				•	•	★
	LP10G	WALLY WALL PACK, 100W MP 120/277V NPF W/LAMP BRONZE	623961978258	11	1	36		•	•	•	•	★
	<b>High Pressure Sodium</b> LS10G	WALLY WALL PACK, 100W HPS 120V NPF W/LAMP BRONZE	622696399406	7.7	1	48				•	★	
	LS15G	WALLY WALL PACK, 150W HPS 120V NPF W/LAMP BRONZE	662401051496	10.5	1	48				•	★	
<b>Floodlight</b>												
<b>Crosstour Floodlight</b>												
	<b>Knuckle Mount</b> XTORFLD-KNC	CROSSTOUR, KNUCKLE FLOODLIGHT KIT CARBON BRONZE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619115	2.4	12	120	•	•	•	•	•	O
	XTORFLD-KNC-WT	CROSSTOUR, KNUCKLE FLOODLIGHT KIT SUMMIT WHITE, INCLUDES 1/2" KNUCKLE PLATE, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619139	1.2	4	120				•		O
	<b>Trunnion Mount</b> XTORFLD-TRN	CROSSTOUR, TRUNNION FLOODLIGHT KIT CARBON BRONZE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619153	2.4	4	120	•	•	•	•	•	O
	XTORFLD-TRN-WT	CROSSTOUR, TRUNNION FLOODLIGHT KIT SUMMIT WHITE, INCLUDES TRUNNION BRACKET, SMALL AND LARGE VISOR AND IMPACT SHIELD. CROSSTOUR LUMINAIRE SOLD SEPARATELY.	080083619177	1.9	4	120				•		O
<b>SF Falcon</b>												
	<b>Knuckle - Pulse Start Metal Halide</b> MPSF50K	SF FALCON FLOODLIGHT 50W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978036	11.8	1	64					•	★
	MPSF70K	SF FALCON FLOODLIGHT 70W MP 120/277V KNUCKLE, W/LAMP BRONZE	623961978043	16	1	96					•	★
	MPSF10K	SF FALCON FLOODLIGHT 100W MP 120/277, KNUCKLE, W/LAMP BRONZE	623961978050	13.2	1	80			•		•	★
	MPSF10K-MT	SF FALCON FLOODLIGHT 100W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961978111	13.2	1	60		•				★
	MPSF15K-MT	SF FALCON FLOODLIGHT 150W MP MULTI-TAP KNUCKLE, W/LAMP BRONZE	623961757723	13.9	1	48		•	•		•	★
	<b>Trunnion - Pulse Start Metal Halide</b> MPSF10T-MT	SF FALCON FLOODLIGHT 100W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961042898	14.6	1	72					•	★
	MPSF15T-MT	SF FALCON FLOODLIGHT 150W MP MULTI-TAP TRUNNION, W/LAMP BRONZE	623961757730	16	1	120					•	★



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Warrior</b>											
<b>Slipfitter - Pulse Start Metal Halide</b>											
	XP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961751479	36	1	24				•	★ E OTS
	XP32	WARRIOR FLOODLIGHT 320W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961009273	36.5	1	24				•	★ E
	XP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961754463	29.35	1	24	•	•	•	•	★ E OTS
	WP32	WARRIOR FLOODLIGHT 320W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961009297	27.95	1	24			•		★ E
	WP15	WARRIOR FLOODLIGHT 150W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961009280	34	1	24				•	★
<b>Slipfitter - High Pressure Sodium</b>											
	XS25	WARRIOR FLOODLIGHT 250W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117469	36.5	1	24				•	★
	XS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP SLIPFITTER W/LAMP BRONZE	662400117476	34	1	24				•	★
<b>Trunnion - Pulse Start Metal Halide</b>											
	WP25	WARRIOR FLOODLIGHT 250W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754487	25.7	1	24				•	★ E OTS
	WP40	WARRIOR FLOODLIGHT 400W MP MULTI-TAP TRUNNION W/LAMP BRONZE	623961754524	27.85	1	24		•	•	•	★ E OTS
<b>Trunnion - High Pressure Sodium</b>											
	WS25	WARRIOR FLOODLIGHT 250W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400116592	36	1	24				•	★
	WS40	WARRIOR FLOODLIGHT 400W HPS MULTI-TAP TRUNNION W/LAMP BRONZE	662400117360	38	1	24				•	★
<b>Nighthawk</b>											
<b>Slipfitter - Metal Halide</b>											
	MHNKS1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961565205	64	1	16		•	•	•	★ OTS
	MHNK-S76-1000-480V	NIGHTHAWK FLOODLIGHT, 1000W MH 480V SLIPFITTER BRONZE	662400118794	64	1	16					★
<b>Slipfitter - Pulse Start Metal Halide</b>											
	MPNKS40	NIGHTHAWK FLOODLIGHT 400W MP MULTI-TAP SLIPFITTER W/LAMP BRONZE	623961755132	57	1	16				•	★ E
<b>Yoke - Metal Halide</b>											
	MHNKY1K	NIGHTHAWK FLOODLIGHT, 1000W MH MULTI-TAP YOKE W/LAMP BRONZE	623961565328	65.17	1	12		•	•	•	★ OTS
	MHNK-Y76-1000-480V	NIGHTHAWK FLOODLIGHT, 1000W MH 480V CWA YOKE BRONZE	662400118787	72	1	16				•	★
<b>Yoke - Pulse Start Metal Halide</b>											
	MPNKY40	NIGHTHAWK FLOODLIGHT 400W MP MULTI-TAP YOKE W/LAMP BRONZE	623961755170	58	1	16				•	★ E




★ Indicates ARRA Eligible Product    **E** Indicates EISA Compliant Pulse Start Products    **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Eagle</b>											
<b>Sports Lighting Metal Halide</b>											
 MHXL-T5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, INCLUDES BALLAST POD, REFLECTOR AND DOOR	662400914938	1	1	8					★	
MHXL-5-1000-480V	EAGLE SPORTS LIGHT 1000W MH 480V NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400916970	36.8	1	45					★	
MHXL-5-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120476	36.6	1	45					★	
MHXL-5-1500-480V	EAGLE SPORTS LIGHT 1500W MH 480V CWA NEMA TYPE V, INCLUDES REFLECTORS AND DOOR	662400917946	41.5	1	45					★	
MHXL-5-1500-MT	EAGLE SPORTS LIGHT 1500W MH MULTI-TAP NEMA TYPE V, BALLAST POD ONLY, NO REFLECTORS	662400120490	41.8	1	45					★	
MHXL-6-1000-MT	EAGLE SPORTS LIGHT 1000W MH MULTI-TAP NEMA TYPE VI, BALLAST POD ONLY, NO REFLECTORS	662400917083	37.2	1	45				•	★	
<b>Eagle Accessory</b>											
S/XL	EAGLE SPORTS LIGHT SLIPFITTER ADAPTER FOR USE WITH 2 3/8" OD VERTICAL TENON	662400121220	7.4	1	60					• ★	
XL-SA22-T5-MH	EAGLE SPORTS LIGHT REFLECTOR ASSEMBLY NEMA TYPE V, INCLUDES DOOR	662400121558	10.5	4	16					★	


**Parking/Canopy**

**Quadcast - LED**

<b>Quadcast - LED</b>											
 QDCAST1A-P8	QUADCAST LED PARKING GARAGE/CANOPY, 56W, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS, 120V-277V, 4000K, CONCRETE GREY	080083632749	8.75	4	48				• •	★ <b>OTS</b>	
QDCAST1A-OCC	QUADCAST LED PARKING GARAGE/CANOPY, 56W, LED W/FACTORY INSTALLED OCC SENSOR, HINGED DOOR. UNIVERSAL MOUNTING PLATE, 4-LED OPTICAL PANELS, 120V-277V, 4000K, CONCRETE GREY	080083654963	7.7	4	48				•	★ <b>OTS</b>	
<b>Quadcast Birdguard</b>											
 QDPBG	QUADCAST LED PARKING GARAGE, 6" PENDANT BIRD GUARD	080083650989	1.95	1	36				•	★ <b>OTS</b>	
<b>Quadcast Occupancy Sensor</b>											
 QDOCC	QUADCAST LED PARKING GARAGE, ON/OFF OPERATION PHOTOCONTROL AND OCCUPANCY SENSOR	080083650996	1	1	480				•	★ <b>OTS</b>	

**Canopy**


**Canopy Light**

<b>Pulse Start Metal Halide</b>											
 MPCL-150-MT-LL	CANOPY LIGHT 150W MP MULTI-TAP CWA W/LAMP WHITE	080083587834	27.1	1	16			•		★	
MPCL-250-MT-LL	CANOPY LIGHT 250W MP MULTI-TAP CWA W/LAMP WHITE	623961265266	27.1	1	16			•		★ <b>E</b>	
MPCL-320-MT	CANOPY LIGHT 320W MP MULTI-TAP CWA W/LAMP WHITE	662401381890	28.6	1	16			•		★ <b>E</b>	

**Area / Site**

**Caretaker LED Area Luminaire**

<b>Full-cutoff-LED</b>											
CTKR1A	CARETAKER LED AREA LUMINAIRE, 50W	080083699063	23.6	3	54				•	★	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Tribute</b>											
<b>Pulse Start Metal Halide</b>											
 MPTR2315	TRIBUTE SITE LUMINAIRE 150W MP MULTI-TAP TYPE II & III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961009440	49	1	20	•	•	•	•	★	Ⓞ
MPTR2325	TRIBUTE SITE LUMINAIRE 250W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750960	41.7	1	20	•	•	•	•	★	Ⓞ
MPTR2340	TRIBUTE SITE LUMINAIRE 400W MP MULTI-TAP TYPE III TRIBUTE 8" SQ POLE ARM AND ROUND POLE ADAPTER LAMP BRONZE	623961750984	41.7	1	20	•	•	•	•	★	Ⓞ
MPTR4F32	TRIBUTE SITE LUMINAIRE 320W MP MULTI-TAP TYPE IV TRIBUTE W/8" ARM ROUND POLE ADAPTER LAMP BRONZE	080083528448	41.7	1	20					★	Ⓞ
MPTR4F40	TRIBUTE SITE LUMINAIRE 400W MP MULTI-TAP TYPE IV TRIBUTE W/8" ARM ROUND POLE ADAPTER LAMP BRONZE	623961751554	41.7	1	20	•				★	Ⓞ
<b>Tribute Accessory</b>											
MA1219-BZ	WALL MOUNTING PLATE, BRONZE	623961746994	14.87	1	108					★	Ⓞ


**Tribute Pole Fixture Combo**

NJ IL TX CA MS

<b>Pulse Start Metal Halide Single Fixture</b>											
 PFT11523P15N/AB	TRIBUTE POLE COMBO 15' 4" SQ. STEEL POLE & 150W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2315 POLSS4APSA15M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517015		<b>Consult Factory</b>					•	★	
PFT12523P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784675		<b>Consult Factory</b>		•	•			Ⓞ	
PFT12523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517244		<b>Consult Factory</b>		•	•	•	•	★	Ⓞ
PFT12523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817236		<b>Consult Factory</b>		•		•	•	★	Ⓞ
PFT12523P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517176		<b>Consult Factory</b>		•		•	•	★	Ⓞ
PFT14023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784705		<b>Consult Factory</b>		•	•			★	Ⓞ
PFT14023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517459		<b>Consult Factory</b>		•	•			★	Ⓞ
PFT14023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817212		<b>Consult Factory</b>		•				★	Ⓞ
PFT14023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517145		<b>Consult Factory</b>		•		•	•	★	Ⓞ

★ Indicates ARRA Eligible Product    Ⓞ Indicates EISA Compliant Pulse Start Products    Ⓞ Indicates Off the Shelf Product



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	MS
 PFT22523P20	<b>Pulse Start Metal Halide Twin Fixture</b> TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784699	Consult	Factory	•	•	•	•	•	★ E
PFT22523P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517237	Consult	Factory	•	•	•	•	•	★ E
PFT24023P20	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961784583	Consult	Factory	•	•				★ E
PFT24023P20N/AB	TRIBUTE POLE COMBO 20' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 100 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA20M4F POLSSHDWC4FCHHP TMP1 NO ANCHOR BOLTS	080083517206	Consult	Factory	•				•	★ E
PFT22523P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 250W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2325 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817106	Consult	Factory	•				•	★ E
PFT24023P25N/AB	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP AB1 TMP1 NO ANCHOR BOLTS	080083517350	Consult	Factory	•				•	★ E
PFT24023P25	TRIBUTE POLE COMBO 25' 4" SQ. STEEL POLE & 400W MP MULTI-TAP TYPE II/III TRIBUTE BRONZE, 90 MPH, ITEM SHIPS AS (2) MPTR2340 POLSS4APSA25M4F POLSSHDWC4FCHHP (4) AB1 TMP1	623961817304	Consult	Factory	•				•	★ E


## Dusk to Dawn


### Trailmaster

NJ IL TX CA GA

 TMSRX1A	<b>Full Cutoff - LED</b> TRAILMASTER LED DUSK-TO-DAWN, SITE AND ROADWAY LUMINAIRE, TOOL-LESS ENTRY LATCH, REMOVABLE HINGED DOOR, 120-277V, 50 -60 HZ., 4000K OPTICAL PANEL, GREY FINISH, MOUNTING ARM AND HARDWARE INCLUDED	080083655731	14	1	40				•	•	★
---	--	--------------	----	---	----	--	--	--	---	---	---

### Eternalume

 MPEL10	<b>Pulse Start Metal Halide</b> ETERNALUME DUSK-TO-DAWN 100W MP 120V, ETERNALUME ARM, LAMP	623961986079	13.2	1	24				•		
--	---	--------------	------	---	----	--	--	--	---	--	--

 HPEL70	<b>High Pressure Sodium</b> ETERNALUME DUSK-TO-DAWN 70W HPS 120V W/18" ARM W/LAMP	662401746927	9.2	1	32				•	•	
--	--	--------------	-----	---	----	--	--	--	---	---	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET							
				QTY	QTY	NJ	IL	TX	CA	GA	

# Lumark Indoor

## Worklight Steeler Series



<b>Pulse Start Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
MPCW40-OR	400W MP MULTI-TAP UNIT PACK W/OPEN LAMP & HOOK UNIT PACK	623961013270	30	1	18					★ E

## Industrial Vaportight Incandescent



<b>Ceiling Mount</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
ICVC1G	100 / 200W INCANDESCENT CEILING	662401690237	2.55	4	192					•



<b>Wall Mount</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
ICVW1G	100 / 200W INCANDESCENT WALL MOUNT	662401690299	3.85	4	128					•

## Steeler



<b>High Bay Unit Pack - Pulse Start Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
MPSS40-OR	400W MP MULTI-TAP ALUMINUM REFLECTOR, OPEN RATED LAMP	623961086366	22.5	1	18	•	•	•	•	★ E
MPSS40-PD-OR	400W MP MULTI-TAP HIGH-BAY 22" ACRYLIC REFRACTOR OPEN RATED W/LAMP	623961797446	30.36	1	8					• ★ E



<b>Pulse Start Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
MPSS-400-480V-OR	400W MP MULTI-TAP, 480V OPEN RATED SOCKET	662401596126	20.26	1	56					★

## Enterprise



<b>Low Bay Unit Pack - Pulse Start Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
FP25-OR	250W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535859	29.2	1	8					• ★ E
FP40-OR	400W MP MULTI-TAP 22" REFLECTOR W/LAMP UNIT PACK OPEN RATED	080083535880	35	1	6	•	•	•	•	★ E

## Industrial Component Ballast Pod

<b>Steeler Series - Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
MHSS-1000-MT-OR	1000W MH MULTI-TAP OPEN RATED	623961126727	30.36	1	56					• ★

<b>Steeler Series - Pulse Start Metal Halide</b>		UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
MPSS-400-MT-OR	400W MP MULTI-TAP, OPEN RATED SOCKET	623961925986	20.26	1	56					• ★ E

★ Indicates ARR A Eligible Product E EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Optics</b>											
SA15	15" ALUMINUM HIGH-BAY REFLECTOR	662400127505	1	10	180				•		★
PD22	22" ACRYLIC HIGH-BAY REFRACTOR	662400125211	6.25	4	24					•	★
DB22	22" DROP ACRYLIC LENS	662400975779	2.2	5	40					•	★
SA23	23" ALUMINUM HIGH-BAY REFLECTOR	662400609636	3.2	5	40				•		★

**Accessory**

**Wire Guard**

WG15	15" WIRE GUARD	662400121381	1.8	5	280					•	★
------	----------------	--------------	-----	---	-----	--	--	--	--	---	---

**Worklight and Industrial Component Accessories**

**Accessory**

FH-1	FIXTURE HOOK 2-1/2"	662400121244	0.2	10	3500				•		★
------	---------------------	--------------	-----	----	------	--	--	--	---	--	---

**Indoor**

**Vertimark II**



**Pulse Start Metal Halide**

MPBE-5A-250H-MT-OR-LL	250W MP MULTI-TAP HPF TYPE V W/LAMP	080083580330	19.2	1	12					•	★ <b>E</b>
-----------------------	-------------------------------------	--------------	------	---	----	--	--	--	--	---	------------

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# All Pro Outdoor Security & Worklights

## Floodlight

### FSL2030L



**LED**

FSL2030L

LED FLOODLIGHT, BRONZE

080083624324

1.3

2

150



### FSL2030LW



**LED**

FSL2030LW

LED FLOODLIGHT, WHITE

080083630400

1.3

2

150



### MQF150W



**Quartz Halogen**

MQF150W

150W QUARTZ HALOGEN 120V W/LAMP WHITE

044427001929

1.23

6

378



### MX1



**Quartz Halogen**

MX1

TWIN 100W QUARTZ HALOGEN 120V W/LAMP BRONZE

044427003275

1.36

2

250



### MX1W



**Quartz Halogen**

MX1W

TWIN 100W QUARTZ HALOGEN 120V W/LAMP WHITE

044427003282

1.36

2

300



### MT125W



**PAR**

MT125W

150W PAR 120V WHITE

044427300442

0.79

6

576



### TMQ150W



**Quartz Halogen**

TMQ150W

TWIN 150W QUARTZ HALOGEN 120V HEADS W/LAMP WHITE

044427001943

2.71

2

200



## Motion Activated

### HS8



**Incandescent**

HS8

90 DEGREE MOTION-ACTIVATED NIGHT LIGHT

044427500064

0.27

6

504





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>MS100PG</b>											
	<b>LED</b> MS100PG	110 DEGREE 100W QUARTZ HALOGEN MOTION-ACTIVATED PLUG-IN SECURITY LIGHT	044427351239	5.9	2	120				•	•
<b>MS180</b>											
	<b>Sensor</b> MS180	180 DEGREE SENSOR 120V 500W MAX. BRONZE	044427006313	0.5	4	1372				•	•
<b>MS180W</b>											
	<b>Sensor</b> MS180W	180 DEGREE SENSOR 120V 500W MAX. WHITE	044427006337	0.6	4	1372				•	•
<b>MS185D</b>											
	<b>PAR</b> MS185D	180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083602285	1.57	2	240				•	•
<b>MS185DW</b>											
	<b>PAR</b> MS185DW	180 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083602292	1.57	2	240				•	•
<b>MS185R</b>											
	<b>PAR</b> MS185R	180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, BRONZE	044427006399	2.41	2	210				•	•
<b>MS185RW</b>											
	<b>PAR</b> MS185RW	180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, WHITE	044427006412	2.41	2	192				•	•
<b>MS185W</b>											
	<b>PAR</b> MS185W	180 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427006375	2	2	300				•	•

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product








Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>MS188</b>											
	<b>Quartz Halogen</b> MS188	180 DEGREE 300W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	044427006436	2.6	2	120				•	•
<b>MS245R</b>											
	<b>PAR</b> MS245R	270 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, BRONZE	044427006559	0.95	2	160				•	•
<b>MS245RW</b>											
	<b>PAR</b> MS245RW	270 DEGREE 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT WITH COVERS, WHITE	044427006573	1.99	2	160				•	•
<b>MS248</b>											
	<b>Quartz Halogen</b> MS248	270 DEGREE 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	044427006597	1	2	80				•	•
<b>MS248W</b>											
	<b>Quartz Halogen</b> MS248W	270 DEGREE 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427006610	1	2	160				•	•
<b>MS276RD</b>											
	<b>PAR</b> MS276RD	270 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083539147	1.8	2	160				•	•
<b>MS276RDW</b>											
	<b>PAR</b> MS276RDW	270 DEGREE DOPPLER 200W PAR MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083539154	1.8	2	160				•	•
<b>MS280D</b>											
	<b>Quartz Halogen</b> MS280D	270 DEGREE DOPPLER 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BRONZE	080083504268	1.8	2	90				•	•















★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product





CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA	
				QTY	QTY						
<b>MS280DW</b>											
	<b>Quartz Halogen</b> MS280DW	270 DEGREE DOPPLER 200W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	080083504275	1.8	2	90				•	•
<b>MS34</b>											
	<b>PAR</b> MS34	110 DEGREE 300W PAR, BLACK	044427351277	0.4	6	420				•	•
<b>MS34W</b>											
	<b>PAR</b> MS34W	110 DEGREE 300W PAR, WHITE	044427351284	1.05	6	432				•	•
<b>MS80</b>											
	<b>Quartz Halogen</b> MS80	110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, BLACK	044427002360	1.5	2	200				•	•
<b>MS80W</b>											
	<b>Quartz Halogen</b> MS80W	110 DEGREE 150W QUARTZ HALOGEN MOTION-ACTIVATED SECURITY FLOODLIGHT, WHITE	044427002308	1.5	2	240				•	•
<b>MSLED100</b>											
	<b>LED</b> MSLED100	100 DEGREE LED MOTION-ACTIVATED SOLAR LIGHT, BLACK	080083517848	1.6	2	192				•	•
<b>MSLED180W</b>											
	<b>LED</b> MSLED180W	180 DEGREE LED MOTION-ACTIVATED SOLAR FLOODLIGHT, WHITE	080083565313	3.35	2	80				•	•
<b>MSLED180</b>											
	<b>LED</b> MSLED180	180 DEGREE LED MOTION-ACTIVATED SOLAR FLOODLIGHT, BRONZE	080083562367	3.35	2	80				•	•

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>MSS11315LES</b>											
 <b>LED</b> MSS11315LES	110 DEGREE MOTION SMALL SINGLE LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624300	1.07	2	144				•	•	
<b>MST18920L</b>											
 <b>LED</b> MST18920L	180 DEGREE MOTION TWIN LED FLOODLIGHT, BRONZE	080083630271	1.51	2	90				•	•	
<b>MST18920LES</b>											
 <b>LED</b> MST18920LES	180 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083630264	1.51	2	90				•		
<b>MST18920LWES</b>											
 <b>LED</b> MST18920LWES	180 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, WHITE	080083630288	1.51	2	90				•	•	
<b>MST18920LW</b>											
 <b>LED</b> MST18920LW	180 DEGREE MOTION TWIN LED FLOODLIGHT, WHITE	080083630295	1.51	2	150				•	•	
<b>MST27920LES</b>											
 <b>LED</b> MST27920LES	270 DEGREE MOTION TWIN LED FLOODLIGHT, ENERGY STAR, BRONZE	080083624317	1.51	2	150				•		
<b>MT250</b>											
 <b>PAR</b> MT250	TWIN 150W PAR 120V BRONZE	044427300473	1.15	6	480				•	•	
<b>MT250W</b>											
 <b>PAR</b> MT250W	TWIN 150W PAR 120V WHITE	044427300480	1	6	576				•	•	

**Worklight**

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET		NJ	IL	TX	CA	GA	
				QTY	QTY						
<b>LED110</b>											
 <b>LED</b> LED110	LED PLUG-IN WORKLIGHT	080083508945	2.2	4	160				•	•	
<b>LED120</b>											
 <b>LED</b> LED120	LED RECHARGEABLE WORKLIGHT	080083508952	2.5	4	160				•	•	
<b>LED125</b>											
 <b>MIGHT-D-LIGHT, MINI</b> LED125	LED COMPACT FOLDING WORKLIGHT	080083585816	0.95	6	216				•		
<b>LED125C</b>											
 <b>MIGHT-D-LIGHT, MINI</b> LED125C	LED COMPACT FOLDING CAMO WORKLIGHT	080083610204	1	6	216				•	•	
<b>LED130</b>											
 <b>MIGHT-D-LIGHT</b> LED130	LED RECHARGEABLE FOLDING WORKLIGHT	080083512041	2.8	2	120				•	•	
<b>LED130C</b>											
 <b>MIGHT-D-LIGHT</b> LED130C	LED RECHARGEABLE FOLDING CAMO WORKLIGHT	080083570782	2.8	2	120				•	•	
<b>PQS45</b>											
 <b>Quartz Halogen</b> PQS45	500W QUARTZ HALOGEN PORTABLE WORKLIGHT	044427002605	4.58	8	128				•	•	
<b>PQS600R</b>											
 <b>Quartz Halogen</b> PQS600R	600W QUARTZ HALOGEN PORTABLE WORKLIGHT	080083528752	6.94	4	48				•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>SQS505QD</b>											
	<b>Quartz Halogen</b> SQS505QD	500W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535941	9.63	2	36					•
<b>TQS1000QD</b>											
	<b>Quartz Halogen</b> TQS1000QD	1000W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535958	17.35	2	32					• •
<b>TQS1200QDR</b>											
	<b>Quartz Halogen</b> TQS1200QDR	1200W QUARTZ HALOGEN STAND WORKLIGHT WITH QUICK DISCONNECT	080083535965	21.51	2	24					• •
<b>Dusk to Dawn</b>											
<b>AL2050LPCGY</b>											
	<b>LED</b> AL2050LPCGY	LED AREA AND WALL SECURITY LIGHT WITH REPLACEABLE PHOTO CONTROL, GRAY	080083650460	6.1	2	48					• •
<b>AL2050LPCBZ</b>											
	<b>LED</b> AL2050LPCBZ	LED AREA AND WALL SECURITY LIGHT WITH REPLACEABLE PHOTO CONTROL, BRONZE	080083650477	5.8	2	48					• •
<b>AL2550LPCGY</b>											
	<b>LED</b> AL2550LPCGY	LED AREA AND WALL SECURITY LIGHT WITH PHOTO CONTROL, GRAY	080083663262	5.8	2	48					•
<b>AL2550LPCBZ</b>											
	<b>LED</b> AL2550LPCBZ	LED AREA AND WALL SECURITY LIGHT WITH PHOTO CONTROL, BRONZE	080083663279	5.8	2	50					•
<b>AL6501FL</b>											
	<b>Fluorescent</b> AL6501FL	65W FLUORESCENT SECURITY AREA LIGHT WITH PHOTO CONTROL	080083584963	3	1	48					• •

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>AL70MH</b>												
	<b>Metal Halide</b> AL70MH	70W METAL HALIDE SECURITY AREA LIGHT WITH PHOTO CONTROL	044427450772	8.8	1	48				•	•	
<b>E-70-H</b>												
	<b>High Pressure Sodium</b> E-70-H	70W HIGH PRESSURE SODIUM SECURITY AREA LIGHT WITH PHOTO CONTROL	044427000519	8.8	1	48				•	•	
<b>FE0650LPC</b>												
	<b>LED</b> FE0650LPC	LED JELLY JAR, BRONZE	080083666928	1.5	2	288				•		
<b>FE0650LPCW</b>												
	<b>LED</b> FE0650LPCW	LED JELLY JAR, WHITE	080083666935	1.5	2	288				•		
<b>FE13PC</b>												
	<b>Fluorescent</b> FE13PC	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, BRONZE	044427450529	1.25	2	224				•	•	
<b>FE13PCW</b>												
	<b>Fluorescent</b> FE13PCW	13W FLUORESCENT ENTRY LIGHT WITH PHOTO CONTROL, WHITE	044427450536	1.33	2	240				•	•	
<b>FFL23PCW-T24</b>												
	<b>Fluorescent</b> FFL23PCW-T24	23W FLUORESCENT GU24 FLOODLIGHT WITH PHOTO CONTROL, WHITE	080083565290	1.5	2	150				•	•	
<b>FNF18PC</b>												
	<b>Fluorescent</b> FNF18PC	18W FLUORESCENT FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427450543	1.74	6	270				•	•	



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>FNF26PC</b>											
	<b>Fluorescent</b> FNF26PC	26W FLUORESCENT FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427450567	1.78	6	216				•	
<b>FSS1530LPCES</b>											
	<b>LED</b> FSS1530LPCES	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, ENERGY STAR, BRONZE	080083630509	0.9	2	192				•	
<b>FSS1530LPCW</b>											
	<b>LED</b> FSS1530LPCW	DUSK TO DAWN FLOODLIGHT WITH PHOTOCELL, WHITE	080083630554	0.9	2	192			•	•	
<b>FW26PC</b>											
	<b>Fluorescent</b> FW26PC	26W FLUORESCENT WALL PACK WITH PHOTO CONTROL, BRONZE	044427450604	3.3	6	216			•	•	
<b>FW42PC</b>											
	<b>Fluorescent</b> FW42PC	42W FLUORESCENT WALL PACK WITH PHOTO CONTROL, BRONZE	044427450581	3.3	6	216			•	•	
<b>MT250PCW</b>											
	<b>PAR</b> MT250PCW	300W PAR METAL TWIN FLOODLIGHT WITH PHOTO CONTROL, WHITE	044427300503	1.42	6	288				•	
<b>MT250PC</b>											
	<b>PAR</b> MT250PC	300W PAR METAL TWIN FLOODLIGHT WITH PHOTO CONTROL, BRONZE	044427300497	1.42	6	288				•	
<b>PFL23PCW-T24</b>											
	<b>Fluorescent</b> PFL23PCW-T24	23W FLUORESCENT GU24 PATIO LIGHT WITH PHOTO CONTROL, WHITE	080083565276	1.5	2	160			•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

**Accessory**  
**EA24**

*Hardware*

EA24	24" EXTENSION ARM	044427000717	1.05	1	240					•	•
------	-------------------	--------------	------	---	-----	--	--	--	--	---	---

**800-0411**

*Hardware*

800-0411	REPLACEMENT LENS FOR FE13PC / FE13PCW	080083626793	0.41	4	500						•
----------	---------------------------------------	--------------	------	---	-----	--	--	--	--	--	---

**SL3120**

*Sensor*

SL3120	TWIST & LOCK PHOTO SENSOR	044427531204	0.2	6	576					•	•
--------	---------------------------	--------------	-----	---	-----	--	--	--	--	---	---

**B65FMOG**

*Fluorescent*

B65FMOG	65W FLUORESCENT MOGUL BASE LAMP	080083510276	0.64	4	480						•
---------	---------------------------------	--------------	------	---	-----	--	--	--	--	--	---

**PLC13W**

*Fluorescent*

PLC13W	13W FLUORESCENT 4-PIN LAMP	044427450345	0.3	4	1152					•	•
--------	----------------------------	--------------	-----	---	------	--	--	--	--	---	---

CATALOG  
NUMBER




DESCRIPTION





UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA





# Sure-Lites




## Emergency




### Emergency Commercial




<b>LED Thermoplastic Emergency Light - LEM</b>													
	LEM	LED EMERGENCY LIGHT, 2 HEAD	080083637263	0.75	28	504					•	•	
	LEMSD	LED EMERGENCY LIGHT, 2 HEAD, SELF DIAGNOSTICS	080083637409	1.15	28	504						•	
	LEMRO	LED EMERGENCY LIGHT, 2 HEAD	080083689569	0.75	6	504					•		




<b>LED Thermoplastic Emergency Light - LEM 2 Head Remote</b>														
	LEM2	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY	080083637287		2	1	48					•	•	
	LEM2BK	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, BLACK	080083637560		2	1	48					•		
	LEM2SD	LED EMERGENCY LIGHT, 2 HEAD, 2 HEAD REMOTE CAPABILITY, SELF DIAGNOSTICS	080083637423		2	1	48					•		

<b>LED Thermoplastic Emergency Light - LEM 4 Head Remote</b>														
	LEM4	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE	080083637300	2.275	16	576						•	•	
	LEM4BK	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK	080083637584	2.275	16	480						•		
	LEM4SD	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, SELF DIAGNOSTICS	080083637447		2	1	48					•		
	LEM4BKSD	LED EMERGENCY LIGHT, 2 HEAD, 4 HEAD REMOTE CAPABLE, BLACK, SELF-DIAGNOSTICS	080083637706		2	1	48					•		


<b>LED Thermoplastic Emergency Light Remote - LEMR1</b>														
	LEM1	LED REMOTE 1 HEAD	080083637324	0.81	36	864						•	•	
	LEM1BK	LED REMOTE 1 HEAD, BLACK	080083637607	0.81	36	864						•		








<b>LED Thermoplastic Emergency Light Remote - LEMR2</b>														
	LEM2	LED REMOTE 2 HEAD	080083637348	0.92	36	864						•	•	
	LEM2BK	LED REMOTE 2 HEAD, BLACK	080083637621	0.92	36	864						•		

<b>LED Thermoplastic Emergency Light Remote - LEMWR1</b>														
	LEMWR1	LED REMOTE 1 HEAD, WET LOCATION	080083637362	0.87	24	576						•		
	LEMWR1BK	LED REMOTE 1 HEAD, WET LOCATION, BLACK	080083637645	0.87	24	576						•		

<b>LED Thermoplastic Emergency Light Remote - LEMWR2</b>														
	LEMWR2	LED REMOTE 2 HEAD, WET LOCATION	080083637386	0.93	24	576						•	•	
	LEMWR2BK	LED REMOTE 2 HEAD, WET LOCATION, BLACK	080083637669	0.6	1	48						•		








<b>LED Thermoplastic Emergency Light Remote</b>													
	6LEM85DWH	6V, 85 LUMEN, 2 HEAD REMOTE, WHITE	080083637485	0.92	36	864						•	
	6LEM85DWWH	6V, 85 LUMEN, 2 HEAD REMOTE, WET LOCATION, WHITE	080083637522	0.93	24	576						•	

<b>Steel Housing - AA1</b>													
	AA1	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400107422	7.15	1	72		•				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Steel Housing - LM1</b>										
	LM1	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400107415	5.8	6	108	•	•	•	•
<b>Steel Housing - XR</b>										
	XR12206	12V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107484	15.8	1	63	•	•	•	★
	XR12208	12V, (2) 9W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662400107491	16.4	1	63	•	•	•	★
	XR3	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662400107439	11	1	63	•	•	•	★
	XR7	6V, (2) 9W INCANDESCENT LAMPS, 18W REMOTE CAPACITY, WHITE	662400107453	11.8	1	72	•	•	•	★
<b>Polycarbonate Housing - CC2</b>										
	CC2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400238034	3.5	6	144	•	•	•	•
<b>Polycarbonate Housing - CC3, CC4, CC5</b>										
	CC3WH	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401965793	4.5	6	72	•	•	•	•
	CC3WHSD	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE, SELF-DIAGNOSTICS	662401967902	5	1	108	•	•	•	★
	CC4WH	6V, (2) 9W INCANDESCENT LAMPS, WHITE	662401903924	7.3	1	108	•	•	•	•
	CC5WH	6V, (2) 9W INCANDESCENT LAMPS, 9W REMOTE CAPACITY, WHITE	662401903948	6.856	6	48	•	•	•	•
	CC5WHSQ	6V, (2) 5.4W INCANDESCENT LAMPS (SQUARE), 16W REMOTE CAPACITY, WHITE	662401919291	8	1	108	•	•	•	★
<b>Polycarbonate Housing - CC7</b>										
	CC7	12V, (2) 12W INCANDESCENT LAMPS, 36W REMOTE CAPACITY, WHITE	662401162970	13.5	4	72	•	•	•	•
	CC7NCSD	12V, (2) 12W INCANDESCENT LAMPS, NICKEL CADMIUM BATTERY, 26W REMOTE CAPACITY, WHITE	623961349287	9.65	4	72	•	•	•	•
<b>Polycarbonate Housing - CC8</b>										
	CC8	12V, (2) 12W INCANDESCENT LAMPS, 76W REMOTE CAPACITY, WHITE	662401162987	7.62	2	60	•	•	•	•
<b>Polycarbonate Housing - CU2</b>										
	CU2	6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662401222728	3.5	6	216	•	•	•	•







★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>Emergency Architectural</b>												
<b>Die Cast Aluminum Housing - AEL231, AEL246</b>												
	AEL231	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, SILVER	080083593835	2.21	4	96					•	Off The Shelf
	AEL246	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, SILVER	080083593842	2.21	4	144					•	Off The Shelf
	AEL231SD	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, SILVER, SELF-DIAGNOSTICS	080083681266	2.21	4	144					•	
	AEL246SD	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, SILVER, SELF-DIAGNOSTICS	080083679751	2.21	4	144					•	
<b>Die Cast Aluminum Housing - AEL231BK, AEL246BK</b>												
	AEL231BK	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, BLACK	080083593859	5.093	4	144					•	Off The Shelf
	AEL246BK	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BLACK	080083593866	5.093	4	96					•	Off The Shelf
	AEL231BKSD	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, BLACK, SELF-DIAGNOSTICS	080083679706	5.093	4	144					•	
	AEL246BKSD	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BLACK, SELF-DIAGNOSTICS	080083679737	5.093	4	144					•	
<b>Die Cast Aluminum Housing - AEL231BZ, AEL246BZ</b>												
	AEL231BZ	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, BRONZE	080083593873	5.093	4	96					•	Off The Shelf
	AEL246BZ	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BRONZE	080083593880	5.093	4	96					•	Off The Shelf
	AEL231BZSD	ARCHITECTURAL EMERGENCY LIGHT, LED 3100K, BRONZE, SELF-DIAGNOSTICS	080083679713	5.093	4	128					•	
	AEL246BZSD	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, BRONZE, SELF-DIAGNOSTICS	080083679744	5.093	4	144					•	
<b>Die Cast Aluminum Housing - AEL231WH, AEL246WH</b>												
	AEL231WH	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, WHITE	080083593897	5.106	4	96					•	Off The Shelf
	AEL246WH	ARCHITECTURAL EMERGENCY LIGHT, LED, 4600K, WHITE	080083593903	5.106	4	96					•	Off The Shelf
	AEL231WHSD	ARCHITECTURAL EMERGENCY LIGHT, LED, 3100K, WHITE, SELF-DIAGNOSTICS	080083679690	2.21	4	144					•	
<b>Recessed - GC15012</b>												
	GC15012	STEEL, RECESSED, STEEL, (2) 9W INCANDESCENT LAMPS, WHITE	662400108252	17.4	1	12					•	★
<b>Recessed - P4C1</b>												
	P4C1	SURFACE/RECESSED, 6V, 10W HALOGEN LAMP, WHITE COLLAR/BLACK HOUSING	662400107521	8.2	1	180					•	★
<b>Recessed - RLM1 and RLM2</b>												
	RLM1	RECESSED, 6V, (2) 5.4W INCANDESCENT LAMPS, WHITE	662400108313	8.6	1	55					•	★
	RLM2	RECESSED, 6V, (2) 9W INCANDESCENT LAMPS, WHITE	662400108320	9.2	1	55					•	★





★ Indicates ARR A Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Emergency Remote Heads</b>										
	<b>Remote Heads Thermoplastic - Universal</b> 12T8WHU      UNIVERSAL, 12V, 8W HALOGEN LAMP, WHITE	662401426003	1.6	6	216					★
	<b>Remote Heads Thermoplastic - Weatherproof Halogen</b> 6T6WGY      WEATHERPROOF, 6V, 6W HALOGEN LAMP, GREY 6T6WWH      WEATHERPROOF, 6V, 6W HALOGEN LAMP, WHITE	662400238416 662401318803	1.35 1.2	6 6	216 216					★ ★
	<b>Remote Heads Thermoplastic - Weatherproof Doublehead Incandescent</b> 6XW54DWWH      WEATHERPROOF, DOUBLE HEAD, 6V, 5.4W INCANDESCENT LAMPS, WHITE	662401472222	1.6	6	180					★
	<b>Remote Heads Thermoplastic - Weatherproof Incandescent</b> 6X9WWH      WEATHERPROOF, 6V, 8W INCANDESCENT LAMP, WHITE 6XW54WWH      WEATHERPROOF, 6V, 5.4W INCANDESCENT LAMPS, WHITE 6X54WHU      WEATHERPROOF REMOTE EMERGENCY LIGHT, 6V, 5.4W, (2) INCANDESCENT LAMP HEADS, WHITE HOUSING 6X7WGY      WEATHERPROOF, 6V, 7.2W INCANDESCENT LAMPS, GRAY 6X7WWH      WEATHERPROOF, 6V, 7.2W INCANDESCENT LAMP, WHITE	662401139095 662401472215 662401222926 662400238423 662401195428	1.2 0.9 0.8 1.4 1.25	6 6 6 6 6	216 120 216 216 216					★ ★ ★ ★ ★
	<b>Remote Heads Metal - Weatherproof Incandescent, Single Head</b> 6T12WMHWH      WEATHERPROOF, 6V, 12W INCANDESCENT LAMP, WHITE, SINGLE HEAD	622696586813	1.57	6	120					★
	<b>Thermoplastic Remote Head Incandescent Lamp - 12V</b> 12X9WHU      REMOTE EMERGENCY LIGHT, 12V, 9W, WHITE HOUSING	662401645039	0.95	6	216					★

★ Indicates ARRA Eligible Product   **E** Indicates EISA Compliant Pulse Start Products   **OTS** Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA
<b>Emergency Light</b>										
	<b>Thermoplastic Emergency - CC5</b> CC5WH266      EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 12W	662401183227	8	1	108					★
	<b>Thermoplastic Emergency - CC6</b> CC6WH      EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, DUAL HEAD, 6V, 9W INCANDESCENT HEADS	662401103706	8	1	108	•				★
	<b>Thermoplastic Emergency - CC7</b> CC70      EMERGENCY LIGHT, REMOTE CAPABLE, WHITE HOUSING, NO HEADS, RUNS 12V WITH 60W	662401452569	11.4	1	72					★
	<b>Steel Housing, Emergency Light - CEL</b> CELBKBX      RECESSED EMERGENCY LIGHT HOUSING, CONCEALED EMERGENCY LIGHT	080083587520	5	1	48					★

**Exit Signs**



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

**Exits Signs Commercial - Edge-lit - ECHX**



**Edge-lit - ECHX Recessed**

ECHX6RH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, RECESSED MOUNT	080083665631	2.8	6	0	•				
ECHX7RH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, RECESSED MOUNT	080083665648	3.3	6	0	•				
ECHX1RT	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, BRUSHED ALUMINUM	080083665662	4.8	4	0	•				
ECHX1RTAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, BRUSHED ALUMINUM	080083665709	4.8	4	0	•				
ECHX1RTALWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW LEFT, WHITE	080083665846	4.8	4	0	•				
ECHX1RTAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT	080083665686	4.8	4	0	•				
ECHX1RTARWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, ARROW RIGHT, WHITE	080083665822	4.8	4	0	•				
ECHX1RTDAWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, DOUBLE ARROW, WHITE	080083665860	4.8	4	0	•				
ECHX1RTWH	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, RECESSED, NO ARROW, WHITE	080083665808	4.8	4	0	•				
ECHX2RT	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT	080083665747	4.8	4	0	•				
ECHX2RTARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT	080083665785	4.8	4	0	•				
ECHX2RTARLWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, ARROW RIGHT/ARROW LEFT, WHITE	080083665921	4.8	4	0	•				
ECHX2RTDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT DOUBLE ARROW	080083665761	4.8	4	0	•				
ECHX2RTDAWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, DOUBLE ARROW, WHITE	080083665907	4.8	4	0	•				
ECHX2RTWH	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, RECESSED MOUNT, WHITE	080083665884	4.8	4	0	•				



**Edge-lit - ECHX Surface**


ECHX6SHA	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, BRUSHED ALUMINUM	080083665938	2.5	6	0	•				
ECHX6SHWH	CHICAGO EDGE LIT EXIT HOUSING, AC ONLY, SURFACE MOUNT, WHITE	080083665952	2.5	6	0	•				
ECHX7SHA	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, BRUSHED ALUMINUM	080083665945	3	6	0	•				
ECHX7SHWH	CHICAGO EDGE LIT EXIT HOUSING, SELF POWERED, SURFACE MOUNT, WHITE	080083665969	3	6	0	•				
ECHX1ST	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, NO ARROW	080083665976	2	6	0	•				
ECHX1STAL	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW LEFT	080083665990	2	6	0	•				
ECHX1STAR	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, ARROW RIGHT	080083665983	2	6	0	•				
ECHX1STDA	CHICAGO EDGE LIT EXIT TRIM, SINGLE SIDED, SURFACE MOUNT, DOUBLE ARROW	080083666003	2	6	0	•				
ECHX2ST	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM	080083666010	2	6	0	•				
ECHX2STARL	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, ARROW RIGHT/ARROW LEFT	080083666034	2	6	0	•				
ECHX2STDA	CHICAGO EDGE LIT EXIT TRIM, DOUBLE SIDED, SURFACE MOUNT, BRUSHED ALUMINUM, DOUBLE ARROW	080083666027	2	6	0	•				


**Exit Signs Commercial - Edge-lit - EEX**




**Edge-lit - EEX**

EEX61R	LED, SURFACE, WHITE POLYCARBONATE HOUSING, SINGLE FACE, RED LETTERS, AC ONLY	662401758692	18.66	1	80				•	★
EEX71G	LED, SURFACE, WHITE POLYCARBONATE HOUSING, SINGLE FACE, GREEN LETTERS, SELF-POWERED	662401747887	18.66	1	108				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Exit Signs Commercial - Edge-lit - EUR Recessed</b>										
	<b>Edge-lit - EUR Recessed</b>									
EUR60R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725617	4.5	4	64					•
EUR70R	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725594	10.025	4	64					•
EUR70G	LED, RECESSED, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072742	8.8	4	64					•

<b>Exit Signs Commercial - Edge-lit - EUS Surface</b>										
	<b>Edge-lit - EUS Surface</b>									
EUS60R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, AC ONLY	622697725587	4.5	1	27					•
EUS70R	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, RED LETTERS, SELF-POWERED	622697725556	6.6	4	256					•
EUS60G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, AC ONLY	623960072681	3.39	4	176					•
EUS70G	LED, SURFACE, ALUMINUM HOUSING, UNIVERSAL FACE, GREEN LETTERS, SELF-POWERED	623960072728	3.39	6	120				•	•

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Exit Signs Commercial - Steel Housing - CHX</b>											
<b>Steel Housing - CHX</b>											
	CHX60	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITHOUT LENS	080083573615	11.3	1	60	•				★ Ⓢ
	CHX61	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083574629	11.3	1	60	•				★ Ⓢ
	CHX70	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITHOUT LENS	080083576753	11.3	1	96	•				★ Ⓢ
	CHX71	SELF POWERED, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, WITH LENS	080083567614	11.3	1	80	•				★ Ⓢ
	CHX61-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH STAIR LENS	080083592777	11.3	1	54	•				★
	CHX61AL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT	080083574766	11.3	1	54	•				★
	CHX61AL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW LEFT AND STAIR LENS	080083708178	11.3	1	54	•				★
	CHX61AR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT LENS	080083574650	11.3	1	54	•				★
	CHX61AR-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH ARROW RIGHT AND STAIR LENS	080083708161	11.3	1	54	•				★
	CHX61DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT WITH DOUBLE ARROW LENS	080083576715	11.3	1	54	•				★
	CHX62	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, DOUBLE SIDED	080083574636	11.3	1	54	•				★
	CHX62-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT, DOUBLE SIDED WITH STAIR LENS	080083708185	11.3	1	54	•				★
	CHX62ARL	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT	080083574643	11.3	1	54	•				★
	CHX62ARL-STAIR	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE SIDED, ARROW RIGHT OR LEFT WITH STAIR LENS	080083576722	11.3	1	54	•				★
	CHX62DA	AC ONLY, EXIT SIGN, STEEL HOUSING, WHITE LED EXIT DOUBLE ARROW	080083576739	11.3	1	54	•				★
	CHX71-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, SINGLE SIDED WITH STAIR LENS	080083576678	11.3	1	54	•				★
	CHX71AL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW LEFT	080083576647	11.3	1	54	•				★
	CHX71AL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW LEFT WITH STAIR LENS	080083708208	11.3	1	54	•				★
	CHX71ALDH	CHICAGO, COMBO, EXIT SIGN, WHITE LED, SINGLE SIDED, ARROW LEFT	080083708215	11.3	1	54	•				★
	CHX72DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, DOUBLE ARROW	080083576708	11.3	1	54	•				★
	CHX71AR	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, ARROW RIGHT	080083576654	11.3	1	54	•				★
	CHX71AR-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, ARROW RIGHT WITH STAIR LENS	080083708192	11.3	1	54	•				★
	CHX72ARL-STAIR	SELF POWERED, CHICAGO EXIT SIGN, WHITE LED, DOUBLE SIDED, ARROW RIGHT OR LEFT, WITH STAIR LENS	080083651573	11.3	1	54	•				★
	CHX71DA	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, SINGLE SIDED, DOUBLE ARROW	080083576661	11.3	1	54	•				★
	CHX72	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED	080083576685	11.3	1	54	•				★
	CHX72ARL	SELF POWERED, CHICAGO EXIT, STEEL HOUSING, DOUBLE SIDED, ARROW LEFT	080083576692	11.3	1	54	•				★

**Exit and Emergency Commercial - Steel Combo - CHX Combo**

**Steel Combo - CHX Combo**

CHX71DH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE FACE	080083623365	11.3	1	36	•					★ Ⓢ
CHX70DH	CHICAGO, COMBO, EXIT SIGN, WHITE LED, NO LENS	080083623372	11.3	2	45	•					★
CHX72ARLDH	CHICAGO, COMBO, EXIT AND EMERGENCY, DOUBLE SIDED, ARROW RIGHT OR LEFT	080083650132	11.3	1	54	•					★
CHX71ARDH	CHICAGO, COMBO, EXIT AND EMERGENCY, SINGLE SIDED, ARROW RIGHT	080083660704	11.3	1	54	•					★

**Exit Signs Commercial - Steel Housing - ELE**

**Steel Housing - ELE**

ELE770	POWER TRAY, ELX EDGE-LIT COMPATIBLE	662401278466	2.95	1	216					•	★
--------	-------------------------------------	--------------	------	---	-----	--	--	--	--	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

**Exit Signs Commercial - Steel Housing - SLX**



**Steel Housing - SLX**

SLX6	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083534227	6	6	270						•	
SLX7	LED, WHITE, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534234	6	6	144		•					•

**Exit Signs Commercial - Steel Housing - SLX Self Diagnostic**

**Steel Housing - SLX Self Diagnostic**

SLX7SD	SELF-POWERED, EXIT SIGN, STEEL HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083534241	6	6	180							•
--------	---	--------------	---	---	-----	--	--	--	--	--	--	---

**Exit and Emergency Commercial - Steel Combo - UN1SR Combo**



**Steel Combo - UN1SR Combo**

UNH1SRWDH	COMBO UNIT, INCANDESCENT-EXIT, (2) 9W INCANDESCENT LAMPS-EMERGENCY, WHITE, UNIVERSAL FACE, RED LETTERS	662400107798	14.2	1	36		•					•	★
UNH1SRWDHL	COMBO UNIT, LED-EXIT, (2) 9W INCANDESCENT LAMPS-EMERGENCY, WHITE, UNIVERSAL FACE, RED LETTERS	662400235477	14.2	1	36		•					•	★

**Exit Signs Commercial - Polycarbonate Housing - LPX**



**Polycarbonate Housing - LPX**


LPX6	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, AC ONLY	080083532742	3.1	6	144	•	•					•	•	
LPX6-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, AC ONLY	080083552078	3	6	180							•		
LPX7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532773	3.1	6	144	•	•	•	•					
LPX7BK	LED, BLACK HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED	080083532780	3	6	144								•	
LPX7-G	LED, WHITE HOUSING, UNIVERSAL FACE, GREEN AND RED LETTERS, SELF-POWERED	080083552061	3	6	270								•	
LPX7SD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083532797	3	6	180		•						•	

**Exit Signs Commercial - Thermoplastic Housing - LPX Self Diagnostic**

**Thermoplastic Housing - LPX Self Diagnostic**

LPX7BKSD	SELF-POWERED, EXIT SIGN, THERMOPLASTIC BLACK HOUSING, SELF DIAGNOSTIC, UNIVERSAL 2 FACE & RED/GREEN	080083532803	3	6	180								•	
----------	---	--------------	---	---	-----	--	--	--	--	--	--	--	---	--

**Exit and Emergency Commercial - Polycarbonate Combo - LPX Combo**



**Polycarbonate Combo - LPX Combo**


LPX7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY	080083605057	8.5	4	80		•	•	•	•				
LPX7DHNC	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604944	7.8	4	80								•	
LPX7DHNCSD	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY, SELF-DIAGNOSTIC	080083604968	7.8	4	80								•	

**Exit Signs Commercial - Polycarbonate Housing - LPXH**



**Polycarbonate Housing - LPXH**


LPXH7	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, HIGH POWER UNIT	080083605095	9.5	4	120								•	
-------	--	--------------	-----	---	-----	--	--	--	--	--	--	--	---	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Exit and Emergency Commercial - Polycarbonate Combo - LPXH Combo</b>											
	<b>Polycarbonate Combo - LPXH Combo</b>										
LPXH7DH	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY	080083604982	10	4	72	•	•			•	Ⓞ
LPXH7DHNC	LED, WHITE HOUSING, UNIVERSAL FACE, RED AND GREEN LETTERS, SELF-POWERED, COMBO UNIT HIGH POWER, EXIT AND EMERGENCY, NICKEL CADMIUM BATTERY	080083604869	7.8	4	80					•	

**Exit Signs Commercial**

<b>Aluminum Trim Kit</b>											
TC71R	TRIM KIT, ELX EDGE-LIT COMPATIBLE	662401278459	6.5	1	40					•	★

**Exit Signs Architectural**

<b>Die Cast Aluminum Housing - CX</b>											
											
CX61	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534043	6	6	180		•			•	
CX61WH	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534067	6	6	180		•			•	
CX62	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534050	6	6	180					•	
QS-CX62WH	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, AC ONLY	080083534074	6	6	180					•	
CX71	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534104	5.1	6	144					•	
CX71SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534166	6	6	180		•	•		•	
CX71WH	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED	080083534128	6	6	144					•	
CX71WHSD	LED, WHITE FACE AND HOUSING, SINGLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534180	6	6	180					•	
CX72SD	LED, BRUSHED ALUMINUM FACE AND BLACK HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534173	6	6	180		•			•	
CX72WHSD	LED, WHITE FACE AND HOUSING, DOUBLE FACE, RED AND GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	080083534197	6	6	180					•	


**Edge-lit - ESH71**







ESH71	RECESSED HOUSING - ES EXIT SIGN	080083502332	3.4	1	210					•	★
-------	---------------------------------	--------------	-----	---	-----	--	--	--	--	---	---

**Edge-lit - UHLED**

											
UHLED	RECESSED HOUSING ELX EXIT SIGN (LED)	662401278473	3.5	1	210					•	★

**Photoluminescent - PHL**

											
PHL1GBA	PHOTOLUMINESCENT, BRUSHED ALUMINUM HOUSING/FACE, SINGLE FACE, GREEN LETTERS	623961142697	1.8	20	480					•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Industrial / Hazardous</b>										
<b>Industrial Emergency</b>										
	<b>UEL</b>									
UEL1BKSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, BLACK, SELF DIAGNOSTICS	080083508396	5.76	1	144					•
UEL1SD	NEMA 4X, DIE CAST HOUSING, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, SILVER, SELF DIAGNOSTICS	080083508402	13.276	4	72	•	•	•	•	•
UEL1WHSD	NEMA 4X, WET LOCATION LISTED, 12V, (2) 12W HALOGEN LAMPS, WHITE, SELF DIAGNOSTICS	080083508426	12.6	4	96					•
	<b>UMB1</b>									
UMB1	6V, (2) 8W INCANDESCENT LAMPS, WET LOCATION LISTED, GREY	662400108399	10.6	1	45					• ★
<b>Industrial Exit Signs</b>										
	<b>UX</b>									
UX61G	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, AC ONLY	662400687849	9.943	4	144					•
UX61R	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	662400687832	9.943	4	144					•
UX61RWH	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, AC ONLY	622696170173	4.52	4	48					•
UX71GWHSD	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170210	4.49	4	144					•
UX71RBKSD	NEMA 4X, LED, DIE CAST ALUMINUM, BLACK HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696170227	10.049	4	144					•
UX71RSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662400687856	10.7	4	120					•
UX71RWHS	NEMA 4X, LED, DIE CAST ALUMINUM, WHITE HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, RED LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	622696167531	4.62	4	144					•
UX71GSD	NEMA 4X, LED, DIE CAST ALUMINUM, SILVER HOUSING/FACE, WET LOCATION LISTED, SINGLE FACE, GREEN LETTERS, SELF-POWERED, SELF-DIAGNOSTICS	662401000838	4.496	4	144					•
UXUK	CONVERSION KIT - UX EXIT (SILVER) SINGLE TO DOUBLE FACE	662400687870	0.844	1	216					•
UXUKWH	CONVERSION KIT - UX EXIT (WHITE) SINGLE TO DOUBLE FACE	622696170241	1.768	1	144					•
<b>Retrofit</b>										
<b>Fluorescent Emergency Battery Pack</b>										
	<b>FBP</b>									
FBP3500	ONE/TWO LAMPS, 1450-3500 LUMENS	662401531325	10.5	2	96					•
	<b>EBP</b>									
EBP450X	FLUORESCENT BATTERY PACK, 450 LUMEN	080083561650	2.16	12	768	•		•	•	• 
EBP700X	FLUORESCENT BATTERY PACK, 700 LUMEN	080083564262	2.205	12	600					• 





★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA





## Accessories

### Accessories

	<b>FRK1</b> FRK1	FULLY RECESSING KIT - P4C/R4C	662400109389	5	1	54								•	★
	<b>Laser</b> LASER	RED LASER POINTER (USED TO ACTIVATE REMOTE TESTING FIXTURES)	662401215256	0.25	12	288								•	★
	<b>Vandal Guard - VS1</b> VS1	POLYCARBONATE VANDAL SHIELD	662401459674	4.5	1	24								•	★
	<b>Wireguard - WG</b> WG1	WIREGUARD (18"X15"X6")	662400109419	2.4	1	80								•	★
	WG10	WIREGUARD (13 3/4"X13 3/8"X4 3/8")	662400109426	2.3	1	84								•	★

## Chicago Code

### Chicago Code Emergency

	<b>Steel Housing - GC15072</b> GC15072	RECESSED, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400108276	18.15	1	18			•						•	★
	<b>Steel Housing - ST1</b> ST1	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107583	8.4	1	126			•							★
	<b>Steel Housing - XR6C</b> XR6C	STEEL, 6V, (2) 12W HALOGEN LAMPS, WHITE	662400107507	10	4	108			•						•	⚡
	<b>Steel Housing - XR9C</b> XR9C	STEEL, 6V, (2) 12W HALOGEN LAMPS, 30W REMOTE CAPACITY, WHITE	662400107514	15	4	48			•							⚡

## Chicago Code and Emergency

### Chicago Code Emergency and Emergency Remote Heads

	<b>Remote Heads Metal - Halogen</b> 6T12MHWH	METAL, 6V, 12W HALOGEN LAMP, WHITE	662400238355	1.2	6	216			•							★
--	---	------------------------------------	--------------	-----	---	-----	--	--	---	--	--	--	--	--	--	---



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Replacement part</b>										
<b>Replacement part</b>										
<b>Transformer</b>										
004213SP	REPLACEMENT PART, TRANSFORMER	662400111160	0.3	10	360	•				★
004214SP	REPLACEMENT PART, TRANSFORMER TESTING	662400111177	0.2	10	10	•				★
004215SP	REPLACEMENT PART, TRANSFORMER	662400111184	0.2	10	1200	•				★
004216SP	REPLACEMENT PART, TRANSFORMER	662401182107	0.3	10	480	•				★
004260SP	REPLACEMENT PART, TRANSFORMER	662400111207	0.69	10	10	•				★
004261SP	REPLACEMENT PART, TRANSFORMER	662400112389	0.7	10	10	•				★
004262SP	REPLACEMENT PART, TRANSFORMER	662400112396	0.7	10	10	•				★
004320SP	REPLACEMENT PART, TRANSFORMER	662401362905	1.3	10	200	•			•	★
004321SP	REPLACEMENT PART, TRANSFORMER	662401812639	1.3	10	200	•				★
<b>Replacement part</b>										
026117SP	REPLACEMENT PART, BATTERY	662400109273	1.6	1	500				•	★
02645SP	REPLACEMENT PART, BATTERY	662400109242	2.6	1	660				•	★
02650SP	REPLACEMENT PART, BATTERY	662400109259	4.6	1	480				•	★

CATALOG NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# All-Pro Emergency

## LED Exit and Emergency

### Exit Signs Commercial




#### Thermoplastic Housing - APXEL

APXEL61G	EXIT SIGN EDGE LIT, 1F, GREEN, AC ONLY	080083635481	4.1	6	108					•	•	
APXEL61R	EXIT SIGN EDGE LIT, 1F, RED, AC ONLY	080083635245	4.1	6	108					•	•	
APXEL62G	EXIT SIGN EDGE LIT, 2F, GREEN, AC ONLY	080083635566	4.03	6	108					•	•	
APXEL62R	EXIT SIGN EDGE LIT, 2F, RED, AC ONLY	080083635528	4	6	108					•	•	
APXEL71G	EXIT SIGN EDGE LIT, 1F, GREEN, BATTERY	080083635504	4.2	6	108					•	•	
APXEL71R	EXIT SIGN EDGE LIT, 1F, RED, BATTERY	080083635467	4.2	6	108					•	•	
APXEL72G	EXIT SIGN EDGE LIT, 2F, GREEN, BATTERY	080083635580	4.14	6	108					•	•	
APXEL72R	EXIT SIGN EDGE LIT, 2F, RED, BATTERY	080083635542	4.14	6	108					•	•	



#### Thermoplastic Combos - Double Head - APC

APC7G	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567164	1.21	8	192					•	•	Ⓢ
APC7R	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083566556	2.5	8	256					•	•	Ⓢ



#### Thermoplastic Combos - Double Head - APCH

APCH7G	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE GREEN LETTERS	080083567188	1.29	8	288					•		
APCH7R	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) LED EMERGENCY LIGHT HEADS, UNIVERSAL FACE RED LETTERS	080083567171	2.4	8	384					•		Ⓢ



#### Thermoplastic Housing - APX6 and APX7

APX6G	AC ONLY, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566525	2.4	6	216					•	•	Ⓢ
APX6R	AC ONLY, WHITE HOUSING, LED EXIT, RED LETTERS	080083566518	2.4	6	216	•				•	•	Ⓢ
APX7G	SELF POWERED, WHITE HOUSING, LED EXIT, GREEN LETTERS	080083566549	2.4	6	216					•	•	Ⓢ
APX7R	SELF POWERED, WHITE HOUSING, LED EXIT, RED LETTERS	080083566532	2.4	6	270	•	•	•	•	•	•	Ⓢ

### Emergency Commercial



#### Thermoplastic Housing - APEL

APEL	3.6V, (2) .78W LED EMERGENCY LIGHT HEAD, EQUIVALENT TO (2) 5.4W INCANDESCENT LAMPS	080083566501	0.6	8	384	•	•	•	•	•	•	Ⓢ
------	--	--------------	-----	---	-----	---	---	---	---	---	---	---




#### Thermoplastic Housing - APR


APR1	LED REMOTE, SINGLE HEAD	080083567195	0.17	30	960					•		
APR2	LED REMOTE, DOUBLE HEAD	080083567201	0.21	30	960					•		Ⓢ



#### Thermoplastic Housing - APWR

APWR1	REMOTE, SINGLE HEAD, WET LISTED	080083608560	0.3	30	1080					•		Ⓢ
APWR2	REMOTE, DOUBLE HEAD, WET LISTED	080083608584	0.42	30	720					•		Ⓢ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET					
				QTY	QTY	NJ	IL	TX	CA
<b>Exit and Emergency</b>									
<b>Exit Signs Commercial</b>									
<b>Thermoplastic Combos - Double Head Square</b>									
	AP70RWHDSQ	COMBO UNIT, WHITE HOUSING, LED-EXIT, (2) 5.4W INCANDESCENT LAMPS (SQUARE)-EMERGENCY, UNIVERSAL FACE, RED LETTERS	080083555871	7.1	6	72			•
	APH70RWHDSQ	COMBO UNIT, WHITE HOUSING, REMOTE CAPACITY, LED-EXIT, (2) 5.4W INCANDESCENT LAMPS (SQUARE)-EMERGENCY, UNIVERSAL FACE, RED LETTERS	080083555888	9.8	6	72			•

<b>Emergency Commercial</b>											
<b>Thermoplastic Housing - AP2SQ</b>											
	AP2SQ	6V, (2) 5.4W INCANDESCENT LAMPS (SQUARE), WHITE	662401000753	4	6	144	•	•	•	•	•

CATALOG NUMBER

DESCRIPTION

UPC CODE   WEIGHT   CASE QTY   PALLET QTY   NJ   IL   TX   CA   GA

# Portfolio

## LED

### Recessed

#### 4" Square Trim

4LSQ0LI	4" SQUARE LED DOWNLIGHT, POLYMER TRIM RING, SPECULAR FINISH	080083606696	0.85	1	96		★
4LSQ0H	4" SQUARE LED DOWNLIGHT, POLYMER TRIM RING, HAZE FINISH	080083606702	0.85	1	96		★

#### 4" Trims

4LM111LI	4" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599295		1	1	180		★
4LM1H	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083599288		1	1	180		★
4LM1LI	4" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083599271		1	1	180		★
4LSQ1LI	6" LED SQUARE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083602551	0.85	1	96		★	
4LW0LI	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599318		1	1	216		★
4LW111LI	4" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630042		1	1	100		★
4LW0H	4" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599073	0.75	1	150		★	
4LW1H	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083630059	0.85	1	180		★	
4LW1LI	4" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630066	0.85	1	180		★	



#### 6" Downlight

LD6A15D010TE	6" LED HOUSING, 1500 LUMENS, 0-10V DIMMING, 120-277V	080083678341	4.2	1	30		★
--------------	--	--------------	-----	---	----	--	---

#### 6" Power Modules

ERM6A10835	LED MODULE 6" MEDIUM 1000 LUMEN 80CRI 3500K	080083678648	1.2	6	504		★
------------	---	--------------	-----	---	-----	--	---

#### 6" Square

6LSQ0LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083606719	0.85	1	96		★
6LSQ0H	SQUARE 6" LED DOWNLIGHT REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083606726	0.85	1	96		★
6LSQ1LI	SQUARE 6" LED DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083635405	0.85	1	96		★

#### 6" Trims






6LM111LI	6" LED MEDIUM WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630073		1	1	180		★
6LM1H	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083598953		1	1	180		★
6LM1LI	6" LED MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083598946		1	1	180		★
6LW0H	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, HAZE FINISH	080083599066		1	1	180		★
6LW0LI	6" LED WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083599301		1	1	180		★
6LW111LI	6" LED WIDE WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083630080		1	1	180		★
6LW1H	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083613212	1.05	1	216		★	
6LW1LI	6" LED WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083601011	0.75	1	216		★	

## CFL

### Recessed




★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>4" Vertical Downlight</b>										
 C4013E	VERTICAL 4" 13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553662	4.1	1	80					★
C4018E	VERTICAL 4" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083553679	4.05	1	80					★
C4026E	VERTICAL 4" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558643	4.05	1	48					★
<b>4" Trims</b>										
4050LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313366	0.55	1	216					★
4051LI	VERTICAL 4" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313397	0.6	1	216					★
<b>4" Square</b>										
 CSQ4132E	HORIZONTAL 4" 26/32W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610075	6.62	1	36					★
<b>4" SQ Trims</b>										
4CSQ1LI	SQUARE 4" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083610082	0.85	1	96					★
<b>6" Square</b>										
 CSQ6142E	HORIZONTAL 6" 26/32/42W CFL SQUARE HORIZONTAL DOWNLIGHT, 120-277V ELECTRONIC BALLAST	080083610044	4.95	1	54					★
<b>6" Vertical Downlight</b>										
 CD6018E	VERTICAL 6" 18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660896	4.6	1	80					★
CD6042D26/32	VERTICAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660902	4.5	1	80					★
CD6042E	VERTICAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660919	4.6	1	80	•	•	•	•	★
CD6042ECP	VERTICAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660926	5.3	1	80	•				★
CD6042EIEEM	VERTICAL 6" 26/32/42W CFL HOUSING WITH INTEGRAL EMERGENCY MODULE, 120-277V ELECTRONIC BALLAST,	080083660940	4.5	1	80					★
CD60423E	VERTICAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661022	5.3	1	54					★
<b>6" Horizontal Downlight</b>										
 CD6126E	HORIZONTAL 6" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660957	4.45	1	80	•				★
CD6142D26/32	HORIZONTAL 6" 26/32W CFL HOUSING, LUTRON DIMMING	080083660964	4.6	1	80					★
CD6142E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660971	4.75	1	63	•	•	•	•	★
CD6142ECP	HORIZONTAL 6" 26/32/42W CHICAGO PLENUM CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660988	5.2	1	63	•				★
CD61423E	HORIZONTAL 6" 26/32/42W CFL HOUSING, 347V ELECTRONIC BALLAST	080083661039	4.6	1	54					★
CD6213E	HORIZONTAL 6" 2-13W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083660995	4.5	1	63					★
CD6218E	HORIZONTAL 6" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661008	4.5	1	63					★
CD6226E	HORIZONTAL 6" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083661015	4.5	1	63	•				★
<b>6" SQ Trims</b>										
6CSQ1LI	REFLECTOR 6" COMPACT FLUORESCENT SQUARE SELF FLANGED SPECULAR CLEAR FINISH	080083610051	0.85	1	96					★

★ Indicates ARRA Eligible Product    Ⓢ Indicates EISA Compliant Pulse Start Products    Ⓢ Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET					
					QTY	NJ	IL	TX	CA	GA
<b>6" Trims</b>										
6CV142M0LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660773	1.1	1	125	•	•	•	•	★
6CV142M1H	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660780	1.1	1	125			•	•	★
6CV142M1LI	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660797	1.1	1	150	•		•	•	★
6CV142M1LIWF	VERTICAL 6" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083660803	1.1	1	150	•			•	★
6CWWV1420LI	VERTICAL 6" CFL WALL WASH REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660810	1.05	1	125			•	•	
6CWWV1421LI	VERTICAL 6" CFL WALL WASH REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660827	1.05	1	125			•	•	★
6CV142W1H	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, HAZE FINISH	080083660834	1.1	1	100			•	•	★
6CLV142M1LI1	VERTICAL 6" CFL ACRYLIC PRISMATIC MEDIUM BEAM LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660841	0.8	1	100				•	★
6CLH1420LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	080083660858	1.2	1	216				•	★
6CLH1421LI1	HORIZONTAL 6" CFL PRISMATIC LENSED REFLECTOR, SELF FLANGED TRIM, SPECULAR CLEAR FINISH	080083660865	1.1	1	216				•	★
6CV142W0LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083660872	1.1	1	150	•	•	•	•	★
6CV142W1LI	VERTICAL 6" CFL WIDE BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083660889	1.1	1	150	•		•	•	★
6CH1420LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661046	1.1	1	150	•		•	•	★
6CH1421H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, HAZE FINISH	080083661053	1.1	1	150			•	•	★
6CH1421LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661060	1.1	1	150	•		•	•	★
6CH2260LI	HORIZONTAL 6" CFL REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	080083661077	1.1	1	150	•		•	•	★
6CH2261H	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661084	1.1	1	150				•	★
6CH2261LI	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	080083661091	1.1	1	150	•		•	•	★
6CH1421HWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, HAZE FINISH	080083661107	1.1	1	150	•				★
6CH1421LIWF	HORIZONTAL 6" CFL REFLECTOR, SELF FLANGED PAINTED WHITE, SPECULAR CLEAR FINISH	080083661114	1.1	1	150	•				★
<b>7" Vertical Downlight</b>										
 C7042E	VERTICAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616023	4.95	1	36	•			•	★
<b>7" Horizontal Downlight</b>										
 C7142EADV	HORIZONTAL 7" 42W CFL HOUSING, ADVANCE DIMMING	080083617180	5.8	1	36				•	★
C7126E	HORIZONTAL 7" 26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613275	5.2	1	54				•	★
C7218E	HORIZONTAL 7" 2-18W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400613152	5.4	1	54				•	★
C7226E	HORIZONTAL 7" 2-26W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400005209	5.2	1	54	•	•		•	★
C7226D	HORIZONTAL 7" 2-26W CFL HOUSING, LUTRON DIMMING	080083660766	5.65	1	54				•	★
<b>7" Horizontal Downlight - C7142, C7242</b>										
 C7142E	HORIZONTAL 7" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616054	5.45	1	36	•		•	•	★
C7242E	HORIZONTAL 7" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	623961436604	6	1	36				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY						
						NJ	IL	TX	CA	GA	
<b>7" Trims</b>											
7001LI	VERTICAL 7" CFL MEDIUM BEAM REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313816	1.7	1	80					•	★
7050LI	VERTICAL 7" CFL WIDE BEAM REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH	662400313847	1.1	1	125					•	★
7150LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400313946	1.2	1	125		•		•	•	★
7151H	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, HAZE FINISH	662400315575	1.2	1	125					•	★
7151LI	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313977	1.25	1	125		•			•	★
7181LI1	HORIZONTAL 7" CFL PRISMATIC LENS REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400313991	2	1	125					•	★
7251LIWF	HORIZONTAL 7" CFL DOWNLIGHT REFLECTOR, SELF WHITE FLANGE, SPECULAR CLEAR FINISH	662400642305	1.12	1	150		•				★
7351LI	HORIZONTAL, 7" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961498947	1.25	1	150					•	★



**8" Vertical Downlight**

C8042E	VERTICAL 8" 26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558636	5.45	1	36					•	★
--------	--	--------------	------	---	----	--	--	--	--	---	---



**8" Horizontal Downlight**

C8242E	HORIZONTAL 8" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	080083558650	6	1	54					•	★
--------	--	--------------	---	---	----	--	--	--	--	---	---

**8" Trims**

8351LI	HORIZONTAL 8" CFL DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	623961545566	1.2	1	80					•	★
--------	--	--------------	-----	---	----	--	--	--	--	---	---



**9" Horizontal Downlight**

C9242E	HORIZONTAL 9" 2-26/32/42W CFL HOUSING, 120-277V ELECTRONIC BALLAST	662400616115	7.7	1	12					•	★
--------	--	--------------	-----	---	----	--	--	--	--	---	---

**9" Trims**

9250LI	HORIZONTAL 9" CFL DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH	662400314332	1.8	1	80		•			•	★
9251LI	HORIZONTAL 9" CFL REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH	662400316282	2	1	80					•	★

**CFL Accessories**

**Accessories**

C836P	PENDANT KIT, CFL, 36", WHITE	662400602187	3.25	4	300					•	★
-------	------------------------------	--------------	------	---	-----	--	--	--	--	---	---



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA




## HID

### Recessed

	<b>6" Vertical Downlight</b> MD670E	VERTICAL 6" 70W METAL HALIDE	080083534395	7.3	1	45						•	★
	<b>7" Vertical Downlight</b> MD7100E	VERTICAL 6" 100W METAL HALIDE	080083534449	7.7	1	45						•	★
	<b>Lens - Round 8"-12"</b> 10002P	9" ROUND REGRESSED FRESNEL LENS WITH BLACK BAFFLE, WHITE TRIM	662400122845	2.9	1	160						•	★
	<b>Lens - Square 13"</b> 11302P	13" SQUARE REGRESSED LENS	662400122890	6.8	1	44						•	★
	11311P	13" SQUARE PRISMATIC DROP LENS	662400187165	7.6	1	60						•	★

## Incandescent

### Recessed

	<b>3" Adjustable</b> HA3MR	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING	662400648857	9.9	2	72	•	•				•	•	★
	HA3MRDR37	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 37W DERATED LABEL	622696245604	9.475	2	72						•		★
	HA3MRDR50	ADJUSTABLE 3.5" LOW VOLTAGE MR16 HOUSING, 50W DERATED LABEL	622696245598	9.225	2	72						•		★
	<b>3" Trims</b> 3450LI	6" MR16 DOWNLIGHT REFLECTOR, POLYMER TRIM RING, SPECULAR CLEAR FINISH, HA6/MA6	623960220877	0.508	6	432						•		
	3470PIN	PINHOLE REFLECTOR FOR HA3MR	662400664321	0.6	6	480						•	★	
	<b>6" Downlight</b> HD6	VERTICAL 6" INCANDESCENT HOUSING	662400619024	4.75	1	72	•	•	•	•	•	•	•	★
	HD6CP	VERTICAL 6" INCANDESCENT CHICAGO PLENUM HOUSING	662400633280	6.25	1	45		•						★
	<b>7" Downlight</b> HD7	VERTICAL 7" INCANDESCENT HOUSING	662400620433	5.4	1	45		•				•	•	★

### Incandescent Accessories

	<b>Accessories</b> H836P	PENDANT KIT, 36", INCANDESCENT, WHITE	662400133681	2.4	1	50						•	★
	SA91	SOCKET ADAPTER MR16 75W MAX	662400317029	0.5	4	504						•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

## HID and Incandescent Recessed

### 6" Trims

6471LI	6" CUT CONE REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HA6/MA6	662400619758	0.7	1	360						•	★
6500LI	VERTICAL 6" DOWNLIGHT REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400625773	1.05	1	150						•	★
6601LI	VERTICAL 6" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD6/MD6	662400623564	0.75	1	144						•	★
6700LI	VERTICAL 6" MEDIUM BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400623243	0.8	1	252					•	•	★
6710LI	VERTICAL 6" WALL WASH REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD6/MD6	662400625704	0.95	1	144						•	★

### 7" Trims

7601LI	VERTICAL 7" DOWNLIGHT REFLECTOR, SELF FLANGED, SPECULAR CLEAR FINISH, HD7/MD7	662400620549	1.4	1	125						•	★
7750LI	VERTICAL 7" WIDE BEAM REFLECTOR, POLYMER TRIM, SPECULAR CLEAR FINISH, HD7/MD7	662400626541	1	1	150						•	★

## CFL, HID, and Incandescent Accessories

### CFL, HID, and Incandescent Accessories

#### Accessories

HB26	BAR HANGER, C-CHANNEL 26" LONG	662400136187	1.3	20	600	•	•			•	•	★
RMB22	22" LONG WOOD JOIST MOUNTING BARS	662401000821	0.866	4	756						•	★
DT7DISC	7" FROSTED DISC FOR USE ON 7" CFL, INCANDESCENT AND HID DOWNLIGHTS	662400680512	3.4	1	84						•	★

### CFL Accessories

#### Frosted Disc

DTC6DISC	6" FROSTED DISC DECORATIVE TRIM RING FOR 6-3/8" CFL	080083661121	2.45	1	72						•	
----------	---	--------------	------	---	----	--	--	--	--	--	---	--

CATALOG NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE QTY PALLET QTY NJ IL TX CA GA

# Iris

## Iris Platform

	<b>3" IC Rated LED</b> P3LED98301E0-10V/TE	3" IC RATED LED HOUSING, 120V TE & 0-10V DIMMING	080083629961	15.5	1	20					•	•	
	<b>3" IC Rated Low Voltage</b> P3MR	3" IC RATED LOW VOLTAGE HOUSING	662400609674	10.35	1	48	•	•	•	•	•	★	
	<b>3" Non-IC Low Voltage</b> PN3MR	3" NON-IC LOW VOLTAGE HOUSING	662400609667	7.95	1	126	•	•	•	•	•	★	
	<b>3" Non-IC Low Voltage Remodel</b> RPN3MR RPN3MRSA	3" NON-IC LOW VOLTAGE REMODEL HOUSING 50W 3" NON-IC LOW VOLTAGE REMODEL HOUSING, SUPER ADJUSTABLE, 50W	623961149153 623961148545	4.5 4.45	1 1	140 140	•				•	•	★
	<b>4" Square IC Rated</b> P408ICAT P4MRICAT	4" IC RATED MODULAR HOUSING 4" SQUARE IC MR16 HOUSING	623961387203 623961542787	9.05 8.9	2 2	40 40					•	•	
	<b>4" Square Non-IC</b> P406TAT P4MRTAT	4" SQUARE NON-IC MODULAR HOUSING 4" SQUARE NON-IC MR16 HOUSING	623961082795 623961542770	8.9 8.9	2 2	48 64					•	•	★
	<b>5" IC Rated</b> P5	5" IC RATED MODULAR HOUSING	662400611356	7	1	48	•	•	•	•	•		
	<b>5" Non-IC</b> PN5	5" NON-IC MODULAR HOUSING	622697326531	6.95	1	75					•	★	
	<b>6" Square Non-IC</b> PN61H42E	6" SQUARE NON-IC 26/32/42W CFL HOUSING, 120 - 277V	080083629985	8.9	2	64					•	★	












★ Indicates ARRA Eligible Product  Indicates EISA Compliant Pulse Start Products  Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Iris Power Modules</b>										
	<b>Compact Fluorescent Electronic Ballast</b> M42T      26/32/42W COMPACT FLUORESCENT ELECTRONIC BALLAST MODULE	662400621287	1.175	6	384				•	• ★
	<b>Compact Fluorescent</b> MH4CFL42E      26W DTT, 26/32/42W TTT, COMPACT FLUORESCENT	623961448515	2.03	6	120				•	★
	<b>4" Square MR16 Low Voltage - MA4MR</b> MA4MR      4" SQUARE ADJUSTABLE MR16 LOW VOLTAGE MODULE	623961379352	5.35	12	144				•	•
	<b>4" Square MR16 Low Voltage - MV4MR</b> MV4MR      4" SQUARE VERTICAL MR16 LOW VOLTAGE MODULE	623961677809	1.2	1	400				•	★
	<b>4" Line Voltage</b> MH4BT      4" SQUARE HROIZONTAL BT15 TUNGSTEN-HALOGEN LAMP MODULE	623961611278		1	6	240			•	★
	<b>5" and 7" Line Voltage Downlight</b> M120      5" AND 7" LINE VOLTAGE A AND PAR LAMP DOWNLIGHT MODULE	662400615415	0.3	16	1920	•	•		•	• ★
	<b>5" Line Voltage</b> M5P30      5" PAR30 ADJUSTABLE LINE VOLTAGE MODULE	662400615422	1.3	6	288				•	★
	<b>7" Line Voltage</b> M7P38      7" PAR38 ADJUSTABLE LINE VOLTAGE MODULE	662400621294	2	6	120				•	★
<b>Iris Optical Element</b>										
	<b>3" Adjustable Accent</b> E3AAC      3" ADJUSTABLE ACCENT, CLEAR REFLECTOR	662400684831	0.53	6	480				•	
	E3AAH      3" ADJUSTABLE ACCENT, HAZE REFLECTOR	080083666737	0.45	6	480				•	
	<b>3" Downlight Pinhole</b> E3DNPIN      3" DOWNLIGHT PINHOLE	662400635116	0.7	6	240				•	★












★ Indicates ARRA Eligible Product    Indicates EISA Compliant Pulse Start Products    Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 <b>3" Downlight Shower</b> E3SRH	3" DOWNLIGHT SHOWER, HAZE REFLECTOR	662400685470	0.6	6	432					•	★	
 <b>3" Lensed Shower Adjustable Accent</b> E3AASRPIN	3" LENSED SHOWER ADJUSTABLE ACCENT PINHOLE	662400684251	0.6	6	288					•	★	
 <b>3" MR16 Downlight - Black Baffle</b> E3MRBB	3" MR16 DOWNLIGHT, BLACK BAFFLE	662400685760	0.4	6	480					•	★	
 <b>3" MR16 Downlight</b> E3MRC E3MRCSF E3MRH E3MRWB	3" MR16 DOWNLIGHT, CLEAR REFLECTOR 3" MR16 DOWNLIGHT, CLEAR REFLECTOR, SELF FLANGED 3" MR16 DOWNLIGHT, HAZE REFLECTOR 3" MR16 DOWNLIGHT, WHITE BAFFLE	662400685357 662400683919 662400685364 662400685777	0.6 0.4 3.25 0.4	6 6 20 6	432 480 800 480					• • • •	★ ★ ★ ★	
 <b>3" Pinhole</b> E3PIN	3" PINHOLE	662400684183	0.7	6	480					•	•	★
 <b>3" Super Adjustable</b> E3SA	3" SUPER ADJUSTABLE	623961149191	1.42	6	252					•	★	
 <b>4" Lensed Shower Adjustable Accent</b> E4AASRH E4AASRHSF	4" LENSED SHOWER ADJUSTABLE ACCENT, HAZE REFLECTOR 4" LENSED SHOWER ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366406 623961366413	1 1	36 1	144 50					• •	★ ★	
 <b>4" Lensed Shower Downlight</b> E4DLSRH E4DLSRHSF	4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR 4" LENSED SHOWER DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961359583 623961359590	1 1.2	6 6	180 300					• •	★ ★	
 <b>4" Square Adjustable Accent</b> E4AAH E4AAHSF	4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR 4" SQUARE ADJUSTABLE ACCENT, HAZE REFLECTOR, SELF FLANGED	623961366369 623961366376	1 1	36 36	288 288					• •	★ ★	
 <b>4" Square Downlight</b> E4DLH E4DLHSF	4" SQUARE DOWNLIGHT, HAZE REFLECTOR 4" SQUARE DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	623961366321 623961366338	1 1	36 6	288 360					• •	★ ★	
 <b>4" Square Lensed Wall Wash</b> E4LWWH E4LWWHSF	4" SQUARE LENSED WALL WASH, HAZE REFLECTOR 4" SQUARE LENSED WALL WASH, HAZE REFLECTOR, SELF FLANGED	080083577477 080083577460	0.49 0.49	6 6	72 72					• •	★ ★	

★ Indicates ARRA Eligible Product E Indicates EISA Compliant Pulse Start Products Off The Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit www.cooperlighting.com for more product information.


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>4" Square Regressed Lensed Wall Wash</b>										
 E4RLWW	4" SQUARE REGRESSED LENSED WALL WASH, SELF FLANGED, MATTE WHITE	080083583386	1	6	420					•
E4RLWWRL	4" SQUARE REGRESSED LENSED WALL WASH, RIMLESS, MATTE WHITE	080083583393	1	6	420					•
<b>4" Square Pinhole</b>										
 E4PIN	4" SQUARE PINHOLE, WHITE	623961366444	0.8	36	288					•
E4PINRL	4" SQUARE PINHOLE, WHITE, RIMLESS	623961366451	1	6	420					•
<b>4" Square Regressed Pinhole</b>										
 E4RPIN	4" SQUARE REGRESSED PINHOLE, WHITE	623961366482	0.866	6	420					•
E4RPINRL	4" SQUARE REGRESSED PINHOLE, WHITE, RIMLESS	623961366499	1	6	420					•
<b>4" Square Regressed Shower Pinhole</b>										
 E4RPINSR	4" SQUARE REGRESSED SHOWER PINHOLE, WHITE SHOWER	623961366505	1	6	420					•
<b>4" Square Shower Pinhole</b>										
 E4PINSR	4" SQUARE SHOWER PINHOLE, WHITE	623961366468	1	6	420					•
E4PINSRRL	4" SQUARE SHOWER PINHOLE, WHITE, RIMLESS	080083521746	0.866	6	420					•
<b>4" Parabolic Lower Shielding Reflector</b>										
 E4MRH	4" SQUARE DOWNLIGHT, HAZE REFLECTOR	623961520594	0.31	6	240					• ★
<b>5" Adjustable Accent</b>										
 E5AAH	5" ADJUSTABLE ACCENT, HAZE REFLECTOR	662400624271	0.98	6	360					• ★
E5AAWB	5" ADJUSTABLE ACCENT, WHITE BAFFLE	662400621232	0.8	6	360					• ★
<b>5" A Lamp Downlight and Wall Wash</b>										
 E5A19C	5" A LAMP DOWNLIGHT, CLEAR REFLECTOR	662400613176	1.2	6	120					• ★
E5A19H	5" A LAMP DOWNLIGHT, HAZE REFLECTOR	662400615934	1.63	6	144					• ★
E5A19WWC	5" A LAMP WALL WASH, CLEAR REFLECTOR	662400615729	1.4	6	120					• ★
<b>5" CFL Downlight</b>										
 E5TC	5" CFL DOWNLIGHT, CLEAR REFLECTOR	662400615958	1.2	6	84					• ★
E5TH	5" CFL DOWNLIGHT, HAZE REFLECTOR	662400615965	1.04	6	72					• ★
<b>5" PAR30 Downlight</b>										
 E5P30G	5" PAR30 DOWNLIGHT, GOLD REFLECTOR	662400615989	1.2	6	144					• ★
E5P30H	5" PAR30 DOWNLIGHT, HAZE REFLECTOR	662400615996	1.37	6	144					• ★
E5P30WB	5" PAR30 DOWNLIGHT, WHITE BAFFLE	662400673149	1.05	6	144					• ★
<b>6" Square Downlight</b>										
 E6DLLI	6" SQUARE DOWNLIGHT, LOW IRRIDESCENT CLEAR REFLECTOR	080083595051	1.3	6	288					•
E6DLHSF	6" SQUARE DOWNLIGHT, HAZE REFLECTOR, SELF FLANGED	080083596607	1.3	6	288					•
E6LWWHSF	6" SQUARE LENSED WALL WASH, HAZE SELF FLANGED REFLECTOR	080083596928	1.3	6	288					•


★ Indicates ARRA Eligible Product    E Indicates EISA Compliant Pulse Start Products    OTS Indicates Off the Shelf Product

Please reference the Cooper Lighting Stock Guide Terms and Conditions page. Pictures are a representation of product categories and may not illustrate the exact skus listed. Product information is subject to change without notice. Consult factory representative for additional information and inventory details. Visit [www.cooperlighting.com](http://www.cooperlighting.com) for more product information.

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
 E7LUNA	<b>7" Decorative Lens Shower Downlight</b> 7" DECORATIVE LENS SHOWER DOWNLIGHT	662400628422	2.4	6	96						•	★

**Iris Components & Accessories**

<b>Lenses</b>													
 LHEX	2" HEX CELL LOUVER	662400614845	0.04	50	6000							•	★
LSPD	2" SPREAD LENS	662400614715	0.05	50	5000							•	★

<b>Mount Collars</b>													
 FMC3	3" FLUSH MOUNT COLLAR	622696870677	0.625	6	600							•	★
FMC5	5" FLUSH MOUNT COLLAR	622696870684	0.8	6	576							•	★

LC16KIT	RETROFIT LAMP CAPSULE KIT FOR PN3MR	623961078651	0.17	36	432							•	
PLR4X4	4" PLASTER LATHING RING	623961523991	0.43	180	2160							•	
RLA4X4	4" RIMLESS ADAPTER	623961524912	0.38	6	750							•	
RA4X4	4" SQUARE RIMLESS ADAPTER	080083603169	1.25	12	600							•	
RA6X6	6" SQUARE RIMLESS ADAPTER	080083594795	0.43	12	216							•	
RG50FL40	50MM GLASS LED REFLECTOR, 40 DEGREE	080083615261	1	1	12							•	
RG50MH	50MM LED REFLECTOR MEDIA HOLDER	080083617623	0.79	6	432							•	★
RG50NFL25	50MM GLASS LED REFLECTOR, 25 DEGREE	080083615278	0.12	10	6240							•	
RG50NSP10	50MM GLASS LED REFLECTOR, 10 DEGREE	080083615285	0.12	10	6240							•	
RG50SP15	50MM GLASS LED REFLECTOR, 15 DEGREE	080083628742	1	1	10							•	



CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# Lumiere

## Accent / Flood

### Cambria - 203



#### Voltage - 203 LED

203-FL-10LED3041-12-BK	10W LED, BLACK, WIDE OPTIC, FLUSH LENS	080083632336	1.08	1	240						•	★
203-FL-10LED3041-12-BZ	10W LED, BRONZE, WIDE OPTIC, FLUSH LENS	080083632343	1.08	1	240						•	★



#### Low Voltage - 203

203-50MR16-12-BK	50W MR16 SIDE STEM, BLACK	080083694891	1.2	1	400						•	•	★
203-50MR16-12-BZ	50W MR16 SIDE STEM, BRONZE	080083694907	1.2	1	400						•	•	★
203-50MR16-12-CS	50W MR16 SIDE STEM, CITY SILVER	080083694914	1.2	1	400						•	•	★
203-50MR16-12-VE	50W MR16 SIDE STEM, VERDE	783363038476	1.2	1	400						•	•	★
203-50MR16-12-WT	50W MR16 SIDE STEM, WHITE	080083702268	1.2	1	400						•	•	★
203-CRS-50MR16-12-BZ	50W MR16 CENTER REAR SWIVEL STEM, BRONZE	080083694921	1.2	1	400						•	•	★
203-FL-50MR16-12-BZ	50W MR16 SIDE STEM FLUSH LENS, BRONZE	662400743415	1.08	1	240						•	•	★

### Cambria - 204



#### Low Voltage - 204

204-75MR16-12-BK	75W MR16 SIDE STEM, BLACK	783363038865	1.4	1	1728						•	•	★
204-75MR16-12-BZ	75W MR16 SIDE STEM, BRONZE	783363039305	1.4	1	280						•	•	★

### Cambria - 355



#### Line Voltage - 355

355-50MR16-120-BK	50W MR16 COMPOSITE BODY, BLACK	783363148540	2	1	100						•	•	★
-------------------	--------------------------------	--------------	---	---	-----	--	--	--	--	--	---	---	---

### Carmel - 403



#### Low Voltage - 403

403-50T4-12-BZ	50W T4 HALOGEN, BRONZE	783363041667	1.75	1	175						•	•	★
----------------	------------------------	--------------	------	---	-----	--	--	--	--	--	---	---	---

### Coronado - 806



#### Line Voltage - 806

806-50PAR20-120-BK	50W PAR20, SIDE STEM, BLACK	662400743934	1.6	1	52						•	•	★
806-50PAR20-120-BZ	50W PAR20 SIDE STEM, BRONZE	783363040134	1.65	1	320						•	•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
<b>Inground</b>										
<b>Monaco - 6000A-BB</b>										
	<b>Metal Halide, HPS, CFL - 6000A-BB</b> 6000A-BB      BACKBOX FOR MONACO 6000A, BLACK	623961123177	20	1	18					★
<b>Boca - 613</b>										
	<b>Low Voltage - 613</b> 613-50MR16-12-BK      50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, BLACK	662400742845	3.1	1	300					★
	613-50MR16-12-NBR      50W MR16, 4.5" DIAMETER OPEN APERTURE 22 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363038957	3.75	1	84					★
<b>Boca - 615</b>										
	<b>Low Voltage - 615</b> 615-50MR16-12-NBR      50W MR16, 6" DIAMETER SLOTTED APERTURE 35 DEGREE TILT 360 DEGREE ROTATE, NATURAL BRASS	783363039374	5.6	1	144					★
<b>Boca - 630</b>										
	<b>Low Voltage - 630</b> 630-50MR16-12-BK      50W MR16, 3.5" DIAMETER OPEN APERTURE, BLACK	783363039329	1.6	1	50					★
<b>Wall</b>										
<b>Westwood - 903</b>										
	<b>Low Voltage - 903 dual head</b> 903-2-50MR16-120/12-BZ      50W MR16 DUAL HEAD INTEGRAL TRANSFORMER, BRONZE	783363045313	5.35	1	112					★
	<b>Low Voltage - 903</b> 903-50MR16-120/12-BZ      50W MR16 SINGLE HEAD INTEGRAL TRANSFORMER, BRONZE	783363044798	1.9	1	60					★
<b>Westwood - 912</b>										
	<b>Line Voltage - 912 dual head</b> 912-2-50PAR20-120-BZ      50W PAR20 DUAL HEAD, BRONZE	783363087474	3.2	1	180					★
	<b>Line Voltage - 912</b> 912-50PAR20-120-BK      50W PAR20, BLACK	662400753667	1	1	200					★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

## Step

### Zuma - 1201



#### Low Voltage - 1201

1201-LA-35T4-12-BK	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BLACK	662400741947	1.4	1	200					•	★
1201-LA-35T4-12-BZ	35W T4 HALOGEN LOUVERED ALUMINUM FACEPLATE, BRONZE	783363039602	1.4	1	396					•	★

### Zuma - 1203



#### Low Voltage - 1203

1203-INC13-12-BZ	13W T5 INCANDESCENT EYELID FACEPLATE, BRONZE	662400761105	0.6	1	200					•	•	★
1203-INC13-12-WT	13W T5 INCANDESCENT EYELID FACEPLATE, WHITE	662400743927	0.6	1	40					•	★	

### Zuma - 1211



#### Compact Fluorescent - 1211

1211-LP-CF9-120-BK	9W TT LOUVERED POLYCARBONATE FACEPLATE, BLACK	783363038490	1.4	1	400					•	•	
1211-LP-CF9-120-WT	9W TT LOUVERED POLYCARBONATE FACEPLATE, WHITE	783363038483	1.6	1	288					•	★	

## Pathway

### Mau i - 1502



#### Low Voltage - 1502

1502-INC18-12-BK	18W S8 INCANDESCENT, BLACK	783363039411	2	1	120					•	★
1502-INC18-12-BZ	18W S8 INCANDESCENT, BRONZE	622697348359	1.65	1	200					•	★

### Cambria - 206



#### Low Voltage - 206

206-50MR16-12-BK	50W MR16, 13.375" SIDE STEM, BLACK	783363038988	1.7	1	390					•	★
206-50MR16-12-BZ	50W MR16, 13.375" SIDE STEM, BRONZE	662400743439	1.8	1	195					•	★

## Underwater

### Atlantis - 1407



#### Low Voltage - 1407

1407-75MR16-12-NBZ	75W MR16, NATURAL BRONZE	622697307103	6.4	1	125					•	★
--------------------	--------------------------	--------------	-----	---	-----	--	--	--	--	---	---

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

## Accessories



### Lenses, Louvers & Filters

DIF	DIFFUSED LENS FOR PAR20 LAMPS	662400756798	0.06	50	7500					•	•	★
QS-DIF-20	DIFFUSED LENS FOR MR16 LAMPS	783363047560	0.07	1	2000					•	•	★
LSL	LINEAR SPREAD LENS FOR MR16 FIXTURES	662401101856	0.05	20	2160					•	•	★
LVR	HEX CELL LOUVER FOR MR16 FIXTURES	662400740308	0.02	1	10500					•	•	★
LVR-1	HEX CELL LOUVER FOR MR11 FIXTURES	662400741381	0.001	1	6000					•	•	★
OSL	OVERALL SPREAD LENS FOR MR16 FIXTURES	662400741404	0.09	1	800					•	•	★



### Ground Mounting

GS03 BK	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BLACK	783363039008	0.54	1	100					•	•	★
GS03 BZ	GROUND SPIKE FOR LOW VOLTAGE FIXTURES ACCEPTS 1/2" NPS HUBS, BRONZE	783363038841	0.57	1	1000					•	•	★
GS05	GROUND SPIKE HEIGHT ADJUSTABLE POLYCARBONATE, BLACK	662400740537	0.6	1	600					•	•	★
GS08	GROUND SPIKE W/ SIDE OR BOTTOM WIRE WAY ABS	783363038735	0.28	1	500					•	•	★



### Optical Accessories

FH 203 BK	GLARE SHIELD FOR 203 FIXTURE, BLACK	783363038797	0.29	1	1536					•	•	★
FH 203 BZ	GLARE SHIELD FOR 203 FIXTURE, BRONZE	783363038704	0.27	1	1440					•	•	★
FH 203 WT	GLARE SHIELD FOR 203 FIXTURE, WHITE	783363044767	0.2	1	1536					•	•	★



### Surface, Wall & Tree Mounting

FS1 BK	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BLACK	783363039534		1	270					•	•	★
FS1 BZ	RECTANGULAR WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MB1, BRONZE	783363078960	0.2	66	3300					•	•	★
RS1 BK	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BLACK	783363039282	0.68	1	200					•	•	★
RS1 BZ	ROUND WALL PLATE/BOX COVER SINGLE MOUNT FOR USE WITH MBR1, BRONZE	783363040028	0.3	1	5000					•	•	★
TM01 BZ	ROUND MOUNT SURFACE/TREE, BRONZE	662400743583	0.2	1	2000					•	•	★
TM01 WT	ROUND MOUNT SURFACE/TREE, WHITE	662400743644	0.2	1	200					•	•	★
TM04 BZ	EXPANDING TREE STRAP FOR ONE FIXTURE, BRONZE	662400743576		1	500					•	•	★
TM05 BK	RECTANGULAR MOUNT SURFACE/TREE, BLACK	783363039312	0.25	1	1000					•	•	★
TM05 BZ	RECTANGULAR MOUNT SURFACE/TREE, BRONZE	783363038858	0.3	20	2100					•	•	★
TM05 WT	RECTANGULAR MOUNT SURFACE/TREE, WHITE	783363041834		1	1					•	•	★

CATALOG  
NUMBER

DESCRIPTION

UPC CODE WEIGHT CASE PALLETT  
QTY QTY NJ IL TX CA GA

**McGraw-Edison**

**Wall Mount**

**Impact**



**Trapezoid - Pulse Start Metal Halide**

MPIT10	100W MP MULTI-TAP W/LAMP BRONZE	623961932236	17	1	40						•	
MPIT15	150W MP MULTI-TAP W/LAMP BRONZE	623961904714	19	1	40						•	★



**Cylinder - Pulse Start Metal Halide**

MPIC10	100W MP MULTI-TAP W/LAMP BRONZE	623961932298	18.34	1	40						•	
MPIC15	150W MP MULTI-TAP W/LAMP BRONZE	623961904936	19	1	32						•	★



**Wedge - Pulse Start Metal Halide**

MPIW10	100W MP MULTI-TAP W/LAMP BRONZE	623961932250	16.9	1	32						•
--------	---------------------------------	--------------	------	---	----	--	--	--	--	--	---

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

## Fail-Safe

### Commercial Vandal Resistant Surface



**FPS**

FPS-232-UNV-EB81

VANDAL RESISTANT HIGH ABUSE  
POLYCARBONATE LUMINAIRE, 8.7"X50.3"X4.1"

622696936069

21

1

21

VRSD

VANDAL RESISTANT SCREW DRIVER

662400129509

0.2

200

5000

### Wall



**FB/IB**

IB-O-100-120

VANDAL RESISTANT HIGH ABUSE SURFACE  
LUMINAIRE 100W, 8.5" X 6" X 4.5"

662400712534

4

6

45

### Linear Fluorescent



**FWW**

FWW-232-UNV-EB81

WALL VANDAL WRAP, 4', TWO 32W T8 LAMP, WET  
LOCATION

622696471058

22

1

40

### Vapor Tight Fixture



**VRVT**

VRVT2-232DR-UNV-EB81-WL-  
U

VAPOR TIGHT FIXTURE, 4', TWO 32W T8 LAMP,  
WET LOCATION

662401820276

13.57

1

35

### Cleanroom

#### Troffer



**CFD**

CFDFA-332A125-UNV-EB81-U

CLEANROOM TROFFER, 2' X 4', THREE 32W T8  
LAMP, CLASS 1000 & ABOVE

080083589593

26

1

16

CFDFA-432A125-UNV-EB81-U






CLEANROOM TROFFER, 2' X 4', FOUR 32W T8  
LAMP, CLASS 1000 & ABOVE

080083545599

26.08

1

16


CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET					
				QTY	QTY	NJ	IL	TX	CA	GA	
<b>Medical</b>											
<b>Wall</b>											
	<b>MCL</b> MCL-A-120-W	NIGHTLIGHT / CHARTLIGHT, 120V, WHITE	080083653546	0.375	6	144					★
	<b>MHN</b> MHN-UNV-W	NIGHTLIGHT, HORIZONTAL LOUVER, UNV, WHITE	080083651634	0.375	6	144					★
	<b>MLN</b> MLN-UNV-BN	NIGHTLIGHT, VERTICAL LOUVER, UNV, BRUSHED NICKEL	080083651658	0.375	6	144					★
	MLN-UNV-W	NIGHTLIGHT, VERTICAL LOUVER, UNV, WHITE	080083651641	0.375	6	144					★
	<b>MSN</b> MSN-UNV-BN	NIGHTLIGHT, SCOOP, UNV, BRUSHED NICKEL	080083651764	0.375	6	144					★
	MSN-UNV-W	NIGHTLIGHT, SCOOP, UNV, WHITE	080083651627	0.375	6	144					★
<b>Undercabinet</b>											
	<b>MAS</b> MAS-32-UNV-IK12-EB81	UNDERCABINET, 32W T8 LAMP	080083589616	8.2	1	60					★
	MAS-32-120-IK12-EB81-RSW	UNDERCABINET, 32W T8 LAMP, WITH ROCKER SWITCH	080083589623	8.2	1	60					★




CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

## MWS


### Starter Fitting

	<b>277V</b> 27ST12/2G	277V 1-HOT, NEUTRAL AND GROUND	622697277604	0.9	60	1440						•	★
	27ST12/3G	277V 2-HOTS, NEUTRAL AND GROUND	622697277635	0.9	60	1620						•	★



### Extender Cables

	<b>277V</b> 27EC12/2G13	277V 1-HOT, NEUTRAL AND GROUND, 13' LENGTH	622697310158	3.4	6	108						•	★
	27EC12/2G17	277V 1-HOT, NEUTRAL AND GROUND, 17' LENGTH	622697310257	3.86	5	90						•	★
	27EC12/2G21	277V 1-HOT, NEUTRAL AND GROUND, 21' LENGTH	622697310370	7.35	4	72						•	★
	27EC12/4G26	277V 3-HOTS, NEUTRAL AND GROUND, 26' LENGTH	622697325169	11.7	4	96						•	★
	27EC12/2G09	277V 1-HOT, NEUTRAL AND GROUND, 9' LENGTH	622697309824	2.835	9	162						•	★

### Splitter

	<b>277V</b> 27SP12/4G	277V 3-HOTS, NEUTRAL AND GROUND	622697383220	0.9	36	864						•	★
--	--------------------------	---------------------------------	--------------	-----	----	-----	--	--	--	--	--	---	---

### Fixture Fitting

	<b>277V</b> 27FF12/4G	277V 2-HOTS, NEUTRAL AND GROUND	622697395483	0.9	32	864		•					★
	<b>120V</b> 12FF12/4G	120V 3-HOTS, NEUTRAL AND GROUND	622697395445	0.9	32	864		•				•	★

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA
----------------	-------------	----------	--------	----------	------------	----	----	----	----	----

## HID Accessories

### HID Accessories Industrial

ILMLAA5A	ACRYLIC TYPE 5 LENS, VERTIMARK II	662400116523	4	1	16					•	★
----------	-----------------------------------	--------------	---	---	----	--	--	--	--	---	---

### Industrial Component Accessory

PC3-277V	3 FOOT CORD WITH NEMA 277V L7-15P PLUG	662401550029	1	16	1536					•	★
----------	--	--------------	---	----	------	--	--	--	--	---	---

### Lumark

OA/RA1013	SHORTING CAP FOR NEMA TWISTLOCK PHOTOCONTROL RECEPTACLE, FLOODLIGHTS ACCESSORY	662400116974	0.14	1	1120					•	★
PB120V	BUTTON PHOTOCONTROL 120V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400121206	1.06	6	256					•	★
PB277V BUTTON PC	BUTTON PHOTOCONTROL 277V FIELD INSTALLABLE, WARRIOR, WALLY, Z-PAK, WAL-PAK, WAL-LITE	662400124283	0.6	1	12					•	★

### McGraw Edison

OA1090	ADJUSTABLE SLIPFITTER FOR 2 3/8" OD VERTICAL TENON	662400117322	4.4	1	126					•	★
--------	--	--------------	-----	---	-----	--	--	--	--	---	---

### Lumark and McGraw Edison

#### **Lumark Floodlight and McGraw Edison Galleria Square**

OA/RA1016	NEMA TWISTLOCK PHOTOCCELL 105-285V	662400117001	0.17	100	1800					•	★
-----------	------------------------------------	--------------	------	-----	------	--	--	--	--	---	---

#### **Lumark Floodlight and McGraw Edison Pole Bracket / Adapters**

TASQ-4-2	2 3/8" OD VERTICAL REMOVABLE TENON FOR 4" SQUARE STRAIGHT STEEL POLE BRONZE	662401692699	7.2	1	200					•	★
101-A22	TWO AT 180 DEGREE BULLHORN FOR 2 3/8" OD VERTICAL TENON BRONZE	662401675739	22	1	20					•	★
101-A23	TWO AT 180 DEGREE BULLHORN FOR 3 1/2" OD VERTICAL TENON BRONZE	662400673446	27.6	1	24					•	★
OA/RA1027	NEMA TWISTLOCK PHOTOCCELL 480V	662400117018	0.2	50	1000					•	★
RABBZ	RIGHT ANGLE BRACKET WALL MOUNT 8" BRONZE	662401691739	10	1	96	•	•	•		•	★
SAB	SIDE ANGLE BRACKET WALL MOUNT GALVANIZED	662400121107	10.2	1	72					•	★
SAB-BZ	SIDE ANGLE BRACKET WALL MOUNT BRONZE	662400971702	10	2	60					•	★
MA1011-BZ	TWO AT 180 DEGREE TENON ADAPTER FOR 3 1/2" OD VERTICAL TENON BRONZE, GALLERIA SQUARE	662400123897	17	1	160					•	★
TYS-BZ	TRUNNION YOKE SLIPFITTER FOR 2 3/8", 3" & 3 1/2" OD VERTICAL TENON BRONZE, FLOODLIGHTS ACCESSORY	080083521654	2.975	8	256					•	
101-J33	STEEL BRACKET FOR FLOODLIGHTS- 3 ARM ON 180 DEGREE SEPARATION	662401675944	38.8	1	200					•	★

CATALOG  
NUMBER

DESCRIPTION

UPC CODE    WEIGHT    CASE QTY    PALLET QTY    NJ    IL    TX    CA    GA

# Poles

## Poles

### Steel Poles

#### Accessories

AB1GF	3/4" X 25" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS, FULLY GALVANIZED	080083587544	3.15	4	200															★	
AB3	1" X 36" ANCHOR BOLT W/2 NUTS, 2 FLAT WASHERS	662400115038	7.1	4	100																★
TMP2	ANCHOR BOLT TEMPLATE 12 1/2" SSS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400119159	0.6	500	9000																★
TMP4	ANCHOR BOLT TEMPLATE 11" RTS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400124917	0.1	1	10000																★
TMP5	ANCHOR BOLT TEMPLATE 12 1/2" RTS 4-BOLT CIRCLE 1" ANCHOR BOLTS	662400124245	1	300	10800																★
AB1	3/4" X 25 ANCHOR BOLT W/2 NUTS, 2 FLAT WASHER	662400115014	3.15	4	200																★
TMP1	ANCHOR BOLT TEMPLATE 11" SSS 4-BOLT CIRCLE 3/4" ANCHOR BOLTS	662400119142	0.04	1200	9600																★



#### 4"

SSS4A15SFM4	4" SQUARE STRAIGHT STEEL X .120 X 15' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	623961350139		1	1	1															★
SSS4A20SFM4	4" SQUARE STRAIGHT STEEL X .120 X 20' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	622697005276		1	1	1															★
SSS4A25SFM4	4" SQUARE STRAIGHT STEEL X .120 X 25' M4 DRILL BRONZE INCLUDES HARDWARE KIT, MUST BE ORDERED WITH AB1 AND TMP1	662401143467	216	1	1	1															★



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET				
				QTY	QTY	NJ	IL	TX	CA	GA

## Controls


### Lighting Control Panels - Stand-Alone




	<b>LiteKeeper 4</b>																		
	LK4-277NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 277 VAC, NORMALLY OPEN RELAYS	080083594603	10	1	8						•	•	★					
	LK4-120NO	LITEKEEPER 4 STAND ALONE LIGHTING CONTROL PANEL, 120 VAC, NORMALLY OPEN RELAYS	080083592043	9.4	1	126						•	•	★					
	<b>LiteKeeper 8</b>																		
	LK8	LITEKEEPER 8 STAND ALONE LIGHTING CONTROL PANEL	080083594573	14.45	1	45							•	•					◊
	<b>LiteKeeper 16</b>																		
	LK16-120/277-S2-L0-M0-T0-HVBO	LITEKEEPER 16 STAND ALONE LIGHTING CONTROL PANEL	080083594580	27	1	1							•	•	★				◊
	<b>LiteKeeper Boards and Accessories</b>																		
	LK LB	LITEKEEPER LOGIC BOARD	080083594566	7.3	1	32							•	•					◊

### Occupancy Sensors - Wall/Corner Mount

	<b>OAWC-DT Dual Technology, Wall/Corner Sensor</b>																		
	OAWC-DT-120W	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083579563	0.808	10	250							•	•					◊
	OAWC-DT-120W-R	DUAL TECH WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083579570	0.83	1	80							•						◊
	<b>OAWC-P PIR, Wall/Corner Sensor</b>																		
	OAWC-P-120W	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE	080083577668	0.792	1	2							•						◊
	OAWC-P-120W-R	PIR WALL/CORNER SENSOR, WIDE ANGLE 120 DEGREE, W/BAS RELAY AND DAYLIGHT SENSOR	080083626304	0.818	2	360							•						◊

### Occupancy Sensors - Fixture Mount

	<b>OEF-P, High-Bay Fixture Mount Sensor</b>																		
	OEF-P-2MH0-MV-S	FIXTURE MOUNT PIR SENSOR, 2-WAY ( 360 DEGREE), 120-277V, SIDE MOUNT	623961699030	0.25	30	10							•	•					◊

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Occupancy Sensors - Line Voltage Ceiling Mount</b>											
	<b>OAC-DT, MicroSet Dual Tech Ceiling Sensor, Line Voltage</b>										
OAC-DT-2000-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, DUAL TECHNOLOGY, DUAL RELAY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579433	0.01	1	24				•		Ⓢ
OAC-DT-2000-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, DUAL TECHNOLOGY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579426	0.01	1	10				•		Ⓢ
	<b>OAC-P, MicroSet Passive Infrared Ceiling Sensor, Line Voltage</b>										
OAC-P-0500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579389	0.01	1	2				•		Ⓢ
OAC-P-0500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579396	0.01	10	0				•		Ⓢ
OAC-P-1500-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579402	0.01	1	8				•		Ⓢ
OAC-P-1500-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, PASSIVE INFRARED, DUAL RELAY, 360 DEGREE, 1500 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083608607	0.01	1	24				•		Ⓢ
	<b>OAC-U, MicroSet Ultrasonic Ceiling Sensor, Line Voltage</b>										
OAC-U-2000-DMV	MICROSET CEILING SENSOR W/ DAYLIGHT SENSOR, ULTRASONIC, DUAL RELAY, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083605927	0.01	0	0				•		Ⓢ

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA

## Occupancy Sensors - Low Voltage Ceiling Mount



### OAC-DT, MicroSet Dual Tech Ceiling Sensor, Low Voltage

OAC-DT-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579273	0.45	10	770														
OAC-DT-2000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579266	0.45	10	770														
OAC-DT-1000	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579242	0.01	1	120														
OAC-DT-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579259	0.45	10	770														
OAC-DT-0501	MICROSET CEILING SENSOR, DUAL TECHNOLOGY (PASSIVE INFRARED AND ULTRASONIC), 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579228	0.45	10	770														



### OAC-P, MicroSet Passive Infrared Ceiling Sensor, Low Voltage

OAC-P-0500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579136	0.45	10	770														
OAC-P-0500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579129	0.45	10	770														
OAC-P-1500-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579150	0.45	10	770														
OAC-P-1500	MICROSET CEILING SENSOR, PASSIVE INFRARED, 360 DEGREE, 1500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579143	0.45	10	770														



### OAC-U, MicroSet Ultrasonic Ceiling Sensor, Low Voltage









OAC-U-2000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579211	0.37	10	12														
OAC-U-2000	MICROSET CEILING SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 2000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579204	0.01	1	10														
OAC-U-1000-R	MICROSET CEILING SENSOR W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579198	0.01	1	4														
OAC-U-1000	MICROSET CEILING SENSOR, ULTRASONIC, 32 KHZ, 360 DEGREE, 1000 SQUARE FEET, 10-30 VDC, CLASS 2	080083579181	0.01	1	50														
OAC-U-0501-R	MICROSET CEILING SENSOR, W/BAS AND DAYLIGHT SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579174	0.01	1	8														
OAC-U-0501	MICROSET CEILING SENSOR, ULTRASONIC, 40 KHZ, 180 DEGREE, 500 SQUARE FEET, 10-30 VDC, CLASS 2	080083579167	0.01	10	0														
OAC-U-2000-MV	MICROSET CEILING SENSOR W/DAYLIGHT SENSOR, ULTRASONIC, 360 DEGREE, 2000 SQUARE FEET, 120 TO 347 VAC, 50/60 HZ	080083579419	0.01	1	2														

## Occupancy Sensors - Switchpack

















### Heavy Duty Switchpack

SP20-MV	SWITCHPACK, 120/277, 20A	080083503223	0.638	30	328														
---------	--------------------------	--------------	-------	----	-----	--	--	--	--	--	--	--	--	--	--	--	--	--	--

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA		
<b>Occupancy Sensors - Commercial Grade Wall Switches</b>												
	<b>OSW-P-1001-MV PIR, Single Level 120/277V</b>											
OSW-P-1001-MV-W	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	032664729775	0.36	40	990				•	•		
OSW-P-1001-MV-V	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	032664729782	0.36	40	990					•		
OSW-P-1001-MV-LA	PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	032664729799	0.36	30	50					•	•	
	<b>OSW-P-0451-DMV PIR, Dual Level 120/277V</b>											
OSW-P-0451-DMV-W	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083503490	0.358	50	2400				•	•		
OSW-P-0451-DMV-V	PIR DUAL LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083503513	0.356	50	1920					•	•	
<b>Occupancy Sensors - Light Commercial Wall Switches</b>												
	<b>OSW-P-0801-120 PIR, Single Level 120V</b>											
OSW-P-0801-120-W	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, WHITE	032664729829	0.314	1	990					•	•	
OSW-P-0801-120-LA	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, LIGHT ALMOND	032664729843	0.314	1	990						•	
OSW-P-0801-120-V	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, IVORY	032664729836	0.314	1	990					•	•	
OSW-P-0801-120-G	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, GRAY	032664729850	0.314	10	990						•	
OSW-P-0801-120-B	PIR SINGLE LEVEL 120V WALL SWITCH SENSOR, BLACK	032664730757	0.314	1	990						•	
	<b>VNW-P-1001-MV, NeoSwitch PIR, Single Level 120/277V</b>											
VNW-P-1001-MV-W	NEOSWITCH VACANCY PIR WHITE	080083644384	0.484	1	1					•		



CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE QTY	PALLET QTY	NJ	IL	TX	CA	GA	
<b>Occupancy Sensors - Specification Grade Wall Switches</b>											
	<b>ONW-D-1001-MV NeoSwitch Dual Tech, Single Level, No Neutral 120/277V</b>										
ONW-D-1001-MV-W	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524709	0.462	10	30				•	•	
ONW-D-1001-MV-V	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524716	0.45	10	1350				•	•	
ONW-D-1001-MV-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524723	0.458	1	300				•		
ONW-D-1001-MV-G	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, GRAY	080083524730	0.462	1	1				•	•	
ONW-D-1001-MV-B	NEOSWITCH DUAL TECH SINGLE LEVEL, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, BLACK	080083524747	0.464	1	1				•		
	<b>ONW-D-1001-DMV NeoSwitch Dual Tech, Dual Relay, No Neutral 120/277V</b>										
ONW-D-1001-DMV-W	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, WHITE	080083524754	0.5	10	1350				•	•	
ONW-D-1001-DMV-V	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, IVORY	080083524761	0.502	1	500				•	•	
ONW-D-1001-DMV-LA	NEOSWITCH DUAL TECH DUAL RELAY, NO NEUTRAL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524778	0.494	1	8				•		
	<b>ONW-D-1001-MV-N NeoSwitch Dual Tech, Single Level, with Neutral 120/277V</b>										
ONW-D-1001-MV-N-W	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, WHITE	080083524594	0.462	10	10				•	•	
ONW-D-1001-MV-N-V	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, IVORY	080083524600	0.468	10	200				•	•	
ONW-D-1001-MV-N-LA	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, LIGHT ALMOND	080083524617	0.464	10	10				•		
ONW-D-1001-MV-N-G	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, GRAY	080083524624	0.464	1	8				•	•	
ONW-D-1001-MV-N-B	NEOSWITCH DUAL TECH SINGLE LEVEL, 120/277V WALL SWITCH SENSOR, BLACK	080083524631	0.462	1	1				•		
	<b>ONW-D-1001-DMV-N NeoSwitch Dual Tech, Dual Relay, with Neutral 120/277V</b>										
ONW-D-1001-DMV-N-W	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, WHITE	080083524655	0.5	10	100				•	•	
ONW-D-1001-DMV-N-V	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, IVORY	080083524662	0.504	1	2				•	•	
ONW-D-1001-DMV-N-G	NEOSWITCH DUAL TECH DUAL RELAY, 120/277V WALL SWITCH SENSOR, GRAY	080083524686	0.5	1	1				•		
	<b>ONW-P-1001-MV NeoSwitch PIR, Single Level 120/277V</b>										
ONW-P-1001-MV-W	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, WHITE	080083523863	0.5	10	1200				•	•	
ONW-P-1001-MV-V	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, IVORY	080083523870	0.464	1	8				•	•	
ONW-P-1001-MV-G	NEOSWITCH PIR SINGLE LEVEL 120/277V WALL SWITCH SENSOR, GRAY	080083523894	0.48	1	8				•	•	
	<b>ONW-P-1001-DMV NeoSwitch PIR, Dual Relay 120/277V</b>										
ONW-P-1001-DMV-W	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, WHITE	080083524013	0.5	10	4				•	•	
ONW-P-1001-DMV-V	NEOSWITCH PIR DUAL RELAY 120/277V WALL SWITCH SENSOR, IVORY	080083524020	0.498	10	100				•	•	

CATALOG NUMBER	DESCRIPTION	UPC CODE	WEIGHT	CASE		PALLET						
				QTY	QTY	NJ	IL	TX	CA	GA		
<b>Vacancy Sensors - Low Voltage Ceiling Mount</b>												
	<b>VAC-DT MicroSet Dual Tech Ceiling Sensor, Low Voltage</b> VAC-DT-1000-R      CEILING VACANCY DT W/BAS 1000 SQ FT	080083605897	0.01	0	0					•		Ⓢ
	<b>VAC-U MicroSet Ultrasonic Ceiling Sensor, Low Voltage</b> VAC-U-1000-R      CEILING VACANCY US W/BAS 1000 SQ FT	080083605835	0.01	0	0					•		Ⓢ

# ARRA

*Cooper Lighting is uniquely positioned to help customers take advantage of the vast opportunities brought forth by the passing of the American Recovery and Reinvestment Act (ARRA)*



## **The American Recovery and Reinvestment Act**

*On February 17, 2009 Congress passed the final version of the financial stimulus legislation "American Recovery and Reinvestment Act," also called ARRA. ARRA contains a strong "Buy American" provision to ensure the support of domestic companies and domestic workers.*

### *Elements of the Act*

- Revive the renewable energy industry and provide the capital over the next three years to eventually double domestic renewable energy capacity.
- Enact the largest increase in funding of our nation's roads, bridges, and mass transit systems since the creation of the national highway system in the 1950s.
- Invest \$4.5B on Energy Delivery and Reliability, and \$16.8B on Energy Efficiency.

***We have added an additional column to the Cooper Lighting stock guide so that you will be able to easily identify products in our inventory that meet ARRA requirements.***

### **Look for the ★**

*This guide only represents a small portion of the products Cooper Lighting has to offer. If you have any questions or need additional information on these or other products that are to be used on ARRA Stimulus, or government projects please contact one of our customer service experts and they will give you detailed information to ensure the product qualifies for the specific project.*

*ARRA identified items in this guide are for informational purposes only and represent products that Cooper has initially determined to be eligible under the Buy American provision (section 1605) of the American Recovery and Reinvestment Act (ARRA) for federally-funded ARRA projects. Cooper Lighting will provide an appropriate certification upon request after reviewing eligibility requirements and funding sources of a specific project.*

*As noted in this guide, the products were produced in the United States, in a Free Trade Agreement (FTA) country, a Least Developed Country (LDC), or in a World Trade Agreement Government Procurements Agreement (WTO GPA) country. If produced in an FTA country, LDC, or WTO GPA country, Cooper Lighting understands that the project must meet the applicable contract thresholds in order for the goods to be eligible for ARRA funding. Cooper Lighting has not sought nor has it received any waiver of the ARRA Buy American provision.*

*This guide does not provide country of origin or certification that any listed products satisfy the requirements of any applicable free trade agreements.*

***Remember, The Buy American Indicator ★ is for Stock Guide items ONLY. For all other products, please contact your Customer Service Representative.***



*For additional information on ARRA and Stimulus visit [www.cooperindustries.com/stimulusrecovery/index.cfm](http://www.cooperindustries.com/stimulusrecovery/index.cfm)*

# Cooper Lighting, L.L.C.

## Terms and Conditions

### 1. Applicable Terms and Conditions

(a) These terms and conditions of sale establish the rights, obligations, and remedies of Buyer and Seller that apply to any order issued by Buyer for the purchase of Seller's products and/or services ("Products"). No additional or different terms or conditions, whether contained in Buyer's purchase order form or in any other document or communication pertaining to Buyer's order, will be binding on Seller unless accepted in writing by an authorized representative of Seller. Seller expressly objects to and rejects any additional or different terms and conditions, which shall be ineffective.

(b) If Seller's order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions is found to be an acceptance of an offer, acceptance is expressly made conditional upon Buyer's assent solely to these terms and conditions, and acceptance of any part of Products delivered by Seller shall be deemed to constitute such assent by Buyer. If the order acknowledgement, invoice, other document, or electronic transmittal including or attaching these terms and conditions constitutes an offer, Buyer's acceptance of the offer is hereby limited to the terms of the offer.

### 2. Price, Payment Terms, and Title

(a) All prices represent those in effect at the time of quotation and are subject to change without notice. Unless prices are bid or quoted as "firm," Seller reserves the right to invoice at prices in effect at the date of shipment, regardless of any prior bid and whether notice was received by Buyer. Prices are stated in United States dollars unless otherwise indicated, are exclusive of shipping, handling, shipping insurance, duties, and sales, use, excise or similar taxes. Export packaging or any other special handling requested by Buyer will be at Buyer's expense. A service charge of \$25 will be assessed for any order less than \$100.

(b) Buyer acknowledges that the pricing of the Products has been set based on the agreed allocation of risks contained in these terms and conditions. If, notwithstanding the provisions of these terms and conditions, a court of competent jurisdiction determines that Buyer's terms and conditions apply to an order, then Seller shall have the right to either (i) modify the prices (including retroactively) according to the additional level of risk and responsibility that Buyer's terms and conditions require Seller to undertake, or (ii) cancel the order any time after such a determination without liability for the termination other than for the Products already delivered on these terms and conditions.

(c) Unless different credit terms have been extended to Buyer in writing by Seller, payment terms are net 30 days after delivery or date of invoice, whichever first occurs, in the currency invoiced. Seller reserves the right to modify or withdraw credit terms at any time without notice. If Buyer fails to fulfill the terms of payment, Seller may defer further shipments to Buyer or, at its option, cancel the unshipped portions of Buyer's orders. Buyer agrees to pay interest on all past due invoices at the lesser of 18% per annum, compounded monthly, or the highest contractual rate allowable under the law.

(d) Until full payment of all obligations of the Buyer for an order, Seller reserves the title (but not the risk of loss) to all Products furnished under that order. If the Buyer defaults in payment or performance or becomes subject to insolvency, receivership or bankruptcy proceedings or makes an assignment for the benefit of creditors, or without the consent of Seller voluntarily or involuntarily sells, transfers, leases or permits any lien or attachment on the Products, Seller may treat all amounts then or thereafter owing by Buyer to be immediately due and payable and Seller at its election may repossess Products for which Buyer has not paid in full. In the event of repossession of Products under this section, Buyer agrees that Seller may enter the premises where the Products may be located and remove them without notice and without being liable to Buyer for such repossession. Buyer will not set off invoiced amounts or any portion thereof against sums that are due or may become due from Seller, its parents, affiliates, or subsidiaries. Buyer grants Seller a security interest in all Products for which title has passed (including all after-acquired Products) that Seller sells Buyer and all proceeds of Products (including but not limited to all products in which Products are incorporated and any funds and products that Buyer receives in exchange for Products). Buyer consents to Seller's execution of any documents to evidence and perfect this security interest, and agrees to execute the same if requested by Seller.

### 3. Delivery and Risk of Loss

(a) Unless otherwise agreed in writing, all deliveries of Products will be EXW (Incoterms 2000) Seller's facility. Products will be packed in Seller's standard commercial shipping packages. Charges for shipping may not reflect net transportation costs paid by Seller. Buyer shall reimburse Seller for all costs of storage and handling incurred by Seller after the date that Seller is prepared to make shipment.

(b) Delivery and shipping dates are approximate and represent Seller's best estimate of the time required to make delivery or shipment. Time is not of the essence with respect to the transactions covered by these terms and conditions, except with respect to Buyer's obligation to make all related payments. Seller's obligations under these terms and conditions will be dependent upon Seller's ability to obtain necessary raw materials and components. Seller shall have the right to make partial deliveries and to ship up to forty (40) days in advance of shipping date.

### 4. Acceptance

Acceptance shall occur, if not before, when Buyer fails to reject within ten (10) days after delivery of the Products. Buyer may rightfully reject only when a reasonable inspection shows that the Products fail to conform substantially to the specifications for the Products. Buyer waives any right to revoke acceptance. Buyer's remedies for any nonconformity detected after acceptance are limited to those expressly provided in these terms and conditions for breach of warranty.

### 5. Limited Warranty

(a) Seller warrants to each original Buyer of Products that Products are, at the time of delivery to the Buyer, in good working order and conform to Seller's official published specifications, provided that no warranty is made with respect to any Product, ballasts, lamps, component parts, or accessories manufactured by others but supplied by Seller.

(b) Seller's obligation under this warranty for any Product provided not to be as warranted within the applicable warranty period is limited to, at its option, replacing the Product, refunding the purchase price of the Product, or using reasonable efforts to repair the Product during normal business hours at any authorized service facility of Seller. All costs of transportation of any Product claimed not to be as warranted and of any repaired or replacement Product to or from such service facility shall be borne by Buyer.

(c) Seller may require the return of any Product claimed not to be as warranted to one of its facilities as designated by Seller, transportation prepaid by Buyer, to establish a claim under this warranty. The cost of labor for removing a Product and for installing a repaired or replacement Product shall be borne by Buyer. Replacement parts provided under the terms of this warranty are warranted for the remainder of the warranty period of the Products in which they are installed to the same extent as if such parts were original components. Warranty services provided under these terms and conditions do not assure uninterrupted operations of Products; Seller shall not be liable for damages caused by any delays involving warranty service.

(d) The warranty period for Products is twelve (12) months from the date of shipment unless otherwise agreed by Seller in writing.

(e) EXCEPT FOR THE EXPRESS WARRANTY SET FORTH ABOVE, SELLER PROVIDES PRODUCTS AS-IS AND MAKES NO OTHER REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, REGARDING THE PRODUCTS, THEIR FITNESS FOR ANY PARTICULAR PURPOSE, THEIR MERCHANTABILITY, THEIR QUALITY, THEIR NONINFRINGEMENT, OR OTHERWISE. IN NO EVENT SHALL SELLER BE LIABLE FOR THE COST OF PROCUREMENT OR INSTALLATION OF SUBSTITUTE GOODS. THIS WARRANTY SPECIFICALLY EXCLUDES POLE FAILURE RESULTING FROM A THIRD-PARTY ACT OR OMISSION, MISUSE, UNANTICIPATED USE, FATIGUE, FAILURE, OR SIMILAR PHENOMENA RESULTING FROM INDUCED VIBRATION, HARMONIC OSCILLATION, OR RESONANCE FROM AIR CURRENT MOVEMENT AROUND THE PRODUCT. THIS WARRANTY SPECIFICALLY EXCLUDES POLES INSTALLED WITHOUT THE LUMINAIRES OR WITH UNAPPROVED DEVICES SUCH AS BANNERS, PENNANTS, CAMERAS, OR SIGNS, FOR WHICH THE POLE WAS NOT DESIGNED. USE OF SUCH ACCESSORIES MAY RESULT IN INJURY, DEATH OR PROPERTY DAMAGE. THIS WARRANTY SPECIFICALLY EXCLUDES POLES USING PRE-EXISTING ANCHORAGES, ANCHOR BOLTS, OR BOLT ADAPTERS NOT SUPPLIED BY COOPER LIGHTING. IT ALSO EXCLUDES ISSUES RELATED TO FOUNDATION OR SOIL CONDITIONS AT THE INSTALLATION SITE.

### 6. LIMITATION OF LIABILITY

IN NO EVENT WILL SELLER BE LIABLE FOR ANY SPECIAL DAMAGES, CONSEQUENTIAL DAMAGES, INDIRECT DAMAGES, INCIDENTAL DAMAGES, STATUTORY DAMAGES, EXEMPLARY OR PUNITIVE DAMAGES, LOSS OF PROFITS, LOSS OF REVENUE, LIQUIDATED DAMAGES, OR LOSS OF USE, EVEN IF INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. SELLER'S LIABILITY FOR DAMAGES ARISING OUT OF OR RELATED TO A PRODUCT SHALL IN NO CASE EXCEED THE PURCHASE PRICE OF THE PRODUCT FROM WHICH THE CLAIM ARISES. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THESE LIMITATIONS AND EXCLUSIONS WILL APPLY WHETHER SELLER'S LIABILITY ARISES OR RESULTS FROM BREACH OF CONTRACT, BREACH OF WARRANTY, TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE, GROSS NEGLIGENCE, MALICE, OR INTENTIONAL CONDUCT), STRICT LIABILITY, BY OPERATION OF LAW, OR OTHERWISE.

### 7. Cancellation and Return of Products

Orders shall not be subject to cancellation or modification either in whole or in part without Seller's written consent and then only with terms that will reimburse Seller for all applicable costs incurred by virtue of the sale, including costs of purchased materials, engineering costs and a reasonable allowance for profit. Seller's written consent must be given in advance of Buyer's return of Products for credit. Seller reserves the right to cancel any sale of Products without liability to Buyer (except for refund of monies already paid), if the manufacturer or sale of the goods is or becomes technically or economically impractical.

### 8. Force Majeure

Seller shall not be liable for any failure to perform or delay in performing its obligations resulting directly or indirectly from or contributed to by any acts of God, acts of Buyer or those under Buyer's control, acts of government or other civil or military authorities, priorities, strikes, or other labor disputes, fires, accidents, floods, epidemics, war, riot, embargoes, delays in transportation, lack of or inability to obtain raw materials, components, labor, fuel or supplies, or other circumstances beyond Seller's reasonable control ("Force Majeure Event"). If Seller elects, the time for performance shall be extended by a period of time equal to the time lost because of any delays caused by reasons of a Force Majeure Event. Should Seller be prevented from completing Buyer's order or any part thereof because of any Force Majeure Event, then Buyer agrees promptly upon request and upon receipt of invoice therefor, to pay Seller for any Product or Products then completed.

### 9. Work Product

"Work Product" shall include, without limitation, all designs, discoveries, creations, works, devices, masks, models, work in progress, service deliverables, inventions, products, special tooling, computer programs, procedures, improvements, developments, drawings, notes, documents, business processes, information and materials made, conceived or developed by Seller alone or with others that result from or relate to the Products. All Work Product shall at all times be and remain the sole and exclusive property of Seller. Buyer hereby agrees to irrevocably assign and transfer to Seller and does hereby assign and transfer to Seller all of its worldwide right, title and interest in and to the Work Product including all associated intellectual property rights. Buyer hereby waives any and all moral and other rights in any Work Product or any other intellectual property created, developed or acquired in respect of the Products. Seller will have the sole right to determine the treatment of any Work Product, including the right to keep it as trade secret, execute and file patent applications on it, to use and disclose it without prior patent application, to file registrations for copyright or trademark in its own name or to follow any other procedure that Seller deems appropriate. All tools and equipment supplied by Buyer to Seller shall remain the sole property of Seller.

### 10. Confidentiality

(a) Buyer may acquire knowledge of Seller Confidential Information (as defined below) in connection with Products and/or its performance hereunder and agrees to keep Seller Confidential Information in confidence during and following termination or expiration of this Agreement. "Seller Confidential Information" includes but is not limited to all information, whether written or oral, in any form, including, without limitation, information relating to the research, development, products, methods of manufacture, trade secrets, business plans, customers, vendors, finances, personnel data, Work Product, and other material or information considered proprietary by Seller relating to the current or anticipated business or affairs of Seller that is disclosed directly or indirectly to Buyer. In addition, Seller Confidential Information means any third party's proprietary or confidential information disclosed to Buyer in the course of providing Products to Buyer.

(b) Buyer agrees not to copy, alter or directly or indirectly disclose any Seller Confidential Information. Additionally, Buyer agrees to limit its internal distribution of Seller Confidential Information to Buyer's employees who have a need to know, and to take steps to ensure that the dissemination is so limited. In no event will Buyer use less than the degree of care and means that it uses to protect its own information of like kind, but in any event not less than reasonable care to prevent the unauthorized use of Seller Confidential Information. Buyer may disclose Seller Confidential Information that is required to be disclosed pursuant to a requirement of a government agency or law but only after Buyer provides prompt notice to Seller of such requirement and gives Seller the opportunity to challenge or limit the scope of the disclosure.

(c) Buyer further agrees not to use Seller Confidential Information except in the course of performing hereunder and will not use such Seller Confidential Information for its own benefit or for the benefit of any third party. All Seller Confidential Information is and shall remain the property of Seller. Upon Seller's written request, Buyer shall return, transfer or assign to Seller all Seller Confidential Information, including all Work Product, and all copies containing Seller Confidential Information.

### 11. Patent Indemnity

In the event any Product is made in accordance with drawings, samples or manufacturing specifications designated by Buyer, Buyer agrees to indemnify, defend and hold Seller harmless from any and all damages, costs and expenses (including attorney's fees) relating to any claim arising from or relating to the design, distribution, manufacture, marketing, sale, or use of the Product or arising from or relating to a claim that such Product furnished to Buyer by Seller, or the use thereof, infringes any claim of any patent, foreign or domestic, and Buyer agrees at its own expense to undertake the defense of any suit against Seller brought upon such claim or claims.

### 12. Changes in Product Design or Manufacture

Seller shall have the right to change, discontinue or modify the design and construction of any of its products and to substitute material equal to or superior to that originally specified.

### 13. Software License

Software, if included with a Product, is hereby licensed and not sold. The license is nonexclusive, and is limited to use with the Product with which it is included. No other use is permitted and Seller retains for itself (or, if applicable, its suppliers) all title and ownership to any software delivered hereunder, all of which contains confidential and proprietary information and which ownership includes without limitation all rights in patents, copyrights, trademarks and trade secrets. Buyer shall not attempt any sale, transfer, sublicense, reverse compilation or disassembly (save to the extent expressly permitted by law) or redistribution of the software. Buyer shall not copy, disclose or display any such software, or otherwise make it available to others.

### 14. Compliance with Laws

Buyer shall comply with all laws and regulations applicable to Products, including but not limited to all applicable import and export laws and regulations. Buyer and Buyer's Agent shall provide all information requested by Seller relating to Seller's voluntary or mandatory compliance with any law or regulation, and Buyer shall indemnify Seller for any losses incurred by Seller arising from Buyer's or Buyer's Agent's failure to provide the information requested by Seller.

### 15. Waiver

No waiver of any provision of these terms and conditions (or any right or default hereunder) shall be effective unless in writing and signed by an authorized representative of Seller. Any such waiver shall be effective only for the instance given, and shall not operate as a waiver with respect to any other rights or obligations under these terms and conditions or applicable law in connection with any other instances or circumstances.

### 16. Language

The parties have expressly required that these terms and conditions be prepared in the English language. *Les parties aux présentes ont expressément exigé que les présents termes et les bons de commandes émis aux termes des présentes soient rédigés en langue Anglaise.*

### 17. Choice of Law and Dispute Resolution

Except as set forth below, these terms and conditions shall be governed by and construed in accordance with the laws of the State of Texas, without reference to its choice of law rules. If both Seller and Buyer are incorporated under the laws of Canada or a province of Canada, these terms and conditions shall be governed by and construed in accordance with the laws of the Province of Ontario and the federal laws of Canada. If Buyer is incorporated in the United States, any claim or litigation arising out of or relating to Products shall be brought exclusively in a court of competent jurisdiction in Harris County, Texas. If Buyer is incorporated outside of the United States, any dispute will be resolved by arbitration in Houston, Texas, by three arbitrators and under the International Chamber of Commerce Rules of Arbitration. The language of the arbitration will be English. In all cases, Buyer and Seller expressly exclude from application the United Nations Convention on Contracts for the International Sale of Goods.

### 18. Assignment

Buyer may not assign, transfer or subcontract the performance of its services, or any of its rights and/or obligations hereunder, without Seller's prior written consent.

### 19. Severability

If any provision of these terms and conditions is determined to be illegal, invalid, or unenforceable, the validity and enforceability of the remaining provisions of these terms and conditions will not be affected and, in lieu of such illegal, invalid, or unenforceable provision, there will be added, as part of these terms and conditions, one or more provisions as similar in terms as may be legal, valid and enforceable under applicable law.

CL 022311

### Eaton's Cooper Lighting Business

Headquarters  
1121 Highway 74 South  
Peachtree City, GA 30269  
P: 770-486-4800  
www.cooperlighting.com

### Canada Sales

5925 McLaughlin Road  
Mississauga, Ontario L5R 1B8  
P: 905-501-3000  
F: 905-501-3172

### Our Lighting Product Brands

Halo  
Halo Commercial  
Portfolio  
IRiS  
RSA  
Metalux  
Corelite  
Neo-Ray  
Fail-Safe  
MWS  
Ametrix  
Shaper  
io  
Lumark  
McGraw-Edison  
Invue  
Lumière  
Streetworks  
AtLite  
Sure-Lites

### Our Controls Product Brands

Greengate  
iLumin  
Zero 88  
Fifth Light Technology  
iLight (International Only)