

# \* Stock/Quick-Ship Program

## Columbia

---

## LIGHTING

AimLite  
Alera  
American Pole Structures  
Architectural Area Lighting  
Arturo Alvarez  
Astro  
Atomis  
Beacon Products  
Birchwood Lighting  
Castaldi  
**Columbia Lighting**  
De Majo  
Devine Lighting  
Dialight  
Dual-Lite  
Efficient-Tec  
Global Lighting  
Hubbell Building Automation (HBA)  
Hubbell Industrial Lighting  
Hubbell Outdoor Lighting  
Ilfari  
Kim Lighting  
LIGMAN  
LTS  
Lucifer  
Martini  
New Star Lighting  
Prescolite  
SLV  
Solavanti  
Spaulding  
Sportsliter Solutions  
Sternier  
V2 Lighting

info@symmetry-lighting.com  
Tel. 778-373-3377  
Fax. 778-373-3388

www.symmetry-lighting.com

Symmetry Lighting Ltd. | 1955 E. Hastings Street | Vancouver, BC V5L 1T5

\* Stock at Symmetry Warehouse



## P4 - Specification Grade Parabolics



Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
P414232GLD28SEU	P414232GLD28SEU		1x4,2-L,28 Cell Lvr,120-277V T8 Elec Ballast, Static, T8 Lamps Installed		



**20-Day Quick Ship Ordering Guide**  
Order Limit Per Fixture Selection: 150

MODEL	NO. OF LAMPS	CEILING TYPE	CELLS WIDE BY CELLS LONG	VOLTAGE	OPTIONS
<b>P4</b> Recessed Air Handling Parabolic	<b>2</b> Two (1 x 4 only) <b>3</b> Three (2 x 4 only)	<b>G</b> Grid	<b>18</b> 1 x 8 (1 x 4 only) <b>36</b> 3 x 6 (2 x 4 only)	<b>U</b> 120V-277V	<b>FO735</b> 35K 75CRI T8 Lamps Installed <b>FO741</b> 41K 75CRI T8 Lamp Installed <b>FO835</b> 35K 82CRI T8 Lamps Installed <b>FO841</b> 41K 82CRI T8 Lamp Installed
<b>SIZE</b> 14 1' x 4' 24 2' x 4'	<b>LAMP TYPE</b> 32 4', T8: 32, 30, 28 or 25 Watt	<b>LOUVER FINISH</b> LD Low Iridescent Semi-Specular	<b>AIR FUNCTIONS</b> S Static	<b>BALLAST</b> E Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start EP T8, Programmed Start 3EP 3-Lamp Electronic T8, Programmed Start ELW Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start	<b>C388</b> 3-Wire Flex <b>C488</b> 4-Wire Flex



## P4D - High Performance Parabolic



Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
P4D00120	P4D22-232U6G-MA33-S-EU	078531043445	2x2, 2-L, 9 Cell MA Lvr, 120-277V T8 Elec Ballast, Static	32.0	28
P4D00146	P4D24-332G-MA36-S-3EU	078531043483	2x4, 3-L, 18 Cell MA Lvr, 120-277V 3-L T8 Elec Ballast, Static	33.0	16



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
P4D00162	P4D22-232U6G-MA33-AV-EU	078531006501	2x2, 2-L, 9 Cell MA Lvr, 120-27 7V T8 Elec Ballast, Air w/Vanes	32.0	28
P4D00120	P4D22-232U6G-MA33-S-EU	078531043445	2x2, 2-L, 9 Cell MA Lvr, 120-277V T8 Elec Ballast, Static	32.0	28
P4D00156	P4D24-232G-MA26-S-EU	078531043704	2x4,2-L,12 Cell MA Lvr,120-277V T8 Elec Ballast, Static	32.0	16
P4D00157	P4D24-332G-MA36-AV-3EU	078531043711	2x4,3-L, 18Cell MA Lvr,120-277V 3-L T8 Elec Ballast, Air w/Vanes	33.0	16
P4D00146	P4D24-332G-MA36-S-3EU	078531043483	2x4, 3-L, 18 Cell MA Lvr, 120-277V 3-L T8 Elec Ballast, Static	33.0	16
P4D00138	P4D24-332G-MA36-S-EU	078531043414	2x4, 3-L, 18 Cell MA Lvr, 120-277V T8 Elec (2 Ballasts), Static	35.0	16
P4D00143	P4D24-332G-MA36-S-3EU-F0735	078531043476	2x4, 3-L, 18 Cell MA Lvr, 120-277V 3-L T8 Elec Ballast, Static, T8 Lamps Installed	34.0	16
P4D00119	P4D24-332G-MA36-S-3EU-F0735-C388	078531043261	2x4,3-L, 18 Cell MA Lvr, 120-277V 3-L T8 Elec Ballast, Stat, T8 Lamps Installed, 3 Wire Flex	34.0	16
P4D00147	P4D24-432G-MA48-S-4EU	078531043490	2x4, 4-L, 32 Cell, 120-277V 4-L T8 Elec Ballast, Static	34.0	16
P4D019047.16PK1	LVR P4D24 3X6 MA HK BAG	078531044985	Louwer for 2x4, 18 cell, MA	10.0	N/A



## 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 150

<b>P4D</b>	-		<b>G</b>	-	<b>MA</b>	-	<b>S</b>	-		<b>U</b>	-	
<b>MODEL</b>	<b>NO. OF LAMPS</b>	<b>CEILING TYPE</b>	<b>CELLS WIDE BY CELLS LONG</b>	<b>BALLAST</b>	<b>VOLTAGE</b>	<b>OPTIONS</b>						
P4D High Performance Parabolic	2 Two 3 Three 4 Four (N/A in 2x2)	G Grid	33 3 x 3 (2' x 2' only) 26 2 x 6 (2' x 4' 2-Lamp only) 36 3 x 6 (2' x 4' 3-Lamp only) 48 4 x 8 (2' x 4' 4-Lamp only)	E 2-Lamp Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start EP T8, Programmed Start 3EP 3-Lamp T8, Programmed Start 4EP 4-Lamp T8, Programmed Start 24E 2 or 4-Lamp Electronic T8, Instant Start (For 3-Lamp Master/Satellite only) ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start	U 120V-277V	<b>F0735</b> 35K 75CRI T8 Lamps Installed <b>F0741</b> 41K 75CRI T8 Lamps Installed <b>F0835</b> 35K 82CRI T8 Lamps Installed <b>F0841</b> 41K 82CRI T8 Lamps Installed <b>C388</b> 3-Wire Flex <b>C488</b> 4-Wire Flex <b>MS11</b> Master/Satellite w/11' Harness						
<b>SIZE</b>	<b>LAMP TYPE</b>	<b>LOUVER FINISH</b>	<b>AIR HANDLING</b>									
22 2' x 2' 24 2' x 4'	17 2; T8: 17 Watt 32 4; T8: 32, 30, 28 or 25 Watt 32U6 U-Bent, 6" Leg Spacing T8: 32 Watt (2-Lamp only)	MA Matte Anodized Low Iridescent Semi-Specular Aluminum (Std.)	S Static									



## EMI - Energymax



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
ETOCOLB006910	EMI22-224G-EP120ADV-CSA		2x2, 2L, Lvr 120 2-L, T8 Elec Advance Ballast Static		
EMI24232GV22111	EMI24232GEP120ADVIOPCSA		2x4,2-L, Lvr, 120 2-L T8 Elec Advance Ballast, Static	33.0	16



## EPC - Full Distribution Luminaire



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
EPC000010	EPC22-217G-SH-E104U-F0835	078531015879	2X2 17W T8 2-LAMP WITH 1.04 BF BALLAST 17W T8 LAMP, AND SHIELD LENS	25.0	44
EPC000007	EPC22-224G-SH-EPU-F5835	078531015848	2X2 24W T5HO 2-LAMP WITH 1.0 BF BALLAST 24W T5HO LAMP, AND SHIELD LENS	25.0	44
EPC000022	EPC24-228G-SH-EP115U-F5835	078531015992	2X4 28W T5 2-LAMP WITH 1.15 BF BALLAST 28W T5 LAMP, AND SHIELD LENS	25.0	22
EPC000016	EPC24-228G-SH-EP95U-F5835	078531015930	2X4 28W T5 2-LAMP WITH .95 BF BALLAST 28W T5 LAMP, AND SHIELD LENS	25.0	22
EPC000025	EPC24-232G-SH-E104U-F0835	078531016029	2X4 32W T8 2-LAMP WITH 1.04 BF BALLAST 80 CRI 32W T8 LAMP, AND SHIELD LENS	25.0	22



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 150

<b>EPC</b>	<b>24</b>	<b>2</b>	<b>G</b>	<b>SH</b>	<b>U</b>	
<b>MODEL</b> EPC epoc® Full Distribution Luminaire	<b>NO. OF LAMPS</b> 2 Two	<b>CEILING TYPE</b> G Grid	<b>SHIELDING</b> SH Shield Profile	<b>VOLTAGE</b> U 120V-277V	<b>OPTIONS</b> C388 3-Wire Flex	
<b>SIZE</b> 24 2' x 4'	<b>LAMP TYPE</b> 28 4'; T5: 28 Watt 32 4'; T8: 32, 30, 28 or 25 Watt	<b>BALLAST</b> E Electronic T8, 0.88 Ballast Factor, Instant Start E104 Electronic T8, 1.04 Ballast Factor, Instant Start (2-lamp only) EP Electronic T5, T5HO, 1.0 Ballast Factor or T8, 0.88 Ballast Factor, Programmed Start EP95 Electronic T5, 0.95 Ballast Factor, Programmed Start ESD95 Electronic T5, 0.95 Ballast Factor, Step Dimming, Programmed Start		<b>LAMPS INSTALLED (REQUIRED)</b> FO730 30K 75CRI T8 Lamps Installed FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed FO830 30K 82CRI T8 Lamps Installed FO835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed F5830 30K 85CRI T5 or T5HO Lamps Installed F5835 35K 85CRI T5 or T5HO Lamps Installed F5841 41K 85CRI T5 or T5HO Lamps Installed		

<sup>1</sup> Not compatible with T8 25, 28, or 30 watt energy savings lamps.



## STE - Stratus Recessed Direct/Indirect

**35** SCHEDULED STOCK SHIPMENTS

## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
93029796	STE22-217G-MPO-EU	078531017415	2x2, 2-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast (2 Ballasts)	12.0	24
93029800	STE22-240TTG-MPO-ETTU	078531017408	2x2, 2-L, Metal Perf. Basket w/Overlay, 120-277V Twin Tube, Elec Ballast, Static	12.0	24
93029798	STE22-240TTG-MPO-EPTTU-C388	078531017477	2x2, 2-L, Metal Perf. Basket w/Overlay, 120-277V Twin Tube, Elec Ballast, Static, 3 Wire Flex	12.0	24
93029801	STE22-317G-MPO-EU	078531017439	2x2, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast	12.0	24
93029804	STE24-232G-MPO-EU	078531017385	2x4, 2-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast, Static	20.0	14
93030408	STE24-232G-MPO-EPU	078531017446	2x4, 2-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Prog Start Ballast, Static	20.0	14
93029803	STE24-332G-MPO-3EU	078531017378	2x4, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast, Static	20.0	14
93030410	STE24-332G-MPO-3EPU	078531017460	2x4, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Prog Start Ballast, Static	20.0	14
93029802	STE24-332G-MPO-EU	078531017392	2x4, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec (2 Ballasts), Static	20.0	14
93030409	STE24-332G-MPO-EU-FO735	078531017453	2x4, 3-L, Metal Perf. Basket w/Overlay, 120-277V T8 Elec Ballast, Static, T8 Lamps installed	20.0	14
93029799	STE24-332G-MPO-3EU-FO735-C388	078531017484	2x4, 3-L, Metal Perf. Basket w/Overlay 120-277, V T8 Elec Ballast, T8 Lamps Installed, Static, 3 Wire Flex	20.0	14
93030962	DUST GUARD KIT STE 4FT	078531017507	Dust Guard Kit, 4ft fixtures	1.0	N/A



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 100

STE			G	MPO		U	
MODEL	NO. OF LAMPS IN CROSS SECTION	CEILING TYPE	BALLAST			OPTIONS	
STE Stratus Recessed Indirect	2 Two 3 Three	G Grid Lay-in	<b>E</b> Electronic T8, Instant Start <b>EP</b> Electronic T5, T5HO, or T8, Programmed Start <b>ETT</b> Electronic Twin Tube, Instant Start <b>EPTT</b> Electronic Twin Tube, Programmed Start <b>3E</b> 3-Lamp Electronic T8, Instant Start <b>3EP</b> 3-Lamp Electronic T8, Programmed Start <b>ELW</b> 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start <b>3ELW</b> 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start			<b>FO730</b> 30K 75CRI T8 Lamps Installed <b>FO735</b> 35K 75CRI T8 Lamps Installed <b>FO741</b> 41K 75CRI T8 Lamps Installed <b>FO830</b> 30K 82CRI T8 Lamps Installed <b>FO835</b> 35K 82CRI T8 Lamps Installed <b>FO841</b> 41K 82CRI T8 Lamps Installed <b>F5830</b> 30K 85CRI T5 or T5HO Lamps Installed <b>F5835</b> 35K 85CRI T5 or T5HO Lamps Installed <b>F5841</b> 41K 85CRI T5 or T5HO Lamps Installed <b>FTT830</b> 30K 82CRI 40W TT Lamps Installed <b>FTT835</b> 35K 82CRI 40W TT Lamps Installed <b>FTT841</b> 41K 82CRI 40W TT Lamps Installed <b>C388</b> 3-Wire Flex <b>C488</b> 4-Wire Flex	
SIZE	LAMP TYPE	SHIELDING	VOLTAGE				
22 2' x 2'	17 2', T8: 17 Watt	MPO Metal Perf w/Overlay	U 120V-277V				
24 2' x 4'	24 2', T5HO: 24 Watt (2-Lamp only) 32 4', T8: 32, 30, 28 or 25 Watt 40TT Twin Tube Compact, 2G11 Base: 40 Watt (2-Lamp only)						



**ZPT - Zero Plenum Troffer**



**Pickering Distribution Centre**

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
ZPT14228GV20390	ZPT14228GLSROEPUCUL		1x4, 2-L, Linear Prismatic 120-277V T5 Elec Ballast, Static		
ETOCOLJ001632	ZPT14-228G-LSRO-EP347-CSA		1x4, 2-L, Linear Prismatic 347V T5 Elec Ballast, Static		



**20-Day Quick Ship Ordering Guide**

Order Limit Per Fixture Selection: 100

<b>ZPT</b>	<b>2</b>	<b>G</b>	<b>EP</b>	<b>U</b>
<b>MODEL</b> ZPT Zero Plenum® Troffer	<b>NO. OF LAMPS</b> 2 Two	<b>CEILING TYPE</b> G Grid Lay-in	<b>REFLECTOR</b> O Open (N/A with PRF) R Ribbed Curve S Smooth Curve	<b>VOLTAGE</b> U 120V-277V
<b>SIZE</b> 22 2' x 2' 24 2' x 4'	<b>LAMP TYPE</b> 14 2', T5: 14 Watt 24 2', T5HO: 24 Watt 28 4', T5: 28 Watt 54 4', T5HO: 54 or 51 Watt	<b>SHIELDING</b> LSR Linear Prismatic Lens with Surface Relief Diffuser PRF Metal Perf w/ Overlay	<b>BALLAST</b> EP Electronic T5, 1.00 Ballast Factor (28W or 54W)	<b>OPTIONS</b> C38890 3-Wire Flex, 90° Connector F5835 35K 85CRI T5 or T5HO Lamps Installed F5841 41K 85CRI T5 or T5HO Lamps Installed
<b>ACCESSORIES (ORDER SEPARATELY)</b>				
ZPTSMK22 ZPT Surface Mounting Kit (2' x 2')				
ZPTSMK24 ZPT Surface Mounting Kit (2' x 4')				



**WAL - Wall Mount**



**Regional Distribution Center Stock List**

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	# on Pallet	Price
DS241019F000000	WAL4-232-EU	078531006068	2-4' T8, 4', 120-277V T8 Elec Ballast	•	•	•		•	16.0	55	



## 4PS - Specification Grade Lensed Troffers

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
HW241519F000000	4PS24-232G-FSA12125-EU	078531009106	2x4, 2-L, 120-277V T8 Elec Ballast, .125 Lens	22.0	18
HW341519G000000	4PS24-332G-FSA12125-3EU	078531009113	2x4, 3-L, 120-277V 3-L T8 Elec Ballast, .125 Lens	23.0	18
HW341519F000000	4PS24-332G-FSA12125-EU	078531009120	2x4, 3-L, 120-277V T8 Elec (2 Ballasts),.125 Lens	25.0	18

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 150

<b>4PS</b>			<b>G</b>	<b>FS</b>		<b>U</b>	
<b>MODEL</b> 4PS Specification Grade Static Troffer	<b>NO. OF LAMPS</b> 2 Two 3 Three (2 x 4 only) 4 Four (2 x 4 only)	<b>CEILING TYPE</b> G Grid	<b>SHIELDING</b> A12 Pattern 12 Acrylic Lens A12125 Pattern 12 Acrylic Lens, 0.125" Nominal	<b>VOLTAGE</b> U 120V-277V	<b>OPTIONS</b> FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed FO835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed C388 3-Wire Flex C488 4-Wire Flex		
<b>SIZE</b> 22 2' x 2' 24 2' x 4'	<b>LAMP TYPE</b> 32 4, T8: 32, 30, 28 or 25 Watt 32U6 U-Bent, 6" Leg Spacing T8: 32 Watt (2 lamps) 40TT Twin Tube Compact, 2G11 Base: 40 Watt (2 or 3 lamps)	<b>DOOR</b> FS White Flush Steel	<b>BALLAST</b> E Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start EP Electronic T8, Programmed Start 3EP 3-Lamp Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ETT Electronic Twin Tube, Instant Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start				



## EMSE - EnergyMax Stratus Recessed Indirect Luminaire

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 100

<b>EMSE</b>		<b>2</b>		<b>G</b>	<b>MPO</b>		<b>U</b>	
<b>MODEL</b> EMSE EnergyMax® Stratus Recessed Indirect Luminaire	<b>NO. OF LAMPS IN CROSS SECTION</b> 2 Two	<b>CEILING TYPE</b> G Grid Lay-in	<b>BALLAST</b> E104 Electronic T8, 1.04 Ballast Factor, Instant Start (N/A 1-Lamp) ESD104 Electronic T8, 1.04 Ballast Factor, Step Dimming, Programmed Start	<b>OPTIONS</b> FO730 30K 75CRI T8 Lamps Installed FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed FO830 30K 82CRI T8 Lamps Installed FO835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed C388 3-Wire Flex				
<b>SIZE</b> 22 2' x 2' 24 2' x 4'	<b>LAMP TYPE</b> 17 2', T8: 17 Watt 32 4, T8: 32, 30, 28 or 25 Watt	<b>SHIELDING</b> MPO Metal Perf w/Overlay	<b>VOLTAGE</b> U 120V-277V					



## JT8 - Lensed Troffer



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
JT243119FTP0000	JT822-232U6G-FSA12-EU	078531005603	2x2, 2-L, 120-277V T8 Elec Ballast	16.0	36
ETOCOLJ005461	JT824-232G-FSA12125-EPUADVIOP-SLR-CSA		2x4, 2-L,120-277V 3-L T8 Advance Elec Ball.	20.0	26
JT341119G000000	JT824-332G-FSA12-3EU	078531005627	2x4, 3-L,120-277V 3-L T8 Elec Ball.	20.0	26
JT441119H000000	JT824-432G-FSA12-4EU	078531005641	2x4, 4-L, 120-277V 4-L T8 Elec Ballast	18.0	26
JT824432GFSAV0001	JT824-432G-FSA12-4E347-CSA		2x4, 4-L, 1347V 4-L T8 Elec Ballast	18.0	26



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
JT243119FTP0000	JT822-232U6G-FSA12-EU	078531005603	2x2, 2-L, 120-277V T8 Elec Ballast	16.0	36
JT241119F000000	JT824-232G-FSA12-EU	078531005610	2x4, 2-L, 120-277V T8 Elec Ballast	20.0	26
JT241519F000000	JT824-232G-FSA12125-EU	078531006914	2x4, 2-L, 120-277V T8 Elec Ballast, .125 Lens	20.0	26
JT241119F88QZ00	JT824-232G-FSA12-EU-FO735-C388	078531009359	2x4, 2-L, 120-277V T8 Elec Ballast, 3 Wire Flex	24.0	26
JT341119G000000	JT824-332G-FSA12-3EU	078531005627	2x4, 3-L,120-277V 3-L T8 Elec Ball.	20.0	26
JT341119F000000	JT824-332G-FSA12-EU	078531005634	2x4, 3-L, 120-277V T8 Elec (2 Ballasts)	24.0	26
JT341519G000000	JT824-332G-FSA12125-3EU	078531006815	2x4, 3-L, 120-277V 3-L T8 Elec Ballast, .125 Lens	20.0	26
JT341119GQZ0000	JT824-332G-FSA12-3EU-FO735	078531006006	2x4, 3-L,120-277V 3-L T8 Elec Ball., T8 Lamps Installed	23.0	26
JT341119G88QZ00	JT824-332G-FSA12-3EU-FO735-C388	078531005955	2x4, 3-L, 120-277V 3-L T8 Elec Ballast, T8 Lamps Installed, 3 Wire Flex	24.0	26
JT441119H000000	JT824-432G-FSA12-4EU	078531005641	2x4, 4-L, 120-277V 4-L T8 Elec Ballast	18.0	26
JT441119F000000	JT824-432G-FSA12-EU	078531005658	2x4, 4-L, 120-277V T8 Elec (2 Ballasts)	24.0	26
JT441119HQZ0000	JT824-432G-FSA12-4EU-FO735	078531006020	2x4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 Lamps Installed	23.0	26
JT441119H88QZ00	JT824-432G-FSA12-4EU-FO735-C388	078531005818	2x4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 Lamps Installed, 3 Wire Flex	24.0	26
JT441119HJZ0000	JT824-432G-FSA12-4EU-FO741	078531006013	2x4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 41K Lamps Installed	23.0	26
JT441119H88JZ00	JT824-432G-FSA12-4EU-FO741-C388	078531009175	2x4, 4-L, 120-277V 4-L T8 Elec Ballast, T8 41K Lamps Installed, 3 Wire Flex	24.0	26
JT2499000800000	DR&SHLD JT824 FS A12	078531012632	2x4 Replacement Door Assembly with Lens	5.0	N/A
003334.00	A12.095    22.500-22.500	078531004781	2x2 Replacement Lens	1.0	N/A
003335.00	A12.095    22.500-46.562	078531004774	2x4 Replacement Lens	2.0	N/A





## JT8 - Lensed Troffer cont.

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 200

<b>JT8</b>			<b>G</b>	<b>FS</b>			<b>U</b>	
<b>MODEL</b>	<b>NO. OF LAMPS</b>	<b>CEILING TYPE</b>	<b>SHIELDING</b>		<b>VOLTAGE</b>		<b>OPTIONS</b>	
JT8 Dedicated T8 Lensed Troffer	2 Two 3 Three (2 x 4 only) 4 Four (2 x 4 only)	G Grid	A12 Pattern 12 Acrylic Lens A12125 Pattern 12 Acrylic Lens, 0.125" Nominal		U 120V-277V		FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed F0835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed	
<b>SIZE</b>	<b>LAMP TYPE</b>	<b>DOOR</b>	<b>BALLAST</b>					
22 2' x 2' 24 2' x 4'	32 4'; T8: 32, 30, 28 or 25 Watt 32U6 U-Bent, 6" Leg Spacing T8: 32 Watt (2 lamps)	FS White Flush Steel	E Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start (17W lamps only) 24E (1) 2-Lamp & (1) 4-Lamp Electronic T8, Instant Start (For use with MS11) EP Electronic T8, Programmed Start 3EP 3-Lamp Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start					
			MS11 Master/Satellite w/11' Harness C388 3-Wire Flex C488 4-Wire Flex					



## SM - Surface Mounted Lensed Fixtures

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
30241119F000000	SM14-232-FSA12-EU	078531004897	1x4, 2-L, 120-277V T8 Elec Ballast	19.0	33
31243119FTP0000	SM22-232U6-FSA12-EU	078531004927	2x2, 2-L, 120-277V T8 Elec Ballast	18.0	40
31341119G000000	SM24-332-FSA12-3EU	078531010256	2x4, 3-L, 120-277V 3-L T8 Elec Ballast	32.0	20
31441119H000000	SM24-432-FSA12-4EU	078531004910	2x4, 4-L, 120-277V 4-L T8 Elec Ballast	32.0	20

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 50

<b>SM</b>	<b>24</b>		<b>32</b>	<b>FS</b>			<b>U</b>	
<b>MODEL</b>	<b>NO. OF LAMPS</b>	<b>DOOR</b>	<b>SHIELDING</b>		<b>VOLTAGE</b>		<b>OPTIONS</b>	
SM Surface Mount	2 Two 3 Three 4 Four	FS White Flush Steel	A12 Pattern 12 Acrylic Lens A12125 Pattern 12 Acrylic Lens, 0.125" Nominal		U 120V-277V		FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed F0835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed	
<b>SIZE</b>	<b>LAMP TYPE</b>	<b>BALLAST</b>						
24 2' x 4'	32 4'; T8: 32, 30, 28 or 25 Watt	E Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start						



## ST8 - Shallow Specification Lensed Troffer



Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
HT241119F000000	ST814-232G-FSA12-EU				
ST814232GFSAV0001	ST814-232G-FSA12-E347-CSA				



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
HS241519F000000	ST824-232G-FSA12125-EU	078531006853	2x4, 2-L, 120-277V T8 Elec Ballast, .125 Lens	22.0	24
HS341519G000000	ST824-332G-FSA12125-3EU	078531006884	2x4, 3-L, 120-277V 3-L T8 Elec Ballast, .125 Lens	22.0	24
HS341519F000000	ST824-332G-FSA12125-EU	078531006877	2x4, 3-L, 120-277V T8 Elec (2 Ballasts), .125 Lens	25.0	24
HS441519H000000	ST824-432G-FSA12125-4EU	078531006907	2x4, 4-L, 120-277V 4-L T8 Elec Ballast, .125 Lens	22.0	24
HS441519F000000	ST824-432G-FSA12125-EU	078531006891	2x4, 4-L, 120-277V T8 Elec (2 Ballasts), .125 Lens	26.0	24



## 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 200

<b>ST8</b>				<b>FS</b>			<b>U</b>	
<b>MODEL</b>	<b>NO. OF LAMPS</b>	<b>CEILING TYPE</b>	<b>SHIELDING</b>		<b>VOLTAGE</b>			
ST8 Low Profile Specification Troffer	2 Two 3 Three (N/A 1 x 4) 4 Four (N/A 1 x 4 or 2 x 2)	G Grid F Overlap Flange (1 x 4 only)	A12 Pattern 12 Acrylic Lens A12125 Pattern 12 Acrylic Lens, 0.125" Nominal		U 120V-277V			
<b>SIZE</b>	<b>LAMP TYPE</b>	<b>DOOR</b>	<b>BALLAST</b>		<b>OPTIONS</b>			
14 1' x 4' 22 2' x 2' 24 2' x 4'	17 2', T8: 17 Watt 32 4', T8: 32, 30, 28 or 25 Watt 32U6 U-Bent, 6" Leg Spacing T8: 32 Watt (2-lamp only)	FS White Flush Steel	E Electronic T8, Instant Start 3E 3-Lamp Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start EP Electronic T8, Programmed Start 3EP 3-Lamp Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 24E 2 or 4-Lamp Electronic T8, Instant Start (For 3-Lamp Master/Satellite only)		FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed F0835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed MS11 Master/Satellite Pair w/11' Harness C388 3-Wire Flex C488 4-Wire Flex			



## TRA - Transition High Efficiency Architectural Lensed



**20-Day Quick Ship Ordering Guide**  
Order Limit Per Fixture Selection: 100

TRA				G	CLO		U		
MODEL	NO. OF LAMPS IN CROSS SECTION	CEILING TYPE	BALLAST	SHIELDING	VOLTAGE	OPTIONS			
TRA Transition™ High Efficiency Architectural Lensed	1 One 2 Two 3 Three	G Grid Lay-in	E Electronic T8, Instant Start EP Electronic T5, T5HO, or T8, Programmed Start ETT Electronic Twin Tube, Instant Start EPTT Electronic Twin Tube, Programmed Start	CLO Clear Linear Prism Acrylic with Overlay	U 120V-277V	FO730 30K 75CRI T8 Lamps Installed FO735 35K 75CRI T8 Lamps Installed FO741 41K 75CRI T8 Lamps Installed FO830 30K 82CRI T8 Lamps Installed FO835 35K 82CRI T8 Lamps Installed FO841 41K 82CRI T8 Lamps Installed F5830 30K 85CRI T5 or T5HO Lamps Installed F5835 35K 85CRI T5 or T5HO Lamps Installed F5841 41K 85CRI T5 or T5HO Lamps Installed FTT830 30K 82CRI 40W TT Lamps Installed FTT835 35K 82CRI 40W TT Lamps Installed FTT841 41K 82CRI 40W TT Lamps Installed C388 3-Wire Flex C488 4-Wire Flex			
SIZE	LAMP TYPE		3E 3-Lamp Electronic T8, Instant Start 3EP 3-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start E104 Electronic T8, 1.04 Ballast Factor, Instant Start						
22 2' x 2'	17 2', T8: 17 Watt								
24 2' x 4'	24 2', T5HO: 24 Watt 32 4', T8: 32, 30, 28 or 25 Watt 40TT Twin Tube Compact, 2G11 Base: 40 Watt (2-Lamp only)								



## AW - Wraparounds



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
CY241019F000000	AWN4-232-EU	078531004859	2-4' T8, 4', 120-277V T8 Elec Ballast	14.0	55
AWN4232E347CSA	AWN4-232-E347-CSA		2-4' T8, 4', 347V T8 Elec Ballast	14.0	55



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
CY222019F000000	AWN2-217-EU	078531009984	2-2' T8, 2', 120-277V T8 Elec Ballast	8.0	110
CY241019F000000	AWN4-232-EU	078531004859	2-4' T8, 4', 120-277V T8 Elec Ballast	14.0	55
CY441019H000000	AWN8-232-4EU	078531005979	4-4' T8, 8', 120-277V 4-L T8 Elec Ballast	26.0	30
CL341019G000000	AWW4-332-3EU	078531004866	3-4' T8, 4', 120-277V 3-L T8 Elec Ballast	14.0	33
CL441019H000000	AWW4-432-4EU	078531004873	4-4' T8, 4', 120-277V 4-L T8 Elec Ballast	14.0	33
CY8092746000000	SHLD AWN 4FT	078531001148	AWN Replacement Lens	10.0	100
CL8092721000000	SHLD AWW 4FT	078531001155	AWW Replacement Lens	5.0	66



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 100

			<b>32</b>		<b>U</b>
<b>MODEL</b>	<b>SIZE</b>		<b>LAMP TYPE</b>		<b>VOLTAGE</b>
AWN 8 $\frac{3}{16}$ " Wide	4 4'		32 4' T8: 32, 30, 28 or 25 Watt		U 120V-277V
AWW 14 $\frac{1}{8}$ " Wide	8 8' (AWN only)				

#### NO. OF LAMPS IN CROSS SECTION

- 2 Two
- 3 Three (AWW only)
- 4 Four (AWW only)

#### BALLAST

- E Electronic Instant Start
- 3E 3-Lamp Electronic T8, Instant Start
- 4E 4-Lamp Electronic T8, Instant Start
- EP Electronic T8, Programmed Start
- 3EP 3-Lamp Electronic T8, Programmed Start
- 4EP 4-Lamp Electronic T8, Programmed Start
- ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start
- 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start
- 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start



## WC - Specification Grade Wraparounds



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
CD241019F000000	WC4-232-EU	078531006075	2-4' T8, 4', 120-277V T8 Elec Ballast	13.0	48
WC4232E347CSA	WC4-232-E347-CSA		2-4' T8, 4', 347V T8 Elec Ballast	13.0	48
CD8013802000000	SHLD ASY WC 4FT	078531000998	WC Replacement Lens - 4'	3.1	54
CF8013803000000	SHLD ASY WCW 4FT	078531001001	WCW Replacement Lens	10.0	80



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
CD241019F000000	WC4-232-EU	078531006075	2-4' T8, 4', 120-277V T8 Elec Ballast	13.0	48
CD441019H000000	WC8-232-4EU	078531006822	4-4' T8, 8', 120-277V 4-L T8 Elec Ballast	26.0	36
CF341019G000000	WCW4-332-3EU	078531006341	3-4' T8, 4', 120-277V 3-L T8 Elec Ballast	14.0	33
CF441019H000000	WCW4-432-4EU	078531006082	4-4' T8, 4', 120-277V 4-L T8 Elec Ballast	16.0	28
CD8013802000000	SHLD ASY WC 4FT	078531000998	WC Replacement Lens - 4'	3.1	54
CF8013803000000	SHLD ASY WCW 4FT	078531001001	WCW Replacement Lens	10.0	80



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 50


			<b>32</b>		<b>U</b>
<b>MODEL</b>	<b>SIZE</b>		<b>LAMP TYPE</b>	<b>BALLAST</b>	<b>VOLTAGE</b>
WC 10" Wide WCW 15 3/8" Wide	4 4' 8 8' (WC only)		32 4' T8: 32, 30, 28 or 25 Watt	E Electronic Instant Start 4E 4-Lamp Electronic T8, Instant Start EP Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start	U 120V-277V
	<b>NO. OF LAMPS IN CROSS SECTION</b>				
	2 Two 4 Four				



## AD - Corridor Wraparounds

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

22122019F000000	AD2-117-EU	078531011994	1-2' T8, 2', 120-277V T8 Elec Ballast	7.0	56
221220107000000	AD2-120-L120	078531012007	1-1' T12, 4', 120V LPF Ballast	7.0	56
22222019F000000	AD2-217-EU	078531006303	2-2' T8, 2', 120-277V T8 Elec Ballast	7.0	56
22141019F000000	AD4-132-EU	078531006327	1-4' T8, 4', 120-277V T8 Elec Ballast	10.0	56
22241019F000000	AD4-232-EU	078531006334	2-4' T8, 4', 120-277V T8 Elec Ballast	10.0	56



## VR - Vandal Wrap

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
VRM232U	VRM4-232-EU	078531012922	Medium, 2-L, T8, 120-277V T8 Elec Ballast	10.0	N/A



## W - Wall Mount Light

### HUBBELL Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
24241019F000000	W4-232-EU	078531007287	2-4' T8, 4', 120-277V T8 Elec Ballast Less Switch, Less Convenience Outlet	13.0	N/A
W4232EUADVIOPCSA	W4-232-EUADVIOP-CSA		2-4' T8, 4', 120-277V T8 Elec Ballast Less Switch, Less Convenience Outlet	13.0	N/A

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
24222019F000000	W2-217-EU	078531010294	2-2' T8, 2', 120-277V T8 Elec Ballast Less Switch, Less Convenience Outlet	6.0	N/A
24241019F000000	W4-232-EU	078531007287	2-4' T8, 4', 120-277V T8 Elec Ballast Less Switch, Less Convenience Outlet	13.0	N/A



## WAL - Wall Mount

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
DS241019F000000	WAL4-232-EU	078531006068	2-4' T8, 4', 120-277V T8 Elec Ballast	16.0	55



## SA - Wall Brackets

### 3S SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List


Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
34241019F000000	SA4-232-EU	078531006792	2-4' T8, 4', 120-277V Elec Ballast	13.0	24



## UC - Undercabinet

### 3S SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
90122019F00000P	UC24-117-EU	078531011727	2', 1-L, 17W T8, Elec Ballast	6.0	224
90131019F00000P	UC36-125-EU	078531012014	3', 1-L, 25W T8, 120-277V T8 Elec Ballast Lamp by Others	6.0	140
90141019F00000P	UC48-132-EU	078531012021	4', 1-L, 32W T8, Elec Ballast	8.0	112



## LHS - Linear High Bays



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
LHS000095	LHS4-654-M4R-24EP347-F5841-F3C10-CL	078531011727	6-4' T5HO, 4', 120-277V 6-L T5HO Elec Ballast, 95% Spec. Reflector T5HO Lamps Installed, 10ft cord	24.0	40

### 3S SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
LHS000017	LHS4-454-M4R-4EPU	078531012663	4-4' T5HO, 4', 120-277V 4-L T5HO Elec Ballast, 95% Spec. Reflector	20.0	52
LHS000019	LHS4-454-M4R-4EPU-F5841	078531016685	4-4' T5HO, 4', 120-277V 4-L T5HO Elec Ballast, 95% Spec. Reflector T5HO Lamps Installed	20.0	52
LHS000025	LHS4-632-M4R-3EHLU	078531016692	6-4' T5HO, 4', 120-277V 6-L T8 Elec Ballast, 95% Spec. Reflector	24.0	40
LHS000027	LHS4-632-M4R-3EHLU-F0841	078531016708	6-4' T5HO, 4', 120-277V 6-L T8 Elec Ballast, 95% Spec. Reflector T8 Lamps Installed	24.0	40
LHS000041	LHS4-654-M4R-24EPU	078531016715	6-4' T5HO, 4', 120-277V 6-L T5HO Elec Ballast, 95% Spec. Reflector	24.0	40
LHS000043	LHS4-654-M4R-24EPU-F5841	078531016722	6-4' T5HO, 4', 120-277V 6-L T5HO Elec Ballast, 95% Spec. Reflector T5HO Lamps Installed	24.0	40
LHTG5	LHTG5	078531016753	Y-Fit Toggle Hanger, 5' Adjustable, Pair	24.0	40
LHTG10	LHTG10	078531016760	Y-Fit Toggle Hanger, 10' Adjustable, Pair	24.0	40
OS1K	OS1K	078531016814	Occupancy sensor kit, 120-347V, one relay	24.0	40



## LHV - Linear High Bays

### 3 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
LHV000003	LHV4-454-M4RU-4EPU	078531011024	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, Uplight Reflector	22.0	30
LHV000002	LHV4-454-M4RU-4EPU-F5841	078531011079	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, T5 Lamps Installed	23.0	30
93020454	LHV4-454-M4RST-4EPU-F5841	078531016302	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, T5 Lamps Installed Solid Top Reflectors	23.0	30
LHV000004	LHV4-454-GWU-4EPU-F5841	078531011086	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, White Reflector T5 Lamps Installed	23.0	30
LHV000006	LHV4-654-M4RU-24EPU	078531011031	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast	26.0	24
LHV000005	LHV4-654-M4RU-24EPU-F5841	078531011093	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast, T5 Lamps Installed	26.0	24
93020453	LHV4-654-M4RST-24EPU-F5841	078531016296	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast, T5 Lamps Installed Solid Top Reflector	26.0	24
LHV000007	LHV4-654-GWU-24EPU-F5841	078531011109	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast T5 Lamps Installed, White Reflector	25.0	24
LHV000009	LHV4-632-M4RU-3EHLU	078531011048	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast,	24.0	24
LHV000008	LHV4-632-M4RU-3EHLU-FO741	078531011116	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast 70CRI T8 Lamps Installed	17.0	24
93019711	LHV4-632-M4RU-3EPHLU-FO741	078531016081	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Programmed Start Ballast T8 Lamps Installed	25.0	24
93020455	LHV4-632-M4RST-3EHLU-FO741	078531016319	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast 70CRI T8 Lamps Installed, Solid Top Reflector	23.0	24
LHV000010	LHV4-632-GWU-3EHLU-FO741	078531011123	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast T8 Lamps Installed, White Reflector	23.0	24
LHVOS1	LHVOS1	078531016128	Occupancy Sensor, 120-347V, One Relay	25.0	N/A
LHVQM10	LHVQM10	078531012526	Aircraft Cable, 10' (pair)	0.6	N/A
LHVQM20	LHVQM20	078531012991	Aircraft Cable, 20' (pair)	1.2	N/A
LHVQM5	LHVQM5	078531012670	Aircraft Cable, 5' (pair)	0.5	N/A
LHVSP	LHVSP	078531011338	Side Panels (pair)	5.0	N/A
LHVSPM5	LHVSPM5	078531012656	Single Point Mounting, Includes Aircraft Cable, 5' (pair)	5.0	N/A
LHVTH	LHVTH	078531012649	Tong Hanger (pair)	0.6	N/A
LHVWG4-4	LHVWG4-4	078531012625	Cage Wireguard, 4-L, White	5.0	N/A
LHVWG4-6	LHVWG4-6	078531012618	Cage Wireguard, 6-L, White	5.0	N/A
C6P15-120	C6P15-120	078531016111	Cord and Plug Kit (white), 6 ft Straight Blade Nema 5-15P, 15 amp, 120V	0.8	N/A
C6TL15-120	C6TL15-120	078531016098	Cord and Plug Kit (white), 6 ft Twist Lock Nema L5-15P, 15 amp, 120V	0.8	N/A
C6TL15-277	C6TL15-277	078531016104	Cord and Plug Kit (white), 6 ft Twist Lock Nema L7-15P, 15 amp, 277V	0.8	N/A





## LHV - Linear High Bays cont.



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
<b>VersaBay Shielding Accessories</b>					
<b>LHVS4-CA</b>	<b>LHVS4-CA</b>		LHV 4 lamp Shielding kit, includes frame and clear acrylic lens		
LHV4SPJ	LHV4SPJ	078531016142	Side Panels and End Jaw (pair) for 4 lamp	2.5	N/A
LHV4CA	LHV4CA	078531016203	Clear Acrylic Lens for 4 lamp	2.5	N/A
<b>LHVS4-WG</b>	<b>LHVS4-WG</b>		LHV 4 lamp Shielding kit, includes frame and flat wire guard		
LHV4SPJ	LHV4SPJ	078531016142	Side Panels and End Jaw (pair) for 4 lamp	2.5	N/A
LHV4FWG	LHV4FWG	078531016173	Flat Wire Guard for 4 lamp	2.5	N/A
<b>LHVS4-CAWG</b>	<b>LHVS4-CAWG</b>		4 lamp Shielding kit, includes frame, clear acrylic lens and flat wire guard		
LHV4SPJ	LHV4SPJ	078531016142	Side Panels and End Jaw (pair) for 4 lamp	2.5	N/A
LHV4CA	LHV4CA	078531016203	Clear Acrylic Lens for 4 lamp	2.5	N/A
LHV4FWG	LHV4FWG	078531016173	Flat Wire Guard for 4 lamp	2.5	N/A
<b>LHVS6-CA</b>	<b>LHVS6-CA</b>		LHV 6 lamp Shielding kit, includes frame and clear acrylic lens		
LHV6SPJ	LHV6SPJ	078531016159	Side Panels and End Jaw (pair) for 6 lamp	2.5	N/A
LHV6CA	LHV6CA	078531016210	Clear Acrylic Lens for 6 lamp	2.5	N/A
<b>LHVS6-WG</b>	<b>LHVS6-WG</b>		LHV 6 lamp Shielding kit, includes frame and flat wire guard		
LHV6SPJ	LHV6SPJ	078531016159	Side Panels and End Jaw (pair) for 6 lamp	2.5	N/A
LHV6FWG	LHV6FWG	078531016180	Flat Wire Guard for 6 lamp	2.5	N/A
<b>LHVS6-CAWG</b>	<b>LHVS6-CAWG</b>		6 lamp Shielding kit, includes frame, clear acrylic lens and flat wire guard		
LHV6SPJ	LHV6SPJ	078531016159	Side Panels and End Jaw (pair) for 6 lamp	2.5	N/A
LHV6CA	LHV6CA	078531016210	Clear Acrylic Lens for 6 lamp	2.5	N/A
LHV6FWG	LHV6FWG	078531016180	Flat Wire Guard for 6 lamp	2.5	N/A



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 150

<b>LHV</b>	<b>4</b>						
<b>SIZE</b>	<b>NO. OF LAMPS</b>	<b>REFLECTOR</b>	<b>UPLIGHT</b>	<b>VOLTAGE</b>	<b>OPTIONS</b>		
4 4'	4 Four 6 Six	<b>M4R</b> 95% Reflective Specular Aluminum (Narrow Beam) <b>GW</b> Gloss White (Wide Beam)	<b>ST</b> Solid Top <b>U</b> Uplight	<b>U</b> 120V-277V <b>480</b> 480V	<b>F3C5</b> 3-Conductor Cord <b>F4C5</b> 4-Conductor Cord		
<b>MODEL</b>	<b>LAMP TYPE</b>	<b>BALLAST</b>		<b>LAMPS INSTALLED</b>			
LHV VersaBay® Fluorescent High Bay	<b>32</b> 4', T8: 32, 30, 28 or 25 Watt <b>54</b> 4', T5HO: 54 or 51 Watt	<b>LHV4-454</b> <b>4EP</b> (1) 4-Lamp Electronic T5HO, Programmed Start <b>LHV4-654</b> <b>24EP</b> (1) 2-Lamp and (1) 4-Lamp Electronic T5HO, Programmed Start <b>LHV4-432</b> <b>4EHL</b> (1) 4-Lamp Electronic T8, High Light Output, Instant Start (N/A 480V) <b>LHV4-632</b> <b>3EHL</b> (2) 3-Lamp Electronic T8, High Light Output, Instant Start		<b>T8</b> <b>F0741</b> 4100K 75CRI <b>F0750</b> 5000K 75CRI <b>F0841</b> 4100K 82CRI <b>F0850</b> 5000K 82CRI <b>T5HO</b> <b>F5841</b> 4100K 85CRI <b>F5850</b> 5000K 85CRI			



## LHR - Linear High Bays

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 150

<b>LHR</b>	<b>4</b>					<b>U</b>	
<b>MODEL</b>		<b>NO. OF LAMPS</b>		<b>REFLECTOR</b>	<b>UPLIGHT</b>	<b>VOLTAGE</b>	
LHR Ultra-Efficient Fluorescent High Bay		4 Four 6 Six		M4R 95% Reflective Specular Aluminum (Narrow Beam) GW Gloss White Powder Coat (Wide Beam)	ST Solid Top (No upright) U Uplight, 12%	U 120V-277V	
	<b>SIZE</b>		<b>LAMP TYPE</b>				<b>OPTIONS</b>
	4 48" (Nominal)		32 4'; T8: 32, 30, 28 or 25 Watt (6-Lamp only) 54 4'; T5HO: 54 or 51 Watt				F5841 41K 85CRI T5HO Lamps Installed F5850 50K 82CRI T5HO Lamps Installed F0741 41K 75CRI T8 Lamp Installed F0750 50K 75CRI T8 Lamp Installed F0841 41K 82CRI T8 Lamp Installed F0850 50K 82CRI T8 Lamp Installed F0841 41K 82CRI T8 Lamps Installed
<b>ACCESSORIES (ORDER SEPARATELY)</b>				<b>BALLAST</b>			
LHHB-LHR4-4LT	Universal Hanger Bracket Kit for 4-Lamp Fixture			<b>LHR4-454</b>			
LHHB-LHR4-6LT	Universal Hanger Bracket Kit for 6-Lamp Fixture			4EP (1) 4-Lamp Electronic T5HO, Programmed Start			
LHRWG4K	Wire Guard Kit for 4-Lamp (not to be used with door frame)			<b>LHR4-654</b>			
LHRWG6K	Wire Guard Kit for 6-Lamp (not to be used with door frame)			24EP (1) 2-Lamp and (1) 4-Lamp Electronic T5, Programmed Start			
				<b>LHR4-632</b>			
				3EHL (2) 3-Lamp Electronic T8, High Light Output, Instant Start			
							F3C5 3-Conductor Feed Cord Wired to Fixture F4C5 4-Conductor Feed Cord Wired to Fixture



## LHA - Industrial Fluorescent High Bay

### 3 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	CA 03	IL 06	PA 10	SC 07	TX 04	Wt. each	# on Pallet	Price
LHA000017	LHA4-454-NU-4EPU	078531022112	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, Narrow Distribution, Uplight Reflector	•	•		•		22.0	30	95.00
LHA000019	LHA4-454-NU-4EPU-F554841	078531022129	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, 54 Watt Lamps Installed, Narrow Distribution, Uplight Reflector	•	•		•		23.0	30	123.80
LHA000025	LHA4-632-NU-3EHLU	078531022136	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast, Narrow Distribution, Uplight Reflector	•	•		•		24.0	24	92.00
LHA000027	LHA4-632-NU-3EHLU-F0841	078531022143	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast 82 CRI T8 Lamps Installed, Narrow Distribution, Uplight Reflector	•	•		•		25.0	24	106.10
LHA000041	LHA4-654-NU-24EPU	078531022150	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast, Narrow Distribution, Uplight Reflector	•	•		•		26.0	24	118.00
LHA000043	LHA4-654-NU-24EPU-F554841	078531022167	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast, 54 Watt Lamps Installed, Narrow Distribution, Uplight Reflector	•	•		•		26.0	24	161.20



## LHA - Industrial Fluorescent High Bay cont.

**QS7<sub>10</sub>** 20-Day Quick Ship Ordering Guide  
Order Limit Per Fixture Selection: 150

<b>LHA</b>	<b>4</b>					<b>U</b>	
<b>SIZE</b> 4 4'	<b>NO. OF LAMPS</b> 4 Four 6 Six	<b>REFLECTOR</b> N Narrow Distribution W Wide Distribution	<b>UPLIGHT</b> ST Solid Top U Uplight		<b>VOLTAGE</b> U 120V-277V		<b>OPTIONS</b> F3C5 3-Conductor Cord F4C5 4-Conductor Cord
<b>MODEL</b> LHA Industrial Fluorescent High Bay	<b>LAMP TYPE</b> 32 4', T8: 32, 30, 28 or 25 Watt 54 4', T5HO: 54 or 51 Watt	<b>BALLAST</b>		<b>LAMPS INSTALLED</b>			
		<b>LHA4-454</b> 4EP (1) 4-Lamp Electronic T5HO, Programmed Start  <b>LHA4-654</b> 24EP (1) 2-Lamp and (1) 4-Lamp Electronic T5HO, Programmed Start  <b>LHA4-432</b> 4EHL (1) 4-Lamp Electronic T8, High Light Output, Instant Start (N/A 480V)  <b>LHA4-632</b> 3EHL (2) 3-Lamp Electronic T8, High Light Output, Instant Start 3EPHL (2) 3-Lamp Electronic T8, High Light Output, Programmed Start		<b>T8</b> <b>FO741</b> 4100K 75CRI <b>FO750</b> 5000K 75CRI <b>F0841</b> 4100K 82CRI <b>F0850</b> 5000K 82CRI  <b>T5HO</b> <b>F554841</b> 54 Watt, 85 CRI, 4100K <b>F554850</b> 54 Watt, 85 CRI, 5000K			



## BIL - Bi-Level Luminaire

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
BIL000002	BIL4-232-EPU	78531016807	4', 2L, T8 Elec, 120-277V		
BIL000046	BIL4-232-EP347		4', 2L, T8 Elec, 347V		



## KL - Specification Grade Industrials



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
72241819F910000	KL4-232-U-EU	078531006471	2-4' T8, 4', 120-277V T8 Elec Ballast, Apertured Reflector	15.0	21
820268450000000	KLWG4	078531007478	4' Wire Guard for KL series	3.2	N/A



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
72241819F910000	KL4-232-U-EU	078531006471	2-4' T8, 4', 120-277V T8 Elec Ballast, Apertured Reflector	15.0	21
820268450000000	KLWG4	078531007478	4' Wire Guard for KL series	3.2	N/A
984084190000000	KHC	078531000875	Two 24" chain assemblies for K and KL	0.3	N/A



### 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 50

-  -  -  -

**MODEL**  
 KL Premium Industrial

**NO. OF LAMPS**  
 2 Two  
 3 Three

**REFLECTOR TYPE**  
 U Apertured Uplight Reflector  
 ST Solid Top

**VOLTAGE**  
 U 120V-277V

SIZE	LAMP TYPE	BALLAST
4 4'	32 4', T8: 32, 30, 28 or 25 Watt	E Electronic, Instant Start
8 8'	54 4', T5HO: 54 or 51 Watt	3E 3-Lamp Electronic T8 (32W), Instant Start
	96T8 8', T8: 59 Watt (2-Lamp only)	4E 4-Lamp Electronic T8 (32W), Instant Start
	96T8HO 8', T8: 86 Watt (2-Lamp only)	EP Electronic, Programmed Start, T5HO or T8
		3EP 3-Lamp Electronic T5HO or T8, Programmed Start
		4EP 4-Lamp Electronic T5HO or T8, Programmed Start
		ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start
		3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start
		4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start

#### ACCESSORIES (ORDER SEPARATELY)

- KLEC Full Depth Endcap (pair)
- KZT Zip-Tee Hanger
- KLRU4 4' 5% Uplight Reflector Only
- KTH Slide Clamp Tong Hanger

Instant Start ballasts available for 32 and 96T8.  
 Programmed Start ballasts available for all except 96T8.



## CSR - Industrials



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
56241719F910000	CSR4-232-ST-EU	078531004934	2-4' T8, 4', 120-277V T8 Elec Ballast, Solid Reflector	11.0	48
562419900440000	CSR4-232-U-EU		2-4' T8, 4', 120-277V T8 Elec Ballast, Uplight	11.0	48
55441719H910000	CSR8-232-ST-4EU	078531004941	2-4' T8, 8', 120-277V 4-L T8 Elec Ballast, Solid Reflector	20.0	27
562092935000000	CSRWG4	078531740139	4' Wire Guard for CSR series	2.5	N/A



## Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
56241719F910000	CSR4-232-ST-EU	078531004934	2-4' T8, 4', 120-277V T8 Elec Ballast, Solid Reflector	11.0	48
55441719H910000	CSR8-232-ST-4EU	078531004941	2-4' T8, 8', 120-277V 4-L T8 Elec Ballast, Solid Reflector	20.0	27
56275719F910000	CSR8-296T8-ST-EU	078531005986	2-8' T8, 8', 120-277V T8 Elec Ballast, Solid Reflector	26.0	27
562092935000000	CSRWG4	078531740139	4' Wire Guard for CSR series	2.5	N/A
985084348700000	CSZT	078531740146	Zip T-Hanger - 1/2" spacer	0.2	N/A



## 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 100

<b>CSR</b>					<b>U</b>
<b>MODEL</b> CSR Industrial	<b>NO. OF LAMPS</b> 2 Two 3 Three (T8 only)	<b>REFLECTOR TYPE</b> ST Solid Top Reflector U Apertured Reflector for 5% Uplight (Solid Reflector not recommended with HO units)		<b>VOLTAGE</b> U 120V-277V	
<b>SIZE</b> 4 4' 8 8'	<b>LAMP TYPE</b> 32 4', T8: 32, 30, 28 or 25 Watt 96HO 8', T12: 110 or 95 Watt	<b>BALLAST</b> E Electronic, Instant Start 3E 3-Lamp Electronic T8 (32W), Instant Start 4E 4-Lamp Electronic T8 (32W), Instant Start EP Electronic, Programmed Start, T8 3EP 3-Lamp Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 3ELW 3-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start			



## XFSW - Enclosed/Gasketed High Bay

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
XFSW00021	XFSW4-454-CA-GW-4EPU	078531010652	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, White Reflector, Clear Acrylic Lens	25.0	
XFSW00019	XFSW4-454-CA-M4R-4EPU	078531017521	4-4' T5, 4', 120-277V 4-L T5 Elec Ballast, 95% Reflector, Clear Acrylic Lens	25.0	
XFSW00022	XFSW4-654-CA-GW-24EPU	078531-010669	6-4' T5, 4', 120-277V 2 & 4-L T5 Elec Ballast, White Reflector, Clear Acrylic Lens	25.0	
XFSW00023	XFSW4-632-CA-GW-3EHLU	078531-010676	6-4' T8, 4', 120-277V (2) 3-L T8 HL Elec Ballast, White Reflector, Clear Acrylic Lens	25.0	
XFSWSB	XFSWSB	078531016982	Surface Mount Bracket, Pair	2.0	



## LUN - Enclosed/Gasketed Industrials



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
FB241019F910000	LUN4-232-EU	078531004972	2-4' T8, 4', 120-277V T8 Elec Ballast, Fiberglass	14.0	30

### 35 SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
FB241019F910000	LUN4-232-EU	078531004972	2-4' T8, 4', 120-277V T8 Elec Ballast, Fiberglass	14.0	30
FC441019H910000	LUN8-232-4EU	078531004989	4-4' T8, 8', 120-277V 4-L T8 Elec Ballast, Fiberglass	29.0	30

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 50

<b>LUN</b>		<b>2</b>			<b>U</b>	
MODEL	SIZE	NO. OF LAMPS IN CROSS SECTION	LAMP TYPE	BALLAST	VOLTAGE	OPTIONS
LUN Enclosed and Gasketed Fiberglass Industrial	4 4' 8 8'	2 Two	32 4', T8: 32, 30, 28 or 25 Watt 48T8HO 4', T8HO: 44 Watt 96T8 8', T8: 59 Watt 96HO 8', T12HO: 110 or 95 Watt <sup>1</sup> 96T8HO 8', T8HO: 86 Watt <sup>1</sup>	E Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start EP Electronic, Programmed Start 4EP 4-Lamp Electronic, Programmed Start	U 120V-277V	DR 50% DR Acrylic Lens SSL Stainless Steel Latches
<b>ACCESSORIES (ORDER SEPARATELY)</b>						
HUBK Stem Hanging Kit						
LUNHK Hanging Kit						

<sup>1</sup>High Output units should not be surface mounted or mounted in areas with warm ambient temperatures.



## K - Heavy Duty Striplights



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
80241009F910000	K4-232-EU	078531007034	2-4' T8, 4', 120-277V T8 Elec Ballast	16.0	72
93025871	K8-296HO-EPU	078531016913	2-8' T12HO, 8', 120-277V Ballast	19.0	36
984084190000000	KHC	078531000875	Two 24" chain assemblies for K and KL	0.3	N/A



## CH - 1-L Striplights



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
84141009F910000	CH4-132-EU	078531005061	1-4' T8, 4', 120-277V T8 Elec Ballast	7.0	156
CH3125EUADVIOPCS	CH3-125-EUADVIOP-CSA-1PK			7.0	156
CH8132EUADVIOPCS	CH8-132-EUADVIOP-CSA-1PK			17.0	96



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
841120007000000	CH1.5-115-L120	078531840228	1-1.5' T12, 1.5', 120V T12 LPF Ballast	3.0	156
84122009F910000	CH2-117-EU	078531005047	1-2' T8, 2', 120-277V T8 Elec Ballast	3.0	156
841220007000000	CH2-120-L120	078531840235	2-2' T12, 2', 120V T12 LPF Ballast	3.0	156
84131009F910000	CH3-125-EU	078531005054	1-3' T8, 3', 120-277V T8 Elec Ballast	7.0	156
841310003910000	CH3-130-L120	078531840242	1-3' T12, 3', 120V T12 LPF Ballast	7.0	156
84141009F910000	CH4-132-EU	078531005061	1-4' T8, 4', 120-277V T8 Elec Ballast	7.0	156
841410003910000	CH4-140-L120	078531840259	1-4' T12, 4', 120V T12 LPF Ballast	5.0	156
83241009F910000	CH8-132-EU	078531005078	2-4' T8, 8', 120-277V T8 Elec Ballast	17.0	96
845034010000000	CHRA2	078531012694	2' Asymmetric Reflector (1-Imp only)	1.7	N/A
845034020000000	CHRA4	078531011970	4' Asymmetric Reflector (1-Imp only)	1.9	N/A
980929240000000	CHWG4	078531002954	Wire Guard, 4' for CH Strip	10.0	N/A



## CS - Striplights



### Pickering Distribution Centre

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
CS2117EUCSA1PK	CS2-117-EU-CSA-1PK		1-2' T8, 2', 120-277V T8 Elec Ballast	7.0	88
04231009F910000	CS3-225-EU	078531005009	2-3' T8, 3', 120-277V T8 Elec Ballast	7.0	88
04141009F910000	CS4-132-EU	078531006280	1-4' T8, 4', 120-277V T8 Elec Ballast	9.0	88
CS4132E347CSA1PK	CS4-132-E347-CSA-1PK		1-4' T8, 4', 347V T8 Elec Ballast	9.0	88
04241009F910000	CS4-232-EU	078531005016	2-4' T8, 4', 120-277V T8 Elec Ballast	9.0	88
CS4232E347CSA1PK	CS4-232-E347-CSA-1PK		2-4' T8, 4', 347V T8 Elec Ballast	9.0	88
03441009H910000	CS8-232-4EU	078531005023	4-4' T8, 8', 120-277V 4-L T8 Elec Ballast	17.0	88
CS82324E347CSA1PK	CS8-232-4E347-CSA-1PK	078531005023	4-4' T8, 8', 347V 4-L T8 Elec Ballast	17.0	88
982092925000000	CSWG4	078531000882	4' Wire Guard for CS series	1.0	N/A



### Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
04222009F910000	CS2-217-EU	078531004996	2-2' T8, 2', 120-277V T8 Elec Ballast	4.0	176
04231009F910000	CS3-225-EU	078531005009	2-3' T8, 3', 120-277V T8 Elec Ballast	7.0	88
04141009F910000	CS4-132-EU	078531006280	1-4' T8, 4', 120-277V T8 Elec Ballast	9.0	88
04241009F910000	CS4-232-EU	078531005016	2-4' T8, 4', 120-277V T8 Elec Ballast	9.0	88
03441009H910000	CS8-232-4EU	078531005023	4-4' T8, 8', 120-277V 4-L T8 Elec Ballast	17.0	88
04275009F910000	CS8-296T8-EU	078531005795	2-8' T8, 8', 120-277V T8 Elec Ballast	17.0	88
0427500AS910000	CS8-296-DOE120	078531008543	2-8' T12, 8', 120V Magnetic DOE Compliant Ballast	17.0	88
984084158000000	CSHC	078531000868	Two 14" chain assemblies for CS and CSR	0.2	N/A
745013602000000	CSR4	078531001575	4' symmetric reflector, white, solid top	2.0	N/A
982092925000000	CSWG4	078531000882	4' Wire Guard for CS series	1.0	N/A
985084348700000	CSZT	078531740146	Zip T-Hanger - 1/2" spacer	0.2	N/A





## CS - Striplights cont.

### QS 20-Day Quick Ship Ordering Guide

Order Limit Per Fixture Selection: 100

<b>CS</b>					<b>U</b>
MODEL	SIZE	NO. OF LAMPS IN CROSS SECTION	LAMP TYPE	BALLAST	VOLTAGE
CS Straight-Sided Utility Channel	2 2' 4 4' 8 8'	1 One 2 Two	17 2', T8: 17 Watt 32 4', T8: 32, 30, 28 or 25 Watt	E Electronic T8, Instant Start 4E 4-Lamp Electronic T8, Instant Start EP Electronic T8, Programmed Start 4EP 4-Lamp Electronic T8, Programmed Start ELW 2-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start 4ELW 4-Lamp Electronic T8, 0.77 Ballast Factor, Low Wattage, Instant Start	U 120V-277V
					<b>ACCESSORIES (ORDER SEPARATELY)</b> <b>CSRA4</b> 4' Asymmetric Reflector <b>CSRU4</b> 4' Symmetric Reflector 5% Uplight



## SS - Straggered Strip

### 3S SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
JR222009F000000	SS2-217-EU	078531010263	2-2' T8, 2', 120-277V T8 Elec Ballast	5.0	64
FS000037	SS3-125-EU	078531044589	1-3' T8, 3', 120-277V T8 Elec Ballast	5.0	64
FS000032	SS3-225-EU	078531043513	2-3' T8, 3', 120-277V T8 Elec Ballast	5.0	64
FS000039	SS4-132-EU	078531044602	1-4' T8, 4', 120-277V T8 Elec Ballast	9.0	72
FS000040	SS4-232-EU	078531044619	2-4' T8, 4', 120-277V T8 Elec Ballast	9.0	72

## Accessories

### 3S SCHEDULED STOCK SHIPMENTS Regional Distribution Center Stock List

Part Number	Catalog Number	UPC Code	Description	Wt. Each	# on Pallet
FK14	FK14	078531000745	1x4 Flange Kit	5.0	N/A
FK22	FK22	078531000752	2x2 Flange Kit	5.0	N/A
FK24	FK24	078531038991	2x4 Flange Kit	5.0	N/A
GLH5	GLH5	078531012700	5 Adjustable Cable Kit	0.3	N/A
GLH10	GLH10	078531013127	10' Adjustable Cable Kit	0.4	N/A
980000011000000	S18	078531000790	18" Stem and Canopy	8.0	N/A
980000010000000	SS18	078531003456	18" Stem only	5.0	N/A