




SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

CONDUIT BENDERS


GREENLEE HAND BENDERS



GRL No.	Description	Each
840**	Bends 1/2" EMT.	\$19.72
841**	Bends 3/4" EMT, 1/2" Rigid.	28.61
842**	Bends 1" EMT, 3/4" Rigid.	47.28
8843	With foot Pedal, Bends 1-1/4" EMT.	132.69
845	Galvanized steel handle for 840 & 841.	22.28
846	Galvanized steel handle for 842.	35.15

*Use 1-1/4" pipe for handle.


GREENLEE HICKEYS



With welded handles. For 1/2" - 1" rigid.

GRL No.	Size	Each
508	1/2"	\$63.11
512	3/4"	66.12
516	1"	99.47

GREENLEE LITTLE KICKER OFFSET BENDERS



Little Kickers make offsets in 1/2" and 3/4" thin-wall (EMT) conduit in 2 seconds. Every bend is identical, no time spent refitting or cutting and trying.

GRL No.	Description	Each
1810	For 1/2" EMT.	\$200.94
1811	For 3/4" EMT.	293.83


IDEAL HAND BENDERS



Handle included.

IDL No.	Description	Each
74-026	Bends 1/2" EMT.	\$49.76
74-027	Bends 3/4" EMT.	63.61
74-028	Bends 1" EMT.	99.40


GREENLEE MECHANICAL RIDGID BENDERS



Economically bends small-diameter conduit or pipe. Ratchet action permits short, powerful strokes for easier bending. Roller support relieves friction and speeds bending. Built-in bending gauge reads 0° to 90°. Benders have "swing-away" pipe clamping device for fast loading and unloading.

GRL No.	Description	Each
1800	Ratchet bender for 1/2", 3/4", and 1" Rigid.	\$1048.28
1801	Ratchet bender for 1-1/4" and 1-1/2" Rigid.	1378.50

GB SIDE WINDER MECHANICAL BENDER



Bend 1/2" thru 2" EMT, 2" aluminum rigid, 1/2" - 1-1/2" IMC, rigid steel, and PVC coated steel conduit.

GBE No.	Description	Each
BWF888**	Bender without shoes.	\$1295.19

SHOE GROUPS

GBE No.	Bending Range	Conduit Type	Each
BT57510	1/2" - 1"	EMT	\$435.47
BT12515	1-1/4" - 1-1/2"	EMT	837.63
BT2000*	2"	EMT	896.34
BR57510	1/2" - 1"	Rigid	340.48
BR12515	1-1/4" - 1-1/2"	Rigid	689.59
BR20000	2"	Aluminum	551.87

*Shoes include BZ-1345 follow bar and strap.

MATERIAL SAFETY DATA SHEETS

ALL THE PRODUCTS MARKED IN THIS CATALOG WITH A "●" CONTAIN CHEMICALLY HAZARDOUS SUBSTANCES. MATERIAL SAFETY DATA SHEETS (MSDS) ARE AVAILABLE FOR YOUR RECORDS.


**FACTORY STOCK ONLY.

CONDUIT BENDERS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

GREENLEE ELECTRIC BENDER




Bends 1/2" thru 2" rigid, EMT, or IMC with proper bending shoes. Makes 90° bends in 2" conduit in 16 seconds, 1/2" to 1" in 10 seconds. Simple set up and easy operation for correct bends every time. Squeeze adjustment on roller support accommodates variations in conduit. Easily portable...fits thru a 30" opening. Skid type handles permit horizontal bending for larger offsets and saddles. Makes 180° bends in one setting on 1/2" thru 2" rigid conduit.

GRL No.	Description	Each
555	Bender without shoes.	\$3442.82
555R	Bender with shoes 1/2-2" Rigid	4670.13
555E	Bender with shoes 1/2-2" EMT	5145.40

SHOE GROUPS FOR 555 BENDER

GRL No.	Description	Each
28007	1/2" - 2" Rigid.	\$1589.88
23802	1/2" - 2" EMT.	2211.18
23816	1-1/2" - 2" EMT.	1670.06


GREENLEE SMART BENDER



Permanently mounted bending shoes to bend EMT, IMC and rigid in sizes 1/2" to 2". Two operating positions, upright and tabletop. Intelligent pendant control, with digital readout and programmable bend angles. Built-in bending accuracy with soft stop operation, automatic springback compensation and automatic zero set.

GRL No.	Description	Each
854	Electric bender without pendant.	\$7422.46
855	Electric smart bender.	8177.16

GREENLEE 882 SERIES FLIP TOP BENDERS



Hinged top flips up and out of the way for fast loading and unloading. Assembled in metal storage box; includes hydraulic hose. Benders sold less pumps. See page G-3 for pumps.

GRL No.	Description	Each
882CB*	Combination bender for 1-1/4" thru 2" EMT, IMC, and Rigid conduit. Set contains shoes, follow bars and saddles.	\$4066.05
882*	Standard flip top bender. For 1-1/4" thru 2" EMT only. Includes shoes, follow bars and saddles.	2742.92

GREENLEE 1" - 2" RIGID HYDRAULIC BENDER ONE SHOT



Makes uniform 90° bends smoothly and accurately with one Ram stroke. Bender sold less pump. See page G-3 for pumps.

GRL No.	Description	Each
880*	1" thru 2" one-shot hydraulic bender, without pump. Includes metal storage box and hydraulic hose.	\$1763.40

GREENLEE 1-1/4" - 4" RIGID HYDRAULIC BENDER ONE SHOT



40 tons of Ram pressure. Quickly bends steel and aluminum Rigid. One shot, 90° shoes 1-1/4" - 4". Bender sold less pump.

GRL No.	Description	Each
884*	1-1/4" thru 4" hydraulic bender, without pump. Includes metal storage box and hydraulic hose.	\$5397.44

***FACTORY STOCK ONLY.**



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

CONDUIT BENDERS & ACCESSORIES

GREENLEE 1-1/4" - 4" RIGID HYDRAULIC BENDER COMBINATION SEGMENT—ONE SHOT



Economical, lightweight bender with big capacity. Bends 1-1/4" thru 2" with one shot shoes, 2-1/2" - 4" with segment shoes. Bender sold less pump.


GRL No.	Description	Each
777*	1-1/4" thru 4" one-shot and segment 2-1/2" thru 4" bender, without pump. Includes metal storage box and hydraulic hose.	\$2791.13

GREENLEE 2-1/2" - 4" EMT, IMC, AND RIGID BENDER



GRL No.	Description	Each
881CTE980	Hydraulic bender for one-shot 90° bends in 2-1/2", 3", 3-1/2" and 4" EMT, IMC and Rigid conduit. Includes metal storage box, hydraulic hose & pump.	\$14599.97

GREENLEE 1813 BENDING TABLE FOR 881 BENDERS



Converts Greenlee 881 bender into a comfortable, bench-high machine, makes loading faster and easier. Offset and one-shot bends in all four types of conduit. No Wows or Dog Legs. Pipe vise holds conduit and pipe securely for accurate bends. Easy to move and store. Parts stored in compact 31" x 18" x 14" metal storage box.

GRL No.	Each
1813	1965.91

GREENLEE HYDRAULIC BENDER ACCESSORIES HYDRAULIC HOSE




GRL No.	Description	Each
11289	6' long, 3/8" O.D. hose with two male quick connect fittings. Fits all Greenlee benders.	\$191.29

HYDRAULIC OIL

GRL No.	Description	Each
4016GB	Premium quality, Greenlee approved cylinder oil. One gallon.	\$90.22


GREENLEE HYDRAULIC BENDER ACCESSORIES ELECTRIC POWERED HYDRAULIC PUMPS



Designed to provide effortless power and control in hydraulic benders. These pumps will triple bending speed over hand pumps. Reliable electronic controls. Use with single hose systems with spring return Rams.

GRL No.	Description	Each
980	1-1/2 HP, 120V pump. Large 8 qt. capacity oil reservoir makes it ideal for the larger 4" capacity benders.	\$2556.38
975	1/2 HP 120V pump. Well suited to the 2" capacity hydraulic benders.	1593.01

HAND POWERED HYDRAULIC PUMP



Economical, lightweight pump for use with smaller 2" capacity benders.

GRL No.	Description	Each
755	Develops 10,000 PSI, one quart reservoir capacity.	\$562.48

GREENLEE MINI MAGNETIC BUBBLE LEVEL



Mini torpedo design with handy "no-dog" attachment for bending. Three rare-earth magnets provide superior holding strength. Four vial design - 0°, 90°, 45°, and 30°.

GRL No.	Description	Each
L77	Mini Magnetic Bubble Level.	\$30.49

PROTRACTOR WITH MAGNETIC BASE



MIS No.	Description	Each
EM36	Angle protractor with magnetic base.	\$14.63


*FACTORY STOCK ONLY.

PVC & CABLE BENDERS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


GREENLEE PVC HEATING BLANKETS FOR 1/2" - 4" ALL SCHEDULES



115 volts.

GRL No.	Blanket Size, In.	Conduit Size, In.	Each
860-1-1/2	13 x 8-1/4	Up to 1-1/2	\$194.95
860-3	30 x 13-1/4	2 - 3	464.87
860-4	38 x 16-1/4	3-1/2 - 4	534.86


GREENLEE 1/2" - 2" ELECTRIC PVC HEATER



On-Off switch with pilot light. Rollers for smooth rotation. 115 volts.

GRL No.	Description	Each
849	Electric heater for 1/2" - 2" PVC.	\$339.89

GREENLEE 1/2" - 4" PVC ELECTRIC HEATER



Heavy duty insulated walls and lid. Sturdy 6" wheels for easy mobility. 52" long. 115 volt, 20 amp power required. Heats 50 ft. long section of pipe.

GRL No.	Each
851	\$642.36

GREENLEE 1/2" - 6" PVC ELECTRIC HEATER ALL SCHEDULES




Easy to use: preheat for 1-0 minutes, open lid and position PVC, close lid, rotate until pliable, open lid, remove PVC and form bend.

Has heating chart, timer and On/off switch with indicator light for added convenience. Heats 65" long section of pipe. 230 volt, 30 amp power required.

GRL No.	Each
847	\$1065.40

GREENLEE RATCHET CABLE BENDER



Bends copper or aluminum through 500 MCM. 10-inch ratchet extension is furnished to simplify bending in deep enclosures.

GRL No.	Description	Each
796	Ratchet cable bender including: Ratchet wrench with grip, L wrench with grip, 10" extension wrench, Bending shoe assembly, Storage box.	\$388.23


KLEIN CABLE BENDER



Forged, one-piece steel construction for exceptional durability and high strength. Head is angled 22° for ease in bending cable in tight, hard-to-access places. Recommended that two benders be used for easier bends.

KLN No.	Overall Length	Max. Capacity	Each
50402	14-1/2"	500 MCM	\$26.59

GREENLEE HYDRAULIC CABLE BENDER



For 350 MCM thru 1000 MCM. One-shot bends up to 90°.

GRL No.	Description	Each
800*	Cable bender, head only.	\$685.22
1725*	Hydraulic foot pump.	570.59

***FACTORY STOCK ONLY.**



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

SAFETY SUPPLIES, CAUTION TAPE, BURIAL TAPE

IDEAL BASIC LOCKOUT/TAGOUT KIT



A basic selection of the most popular lockout/tagout devices for an individual. Soft zipper pouch allows room for additional products as needs grow.

IDL No.	Description	Each
44-970	Complete kit: includes all components listed below: 44-810 (2) Hinged single-poles. 44-788 (2) Square D adapters. 44-809 277V lockout. 44-807 480/600V lockout. 44-789 Wall switches. 44-906 3/4" red lock. 44-800 1" hasp. 44-833 (5) Tags/striped "Do Not Operate". 44-783 New multi-pole breaker. 44-818 Small plug lockout.	\$127.25

IDEAL BREAKER LOCKOUTS



44-809, 44-810



44-783



44-823

IDL No.	Description	Each
44-807	Square D lockout, single throw/multi-pole.	\$12.88
44-809	Universal lockout, single pole.	34.73
44-810	Hinged lockout, single pole.	20.37
44-783	Universal lockout, multi-pole.	10.96
44-823	Large breaker lockout	16.88



IDEAL STEEL PADLOCKS


Rustproofed, steel case with nickel-plated shackle withstands abuse and environmental hazards. Includes two keys.

IDL No.	Description	Each
44-906	Red bumper color.	\$16.14


IDEAL WALL SWITCH LOCKOUT

Easy to install. Lock switch in either on or off position.

IDL No.	Each
44-789	\$12.68



IDEAL PLUG LOCKS



Made of durable plastic.

IDL No.	Description	Each
44-818	Plug lock, 110V.	\$18.06
44-819	Plug lock, 220/550V.	20.12

IDEAL SAFETY LOCKOUTS



44-791



44-800

IDL No.	Description	Each
44-791	Labeled safety lockout.	\$20.29
44-800	1" jaw safety lockout.	26.38

IDEAL LOCKOUT TAGS



Designed for repeated use, lockout tags identify the employee applying a lockout/tagout device.

IDL No.	Description	Each
44-830	Lockout tag "DO NOT OPERATE".	\$19.32
44-831	Lockout tag "MAINT. DEPT.".	19.32
44-832	Lockout tag "ELECT. AT WORK".	19.32
44-833	Lockout tag "DO NOT OPERATE", with Red stripe.	19.32

CAUTION TAPE/BURIAL TAPE



PRICE PER ROLL

WIN No.	Description	Each
CT3x1000	Caution tape, yellow, 3" x 1000'.	\$8.75
D3x1000	Detectable burial tape, 3" x 1000'.	84.56
D6x1000	Detectable burial tape, 6" x 1000'.	84.56
ND3x1000	Non-Detectable burial tape, 3" x 1000'.	12.82
ND6x1000	Non-Detectable burial tape, 6" x 1000'.	25.65

CONDUIT FISHING SYSTEMS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

JETLINE SUPER BLOWER CONDUIT BLOWING SYSTEM



Designed for 1/2" to 6" conduit. Will blow 1/2" diameter pull rope 1,000 feet or more. 115 volt, 23 amp motor.

JET No.	Description	Each
B60*	Complete unit, Includes: power unit, 25 ft. x 2-1/2" dia. heavy duty hose, large Dial-A-Line seal-off body, seal-off for 2-1/2" thru 6" conduit, inflatable line carrier fits 3" thru 4" conduit, 5" plastic line carrier, 6" plastic line carrier.	\$1310.10

JETLINE BAC PAK CONDUIT BLOWING SYSTEM




Designed for medium and small size conduit runs, 1/2" - 2-1/2". Highly portable, includes shoulder strap leaving both hands free. 115 volt, 7 amp motor.

JET No.	Description	Each
B45	Complete unit, Includes: Bac Pak blower unit, 3 ft. x 1-1/2" dia. heavy duty hose, hose adapter, Dial-A-Line seal-off body, short seal-off for 1/2" thru 1-1/4" conduit, seal-off for 1-1/4" thru 2-1/2" conduit, 1/2" thru 1" line packs and 3/4" thru 2-1/2" inflatable line carriers, tool box with tray (holds entire system).	\$602.70

*FACTORY STOCK ONLY.

JETLINE ELECTRIC BLOW-VAC REPLACEMENT PARTS




JET No.	Description	Each
B26	Large Dial-A-Line seal-off body.	\$108.02
BV12	Hose adapter.	45.25
BV23	Seal-off for 1-1/4" thru 2-1/2" conduit.	53.16
BV24	Seal-off for 2-1/2" thru 6" conduit.	81.87
JV07	Dial-A-Line seal-off body.	53.72
JV08	Short seal-off, for 1/2" thru 1-1/4" conduit.	45.29
JV09	Long seal-off, for 1/2" thru 1-1/4" conduit.	42.71
JV12	Seal-off for 1-1/4" thru 2-1/2" conduit.	46.16



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

CO₂ FISHING SYSTEMS

JETLINE POWR PAK I CO₂ CONDUIT BLOWING SYSTEM



Lightweight, portable CO₂ conduit fishing system can be hand carried. Non-electric conduit fishing system for 1/2" thru 2-1/2" conduit.

JET No.	Description	Each
JO25	5 lb. capacity CO ₂ cylinder w/valve (full), shoulder strap, tool box w/tray, seal-off for 1/2" thru 1" conduit, angle adapter (for 1215 seal-off), seal-off for 1-1/4" thru 2-1/2" conduit, refill connector, foam line carriers for 1/2" conduit (10 per pkg.), 3/4" thru 2-1/2" inflatable line carriers, 1/2" thru 1" line packs, 1000 ft. nylon bulk line. 2000 ft. nylon bulk line.	\$895.82

JETLINE POWR HOUSE CO₂ CONDUIT BLOWING SYSTEM



Non-electric carbon dioxide (CO₂) conduit fishing system for 1/2" thru 6" conduit.

JET No.	Description	Each
JO220*	Complete unit, Includes: 20 lb. capacity CO ₂ cylinder w/valve (full), operating valve assembly with 12 ft. hose, tool box w/tray, cart, seal-off for 1/2" thru 1" conduit, angle adapter (for 1215 seal-off), seal-off for 1-1/4" thru 2-1/2" conduit, seal-off for 1-1/2" thru 6" conduit, 1/2" thru 1" line packs, 400, 600, and 800 ft. Tag-A-Longs, and foam carriers 1/2" thru 6".	\$1869.55

JETLINE CO₂ BLOWING SYSTEM REPLACEMENT PARTS



JET No.	Description	Each
1105A	Operating valve assembly with 12 ft. hose.	\$340.36
1103N	5 lb. capacity CO ₂ cylinder (full).	453.32
RV5	Refill connector used to refill 5 lb. cylinders from larger cylinders.	77.42
1215	Seal-off for 1/2" thru 1" conduit.	64.08
1216	Seal-off for 1-1/4" thru 2-1/2" conduit.	95.54
1206	Seal-off for 1-1/2" thru 6" conduit.	117.55

JETLINE BLOWER SYSTEM PULLING LINES POWER SAVER LINE PACKAGES



For 1/2", 3/4" and 1" conduit. The carrier and line package is a single unit. The line package center dispenses the line as the line carrier moves through the conduit. 17 lb. strength.

JET No.	Cond. Dia., In.	Lgth., Ft.	Color	Std. Pkg.	Each
LP2150	1/2	150	Red	50	\$2.16
LP3200	3/4	200	Yellow	50	2.37
LP3300	3/4	300	Yellow	25	2.53
LP3450	3/4	450	Yellow	25	2.78
LP4200	1	200	White	50	2.37
LP4300	1	300	White	25	2.53


*FACTORY STOCK ONLY.

FISHING SYSTEMS & ACCESSORIES



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

GREENLEE VACUUM/BLOWER




Includes the Mighty Mouser Blow Gun. Contains all accessories needed to blow or vacuum line through all rigid conduit sizes, from 1/2" thru 4". As an industrial vacuum cleaner, it clears water and debris, large 13 gallon tank. All accessories store in convenient removable storage box.

GRL No.	Description	Each
690	Vacuum/Blower Power Fish Tape System.	1112.25

VACUUM/BLOWER ACCESSORIES

GRL No.	Key	Description	Each
25644	A	Adapter cone, 1-1/4" - 2-1/2".	\$7.01
25646	B	Adapter cone, 1/2 - 1".	27.21
25645	C	Adapter cone, 3" - 4".	20.02
23360	D	Adapter nozzle for tape & line.	105.38
38624	E	Flexible hose, 1-1/2" dia., 10 ft. long.	21.31

CONDUIT MEASURING TAPE



Designed to provide accurate measurement of conduit runs and eliminate costly cable waste. Weatherproof mylar with tensile strength of 130 pounds. Permanently printed measurements at every foot from zero to 3,000 feet.

GRL No.	Description	Each
435	3000 ft. measuring tape.	\$64.15

POLYESTER FIBER PULL TAPE (MULE TAPE)



Printed sequential footage markings for accurate measurements. Durable and stretch resistant. Pre-lubricated to reduce burn-through in inner duct. Strong - 1800 lb. tensile strength.

FIB No.	Description	Each
WP1800-3	3000 ft. measuring/pulling tape.	\$264.00
WP1800-500	500 ft. measuring/pulling tape.	50.18



POLY PULL LINE

Safe, easy to handle, won't rot or mildew. Can be left in conduit for future use. Reusable plastic dispenser pail with handle keeps the line dry.

IDL No.	Description	Tensile Strength	Each
31-340	1 ply x 6500 ft.	210 lb.	\$29.21

GREENLEE NYLON FISH LINE



85 lb. tensile strength.

GRL No.	Description	Standard Package	Each
595	Center feed, 2150 ft.	6	\$32.50
604	Outside feed, 2200 ft.	6	28.89

JETLINE FOAM LINE CARRIERS



JET No.	Conduit Size, In.	Standard Package	Each
FC1	1/2	10	\$3.45
FC2	3/4	10	4.10
FC3	1	10	5.49
FC4	1-1/4	10	5.71
FC5	1-1/2	5	7.03
FC6	2	5	10.92
FC7	2-1/2	5	12.09
FC8	3	5	14.95
FC9	3-1/2	5	16.39
FC10	4	5	18.68
FC11	5	5	24.70
FC12	6	5	31.06

JETLINE INFLATABLE LINE CARRIERS



Revolutionary design is collapsible and will adjust to fit the conduit. Can be used with all Jetline systems. Tough, durable, may be reused many times.

JET No.	Description	Standard Package	Each
F125	3/4" thru 1-1/4" conduit.	5	\$9.50
F250	1-1/2" thru 2-1/2" conduit.	5	18.06
F400	3" thru 4" conduit.	2	29.53



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

CABLE PULLERS, GRIPS, PULLING ACCESSORIES



GREENLEE ULTRA TUGGER CABLE PULLER

8,000 lbs. pulling force. Pulling speed ranges from 9 fpm at 2,000 lbs. to 6 fpm at 8,000 lbs. Mobile Versi-Boom system provides fast set-up with no anchors to set or chains to mount. Boom uses 3" rigid steel conduit for easy length adjustment to pull 10 to 20 feet of cable out of the box fast and easy.

GRL No.	Description	Each
6805	Includes extension and elbow, wheeled carriage and 3", 3-1/2" and 4" screw-on couplers without rope.	\$7166.22


GREENLEE ULTRA TUGGER 2 CABLE PULLER 2000 LB. RATING



Quick latch system attaches to all conduit sizes with no loose parts. Adjustable elbow and extendable boom adjust easily. Right angle sheave keeps operator out of direct line with pulling ropes. Two pulling speeds.

GRL No.	Each
UT2	\$2417.32

GREENLEE ULTRA CABLE FEEDER



Feeds cable at variable speeds to match the speed of cable puller. Accommodates cable ranging in size up to 3.5" in diameter. Sets up easily and can be operated by just one person. Dual motors drive each wheel for traction on both sides of the cable.

GRL No.	Each
6810	\$5613.62

TRIPLE SHEAVE CABLE GUIDE



GRL No.	Description	Each
6036	Triple hook sheave, 6,500 lb.	\$587.06

HOOK TYPE SHEAVES



GRL No.	Description	Each
651	12" hook sheave, 4,000 lb.	\$166.61
652	18" hook sheave, 4,000 lb.	319.98
653	24" hook sheave, 4,000 lb.	377.97
8012	12" hook sheave, 8,000 lb.	290.13
8018	18" hook sheave, 8,000 lb.	530.60
8024	24" hook sheave, 8,000 lb.	764.25

GREENLEE WIRE PULLING GRIP KIT



Use to pull one or more aluminum or copper conductors in 2" or larger conduit. 3250 lbs. rating.

GRL No.	Description	Each
629	Wire grip kit includes: 2 wire grips, No. 678 rope clevis, grip allen wrench, grip set screw, clevis allen wrench.	\$420.99

ACCESSORIES

GRL No.	Description	Each
678	Rope Clevis.	\$136.09

KELLEMS PULLING GRIPS K-TYPE—ROTATING EYE



KLM No.	Capacity	Cable Range, In.	Std. Pkg.	Each
033-01-016	12,800	1.25-1.49	2-5	\$119.26
033-01-017	16,400	1.50-1.99	2-5	130.92
033-01-018	27,200	2.00-2.49	2-5	153.01
033-01-019	33,000	2.50-2.99	2-5	174.46

KELLEMS JUNIOR PULLING GRIPS



KLM No.	Capacity	Cable Range, In.	Std. Pkg.	Each
033-05-002	900	.37-.49	5-10	\$19.88
033-05-003	1,300	.50-.61	5-10	21.52
033-05-004	1,950	.62-.74	5-10	24.88
033-05-005	2,800	.75-.99	5-10	28.31
033-05-006	3,900	1.00-1.24	5-10	30.10

ROPE, PULLING LUBRICANT, STRAPS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com



DOUBLE BRAIDED COMPOSITE HIGH FORCE PULL LINE

Polyester outer jacket and nylon inner core for added strength and low stretch. Excellent resistance to chemicals, sun light, normal abrasion. 6 inch "soft eyes" at both ends, white with green tracer.

NOTE: Select a rope with maximum rated capacity that meets or exceeds the cable puller's maximum pulling force.

WLT No.	Size/Length	Average Breaking Strength	Weight	Each
NDBL3/8X600	3/8" - 600'	5,000 lbs.	28	\$235.14
NDBL1/2X600	1/2" - 600'	9,500 lbs.	47	304.30
NDBL3/4X600	3/4" - 600'	23,000 lbs.	126	628.12
NDBL3/4X1200	3/4" - 1200'	23,000 lbs.	252	1280.00
NDBL7/8X600	7/8" - 600'	32,000 lbs.	178	918.74
NDBL7/8X1200	7/8" - 1200'	32,000 lbs.	356	1822.62

3-STRAND TWISTED POLYPROPYLENE ROPE

General purpose rope - good resistance to rot. Floats, zero water absorption, yellow color. 15-20% elongation or stretch.

WLT No.	Size/Length	Average Breaking Strength	Weight	Each
P901/4X600	1/4" - 600'	1,130 lbs.	7	\$16.74
P901/4X1200	1/4" - 1200'	1,130 lbs.	14	34.69
P903/8X600	3/8" - 600'	2,440 lbs.	21	37.89
P903/8X1200	3/8" - 1200'	2,440 lbs.	42	74.75
P901/2X600	1/2" - 600'	3,780 lbs.	28	70.94
P901/2X1200	1/2" - 1200'	3,780 lbs.	56	141.88

IDEAL YELLOW 77 PLUS CABLE PULLING LUBRICANT WITH TEFLON



Features Teflon for added lubricity to ease installation. Stable from 30°F up to 190°F allowing use even in very hot conditions. Can safely be used with all jacket and insulation types. Dries slowly to thin, soft, non-conducting film that won't harden in conduit. Will never require the use of cable removal chemicals. Non-toxic, non-flammable, non-combustible, and non-corrosive.

IDL No.	Size	Standard Package	Each
• 31-398	1 qt. bottle	12	\$7.95
• 31-391	1 gallon pail	4	18.29
• 31-395	5 gallon pail	1	63.19

IDEAL CLEARGLIDE WIRE PULLING LUBRICANT



Clear and colorless for quick and easy clean-up - great for indoor and retrofit pulls. Exceptional lubricity for super-fast pulls. Polymer-based formula is perfect for all electrical and datacomm applications.

IDL No.	Size	Standard Package	Each
31-388	1 quart squeeze bottle	12	\$8.40
31-381	1 gallon bucket	4	19.05
31-385	5 gallon bucket	1	68.49

IDEAL AQUA-GEL PULLING LUBRICANT



Compatible with all cable jackets. Stable from 30° F to 180° F. Non-corrosive and non-toxic. Cleans up with soap and water.

IDL No.	Size	Standard Package	Each
31-371	1 gallon	4	\$18.69
31-378	1 quart	12	8.24
31-375	5 gallon	1	53.34

RUBBER TIE DOWN STRAPS



Hook pivots with strap and is permanently locked on both sides.


DEU No.	Rubber Length	Stretch Length	Each
RM-15	15"	20-30"	\$1.48
RM-21	21"	27-42"	1.69
RM-31	31"	38-62"	2.12



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MASONRY DRILL BITS AND CORE BITS

ROTARY/PERCUSSION MASONRY DRILL BITS



BIT No.	Dia., In.	Drilling Depth, In.	Overall Length, In.	Each
M 1/8 x 3	1/8	2-1/4	3	\$3.69
M 3/16 x 3	3/16	2-1/4	3	2.93
M 3/16 x 4	3/16	2-3/4	4	3.04
M 3/16 x 6	3/16	4	6	2.60
M 1/4 x 4	1/4	2-3/4	4	2.51
M 1/4 x 6	1/4	4	6	4.75
M 1/4 x 13	1/4	11	13	10.51
M 5/16 x 4	5/16	2	4	3.90
M 5/16 x 6	5/16	4	5	4.75
M 3/8 x 4	3/8	2	4	4.90
M 3/8 x 6	3/8	4	6	4.97
M 3/8 x 12	3/8	11	12	11.67
M 3/8 x 24	3/8	22	24	17.43
M 1/2 x 6	1/2	4	6	5.76
M 1/2 x 13	1/2	11	13	13.00
M 1/2 x 24	1/2	22	24	46.25
M 5/8 x 6	5/8	4	6	9.35
M 3/4 x 6	3/4	4	6	15.12
M 3/4 x 12	3/4	11	12	24.23
M 1 x 12	1	11	12	38.81

SDS ROTARY HAMMER MASONRY DRILL BITS



BIT No., Dia. & Overall Length	Drilling Depth	Each	BIT No., Dia. & Overall Length	Drilling Depth	Each
SDS 5/32 x 6	4	\$7.11	SDS 1/2 x 6	4	\$7.88
SDS 3/16 x 4	2	5.10	SDS 1/2 x 13	10	16.71
SDS 3/16 x 6	4	5.48	SDS 1/2 x 18	16	21.48
SDS 1/4 x 4	2	4.90	SDS 1/2 x 24	22	35.02
SDS 1/4 x 6	4	4.80	SDS 9/16 x 10	8	16.35
SDS 1/4 x 8	6	7.36	SDS 5/8 x 8	6	18.21
SDS 1/4 x 14	12	16.44	SDS 3/4 x 8	6	23.72
SDS 1/4 x 20	18	27.22	SDS 3/4 x 12	10	26.20
SDS 5/16 x 6	4	6.47	SDS 7/8 x 10	10	31.92
SDS 3/8 x 6	4	6.30	SDS 7/8 x 18	16	43.05
SDS 3/8 x 8	6	11.05	SDS 1 x 12	10	66.76
SDS 3/8 x 12	10	11.97	SDS 1 x 18	16	70.66
SDS 3/8 x 24	22	27.79	SDS 1-1/4 x 184C*	16	101.92

* 4-cutter bit.

SDS ACCESSORIES

MWK No.	Description	Each
ACCESSORIES		
48-62-6010	Bull point - 10".	\$12.50
48-62-6015	Chisel - 5/8" x 10".	12.50
48-62-6020	Chisel - 1-1/2" x 10".	20.30
48-03-3005	SDS Adapter to 1/2-20 chucks.	29.24
48-62-4091	Gd. rod driver for SDS-MAX tools only.	69.47

CORE BIT ADAPTER

48-03-3551	12" SDS adapter (1" - 1-1/2" bits).	37.87
48-03-3561	12" SDS adapter (1-3/4" - 4" bits).	44.06

CORE BITS

48-20-5025	1-1/2" thin wall core bit.	95.70
48-20-5030	1-3/4" thin wall core bit.	103.28
48-20-5035	2" thin wall core bit.	111.01
48-20-5040	2-1/2" thin wall core bit.	126.33
48-20-5045	3" thin wall core bit.	144.72
48-20-5050	3-1/2" thin wall core bit.	167.68
48-20-5055	4" thin wall core bit.	190.65

SPLINED SHANK ROTARY HAMMER MASONRY DRILL BITS



BIT No.	Dia., In.	Drilling Depth, In.	Overall Length, In.	Each
SPL 3/8 x 10	3/8	6	10	\$31.47
SPL 3/8 x 16	3/8	11	16	36.88
SPL 1/2 x 13	1/2	8	13	35.20
SPL 1/2 x 16	1/2	11	16	35.60
SPL 5/8 x 16	5/8	11	16	42.16
SPL 3/4 x 16	3/4	11	16	45.05
SPL 7/8 x 16	7/8	11	16	51.16
SPL 7/8 x 22	7/8	18	22	64.10
SPL 1 x 22	1	18	22	69.64
SPL 1-1/8 x 22	1-1/8	18	22	80.47
SPL 1-1/4 x 22	1-1/4	18	22	88.71
SPL 1-3/8 x 22	1-3/8	18	22	104.89
SPL 1-1/2 x 22	1-1/2	18	22	124.32

SPLINE SHANK ACCESSORIES

MWK No.	Description	Each
ACCESSORIES		
48-03-3015	SDS adapter.	\$65.38
48-62-2040	Scaling chisel - 1-1/4" x 12".	13.29

CORE BIT ADAPTERS—SPLINE SHANK

48-03-3540	Thin wall bit adapter.	37.87
48-03-3565	18" thick wall adapter - 1-1/2" thru 6" bits.	84.25
48-03-3561	7-1/2" ext. for thick wall core bits - 1-1/2" - 6".	44.06

CORE BIT—SPLINE SHANK

48-20-5035	2" thin wall core bit.	111.01
48-20-5040	2-1/2" thin wall core bit.	126.33
48-20-5045	3" thin wall core bit.	144.72
48-20-5050	3-1/2" thin wall core bit.	167.68
48-20-5055	4" thin wall core bit.	190.65
48-20-5125	1-1/2" thick wall core bit.	118.67
48-20-5130	1-3/4" thick wall core bit.	130.15
48-20-5135	2" thick wall core bit.	141.64
48-20-5140	1-1/2" thick wall core bit.	167.68
48-20-5145	3" thick wall core bit.	202.89
48-20-5150	3-1/2" thick wall core bit.	228.93
48-2005155	4" thick wall core bit.	256.48
48-20-5160	5" thick wall core bit.	305.49
48-20-5165	6" thick wall core bit.	382.06

RWL No.	Description	Each
0950	Bull point - 12".	\$19.81
0952	Scaling chisel - 1" x 12".	19.81
0959	Ground rod driver - 3/4" rod max.	113.90

HIGH SPEED BITS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

TRIUMPH HIGH SPEED DRILL BITS

HEAVY DUTY 135° SPLIT POINT



JOBBER LENGTH

TTD No.	Dia., In.	Std. Pkg.	Each	TTD No.	Dia., In.	Std. Pkg.	Each
BLACK OXIDE				COBALT STEEL			
11403	3/64	12	\$.94	11504	1/16	12	\$1.72
11404	1/16	12	1.00	11505	5/64	12	1.72
11405	5/64	12	1.00	11506	3/32	12	1.72
11406	3/32	12	1.11	11507	7/64	12	1.82
11407	7/64	12	1.11	11508	1/8	12	2.17
11408	1/8	12	1.21	11509	9/64	12	2.32
11409	9/64	12	1.24	11510	5/32	12	2.46
11410	5/32	12	1.35	11511	11/64	12	2.59
11411	11/64	12	1.40	11512	3/16	12	2.95
11412	3/16	12	1.58	11513	13/64	12	3.80
11413	13/64	12	1.80	11514	7/32	12	4.07
11414	7/32	12	1.94	11515	15/64	12	4.42
11415	15/64	12	2.17	11516	1/4	12	4.88
11416	1/4	12	2.32	11517	17/64	12	5.26
11417	17/64	12	2.79	11518	9/32	12	5.65
11418	9/32	12	3.24	11519	19/64	12	6.62
11419	19/64	12	3.50	11520	5/16	6	6.83
11420	5/16	6	3.55	11521	21/64	6	7.72
11421	21/64	6	3.98	11522	11/32	6	9.04
11422	11/32	6	4.50	11523	23/64	6	10.23
11423	23/64	6	5.06	11524	3/8	6	10.78
11424	3/8	6	5.09	11525	25/64	6	11.26
11425	25/64	6	5.88	11526	13/32	6	11.96
11426	13/32	6	5.97	11527	27/64	6	12.73
11427	27/64	6	6.61	11528	7/16	6	13.22
11428	7/16	6	7.07	11529	29/64	6	15.91
11429	29/64	6	8.25	11530	15/32	6	16.16
11430	15/32	6	8.33	11531	31/64	6	16.63
11431	31/64	6	8.69	11532	1/2	6	17.12
11432	1/2	6	8.71				

EXTRA LENGTH DRILLS

TTD No.	Dia., In.	Overall Length	Std. Pkg.	Each
58516*	1/4	12"	6	\$9.26
59916**	1/4	18"	6	27.41
59924**	3/8	18"	6	34.38
59932**	1/2	18"	6	43.54

* 135° split point, black oxide, air craft bit.

** 118° point, bright finish, general purpose.

SCREW MACHINE (STUBBY) LENGTH**

TTD No.	Dia., In.	Overall Length	Std. Pkg.	Each
44416	1/4	2-1/2"	6	\$2.13
44420	5/16	3-13/16"	6	3.33
44424	3/8	3-1/8"	6	4.83
44432	1/2	3-3/4"	6	9.18

**Other sizes available upon request.



RELTON RAPID TAP METAL CUTTING FLUID

For use in machining hard metals. Just a drop or two makes tapping, reaming, drilling, threading, and all other machining operations easier, faster, and more accurate. New safer formula.

RLT No. & Size	Description	Standard Package	Each
• 4OZ	Fluid	24	\$2.24
• PINT	Fluid	12	6.98
• 8ZNRTP	Paste	12	7.98

TRIUMPH 1/2" SHANK DRILL BITS

HEAVY DUTY 118° SPLIT POINT—SILVER & DEMING



TTD No.	Diameter, In.	Each
94134	17/32	\$20.07
94136	9/16	21.03
94138	19/32	23.32
94140	5/8	23.02
94142	21/32	24.63
94144	11/16	25.69
94146	23/32	27.93
94148	3/4	27.90
94152	13/16	31.35
94156	7/8	33.61
94164	1	42.63



TRIUMPH DRILL BIT SETS

HEAVY DUTY—BLACK OXIDE

TTD No.	Description	Each
99101	29 pc., 1/16-1/2" by 64ths*	\$117.66
99803	29 pc., 1/16-1/2" by 64ths.	85.96
99815	13 pc., 1/16-1/4" by 64ths.	22.89
99836	21 pc., 1/16-3/8" by 64ths.	42.56

*Drills over 3/8" have 3/8" shank.

TRIUMPH WIRE SIZE DRILL BITS

HEAVY DUTY 135° SPLIT POINT—JOBBER LENGTH—BLACK OXIDE

TTD No.	Wire Size	Pilot Hole Tap Size	Std. Pkg.	Each
12403	3	1/4-28	12	\$2.55
12406	6	--	12	2.55
12407	7	1/4-20	12	2.19
12411	11	--	12	2.13
12417	17	12-24	12	1.87
12419	19	--	12	1.72
12421	21	10-32	12	1.58
12425	25	10-24	12	1.48
12429	29	8-32	12	1.39
12430	30	--	12	1.39
12436	36	6-32	12	1.21

TRIUMPH SPIRAL POINT GUN TAPS



Designed for use with power screwdrivers. Unique bronze treated industrial grade molybdenum steel.

TTD No.	Diameter/ Pitch	Pilot Hole Tap Size	Std. Pkg.	Each
71231	6-32	36	1	\$6.86
71232	8-32	29	1	6.86
71233	10-24	25	1	6.86
71234	10-32	21	1	6.86
71235	12-24	17	1	7.89
71200	1/4-20	7	1	6.86
71202	5/16-18	F (1/4)	1	7.38
71204	3/8-16	O (5/16)	1	8.81



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

TAPS & ACCESSORIES

TRIUMPH STEEL TAPS



TTD No.	Diameter/ Pitch	Pilot Hole Tap Size	Std. Pkg.	Each
BOTTOM TAPS				
68012	6-32	36	5	\$1.65
68014	8-32	29	5	1.65
68016	10-24	25	5	1.73
68017	10-32	21	5	1.73
68018	12-24	17	5	1.88
68053	1/4-20	7	5	2.32
68057	3/8-16	5/16	5	3.17


TAPER TAPS				
68037	6-32	36	5	2.04
68039	8-32	29	5	2.04
68041	10-24	25	5	2.15
68042	10-32	21	5	2.15
68043	12-24	17	5	2.32
68076	1/4-20	7	5	2.32
68078	5/16-18	F (1/4)	5	2.85
68080	3/8-16	O (5/16)	5	3.29
68082	7/16-14	U (25/64)	5	3.85
68084	1/2-13	27/64	5	4.78
68086	9/16-12	31/64	1	6.13
68088	5/8-11	17/32	1	7.55
68090	3/4-10	21/32	1	10.19

TRIUMPH "THUNDER TAP" SERIES STEEL TAPS

TTD No.	Diameter/ Pitch	Pilot Hole Tap Size	Std. Pkg.	Each
BOTTOM TAPS				
71371	6-32	36	1	\$5.73
71373	8-32	29	1	5.73
71375	10-24	25	1	6.11
71376	10-32	21	1	6.11
71377	12-24	17	1	6.44
71100*	1/4-20	7	6	5.21

TAPER TAPS				
71351	6-32	36	1	5.73
71353	8-32	29	1	5.73
71355	10-24	25	1	6.11
71356	10-32	21	1	6.11
71357	12-24	17	1	6.44
71300	1/4-20	7	1	5.72
71302	5/16-18	F (1/4)	1	7.26
71304	3/8-16	O (5/16)	1	8.45
71306	7/16-14	U (25/64)	1	12.52
71308	1/2-13	27/64	1	14.85
71010*	9/16-12	31/64	1	21.47
71012*	5/8-11	17/32	1	26.29
71014*	3/4-10	21/32	1	36.39

* Clam shell.



TRIUMPH "T" HANDLE TAP WRENCHES


TTD No.	Capacity	Each
69902	0 to 1/4	\$5.16
69903	1/2 to 5/16	6.44
69904	1/4 to 1/2	8.35

TRIUMPH CARBON STEEL PIPE TAPS



TTD No.	Diameter/ Pitch	Pilot Hole Tap Size	Std. Pkg.	Each
68518	1/8-27 NPT	9/32	1	\$6.00
68514	1/4-18 NPT	1/4	1	6.97
68538	3/8-18 NPT	9/16	1	9.78
68512	1/2-14 NPT	45/64	1	12.85
68534	3/4-14 NPT	29/32	1	20.66
68501	1-11-1/2 NPT	1-9/64	1	35.41
68554	1-1/4-11-1/2 NPT	1-31/64	1	62.24
68552	1-1/2-11-1/2 NPT	1-47/64	1	85.94
68502	2-11-1/2 NPT	2-15/64	1	151.66

MAGNA 13 PIECE TAP AND DRILL SET



Includes 6 carbon taps, 6 high-speed twist drills, plus T-handle wrench. Molded plastic case. Tap sizes: 4-40, 6-32, 8-32, 10-24, 1/4-20. Drill sizes: No. 43, 36, 29, 25, 21, 7.

MGN No.	Standard Package	Each
96042	6	\$22.90

TRIUMPH TAP & DRILL SET



Plug style taps and jobber length bits in vinyl pouch.

TTD No.	Description	Each
69939	Taps - 6-32, 8-32, 10-24, 10-32, 1/4-20. Bits - #7, #21, #25, #29, #36.	\$23.13

TRIUMPH 64 PIECE TAP & DIE SET

64 piece set, combination sizes, 26 plug taps, 26 adjustable round dies (1", 1-1/2", 2" O.D.), molded case.

TTD No.	Description	Each
69999	1/4-20 NC, 5/16-18 NC, 3/8-16 NC, 7/16-14 NC, 1/2-13 NC, 9/16-12, 5/8-11 NC, 7/8-9 NC, 3/4-10 NC, 1-8 NC, 4-40 NC, 6-32 NC, 8-32 NC, 10-24 NC, 12-24 NC, 1/4-28 NF, 5/16-24 NF, 3/8-24 NF, 7/16-20 NF, 1/2-20 NF, 9/16-18 NF, 5/8-18 NF, 3/4-16 NF, 7/8-14 NF, 10-32 NF, 1-14 NS. Accessories included: 1/8-27, 1/4-18 NPT pipe taps and dies. Three found die stocks (1", 1-1/2", 2" O.D.). T-handle tap wrench (#0-1/4). Two adjustable tap wrenches (1/16-1/2" and 1/4-1-1/8").	\$322.59

DRILL BITS & ACCESSORIES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

GREENLEE COMBINATION DRILL/TAP BITS



Complete hole drilling, tapping and deburring/countersinking in one operation with power drill. Back tapered beyond tap to prevent thread damage from over-drilling. Made from hardened high-speed steel for longer life. Designed to tap up to 10-gauge metal.

GRL No.	Description	Each
DTAP6-32	6-32 NC Drill/Tap bit.	\$5.34
DTAP8-32	8-32 NC Drill/Tap bit.	5.27
DTAP10-24	10-24 NC Drill/Tap bit.	5.27
DTAP10-32	10-32 NC Drill/Tap bit.	5.27
DTAP1/4-20	1/4-20 NC Drill/Tap bit.	5.27
DTAP5-1/16-18	5/16-18 NC Drill/Tap bit.	5.72
DTAP3/8-16	3/8-16 NC Drill/Tap bit.	5.72
DTAPKIT	Contains 6/32, 8/32, 10/24, 10/32, 12/24 and 1/4-20 bits.	26.20

GREENLEE NAIL EATER POWER BITS



Made of super tough heat treated steel to cut through nails and provide long tool life. Self-feeding single twist for easy chip removal and fast boring. Overall length 18", twist length 15".

Shorty Power Bits are 7-3/4" long with 5" twist.

GRL No. & Hole Dia., In.	Shank Size, In.	Each
66PT-3/4	7/16 Hex	\$23.42
66PT-7/8	7/16 Hex	26.44
66PT-1	7/16 Hex	30.39
66PT-1-1/8	7/16 Hex	37.89
66PT-1-1/4	7/16 Hex	43.61

SHORTY


62PTS-5/8	7/16 Hex	15.36
62PTS-3/4	7/16 Hex	17.18
62PTS-7/8	7/16 Hex	19.42
62PTS-1	7/16 Hex	22.25
61/62PTS-1-1/8	7/16 Hex	29.49
61/62PTS-1-1/4	7/16 Hex	32.51

TRIUMPH 10 PIECE COMBINATION DRILL & SCREW EXTRACTOR SETS IN VINYL POUCH



TTD No.	Description	Each
98150	Set includes screw extractors 1-5 and bits 5/64, 7/64, 5/32, 1/4, and 17/64.	\$22.21

MILWAUKEE SELF-FEED BITS




All sizes have removable and replaceable feed screws. Two feed screws furnished with each bit. Coarse feed screw provides fast, effortless feeding even in gummy woods. Inside cutting plane shaves hole radius for clean, smooth holes without pressure.

7/16" HEX SHANK

MWK No.	Diameter, In.	For Standard Pipe Sizes	Each
48-25-1001	1	1/2"	\$23.38
48-25-1121	1-1/8	3/4"	23.38
48-25-1251	1-1/4	--	23.38
48-25-1371	1-3/8	--	23.38
48-25-1501	1-1/2	1"	23.38
48-25-1751	1-3/4	1"	25.11
48-25-2001	2	1-1/2"	26.87
48-25-2121	2-1/8	--	27.47
48-25-2251	2-1/4	--	29.80
48-25-2561	2-9/16	2	32.13


GREENLEE KWIK STEPPER BITS



Drills steel, brass, copper, aluminum, wood, and plastics. Model 34411 drills a perfect KO for 1/2" conduit (7/8"); model 36414 drills both a 1/2" KO (7/8") and a 3/4" KO (1-1/8").

GRL No.	Range, In.	Each
30008	1/2 - 7/8 - 1-1/8	\$60.30
34401	1/8 - 1/2	25.85
34411	7/8	43.64
36414	7/8 - 1-3/8	68.75

GREENLEE ZIP BITS



6-1/4" long. Hole for wire pulling. Use with 1/4" or larger power drills.


GRL No. & Hole Dia., In.	Standard Package	Each
33A-3/8	6	\$1.69
33A-1/2	6	1.77
33A-5/8	6	1.86
33A-3/4	6	1.96
33A-13/16	6	5.62
33A-7/8	6	2.06
33A-1	6	2.20
33A-1-1/8	6	2.82
33A-1-1/4	6	3.13
33A-1-3/8	6	3.29
33A-1-1/2	6	3.36



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

DRILL BITS, HOLE CUTTERS

GREENLEE D'VERSIBITS & ACCESSORIES



These flexible steel drill bits are the right tool for installing wire or cable inside existing walls. D'VersiBIT has made it as simple as bowing the spring steel shaft in the direction you want to drill and turning on the power.

GRL No.	Description	Each
3858D*	3/16" x 54: shaft, 3/8" H.S. steel bit.	\$26.14
1258D*	3/16" x 54" shaft, 1/2" H.S. steel bit.	27.83
3XT54	3/16" x 54" length extension.	23.38
4XT36	1/4" x 36" length extension.	21.99
4XT54	1/4" x 54" length extension.	23.38
712P	Placement tool.	16.53

* Best for nail embedded wood, steel studs and steel plates.

MILWAUKEE BELL HANGER BITS



Use for telephone, security systems and other wiring installations. High-grade alloy steel resists damage if metal is encountered during drilling. 3/32" hole about 1-1/2" from point for convenience in pulling wire.


MWK No.	Dia., In.	Overall Length, In.	Each
48-13-7125	1/4	12	\$10.40
48-13-7131	5/16	12	11.56
48-13-7137	3/8	12	12.01
48-13-7218	3/16	18	11.71
48-13-7225	1/4	18	11.71
48-13-7231	5/16	18	12.80
48-13-7237	3/8	18	13.40
48-13-7243	7/16	18	14.00
48-13-7325	1/4	24	15.57
48-13-7337	3/8	24	17.68

BIT EXTENSIONS



MWK No.	Length, In.	Hex Shank Size, In.	Head Dia., In.	Each
48-28-4001	5-1/2	7/16	3/4	\$15.57
48-28-4006	12	7/16	3/4	16.51
48-28-4011	18	7/16	3/4	17.38
48-28-4016	24	7/16	3/4	18.31

GREENLEE CARBIDE HOLE CUTTERS



CARBIDE TIPPED HOLE CUTTERS

Multiple tungsten carbide tips for long life and smooth cutting. Cut fast, accurate, high quality holes in stainless steel, copper, aluminum and steel. Replaceable cobalt steel pilot drill.

GRL No.	Description	Each
625-7/8	7/8" diameter.	\$57.37
625-1-1/8	1-1/8" diameter.	72.52
625-1-7/32	1-7/32" diameter.	88.06
625-1-3/8	1-3/8" diameter.	90.75
625-1-3/4	1-3/4" diameter.	97.93
625-2	2" diameter.	101.42
625-2-1/2	2-1/2" diameter.	142.47
625-001	Pilot bit for hole cutters.	7.68



QUICK CHANGE STAINLESS STEEL HOLE CUTTERS

Cuts stainless steel quickly and easily. Quick change arbor allows you to change cutter heads with a simple push and turn.

GRL No.	Description	Each
645-7/8	7/8" diameter.	\$32.02
645-1-1/8	1-1/8" diameter.	37.37
645-1-3/8	1-3/8" diameter.	42.70
645-1-3/4	1-3/4" diameter.	57.83
645-2	2" diameter.	73.39
645-001	5 piece kit (7/8" 1-1/8", 1-3/8", 1-3/4" 2")	10.88
645-011	3 piece kit (7/8" 1-1/8", 1-3/8")	52.50

STORAGE BOXES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

GREENLEE MOBILE STORAGE BOXES




Steel support arms to hold lid in upright position. Heavy-duty piano hinges with non-removable pins. Built-in pretapped skids for easy caster installation. Dual recessed and concealed lock protectors for maximum security against drilling or cutting lock.

GRL No.	Description	Weight	Each
1332	4.9 cu. ft., 14H x 32L x 19D.	80	\$195.07
2142	9.7 cu. ft., 20H x 42L x 20D.	113	236.81
2448	16 cu. ft., 24H x 48L x 24D.	146	280.15
2460	20 cu. ft., 24H x 60L x 24D.	182	339.84
3048	25 cu. ft., 30H x 48L x 30D.	183	349.24

ACCESSORIES

603	6" dia. caster set.	20	93.82
53904	Gas shock - 4848 & 4860.		33.65




GREENLEE WELDER'S BOX

Protects small tools and supplies. Single lock hasp for use with padlock. Compact side handles for easy portability. Heavy-duty hinges, plus chain connector to hold lid in open position.

GRL No.	Description	Weight	Each
1531	4.5 cu. ft., 15H x 31L x 18D.	51	\$146.59

GREENLEE FLAT TOP STORAGE BOXES




Flat top design provides more storage capacity for tall, bulky items, plus a large work surface for jobsite plans. Gas springs allow easy opening and closing. Dual recessed and concealed lock protectors provide maximum security against drilling or cutting lock.

GRL No.	Description	Weight	Each
4848	40 cu. ft., 48H x 48L x 30D.	292	\$558.87
4860	50 cu. ft., 48H x 60L x 30D.	305	554.82

ACCESSORIES

603	6" dia. caster set.	20	93.82
-----	---------------------	----	-------

GREENLEE DOUBLE DOOR UTILITY CABINET




Flush mounted double doors swing wide for full access. Full length rain gutter. Large fold-down recessed handles. 56" H x 60" L x 24" D.

GRL No.	Description	Weight	Each
5660L	46 cu. ft. utility cabinet, with concealed lock protector.	401	\$782.65

ACCESSORIES

603	6" dia. caster set.	20	93.82
-----	---------------------	----	-------


GREENLEE BI-FOLD CABINET



Maximum storage capacity with minimum floor space requirements. Four (4) individual 15"D x 14-1/2"H x 60"W storage compartments on each side. Each bi-fold section is mounted on four casters for easy opening and closing. Six (6) swivel and two (2) rigid 6" casters included for easy mobility.

GRL No.	Description	Weight	Each
5860	60.4 cu. ft., 58H x 60W x 30D.	548	\$1066.68

GREENLEE MESH SCREEN UTILITY CABINET



High visibility mesh screen on 3 sides. Compartments on doors for small tool and parts storage. Platform for shovels, picks, brooms and other long handle tools.

GRL No.	Description	Weight	Each
5060MESH	36.8 cu. ft., 54"L x 28"D x 57"H.	401	\$948.18

ACCESSORIES

603	6" dia. caster set.	20	93.82
-----	---------------------	----	-------



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

FLASHLIGHTS & BATTERIES

RAYOVAC HEAVY DUTY INDUSTRIAL FLASHLIGHTS BATTERIES INCLUDED



IND2AA-B IND2D-B IND2DS-B

Environmentally friendly – non-toxic rubber. 7 ft. drop tested – lifetime warranty. Rubber grip – fits perfectly in hand. Oil, grease, chemical and water resistant. 3 spot to flood settings controls beam spread. Batteries included.

ROV No.	Description	Std. Pkg.	Each
IND2AA-B	2-cell, AA size.	1	\$7.04
IND2D-B	2-cell, D size.	1	9.39
IND2DS-B	2-cell, D size, swivel head.	1	12.05

RAYOVAC SPORTSMAN XTREME LEDS



**LUX2AA1W,
 LUX2AA2W**

LUX3AAHDLT

Rugged line of high performance light – lifetime warranty. DC/DC regulated circuitry provides maximum light output. Batteries Included.

ROV No.	Description	Std. Pkg.	Each
LUX2AA1W	1W Luxeon LED lamp - up to 30x brighter than standard LED. uses 2 AA batteries.		\$21.12
LUX2AA3W	3W Luxeon LED lamp - up to 50x brighter than standard LED, uses 2 AA batteries.		25.82
LUX3AAHDLT	3W Luxeon LED lamp - headlight has 3 light modes; 20 hours of continuous runtime; pivoting head, comfortable head strap. Uses 3 AA batteries.		31.29


RAYOVAC INDUSTRIAL ALKALINE BATTERIES



Formulated specifically to exceed the everyday demands of tough industrial applications. Quality construction, "Sealed in Steel" for maximum corrosion protection. Longer storage life, less frequent stocking necessary. Outstanding performance dependability, for "must-work" applications.

ROV No.	Description	Standard Package	Each
AL-D	Size D, 1.5 volt	72	\$1.35
AL-C	Size C, 1.5 volt	72	1.22
AL-AA	Size AA, 1.5 volt	96	.80
AL-AAA	Size AAA, 1.5 volt	96	.81
AL-9V	9 volt	72	2.40

RAYOVAC LANTERN BATTERIES



918

944

ROV No.	Description	Standard Package	Each
918	6 volt, screw terminals, general purpose.	12	\$8.64
944	6 volt, spring terminals, heavy duty.	6	3.61

PLIERS & WRENCHES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

KNIPEX HIGH PERFORMANCE PLIERS

In the design of Knipex pliers, ergonomics are given particular attention. Three main elements separate Knipex from the rest:

- Reduction of effort •
- Relaxed wrist position •
- Hand-Optimized handle design •

KNIPEX ALLIGATOR PLIERS



Self-gripping on pipes and nuts. Secure grip from pressing down to top handle - no need to squeeze the handles together. Unique jaw design shape to eliminate nut-burring. Guard prevents operator's fingers from being pinched.

KNP No.	Description	Each
8801250BKA	10" alligator w/plastic coated handles.	\$18.82
8801300BKA	12" alligator w/plastic coated handles.	28.91

KNIPEX COBRA PLIERS



Push button action for fast and firm adjustment directly on the workpiece. Fine adjustment positions fit variety of different-sized workpieces plus increased comfort. Self-gripping jaw design shaped to eliminate nut-burring. Guard prevents operator's fingers from being pinched.

KNP No.	Description	Each
8701180	7-1/2" plier w/plastic coated handles.	\$22.60
8701250	10" plier w/plastic coated handles.	25.47
8701300	12" plier w/plastic coated handles.	35.25
8701400	16" plier w/plastic coated handles.	58.04
8701560	22" plier w/plastic coated handles.	82.17

KNIPEX PLIER WRENCH



Superior tool for gripping, holding and bending. Smooth parallel jaws avoid damage to plated and soft fittings. Unique cam action ratcheting system for easy and incredibly fast operation. Instant adjusting memory button retains jaws opening for repetitive work. 13 position push button. lever ration greater than 10-1 for strong gripping power.

KNP No.	Description	Each
8603250	10" plier wrench.	\$43.08

KNIPEX LONG NOSE WITH CUTTER PLIERS



Flat-round jaws. Gripping surfaces serrated. Designed to cut hard hard and soft wire. Cutting edges induction-hardened for longer tool life. Precise jaw tips are flexible and can bear very strong loads.

KNP No.	Description	Each
2612200	8" long nose.	\$23.81

KNIPEX LINEMAN'S PLIERS



high leverage, eccentric joint. Additional serrated round jaws for gripping in small workpieces. Long cutting edges for thicker cables.

KNP No.	Description	Each
0902240SBA	High leverage 9" Lineman's plier.	\$36.65

KNIPEX ULTRA HIGH LEVERAGE DIAGONAL CUTTERS



Cutting edges induction-hardened for longer tool life. Fixed, forged-on axle rivet for durability under heavy use. Designed for easy cutting of hard and soft wire.

KNP No.	Description	Each
7422200	8" high leverage angled plier.	\$28.34
7421250	10" high leverage angled plier.	31.72


KNIPEX ELECTRICIAN'S PLIERS



Strong, precise jaws ideal for gripping and bending wire. Induction-hardened cutting edges for longer life. Suitable for cutting hard, medium and soft wire - ideal for cable work. Can crimp end sleeves (ferrules) as well as cut, grip and strip. Four functions in one slim, lightweight tool.

KNP No.	Description	Each
1301614	6-1/2" Electrician's plier.	\$27.92

KLEIN COMBINATION WRENCHES



12 point box end. Nickel-chrome plate finish.


KLN No.	Description	Each
68410	1/4" combination wrench.	\$5.32
68411	5/16" combination wrench.	5.67
68412	3/8" combination wrench.	6.05
68413	7/16" combination wrench.	6.45
68414	1/2" combination wrench.	6.98
68415	9/16" combination wrench.	8.26
68416	5/8" combination wrench.	9.51
68417	11/16" combination wrench.	11.00
68418	3/4" combination wrench.	11.76
68419	13/16" combination wrench.	14.00
68420	7/8" combination wrench.	15.81
68421	15/16" combination wrench.	17.93
68422	1" combination wrench.	19.55
68423	1-1/16" combination wrench.	23.78
68424	1-1/8" combination wrench.	27.50
68425	1-1/4" combination wrench.	31.97



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

SOCKET SETS & WRENCH SETS

KLEIN SOCKET SETS



Molded storage case. Nickel-chrome plate finish.

KLN No.	Description	Each
65514	8 piece, 1/2" drive, deep-socket plus metal box.	\$50.87
65510	12 piece, 1/2" drive set plus metal box.	46.51
65512	16 piece, 1/2" drive set plus metal box.	71.66
65504	12 piece, 3/8" drive set plus metal box.	35.09
65506	13 sockets plus flip-lock tray.	15.83
65508	20 piece 3/8" drive set plus metal box.	47.81

KLEIN TORQUE WRENCHES



Automatically limits desired torque. Torques to micrometer accuracy. Ratchet head speeds torquing in confined areas. Torque right and left.

KLN No.	Drive Size	Range	Length	Each
57000	3/8"	15 - 75 ft.-lb.	14-1/8"	\$168.84
57005	3/8"	30 - 150 in.-lb.	9-5/8"	161.59
57010	1/2"	15 - 150 ft.-lb.	21-3/4"	212.49

KLEIN ADJUSTABLE WRENCHES



Drop-forged alloy steel for maximum strength and light weight. With plastic-dipped handles.

KLN No.	Length, In.	Capacity, In.	Each
D506-6	6	3/4	\$17.24
D506-8	8	1-5/16	18.61
D506-10	10	1-1/8	23.19

KLEIN SOCKETS



Nickel-chrome plate finish.

KLN No.	Description	Each	KLN No.	Description	Each
1/2" DRIVE—REGULAR AND DEEP—12 POINT			3/8" DRIVE—REGULAR AND DEEP—6 & 12 POINT		
65800	7/16"	\$3.75	65701	7/16" - 6 pt.	\$1.89
65801	1/2"	3.75	65702	1/2" - 6 pt.	1.89
65802	9/16"	3.75	65703	9/16" - 6 pt.	1.89
65803	5/8"	4.50	65704	5/8" - 12 pt.	1.89
65804	11/16"	4.50	65705	11/16" - 12 pt.	1.89
65805	3/4"	4.50	65706	3/4" - 12 pt.	1.89
65806	13/16"	4.50	65707	13/16" - 12 pt.	3.02
65807	7/8"	4.50	65708	7/8" - 12 pt.	3.02
65808	15/16"	5.25	65710	3/8" - 6 pt. - Deep	5.25
65809	1"	5.25	65711	7/16" - 6 pt. - Deep	5.25
65810	1-1/16"	6.00	65712	1/2" - 6 pt. - Deep	5.25
65811	1-1/8"	6.00	65713	9/16" - 6 pt. - Deep	5.25
65812	1-1/4"	6.00	65714	5/8" - 6 pt. - Deep	5.25
65825	1-1/2"	5.25	65715	11/16" - 6 pt. - Deep	5.25
65826	9/16" - Deep	5.25	65716	3/4" - 6 pt. - Deep	6.00
65827	5/8" - Deep	6.74	65717	13/16" - 6 pt. - Deep	6.00
65828	11/16" - Deep	6.74			
65829	3/4" - Deep	6.74			
65830	13/16" - Deep	8.26			
65831	7/8" - Deep	8.26			
65832	15/16" - Deep	8.26			


KLEIN RATCHETS AND ACCESSORIES



Nickel-chrome plate finish.

KLN No.	Description	Each
3/8" DRIVERS AND EXTENSIONS		
65720	7-1/2" Ratchet.	\$12.36
65722	3" Extension.	3.75
65723	6" Extension.	4.50
1/2" DRIVERS AND EXTENSIONS		
65820	10-1/2" Ratchet.	17.98
65821	5" Extension.	4.31
65822	17 Flex Handle.	20.97

KLEIN COMBINATION WRENCH SETS



Vinyl roll kit. Nickel-chrome plate finish.


KLN No.	Description	Each
68400	7-Pc., 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8.	\$45.58
68402	9-Pc., 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4.	67.95

CRIMPING TOOLS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


BURNDY HYPRESS HYDRAULIC DIELESS CRIMPER



For use on 6 - 1000 AL/CU.

BUR No.	Each
Y644M	\$2137.39

BURNDY REVOLVER HYPRESS HYDRAULIC DIE CRIMPER



For use on 12 - 750 AL/CU.

BUR No.	Each
Y750	\$1853.74

W750 12-TON U DIES

BUR No.	Size	Each
---------	------	------

FOR COPPER WIRE

U2CRT	#2	\$151.09
U1CRT-1	#1	151.09
U25RT	1/0	151.09
U26RT	2/0	151.09
U27RT	3/0	151.09
U28RT	4/0	151.09
U29RT	250MCM	151.09
U30RT	300MCM	151.09
U31RT	350MCM	151.09
U32RT	400MCM	151.09
U34RT	500MCM	151.09
U36RT	600MCM	151.09

FOR ALUMINUM WIRE

U25ART	1/0	151.09
U26ART	2/0	151.09
U27ART	3/0	151.09
U28ART	4/0	151.09
U29ART	250MCM	151.09
U30ART	300MCM	151.09
U31ART	350MCM	151.09
U32ART	400MCM	151.09
U34ART	500MCM	151.09
U36ART	600MCM	151.09
U39ART-2	750MCM	151.09

SPECIAL APPLICATION DIES

Hyground Dies (See page D-8 for die applications)


BUR No.	Use With:	Each
UC	YGHC	\$189.72
UO	YGL, YGHC	104.42
U654	YH	104.42
U997	YGL, YGHP, YGHC	198.10
PU998	YGLR, YGHP	209.97
U1011	YGLR, YGHC	104.40
U1104	YH	166.85

PRE-CRIMP DIES

For increased rotational resistance on ground rods

BUR No.	Use With:	Each
U2CABT	1/2, 5/8, 3/4 ground rods.	\$167.02


BURNDY HYTOOL MECHANICAL RATCHETING HAND CRIMPER



For use on #8 - 1 AWG.

BUR No.	Each
Y1MR	\$308.09

BURNDY MECHANICAL ROTATING CRIMP TOOL



Rotatable die wheel is color coded and stamped with conductor size. Crimps lugs and splices #8 - 4/0 copper. Comfort grip handles. Heat treated steel jaws. Approximately 9000 crimp cycle life.

BUR No.	Each
MRC840	\$217.46

GREENLEE BATTERY POWERED 6 TON CRIMPING TOOL 12 VOLT



Approximately 120 crimps per battery charge. Crimps a very wide range of connector sizes. UL classified and CSA certified to 600MCM. Flip-top style opens easily with simple push on latch and rotates 330°. One hour battery charger, 2 batteries and carrying case included.


GRL No.	Description	Each
EK22GL11*	Battery powered crimper with 120 volt charger.	\$2150.75

ACCESSORIES

GRL No.	Description	Each
K22S1GL*	Complete Die Set - includes die sets for #8 thru 600MCM.	\$1050.00
02999*	12V battery.	179.48

*FACTORY STOCK ONLY.

KLEIN CRIMPING TOOL FOR INSULATED AND NON-INSULATED TERMINALS AND CONNECTORS



Thin nose permits work in confined spaces. Crimping die marked for insulated and non-insulated solderless terminals and connectors. Accommodates wire from No. 10 to 22 AWG. Wire cutter in nose. Red plastic-dipped handles.

KLN No.	Length, In.	Each
1005	9-3/4	\$21.48



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


PLIERS AND CUTTERS

KLEIN PLIERS

Klein specializes in the making of the world's finest pliers. Pliers that feel right and work right. They are tool matched for every kind of work you do, designed and built to exceptional quality standards that date back to 1857.

Klein's newest pliers, the **Journeyman** series, represents the best of Klein quality combined with the **latest innovations in handle design. Better feel, more comfort!**

KLEIN HIGH LEVERAGE NE TYPE SIDE CUTTERS



Streamlined nose with knurled jaws. High-leverage design provides 46% greater cutting and gripping power than regular 8-1/2" and 9-1/2" side cutters. Blue plastic-dipped handles.

KLN No.	Description	Each
D213-8NE	8-1/2"	\$23.49
D213-9NE	9-1/4"	23.13
D2000-9NE*	9-1/4"	29.80
D213-9NE-CR**	9-1/4"	30.49
D213-9NETP	9-3/8" with fish tape puller.	25.70
J2000-9NE•	9-1/2" Journeyman Series.	34.94

*Ultra-durable, for ACSR and bolts.

**With crimping die.

KLEIN STANDARD NOSE HIGH LEVERAGE CUTTERS




High-leverage design provides 36% greater mechanical cutting and gripping advantage than regular 7" and 8" heavy-duty diagonal cutters. Standard bevel cutting knives. Red plastic-dipped handles.

KLN No.	Description	Each
D228-8	8"	\$18.15
D2000-28*	8"	22.27
J2000-28•	8" Journeyman Series.	27.98

*Ultra-durable, for ACSR and bolts.

KLEIN STANDARD NOSE HIGH LEVERAGE CUTTER ANGLED HEAD




High-leverage, heavy-duty with head angled for easier work in confined areas. Standard bevel cutting knives. Blue plastic-dipped handles.

KLN No.	Description	Each
D2000-48*	8"	\$23.53
D248-8	8"	18.88
J2000-48•	8" Journeyman Series.	29.24

*Ultra-durable, for ACSR and bolts.

• Journeyman Series feature state-of-the-art dual material handles for better grip.


KLEIN HIGH-LEVERAGE CABLE CUTTER



Cable-gripping, shear-type jaws cut up to 4/0 aluminum (not ACSR), up to 2/0 soft copper, up to 100-pair, 24-gauge communication cable. Compact, only 9-1/2" long. Red plastic-dipped handles.

KLN No.	Length, In.	Each
63050	9-1/2	\$22.49
J63050•	9-1/2	26.96

KLEIN STANDARD LONG NOSE PLIERS WITH SIDE CUTTERS



Yellow plastic-dipped handles.

KLN No.	Description	Each
D203-6	6-5/8"	\$15.92
D203-7	7-1/8"	16.61
D203-8	8-5/16"	20.71
J203-8•	8-9/16" Journeyman Series.	26.34

KLEIN ALL PURPOSE BX CUTTER



High-leverage, shear-type design. Cuts sheet metal, steel strapping, bundling wire. Bow in handle designed to restore BX cable to original shape after cutting. Red plastic-dipped handles.

KLN No.	Description	Each
1104	7-5/8", with stripping notch.	\$23.86


KLEIN PUMP PLIERS



Yellow plastic-dipped straight handles.

KLN No.	Length, In.	Maximum Capacity, In.	Each
D502-10	10	1-3/4	\$16.14
D502-12	12	2-1/8	19.98
D502-16	16	4-1/4	38.37

AVIATION SNIPS



Cuts straight, right and left. 10" long.

MLC No.	Std. Pkg.	Each
3R	6	\$22.18

SCREWDRIVERS, HEX KEYS



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

KLEIN CUSHION-GRIP SCREWDRIVERS



600 Series

KLN No.	Description	Each
---------	-------------	------

MINI CUSHION GRIP SCREWDRIVERS

604-3	No. 0 phillips tip – 3" round shank.	\$5.07
606-2	1/16" keystone tip – 2" round shank.	4.59
607-3	3/32" cabinet tip – 3" round shank.	5.07
607-4	3/32" cabinet tip – 4" round shank.	5.27
608-4	1/8" cabinet tip – 4" round shank.	5.27
85484	4-piece mini screwdriver set.	17.65

KLN No.	Blade Tip Width x Shank Length	Overall Length	Each
---------	-----------------------------------	-------------------	------

HEAVY-DUTY SQUARE-SHANK

600-1	1/4" x 1-1/2"	3-7/16"	\$5.44
600-4	1/4" x 4"	8-11/32"	7.37
600-6	5/16" x 6"	10-15/16"	8.92
600-8	3/8" x 8"	13-7/16"	12.02

HEAVY-DUTY ROUND-SHANK

602-3	7/32" x 3"	6-3/4"	6.58
602-4	1/4" x 4"	8-11/32"	6.98
602-6	5/16" x 6"	10-15/16"	8.54
602-8	3/8" x 8"	13-7/16"	11.24

MEDIUM-DUTY CABINET TIP

601-3	3/16" x 3"	6-3/4"	5.57
601-4	3/16" x 4"	7-3/4"	5.83
601-6	3/16" x 6"	9-3/4"	6.28
601-8	3/16" x 8"	11-3/4"	6.81
601-10	3/16" x 10"	13-3/4"	7.79

HEAVY-DUTY CABINET TIP

605-4	1/4" x 4"	8-11/32"	6.42
605-6	1/4" x 6"	10-11/32"	7.05

PHILLIPS HEAD ROUND-SHANK

603-1	(#2) x 1-1/4"	3-1/8"	5.53
603-3	(#1) x 3"	6-3/4"	5.57
603-4	(#2) x 4"	8-5/16"	6.42
603-6	(#3) x 6"	11"	8.54
603-7	(#2) x 7"	11-1/4"	7.20


SQUARE-RECESS TIP (ROBERTSON) ROUND SHANK

661	(#1) x 4"		6.42
662	(#2) x 4"		6.42

SCREWDRIVER SET

KLN No.	Description	Each
85076	Set includes 1 each: 600-4, 602-6, 601-3, 601-6, 605-4, 603-3, 603-4.	\$42.94

KLEIN SCREW-HOLDING SCREWDRIVERS



Holds and starts slot-headed screws. "Split" tip expands to grip many sizes of screws. Permits one-hand operation in hard-to-reach places.

KLN No.	Blade Tip Width, In.	Shank Length, In.	Overall Length, In.	Each
K36	3/16	6	10	\$6.54
K38	3/16	8	12	6.91

KLEIN RAPI-DRIV® SCREWDRIVERS




KLN No.	Description	Each
670-6	3/16" x 6" cabinet tip.	\$7.85
671-6	1/4" x 6" cabinet tip.	8.61
682-6	#2 phillips – 6" long shank.	7.98

KLEIN SCREWDRIVER/NUT DRIVERS



KLN No.	Description	Each
32476	5-in-1: 5/16" nut driver, #1 and #2 phillips. 9/32" slotted and 3/16" slotted.	\$8.03
32477	10-in-1: 5/16" and 1/4" nut drivers, #1 and #2 phillips, 1/4" and 3/16" slotted, #10 and #15 TORX®, #1 and #2 square-recess.	11.46

KLEIN CUSHION-GRIP NUT DRIVERS



Handle ends are color coded for size identification. Strong hex head drives nuts and socket screws. Recess in chrome-plated shank permits turning nuts on long bolts.


KLN No.	Color Code	Hex Size, In.	Shank Length, In.	Each
630-3/16	Black	3/16	3-1/8	\$5.51
630-1/4	Red	1/4	3-1/8	5.57
630-5/16	Yellow	5/16	3-1/8	5.64
630-11/32	Green	11/32	3-1/8	5.73
630-3/8	Blue	3/8	3-1/4	5.81
630-7/16	Brown	7/16	3-1/2	6.57
630-1/2	Red	1/2	3-1/2	7.02
630-9/16	Orange	9/16	4"	9.02
630-5/8	Yellow	5/8	4"	9.60
631		7 pc. nut & driver set, 3/16" – 1/2", 3" shanks.		39.70
647		Same as above with 6" shanks.		43.23



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

KLEIN HEX KEY SETS, AWLS, PUNCHES, HAMMERS



KLEIN CONDUIT-FITTING AND REAMING SCREWDRIVER



Unique tool combines two popular Klein tools into one. Hooded blade keeps screwdriver from slipping out of screws. Also includes reamer for 1/2", 3/4" and 1" thin-wall conduit. Reams inside and outside at the same time. Deep-ribbed Cushion-Grip handle.

KLN No.	Description	Each
85191	Conduit fitting and reaming screwdriver.	\$22.96
19360	Conduit fitting screwdriver without reamer.	9.55
19351	Replacement blade.	5.12

KLEIN "PAL" THIN-WALL CONDUIT REAMER



SCREWDRIVER NOT INCLUDED

Locks onto screwdriver, reams and smooths 1/2", 3/4" and 1" thin-wall conduit. Reams inside and outside at the same time.

Screwdriver NOT included.

KLN No.	Description	Each
19352	Conduit Reamer.	\$13.39
19351	Replacement blade.	5.12



KLEIN T-HANDLE 10-PIECE HEX KEY SET

7-1/4" blade length.


KLN No.	Description	Each
70153	Set includes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 In.	\$38.44

KLEIN T-HANDLE HEX KEY



KLN No.	Description	Each
79232	Hex Key, 1/2", 6" length, T-Handle.	\$14.23

KLEIN HEX KEY SETS



KLN No.	Description	Each
70579	5 piece - 3/16" to 3/8".	\$7.93
70591	9 piece - 5/64" to 1/4".	6.21

KLEIN CUSHION-GRIP AWL



Heavy-duty, hard-pointed awl scribes metal, starts screw holes.

KLN No.	Blade Length, In.	Overall Length, In.	Each
650	3-1/2	7	\$8.37

KLEIN STEEL AWL



One-piece forged-steel blade and bolstered shank.

KLN No.	Overall Length, In.	Each
66385	7	\$8.14

KLEIN SIX-IN-ONE TAPPING TOOL



Quickly forms new threads, re-forms burred threads, and cleans out plaster obstructions. Two high-carbon steel taps are secured in reversible holder. Thread sizes: 6-32, 8-32 and 10-32 on one side; 10-24, 12-24, and 1/4-20 on the other.

KLN No.	Description	Each
627-20	Tapping tool, complete.	\$19.51
626-32	6-32, 8-32, 10-32, tap only.	6.06
628-20	10-24, 12-24, 1/4-20, tap only.	6.29


KLEIN CENTER PUNCH



Long-life, high-carbon steel. Smooth-ground point heat-treated to stay sharp and true longer. Baked-on black finish.

KLN No.	Shank Dia., In.	Overall Length, In.	Each
66312	3/8	5-1/2	\$5.20

KLEIN STRAIGHT CLAW HAMMERS



Shock-absorbent fiberglass handle for strength. Comfortable, perforated neoprene grip bonded to handle.

KLN No.	Description	Each
807-18	Long nose hammer, 18 oz.	\$27.29
808-16	Straight claw hammer, 16 oz.	22.45

KLEIN KNIVES, LEVELS, TAPES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

KLEIN POCKET KNIVES



KLN No.	Description	Each
---------	-------------	------

LIGHTWEIGHT, 1-BLADE LOCK BACK KNIVES

44000	2-1/4" blade length, aluminum handle.	\$25.88
44001	2-1/2" blade length, aluminum handle.	31.08
44002	2-3/8" blade length, nylon resin handle.	21.51
44032	1-5/8" blade length, S.S. handle w/rosewood inserts.	28.16

2-BLADE SHEEPFOOT & SCREWDRIVER TIP BLADE

1550-7	Curved sheepfoot splitting blade, 2-3/8" long; screwdriver tip blade, 2-1/2" long.	19.23
--------	--	-------

SHARPENING ACCESSORIES

48036	Combination knife & scissors sharpener.	11.06
44151	Pocket size sharpener, blade unscrews and stores in handle.	16.65

KLEIN CABLE SPLICER KNIFE



KLN No.	Description	Each
44200	Special purpose short blade with full-sized handle. Coping-type blade made with cutlery steel. 6-1/4" overall length.	\$15.89

KLEIN DOUBLE-LOCKING FOLDING UTILITY KNIFE



Blade locks in both the open and closed position – an exclusive Klein design. Easy blade thumb release – no tools required. Includes pocket-belt clip. One blade included.

KLN No.	Length Closed, In.	Overall Length, In.	Each
44108	3	6-1/8	\$13.27

MLC No.	Description	Each
CSB5	Utility blade - 5 pack.	\$2.43

KLEIN FOLDING WOOD RULE INSIDE READING



Stud markings indicated. Black numerals on yellow background. Joints and protector strike plates are brass plated.

KLN No.	Length, Ft.	Each
900-6	6	\$12.43

KLEIN TORPEDO LEVELS



KLN No.	Description	Each
930-9	Three acrylic vials, plumb, level and 45° mitre. Magnetized strip.	\$12.74
931-9RE	Powerful Rare Earth magnets hold firmly to iron and steel surfaces. Rare Earth magnets are up to 5 times stronger than strip magnets. Yellow vials framed with E-Z SEE™ glow-in-the-dark material for easier viewing.	18.65

KLEIN POWER-RETURN STEEL TAPES MAGNETIC TIP



Rare Earth magnetic tip sticks to iron and steel surfaces for simple one-person measurements. Comfortable, non-slip rubber jacket for easy gripping of case. Thick rubber jacket protects case against fall impacts. High-visibility orange case for easy locating in work areas and tool bags. Oversized, bold black numbers.

KLN No.	Blade Length, Ft.	Width, In.	Each
916-25RE	25	1	\$16.42

MALCO CHALK-PLUMB LINE




Side action winding reel.

MLC No.	Length	Standard Package	Each
CLP100	100'	6	\$15.73

POWDERED CHALK

MLC No.	Description	Standard Package	Each
C8B	Blue, 8 oz. bottle.	6	\$2.88

MALCO NAIL APRON



MLC No.	Description	Each
TPA1	Ten pocket waist apron. 3 nail pockets, 4 tool pockets and 3 nail/center punch pockets. Duct canvas. Nylon hammer loops on both sides.	\$9.99



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

SAWS, BELTS & TOOL POUCHES

KLEIN DUAL PURPOSE HACKSAW



KLN No.	Length, In.	Each
701-S	12	\$24.91



KLEIN MAGIC-SLOT COMPASS SAW

Oversized handle permits two-hand use. Blade not supplied. See below.

KLN No.	Overall Length, In.	Each
702	5	\$12.75

ACCESSORY BLADES

KLN No.	Description	Each
705	General Purpose Blade, 12" length, 10 t.p.i.	\$4.31
709	Wallboard Blade, 4" length, 10 t.p.i.	3.20

METALLICS DRYWALL SAW



Wooden handle with 6" blade. Sharp point for plunge cuts. Made in U.S.A.

MET No.	Each
US6	\$5.36

KLEIN WEB TOOL BELT



Fits waist sizes up to 48". 2 inch wide polypropylene webbing.

KLN No.	Size	Each
5225	2-1/4" x 48"	\$7.78

KLEIN HEAVY-DUTY EMBOSSED TOOL BELTS



Strong, heavy-duty leather. Equipped with a double-tongue buckle.

KLN No.	Size	Each
5415S	32"-40", 2" wide	\$17.66
5415	36"-44", 2" wide	18.24

KLEIN POWERLINE SERIES PADDED TOOL BELTS



5" cushioned pad for stability and comfort. Tapered front for comfort while bending.

KLN No.	Size	Each
5704S	28"-32", 2" wide	\$27.28
5704M	32"-36", 2" wide	28.68
5704L	36"-40", 2" wide	30.12


KLEIN 8-POCKET TOOL POUCH



Leather construction. Tunnel loop belt (2-1/2") connection. Riveted to assure long life. With knife snap.

KLN No.	Each
5164T	\$35.89

KLEIN 4-PIECE ELECTRICIAN'S COMBO SETS



Set includes padded belt, 8-pocket pouch, 19 pocket electrician's pouch and hammer holder.

KLN No.	Description	Each
5710M	4-piece electrician's combo set (M).	\$104.67
5710L	4-piece electrician's combo set (L).	106.06
5710XL	4-piece electrician's combo set (XL).	107.47
5710XXL	4-piece electrician's combo set (XXL).	108.89

ACCESSORIES

5708	Multi-purpose holder.	7.60
5713	Flashlight holder.	3.44
5714	Closeable pouch.	9.88
5715	Cellular phone holder.	11.85
5715M	Small cell phone holder.	11.85
5716	Utility knife holder.	6.95
5717	Padded suspenders.	30.84
5718	8-pocket electrician's tool pouch.	36.38
5719	19-pocket electrician's tool pouch.	39.95

TOOL POUCHES & BAGS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

VETO PRO PAC TOOL BAGS TOOL BAGS THAT WORK



LC

XL

XXL-F

The original, award-winning closed top tool bag line offers the ultimate solution for keeping hand tools organized, accessible and protected for transportation to and from the job site.

VPP No.	Description	Each
LC	The model LC tool bag is a smaller version of the original XL. The LC features 57 pockets of varying size and has a capacity of more than 75 hand tools.	\$109.99
XL	The model XL is the workhorse in the VETO PRO PAC line of professional tool bags. Features 67 pockets of varying size and holds over 100 hand tools.	129.99
XXL-F	The model XXL-F tool bag is designed to accommodate longer tools such as saws, levels, pry bars, etc. On one side the SSL-F has a long open storage bay; on the other side it has 47 tiered pockets of varying size. In all, the XXL-F has 55 pockets and holds over 80 tools.	154.99

VETO PRO PAC OPEN TOP TOOL BAGS



OT-LC

OT-XL

Highly functional open top tool bags offer plenty of space and pockets to organize and store a large payload of hand and power tools. Design allows for quicker tool access on the job site as well as the ability to store and transport larger, bulkier tools and related gear.

VPP No.	Description	Each
OT-LC	Features 40 pocket of varying size and has a capacity of over 50 hand tools and assorted gear.	\$129.99
OT-XL	All purpose tool and gear hauling open top tool bag which features 44 pockets of varying size and has a capacity of over 80 hand tools and assorted gear.	154.99

KLEIN TOOL TOTE™ – SHOULDER STRAP



KLN No.	Description	Each
58888	Constructed of double-layered, 600 x 300 denier polyester to resist wear and tear on the jobsite. Water-resistant to avoid the buildup of mold and mildew. Durable molded bottom with drain holes to prevent water retention.	\$58.37

IDEAL BUCKET BAG TOOL CARRIER



IDL No.	Description	Each
35-665	11-1/2" deep bag fits over the rim of a standard 5-gallon bucket. Forth-three convenient pockets - 36 pleated outside and inside pockets. Rugged nylon polyester construction. Blue.	\$40.38

IDEAL MASTER ELECTRICIAN'S TOTE



IDL No.	Description	Each
35-441	Spacious and durable design. Organizes and displays tools for fast access. Includes removable shoulder strap. Durable multi-play construction. Blue	\$50.19

IDEAL TUFF-TOTE™ ULTIMATE TOOL CARRIER



8" sq. tool carrier features two divided inside compartments with 6 screwdriver loops each. One large center compartment, four outside pockets and eight outside tool loops.

IDL No.	Description	Each
35-975	Premium leather carrier with shoulder strap. Leather-wrapped grab handle for carrying comfort. Removable shoulder strap helps relieve lower back strain.	\$166.63



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

TOOL BOXES & STORAGE BOXES

KLEIN CANVAS TOOL BAGS



5102-20

Sturdy #8 white canvas. Steel frame mouth. Bottom and lower sides covered with naugahyde, cemented and lock stitched to canvas.

KLN No.	Description	Each
5102-14	Tool bag, 14"L x 14"D x 6"W.	\$45.36
5102-20	Tool bag, 20"L x 15"D x 6"W.	49.61
5139	Mini zipper bag, 7-1/2" x 12".	6.87




KLEIN VOLTAGE TESTER HOLDER LEATHER

Holds most standard voltage testers. Full top flap with twist closure. Slotted to fit belts up to 2" wide.

KLN No.	Size	Each
5137	3-1/2" x 9-1/2"	\$21.70


KLEIN STEEL TOOL BOXES



54401

KLN No.	Description	Each
54404	Deep-Top Tool Box. High hip-roof permits extra-deep tote tray for bulky drills. Tray has big handle. No partitions. Two drawbolts plus hasp and staple. Red baked enamel finish. 19-3/4"L x 7"D x 8"H.	\$45.25
54401	Extra-Deep All-Purpose Box. All-around use. Big capacity box. Three-compartment tote tray with big, easy-grip handle. Double drawbolts plus hasp and staple. Red baked enamel finish. 20"L x 8-1/2"D x 9-1/2"H.	53.87


MALCO TOTE TRAY



Rust proof polypropylene. Three compartments. 15" x 10" x 4-1/2".

MLC No.	Each
1660	\$11.85

KLEIN FOUR-BOX SLIDE RACKS



Holds four storage boxes. Boxes not included with rack, see below.

KLN No.	Description	Each
54474	Four-box slide rack, 15-1/4" x 11-3/4" x 10-3/4".	\$74.40
54477	Extra large four-box slide rack, 20" x 15-3/4" x 14-1/2".	92.51
54484	Locking bar for 54474	13.61
54486	Locking bar for 54477.	13.61

KLEIN STORAGE BOXES



Overall dimensions of all boxes are 13-15/16" wide, 9-3/4" front-to-back, and 2" high. They fit four-drawer slide rack No. 54474.

KLN No.	Description	Each
54437	12 compartments, 4-5/16" x 2-5/16".	\$18.41
54438	16 compartments, 3-1/4" x 2-5/16".	18.41
54439	20 compartments, 2-5/8" x 2-5/16".	18.41
54440	21 compartments: 20 - 2-1/16" x 2-5/16", 1 - 2-3/4" x 9-1/16".	18.41
54451	Adjustable, 3 fixed partitions with 9 dividers.	31.53

KLEIN EXTRA-LARGE STORAGE BOXES



Fits four-drawer extra-large slide rack No. 54477. Overall dimensions of all boxes are 18" wide, 12" front-to-back, and 3" high.


KLN No.	Description	Each
54445	16 compartments, 4-3/8" x 2-7/8".	\$28.73
54446	21 compartments: 20 - 2-3/4" x 2-7/8", 1 - 3-3/4" x 11-7/8".	28.73
54447	24 compartments: 20 - 2-3/4" x 2-7/8", 4 - 3-3/4" x 2-7/8".	28.73

WIRE STRIPPERS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


IDEAL 7-IN-1 STRIPPER



Strips 6-16 solid and 8-18 stranded and crimps terminals for 10-22 wire sizes. Cuts common sizes of bolts and screws. Has built-in wire cutter, looping holes, conduit reamer and cushioned yellow plastic grips.

IDL No.	Standard Package	Each
45-777	5	\$19.34


IDEAL CABLE RIPPER



Use to slit cable sheathing. Handle has built-in wire gauge.

IDL No.	Standard Package	Each
45-018	20	\$3.53


IDEAL CABLE STRIPPER



Swivel blade strips 1/2" to 3/4" cable.

IDL No.	Standard Package	Each
45-128	5	\$28.91


IDEAL REFLEX SUPER T STRIPPERS



Ergonomic design for maximum comfort. Curved handles to reduce wrist fatigue.

IDL No.	Solid	Stranded	Standard Package	Each
45-615	10 - 18	12 - 20	5	\$18.17
45-415	6 - 14	8 - 16	10	16.35
45-418	8 - 16	10 - 18	10	16.35

IDEAL T-STRIPPERS WIRE STRIPPERS/CUTTERS




All models have a built-in wire cutter, looping holes and cushioned plastic grips.

IDL No.	Wire Range	Standard Package	Each
45-120	10 - 18 solid	10	\$11.62
45-315	8 - 16 solid*	10	13.62

*Also cuts 6-32 and 8-32 bolts.


KLEIN MULTI-PURPOSE WIRE STRIPPER/CUTTER



Strips six standard wire sizes: No. 10 through 20 AWG. Scissors action of 1/2" wide cutter makes clean cuts. Serrated nose jaws to bend, shape, or pull wire; holes for looping wire ends. Coil spring. Blue plastic-dipped handles.

KLN No.	Length, In.	Each
1011	6	\$9.60

KLEIN LONG-NOSE ALL-PURPOSE TOOL



Wire cutting, screw cutting, wire stripping and crimping. Cutters and strippers are in front of the pivot for maximum ease-of-use in reaching into tight places. Crimping dies for insulated and non-insulated connectors from 10 to 22 gauge, and cutters for 4-40, 5-40, 6-32, 8-32, 10-32 and 10-24 screws. Narrow, serrated plier jaws to pull, loop and bend wire. Blue plastic-dipped handles.

KLN No.	Length, In.	Each
1010	8-1/4	\$15.53

KLEIN-KURVE WIRE STRIPPERS/CUTTERS



Precision shear-type blades for clean cuts on solid and stranded copper wire. Easy-to-read markings on both sides. 7-1/8" overall length.


KLN No.	Handle Color	Strips Solid AWG Gauges	Strips Stranded AWG Gauges	Each
11055	blue/yellow	10 - 18	12 - 20	\$14.67
11057	blue/red	20 - 30	22 - 32	15.37



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

DATACOM TOOLS & ACCESSORIES

IDEAL PUNCHDOWN TOOL



For paired conductors. Insert and cut cable terminations effortlessly. Impact-absorbing cushioned grip reduces operator stress for high volume installers. Adjustable high/low actuation setting accommodates termination requirements for operator preference. Storage compartment with unique locking device provides convenient storage for spare blades.

IDL No.	Description	Each
35-483	Punchmaster II Punch Down Tool - BODY ONLY.	\$47.10
35-495	Punchmaster II Punch Down 110 BLADE.	17.01
35-497	Punchmaster II Punch Down 66 BLADE.	17.01

RATCHET TELEMMASTER



For paired conductors. Ratchet version of popular Telemaster™ Tool for RJ-45 and RJ-11 modular plugs.

IDL No.	Each
30-696	\$57.14


ELECTRICIAN'S SCISSORS STAINLESS STEEL WITH STRIPPING NOTCHES



Stainless steel maintains blade durability and sharpness. Serrated teeth allow for non-slip cutting action. Free-fall snip feature for ease of use. Cuts electrical communication 19 AWG and 23 AWG wire. Extended handle provides comfort and cutting leverage for wire cutting application.

KLN No.	Each
2100-8	

SPLICE CONNECTORS



PRICE PER 100

MMM No.	Description	Std. Pkg.	Per 100
UR*	I.D.C. connector, Red, 3 port splice connector used with 2 or 3 solid conductors - 19-26 AWG.	100	\$13.84
UY*	I.D.C. connector, Yellow, 2 port splice connector used with 2 solid conductors - 22-26 AWG.	100	17.93

IDEAL LINKMASTER™ TESTER



Tests wiring configurations on UTP/STP cables. Checks for shorts, miswires, reversals and split pairs. Debug feature, automatic shut-off and low battery LED indication. Designed to test installed twisted pair wiring. Tests unshielded and shielded modular plugs. Main unit and remote allow one person testing.

IDL No.	Each
62-200	\$95.12

CLASSIC TONE AND PROBE KIT



Used to identify single conductors or cables within a bundle, at a cross-connect point or at remote ends. Kit includes the 77HP High Power Tone Generator and the 200EP Inductive Amplifier in a rugged, woven nylon carrying case.

GRL No.	Each
701K	\$111.07

VDV MULTIMEDIA CABLE TESTER



Easy-to-use tester for installers working with voice, data, and video applications. One tester for all applications. **Voice:** Supports 3-pair USOC and 6-position RJ-11/12 jacks for telephone cable testing. **Data:** Supports both shielded and unshielded cable testing to T568A/B (RJ-45). **Video:** Tests coax cable for opens and shorts with F-connector interface.

Tests for opens, shorts, miswires, reversals and split pairs. Also indicates correct wiremap. Has automatic shut off. Easy to read LCD display with "PASS/FAIL" indicator after each test. Tone generator supports 4 different tones making fault isolation easier. One remote wiremap and testing unit is stored inside tester. Uniquely designed remote accommodates FJ-11, RJ-45 and F-style connectors.

IDL No.	Each
33-856	\$105.70

COAX CABLE STRIPPER



For RG-6, RG-6 Quad and RG-59. No adjustment required. Strips center conductors and cable jacket.

IDL No.	Each
45-320	\$10.88

DATAKOM TOOLS & ACCESSORIES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

OMNISEAL XL COMPRESSION TOOL



Factory preset and calibrated to assemble the following connectors: FNC, F-connector for series 6 and 59 cables, RCA connectors.

IDL No.	Each
30-703	\$83.46

OMNISEAL COMPRESSION TOOL



Connects RG-6, RG-6 Quad Shield and RG-59 compression connectors on coaxial cable. Fast and reliable solution to home theater, CATV, satellite systems and security applications.

IDL No.	Each
30-603	\$60.42

COAX CONNECTOR TOOL - F & BNC



Works on compression and hex connectors. Makes attaching (and detaching) connector to equipment easier.

IDL No.	Each
35-046	\$26.77

CMP COMPRESSION CONNECTORS



Approved for use by most cable TV and satellite companies. RF signal containment ensures strong signal. Permanent connection.

IDL No.	Description	Std. Pkg.	Each
89-055	RG-6 Compression F-Connector.	50	\$.74
89-105	RG-6 Compression F-Connector.	100	.60
89-056	RG-6 Quad Compression F-Connector.	50	.74
89-106	RG-6 Quad Compression F-Connector.	100	.60

UNIVERSAL COMPRESSION CONNECTORS



Four universal connectors terminate all plenum RG-6, RG-6, RG-59 and RG-11 braid types from 60% through quad shielding. Approved for use by most cable TV and satellite companies. Approved for indoor-outdoor use.

IDL No.	Description	Std. Pkg.	Each
89-059	Universal GR-59 Compression Conn.	50	\$.86
89-159	Universal GR-59 Compression Conn.	100	.86
89-060	Universal GR-6 Compression Conn.	50	.86
89-160	Universal GR-6 Compression Conn.	100	.86
89-060P	Plenum GR-6 Compression Conn.	50	1.11
89-160P	Plenum GR-6 Compression Conn.	100	.98

BNC COMPRESSION CONNECTORS



One connector for all cable types withing a given RG series. Color coded by cable series for easy identification. Approved for indoor/outdoor use.

IDL No.	Description	Std. Pkg.	Each
89-057	BNC RG-6 Compression Connector.	15	\$2.93
89-058	BNC RG-59 Compression Connector.	15	2.93



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

FISH TAPES, TAPE PULLERS

IDEAL TUFF-GRIP STEEL FISH TAPES



Highest grade carbon steel. Tensile strength 1600 lbs.

IDL No.	Description	Each
31-055	1/8" x .060" x 60'	\$35.63
31-056	1/8" x .060" x 120'	48.27
31-057	1/8" x .060" x 240'	66.85
31-058	1/4" x .060" x 100'	68.84

FISH TAPE ONLY

31-036	1/8" x .060" x 100'	22.41
31-038	1/8" x .060" x 200'	31.37

IDEAL TUFF-GRIP STAINLESS STEEL FISH TAPES



Won't rust or corrode in damp locations. Super clean finish prevents marks on walls or carpets.

IDL No.	Description	Each
31-066	1/8" x .060" x 120'	\$62.06
31-067	1/8" x .060" x 240'	81.42


IDEAL TUFF-GRIP S-CLASS NYLON JACKETED FIBERGLASS FISH TAPES



Non conductive tape designed for use around live circuits. Strong S-Class core for longer life and greater pushing power.

IDL No.	Description	Each
31-061	3/16" x 100' w/leader.	\$156.34
31-064	3/16" x 200' w/leader.	238.47


GREENLEE FISH STIX®



Highly visible green color rods can be easily threaded together and seen when working above ceilings, down walls, or under raised floors. 1/4" diameter fiberglass adds rigidity when connecting multiple sections. 200 lbs. pulling strength.

GRL No.	Description	Each
540-12	12 ft. kit with bullet nose and "J" hook threaded tips.	\$39.97
540-24	24 ft. kit. Includes (1) 3' GLO-Stix section for improved tip visibility	75.68

KLEIN STEEL FISH TAPE PULLER



For use with steel fish tapes.


KLN No.	Each
50355	\$10.61

CABLE CUTTERS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


GREENLEE HEAVY-DUTY CABLE CUTTERS



Replaceable shear type blades are made of forged, heat treated steel and precision ground for clean cuts. Fiberglass handles with rubber grips for greater strength, comfort and leverage.

GRL No.	Max. Capacity	Each
706	1000 MCM Alum./750 MCM Cu.	\$132.43
06555	Replacement blades for 706.	109.93

GREENLEE ACSR/STEEL WIRE CUTTER



Forged steel blades. Cuts ACSR service entrance cable up to 2/0, or 1/2" wire rope. Custom Greenlee hand grips. 28" overall length.

GRL No.	Each
749	\$87.58


GREENLEE HIGH PERFORMANCE RATCHET CABLE CUTTERS



Two-speed mechanism saves cutting time by closing the blades rapidly and shifting to normal speed to perform the cut. No more pushing on stubborn release button—the blades open automatically when the cut is complete. Completely new ratchet mechanism improves durability.

GRL No.	Description	Each
774	19-1/8" length. Copper: 750 MCM, Aluminum: 795 MCM.	\$316.73

GREENLEE HAND RATCHET CABLE CUTTERS



Convenient one-hand operation. Patented ratchet design increases power and decreases size. Cuts copper and aluminum.

GRL No.	Description	Each
45206	Maximum capacity 600 MCM.	\$264.82
45207	Maximum capacity 750 MCM.	301.76

POWERBLADE CABLE CUTTER




drill not included.

Extremely versatile; fits almost any drill (12V minimum). Cuts up to 750 MCM hard-drawn copper, 1000 MCM aluminum. Heavy-duty gears and specially hardened blades for professional quality. No need to mess with battery packs or special chargers; this tool works with the drill you already carry.

IDL No.	Each
35-078	\$619.95

GREENLEE THREADED ROD CUTTER




One stroke cuts either 1/4" or 3/8" threaded rod. Cuts clean, eliminating the need to grind or file before threading a nut onto the cut end.

GRL No.	Each
36587*	\$549.15

*FACTORY STOCK ONLY.

KLEIN RATCHETING CABLE CUTTER



Convenient one-hand operation. Maximum capacity 400MCM copper, 600MCM aluminum.


KLN No.	Each
63060	\$173.05



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

K.O. PUNCHES, DIES, SETS


GREENLEE SLUG BUSTER KNOCKOUT PUNCHES AND SETS



SLUGBUSTER™

Punch up to 10 gauge mild steel. Unique design splits slug and allows it to fall free from the die and punch. Use with ratchet drivers, quick draw driver, or Ram-type hydraulic driver. Punches can be used with standard dies. Available for 1/2" - 2" conduit sizes.

MANUAL SLUG BUSTER PUNCH SETS



Sets include individual punch, die, and ball bearing drive screw.

GRL No.	Conduit Size, In.	Nominal Size, In.	Each
7211BB-1/2	1/2	7/8	\$30.95
7211BB-3/4	3/4	1-3/32	44.13
7211BB-1	1	1-11/32	50.90



7235BB



7237BB

GRL No.	Description	Each
7216	Use with any hydraulic or ratchet driver. Includes both Slug Buster punches and standard dies for 1/2", 3/4", 1", 1-1/4", 1-1/2", and 2" conduit.	\$236.05
7235BB	Set includes punches and dies for 1/2", 3/4", 1", 1-1/4" conduit and 3/8" and 3/4" ball bearing draw studs.	142.88
7237BB	Set includes punches and dies for 1-1/2" and 2" conduit and long 3/4" ball bearing draw stud.	151.46

MANUAL SLUG BUSTER PUNCH SETS



7238SB



1906SB

GRL No.	Description	Each
7238SB	Set includes punches and dies for 1/2" thru 2" conduit and a ratcheting end wrench to drive them.	\$283.50
1906SB	High capacity ratchet punch driver set for 1/2" thru 2" conduit. New design requires less than 1/2 the force of conventional drivers. Includes Slug Buster punches and dies.	816.75

HYDRAULIC SLUG BUSTER PUNCH SETS



GRL No.	Description	Each
7306SB	Hydraulic punch set for 1/2" thru 2" conduit. Includes punches, dies, hydraulic ram, hose, hand pump and all draw studs and spacers.	\$735.41
7310SB	Same as above except includes punches and dies for 1/2" thru 4" conduit.	1239.72

REPLACEMENT SLUG BUSTER PUNCHES

GRL No.	Conduit Size, In.	Each
721-1/2P	1/2	\$18.37
721-3/4P	3/4	20.22
721-1P	1	23.10
721-1-1/4P	1-1/4	27.32
721-1-1/2P	1-1/2	35.72
721-2P	2	45.17

K.O. PUNCHES, DIES, SETS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

GREENLEE SLUG SPLITTER PUNCH SET




Slug Splitters are designed for heavy-duty punching... up to 10 gauge stainless steel. Lasts up to 20 times longer than conventional punches.



GRL No.	Description	Each
7307	1/2" thru 2" conduit punches and dies and 1-7/32" oil tight.	\$960.54

GREENLEE STANDARD KNOCKOUT PUNCHES, DIES, AND SETS RATCHET KNOCKOUT SETS



1904


GRL No.	Description	Each
1904*	High-Leverage Ratchet Knockout Driver. Includes driver and four studs in a metal carrying case.	\$595.36

RATCHET DRIVE STUDS

12099	3/4" dia. long draw stud for use with 1-1/2" thru 3" conduit size standard punches and dies.	21.56
30227	7/16" dia. draw stud for use with 1/2" conduit size Slug Splitter punch and die.	26.17
12097	3/8" dia. draw stud for use with 1/2" conduit size standard punch and die.	16.10

*FACTORY STOCK ONLY.

GREENLEE STANDARD KNOCKOUT PUNCHES, DIES, AND SETS (Cont'd.) HYDRAULIC STANDARD PUNCH SETS



7646 Hydraulic Punch Driver with 767 Hand Pump

GRL No.	Description	Each
7306*	Hydraulic Knockout Punch Driver Set, with 767 hand pump. Includes punches and dies fo 1/2" thru 2" conduit, in carrying case.	\$838.44
7310*	Hydraulic Knockout Punch Driver Set, with 767 hand pump. Includes punches and dies for 1/2" thru 4" conduit, in carrying case.	1409.81
7625	Hydraulic Knockout Driver, with 1725 foot pump (without punches and dies), in metal carrying case.	1100.40
7304	Set of Knockout Punches for 2-1/2" thru 4" conduit, in carrying case.	721.13

ACCESSORIES

GRL No.	Description	Key	Each
746	Ram.	A	\$490.34
2113AA	3/4" piston shaft.	B	38.58
1557AA	Screw sleeve.	C	63.68
1614SS	3/8" stainless steel adapter screw.	D	12.18
15908	Spacer group.	E	39.65
767	Hydraulic hand pump.	F	323.56
1725	Hydraulic foot pump.	--	570.59

*FACTORY STOCK ONLY.



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


K.O. PUNCHES, DIES, SETS

GREENLEE KNOCKOUTS

MANUAL SETS AND INDIVIDUAL PUNCHES, DIES, AND STUDS

GRL No.	Description	Conduit Size	Nominal Size	Each
721-1/2P 14722P 322AVBBP	Punch - Slug Buster Die 3/8" draw stud	1/2"	7/8"	\$18.37 8.79 15.22
721-3/4P 124AVP 249AVBBP	Punch - Slug Buster Die 3/4" draw stud	3/4"	1-3/32"	20.22 10.35 28.09
721-1P 126AVP 249AVBBP	Punch - Slug Buster Die 3/4" draw stud	1"	1-11/32"	23.10 11.37 28.09
721-1-1/4P 128AVP 249AVBBP	Punch - Slug Buster Die 3/4" draw stud	1-1/4"	1-11/16"	27.32 13.07 28.09
721-1-1/2P 440AVP 304AVBBP	Punch - Slug Buster Die 3/4" draw stud	1-1/2"	1-15/16"	35.72 23.38 28.09
721-2P 442AVP 304AVBBP	Punch - Slug Buster Die 3/4" draw stud	2"	2-3/8"	45.17 29.69 28.09
1429AV 1430AV 1434AV 1433AVBB	Punch Die 3/4" draw stud Ball bearing nut	2-1/2"	2-7/8"	62.19 59.12 34.82 75.85
1431AV 1432AV 1434AV 1433AVBB	Punch Die 3/4" draw stud Ball bearing nut	3"	3-1/2"	86.07 77.28 34.82 75.85
2982AV 2981AV	Punch Die	3-1/2"	4"	159.11 121.60
2984AV 2983AV	Punch Die	4"	4-1/2"	212.93 184.84
60246	Oiltight set, Includes Slug-Buster punch, die, and BB stud.	--	1-7/32"	54.64

GREENLEE QUICKDRAW HYDRAULIC PUNCH DRIVERS




GRL No.	Description	Each
7706SB	Quick-Draw Flex Driver Kit. 1/2" - 2" punches & dies, draw studs, adapter & case.	\$772.60
7806SB	Quick-Draw Straight Kit. 1/2" - 2" punches & dies, draw studs, adapter & case.	639.88
7906SB	Quick-Draw 90° Driver Kit. 1/2" - 2" punches & dies, draw studs, adapter & case.	772.60

ACCESSORIES

GRL No.	Description	Each
1924AA	Short spacer.	\$12.89
29451	7/16" stainless steel draw stud.	53.61
31874	Step saver punch adapter (use with 29451 draw stud).	38.75
31872	3/4" draw stud.	37.41

GREENLEE C-FRAME HYDRAULIC PUNCH DRIVERS



Eliminates predrilling or step-up punching, quickly punches holes in a single set-up. C-frame, which holds die and punch, fits around edge of junction box. The 8" deep throat allows easy positioning. Uses special Greenlee dies with standard punches which can be changed quickly and easily.

Furnished without hose.

GRL No.	Description	Each
1731*	One-Shot Knockout Punch Driver, with 1/2", 3/4" and 1" punches and dies, in metal carrying case.	\$1246.11
1732*	One-Shot Knockout Punch Driver, for 1/2" thru 4" conduit. Includes C-Frame, 3/8", 3/4" and 1-1/8" punch and die adapters (punches and dies not included), in metal carrying case.	2149.11

*FACTORY STOCK ONLY.


GREENLEE KEYWAY PUNCH



Cuts up to 10 gauge mild steel. Cuts keyways 1/8" and 3/16".

GRL No.	Each
720	\$213.90

GREENLEE METAL STUD PUNCH



Punch up thru 20 gauge steel studs.

GRL No.	Description	Each
709*	7/8" dia. punch.	\$220.64
710	1-11/32" dia. punch.	198.58
22286	Die for 709.	27.11
21297	Die for 710.	21.21
24823	Punch for 710.	23.58

ACCESSORIES

712A100	Plastic bushing, fits into 710 hole, 100/bag.	18.09
---------	---	-------


*No. 709 uses standard 1/2" punch.

CONDUIT RACK, WIRE DISPENSERS



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

GREENLEE MOBILE CONDUIT AND PIPE RACK




GRL No.	Capacity	Each
668*	1000 lbs.	\$417.57


*Without casters

GRL No.	Description	Each
603	6" wheels, 2 rigid, 2 swivel. For 668 rack.	\$93.82

GB ELECTRICAL SPOOL CADDYS



WSP100



WSP140

WSP100: Constructed of 5/8", .083 wall tubing. Holds 4 to 8 7" diameter reels.

WSP140: Constructed of heavy wall tubing with semi-pneumatic tires on steel wheels. Maximum capacity 300 lbs. Holds 8 to 12 5-7" diameter reels. Can also be used as hand cart.

GBE No.	Each
WSP100	\$30.83
WSP140	287.22

ASSOCIATED ELECTRIC PRODUCTS MC CART



Lightweight and easy to carry. Totally enclosed design allows for easy feeding without kinks and tangles. Helps keep work areas clean and organized. Made of tough, impact resistant, high density polyethylene mounted on a zinc plated steel frame. Holds one 250' coil of MC cable.

HWD No.	Each
620S	\$138.00


RACK-A-TIER WIRE DISPENSER



Compact, waterproof, rugged. Sold in pairs.

RAT No.	Each
11455	\$65.66


GREENLEE TELESCOPING REEL STANDS



Complete set-up requires two reel stands and one spindle.

GRL No.	Description	Capacity	Reel Dia.	Each
683	Height Adj. 22" - 54".	2500 lbs.	46" - 96"	\$196.88
687	Height Adj. 13" x 28".	2500 lbs.	28" - 56"	133.58
647	Spindle - #687, 64".	5000 lbs.	--	127.10
684	Spindle - #683, 72".	5000 lbs.	--	173.07


GREENLEE 909 WIRE DISPENSER



Handles six 2500 foot spools up to 18" diameter. Passes through a 30" doorway. Spindle design permits easy payout of wire with automatic braking. Front wheel is swivel mounted to permit feeding in any direction from a central location, and can be locked to resist movement.

GRL No.	Each
909	\$516.58

GREENLEE 910 WIRE DISPENSER



Holds ten 2500 foot spools from No. 22 to No. 10 wire, up to 18" diameter spools. Passes through a 36" doorway. Spool rack and guide head rotates 360°. Guide head can be raised or lowered approximately 30%. Large 8" casters, 2 lockable. Guide head gathers and straightens the wire for easy feeding. Eliminates kinks or tangles.


GRL No.	Each
910	\$925.04



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

WIRE CARTS, WIRE DISPENSERS

J.T. INDUSTRIES MC WIRE CART



Developed for ease in handling and dispensing coiled materials with no twist or tangles. Unique phenolic roller assembly for easy dispensing. Welded steel construction. Adjustable handle saves space during storage. High visibility orange finish. Made in America.

HWD No.	Each
14-100	\$172.24

GREENLEE DELUXE A-FRAME WIRE CART



Holds up to twenty four (24) spools of #12 AWG wire or sixteen (16) spools of #10 AWG. Folds for easy storage. 10" diameter pneumatic tires for jobsite portability.

GRL No.	Each
9510	\$332.16

GREENLEE HAND TRUCK/WIRE CART



Heavy-duty wheels for durability and easy transporting. Dual heavy-duty guides for dispensing multiple wires in all directions. Only 23" wide to fit through narrow doorways. Comes with 5/8" diameter reel spindles for storing and dispensing up to fifteen spools of #14 THHN wire.

GRL No.	Each
38733	\$247.73

WIRE WAGONS



101
2500' Reel Cart



102
Combo Reel/Spool Cart



103
MC Reel Cart



105
Small Reel Cart

EDI No.	H" x W" x L"	Capacities	Each
101	48 x 29 x 64	Combo 500'/2500' reels & conduit	\$1350.00
102	42 x 26 x 56	Combo 500'/2500' reels & conduit	1320.00
103	44 x 32 x 64	4 - 1000' reels MC Cable thru #10	1350.00
105	40 x 30 x 44	20 - 500' or 6 - 2500'	420.00

FIBERGLASS LADDERS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

FS 1500 SERIES STEP LADDERS 300 LB.



Molded top with tool slots. Inside spreader braces. Double-rivet step construction. Wide back braces. Full channel fiberglass rail.

LOU No.	Size	Weight	Each
FS1504	4'	14	\$68.16
FS1506	6'	20	90.99
FS1508	8'	26	118.41
FS1010	10'	34	166.66

FS 1400 SERIES STEP LADDERS 375 LB.



Molded top with Handyman's tool slot's. Inside spreader braces. Riveted step construction with gussets. Wide back braces. Full channel fiberglass rail. Heavy double gusset bracing

LOU No.	Size	Weight	Each
FS1406HD	6'	21	\$114.70
FS1408HD	8'	28	156.60
FS1410HD	10'	34	219.45
FS1412HD	12'	51	268.16

FS 1100 SERIES EXTRA HEAVY-DUTY STEP LADDERS 375 LB.



Molded top with recessed tray. Extra heavy duty inside spreader braces. Double-rivet construction. Heavy duty reinforcement plates. 375 lb. rated yellow rail. Heavy double gusset bracing.

LOU No.	Size	Weight	Each
FS1106HD	6'	27	\$147.13
FS1108HD	8'	36	196.24
FS1110HD	10'	45	229.92
FS1112HD	12'	56	290.49

FM 1400 HD SERIES TWIN FRONT STEP LADDERS 375 LB.



heavy guage steel hinges. Inside spreader braces. Heavy double gusset bracing. Spreader brace reinforcement plates. Full channel fiberglass rail. Riveted step construction with gusset.

LOU No.	Size	Weight	Each
FM1406HD	6'	27	\$170.74
FM1408HD	8'	36	223.64
FM1410HD	10'	55	279.69
FM1412HD	12'	68	333.62

FE 7200 SERIES EXTENSION LADDERS 300 LB.



Full metal boot. QuickLatch. D-Shaped Rungs. Outside slide guides.


LOU No.	Total Length	Weight	Each
FE7224	24'	53	\$336.87
FE7228	28'	62	385.95
FE7232	32'	72	456.94



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

LAMP GUARDS & CHANGERS

TEMPORARY LIGHTING



For temporary jobsite lighting. 100 ft.; 10 medium base sockets and yellow plastic guard assemblies at 10 ft. intervals, two 14-gauge wires. 1500 watt capacity. Bulbs not included.

CLM No.	Description	Std. Pkg.	Each
07145	Heavy duty, 14/2 SJTW, UL Listed.	1	\$59.85

INDUSTRIAL AND ECONOMY EXTENSION LIGHTS




Molded melamine phenolic handle. Impact, abrasion, heat and oil resistant. 16/3-SJT, 3-wire cord. 125V 3-wire outlet. 200W max. lamps.

MGL No.	Cord Length	Standard Package	Each
5000SRG*	--	1	\$50.79
5025SRG	25'	1	91.06
5050SRG	50'	1	124.23

*Handle and cage only, no cord.

CLM No.	Cord Length	Standard Package	Each
05427	25'	12	\$15.13


McGILL GRIP-ON LAMP GUARD



Non-locking metal guard. Universal collar fits all brass and weatherproof sockets. Will take 200W lamp.

MGL No.	Standard Package	Each
2200-2200-A	6	\$13.04

McGILL INCANDESCENT LAMP CHANGERS



MGL No.	Lamps	Std. Pkg.	Each
---------	-------	-----------	------

RUBBER COVERED FINGERS AND COIL SPRINGS

150CA*	A-15, A-17, A-19, G-16-1/2, G-18-1/2, (15-100W).	10	\$48.62
151CA*	A-19, A-21, A-23, P-25, PS-25, PS-30, PS-35, GA-25, G-25, G-30, (25-500W).	10	35.06
156C	R-30, R-40, PAR-36, PAR-38, (50-500W incan.: 100-175W Mercury ER-40).	10	63.72
161C	BT-24, BT-28, E-21, E-23-1/2, E-28, (75-250W Mercury, 175W Metal Halide, 50 to 215 Watt Sodium).	10	34.50

RUBBER SUCTION CUPS

162C	PAR-36, PAR-38, PAR-46 (25-150W Incan., 75-100 Mercury).	10	20.11
166C	R-20, R-30 & ER-30 (30 to 75W Incan.)	10	19.38

ACCESSORIES

MGL No.	Description	Std. Pkg.	Each
160P	Steel pole, insulated, 5 ft. sections.	10	\$23.51

*Furnished with joined angle adjustments for removal of horizontally mounted lamps or lamps mounted at an angle.

RIDGID HAND TOOLS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RIDGID CAST IRON PIPE WRENCHES



Straight



End

RGD No.	Model No.	Capacity	Length	Each
STRAIGHT				
31010	10	1-1/2"	10"	\$21.69
31015	12	2"	12"	25.08
31020	14	2"	14"	28.28
31025	18	2-1/2"	18"	40.50
31030	24	3"	24"	64.29
31035	36	5"	36"	137.11
END				
31060	E-10	1-1/2"	10"	25.28

RIDGID LIGHT-DUTY CHAIN WRENCHES



RGD No.	Model No.	Capacity	Chain Length	Each
31310	C-12	2"	15-3/4"	\$44.83
31325	C-24	3"	20-1/4"	99.50
31330	C-36	4-1/2"	29"	204.23

RIDGID STRAP WRENCHES



RGD No.	Model No.	Capacity	Strap Length	Each
31345	2	2"	30"	\$34.62
31365	5	5"	48"	72.76

RIDGID BOLT/CABLE CUTTER



Will cut rod, wire mesh, concrete form ties, cable, and bolts. Center cut.

RGD No.	Model No.	Overall Length	Each
98950	N24S	26"	\$76.58

RIDGID ALUMINUM PIPE WRENCHES



Nearly 40% lighter than comparable cast-iron wrenches.


RGD No.	Model No.	Description	Each
31095	814	14" pipe wrench.	\$47.23
31100	818	18" pipe wrench.	58.76
31105	824	24" pipe wrench.	93.77



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RIDGID CUTTERS, REAMERS, VISES

RIDGID PIPE CUTTERS HEAVY-DUTY



RGD No.	Model No.	Size	Each
32820	2-A	1/8" - 2"	\$139.80
32840	4-S	2" - 4"	367.28

Replacement blades available.

RIDGID TUBING CUTTERS




Use on hard and soft copper, aluminum, brass and plastic tubing.

RGD No.	Model No.	Capacity	Each
32910	10	1/8" - 1"	\$26.68
32920	15	3/16" - 1-1/8"	30.83
32930	20	5/8" - 2-1/8"	59.80
32940	30	1" - 3-1/8"	92.57

ACCESSORIES

RGD No.	Description	Each
33165	Replacement cutting wheel for #10, 15, 20.	\$6.86
33175	Replacement cutting wheel for #30.	9.41

RIDGID PLASTIC PIPE CUTTER



RGD No.	Model No.	Capacity	Each
91125	138	1/8" - 1-1/2" O.D.	\$67.09

ACCESSORIES

RGD No.	Description	Each
92170	Replacement blade kit.	\$34.26

RIDGID RATCHET PIPE REAMERS



RGD No.	Model No.	Description	Capacity	Each
34955	2-S	Spiral reamer with handle. Use when hand threading and cutting.	1/4" - 2"	\$220.00
34945	2	Straight reamer with handle. Use when power threading and cutting.	1/8" - 2"	182.85
34960	254	Spiral reamer with handle. Use when hand threading and cutting.	2-1/2" - 4"	392.07

RIDGID PIPE VISE




RGD No.	Model No.	Description	Capacity	Each
72037	460	Portable tri-stand chain vise, complete with slots for hanging tools, pipe rest, three pipe benders, and ceiling base screw.	1/8" - 5"	\$448.95

RIDGID DIE HEADS, THREADERS



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

RIDGID DROP HEAD RATCHET THREADERS



Die Head and Handle

NPT alloy. Right hand.

RGD No.	Pipe Size	Each
---------	-----------	------

12-R MODEL—DIE HEAD

37390	1/2"	\$92.57
37395	3/4"	92.57
37400	1"	117.81
37405	1-1/4"	117.81
37410	1-1/2"	129.87
37415	2"	129.87

12-R MODEL—DIE HEAD FOR PLASTIC-COATED PIPE

51857	1/2"	117.81
51862	3/4"	117.81
51867	1"	142.50
51872	1-1/4"	142.50
51877	1-1/2"	167.23
51882	2"	167.23



MANUAL RATCHET THREADER SET

RGD No.	Description	Each
36475	Exposed ratchet threader set. No. 12-R: Capacity 1/2"-2".	\$675.76

ACCESSORIES

RGD No.	Description	Each
38605	OO-R metal case.	\$71.37
38625	12-R metal case.	126.43
38540	OO-R handle.	63.95
38555	12-R handle.	70.77

REPLACEMENT DIES FOR OO-R, 111-R, 12-R, 30A, 31A PIPE THREADERS

RGD No.	Pipe Size	Each
---------	-----------	------

HIGH SPEED

37855	1/8"	\$49.55
37860	1/4"	49.55
37865	3/8"	49.55
37870	1/2"	49.55
37875	3/4"	49.55
37880	1"	58.82
37885	1-1/4"	58.82
37890	1-1/2"	72.93
37895	2"	72.93

**See Page G-13 For
Pipe Taps.**

RIDGID POWER DRIVE



The Ridgid No. 700 Power Drive has power to cut threads and drive geared threaders. Reversible motor and all-spur gear reduction assures maximum power and efficiency. Ridgid No. 12-R die heads fit without an adapter while only four adapters are needed for other Ridgid die heads. A square drive adapter is used for Ridgid geared threaders. 1/2 HP, 115 volts.

RGD No.	Model No.	Pipe Capacity	Rod Capacity	Each
41935	700	1/8" - 2"	1/4" - 1"	\$1409.72

ACCESSORIES

RGD No.	Model No.	Description	Each
42600	770	Adapter for OO-R die heads.	\$141.90
42620	774	Square drive adapter.	99.20
42625*	775	Support arm.	179.80
42950	B-171-X	Metal carrying case.	146.14

*Support arm improves overall performance and safety of operation of 700.

RIDGID GEARED PIPE THREADER



Power or hand threading. One set of high-speed dies included. Threads four sizes of pipe.

RGD No.	Model No.	Pipe Size	Each
36620	141	2-1/2" - 4"	\$2219.38

REPLACEMENT DIES


RGD No.	Pipe Size	Each
38120	2-1/2" - 4"	\$302.06



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

RIDGID THREADING MACHINE & ACCESSORIES

RIDGID COMPACT THREADING MACHINE




Light compact design. Threads 1/2" thru 2". Standard equipment includes: Power Drive, Universal Die Head and Dies, No. 360 Cutter, No. 344 Reamer, one gallon Nu-Clear Thread Cutting Oil and Folding Stand. Includes self contained oil system.

RGD No.	Each
67182*	\$5216.98

*FACTORY STOCK ONLY

RIDGID THREADING MACHINE ACCESSORIES



RGD No.	Model No.	Description	Each
41855	300	Power Drive Only. Pipe capacity 1/8" - 2". Rod capacity 1/4" - 2".	\$2393.85
97250	331	Oil pan support tray.	81.60
42360	1206	Stand	331.72
68815	311	Carriage with lever.	333.82
42385	312	Carriage feed lever.	78.00
42365	341	Reamer for carriage w/lever.	183.39
42370	360	Cutter for 1/8" - 2" pipe, 1/4" - 7/8" rod.	194.11
97065	811A	Universal Q.O. die head, right hand.	364.30
19366	758	Loop. Use when driving geared threaders with 300.	39.50
42405	844	Drive bar. Use when driving geared threaders with 300.	120.55
51005	819	Nipple chuck. Permits threading close nipples, 1/2" - 2".	369.02
26192	1224	High speed dies, 2-1/2" - 4".	227.59
47745	1/2"-3/4"	Universal dies for 811 die head.	108.71
47750	1"-2"	Universal dies for 811 die head.	108.71
47755	1/8"	High speed univ. dies - 811 head.	164.72
47760	1/4"-3/8"	High speed univ. dies - 811 head.	163.02
47765	1/2"-3/4"	High speed univ. dies - 811 head.	163.02
47770	1"-2"	High speed univ. dies - 811 head.	163.02
47785	1/2-3/4	High speed S.S. dies - 811.	163.02
47790	1-2	High speed S.S. dies - 811.	163.02

RIDGID MODEL 418 OILER



Stops oil waste. Keeps dies flooded for perfect threads, longer die life.

RGD No.	Model No.	Description	Each
10883	418	Oiler with 1 gallon Nu-Clear oil.	\$286.94

ACCESSORIES

RGD No.	Description	Each
72332	#4 hand pump only.	\$127.19

RIDGID THREAD CUTTING OILS



RGD No.	Size	Each
22088	16 oz. aerosol.	\$12.01
70835	1 gallon - Nu-Clear.	19.38
70830	1 gallon - Dark.	17.86

RIDGID SEESNAKE MICRO™ INSPECTION CAMERA



Allows you to easily perform visual inspections in hard to reach areas. 2.5" color LCD display. Camera diameter is .7". Cable reach is 3 ft. (expandable to 30 ft. w/optional extensions).

RGD No.	Description	Each
25643	SeeSnake micro inspection camera.	\$256.33
26658	3' cable extension.	52.37
26668	Accessory pack (mirror, hook and magnet).	16.91

MILWAUKEE V-28 CORDLESS TOOLS



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com



MILWAUKEE V-28 LITHIUM-ION BATTERY TECHNOLOGY

THE MOST POWERFUL CORDLESS TOOL SYSTEM ON THE PLANET

- **CONSISTENT POWER:** Unlike NiCd batteries, V28 Li-ion batteries maintain their power level throughout the entire discharge cycle.
- **UP TO 2X THE RUNTIME OF 18V:** Milwaukee's 28 volt, 3.0 Amp-Hr. battery has up to 2x the run time of comparable 18V, 2.4 Amp-Hr. NiCd packs.
- **LONGER PACK LIFE:** Provides up to 2-1/2 times more lifetime work output when compared to today's 18V NiCd.
- **COMPACT LI-ION POWER:** Lighter weight than 18V NiCd and NiMH packs.
- **NO MEMORY EFFECT:** V28 Li-ion Batteries can be recharged at any time without creating a memory effect, regardless of the pack's current charge level.



MILWAUKEE HEAVY-DUTY V-28 SAWZALL RECIPROCATING SAW



28V power at 18V battery weight. 1-1/8" stroke, 0/2,000 - 0/3,000 SPM. Tool free adjustment shoe. Exclusive gear protecting clutch for long life. Two-finger variable speed trigger.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0719-22	28	3.0	2	\$419.00

MILWAUKEE HEAVY-DUTY V-28 RIGHT ANGLE DRILL



0-400/0-1000 RPM. 1/2" keyed chuck. Head swivels 360° and can be locked tight in any position. Convenient, easy reach forward/reverse lever. 28V power at 18V battery weight.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0721-21	28	3.0	1	\$369.70

MILWAUKEE HEAVY-DUTY V-28 1/2" HAMMER-DRILLS



Ratcheting, single-sleeve chuck with carbide jaws for superior gripping strength. 2-speed gear box with all metal gears, delivers 0-600/0-1,800 RPM; 0-9,000/0-27,000 BPM. Clip-Lok secures tool to belt with one hand. Reversible battery pack allows user to change drill balance for overhead work on in confined areas.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0724-24	28	3.0	2	\$419.00

MILWAUKEE HEAVY-DUTY V-28 BANDSAW



Over 200 cuts of 1" conduit per battery charge. High/low speed selector switch with lock. Two-finger trigger speed control. Comfortable non-slip soft-grip. LED light aids cutting visibility. Deep cut, full 4-3/4" x 4-3/4" cutting capacity.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0729-21	28	3.0	1	\$443.00

MILWAUKEE HEAVY-DUTY V-28 SDS ROTARY HAMMER



Reversible motor delivers 4,7000 BPM and 2.1 ft.-lbs. of impact energy. Optimal drilling range in concrete is from 3/16" to 3/4" with a 1" solid bit capacity and 2-1/2" thin wall core bit capacity. Three operating modes - hammer drill, drill only, and chipping. Soft-grip handle and two-finger reversible trigger for maximum comfort.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0756-22	28	3.0	1	\$699.01



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE V-28 & V-18 CORDLESS TOOLS

MILWAUKEE HEAVY-DUTY V-28 COMBO KIT



MWK No.	Description	Each
0928-29	KIT INCLUDES: 0719-20 Reciprocating Saw 0724-20 Hammer-Drill 0730-20 6-1/2" Circular Saw 49-24-0185 V28 Work Light 48-55-3530 Contractor Bag 48-59-2801 One Hour Charger 49-24-0185 Work Light 48-11-2830 V28 Battery	\$640.00

MILWAUKEE HEAVY-DUTY V-28 ACCESSORIES ONE HOUR CHARGER



High visibility 360° LED charging indicator. Rubberized feet. Progressive charge indication. Pass-through plug - conserves valuable outlet space on the job site.

MWK No.	Each
48-59-2818	\$54.65

MILWAUKEE HEAVY-DUTY V-28 BATTERY



MWK No.	Each
48-11-2830	\$144.69



MILWAUKEE V-18 LITHIUM-ION SYSTEM

- LONGER RUNTIME & LIGHTER WEIGHT than standard 18V NiCad battery. 1/2 lbs. less weight than comparable NiCd batteries and offers up to 50% longer run-time.
- UNIQUE LITHIUM CHEMISTRY and intelligent technology allows the V-18 to deliver fade free power until the end of discharge.
- Superior cold weather performance down to -4°F.



MILWAUKEE HEAVY-DUTY V-18 RECIPROCATING SAW



0-2700 SPM and 1-1/8" stroke length for fast cutting. Keyless Quik-Lok blade clamp for fast and easy blade replacement.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0819-21	18	3.0	1	\$289.93

MILWAUKEE HEAVY-DUTY V-18 1/2" HAMMER DRIVER/DRILL



1/2" metal ratcheting chuck with carbide jaws for superior gripping strength. 2-speed gear box with all metal gears, delivers 0-450/0-1,700 RPM; 0-7,200/0-27,200 BPM. High power motor delivers 550 in-lbs of torque. Reversible battery pack allows user to change drill balance for overhead work on in confined areas.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0824-24	18	3.0	2	\$328.05

MILWAUKEE V-18 & LITHIUM CORDLESS TOOLS



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE HEAVY-DUTY V-18 6-7/8" METAL CUTTING CIRCULAR SAW



3200 RPM for fast clean cuts. Clear guard window for enhanced line of sight.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0840-22	18	3.0	2	\$399.11

MILWAUKEE HEAVY-DUTY 18 VOLT COMPACT DRIVER DRILL



1/2" ratcheting chuck with plastic sleeve. Heavy-duty 2-speed metal gear box: 0-350/0-1,400 RPM. Compact length (7-3/4") fits in tight areas. Compact motor delivers 400 in.-lbs. of maximum torque. Built-in LED light illuminates work surfaces. Belt hook frees up both hands for work positioning before fastening. 4 lbs. Includes charger and carrying case.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
2601-22	18	1.4	2	\$199.00

MILWAUKEE HEAVY-DUTY V-18 4-PIECE COMBO KIT



MWK No.	Description	Each
0920-29	KIT INCLUDES: V18 1/2" Hammer-Drill V18 Work Light with Clip-Lok V18 Lithium-Ion Battery 18V-28V Universal Charger Sawzall Reciprocating Saw Circular Saw Side Handle No. 2 Phillips bit Two Sawzall Blades Circular Saw Blade Rip Fence Blade Wrench Carrying Case	\$540.00

MILWAUKEE HEAVY-DUTY V-18 ACCESSORIES



MWK No.	Description	Each
48-11-1830	18V Lithium-Ion Battery.	\$132.11
48-59-2818	One-hour Lithium-Ion Charger.	54.65

ACCESSORIES

MWK No.	Description	Each
48-11-1815	18V lithium compact driver battery.	\$68.31
48-59-1801	18V 1-hour compact charger.	54.65

MILWAUKEE HEAVY-DUTY 12 VOLT SUB-COMPACT DRIVER DRILL



Quick bit-loading 1/4" hex chuck for bit insertion and release with one hand. Battery fuel gauge displaying remaining run-time. Metal gear housing for job site durability. Built-in LED for illumination of dark work spots. Variable speed trigger for output power control. Over-mold side and grip for secure grip and work surface protection. 0-500 RPM no load speed. 100 in.-lbs torque.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
2401-22	12	1.4	2	\$128.65

ACCESSORIES

MWK No.	Description	Each
48-11-2401	12V lithium subcompact driver battery.	\$41.61
48-59-2401	12V 1-hour subcompact charger.	48.44



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE NICAD CORDLESS TOOLS

MILWAUKEE HEAVY-DUTY NICAD 1/2" HAMMER DRIVER/DRILL 0-25,000 BPM



Powerful 18V motor delivers 495 in.-lbs. maximum torque. 1/2" metal ratcheting chuck with carbide jaws for superior grip strength. One-hour NiCd charger. Reversible battery pack fits into tight work spaces and adjusts balance. Two speed ranges: 0-500 and 0-1700 RPM.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0627-24	18	2.4	1	\$258.47

MILWAUKEE HEAVY-DUTY NICAD 1/2" DRIVER/DRILL



Powerful 18V motor delivers 495 in.-lbs. maximum torque. 1/2" metal ratcheting chuck with carbide jaws for superior grip strength. One-hour NiCd charger. Reversible battery pack fits into tight work spaces and adjusts balance. Two speed ranges: 0-500 and 0-1700 RPM.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
0625-24	18	2.4	1	\$240.99

MILWAUKEE HEAVY-DUTY NICAD CIRCULAR SAWS



18V, 2.4 amp-hr. battery delivers long run time. One-hour NiCd charger. Electric brake for quick blade stops. Powerful motor with replaceable brushes. 3200 RPM for fast cutting. Ergonomic cushion grip D-handle. All-metal upper and lower guards.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
6320-22	18	2.4	2	\$338.98

MILWAUKEE HEAVY-DUTY NICAD SAWZALL



Gear protecting clutch. 1-1/8" stroke for fast cutting. Cuts up to 90 2x4's on a single charge. 18V, 2.4 amp-hr. battery. One-hour NiCd charger. Keyless Quik-Lok blade clamp for fast, easy blade change. Fully serviceable replaceable brushes. Accepts standard 1/2" shank sawzall blades. Variable speed trigger, lock-off switch. Reverse the blade for cutting upside down in confined areas. Pivot shoe for maximum support against work surface. Rubber boot for soft gripping area.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
6515-27	18	2.4	1	\$257.94

MILWAUKEE HEAVY-DUTY NICAD IMPACT WRENCHES



Easily removes and tightens lug nuts on vehicle tires. handles tough equipment applications. 2.4 amp-hr. NiCd batteries deliver long run time. Reversible batter pack fits into tight work areas. One-hour charger. Variable speed switch for maximum user control, 0-1400 RPM. Reversing lever with trigger lock-off. Soft-grip handle pad.

MWK No.	DC Volts	Battery Amps/Hr.	No. Batteries Included	Each
9079-22	18	2.4	1	\$312.49

MILWAUKEE HEAVY-DUTY NICAD ACCESSORIES

MWK No.	Description	Each
48-11-2230	18V Ni-Cad Battery.	\$93.83
48-59-0255	One-hour Ni-Cad Charger.	63.80

MILWAUKEE POWER TOOLS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

MILWAUKEE HEAVY-DUTY 1/2" MAGNUM DRILL



Best power to weight ratio. Improved ergonomics. Variable speed control. All metal gear case and diaphragm. 360° positive lock side handle. Switch with two-finger trigger. Modular brush card design. All ball and roller bearings. 8 ft. 3-wire Quik-Lok cord set. 1/2" metal ratcheting chuck with carbide jaws.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
0300-20	1/2"	8.0	0-850	\$127.12

MILWAUKEE HEAVY-DUTY 1/2" MAGNUM DRILL



Powerful Milwaukee built 5.5 amp motor. Removable brush cartridge system. Heavy-duty industrial chucks. Trigger speed control reversing switches. All ball and roller bearings. 8 ft. 3-wire Quick-Lok cord set.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
0234-6	1/2"	5.5	0-850	\$146.18

MILWAUKEE HEAVY-DUTY 1/2" "D" HANDLE DRILL



1/2" trigger speed control reversing. Helical cut, heat treated gears. Durable, glass reinforced nylon handles. Variable speed, control reversing. All ball and roller bearings. 8 ft. 3-wire Quik-Lok cord set.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
1250-1	1/2"	7.0	0-500	\$206.56
1107-6	1/2"	7.0	0-1000	212.45

MILWAUKEE HEAVY-DUTY 1/2" RIGHT ANGLE DRILL



1/2" trigger speed control reversing. Helical cut, heat treated gears. Durable, glass reinforced nylon handles. Variable speed, control reversing. All ball and roller bearings. Use with up to 4-5/8" selffeed bits. Steel hardened shafts. Head and handle swivel 360° - can be locked tight in any position.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
3107-6	1/2"	7.0	0-500	\$250.11

MILWAUKEE HEAVY-DUTY HOLE-HAWG DRILL



Functional design puts force in line with chuck. Power and torque, reversing, compact design for drilling between studs and joists. 2-position pipe handle. 3-position spade handle. 2-speed gear shift. External brush caps. Heat treated cut steel gears. All ball and roller bearings. Can power up to 4-5/8" selffeed bit in low speed and drill up to 1-3/8" selffeed bit in high speed.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
1675-6	1/2"	7.5	300/1200	\$314.85
1676-6*	1/2"	7.5	300/1200	318.92

* Includes case.

MILWAUKEE HEAVY-DUTY SUPER-HAWG DRILL



Highest amp rating (13.0) and power-to-weight ration in its class. Low speed clutch protects gear train. Fast drilling - highest RPM in its class. Maximum SFB at 1., 750 RPM - 2-9/16". Maximum SFB at 450 RMP - 4-5/8". Roto-Lok rotating handle - 90° left/right rotation for most comfortable grip position. T-bar front grip helps guide bit. cushion grips provide more comfortable gripping. Efficient gear shift design.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
1680-21	1/2"	13.0	1750/450	\$329.45

MILWAUKEE HEAVY-DUTY COMPACT DRILL



5/8" - 16 spindle diameter and thread. Extra long switch handle and pipe handle allow maximum leverage. Rear mounted assist spade handle. Moly chrome alloy steel gears for high torque transmission with minimum wear.

MWK No.	Capacity In Steel	Amps	No Load RPM	Each
1630-1	1/2"	7.0	900	\$214.21



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE POWER TOOLS

MILWAUKEE HEAVY-DUTY CORING BASE



Lightweight, portable coring stand for the contractor with heavyweight applications. Cast aluminum base with 4 leveling screws for fast accurate leveling adjustment. Durable, precision-ground 2-1/2" steel column, 43-1/2" high. Rear mounted rack and pinion feed. Jackscrew for ceiling and backwall bracing. Reversible feed handle. Locking carriage. Heavy-duty, solid rubber 5" wheels. Universal motor adapter plate.


MWK No.	Each
4115-22*	\$1883.20

*FACTORY STOCK ONLY

ACCESSORIES

MWK No.	Description	Each
49-18-0055	Water hose.	\$18.71
49-76-0055	Water can.	73.39

MILWAUKEE DIAMOND CORE BITS



MWK No.	Description	Each
48-16-2007	2"	\$189.11
48-16-2507	2-1/2"	222.03
48-16-3007	3"	251.11
48-16-3507	3-1/2"	274.87
48-16-4007	4"	293.22

ACCESSORIES

48-95-1500	Bit extension.	60.20
------------	----------------	-------

MILWAUKEE HEAVY-DUTY 1-1/8" SDS ROTARY HAMMERS



D-style handle offers a secure grip that maximizes drilling pressure while minimizing operator fatigue. Electronic variable speed control trigger. 3-modes of operation; hammer-drill, drill only, and chipping for maximum versatility. Chisel adjustment allows bit to be position to the workplace to maintain comfortable tool orientation while chipping. Slip clutch stops action when jammed.

MWK No.	Removable SDS Bit Holder	Amps	No Load RPM	Each
5359-21	No	7.4	0-980	\$371.78
5360-21	Yes	7.4	0-980	388.56

MILWAUKEE HEAVY-DUTY 1" SDS ROTARY HAMMER



3-modes of operation; hammer-drill, drill, chipping for maximum versatility. Compact and lightweight, L-shape design. Anti-vibration, soft grip handle and two-finger trigger. 7.0 amp motor, 2.0 ft.-lbs. of impact energy, 0-5,980 BPM and 0-1,400 RPM for fast drilling and powerful chipping. Integral clutch minimizes torque reactions and helps protect gears. Heavy-duty 10 ft. Quick-Lok rubber power cord. Keyless SDS chuck for fast, tool gree bit changes.

MWK No.	Blows Per Minute	Amps	No Load RPM	Each
5363-21	0-5980	7.0	0-1400	\$311.43

MILWAUKEE HEAVY-DUTY 1-1/2" ROTARY HAMMER



Powerful 11 amp Milwaukee motor. Electronic feedback control circuit (EFCC) provides soft start for accurate hole placement. Constant speed under load increases performance by maintaining constant speed without bogging down. Internal clutch slips if bit jams. Single motion push-in spline bit reception. 120V AC.

MWK No.	Blows Per Minute	Amps	No Load BPM	Each
5318-21	0-5980	11.0	3400	\$486.40

MILWAUKEE POWER TOOLS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

MILWAUKEE HEAVY-DUTY 1/2" HAMMER-DRILLS



For percussion drilling with carbide-tipped hammer-drill bits in concrete and masonry or drilling without hammering in wood or metal. Trigger speed control. 1/2" keyed chuck. All ball and roller bearings. Side handle can be used on either side and with or without depth gauge. Self-stopping brushes. Soft grip handle. Heavy-duty metal gear case for rugged durability. 10 ft. Quik-Lok cord.

MWK No.	Blows Per Minute	No Load RPM	Amps	Each
5378-20	0-22,000/ 0-40,000	0-1,350/ 0-2,500	7.5	\$139.30
5387-22	0-16,000/ 0-40,000	0-1,000/ 0-2,500	8.5	195.44



MILWAUKEE HEAVY-DUTY 4-1/2" MAGNUM SANDER/GRINDER



Powerful 8.5 amp motor with long life brushes and high output fans. Paddle switch with integrated lock-off button. Optimum speed for various accessories. Cast aluminum gear housing with recessed spindle lock. 3-position large flanged side handle. Adjustable wheel guard. Lock-on button for continuous operation.

MWK No.	Spindle Thread Size	Amps	RPM	Each
6148-6	5/8"-11	8.5	10,000	\$102.34

DIAMOND AND ABRASIVE BLADES AND CUTTING WHEELS



CALL US FOR PRICE AND AVAILABILITY.

816-221-0060

MILWAUKEE HEAVY-DUTY 3/4" SDS ROTARY HAMMER



Variable speed switch - allows holes to be started easily. Hard hitting - hardest hitting in its class, 1.7 ft.-lbs./blow. Fast drilling - 1,270 RPM and 5,400 BPM. Soft grip is more comfortable with secure gripping. Lightweight compact size. Mode selector can be changed from hammering with rotation for drilling concrete to rotation for drilling only for steel, wood, etc.

MWK No.	Blows Per Minute	Amps	No Load RPM	Each
5383-21	0-5400	6.0	0-1270	\$209.21

MILWAUKEE HEAVY-DUTY PORTABLE ELECTRIC BAND SAW



Powerful motor with long life brushes and high output fans. Optimum speed range - cuts pipes, bolts, re-bar, angle iron, tracks and other profiles in a variety of materials. Includes Super-tough Bi-Metal blades. Use standard 44-7/8" x 1/2" .020" band saw blades. All ball and roller bearings. High torque worm gear and chain drive mechanism. Excellent balance. Open line of sight for more accurate cut. Blade tightening lever.

MWK No.	Surface Ft. Per Minute	Amps	Capacity	Each
6232-6	0-350	6.0	4-3/4"	\$304.70

MILWAUKEE HEAVY-DUTY BI-METAL BAND SAW BLADES

Milwaukee Super-Tough Bi-Metal Blades outlast conventional blades up to 3 times. Recommended use: High speed cutting of aluminum, angle iron, bronze, brass, copper, galvanized pipe, mild steel and tougher steels including stainless, chrome, tungsten steels plus other problem materials at slow speed.

MWK No.	Dia. or Wall Thickness	Teeth Per Inch	Each
48-39-0520	5/32" - 3/16"	18	\$5.86
48-39-0530	Up to 5/32"	24	5.86



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE POWER TOOLS

MILWAUKEE HEAVY-DUTY TILT-LOK™ 7-1/4" CIRCULAR SAW



Exclusive adjustable main handle. The 8-position locking handle adjusts to the cutting application for maximum comfort and control. 15 amp, 3-1/4 maximum horsepower motor. Maximum power-to-weight ratio. Depth lever and bevel adjustments easy to access and operate. Cushion front grip/rear handle. 50% bevel capacity. Maximum sight line. Convenient bevel scale for quick and accurate adjustment. One-touch spindle lock.

MWK No.	Blade Size	Amps	No Load RPM	Each
6391-21	7-1/4"	15.0	5800	\$145.65

MILWAUKEE HEAVY-DUTY INDUSTRIAL WORK CART



48-60-5015



48-60-5100

MWK No.	Description	Each
48-60-5015	Trade Titan industrial work cart with locking cabinet. 16.5" L x 52" W x 27.5" H. 750 lb load rating. 100 in weight.	\$460.00
48-60-5100	Trade Titan Removable wire spool rack. 17" L x 8" W x 25" H.	112.50

MILWAUKEE HEAVY-DUTY JOB SITE RADIO



Rugged construction – withstands 8 ft. drop to concrete. 7 channel weather band receives N.O.A.A. weather broadcast (where available). Digital tuner with 20 AM/FM presets. Steel grill protected 5-1/4" weather resistant speakers with separate tweeters. Operates on standard AC or Milwaukee 12, 14.4 or 18 volt. World's toughest radio!

MWK No.	Each
49-24-0200	\$100.63

MILWAUKEE HEAVY-DUTY SAWZALL



3/4" stroke length. Powerful 11 amp motor. Lightweight - 11 lbs. 0-2800 strokes per minute with trigger speed control. Adjustable pivot shoe allows more efficient use of blade and depth-of-cut control. Easy access to pivot shoe adjusting screws. Easy plunge cutting with no starting hole. Reverse the blade for cutting upside down. Textured rubber boot for superior gripping and operator comfort. All ball and roller bearings. Heavy-duty steel Quik-lok blade clamp system. Cuts: wood & nail embedded wood, steel, cast iron, aluminum & brass, drywall, plaster & composition materials, hard rubber, cement, brick & fiberglass.

MWK No.	SPM	Amps	Length of Stroke	Each
6509-022	0-2800	11.0	3/4"	\$118.80

MILWAUKEE HEAVY-DUTY HEAT GUN



Dual temperature 570°F and 1000°F. 3 position rocker switch – off, high & low. Impact resistant heating element. Efficient soft air velocity. Cool air inlet design. Support stand included.

MWK No.	Air Volume Cu. Ft. Min.	Amps	Air Temp, F	Each
8975-6	14.8	11.6	570°/1000°	\$64.15

MILWAUKEE HEAVY-DUTY HEAT GUN VARIABLE TEMPERATURE



Variable temperature – 140° to 1040° F. Three position rocker switch – off, high & low. Impact resistant heating element. Efficient soft air velocity. Cool air inlet design. Support stand included.

MWK No.	Air Volume Cu. Ft. Min.	Amps	Air Temp, F	Each
8977-20	14.8	11.6	140° – 1040°	\$92.39

MILWAUKEE SAWZALL BLADES



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

MILWAUKEE HEAVY-DUTY HIGH PERFORMANCE SAWZALL BLADES

Milwaukee's newest blades are designed for the toughest cutting applications in wood, nail embedded wood, metal, remodeling, rescue and demolition work.

MILWAUKEE – THE AX SAWZALL BLADES DESIGNED SPECIFICALLY FOR CUTTING WOOD AND NAIL EMBEDDED WOOD



AX blades have a sloped shape for superior plunge cutting in demolition and remodeling work. They are 1" tall for straight, fast cutting and extra thick, .062" to prevent bending. The bi-metal construction and new heat treating process assures long life and superior performance.

Recommended for cutting: wood, nail embedded wood, demolition work. Excellent for plunge cutting into wood and nail embedded without buckling blades.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5021	5/8	6 x 1.0 x .062	\$13.81
48-00-5026	5/8	9 x 1.0 x .062	18.31
48-00-5027	5/8	12 x 1.0 x .062	21.09

MILWAUKEE – THE TORCH SAWZALL BLADES DESIGNED FOR THE TOUGHEST METAL CUTTING APPLICATIONS



Torch blades are perfect for the toughest fire and rescue work, demolition, and general construction work. They will cut pipe, conduit, angle iron, steel and other hard materials. They are 1" tall for straight, fast cutting and they are 0.042" thick for longer life and the ability to flex in tight cutting situations.

Recommended for cutting: Metal 3/16" thru 1/4", channels, metal pipe, cast iron, demolition, rescue and remodeling.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5787	14	9 x 1.0 x .042	\$18.84

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels, pipe, rubber, fiber, demolition, rescue, and remodeling.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5784	18	6 x 1.0 x .042	\$14.19
48-00-5788	18	9 x 1.0 x .042	18.84
48-00-5789	18	12 x 1.0 x .042	21.69

MILWAUKEE HEAVY-DUTY ICE HARDENED BLADES NEW GENERATION OF METAL CUTTING SAWZALL BLADES

Ice Hardened blades feature Milwaukee's latest improvement in tooth form design and an exclusive cryogenic heat treating process. They are designed for metal cutting applications and feature a bi-metal construction with 8% cobalt. The unique cryogenic heat treating process provides tougher teeth for extreme applications. They are flexible to prevent shock, fatigue, and shattering. The redesigned blade optimizes metal cutting with precision ground teeth and a rediused back face that increased blade strength, and can last up to 50% longer than any other blade.

MILWAUKEE – ICE HARDENED SAWZALL BLADES UP TO 50% LONGER LIFE



Recommended for cutting: Metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, fiber.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4182	14	6 x 3/4 x .035	\$13.47

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels, pipe.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4184	18	6 x 3/4 x .035	\$13.47

Recommended for cutting: Metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, fiber.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4187	14	9 x 3/4 x .035	\$16.48

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4188	18	9 x 3/4 x .035	\$16.48

ICE HARDENED TORCH SAWZALL BLADES

Ice Hardened Torch blades feature all of the unique qualities of Ice Edge technology plus the extra thick, heavy duty cutting features of the Torch blades.

Recommended for cutting: Metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, fiber.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4782	14	6 x 1.0 x .042	\$17.86

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels, pipe.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4784	18	6 x 1.0 x .042	\$17.86

Recommended for cutting: Metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, fiber.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4787	14	9 x 1.0 x .042	\$23.76

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels, pipe.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-4788	18	9 x 1.0 x .042	\$23.76



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

MILWAUKEE SAWZALL BLADES


MILWAUKEE BI-METAL GENERAL PURPOSE SAWZALL BLADES

Designed for a wide variety of cutting applications. Bi-metal construction allows the blade to flex and absorb impact without breaking. The super hard, wear resistant, high speed steel provides long life and exceptional value.



Recommended for cutting: Very fast cutting, nail embedded wood, general rough-in.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5031	6	6 x 3/4 x .050	\$12.20
48-00-5036	6	9 x 3/4 x .050	16.14
48-00-5037	6	12 x 3/4 x .050	18.28



Recommended for cutting: Metal 3/16" thru 1/4", conduit, tubing, channels, pipe, rubber, fiber.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5182	14	6 x 3/4 x .035	\$10.32

Recommended for cutting: Metal 1/8" thru 3/16", conduit, tubing, channels, pipe.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5184	18	6 x 3/4 x .035	\$10.32
48-00-5188	18	9 x 3/4 x .035	12.65
48-00-5189	18	12 x 3/4 x .035	15.76

Recommended for cutting: Metal thinner than 1/8", tubing pipe, trim.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-5186	24	6 x 3/4 x .035	\$10.32



Recommended for cutting: For cutting hardened flooring, cast iron, fiberglass, ceramic tile, stone, brick, plaster, and marble.

MWK No.	Teeth Per Inch.	L x W x T	Each
48-00-1420	Course Grit	6 x 3/4 x .032	\$13.96
48-00-1430	Course Grit	9 x 3/4 x .039	17.94

MILWAUKEE UNIVERSAL SHANK JIG SAW BLADES BI-METAL



Recommended Use: GENERAL PURPOSE. Fast cutting, nail embedded wood.

MWK No.	Teeth Per Inch.	L x W, In.	Std. Pkg.	Each
48-42-2300	6	64 x 9/32	5	\$8.86



Recommended Use: METAL CUTTING. Metal over 1/8" thick.

MWK No.	Teeth Per Inch.	L x W, In.	Std. Pkg.	Each
48-42-2120	18	2-3/4 x 9/32	5	\$7.92



Recommended Use: METAL CUTTING. Metal under 1/8" thick.

MWK No.	Teeth Per Inch.	L x W, In.	Std. Pkg.	Each
48-42-2160	24	2-3/4 x 9/32	5	\$7.92

HOLE SAWS, HACKSAW BLADES



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

GREENLEE BI-METAL HOLE SAW KITS



GRL No.	Description	Each
830	Kit, 1/2" - 2" holesaw.	\$86.60
834	Kit, 2-1/2" - 4" holesaw.	124.28
835	Kit, 1/2" - 4" holesaw.	204.46

IDEAL ADJUSTABLE CAN LIGHT HOLE SAW



Cuts drywall and ceiling tile. Carbide coated cutting blade.

IDL No.	Description	Each
35-599	Adjustable can light hole saw - 13 sizes from 6-1/4" to 10-3/8".	\$24.87

GREENLEE RECESSED LIGHT HOLE SAWS



Strong durable back plate. Available in two style - steel tooth and carbide grit. Uses standard large size arbor - sold separately.

GRL No.	Description	Each
35713	Holesaw, 6-3/8" toothed.	\$40.48
35714	Holesaw, 6-5/8" toothed.	40.48
35715	Holesaw, 6-7/8" toothed.	40.48
35716	Holesaw, 4-3/8" carbide grit.	62.16
35717	Holesaw, 6-3/8" carbide grit.	76.59
35718	Holesaw, 6-5/8" carbide grit.	76.59
35719	Holesaw, 6-7/8" carbide grit.	76.59
35721	Blade only. 6-3/8" toothed holesaw.	16.04
35722	Blade only. 6-5/8" toothed holesaw.	16.04
35723	Blade only. 6-7/8" toothed holesaw.	16.04
35724	Blade only. 4-3/8" carbide grit.	43.21
35725	Blade only. 6-3/8" carbide grit.	53.73
35726	Blade only. 6-5/8" carbide grit.	53.73
35727	Blade only. 6-7/8" carbide grit.	53.73

MILWAUKEE HOLE SAW KITS



Includes sturdy plastic case.

MWK No.	Description	Each
49-22-4066	13-Pc., 4/6 tooth Plumbers' & Electricians' Kit. consists of 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" sizes. Arbor Nos. 49-56-6950, 49-56-7140. Pilot Drill No. 49-56-8000, Arbor Spacer No. 49-67-0120, Arbor Adapter No. 49-56-6560.	\$91.76
49-22-4086	17-Pc., 4/6 Tooth Deluxe Electricians' Kit. Consists of 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", 3" sizes. Arbor Nos. 49-56-7000, 49-56-7140, 3 Pilot Drills No. 49-56-8000.	124.15

MILWAUKEE HOLE SAW ARBORS & PILOT BITS



49-56-6950



49-56-7055



49-56-7150

MWK No.	Description	Each
49-56-6950	1/4" round shank for 9/16" - 1-3/16" dia. hole saws.	\$5.25
49-56-7010	3/8" hex shank for 9/16" - 1-3/16" dia. hole saws.	6.79
49-56-7055	7/16" hex shank for 1-1/4" - 6" dia. hole saws.	15.80
49-56-7150	3/8" hex shank, quick change arbor for 1-1/4" and up hole saws.	11.75
49-56-8000	1/4" pilot bit, 4-1/8" long.	2.48
49-56-8010	1/4" pilot bit, 3-1/8" long.	2.36

HACKSAW BLADES



Bi-metal blades cut stainless steel, bar and rod, aluminum, brass, and copper.

LNx No.	Length	Standard Package	Each
V218HE	12"	10-100	\$1.79
V224HE	12"	10-100	1.79
V232HE	12"	10-100	1.79


SEE PAGE G-25 FOR HACKSAWS.



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

HOLE SAWS, BX CUTTERS


MILWAUKEE BI-METAL HOLE SAWS



Variable pitch 4/6 tooth bi-metal saws quickly cut through steel, tin, aluminum, fiberglass, wood, and plastic.

MWK No.	Hole Dia., In.	Conduit Size, In.	Each
49-56-0021	3/4	3/8	\$5.07
49-56-0031	7/8	1/2	5.07
49-56-0041	1	3/4	5.37
49-56-0051	1-1/8	3/4	5.37
49-56-0061	1-1/4	1	5.37
49-56-0071	1-3/8	1	5.67
49-56-0081	1-1/2	--	5.67
49-56-0091	1-5/8	--	5.67
49-56-0101	1-3/4	1-1/4	71.3
49-56-0111	1-7/8	--	7.13
49-56-0116	2	1-1/2	7.13
49-56-0131	2-1/4	--	8.74
49-56-0141	2-3/8	--	8.74
49-56-0146	2-1/2	2	9.38
49-56-0155	2-5/8	--	9.38
49-56-0160	2-3/4	--	9.38
49-56-0170	3	2-1/2	9.61
49-56-0175	3-1/8	2-1/2	9.61
49-56-0180	3-1/4	--	9.61
49-56-0190	3-1/2	--	9.61
49-56-0195	3-5/8	3	10.43
49-56-0200	3-3/4	--	12.76
49-56-0210	4	3-1/2	14.07
49-56-0215	4-1/8	3-1/2	15.05
49-56-0225	4-3/8	--	23.49
49-56-0230	4-1/2	4	27.66
49-56-0235	4-3/4	4	30.70
49-56-0240	5	--	34.11
49-56-0245	5-1/2	--	40.87
49-56-0250	6	--	47.70
49-56-0315	6-7/8	--	57.72

SEATEK CABLE AND CONDUIT CUTTERS



STK No.	Description	Each
RS101	BX cable cutter with standard thumb screw roto-split. Cuts or strips any armored cable from 14/2 to 10/4.	\$29.11
RS101A	Same as above with Quick-Clamp.	34.61
RS101AC	Auto clamping unit cuts any 14/2 to 10/4 cable including the new small diameter MCAP.	37.11
RF120A	Greenfield cutter roto-flex. Cuts 1/2" to 3/4" flexible conduit. Strips large armored cable; 2/3, 3/4, and 4/3.	38.28
RF120B	Extended range cutter - 14/2 to 4/3 and flex from 3/8" to 3/4" trade size.	37.53
RF170	Giant size MC and Greenfield cutter. Cuts MC from .82" to 1.82" and Greenfield from 1/2" to 1-1/2" trade size.	60.05

REPLACEMENT BLADE

B102	Blue sapphire replacement blade.	4.13
------	----------------------------------	------

QUALTOOL BIT HOLDERS, BIT TIPS



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

QUALTOOL MAGNETIC BIT HOLDERS WITH RING RETAINER—1/4" HEX DRIVE SHANK



Use with 1/4" hex shank insert bits. Stainless steel.

QLT No.	Description	Each
MBH-1/4	3" long - 7/16" body dia.	\$5.67
MBHR-1/4-6	6" long - 3/8" body dia.	11.20
MBHR-1/4-10	10" long - 3/8" body dia.	14.72



QUALTOOL SLOTTED INSERT BITS 1/4" HEX SHANK—1" LENGTH

QLT No.	Screw Size	Blade Width	Blade Thickness	Each
250SS2	#2	.125	.026	\$1.66
250SS4	#4	.156	.032	.72
250SS6	#6	.250	.040	.72
250SS8	#8	.281	.046	.70
250SS10	#10	.281	.050	.70
250SS12	#12	.355	.056	.85



QUALTOOL PHILLIPS INSERT BITS 1/4" HEX SHANK—1" LENGTH

QLT No.	Description	Each
250PB0	#0 Point phillips bit.	\$.88
250PB1	#1 Point phillips bit.	.41
250PB2	#2 Point phillips bit.	.41
250PB3	#3 Point phillips bit.	.41
250PBR1	#1 Point - LIMITED CLEARANCE.	.49
250PBR2	#2 Point - LIMITED CLEARANCE.	.41



QUALTOOL TOOL STAR INSERT BITS 1/4" HEX SHANK—1" LENGTH

QLT No.	Description	Each
60-T6	#6 Point Star bit.	\$4.11
60-T7	#7 Point Star bit.	2.38
60-T8	#8 Point Star bit.	1.91
60-T9	#9 Point Star bit.	1.91
60-T10	#10 Point Star bit.	1.68
60-T15	#15 Point Star bit.	1.68
60-T20	#20 Point Star bit.	1.68
60-T25	#25 Point Star bit.	1.68
60-T27	#27 Point Star bit.	1.79
60-T30	#30 Point Star bit.	1.63
60-T40	#40 Point Star bit.	1.63



QUALTOOL SQUARE INSERT BITS 1/4" HEX SHANK—1" LENGTH

QLT No.	Description	Each
250R1	#1 Point square bit.	\$.57
250R2	#2 Point square bit.	.57
250R3	#3 Point square bit.	.57



QUALTOOL SPANNER INSERT BITS 1/4" HEX SHANK—1" LENGTH

QLT No.	Description	Each
115-4	#4 Point spanner bit.	\$1.89
115-6	#6 Point spanner bit.	1.89
115-8	#8 Point spanner bit.	1.89
115-10	#10 Point spanner bit.	1.89
115-12	#12 Point spanner bit.	1.97
115-1/4	1/4" spanner bit.	1.97

QUALTOOL SLOTTED & PHILLIPS POWER BITS 1/4" HEX DRIVE SHANK



SLOTTED

QLT No.	Screw Size	Blade Thickness	Body Diameter	Each
3-1/2" LENGTH				
27-5S	5F-6R	.036	.215	\$3.11
27-7S	6F-7R	.038	.250	3.00
27-8S	8F-10R	.042	.275	3.00
27-10S	12F-14R	.050	.360	3.29

6" LENGTH

28-4S	4F-5R	.034	.187	5.95
28-6S	5F-6R	.036	.250	5.74
28-8S	8F-10R	.042	.275	4.68



PHILLIPS

QLT No.	Description	Each
3-1/2" LENGTH		
34-1P	#1 Point phillips bit - 3/16" body dia.	\$1.32
34-2P	#2 Point phillips bit - 1/4" body dia.	1.32
6" LENGTH		
36-1P	#1 Point phillips bit - 3/16" body dia.	2.95
36-2P	#2 Point phillips bit - 1/4" body dia.	3.05



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

HAND DRIVERS AND BIT KITS

QUALTOOL MAGNETIC NUTSETTERS 1/4" HEX DRIVE SHANK



MSHS



MSHL

Use for driving hex head fasteners.

QLT No.	Description	Each
1/4" HEX INSERT—1-1/8" LONG		
MSHS-1/4	1/4" broached hex.	\$2.77
MSHS-5/16	5/16" broached hex.	3.03
MSHS-3/8	3/8" broached hex.	4.06
MSHS-7/16	7/16" broached hex.	5.82
1/4" HEX DRIVE—2-9/16" LONG		
MSHL-3/16	3/16" broached hex.	4.74
MSHL-1/4	1/4" broached hex.	3.29
MSHL-5/16	5/16" broached hex.	3.73
MSHL-3/8	3/8" broached hex.	4.68
MSHL-7/16	7/16" broached hex.	6.73

QUALTOOL HEX DRIVE SHANK EXTENSIONS



250SH



SHA-1/4

Adapters for square drive sockets.

QLT No.	Description	Each
250SH-1/4-2B	1/4" hex drive - 1/4" male square.	\$2.20
250SH-3/8-2	1/4" hex drive - 3/8" male square.	4.92
SHA-1/4	1/4" hex insert - 1/4" male square.	1.68

QUALTOOL NON-MAGNETIC HAND DRIVERS



QLT No.	Description	Each
700	4-in-1, #1 & #2 phillips, 3/16" and 5/16" slotted bits.	\$5.01
700-6	6-in-1. Same as above plus 5/16" and 1/4" nutsetter.	5.18

QUALTOOL MAGNETIC HAND DRIVER



1/4" Hex. Bits store in handle.


QLT No.	Description	Each
711	4 Bits., #1 & #2 phillips, #4 & #6 slotted.	\$6.02

QUALTOOL BIT KITS



QLT No.	Description	Each
2000	Standard bit kit - 31 piece.	\$24.77
2100	Security bit kit - 31 piece.	34.13

KLEIN HAND DRIVERS



5-In-1

End of handle marked for easy identification.

KLN No.	Description	Each
32476-12	5-In-1, includes #1 & #2 phillips, 9/32" & 3/16" slotted, 5/16" nut driver.	\$8.03
32477-12	10-In-1, includes #1 & #2 phillips, 1/4" & 3/16" slotted, #10 & #15 torx, #1 & #2 square, 1/4" & 5/16" nut drivers.	11.46

TESTERS




SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

GREENLEE GAS LAMP TESTER



Test ALL gas-filled lamps (fluorescent, high & low pressure sodium, neon, mercury vapor, metal halide). Test fluorescent bulbs in sockets to determine bulb or ballast problem. Identifies problems with: ballasts, ignitors, starters, capacitors and resistors.

GRL No.	Each
5715	\$252.98

GREENLEE CABLE LENGTH METER



Measures the lengths of copper or aluminum wire, while still on the reel. For #10, #8, #6, #4, #2, 1/0, 2/0, 3/0, 4/0, 250 MCM, 300 MCM, 350 MCM and 500 MCM. Complete with leather carrying case, extra large clamps and calibration coil. Uses two 9 volt alkaline batteries, included.

GRL No.	Each
2004	\$1069.34


GREENLEE POWER FINDER OPEN CIRCUIT TRACER



Traces concealed wiring, locates junction boxes, and finds breakers for live or dead circuits – no need for power interruption. Finds breaks in wires and shorts to ground. Incorporates auto gain circuitry for enhanced accuracy. Locates and identifies blown fuses. Supports transmitter-to-receiver distances up to 4 miles for closed circuit tracing.

GRL No.	Each
2011	\$617.40

GREENLEE POCKET-SIZE PHASE INDICATOR



Indicates phase sequence/rotary field from 70 to 700 volts. Lights show which phase is lost. Insulated alligator clips for personal safety. No batteries or moving parts.

GRL No.	Each
5702	\$115.66

GREENLEE DIGITAL LIGHT METER



Measures incandescent, fluorescent, metal halide, high-pressure sodium and halogen lamp output. Color and cosine-corrected for enhanced accuracy. Measure up to 50,000 lux.

GRL No.	Each
93-172	\$227.11

IDEAL SOLENOID VOLTAGE TESTER



Extremely rugged and reliable tester. Vibrates when voltage is present. Test AC/DC voltage. Replaceable leads with shield probe tips. Bright, long-life LED's and neon indicator. Dual voltage indication for back-up safety

IDL No.	Description	Each
61-076	Vol-Con voltage/continuity tester, 5-600V, AC/DC, 5 year warranty, made in USA.	\$58.07
61-086	Vol-Con XL Tester, 5-600V, AC/DC.	42.09
61-101	2 year warranty Carrying case for above.	68.50
61-010	Replacement leads for 61-076.	27.76
61-070	Replacement leads for 61-086.	20.33
61-201	Replacement leads for above testers.	8.11

GREENLEE NON-CONTACT VOLTAGE DETECTOR



Fast, easy, non-contact voltage detection. Bright LED and audible alarm if voltage is present. ON/OFF switch for longer battery life. Use to detect the presence of voltage at outlets, lighting fixtures, circuit breakers, wires and cables or to find a break in a wire.

GRL No.	Each
GT-11	\$14.23

GREENLEE CIRCUIT VERIFYING POLARITY CUBES



Use to troubleshoot 120 VAC grounded outlets and test GFCI receptacles. Light sequence indicates correct/incorrect wiring. Lifetime limited warranty.

GRL No.	Each
GT-10GFI	\$11.07



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

AMPROBE TESTERS

AMPROBE 400 AMP CLAMP-ON MULTIMETER



TRMS measurement. Dual displays - permits simultaneous reading of amperage and voltage. Micro Amps measurement for testing "flame sensors." Capacitance to 3000 μ f. Temperature w/Type-K thermocouple. AC and DC voltage to 600V. AC current to 400A. Resistance to 40M Ω .

AMP No.	Specifications	Each
ACD14TRMSFX	TRMS Measurement. Voltage: AC/DC 4.000, 40.00, 400.0, 600 V. Current: AC 40.00/400.0 Amp. Capacitance: 500.0nf, 5.000 μ f, 500.0 μ f, 3000 μ f. Temperature: -4°F to 572°F	\$139.95

AMPROBE RECORDING CLAMP-ON MULTIMETER



TRMS & backlight screen. Measurements: AC/DC voltage up to 600V, AC current up to 1000A, Resistance, frequency and temperature. Data-logging 5400 point. Audible continuity. Auto power off. Automatic polarity. Data hold. "Third hand" - test probe holder.

AMP No.	Specifications	Each
ACD16TRMSPRO	TRMS Measurement. Voltage: AC/DC 600.0V Current: AC 40.0 / 400.0 / 1000 Amp Resistance: 999.9 Ω . Frequency: 5.00Hz to 500.0Hz. Temperature: 58°F to 572°F.	\$169.95
RS232KIT2	PC Interface kit.	49.95

AMPROBE PROFESSIONAL 1000 AMP CLAMP-ON METERS



TRMS when measuring in noisy AC environments. AC current to 1000A. AC/DC voltage to 600V. Resistance to 40M Ω . Extra large digital display for easy viewing. Audible continuity.

AMP No.	Specifications	Each
ACD6TRMSPRO	Voltage: AC 4.000, 40.00, 400.0, 600V. Voltage: DC 400.0m, 4.000, 40.00, 400.0, 600V Resistance: 400.0 Ω / 4.000, 40.00, 400.0 k Ω / 4.000, 10.00 M Ω AC Current: 400.0 / 1000 A	\$99.95

AMPROBE INDUSTRIAL CLAMP-ON MULTIMETER



TRMS measurement. AC/DC voltage up to 1000V, AC/DC current up to 1000A, Resistance, Capacitance, Temperature, and Continuity Buzzer. Dynamic Min/Max/Avg recording. In-rush peak current capture. Temperature measurement. Dual display of °F & °C readings.

AMP No.	Specifications	Each
ACDC620T	Voltage: AC/DC 400.0, 1000V. Current: AC 400.0, 1000A. Resistance: 400.0 Ω , 1000.0 Ω . Capacitance: 400.0, 4000 μ fF. Temperature: 40°F to 2500°F.	\$299.95

AMPROBE TESTERS



SHAW SUPPLY COMPANY

1066 East 16th Street

816-221-0060

www.shawsupply.com

AMPROBE COMPACT FULL-FEATURED MULTIMETER



AC and DC voltage to 600V. AC and DC current to 10A. Temperature to 1382°F. Resistance to 40 MΩ. Capacitance to 4000 μF. Frequency. Temperature measurement with selectable F/C.

AMP No.	Specifications	Each
AM240	Voltage: AC/DC 400m, 4.000, 40.00, 400.0, 600 V. Current: AC/DC 400.0μ, 4000μ, 40.00m, 4.000, 10.00A. Resistance: 400.0, 4.000k, 40.00k, 400.0k, 4.000M, 40.00MΩ. Capacitance: 40.00n, 400.0n, 4.000μ, 40.00μ, 400.0μ, 4000μF. Frequency: 10.00, 100.0, 1000, 10.00k, 100.0k, 1000k, 10MHz. Temperature: 58°F to 1382°F.	\$39.95

AMPROBE TRUE RMS PRECISION DIGITAL MULTIMETER



True RMS (TRMS). AC/DC Voltage, Resistance, AC/DC Current, Frequency, Capacitance, and Temperature. Data logging. Optical isolated PC interface capability. Max, Min Max-Min recording. Peak hold. Auto and manual ranging. Large, easy to read LDC display.

AMP No.	Specifications	Each
AM150TRMS	Voltage: AC/DC 50.00, 500.0mV, 5.000, 50.00, 500.0, 1000V. Current: AC/DC 500.0μ, 5000μ, 50.00m, 500.0m, 5.000, 10.00A. Resistance: 50.00, 500.0, 5.000k, 50.00k, 500.0k, 5.000M, 50.00MΩ. Capacitance: 50.00n, 500.0n, 5.000μ, 50.00μ, 500.0μ, 999μF. Frequency: 6 Hz to 125 kHz. Temperature: 58°F to 1832°F.	\$249.95
RS232KIT	PC Interface Kit.	49.95

AMPROBE BREAKER TRACER



Identifies circuit breaker location. Works on all electric systems from 90 to 250 VAC. Perfect for office, residential and HVAC applications. Automatic sensitivity adjustment. Microprocessor controlled. Extremely accurate reading always finds the right breaker. Durable and dependable. Includes light fixture adapter and carrying case.

AMP No.	Specifications	Each
BT250	Voltage: AC 90 to 250V Frequency: 40 to 70 Hz.	\$99.95

AMPROBE HEAVY-DUTY MULTIMETER



True RMS, 10,000-count. Relative Max/Min/AVG, hold and range lock. Temperature, Capacitance and Frequency. IP67 rated for protection against dust and immersion. Drop proof to eight feet. Highest input voltage in any meter to 1400 V DC, 1000 V AC. Digi-Glo backlight. Oversized character display.

AMP No.	Specifications	Each
HD160C	Voltage: AC/DC 1000.0 m, 10.000, 100.00, 1500.9 V. Current: AC/DC 100.00μ, 1000.0μ, 10.000m, 100.00m, 400.0m, 2.000A. Resistance: 1000.0, 10.000k, 100.00k, 10.000M, 40.00MΩ. Capacitance: 40.00μf, 400.0μf, 4.000μf, 40.00μf, 400.0μf. Frequency: 100.00, 1000.0, 10.000k, 100.00k, 1000.0k, 10.000MHz. Temperature: -4°F to 2372°F.	\$299.95

AMPROBE CURRENT TRACER



Heavy-duty, recommended for tough industrial applications. Traces live wires buried underground or hidden behind walls up to 13 ft. deep. Performs tests without having to interrupt power. Locates breakers, neutral & ground lines. Locates and traces wires in walls, floors, conduit, 7 computer cables. Pinpoints shorts and ground faults. Does not interfere with sensitive electronic equipment.

AMP No.	Specifications	Each
CT326B	Voltage: 9-300V AC/DC, 300-600 V AC.	\$949.95

AMPROBE UNDERGROUND LOCATOR



Depth measurement up to 10 ft. Precise pinpointing of buried services, exceptionally fast sound & meter response. patented Signal Processing – operates effectively in congested sites and sites with overhead cables. Locates underground energized and de-energized wires, cables and pipes. Complete instrument, ready for use with receiver, transmitter, connection cable, ground stake and ground cable. Visual (LCD) & audible indicators.

AMP No.	Each
AT3000PRO	\$2595.00



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

AMPROBE TESTERS

AMPROBE ADVANCED WIRE TRACER



One universal transmitter - automatically switches to work with either energized or non-energized systems. Receiver not position sensitive - does not need to be rotated in order to provide accurate readings. Precise sensitivity adjustment. Traces live wires buried or hidden behind wall. Traces energized and non-energized (open, broken) wires. Performs test without interrupting power. Locates breakers, neutrals, & ground wires. Locates and traces wires in walls, floors, conduit, computer cables. Pinpoints shorts, ground faults and broken wires. Does not interfere with sensitive electronic equipment. Battery booster strengthens signal for open tracing. Clamp-on attachment injects signal for non-contact operation.

AMP No.	Kit Includes:	Each
AT4005CON	Carrying case, Receiver R-4000 CON, Transmitter T-4000. 110V Pigtail - banana plug cord set. Alligator clip, Grounding test lead 25 ft., Alligator clip for ground lead, Clamp-on transmitter accessory, Rechargeable battery pack.	\$899.95

AMPROBE DIGITAL MEGOHMMETER



Tests insulation of wires, cables, transformers and motors. Comes as a complete kit including test leads & PC software. Three selectable test voltages up to 1000V. Built in voltmeter. Sensitive Ohmmeter for checking resistance of motor windings. Programmable timer to perform the Dielectric Absorption Ratio Test. Internal memory, 99 data-points. Data download to PC.

AMP No.	Each
AMB45	\$449.95

AMPROBE ANALOG MEGOHMMETER



Tests insulation of wires, cables, transformers and motors. Battery powered. Built-in voltmeter.

AMP No.	Features	Each
AMB3	Insulation resistance with 500 VDC test voltage: 0-1000 M Ω . Voltmeter: 0-600 VAC.	\$109.95

AMPROBE MULTIFUNCTION RECORD & INSULATION GROUND RESISTANCE TESTER



The DM-III Multitest F is a multitasking device. Measures and records three phase: voltage, current, voltage anomalies (sags or surges), harmonics energy and power (active, reactive and apparent), power factor (true and displacement), frequency and phase sequence. It can test wires and motors for proper insulation, as well as it can measure the resistance of the grounding systems and resistivity of the soil. On board memory makes it a perfect tool for preventive maintenance applications.

AMP No.	Each
DMIII-MULTI-F	\$3295.00

AMPROBE POWER QUALITY DATA LOGGER



AC current up to 1000A, AC voltage, active, reactive and apparent power, energy, peak demand & power factor. All readings are true RMS. Five built-in selectable languages: English, French, Italian, German and Spanish. User selectable rates allow recording from one hour to several months. Works with single and three phase systems (Y and Delta). Readings on the DM-II LCD screen or downloaded to a PC. Capable of recording all parameters simultaneously.

AMP No.	Each
DM-II-PRO	\$2395.00

AMPROBE NON-CONTACT VOLTPROBE



Detect AC voltage (100 - 600V). Use non-contact method of voltage testing. Totally insulated, no exposed metal or conductive parts. Find and pinpoint breaks in wires. Check for AC voltages without necessity of disconnecting the electrical system. Test for AC voltage cables, circuit breakers, wall sockets, junction boxes, fuses, etc. Lights, beeps and vibrates.

AMP No.	Each
VP-600SB	\$15.95

AMPROBE GFCI SOCKET TESTER



Test 110 V to 125 V AC GFCI breakers for proper wiring and operation. GFCI circuit trips to confirm tester is working. CULUS listed.

AMP No.	Each
ST102A	\$8.95

AMPROBE TESTERS AND ACCESSORIES



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com


AMPROBE PHASE SEQUENCE/MOTOR ROTATION TESTER



Phase sequence indication of the three phase electrical system. Check for normal or reversed phases. Three phase motor rotation indication. Phase voltage loss or voltage sag indication.

AMP No.	Each
PRM-3	\$99.95


AMPROBE DECA-TRAN TRANSFORMER 10 TO 1



For use with any Amprobe clamp-on AC ammeter (including certain recorders and multimeters) to extend current ranges by 10 times up to 1200 amps intermittent duty (20 seconds maximum), 600 amp continuous duty. Instrument clamps around pick-up coil at end of line cord, which is 2 feet long for remote readings. Accommodates cable up to 2" in diameter or 2000 MCM, and bus bar 3/4" x 2-1/2". Insulated for use on circuits up to 3300 volts, 4200 volts peak.

AMP No.	Each
A50-1	\$125.66

AMPROBE ENERGIZER



Increase the current measuring sensitivity of Amprobe clamp-on ammeters, recorders, and multimeters by 10 times for more precise current readings on small appliances and fractional horsepower motors. Effectively "splits" two-conductor line cord for reading at outlets under load. Permits voltage measurement at outlet under actual conditions. Capacity: 15 amps, continuous duty; 16 to 20 amps, one minute. Supplied with model T carrying case.

AMP No.	Each
A47L	\$39.95



SHAW SUPPLY COMPANY
 1066 East 16th Street
 816-221-0060
 www.shawsupply.com

SEALANTS, PAINT, AEROSOL CHEMICALS

SILICONE SEALANT

High quality, 100% silicone rubber sealant – forms a durable flexible seal for bonding, sealing, and waterproofing.

CUL No.	Description	Std. Pkg.	Each
• 37530	10 oz. tube - clear.	12	\$6.24
• 37531	10 oz. tube - white.	12	6.24
• 96070	7.25 oz. CO2 propelled - clear.	6	17.59

MIS No.	Description	Std. Pkg.	Each
• 101	All purpose calking gun.	6	\$5.17

UPSIDE DOWN PAINT (INVERTED MARKING PAINT)

Use for ground surveying, construction marking.

CUL No.	Description	Std. Pkg.	Each
• 37460	Fluorescent Orange, water base - 20 oz. USES: Telephone, Communication, Alarm cables.	6	\$6.04
• 37463	Fluorescent Red/Orange, water base - 20 oz. USES: Electrical Power Lines, Cable, Lighting.	6	6.04
• 37465	Fluorescent Blue, water base - 20 oz. USES: Water, Irrigation, Slurry Lines.	6	6.04
• 37466	Clear, water base - 20 oz. USES: Coating chalk lines.	6	6.04

ACRYLIC ENAMEL AEROSOL PAINT

CUL No.	Description	Std. Pkg.	Each
• 37473	OHSA Green - 16 oz.	6	\$5.59
• 37474	OHSA Black - 16 oz.	6	5.59
• 37475	OHSA White - 16 oz.	6	5.59
• 37476	OHSA Yellow - 16 oz.	6	5.59
• 37477	OHSA Black - 16 oz.	6	5.59
• 37479	OHSA Red - 16 oz.	6	5.59
• 37480	OHSA Blue - 16 oz.	6	5.59
• 37481	OSHA Orange - 16 oz.	6	5.59
• 37492	Machinery Light Gray - 16.oz.	6	5.59

GRL No.	Description	Std. Pkg.	Each
• 22618	Greenlee Green - 13 oz.	6	\$13.18

AEROSOL CHEMICALS & OIL

CUL No.	Description	Std. Pkg.	Each
• 37505	Environmental contact cleaner - 16 oz. - no chlorinated products.	6	\$9.89
• 37518	Cold galvanizing component - 16 oz.	6	8.07
• 37522	Wasp & Hornet spray.	6	6.57
• 96060	Expansion Foam - 12 oz.	6	10.80

MIS No.	Description	Std. Pkg.	Each
• WD40	Penetrating oil - 11 oz.	6	\$4.88

EXPANSION FOAM

CUL No.	Description	Std. Pkg.	Each
• 96060	Triple expanding & insulating foam expands 2-3 times in volume to form an airtight seal.	6	\$10.80

IDEAL ANTI-OXIDANT



For use with all types of pressure wire connectors, including screw-on, tap, service entrance, and split-bolt connectors when connecting aluminum conductors.


IDL No.	Size	Standard Package	Each
• 30-030	8 oz. bottle.	10	\$13.66

FIRE STOP, SAFETY EQUIPMENT



SHAW SUPPLY COMPANY
1066 East 16th Street
816-221-0060
www.shawsupply.com

SPECIFIED TECHNOLOGIES FIRE STOP PRODUCTS



Specified Technologies offers an extensive base of UL test systems to meet the needs of the Electrical, Plumbing, Mechanical, and DataCom industries. Call for application information.

SSS Triple S Instrument sealant features:

- Patented and proprietary 2 stage intumescent technology
- Meets UL 1479 & UL 264
- Unmatched versatility – over 250 tested UL Classification systems
- Ratings up to 4 hours for common penetrations

LCI Intumescent sealant features:

- UL Classified and FM approved.
- Designed for light commercial and grouped residential construction
- Economical and versatile
- Ratings up to 2 hours for typical service penetrations

STI No.	Description	Each
• SSS100	Sealant, 10.5 oz. tube.	\$12.52
• SSS102	Sealant, 2 gallon pail.	258.35
• SSS105	Sealant, 5 gallon pail.	434.61
• SSS129	Sealant, 29 oz. tube.	32.22
• SSP4S	Putty Pad, 7-1/4" x 7-1/4" x 3/16".	4.03
• SSB24	Pillow 2" x 4" x 9".	10.42
• SSB26	Pillow 2" x 6" x 9".	12.16
• SSB36	Pillow 3" x 6" x 9".	14.77

STI No.	Description	Each
• LCI300	10.1 oz. tube.	\$9.20

SAFETY & PROTECTIVE EQUIPMENT



KLN No.	Description	Each
60040	Goggles, soft vinyl plastic.	\$6.18
60009	White polyethylene hard hat.	12.65
60015	White hard hat liner.	6.92

MIS No.	Description	Each
SG	Safety glasses.	\$8.97
EPC	Corded ear plugs.	.45
8500*	Dust mask - 50/box.	14.31

*Sold in full boxes only.