



## TOOLS & SPECIALTY ITEMS





## TOOLS & SPECIALTY ITEMS





- No Need To Buy A New Bit When Just The Tip Is Worn
- A Real Money Saver. Base Bits Last 3 to 4 Times Longer At A Fraction Of The Cost
- Economical Replaceable-Tips Lock In Place.
- Step Bit Performance Remains Identical To That Of Non-Replaceable Tip Bits.
- Constructed Of M2 High Speed Steel, Coated With Titanium And Cobalt.
- Tri-Cut Tip Cuts Smoother, Faster And Cooler.

# The TIP-BITS™

The new Dottie Tip-Bits are step drill bits with a replaceable tip. Rather than throwing away a good bit that just won't start a hole, the first few steps can be replaced making the drill bit start like new again.




TOOLS & SPECIALTY ITEMS > TIP-BITS


CAT NO	UPC	SIZE RANGE	SHANK	STD	MSTR	WT/STD	UNIT
RTTP6000	81210	Replaceable Tip - 2 Pack Fits all Tip Bits. Can also be used as a 1/4" - 1/2" Step Drill Steps: 5/32", 1/4", 5/16", 3/8", 7/16", 1/2"	1/4"	1	15	0.10#	Ea




RTTP6010	81211	1/4" - 7/8" Base & Tip Steps: 9/16", 11/16", 3/4", 13/16", 7/8"	1/4"	1	5	0.20#	Ea
----------	-------	--	------	---	---	-------	----




RTTP6020	81212	1/4" - 1-1/8" Base & Tip Steps: 19/32", 21/32", 3/4", 13/16", 7/8", 15/16", 1-1/32", 1-1/18"	1/4"	1	5	0.30#	Ea
----------	-------	---	------	---	---	-------	----



RTTP6030	81213	1/4" - 1-3/8" Base & Tip Steps: 5/8", 3/4", 7/8", 1", 1-1/16", 1-3/16", 1-1/4", 1-5/16", 1-3/8"	1/4"	1	5	0.50#	Ea
----------	-------	--	------	---	---	-------	----



RTTP6040	81214	Kit contains: 1/4" - 1/2" Extra Tip 1/4" - 7/8" Base & Tip 1/4" - 1-1/8" Base & Tip	1/4"	1	4	0.55#	Ea
----------	-------	--	------	---	---	-------	----



## Drill/Tap/Countersink Hex Bit Kit PC 6348



- Drill, Tap And Deburr In One Operation
- One-Piece Construction Guarantees Drill For Tap Size
- Made From High Speed M2 Steel
- Tapered Tap Prevents Thread Damage From Over-drilling
- Countersink Also Provided On Bit Beyond Back Taper
- 135° Self-Centering Split Point Tip
- Designed To Tap Up To 10 Gauge Metal
- 6 Piece Bit Set Includes:  
6-32", 8-32", 10-24", 10-32", 12-24", 1/4"
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
DRT6C	12870	Drill/Tap/Countersink Hex Bit Kit	1	10	0.30#	Ea

### Replacement Bits

DT632NC	12880	6-32 Drill & Tap Bit	1	10	0.020#	Ea
DT832NC	12881	8-32 Drill & Tap Bit	1	10	0.020#	Ea
DT1024NC	12882	10-24 Drill & Tap Bit	1	10	0.020#	Ea
DT1032NF	12900	10-32 Drill & Tap Bit	1	10	0.020#	Ea
DT1224NC	12884	12-24 Drill & Tap Bit	1	10	0.020#	Ea
DT1420NC	12885	1/4-20 Drill & Tap Bit	1	10	0.020#	Ea



## ProGrabit - Screw Removal Kit PC 6352

ProGrabit works on damaged screws and broken bolts from as small as a No. 4 screw to as large as a 3/8 in. bolt.

- Quickly And Easily Removes Most Damaged Screws Such As Hex, Phillips, Torx, Square Drive; Sizes No. 4 - No.14 From Wood, Plastic or Metal
- Two-Step, Drill Bit And Extractor In One Tool Extracts Broken Bolts And Damaged Screws Fast
- Use In Reverse Only With 3/8 In. Variable Speed Reversible Power Drill
- Drills Up To Grade 8 And 10.0 Class Fasteners; Extracts Bolt Sizes No. 10-3/8 In. (5mm-10mm)

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
GBKP	81967	3-Piece ProGrabit Screw Removal Kit	1	10	0.20#	Ea

### Replacement Bits

GB47R	81968	#4-#7 ProGrabit Replacement Bit	1	10	0.05#	Ea
GB610R	81969	#6-#10 ProGrabit Replacement Bit	1	10	0.05#	Ea
GB1214R	81970	#12-#14 ProGrabit Replacement Bit	1	10	0.05#	Ea



## Nylon Screw Starter PC 6620

The nylon screw starter grips a slotted screw positively and is ideal for starting and removing screws in awkward or inaccessible places. The unit releases when the applied torque reaches the proper level.

- Nonconductive Handle
- Releases When Tightened

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
NH6	28600	6" Nylon Screw Starter	1	12	0.050#	Ea
NH9	28610	9" Nylon Screw Starter	1	12	0.060#	Ea



# High Speed Steel Drills & Sets PC 6350



- Industrial Quality
- M2 High Speed Steel
- Heavy Duty Jobber Length
- Fractional Sizes

- 3 Flats on Sizes 3/16" and Larger
- Black and Gold Finish
- Caution! Always Wear Eye Protection

High speed drills are rolled forged and have a 135° split point. They are suitable for steel, steel forging, cast iron and other work materials.

CAT NO	UPC	SIZE	DECIMAL	LENGTH	STD	MSTR	WT/STD	UNIT
<b>High Speed Drills / Heavy Duty Jobber</b>								
HS4	29304	1/16"	.0625	1-7/8"	12	12	.030#	Ea
HS5	29305	5/64"	.0781	2"	12	12	.040#	Ea
HS6	29306	3/32"	.0938	2-1/4"	12	12	.050#	Ea
HS7	29307	7/64"	.1094	2-5/8"	12	12	.070#	Ea
HS8	29308	1/8"	.1250	2-3/4"	12	12	.090#	Ea
HS9	29309	9/64"	.1406	2-7/8"	12	12	.110#	Ea
HS10	29310	5/32"	.1562	3-1/8"	12	12	.140#	Ea
HS11	29311	11/64"	.1719	3-1/4"	12	12	.190#	Ea
HS12	29312	3/16"	.1875	3-1/2"	12	12	.240#	Ea
HS13	29313	13/64"	.2031	3-5/8"	12	12	.270#	Ea
HS14	29314	7/32"	.2188	3-3/4"	12	12	.320#	Ea
HS15	29315	15/64"	.2344	3-7/8"	12	12	.370#	Ea
HS16	29316	1/4"	.2500	4"	12	12	.440#	Ea
HS17	29317	17/64"	.2656	4-1/8"	12	12	.740#	Ea
HS18	29318	9/32"	.2812	4-1/4"	12	12	.570#	Ea
HS19	29319	19/64"	.2969	4-3/8"	12	12	.630#	Ea
HS20	29320	5/16"	.3125	4-1/2"	12	12	.740#	Ea
HS21	29321	21/64"	.3281	4-5/8"	6	6	.440#	Ea
HS22	29322	11/32"	.3438	4-3/4"	6	6	.510#	Ea
HS23	29323	23/64"	.3594	4-7/8"	6	6	.530#	Ea
HS24	29324	3/8"	.3750	5"	6	6	.640#	Ea
HS25	29325	25/64"	.3906	5-1/8"	6	6	.660#	Ea
HS26	29326	13/32"	.4062	5-1/4"	6	6	.690#	Ea
HS27	29327	27/64"	.4219	5-3/8"	6	6	.820#	Ea
HS28	29328	7/16"	.4375	5-1/2"	6	6	.890#	Ea
HS29	29329	29/64"	.4531	5-5/8"	6	6	.930#	Ea
HS30	29330	15/32"	.4688	5-3/4"	6	6	1.000#	Ea
HS31	29331	31/64"	.4844	5-7/8"	6	6	1.090#	Ea
HS32	29332	1/2"	.5000	6"	6	6	1.150#	Ea

### High Speed Drill Bit Merchandiser (252D)

Our attractive counter top High Speed Drill Merchandiser has been one of the most popular selling tools in our distributors showrooms for many years. When fully stocked our display offers a wide assortment of the most popular high speed drills to satisfy the needs of every contractor. The clear acrylic lockable lid allows for easy viewing of the product with out the concern of shrinkage.

252D



### High Speed Steel Drill Sets PC 6330

- Industrial Quality
- M2 High Speed Steel
- Heavy Duty Jobber Length
- Fractional Sizes

- 3 Flats on Sizes 3/16" and Larger
- Black and Gold Finish
- Caution! Always Wear Eye Protection

High speed drills are rolled forged and have a 135° split point. They are suitable for steel, steel forging, cast iron and other work materials.



CAT NO	UPC	DESCRIPTION	SIZES	STD	MSTR	WT/STD	UNIT
M213	66500	13 pc. set	1/16"-1/4" x 64th	1	10	0.710#	Ea
M221	66550	21 pc. set	1/16"-3/8" x 64th	1	10	1.580#	Ea
M229	29850	29 pc. set	1/16"-1/2" x 64th	1	10	3.100#	Ea

### Dial-A-Drill PC 6340

- Industrial Quality
- M2 High Speed Steel

- Jobber Length
- Fractional Sizes

- Caution! Always Wear Eye Protection



CAT NO	UPC	DESCRIPTION	SIZES	STD	MSTR	WT/STD	UNIT
DB13K	67510	13 pc. set	1/16"-1/4" x 64th	1	10	0.320#	Ea

See new products at [Ihdottie.com](http://Ihdottie.com)



TOOLS & SPECIALTY ITEMS > HIGH SPEED DRILLS & SETS > DIAL-A-DRILL



## Carbide Tip Masonry Drill Bits PC 6320

Masonry drills have tungsten carbide tips and are suitable for brick, concrete, tile, slate and cinder block.

- Tungsten Carbide
- Tempered Body For Long Life
- Slow Spiral
- Suitable For Rotary or Percussion
- Black Oxide Coated
- One Per Display Pouch
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	SHANK	STD	MSTR	WT/STD	UNIT
MD1	30205	3/16 x 4"	3/16"	1	10	0.030#	Ea
MD2	30210	1/4 x 4"	1/4"	1	10	0.040#	Ea
MD2L	30300	1/4 x 6"	1/4"	1	5	0.070#	Ea
MD2XL	30302	1/4 x 12"	1/4"	1	5	0.150#	Ea
MD3	30215	5/16 x 4"	1/4"	1	10	0.060#	Ea
MD4	30220	3/8 x 4"	1/4"	1	10	0.070#	Ea
MD4L	30304	3/8 x 6"	1/4"	1	5	0.130#	Ea
MD4XL	30306	3/8 x 12"	3/8"	1	5	0.290#	Ea
MD5	30225	7/16 x 4"	1/4"	1	5	0.100#	Ea
MD6	30230	1/2 x 4"	1/4"	1	5	0.110#	Ea
MD6L	30308	1/2 x 6"	1/4"	1	5	0.210#	Ea
MD6XL	30310	1/2 x 12"	3/8"	1	5	0.450#	Ea
MD7L	30312	5/8 x 6"	3/8"	1	5	0.290#	Ea
MD7XL	30314	5/8 x 12"	3/8"	1	1	0.580#	Ea
MD8L	30316	3/4 x 6"	1/2"	1	1	0.440#	Ea
MD8XL	30318	3/4 x 12"	1/2"	1	1	0.920#	Ea
MD9L	30320	7/8 x 6"	1/2"	1	1	0.560#	Ea
MD10L	30322	1 x 6"	1/2"	1	1	0.710#	Ea



## SDS 4 Plus Rotary Hammer Drill Bits PC 4580

This fast, tough carbide tip provides long life, easy centering, and fast drilling through all aggregates, concrete, masonry, brick, stone and even rebar! A dynamic chisel-shaped drill head ensures swift penetration and feeds the debris simultaneously to the flute section. The 3 fluted, spacious KVS-spiral removes the debris rapidly from the bore hole, saving the operator both time and money.

- Cuts Through Rebar
- Easy Centering
- Special Flute Design
- Conforms To ANSI Standards
- Special Tungsten Carbide Tip
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	DRILLING DEPTH	STD	MSTR	WT/STD	UNIT
SDS36412	12200	3/16 x 4-1/2"	2"	1	6	0.082#	Ea
SDS36614	12201	3/16 x 6-1/4"	4"	1	6	0.088#	Ea
SDS36814	12202	3/16 x 8-1/4"	6"	1	6	0.100#	Ea
SDS3610	12203	3/16 x 10"	8"	1	6	0.130#	Ea
SDS3612	12204	3/16 x 12"	10"	1	6	0.150#	Ea
SDS732412	12205	7/32 x 4-1/2"	2"	1	6	0.100#	Ea
SDS732614	12206	7/32 x 6-1/4"	4"	1	6	0.120#	Ea
SDS732814	12207	7/32 x 8-1/4"	6"	1	6	0.130#	Ea
SDS14412	12208	1/4 x 4-1/2"	2"	1	6	0.100#	Ea
SDS14614	12209	1/4 x 6-1/4"	4"	1	6	0.106#	Ea
SDS14814	12210	1/4 x 8-1/4"	6"	1	6	0.136#	Ea
SDS1411	12211	1/4 x 11"	9"	1	6	0.160#	Ea
SDS1414	12212	1/4 x 14"	12"	1	6	0.190#	Ea
SDS516614	12213	5/16 x 6-1/4"	4"	1	6	0.126#	Ea
SDS516814	12214	5/16 x 8-1/4"	6"	1	6	0.150#	Ea
SDS38614	12215	3/8 x 6-1/4"	4"	1	6	0.156#	Ea
SDS38814	12216	3/8 x 8-1/4"	6"	1	6	0.192#	Ea
SDS381014	12217	3/8 x 10-1/4"	8"	1	6	0.230#	Ea
SDS381214	12218	3/8 x 12-1/4"	10"	1	6	0.294#	Ea
SDS3818	12219	3/8 x 18"	16"	1	6	0.500#	Ea
SDS12614	12220	1/2 x 6-1/4"	4"	1	6	0.194#	Ea
SDS121014	12221	1/2 x 10-1/4"	8"	1	6	0.276#	Ea
SDS121214	12222	1/2 x 12-1/4"	10"	1	6	0.406#	Ea
SDS1218	12223	1/2 x 18"	16"	1	6	0.700#	Ea
SDS58614	12224	5/8 x 6-1/4"	4"	1	6	0.220#	Ea
SDS588	12225	5/8 x 8"	6"	1	6	0.280#	Ea
SDS5812	12226	5/8 x 12"	10"	1	6	0.500#	Ea
SDS5818	12227	5/8 x 18"	16"	1	6	0.800#	Ea
SDS349	12228	3/4 x 9"	6"	1	6	0.466#	Ea
SDS789	12229	7/8 x 9"	6"	1	6	0.540#	Ea



## Ship Augers PC 6290



- Heat Treated For Long Life
- Self Feeding Screw Point
- 7/16" Hex Shank
- Packed In Display Pouch
- 2 Recesses Provided for Extensions
- Caution! Always Wear Eye Protection

Ship augers are versatile, high quality drills with a self feed screw point for fast, effortless boring and quick chip removal. Designed for drilling through clean lumber or wood where small nails may be encountered.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
609	14609	9/16"	1	6	0.290#	Ea
610	14610	5/8"	1	6	0.340#	Ea
612	14612	3/4"	1	6	0.390#	Ea
613	14613	13/16"	1	6	0.490#	Ea
614	14614	7/8"	1	6	0.490#	Ea
615	14615	15/16"	1	6	0.510#	Ea
616	14616	1"	1	6	0.570#	Ea
618	14618	1-1/8"	1	6	0.690#	Ea
620	14620	1-1/4"	1	6	0.800#	Ea
622	14622	1-3/8"	1	6	0.900#	Ea
624	14624	1-1/2"	1	6	1.010#	Ea
<b>Short</b>						
1809	21809	9/16"	1	6	0.750#	Ea
1810	21810	5/8"	1	6	0.810#	Ea
1812	21812	3/4"	1	6	0.990#	Ea
1813	21813	13/16"	1	6	1.170#	Ea
1814	21814	7/8"	1	6	1.170#	Ea
1815	21815	15/16"	1	6	1.210#	Ea
1816	21816	1"	1	6	1.400#	Ea
1818	21818	1-1/8"	1	6	1.660#	Ea
1820	21820	1-1/4"	1	6	2.050#	Ea
1822	21822	1-3/8"	1	6	2.280#	Ea
1824	21824	1-1/2"	1	6	2.610#	Ea
<b>Long</b>						

## Ship Auger & Speed D Feed Extensions PC 6310



- Forged From High Grade Steel
- Accommodates 7/16" Diameter Shanks
- Add 5-1/2" to 24" In Length
- Heavy Duty Double Set Screw Lock

Extensions are used where additional reach is required.

CAT NO	UPC	LENGTH	SHANK DIA	STD	MSTR	WT/STD	UNIT
X5	21955	5-1/2"	7/16"	1	6	0.500#	Ea
X9	22009	9"	7/16"	1	6	0.690#	Ea
X12	21956	12"	7/16"	1	6	0.950#	Ea
X18	22018	18"	7/16"	1	6	1.200#	Ea
X24	22024	24"	7/16"	1	6	1.460#	Ea

## Auger Bit File PC 6291



- Professional Grade
- Caution! Always Wear Eye Protection

Specially designed to sharpen auger bits for longer cutting life.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
AF7	11630	7" Auger Bit File	1	6	0.040#	Ea



## Spade Drill Bits PC 6270

Spade drills are used for boring hardwoods, softwood, plywood and drywall. Fully heat treated to extend bit life and individually stamped with size.

- Cold Forged
- Machine Finish Cutting Groove
- Rust Protection
- Wing Tip Design
- Precision Ground Hex Shank
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	LENGTH	STD	MSTR	WT/STD	UNIT
<b>Packed in a Hanging Pouch</b>							
SPD14	21700	1/4"	6"	1	6	0.060#	Ea
SPD516	21702	5/16"	6"	1	6	0.100#	Ea
SPD38	21704	3/8"	6"	1	6	0.100#	Ea
SPD716	21706	7/16"	6"	1	6	0.100#	Ea
SPD12	21708	1/2"	6"	1	6	0.100#	Ea
SPD916	21710	9/16"	6"	1	6	0.100#	Ea
SPD58	21712	5/8"	6"	1	6	0.100#	Ea
SPD1116	21714	11/16"	6"	1	6	0.110#	Ea
SPD34	21716	3/4"	6"	1	6	0.110#	Ea
SPD1316	21718	13/16"	6"	1	6	0.100#	Ea
SPD78	21720	7/8"	6"	1	6	0.110#	Ea
SPD1516	21722	15/16"	6"	1	6	0.120#	Ea
SPD1	21724	1"	6"	1	6	0.110#	Ea
SPD118	21726	1-1/8"	6"	1	6	0.130#	Ea
SPD114	21728	1-1/4"	6"	1	6	0.130#	Ea
SPD138	21730	1-3/8"	6"	1	6	0.140#	Ea
SPD112	21732	1-1/2"	6"	1	6	0.150#	Ea



## Bell Hanger Drills PC 6280

Bell hanger drills are used to drill and fish small gauge wires. After drilling through the stud or header, a wire is attached to the fish hole in the flute and the drill is retracted, pulling the wire through. Bell hangers are available in a variety of diameters and lengths and are suitable for telephone installations, security and cable applications.


- Fish Hole In Flute For Pulling Wire
- Tapered For Quick Chip Clearance
- One Per Display Pouch
- Aggressive Point For Fast Drilling In Wood & Metal
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	LENGTH	STD	MSTR	WT/STD	UNIT
<b>Packed in a Hanging Pouch</b>							
BLH3612	21750	3/16"	12"	1	6	0.110#	Ea
BLH1412	21752	1/4"	12"	1	6	0.170#	Ea
BLH5612	21754	5/16"	12"	1	6	0.250#	Ea
BLH3812	21756	3/8"	12"	1	6	0.340#	Ea
BLH1212	21758	1/2"	12"	1	6	0.540#	Ea
BLH1418	21760	1/4"	18"	1	6	0.260#	Ea
BLH5618	21762	5/16"	18"	1	6	0.390#	Ea
BLH3818	21764	3/8"	18"	1	6	0.550#	Ea
BLH1218	21766	1/2"	18"	1	6	0.870#	Ea
BLH1424	21770	1/4"	24"	1	6	0.350#	Ea
BLH5624	21772	5/16"	24"	1	6	0.530#	Ea
BLH3824	21774	3/8"	24"	1	6	0.750#	Ea
BLH1224	21776	1/2"	24"	1	6	1.220#	Ea
BLH1430	21778	1/4"	30"	1	6	0.380#	Ea
BLH3830	21780	3/8"	30"	1	6	0.880#	Ea
BLH1442	21782	1/4"	42"	1	6	0.610#	Ea
BLH3842	21784	3/8"	42"	1	6	1.310#	Ea

## TECH TALK



Electrician's Flex-A-Bits are specifically designed to facilitate fishing wires and cables through walls and ceilings. A self feeding screw point is permanently brazed to flexible shafts.





## Speed D Feed Bits PC 6355



- Fast Heavy Duty Power Boring
- Tapered Back For Easy Back Out
- Universal 7/16" Shank, 5" OA Length
- Replaceable Double Ended Self Feeding Point

- Open Design For No Clog Fast Chip Removal
- Precision Angled Surface For Smoother Cuts
- Caution! Always Wear Eye Protection

Speed D Feed multi-spur wood boring bits are ideal for boring large holes quickly - from 1" through 4-5/8". This bit is especially suited to electricians and plumbers.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
SDF100	21900	1"	1	6	0.438#	Ea
SDF118	21901	1-1/8"	1	6	0.469#	Ea
SDF114	21902	1-1/4"	1	6	0.500#	Ea
SDF138	21903	1-3/8"	1	6	0.500#	Ea
SDF112	21904	1-1/2"	1	6	0.563#	Ea
SDF134	21905	1-3/4"	1	6	0.625#	Ea
SDF200	21906	2"	1	6	0.719#	Ea
SDF218	21907	2-1/8"	1	6	0.813#	Ea
SDF214	21908	2-1/4"	1	6	0.938#	Ea
SDF2916	21909	2-9/16"	1	6	1.063#	Ea
SDF300	21910	3"	1	6	1.500#	Ea
SDF358	21911	3-5/8"	1	6	2.000#	Ea
SDF458	21912	4-5/8"	1	6	3.500#	Ea

### Replacement Screw Points

SDF14S	21913	1/4 x 2-1/2" (For 1" thru 2-9/16")	1	6	0.01#	Ea
SDF14L	21914	1/4 x 2-3/4" (For 3" thru 4-5/8")	1	6	0.01#	Ea

## Flex-A-Bit PC 6360



- Self Feeding Point
- Flexible Spring Steel Shaft
- Display Pack
- Caution! Always Wear Eye Protection

Flex A Bits are used to drill within walls and are able to reach normally inaccessible areas through a small opening. After (drilling) through a stud or header, a wire is attached to the fish hole in the flute and the drill is retracted pulling the wire through. The FG357 Flex A Guide tool aids in positioning the bit.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
FB3854	37000	3/8 x 54"	1	6	0.500#	Ea
FB3872	37005	3/8 x 72"	1	6	0.640#	Ea
FB5054	37010	1/2 x 54"	1	6	0.530#	Ea
FB5072	37015	1/2 x 72"	1	6	0.680#	Ea
FB9654	37030	9/16 x 54"	1	6	0.540#	Ea
FB9672	37035	9/16 x 72"	1	6	0.680#	Ea
FB7554	37020	3/4 x 54"	1	6	0.950#	Ea
FB7572	37025	3/4 x 72"	1	6	1.220#	Ea

### Flex-A-Bit Tool

FG357	37040	All	1	6	0.450#	Ea
-------	-------	-----	---	---	--------	----



## Pilot Drills & Accessories PC 6390



- 1/4" High Speed Drill Pilot
- Split Point Design
- Caution! Always Wear Eye Protection

Pilot drills are available with three flats or three notches. Set screws secure drill in arbor.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
VPD4	28540	4-1/2 x 1/4" Pilot Drill, Shank Ground 3 Sides	1	10	0.050#	Ea
VPD4N	28545	4-1/2 x 1/4" Pilot Drill, 3 Notches for Set Screw	1	10	0.050#	Ea
VPD4S	28550	3-1/16" Pilot Drill for V24K, V34, & V35P Arbors	1	10	0.050#	Ea
VE121	28555	12" Extension for 7/16" Arbors	1	1	0.800#	Ea
V44N	28560	Adapter Nut- Adapts Arbor with 1/2-20 threads to fit Hole Saw with 5/8-18 Threads	1	1	0.650#	Ea

See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie





## Hole Saws PC 6380

Variable pitch hole saws are bi-metal construction with an M3 HSS cutting edge which is laser welded to a spring steel back. They will cut to depths of 1-3/8" and will outlast carbon steel hole saws, while the tooth design resists shock and strippage. The saws accept standard arbors and will cut stainless steel, iron, pipe, wood and plastic.

- Bi Metal
- M3 Steel RC65-66
- Shatterproof
- 4/6 Variable Pitch
- Powder Coated
- Accepts Standard Arbors
- Caution! Always Wear Eye Protection

CAT NO	UPC	DIAMETER	USE ARBOR	PIPE SIZE				WT/STD	UNIT
				TAP	ENTR.	STD	MSTR		
VP09	28400	9/16"	V24K, V34, V44			1	10	0.080#	Ea
VP10	28402	5/8"	V24K, V34, V44			1	10	0.090#	Ea
VP11	28404	11/16"	V24K, V34, V44			1	10	0.090#	Ea
VP12	28406	3/4"	V24K, V34, V44		3/8"	1	10	0.090#	Ea
VP13	28408	13/16"	V24K, V34, V44			1	10	0.110#	Ea
VP14	28410	7/8"	V24K, V34, V44	3/4"	1/2"	1	10	0.110#	Ea
VP15	28412	15/16"	V24K, V34, V44			1	10	0.130#	Ea
VP16	28414	1"	V24K, V34, V44			1	10	0.140#	Ea
VP18	28416	1-1/8"	V24K, V34, V44	1"	3/4"	1	10	0.190#	Ea
VP19	28418	1-3/16"	V24K, V34, V44			1	10	0.200#	Ea
VP20	28420	1-1/4"	V35P, V45P			1	10	0.200#	Ea
VP21	28422	1-5/16"	V35P, V45P			1	10	0.210#	Ea
VP22	28424	1-3/8"	V35P, V45P		1"	1	10	0.240#	Ea
VP24	28426	1-1/2"	V35P, V45P			1	10	0.280#	Ea
VP26	28428	1-5/8"	V35P, V45P			1	10	0.340#	Ea
VP28	28430	1-3/4"	V35P, V45P	1-1/2"	1-1/4"	1	10	0.230#	Ea
VP30	28432	1-7/8"	V35P, V45P			1	10	0.270#	Ea
VP32	28434	2"	V35P, V45P		1-1/2"	1	10	0.290#	Ea
VP34	28436	2-1/8"	V35P, V45P			1	10	0.330#	Ea
VP36	28438	2-1/4"	V35P, V45P	2"		1	10	0.360#	Ea
VP37	28440	2-5/16"	V35P, V45P			1	10	0.330#	Ea
VP38	28442	2-3/8"	V35P, V45P			1	10	0.330#	Ea
VP40	28444	2-1/2"	V45P		2"	1	10	0.450#	Ea
VP41	28446	2-9/16"	V45P			1	10	0.450#	Ea
VP48	28448	3"	V45P		2-1/2"	1	10	0.600#	Ea
VP56	28450	3-1/2"	V45P			1	10	0.620#	Ea
VP58	28452	3-5/8"	V45P		3"	1	10	0.660#	Ea
VP64	28454	4"	V45P			1	10	0.810#	Ea
VP66	28456	4-1/8"	V45P		3-1/2"	1	10	0.850#	Ea
VP70	28458	4-3/8"	V45P			1	10	0.910#	Ea
VP72	28460	4-1/2"	V45P			1	10	0.960#	Ea
VP76	28462	4-3/4"	V45P		4"	1	10	1.030#	Ea
VP80	28464	5"	V45P			1	10	1.140#	Ea
VP88	28466	5-1/2"	V45P			1	10	1.300#	Ea
VP96	28468	6"	V45P			1	10	1.530#	Ea



## Arbors PC 6390

Arbors are supplied with pilot drills. Check Hole Saw to determine proper arbor.

- Interchangeable With Other Brands
- Includes Replaceable High Speed Pilot Drill
- Caution! Always Wear Eye Protection

CAT NO	UPC	SHANK	THREAD SIZE	DRILL SIZE	DRILL NUMBER	DRILL SIZE	CHUCK FITS	STD	MSTR	WT/STD	UNIT
V24K	28500	1/4" Round	1/2-20	1/4"	VPD4	1/4"	9/16" - 1-1/8"	1	1	0.130#	Ea
V34	28505	3/8" Hex	1/2-20	1/4"	VDP4S	3/8"	9/16" - 1-1/8"	1	1	0.150#	Ea
V35P	28510	3/8" Hex	5/8-18	1/4"	VPD4S	3/8"	1-1/4" - 6"	1	1	0.360#	Ea
V44	28515	7/16" Hex	1/2-20	1/4"	VPD4	1/2"	9/16" - 1-1/8"	1	1	0.160#	Ea
V45P	28525	7/16" Hex	5/8-18	1/4"	VPD4	1/2"	1-1/4" - 6"	1	1	0.500#	Ea



# Hole Saw Kits PC 6400



- Packed In Molded Cases
- Variable Pitch
- Bi-Metal Blades

- Caution! Always Wear Eye Protection

Hole saw kits are supplied with the most popular sizes for the electrician and plumber. The VP100 contains 9 popular electrical and plumbing saws, while the VP02E & VP08 are for the electrical conduit sizes. These kits contain the necessary arbors for all the hole saws.

CAT NO	UPC	HOLE SAWS	ARBORS	STD	MSTR	WT/STD	UNIT
--------	-----	-----------	--------	-----	------	--------	------

### Electrician's Hole Saw Kit (Contains 6 Electrical Conduit Sizes 1/2" - 2")

VP02E	28470	VP14 7/8" VP18 1-1/8" VP22 1-3/8" VP28 1-3/4" VP32 2"	VP40 2-1/2"	V44 V45P	1	1	2.700#	Ea
-------	-------	---	-------------	-------------	---	---	--------	----



### Maintenance Hole Saw Kit (Contains 9 Plumbing and Electrical Conduit Sizes 3/8" - 2")

VP100	28472	VP12 3/4" VP14 7/8" VP18 1-1/8" VP22 1-3/8"	VP24 1-1/2" VP28 1-3/4" VP32 2" VP36 2-1/4" VP40 2-1/2"	V24K V44 V45P VE121 Extension	1	1	4.820#	Ea
-------	-------	--	---	-------------------------------------	---	---	--------	----



### Master Electrician's Hole Saw Kit (Contains 10 Electrical Conduit Sizes 1/2" - 4")

VP08	28474	VP14 7/8" VP18 1-1/8" VP22 1-3/8" VP28 1-3/4" VP32 2"	VP40 2-1/2" VP48 3" VP58 3-5/8" VP66 4-1/8" VP72 4-1/2"	V24K V44 V45P VE121 Extension	1	1	7.800#	Ea
------	-------	---	---	-------------------------------------	---	---	--------	----



# Kan-Cut Saws & Kits PC 6440




- Solid One Piece Construction
- Continuous Carbide Grit Edge

- Safer To Use
- New 5" Size
- Caution! Always Wear Eye Protection

Kan Cut saws effectively cut through stucco, lath and plaster or two sheets of 5/8" drywall in one pass to a depth of two inches. Fits most major brands Halo, Capri, Marco, Juno, Prescolite, Progress, Lithonia, Lightolier and others. Arbor not included use V45P.

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
--------	-----	------	-----	------	--------	------


### Kan-Cut Fixture Saws

358C	15960		3-5/8"	1	1	0.880#	Ea
425C	15962		4-1/4"	1	1	1.060#	Ea
438C	15975		4-3/8"	1	1	1.080#	Ea
550C	81781		5-1/2"	1	1	1.500#	Ea
638C	15980		6-3/8"	1	1	1.990#	Ea
658C	15985		6-5/8"	1	1	2.050#	Ea
678C	15990	6-7/8"	1	1	2.070#	Ea	

V45P	28525	Arbor	1	1	0.500#	Ea
------	-------	-------	---	---	--------	----

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
--------	-----	-------------	-----	------	--------	------

### Kan-Cut Hole Saw Kits

KC100	17175		One Ea: 638C Kan Cut, V45P Arbor & KC case	1	1	3.830#	Ea
KC200	17180		One Ea: 425C, 638C Kan Cut, V45P Arbor & KC case	1	1	4.280#	Ea

**Caution:** Always wear eye protection. Penetrate the material at 90°. Hole saws may have a tendency to grab, causing injury. **Do Not Exceed 800 RPM.**

## ReciproBlades PC 6450

Bi-metal blades have a flexible spring steel back and are laser welded to a hardened edge. Each blade is designed for a specific use and condition. "Tuff-Grit" carbide blades will cut cast iron.

- Bi Metal 8% Cobalt
- Vacuum Heat Treated
- Tooth Hardness RC66-68
- Powder Coated
- Made in USA
- 5 Per Pouch, Priced Per Blade
- Caution! Wear Eye Protection

CAT NO	UPC	LENGTH	WIDTH	THICKNESS	TPI	APPLICATION	STD	MSTR	WT/STD	UNIT
R414B	31300	4"	5/8"	0.035	14	Heavy gauge metal, 1/8" thick and above.	5	5	0.130#	Ea
R418B	31305	4"	5/8"	0.035	18	Heavy gauge metal, 18 gauge to 1/8" thick.	5	5	0.110#	Ea
R424B	31310	4"	5/8"	0.035	24	Metal cutting, 18 gauge and under.	5	5	0.130#	Ea
R610B7	31315	6"	3/4"	0.035	10	Nail-embedded wood, non-ferrous metal.	5	5	0.200#	Ea
R614B7	31320	6"	3/4"	0.035	14	Heavy gauge metal, 1/8" thick and above.	5	5	0.210#	Ea
R618B7	31325	6"	3/4"	0.035	18	Heavy gauge metal, 18 gauge to 1/8" thick.	5	5	0.210#	Ea
R624B7	31330	6"	3/4"	0.035	24	Metal cutting, 18 gauge and under.	5	5	0.210#	Ea
R810B7	31335	8"	3/4"	0.035	10	Nail-embedded wood, plastic, non-ferrous metal.	5	5	0.280#	Ea
R814B7	31340	8"	3/4"	0.035	14	General rough-in, metal cutting, nail-embedded wood.	5	5	0.280#	Ea
R656BR	31345	6"	3/4"	0.050	6	Wood contours, nail-embedded wood.	5	5	0.210#	Ea
R656BS	31350	6"	3/4"	0.050	6	General rough-in, all woods nail-embedded wood.	5	5	0.220#	Ea
R956BR	31355	9"	3/4"	0.050	6	General rough-in, all woods nail-embedded wood.	5	5	0.370#	Ea
R156BR	31360	12"	3/4"	0.050	6	General rough-in, all woods nail-embedded wood.	5	5	0.530#	Ea
<b>Carbide "Tuff-Grit" Edge (One per pouch)</b>										
R800TG	31365	8"	3/4"	0.040	n/a	Cast iron pipe.	1	1	0.090#	



## Utility Saw PC 6559

The utility saw with its straight wooden handle is easier to manipulate than a pistol grip saw when cutting openings in drywall.

- 6" Blade
- Individual Display Pack
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	LENGTH	STD	MSTR	WT/STD	UNIT
UT6	28960	Utility Saw	6"	1	24	0.180#	Ea

## Hacksaw Frame PC 6470



- Use as Jab or Compass Saw
- 45° & 90° Miter Angle
- High Leverage Tension Arm
- Blade Storage in Handle
- Industrial Quality Die Cast
- Made In USA

This versatile hacksaw has a heavy duty cast aluminum handle and steel crossbar. Lightweight and well balanced for greater control.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
F4	28975	Industrial Quality Hacksaw Frame	1	6	1.470#	Ea

## Hacksaw Blades PC 6580

- Bi Metal
- Boxed or Pouch
- Industrial Quality
- Caution! Always Wear Eye Protection

Bi-metal hacksaw blades cut tough and hard material fast and outlasts standard carbon blades by a factor of three to one. Bi-metal blades offer a super sharp high speed steel cutting edge, laser welded to a flexible alloy back. Bi-metal blades offer straight cuts and long life in high tension frames and allow the greatest possible user safety.

CAT NO	UPC	LENGTH	TPI	STD	MSTR	WT/STD	UNIT
HSB18T*	29350	12"	18	10	100	0.430#	Ea
HSB18TB	29340	12"	18	100	100	4.300#	Ea
HSB24T*	29355	12"	24	10	100	0.430#	Ea
HSB24TB	29343	12"	24	100	100	4.300#	Ea
HSB32T*	29360	12"	32	10	100	0.430#	Ea
HSB32TB	29345	12"	32	100	100	4.300#	Ea

\* Pouch

## PVC Saw & Replacement Blades PC 6560



- Tooth Design Cuts On Both Strokes
- Filed Teeth
- 12" Handle With Blade
- 18" Handle With Blade
- Caution! Always Wear Eye Protection

The PVC Bi-Saw is designed for PVC and cuts on both the front and back stroke. The offset handle allows cutting at ground level while permitting hand clearance. The die cast, offset handle is interchangeable with most popular brands of replacement blades.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
PVC12BH	29380	12" Handle & Blade	1	5	0.660#	Ea
PVC18BH	29382	18" Handle & Blade	1	5	0.770#	Ea
12BLD	29384	12" Replacement Blade Only	1	5	0.330#	Ea
18BLD	29386	18" Replacement Blade Only	1	5	0.460#	Ea

## Snaggletooth Pro Saw PC 6559



- Easily Cuts Wallboard, Drywall, Plywood, & Plastic
- Blade Cuts In Both Directions
- Laser Cut Triple Ground Teeth
- Triangular Handle

The Snaggletooth Pro Saw is the right tool for cutting openings for electrical outlets, and the hardened tip penetrates drywall easily eliminating the need to drill.

CAT NO	UPC	DESCRIPTION	LENGTH	STD	MSTR	WT/STD	UNIT
SNG6	42092	Snaggletooth Pro Saw	6" Blade/ 12" Overall	1	12	0.350#	Ea



## Safety Helmets & Ratchet Safety Helmets PC 6616

Safety helmets are required on most job sites. The woven nylon suspension is comfortable and absorbs impact. On the ratchet model the head size can be adjusted without removing the helmet, providing a no slip hold – even in the most physically active job.

- |   |   |   |
|---|---|---|
| <ul style="list-style-type: none"> <li>• Lightweight High Density Polyethylene</li> <li>• Short Peak and Trim Profile</li> <li>• Rain Trough Side &amp; Back</li> <li>• Universal Accessory Slot</li> <li>• Removable Cushioned Brow Pad</li> </ul> | <ul style="list-style-type: none"> <li>• 4-Point Impact Absorbing Suspension</li> <li>• Quick Slide Sizing From 6-1/2 to 7-3/4"</li> <li>• USA Made Meets ANSI Z89 1-1997 Type I class C, E &amp; G Requirements</li> </ul> | <b>Ratchet Helmet:</b> <ul style="list-style-type: none"> <li>• 6-Point Impact Absorbing Suspension</li> <li>• Ratchet EZ Turn Knob</li> <li>• Sizes 6-1/2" to 8", 40 Increments</li> </ul> |
|---|---|---|

CAT NO	UPC	COLOR	STD	MSTR	WT/STD	UNIT
SFTY	11635	Yellow	1	6	0.750#	Ea
SFTW	11636	White	1	6	0.750#	Ea
SFTO	11637	Orange	1	6	0.750#	Ea
<b>Ratchet Safety Helmets</b>						
SFTYR	11638	Yellow	1	6	0.890#	Ea
SFTWR	11639	White	1	6	0.890#	Ea



## Rain Suit PC 6618

The heavy duty yellow rain suit consists of three pieces; extra large cut jacket, detachable hood, and bib overalls.

- 100% Waterproof & Non-Conductive
- High Visibility Safety Yellow
- Heavy Duty 35mm PVC Bonded To Polyester

- |   |  |
|---|--|
| <b>Jacket</b> <ul style="list-style-type: none"> <li>• Detachable Hood &amp; Corduroy Collar</li> <li>• Large Reinforced Flapped Pockets</li> <li>• Adjustable Wrist &amp; Waist For Snug Fit</li> <li>• Ventilated Underarm &amp; Back For Better Circulation</li> </ul> | <b>Bib Overalls</b> <ul style="list-style-type: none"> <li>• Snap Fly Front</li> <li>• Adjustable Suspenders</li> <li>• Ankle &amp; Waist Adjustment For Better Fit</li> </ul> |
|---|--|

CAT NO	UPC	DESCRIPTION	SIZE	STD	MSTR	WT/STD	UNIT
R6900M	31381	3-PC Heavy Duty Rainsuit	Medium	1	6	3.330#	Ea
R6900L	31382	3-PC Heavy Duty Rainsuit	Large	1	6	3.400#	Ea
R6900XL	31383	3-PC Heavy Duty Rainsuit	X-Large	1	6	3.480#	Ea
R69002XL	31384	3-PC Heavy Duty Rainsuit	2X-Large	1	6	3.560#	Ea



## Safety Vests PC 6617

Safety vests are now OSHA compliant - meeting or exceeding the new standards for reflectivity (ANSI/ISEA 107-1999 Class II Garments).

- Hi Viz Lime With Silver Reflective Tape
- 100% Polyester Knit
- 2" Reflective Trim
- Zipper Closure

CAT NO	UPC	SIZE	STD	MSTR	WT/STD	UNIT
SVM	11640	Medium	1	6	0.530#	Ea
SVL	11641	Large	1	6	0.540#	Ea
SVXL	11642	X-Large	1	6	0.560#	Ea



## Dust Mask PC 5310

CAUTION: Do Not Use As Protection From; Asbestos, Silica or Cotton Dust, Toxic Dust, Fumes, Mists, Gas or Vapor. NOT TO BE USED IN SPRAY PAINT OPERATIONS!

- General Purpose

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
MSK50	30450	General Purpose Dust Mask	50	500	1.140#	C
MSK55	30455	General Purpose Dust Mask (5 pack)	12 packs	24 packs	0.580#	Ea Pk





- Kit Exceeds Federal OSHA Requirements
- Serves up to 25 People
- Molded Handle For Carry or Mount Kit On Work Site

No office, vehicle, or worksite should be without this compact emergency First Aid Kit. The FK25E comes in a polypropylene case and includes all the supplies you need for up to 25 people.

**FK25E**

**Small 25 Person Contractor Kit**

- 1 Plastic First Aid Case
- 1 Cold Pack Unit Sz. 5" x 6" Box
- 1 Swift 1x3 Plastic 50/Box
- 1 First Aid Pack for 25 Kit
- 1 ABD Combine Pad 5" x 9"
- 1 Adhesive Tape W/P 1" x 5 Yd.
- 1 Gauze Clean-Wrap Bdge. N/S 2"
- 1 Tri-Bndg. Non Woven 40" x 40" x 56"
- 1 Eye Wash Single Use 1/2 Oz.
- 1 Burn Gel 1/8 Oz. Pks 6 Ea.
- 1 Scissor 4-1/2" Blue Handle
- 1 Tweezer 3" Square End
- 1 Swift Woven Assorted 20/Box
- 1 First Aid Booklet
- 1 2 Pr. Vinyl Gloves Zip Lock Bag

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
FK25E	10270	25 Person Contractor Kit	1	10	1.50#	Ea
FKR25E	10271	25 Person Contractor Refill	1	10	0.94#	Ea

- Meets Kit Requirement For ANSI Z308.1
- Serves Up To 50 People
- Molded Handle For Carry or Mount Kit On Work Site

An emergency can happen at any time – anywhere your work force goes to do their job. This well stocked emergency first aid kit supplies all your office, factory or work site needs for up to 50 people. Packed in a polypropylene case.



**FK50E**

**Medium 50 Person Contractor Kit**

- 1 Plastic First Aid Case
- 1 Tri-Bndg. Non Woven 40" x 40" x 56"
- 2 Cold Pack Unit Sz. 5" x 6" Box
- 1 Scissor 4-1/2" Blue Handle
- 1 Tweezer 3" Square End
- 1 Non-Adherent Pads 2" x 3" 10'S
- 4 Ammonia Inhalants Ampule Ea.
- 1 PVP Iodine Wipes 10/Un.
- 1 Swift 1" x 3" Plastic 100/Box
- 2 Gauze Clean-Wrap Bdge. N/S 2"
- 2 Gauze Clean-Wrap Bdge. N/S 1"
- 1 Gauze Clean-Wrap Bdge. N/S 3"
- 1 Eye Wash Single Use 1/2 Oz.
- 1 Triple-Biotic Oint. .5 Gram 10
- 1 Gze. Pads Sterile 3" x 3" 10'S
- 1 Gze. Pads Sterile 2" x 2" 10'S
- 1 Burn Gel 1/8 Oz. Pks. 6 Ea.
- 2 ABD Combine Pad 5" x 9"
- 1 First Aid Booklet
- 1 Wound Cleaner
- 1 Adhesive Tape W/P 1" x 5 Yd.
- 1 Eye Pads /Adhs. Strips 4 Ea.
- 1 2 Pr. Vinyl Gloves Zip Lock Bag

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
FK50E	81819	50 Person Contractor Kit	1	10	2.25#	Ea
FKR50E	81820	50 Person Contractor Refill	1	10	1.50#	Ea

- Meets Kit Requirement For ANSI Z308.1
- Serves Up To 75 People
- Molded Handle For Carry or Mount Kit On Work Site

Stock your large facility or work site with this complete emergency first aid kit. This durable kit is packed with a large assortment of first aid supplies to meet your needs. Packed in a polypropylene case.



**FK75E**

**Large 75 Person Contractor Kit**

- 1 Plastic First Aid Case
- 1 Tri-Bndg. Non Woven 40" x 40" x 56"
- 2 Cold Pack Unit Sz. 5" x 6" Box
- 1 Scissor 4-1/2" Blue Handle
- 1 Tweezer 3" Square End
- 1 Non-Adherent Pads 2" x 3" 10'S
- 4 Ammonia Inhalants Ampule Ea.
- 1 PVP Iodine Wipes 10/Un.
- 1 Swift 1" x 3" Plastic 100/Box
- 2 Gauze Clean-Wrap Bdge. N/S 2"
- 2 Gauze Clean-Wrap Bdge. N/S 1"
- 2 Gauze Clean-Wrap Bdge. N/S 3"
- 2 Eye Wash Single Use 1/2 Oz.
- 2 Triple-Biotic Oint. .5 Gram 10.
- 1 Gze. Pads Sterile 3" x 3" 10'S
- 1 Gze. Pads Sterile 2" x 2" 10'S
- 1 Burn Gel 1/8 Oz. Pks. 6 Ea.
- 2 ABD Combine Pad 5" x 9"
- 1 Wound Cleaner
- 1 Adhesive Tape W/P 1" x 5 Yd.
- 1 Eye Pads W/Adhs. Strips 4 Ea.
- 2 2 Pr. Vinyl Gloves Zip Lock Bag
- 1 Swift Woven Assorted 20/Bx
- 1 First Aid Booklet

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
FK75E	81821	75 Person Contractor Kit	1	10	2.25#	Ea
FKR75E	81822	75 Person Contractor Refill	1	10	1.50#	Ea



Kodiak



Razor



Komodo



## Protective Eyewear PC 6610

- Exceeds ANSI Z87.1 & CSA Z94.3 Safety Standards
- 100% UV & UVB Protection Against Harmful Radiation
- Ultra Light, Durable & Precise Fit Frames
- Impact Resistant Polycarbonate Lens
- Distortion Free 2.2 mm Lens For Optimum Clarity
- Exceptional Peripheral Vision Protection
- Variety of Coated Lens Tints
- Hangable Display Pack

Industrial safety eyewear is designed to protect you. Available in a variety of styles, finishes and lens color tints, they are designed down to the smallest detail to provide optimal performance with state of the art comfort, style and protection.

CAT NO	UPC	STYLE	FRAME	LENS	STD	MSTR	WT/STD	UNIT
EKOD110	10923	Kodiak	Matte Black	Gray	1	10	0.11#	Ea
EKOD175	10924	Kodiak	Matte Black	Dark Blue Mirror	1	10	0.11#	Ea
EKOD440	10925	Kodiak	Crystal Blue	Gray Mirror	1	10	0.11#	Ea
EKOD685	10926	Kodiak	Shiny Silver	Dark Blue Mirror	1	10	0.11#	Ea
EKOD740	10927	Kodiak	Crystal Red	Gray Mirror	1	10	0.11#	Ea
ERAZ100	11984	Razor	Matte Black	Clear	1	10	0.11#	Ea
ERAZ110	11985	Razor	Matte Black	Gray	1	10	0.11#	Ea
ERAZ120	11986	Razor	Matte Black	Yellow	1	10	0.11#	Ea
ERAZ160	11987	Razor	Matte Black	Dark Brown Mirror	1	10	0.11#	Ea
ERAZ175	11988	Razor	Matte Black	Dark Blue Mirror	1	10	0.11#	Ea
EKMD000	81814	Komodo	Crystal Clear	Clear	1	10	0.11#	Ea
EKMD110	81815	Komodo	Crystal Black	Gray	1	10	0.11#	Ea
EKMD550	81816	Komodo	Amber	Brown	1	10	0.11#	Ea
EKMD840	81817	Komodo	Gun Metal Gray	Gray Mirror	1	10	0.11#	Ea
EKMD870	81818	Komodo	Gun Metal Lt. Blue	Blue Mirror	1	10	0.11#	Ea



## Softframe Goggles PC 6610

Soft, clear vinyl Goggle with universal bridge provides all day comfort and exceptional protection against dust and flying debris. Around-the-lens ventilation minimizes lens fogging. Comfortable over prescription glasses or when worn alone.

- Clear Anti-Fog Lens
- Cap Vented Clear Softframe

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
206F	40150	Softframe Goggle	1	10	0.26#	Ea



## Ear Protection PC 6615

One pair per polybag. Packed 200 pair per dispenser box.

- ANSI S3.19-1974
- Noise Reduction Rate NRR 30db
- Low Pressure Foam Plugs
- Self Adjusting
- Non Allergenic
- Non Irritating

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
MLE200	11645	MaxLite Ear Plugs	200 Pr	200 Pr	0.94#	Ea Pair

## Shoe Covers PC 6771



- Anti-Static
- Impervious Material
- Non-linting
- EZ On-EZ Off

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
SC	59880	50 Shoe Covers in Jar	1	10	0.90#	Ea






## Cable Saw PC 6535

- Quick Release Contour Handles
- Constructed with Stainless Cable
- Caution! Always Wear Eye Protection

The Cable Saw easily cuts through PVC conduit. The quick release handle allows the cable saw blade to easily cut around PVC in hard to reach areas.



CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
CS100	28967	Cable Saw	1	10	0.22#	Ea

## Reel Spinner PC 6522

- Disassembles For Easy Transportation

Reel Spinner is a wire dispenser which can be made to accommodate a variable number of spools of wire by utilizing available EMT (tubing). The leg & axle assembly use 1/2" EMT which is cut to length as required. The leg & axle assembly are easily assembled and secured by hand tightening the wing nuts. The length of EMT cut for the axle will determine the amount of spools it will accommodate.



CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
RS896	17237	Reel Spinner	1	10	0.49#	Ea

## Power Wire Nut Driver PC 6700

- Tested And Proven To Cut Labor By 66% By Electrical Contractors
- Caution! Always Wear Eye Protection

This multipurpose tool will handle most brands of wire connectors. Used in a power drill or screwdriver it saves wear and tear on wrists and fingers. Made of high impact plastic with a 1/4" metal shank.



CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
CX1	24100	Power Driver with 1/4" Shank	1	10	0.07#	Ea

## Tape Measure PC 6525

- Heat Treated Mylar Coated Blade
- Durable ABS Case w/ Rubber Grip
- Extends 25 ft.
- Self Supporting Over 8 ft.
- Triple Riveted
- Positive Double Lock
- Excellent Return Function
- Packed 24 Per Display Box or Individual Cards
- Caution! Always Wear Eye Protection



CAT NO	UPC	COLOR	SIZE	STD	MSTR	WT/STD	UNIT
--------	-----	-------	------	-----	------	--------	------

### Counter Display

TMO	11620	Orange	1" x 25'	24	24	18.96#	Ea Tape
TMG	11621	Green	1" x 25'	24	24	18.96#	Ea Tape
TMY	11622	Yellow	1" x 25'	24	24	18.96#	Ea Tape
TMC	11623	Chrome	1" x 25'	24	24	18.96#	Ea Tape
TMA	11624	Assorted (6 Ea Color)	1" x 25'	24	24	18.96#	Ea Tape

### Display Card

TMOH	11627	Orange	1" x 25'	1	12	0.854#	Ea Tape
TMGH	11626	Green	1" x 25'	1	12	0.854#	Ea Tape
TMYH	11628	Yellow	1" x 25'	1	12	0.854#	Ea Tape
TMCH	11625	Chrome	1" x 25'	1	12	0.854#	Ea Tape



### Lock Back Knife PC 6510

- Lightweight ABS Handle w/ Clip
- Quick Change Blade Mechanism
- One Hand Opening Mechanism
- Spring Blade Release
- Includes Blade Storage & 6 Blades
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
LBK	10880	Folding Lock-Back Utility Knife Replacement Blades	1	12	0.550#	Ea
UKB	16502	Double Pointed Replacement Blades One Card Contains 5 Blades	1	12	0.050#	Ea



### Professional Knife & Tool Sharpener PC 6524

The knife sharpener anyone can use! No messy oils or stones. Sharpens knives in less that 10 seconds! It even works on serrated knives. Perfect tool for Electricians, Plumbers and Heating and Air Installers.

- Large Ergonomic Handle
- Full Length Finger Guard
- Diamond Honed Tungsten Carbide Sharpening Blades
- Sharpener Will Not Rust
- Easily Cleaned With Soap And Water
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
KS1	14660	Professional Knife & Tool Sharpener	1	12	0.30#	Ea



### K-PVC Cutter PC 6540

The KPVC cutter is an economical cutter for schedule 40 PVC, and its heavy blade makes easy work of it. Affordability and quality in one package.

- Heavy Duty Blade
- Cuts 1/2", 3/4" & 1" Schedule 40 PVC
- Blades Are Replaceable
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
KPVC	28980	K-PVC Cutter	1	6	0.830#	Ea
<b>PVC Cutter Replacement Blades</b> KB	28985	Replacement Blades	1	6	0.160#	Ea



### Wire Stripper / Cutter PC 6590

This handy Wire Stripper/Cutter has been one of the most popular wire strippers contractors use. It is effective and fits easily in a pouch or pocket.

- Adjustable
- Cushion Grip
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
DS1	28995	Adjustable Stripper Cushion Grip	1	10	0.140#	Ea



### Quick Leader PC 6595

The Dottie Quick Leader is designed for maximum flexibility, curving around bends in conduit with ease. It is for a 1/8 inch wide steel fish tape and will pull up to 500lbs.

- For 1/8 Inch Wide Steel Fish Tapes
- Flexible Leader Makes Quick Work of Tight Bends
- Pulls Up To 500 Lbs.
- Guides Steel Fish Tape Around Bends In Conduit
- Caution! Always Wear Eye Protection

CAT NO	UPC	SIZE	DESCRIPTION	STD	MSTR	WT/STD	UNIT
QL12	11967	12"	Quick Leader	1	10	0.124#	Ea



# Quick Sticks PC 6055



- Quick Sticks Will Flex Up To 90° Without Breaking
- Made From High Strength, Low Weight Fiberglass Material
- Made in USA
- Available Attachments: Pulling Hooks, Pulling Eyes, And Whisk
- Lite Sticks "Glow" In The Dark For Better Visibility During Use
- Caution! Always Wear Eye Protection

Dottie Quick Sticks offer unmatched durability to reach over drop ceilings, through insulated walls, as well as under floors and in any confined space. They are flexible enough to bend to the angle you need, yet rigid enough to push through insulation.

CAT NO	UPC	SIZE	DESCRIPTION	STD	MSTR	WT/STD	UNIT
QS3630	23132	3/16" x 30'	Tube Contains: Five - 3/16" x 6' Red Rods & Two Pulling Eyes	1	1	2.000#	Ea
QS3630LS	23134	3/16" x 30'	Tube Contains: Five - 3/16" x 6' Lite Stick Rods & Two Pulling Eyes	1	1	2.000#	Ea
QS3612	23136	3/16" x 12'	Kit Contains: Four - 3/16" x 3' Red Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS3612LS	23140	3/16" x 12'	Kit Contains: Four - 3/16" x 3' Lite Stick Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS3612X4	23166	3/16" x 12'	Tube Contains: Three - 3/16" x 4' Red Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS3612X4LS	23165	3/16" x 12'	Tube Contains: Three - 3/16" x 4' Lite Stick Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS2524	23130	1/4" x 24'	Tube Contains: Four - 1/4" x 6' White Rods & Two Pulling Eyes	1	1	2.000#	Ea
QS2524LS	23158	1/4" x 24'	Tube Contains: Four - 1/4" x 6' Lite Stick Rods & Two Pulling Eyes	1	1	2.000#	Ea
QS2512	23138	1/4" x 12'	Kit Contains: Four - 1/4" x 3' White Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS2512X4	23156	1/4" x 12'	Kit Contains: Three - 1/4" x 4' White Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea
QS2512LS	23155	1/4" x 12'	Kit Contains: Three - 1/4" x 4' Lite Stick Rods w/ Pulling Eye & Hook	1	1	1.000#	Ea

### Quick Sticks Accessories

QSPE36	23146	3/16"	3/16" Replacement Pulling Eye	1	1	0.010#	Ea
QSPH36	23148	3/16"	3/16" Pulling Hook	1	1	0.010#	Ea
QSW36	23152	3/16"	3/16" Whisk (egg beater) Head	1	1	0.010#	Ea
QSPE25	23142	1/4"	1/4" Replacement Pulling Eye	1	1	0.010#	Ea
QSPH25	23144	1/4"	1/4" Pulling Hook	1	1	0.010#	Ea
QSW25	23150	1/4"	1/4" Whisk (egg beater) Head	1	1	0.010#	Ea



Whisk  
QSW36  
QSW25



Hooks  
QSPH36  
QSPH25



Eyes  
QSPE36  
QSPE25

## TECH TALK



### Dottie Quick Sticks

Quick Sticks screw together to reach full or desired length. Use to fish wires through walls, under floors, over suspended ceilings and into many other confined spaces. Quick Sticks will flex up to 90° without breaking. Made from high strength, low weight fiber glass material. Quick Sticks are ideal for pulling and stringing communication wires, alarm system wires, romex, telephone and thermostat wire. Available attachments are; Pulling Hooks, Pulling Eyes and Whisk Heads. Our glow in the dark version is available in 3/16" & 1/4" diameter.



See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie





## Extension Cords PC 6800

Dottie's new line of contractor grade extension cords in both 14/3 SJTW and 12/3 SJTW are UL listed and meet the professional contractor's requirements for outdoor use. They are all-purpose, portable cords that remain flexible even under extreme weather conditions (Temp. Range rated -40 degrees to 140 degrees). Our quality construction provides excellent resistance to abrasion, oil, grease and chemicals. All cords include lighted female ends showing the cord has been powered up for safety.

- Available In 13 or 15 Amp.
- Wattage Rated At 1625 or 1875
- Conductor Blade / Pin Designed To Prevent Break-Off or Pull-Out
- Light Embedded In The Female Connector Lights To Let You Know The Power Is On.
- Triple Tap Provided On 100 Ft. Cords Allowing Additional Outlets For Power Distribution.
- Cord Remains Flexible Even Under The Most Extreme Weather Conditions



CAT NO	UPC	SIZE	COLOR	AWG	WIRE TYPE	AMPS	WATTS	STD	MSTR	WT/STD	UNIT
PEC14350	81769	50 Ft.	Green Cord/Yellow Stripe-with clear lighted end	14/3	SJTW	15	1875	12	6	56.30#	Ea
PEC143100	81770	100 Ft.	Green Cord/Yellow Stripe-with clear lighted-Triple Tap end	14/3	SJTW	13	1625	6	3	58.40 #	Ea
PEC12350	81771	50 Ft.	Yellow Cord/Green Stripe-with clear lighted end	12/3	SJTW	15	1875	8	4	56.00#	Ea
PEC123100	81772	100 Ft.	Yellow Cord/Green Stripe-with clear lighted-Triple Tap end	12/3	SJTW	15	1625	6	3	58.40 #	Ea



## Adapters PC 6805

Dottie's new line of Contractor Grade Adapters are UL listed and meet the professional contractors requirements for outdoor use. They are designed to provide the ultimate flexibility when arranging portable power needs at the job site.

- 12/3 STW
- Available In 15 or 20 Amp.
- Wattage Rated At 1875 or 2500
- Solid Molded Vinyl Connectors

CAT NO	UPC	SIZE	COLOR	AWG	WIRE TYPE	AMPS	WATTS	STD	MSTR	WT/STD	UNIT
PAY12315	81773	2 Ft.	Yellow Cord Y Adaptor Straight (15 Amp)	12/3	STW	15	1875	1	12	1.46#	Ea
PAY12320	81775	2 Ft.	Yellow Cord Y Adaptor Straight (20 Amp)	12/3	STW	20	2500	1	12	1.46#	Ea
PAW12315	81774	2 Ft.	Yellow Cord W Adaptor Straight (15 Amp)	12/3	STW	15	1875	1	12	1.88#	Ea
PAW12320	81776	2 Ft.	Yellow Cord W Adaptor Straight (20 Amp)	12/3	STW	20	2500	1	12	1.88#	Ea
PAS12315	81894	2 Ft.	Yellow Cord Straight Adaptor (15 Amp)	12/3	STW	15	1875	1	12	0.55#	Ea
PAS12320	81895	2 Ft.	Yellow Cord Straight Adaptor (20 Amp)	12/3	STW	20	2500	1	12	0.55#	Ea
PAT12315	81896	2 Ft.	Yellow Cord Straight Triple Tap Adaptor (15 Amp)	12/3	STW	15	1875	1	12	1.04#	Ea



PAY



PAW



PAS



PAT





The Ultimate-X Power batteries are manufactured to deliver high-performance results and are quality guaranteed to equal or exceed any standard alkaline battery in the market. Manufactured under ISO-90001-2004 and ISO-14003-2000 Certificates to guarantee manufacturing excellence, the Ultimate X-Power dry cell batteries deliver superior results without the added overhead costs of nationally advertised brands.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
<b>Carded Packs</b>						
BATAACARD	00018	1 Card - 4 AAA Batteries	12	48	1.55#	Ea Card
BATAACARD	00016	1 Card - 4 AA Batteries	12	48	2.90#	Ea Card
BATCCARD	00020	1 Card - 2 C Batteries	12	48	4.15#	Ea Card
BATDCARD	00021	1 Card - 2 D Batteries	12	48	9.75#	Ea Card
BAT9VCARD	00022	1 Card - 1 9V Battery	12	48	1.70#	Ea Card



AAA



AA



C



D



9V

<b>Contractor Packs</b>						
BATAAAA	00030	1 Pack - 24 AAA Batteries	12	24	9.70#	Ea Pack
BATAAA	00029	1 Pack - 24 AA Batteries	12	24	16.10#	Ea Pack
BATC	00031	1 Pack - 12 C Batteries	12	12	23.00#	Ea Pack
BATD	00032	1 Pack - 12 D Batteries	12	12	46.20#	Ea Pack
BAT9V	00033	1 Pack - 8 9V Batteries	12	12	11.76#	Ea Pack



AAA




AA



C




D





9V

# TECH TALK



## Alkaline Battery Process and Structure





## 13 in 1 Ratcheting Screwdriver PC 6755



The new 13 in 1 cushion gripped ratcheting screwdriver is the latest edition to our popular line up of multi bit drivers. With its smooth patent pending ZAD 8 zinc alloy precision 28 tooth ratcheting mechanism, it delivers over 225 lbs of torque strength, which makes driving fasteners faster and easier than ever before. The convenient storage handle is loaded with six double-ended bits for a total of twelve different standard sized drivers. The 1/4" Hex drive shaft is great for driving 1/4" hex head screws. This is definitely a top of the line tool every professional contractor should have in his or her tool bag.



- Convenient Storage For A Wide Range Of Bits
- 1/4" Hex Driver Shaft - Great For 1/4" Hex Head Screws
- Patent Pending ZAD 8 Zinc Alloy SOLID-CORE™ Ratchet Delivers Over 225 lbs Of Torque Strength
- Display Pack
- Precision 28 Tooth Ratchet Makes Driving Fasteners Faster And Easier. Limited Lifetime Warranty.
- Heavy Duty Nylon Reinforced Handle & Chamfered Solid Steel Shaft For Long Life & Durability
- Cushion Grip, Tapered Designed Handle - Extra Comfort And Less Fatigue



Patented Pullout Bit Cartridge



Phillips  
0+3 1+2



Square  
1+2



Star  
T10+T15 T20+T25



Slotted  
4+6



Hex  
1/4"

CAT NO	UPC	CAP/BODY	DESCRIPTION	STD	MSTR	WT/STD	UNIT
D131R	81251	Red/Black	13 in 1 Ratcheting Screwdriver	1	10	0.50#	Ea



## Nickel Plated Replacement Bits For Multi Bit Drivers- PC 6768

- Packed Two Per Card
- For Multi Bit Drivers
- Resists Corrosion

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
NBT1015C	81951	T10 & T15 Star	1	5	0.020#	Ea
NBT2025C	81952	T20 & T25 Star	1	5	0.020#	Ea
NBP03C	81953	0 & 3 Phillips	1	5	0.020#	Ea
NBP12C	81954	1 & 2 Phillips	1	5	0.020#	Ea
NBS03C	81955	0 & 3 Square Recess	1	5	0.020#	Ea
NBS12C	81956	1 & 2 Square Recess	1	5	0.020#	Ea
NBSL46C	81957	4 & 6 Slotted	1	5	0.020#	Ea
RBVC	81958	Valve Stem Bit + 5.5 Slotted	1	5	0.020#	Ea
SA14C*	81959	1/4" Socket Adaptor	1	5	0.020#	Ea

\* Unplated



## Tamper Proof Replacement Bits For Multi Bit Drivers - PC 6779

- Packed Two Per Card
- For Multi Bit Drivers
- Resists Corrosion

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
RTP15C	81960	T10 & T15 Star Pin	1	5	0.020#	Ea
RTP20C	81961	T20 & T25 Star Pin	1	5	0.020#	Ea
RTP27C	81962	T27 & T30 Star Pin	1	5	0.020#	Ea
RHP18C	81963	1/8 & 9/64 Hex Pin	1	5	0.020#	Ea
RHP532C	81964	5/32 & 3/16 Hex Pin	1	5	0.020#	Ea
RSP68C	81965	6 & 8 Spanner	1	5	0.020#	Ea
RSP12C	81966	10 & 12 Spanner	1	5	0.020#	Ea

## 15 in 1 Screwdriver PC 6762



- Palm Saving Rotation Cap
- Rotating Balance Point Collar
- Retracting Bit Storage
- High Impact Triax Housing
- Spring Loaded Ball Bearing Bit
- Full Length Solid Steel Shaft
- 59+ Rockwell Hardness
- Made In USA
- Display Pack

The Original Standard 15 in 1 driver contains seven double ended bits for a total of fourteen different standard drivers. The 1/4" shank fits any 1/4" hex power grooved bits and is also great for driving 1/4" hex head screws.




CAT NO	UPC	CAP/BODY	DESCRIPTION	STD	MSTR	WT/STD	UNIT
D151	10282	Yellow/Green	15 in 1 Screwdriver	1	10	0.490#	Ea

## Tamper Proof 15 in 1 Screwdriver PC 6763



- Contains Common Security Bit Load
- Specially Loaded For (note cut off)

This 15 in 1 Tamper Proof driver is a must for all commercial/industrial tradesmen (Electricians, Security, etc.). The 15 in 1 Tamper Proof comes loaded with the most common security bits, including: Spanner, Hex pin and Star pin.




CAT NO	UPC	CAP/BODY	DESCRIPTION	STD	MSTR	WT/STD	UNIT
D151TP	10266	Red/Black	15 in 1 Tamper Proof Screwdriver	1	10	0.550#	Ea

## Stainless Steel 15 in 1 Screwdriver PC 6762



- Expressly Made For Outdoors And Marine Environments
- 14 Different Bit Sizes
- Standarded Bitload

15 in 1 Stainless screwdriver is loaded with electroless nickel plated bits for use in areas where high corrosion or humidity are an issue. The driver is equipped with a stainless steel shaft.




CAT NO	UPC	CAP/BODY	DESCRIPTION	STD	MSTR	WT/STD	UNIT
D151SS	10265	Yellow/Blue	15 in 1 Stainless Steel Screwdriver	1	10	0.512#	Ea

## HVAC 14 in 1 Screwdriver PC 6761



- Specially Loaded For The Heating, Ventilation And Air Conditioning Industry

14 in 1 HVAC multi bit screwdriver is loaded with the most common HVAC bits, including a valve stem bit.



CAT NO	UPC	CAP/BODY	DESCRIPTION	STD	MSTR	WT/STD	UNIT
D151HVAC	10267	Red/Black	14 in 1 HVAC Screwdriver	1	10	0.512#	Ea



### 8 in 1 Stubby Ratchet Driver PC 6772



Includes the following bits:

- #1, #2 x 2pcs
- #1, #2 x 2pcs
- 1/4", 3/16"

- Contractor Preferred/Industrial Grade
- Includes 8 Industrial Quality Bits
- Non-Slip Grip Design
- High Torque 3 Way Reversible Ratchet Mechanism
- Easy Bit Storage in Handle

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
SRD8	43089	8 in 1 Stubby Ratchet Driver	1	12	0.374#	Ea



### 8 in 1 Stubby Ratchet Driver (Tamper Proof) PC 6778



Includes the following bits:

- T15, T20, T25
- 1/8", 5/32"
- #6, #8, #10

- Contractor Preferred/Industrial Grade
- Includes 8 Industrial Quality Bits
- Non-Slip Grip Design
- High Torque 3 Way Reversible Ratchet Mechanism
- Easy Bit Storage in Handle

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
SRD8TP	36090	8 in 1 Tamper Proof Stubby Ratchet Driver	1	12	0.374#	Ea



### Pocket Pakratchet PC 6671



Dottie's Pakratchet puts seven common sockets into a small yet strong tool that no tool bag should be without.

- Light Weight, Durable High Torque Composite
- Corrosion Resistant
- High Quality Chrome Vanadium Steel 6 Point Socket
- Push Button Socket Release
- Ergonomic, Non-Conductive Handle

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
PR7	81943	7 pc. Pocket Pakratchet 1/4" SAE Drive. Socket Sizes Included 1/4", 9/32", 5/16", 11/32" 3/8", 7/16", 1/2"	1	10	0.50#	Ea



### Tamper Proof Hand Drivers PC 6670

- Full Size Driver
- Steel Blade Oversized
- Acetate Handle

CAT NO	UPC	SCREW SIZE	DESCRIPTION	STD	MSTR	WT/STD	UNIT
<b>One Way</b>							
OW68	23000	#6-#8	Removal Tool	1	10	0.250#	Ea
OW810	23005	#8-#10	Removal Tool	1	10	0.310#	Ea
OW1214	23010	#12-#14	Removal Tool	1	10	0.350#	Ea
<b>Spanner</b>							
SPN6	23015	#6	Spanner	1	10	0.220#	Ea
SPN8	23020	#8	Spanner	1	10	0.220#	Ea
SPN10	23025	#10	Spanner	1	10	0.220#	Ea
<b>Star Pin</b>							
STR10	23030	#6BH	Star Pin	1	10	0.180#	Ea
STR15	23035	#6FH-#8BH	Star Pin	1	10	0.180#	Ea
STR20	23040	#8FH	Star Pin	1	10	0.180#	Ea
STR25	23045	#10FH, #10BH	Star Pin	1	10	0.190#	Ea
STR27	23050	1/4FH-1/4BH	Star Pin	1	10	0.210#	Ea
STR30	23052	1/4FH	Star Pin	1	10	0.220#	Ea





## Compact Combo Bit Kit PC 6340

- 31 Piece Assorted Standard and Tamper Proof
- Packed In A Belt Mount Case
- Contains Most Popular Sizes of Standard and Tamper Proof Bits



### 31 Piece Assortment Kit contains the following:

- Square Drive 1 Ea IB0, IB1, IB2, IB3
- Phillips 1 Ea IB0P, IB1P, (IB2P 2 Ea), IB3P
- Slotted 1 Ea IB0S, IB1S, (IB2S 2 Ea), IB3S
- Star Pin 1 Ea 60TR10, 15, 20, 25, 27, 30,
- Spanner 1 Ea 115-6, 115-8, 115-10, 115-12, 115-14
- Hex Pin 1 Ea 73TR3, 5, 7, 8, 9
- Bit Holder 1 Ea QCA14

This 31 piece bit kit contains the most often used Standard and Tamper Proof bits in a compact storage case, which is sized to fit in a contractor's pouch or can be easily attached to a belt. Includes a quick change bit holder.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
IB31PK	23190	31 Assorted Bits w/ Quick Release Bit Holder	1	6	0.500#	Ea

## Standard Bit Kit PC 6760

### 31 Piece Assortment Kit contains the following:

- Slotted 1 Ea IB0S, IB1S, IB2S, IB3S, IB5S
- Phillips 1 Ea IB1P, IB2P, IB3P
- Hex Socket 1 Ea IB564, IB332, IB764, IB18, IB964 & IB532
- Square 1 Ea IB0, IB1, IB2, IB3
- Star 1 Ea IB10, IB15, IB20, IB25, IB30, IB40
- Pozidrive 1 Ea IBPZ1, IBPZ2
- Clutch 1 Ea IBC2, IBC3
- Magnetic Bit Holder 1 Ea MBH
- Magnetic Hand Driver 1 Ea MHD
- Socket Adapter 1 Ea SHA14114
- Storage Case 1 Ea SCR

The Standard Bit Driver Kit contains the full compliment of the most popular bits. The kit is provided with a magnetic hand driver, a socket adapter, and a magnetic bit holder for use in power tools.

- 31 Piece Assortment
- Packed In Sturdy Polypro Case

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
LS1	60250	31 pc. Standard Bit Kit	1	1	1.130#	Ea

## Tamper Proof Bit Kit PC 6760

### 31 Piece Assortment Kit contains the following:

- Slotted 1 Ea IB1S, IB2S, IB3S
- Phillips 1 Ea IB1P, IB2P, IB3P
- Square 1 Ea IB1, IB2, IB3
- Spanner 1 Ea 115-6, 115-8, 115-10
- Star Pin 1 Ea 60TR7, 8, 9, 10, 15, 20, 25, 27, 30, 40
- Hex Socket 1 Ea 73TR3, 4, 5, 6, 7, 8
- Magnetic Bit Holder 1 Ea MBH
- Magnetic Hand Driver 1 Ea MHD
- Socket Adapter 1 Ea SHA14114
- Storage Case 1 Ea SCR

The Tamper Proof Bit Driver Kit contains the full compliment of the most popular bits. The kit is provided with a magnetic hand driver, a socket adapter, and a magnetic bit holder for use in power tools.

- 31 Piece Assortment
- Packed In Sturdy Polypro Case

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
LS1TP	60253	31 pc. Tamper Proof Bit Kit	1	1	1.130#	Ea

## Magnetic Hand Driver PC 6720



- High Impact Storage Handle
- Fits 1/4" Insert Bits
- Magnetic

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
MHD	16949	Magnetic Hand Driver 8" with Storage Compartments	1	1	0.22#	Ea

# Bits & Tools PC 6650



Insert and power bits are available in a variety of configurations. Bits of 1" length are insert bits; bits 2" and longer are power bits. Note: MBH Tool is used with insert bits only. Not to be used with power bits.

- Maximum Durability
- Precision Fit Prevents Wear

TOOLS & SPECIALTY ITEMS > BITS & TOOLS

CAT NO	UPC	TYPE	SCREW SIZE	POINT SIZE / LENGTH	STD	MSTR	WT/STD	UNIT
<b>Phillips Pt. Size 0 &amp; 1</b>								
IB0P	60205	Insert Bit	#4	#0 x 1"	10	100	0.100#	Ea
IB1P	60222	Insert Bit	#6	#1 x 1"	10	100	0.100#	Ea
IB1PL	60224	Power Bit	#6	#1 x 2"	10	100	0.230#	Ea
IB1PX	60346	Power Bit	#6	#1 x 3"	5	50	0.170#	Ea
IB1P4	60348	Power Bit	#6	#1 x 4"	5	50	0.236#	Ea
IB1P6	60360	Power Bit	#6	#1 x 6"	5	50	0.360#	Ea
<b>Phillips Pt. Size 2</b>								
IB2P	60226	Insert Bit	#8-10	#2 x 1"	10	100	0.100#	Ea
IB2PL	60228	Power Bit	#8-10	#2 x 2"	10	100	0.230#	Ea
IB2PX	60230	Power Bit	#8-10	#2 x 3"	5	50	0.170#	Ea
IB2P4	60362	Power Bit	#8-10	#2 x 4"	5	50	0.236#	Ea
IB2P6	60364	Power Bit	#8-10	#2 x 6"	5	50	0.360#	Ea
<b>Phillips Pt. Size 3</b>								
IB3P	60232	Insert Bit	#12-14	#3 x 1"	10	100	0.100#	Ea
IB3PL	60234	Power Bit	#12-14	#3 x 2"	5	50	0.230#	Ea
IB3PX	60366	Power Bit	#12-14	#3 x 3"	5	50	0.170#	Ea
IB3P4	60368	Power Bit	#12-14	#3 x 4"	5	50	0.236#	Ea
IB3P6	60370	Power Bit	#12-14	#3 x 6"	5	50	0.360#	Ea
<b>Slotted Pt. Size 0 &amp; 1</b>								
IB0S	60202	Insert Bit	#4	#0 x 1"	10	100	0.100#	Ea
IB1S	60210	Insert Bit	#6	#1 x 1"	10	100	0.100#	Ea
IB1SL	60372	Power Bit	#6	#1 x 2"	10	100	0.230#	Ea
IB1SX	60374	Power Bit	#6	#1 x 3"	5	50	0.170#	Ea
IB1S4	60376	Power Bit	#6	#1 x 4"	5	50	0.236#	Ea
IB1S6	60378	Power Bit	#6	#1 x 6"	5	50	0.360#	Ea
<b>Slotted Pt. Size 2</b>								
IB2S	60212	Insert Bit	#8-10	#2 x 1"	10	100	0.100#	Ea
IB2SL	60214	Power Bit	#8-10	#2 x 2"	10	100	0.230#	Ea
IB2SX	60216	Power Bit	#8-10	#2 x 3"	5	100	0.170#	Ea
IB2S4	60380	Power Bit	#8-10	#2 x 4"	5	50	0.236#	Ea
IB2S6	60382	Power Bit	#8-10	#2 x 6"	5	50	0.360#	Ea
<b>Slotted Pt. Size 3</b>								
IB3S	60218	Insert Bit	#12-14	#3 x 1"	10	100	0.100#	Ea
IB3SL	60384	Power Bit	#12-14	#3 x 2"	10	100	0.230#	Ea
IB3SX	60386	Power Bit	#12-14	#3 x 3"	5	50	0.170#	Ea
IB3S4	60388	Power Bit	#12-14	#3 x 4"	5	50	0.236#	Ea
IB3S6	60390	Power Bit	#12-14	#3 x 6"	5	50	0.360#	Ea
<b>Square Pt. 0 &amp; 1</b>								
IB0	60320	Insert Bit	#4	#0 x 1"	10	100	0.100#	Ea
IB1	60200	Insert Bit	#6	#1 x 1"	10	100	0.100#	Ea
IB1L	60322	Power Bit	#6	#1 x 2"	10	100	0.230#	Ea
IB1X	60324	Power Bit	#6	#1 x 3"	5	50	0.170#	Ea
IB14	60326	Power Bit	#6	#1 x 4"	5	50	0.236#	Ea
IB16	60328	Power Bit	#6	#1 x 6"	5	50	0.360#	Ea
<b>Square Pt. Size 2</b>								
IB2	16940	Insert Bit	#8-10	#2 x 1"	10	100	0.100#	Ea
IB2L	60204	Power Bit	#8-10	#2 x 2"	10	100	0.230#	Ea
IB2X	60330	Power Bit	#8-10	#2 x 3"	5	50	0.170#	Ea
IB24	60332	Power Bit	#8-10	#2 x 4"	5	50	0.236#	Ea
IB26	60334	Power Bit	#8-10	#2 x 6"	5	50	0.360#	Ea
<b>Square Pt. Size 3</b>								
IB3	16943	Insert Bit	#12-14	#3 x 1"	10	100	0.100#	Ea
IB3L	60336	Power Bit	#12-14	#3 x 2"	10	100	0.230#	Ea
IB3X	60338	Power Bit	#12-14	#3 x 3"	5	50	0.170#	Ea
IB34	60340	Power Bit	#12-14	#3 x 4"	5	50	0.236#	Ea
IB36	60342	Power Bit	#12-14	#3 x 6"	5	50	0.360#	Ea

# Magnetic Hex Tools PC 6700, 6710, 6720

- Hardened Core For Extra Strength
- Heat Treated To Resist Wear
- Specially Designed To Reduce Stripping



\*Magnetic Bit Holder



Socket Adapter Extension

\* MBH: to be used for Insert Bits Only. Not for power bits.




CAT NO	UPC	TYPE	SCREW SIZE	DRIVE LENGTH	STD	MSTR	WT/STD	UNIT
<b>Magnetic Hex Tools</b>								
MT8	17730		#6-8	1/4 x 1-3/4"	1	10	0.070#	Ea
MT8L	17735		#6-8	1/4 x 2-9/16"	1	10	0.080#	Ea
MT84	17737	1/4"	#6-8	1/4 x 4"	1	10	0.110#	Ea
MT86	17739		#6-8	1/4 x 6"	1	10	0.190#	Ea
<hr/>								
MT10	17740		#10-12	5/16 x 1-3/4"	1	10	0.070#	Ea
MT10L	17745		#10-12	5/16 x 2-9/16"	1	10	0.090#	Ea
MT104	17742	5/16"	#10-12	5/16 x 4"	1	10	0.110#	Ea
MT106	17747		#10-12	5/16 x 6"	1	10	0.190#	Ea
<hr/>								
MT38	17760		1/4"	3/8 x 1-3/4"	1	10	0.080#	Ea
MT38L	17752		1/4"	3/8 x 2-9/16"	1	10	0.090#	Ea
MT384	17757	3/8"	1/4"	3/8 x 4"	1	10	0.130#	Ea
MT386	17759		1/4"	3/8 x 6"	1	10	0.190#	Ea
<hr/>								
<b>Magnetic Bit Holder &amp; Drive - PC 6710</b>								
MBH*	16948	Magnetic Bit Holder		1/4 x 3"	1	10	0.110#	Ea
<hr/>								
<b>Socket Adapter Extensions - PC 6720</b>								
SHA14114	23105		1/4" Hex Shank	1/4 x 1-1/4"	1	10	0.032#	Ea
SHA142	23108	1/4"	1/4" Hex Shank	1/4 x 2"	1	10	0.034#	Ea
SHA143	23111		1/4" Hex Shank	1/4 x 3"	1	10	0.050#	Ea
<hr/>								
SHA382	23114		1/4" Hex Shank	3/8 x 2"	1	10	0.044#	Ea
SHA383	23117	3/8"	1/4" Hex Shank	3/8 x 3"	1	10	0.082#	Ea
SHA384	23120		1/4" Hex Shank	3/8 x 4"	1	10	0.109#	Ea

## Tamper Proof Insert Bits PC 6720

CAT NO	UPC	SCREW SIZE	DESCRIPTION	LENGTH	STD	MSTR	WT/STD	UNIT
<b>Hex Pin</b>								
73TR3	22733	#4-5	3/32" Hex Pin	1"	1	5	0.010#	Ea
73TR5	22735	#6	1/8" Hex Pin	1"	1	5	0.010#	Ea
73TR7	22737	#8,10,12,14	5/32" Hex Pin	1"	1	5	0.010#	Ea
73TR8	22738	5/16	3/16" Hex Pin	1"	1	5	0.010#	Ea
73TR9	22739	3/8	7/32" Hex Pin	1"	1	5	0.010#	Ea
<hr/>								
<b>Star Pin</b>								
60TR10	22610	#6R	T10 Star Pin	1"	1	5	0.010#	Ea
60TR15	22615	#6F-8R	T15 Star Pin	1"	1	5	0.010#	Ea
60TR20	22620	#8F	T20 Star Pin	1"	1	5	0.010#	Ea
60TR25	22625	10F-10R	T25 Star Pin	1"	1	5	0.010#	Ea
60TR27	22627	1/4F 1/4R	T27 Star Pin	1"	1	5	0.010#	Ea
60TR30	22630	1/4F	T30 Star Pin	1"	1	5	0.010#	Ea
<hr/>								
<b>Spanner</b>								
1156	31156	#6	#6 Spanner	1"	1	5	0.010#	Ea
1158	31158	#8	#8 Spanner	1"	1	5	0.010#	Ea
11510	31150	#10	#10 Spanner	1"	1	5	0.010#	Ea
11512	31152	#12	#12 Spanner	1"	1	5	0.010#	Ea
11514	31154	#14	#14 Spanner	1"	1	5	0.010#	Ea

### Power and Insert Bit Merchandiser (PBD)

Our attractive counter top Power and Insert Bit Merchandiser has been one of the most popular selling tools in our distributor's showrooms for many years. When fully stocked, our display offers a wide assortment of the most popular power and insert bits to satisfy the needs of every contractor. The clear acrylic lockable lid allows for easy viewing of the product without the concern of shrinkage.



See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie



TOOLS & SPECIALTY ITEMS > MAGNETIC HEX TOOLS > TAMPER PROOF INSERT BITS



## Carded Bits PC 6751

Insert and power bits are available in a variety of configurations. Bits of 1" length are insert bits; bits 2" and longer are power bits. Note: MBH Tool is used with insert bits only. Not to be used with power bits.

- Packed 2 Per Display Card
- Maximum Durability
- Precision Fit Prevents Wear

CAT NO	UPC	TYPE	SCREW SIZE	POINT SIZE / LENGTH	STD	MSTR	WT/STD	UNIT
<b>Phillips Pt. Size 0 &amp; 1</b>								
IB0PC	81836		Insert Bit	#4 #0 x 1"	10	100	0.02#	Ea Card
IB1PC	81837		Insert Bit	#6 #1 x 1"	10	100	0.02#	Ea Card
IB1PLC	81838		Power Bit	#6 #1 x 2"	10	100	0.05#	Ea Card
IB1PXC	81839		Power Bit	#6 #1 x 3"	5	50	0.07#	Ea Card
IB1P4C	81840		Power Bit	#6 #1 x 4"	5	50	0.09#	Ea Card
IB1P6C	81841		Power Bit	#6 #1 x 6"	5	50	0.14#	Ea Card
<b>Phillips Pt. Size 2</b>								
IB2PC	81842		Insert Bit	#8-10 #2 x 1"	10	100	0.02#	Ea Card
IB2PLC	81843		Power Bit	#8-10 #2 x 2"	10	100	0.02#	Ea Card
IB2PXC	81844		Power Bit	#8-10 #2 x 3"	5	50	0.07#	Ea Card
IB2P4C	81845		Power Bit	#8-10 #2 x 4"	5	50	0.09#	Ea Card
IB2P6C	81846		Power Bit	#8-10 #2 x 6"	5	50	0.14#	Ea Card
<b>Phillips Pt. Size 3</b>								
IB3PC	81847		Insert Bit	#12-14 #3 x 1"	10	100	0.02#	Ea Card
IB3PLC	81848		Power Bit	#12-14 #3 x 2"	5	50	0.09#	Ea Card
IB3PXC	81849		Power Bit	#12-14 #3 x 3"	5	50	0.07#	Ea Card
IB3P4C	81850		Power Bit	#12-14 #3 x 4"	5	50	0.09#	Ea Card
IB3P6C	81851		Power Bit	#12-14 #3 x 6"	5	50	0.14#	Ea Card
<b>Slotted Pt. Size 0 &amp; 1</b>								
IB0SC	81852		Insert Bit	#4 #0 x 1"	10	100	0.02#	Ea Card
IB1SC	81853		Insert Bit	#6 #1 x 1"	10	100	0.02#	Ea Card
IB1SLC	81854		Power Bit	#6 #1 x 2"	10	100	0.05#	Ea Card
IB1SXC	81855		Power Bit	#6 #1 x 3"	5	50	0.07#	Ea Card
IB1S4C	81856		Power Bit	#6 #1 x 4"	5	50	0.09#	Ea Card
IB1S6C	81857		Power Bit	#6 #1 x 6"	5	50	0.14#	Ea Card
<b>Slotted Pt. Size 2</b>								
IB2SC	81858		Insert Bit	#8-10 #2 x 1"	10	100	0.02#	Ea Card
IB2SLC	81859		Power Bit	#8-10 #2 x 2"	10	100	0.05#	Ea Card
IB2SXC	81860		Power Bit	#8-10 #2 x 3"	5	100	0.07#	Ea Card
IB2S4C	81861		Power Bit	#8-10 #2 x 4"	5	50	0.09#	Ea Card
IB2S6C	81862		Power Bit	#8-10 #2 x 6"	5	50	0.14#	Ea Card
<b>Slotted Pt. Size 3</b>								
IB3SC	81863		Insert Bit	#12-14 #3 x 1"	10	100	0.02#	Ea Card
IB3SLC	81864		Power Bit	#12-14 #3 x 2"	10	100	0.05#	Ea Card
IB3SXC	81865		Power Bit	#12-14 #3 x 3"	5	50	0.07#	Ea Card
IB3S4C	81866		Power Bit	#12-14 #3 x 4"	5	50	0.09#	Ea Card
IB3S6C	81867		Power Bit	#12-14 #3 x 6"	5	50	0.14#	Ea Card
<b>Square Pt. 0 &amp; 1</b>								
IB0C	81868		Insert Bit	#4 #0 x 1"	10	100	0.02#	Ea Card
IB1C	81869		Insert Bit	#6 #1 x 1"	10	100	0.02#	Ea Card
IB1LC	81870		Power Bit	#6 #1 x 2"	10	100	0.05#	Ea Card
IB1XC	81871		Power Bit	#6 #1 x 3"	5	50	0.07#	Ea Card
IB14C	81872		Power Bit	#6 #1 x 4"	5	50	0.09#	Ea Card
IB16C	81873		Power Bit	#6 #1 x 6"	5	50	0.14#	Ea Card
<b>Square Pt. Size 2</b>								
IB2C	81874		Insert Bit	#8-10 #2 x 1"	10	100	0.02#	Ea Card
IB2LC	81875		Power Bit	#8-10 #2 x 2"	10	100	0.05#	Ea Card
IB2XC	81876		Power Bit	#8-10 #2 x 3"	5	50	0.07#	Ea Card
IB24C	81877		Power Bit	#8-10 #2 x 4"	5	50	0.09#	Ea Card
IB26C	81878		Power Bit	#8-10 #2 x 6"	5	50	0.14#	Ea Card
<b>Square Pt. Size 3</b>								
IB3C	81879		Insert Bit	#12-14 #3 x 1"	10	100	0.02#	Ea Card
IB3LC	81880		Power Bit	#12-14 #3 x 2"	10	100	0.05#	Ea Card
IB3XC	81881		Power Bit	#12-14 #3 x 3"	5	50	0.07#	Ea Card
IB34C	81882		Power Bit	#12-14 #3 x 4"	5	50	0.09#	Ea Card
IB36C	81883		Power Bit	#12-14 #3 x 6"	5	50	0.14#	Ea Card
<b>Combo Pt. Size #2 Square / #2 Phillips</b>								
IB2CLC	81891		Power Bit	#8-10 #2 x 2"	10	100	0.02#	Ea Card



## Carded Bits & Tools PC 6701



- Packed 1 Per Card
- Hardened Core For Extra Strength And Reduced Breakage
- Heat Treated To Resist Breakage And Wear
- Specially Designed To Reduce Stripping

CAT NO	UPC	TYPE	SCREW SIZE	POINT SIZE/ LENGTH	STD	MSTR	WT/STD	UNIT
<b>Magnetic Hex Tools</b>								
MT8C	81884		#6-8	1/4 x 1-3/4"	1	10	0.07#	Ea
MT8LC	81885	<b>1/4"</b>	#6-8	1/4 x 2-9/16"	1	10	0.08#	Ea
MT10C	81886		#10-12	5/16 x 1-3/4"	1	10	0.07#	Ea
MT10LC	81887	<b>5/16"</b>	#10-12	5/16 x 2-9/16"	1	10	0.09#	Ea
MT38C	81888		1/4"	3/8 x 1-3/4"	1	10	0.08#	Ea
MT38LC	81889	<b>3/8"</b>	1/4"	3/8 x 2-9/16"	1	10	0.09#	Ea



## Magnetic Bit Holder PC 6711

MBHC	81890	Magnetic Bit Holder	1/4 x 3"	1	10	0.11#	Ea
------	-------	---------------------	----------	---	----	-------	----

Note: To be used with insert bits only. Not power bits.



## Multi Drive Screw Guide Kit PC 6712



The Multi Drive Screw Guide Kit contains the most popular screw driving bits for all your fastening jobs. Drive the most difficult lengths of screws with ease using this professionally designed tool.

CAT NO	UPC	CONTAINS	STD	MSTR	WT/STD	UNIT
MDSG	81912	1-Ea Multi Drive Screw Guide 1-Ea Phillips #1, #2, #3 1-Ea Square #1, #2 1-Ea Slotted #6F-#8R, #8R-10F, #10R-12R	1	10	0.50#	Ea



# TECH TALK



### Fastener Tools

Dottie provides professional quality Insert & Power Bits, Magnetic Hex Tools and Accessories for all your fastener driving applications including Tamper Proof. Dottie tools and accessories are manufactured using shock resistant tool steel, a proprietary heat treatment process and are precision machined, ensuring maximum durability and an excellent fit which reduces cam out and excessive wear.



Insert & Power Bits



Bit Holders & Extensions



Magnetic Hex Tools



Bit Assortments

See new products at [lhdottie.com](http://lhdottie.com)

Dottie



TOOLS & SPECIALTY ITEMS > CARDED BITS & TOOLS > MAGNETIC BIT HOLDER > MULTI-DRIVE


## Professional Grade Shovels - Fiberglass PC 6780



- 48" Handle Tensioned Fiberglass
- Minimum Breaking Strength of 261 lbs Per DTH6950-1
- Safe From Electrical Shock
- Does Not Absorb Moisture
- Resists Industrial Chemicals
- Ergonomically Designed Grip
- Standard or D Handle
- Caution! Always Wear Eye Protection

The shovel and grip ends are larger to provide leverage and control while the center tapers to help your hand slide when "slinging" the material away from the hole.

CAT NO	UPC	DESCRIPTION	HANDLE LENGTH	STD	MSTR	WT/STD	UNIT
SHR	24000	#2 Round Point	48" Handle	1	5	5.05#	Ea
SHS	24005	#2 Square Point	48" Handle	1	5	5.44#	Ea
SHD	24010	14" Drain Spade	48" Handle	1	5	4.84#	Ea
SHDSS	24025	14" Sharpshooter	27" 'D' Handle	1	5	3.77#	Ea
SHTR4	24015	4" Trenching	48" Handle	1	5	4.31#	Ea
SHTR5	24020	5" Trenching	48" Handle	1	5	5.20#	Ea
SPH	24040	Post Hole Digger	48" Handle	1	5	11.94#	Ea



## Sledges & Picks PC 6780

- Super Grip Fiberglass Handle
- Safe From Electrical Shock
- Does Not Absorb Moisture
- Resists Industrial Chemicals
- Caution! Always Wear Eye Protection

Composite construction consists of millions of continuous parallel fiberglass strands cured under tension in a thermosetting resin covered by an engineering plastic cladding for strength, safety, durability and comfort. Ergonomically designed grip fits palm of hand for better control, lower effort and strain.

CAT NO	UPC	DESCRIPTION	HANDLE LENGTH	STD	MSTR	WT/STD	UNIT
SGH2	24050	2 lb Hand Drilling	10" Handle	1	1	2.440#	Ea
SGH4	24055	4 lb Hand Drilling	10" Handle	1	1	5.420#	Ea
SGH8	24060	8 lb Sledge	32" Handle	1	1	8.820#	Ea
SGH10	24065	10 lb Sledge	32" Handle	1	1	11.000#	Ea
SGH12	24080	12 lb Sledge	32" Handle	1	1	13.550#	Ea
SGP5	24090	5 lb Pick	32" Handle	1	1	8.320#	Ea

## Ground Rod Driver PC 6550

Install ground rod from ground level. Sliding action drives rod without need of hammer. Driver will not deform end of rod. Heavy duty construction provides maximum driving forces, while soft rubber ergonomic grip provides user comfort. Integral insert prevents driver from slipping off ground rod near ground level. Convenient retaining collar holds insert in tool when not in use. Can be used on all types of ground rods: copper bonded, galvanized, stainless steel, etc.

- No Need For Ladders or Sledge Hammers!
- Heavy Duty Construction
- Completely Self Contained & Easy To Store
- Caution! Always Wear Eye Protection

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
GRD58	24101	5' Driver with insert for 5/8" Ground Rod	1	1	22.340#	Ea
GRD34	24102	5' Driver with insert for 3/4" Ground Rod	1	1	22.130#	Ea

### Insert Only

GRDI58	24103	Insert only for 5/8" Ground Rod	1	1	5.730#	Ea
GRDI34	24104	Insert only for 3/4" Ground Rod	1	1	5.630#	Ea

# Wire & Rope Dispensers - Dollies & Hand Totes

## PC 6725

Our selection of wire rope dispensers, dollies, and hand totes cover most contractor needs, whether feeding wire from eight or twelve small spools on a hand tote, or cable from two 2,500 foot reels on a dolly. Our portable cable dispenser for Romex and BX is a time saver - it opens and mounts conveniently on a nearby 2 x 4 and folds for easy storage. General duty dollies are available for the economy minded. Fused powder coated yellow for durability & high visibility.

TOOLS & SPECIALTY ITEMS > DOLLIES & HAND TOTES > WIRE & ROPE DISPENSERS



DD100B



DD101WT



DD102WT



DD104E



DD105E



DD106A

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
DD100B	24170	<b>Heavy Duty Dolly</b> Heavy duty 10 gauge steel construction. Five 15-1/2" adjustable bars. 2 wire pulling guides inserted in the nose plate. Convenient pipe bender holder. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs.	1	1	75.00#	Ea
DD101WT	24171	<b>Heavy Duty Dolly</b> Heavy duty 10 gauge steel construction. Five 15-1/2" adjustable bars. 2 wire pulling guides inserted in the nose plate. Convenient pipe bender holder. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs. Includes ONE DD205HT hand tote	1	1	79.40#	Ea
DD102WT	24172	<b>Heavy Duty Dolly</b> Heavyduty 10 gauge steel construction. Five 15-1/2" adjustable bars. 2 wire pulling guides inserted in the nose plate. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs. Includes two DD205HT	1	1	83.80#	Ea
DD104E	24179	<b>General Duty Dolly</b> Supplied w/ five 15-1/2" adjustable/removable bars to accommodate various sizes of wire spools. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs.	1	1	56.00#	Ea
DD105E	24178	<b>General Duty Dolly</b> Supplied w/ five 15-1/2" adjustable/removable bars to accommodate various sizes of wire spools. supplied with ONE DD205HT. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs.	1	1	61.00#	Ea
DD106A	24177	<b>General Duty Dolly</b> Supplied w/ eight 18-1/2" removable bars to accommodate various sizes of wire spools. Hinge allows unit to fold flat when transporting wire. Large 10" semi-hard rubber tires for smooth handling. Will accommodate 650 lbs.	1	1	54.00#	Ea

### Hand Tote / Rope Dispenser

DD205HT	24174	Hand Tote (holds 8 spools) Constructed of 5/8" & 1" high strength round steel	1	1	4.40#	Ea
DD206HT	24181	Hand Tote (holds 12 spools) Constructed of 5/8" & 1" high strength round steel	1	1	12.00#	Ea
DD207SD	24175	Small Wire/Rope Dispenser Accepts a 14" wide reel. Post diameter is 1-7/8".	1	1	7.32#	Ea
DD209LD	24176	Large Wire/Rope Dispenser Accepts 19" wide reel	1	1	28.58#	Ea
DD210R	24180	Portable Cable Dispenser Mounts on a 2 x 4" stud and supports 45 pounds.	1	1	13.75#	Ea

### Reel Spinner

RS896	17237	Wire Dispenser assembled with 1/2" EMT	1	10	0.490#	Ea
-------	-------	--	---	----	--------	----



DD205HT



DD206HT



DD207SD



DD209LD



DD210R



RS896

See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie





Work gloves are available in a wide variety of fabrics and styles; Cotton, Canvas, Jersey (lined and Unlined), PVC Coated, Cowhide, Deerskin and Pigskin. Additionally Top Sellers include the Super Gripper, a latex dipped cool cotton glove which resists punctures, cuts and abrasions. Our Dottie exclusive line of Techwear™ a form fitting glove that is so comfortable it feels like it's a part of your hand. Techwear™ is available in three color coded styles.

CAT NO	UPC	SIZE	DESCRIPTION	STD	MSTR	WT/STD	UNIT
GV10	24120	Fits All	Med Weight White String Knit	1	12	0.190#	Pair
GV11	24121	Fits All	8oz Cotton Canvas, Blue Knit Wr.	1	12	0.190#	Pair
GV12	24122	Fits All	8oz Canvas w/ PVC Dots, Knit Wr.	1	12	0.240#	Pair
GV14	24123	Fits All	Heavy Weight Brown Jersey Knit Wr.	1	12	0.140#	Pair
GV16	24124	Fits All	Brown Jersey/Red Fleece Lining	1	12	0.200#	Pair
GV20M	24150	Medium	Cotton Knit Super Gripper	1	12	0.210#	Pair
GV20L	24151	Large	Cotton Knit Super Gripper	1	12	0.220#	Pair
GV20X	24152	Extra Large	Cotton Knit Super Gripper	1	12	0.240#	Pair
GV22M	24126	Medium	Leather Palm w/ Canvas Cuff	1	12	0.490#	Pair
GV22L	24127	Large	Leather Palm w/ Canvas Cuff	1	12	0.600#	Pair
GV22X	24128	Extra Large	Leather Palm w/ Canvas Cuff	1	12	0.600#	Pair
GV30M	24129	Medium	Rust Split Leather Drivers	1	12	0.380#	Pair
GV30L	24130	Large	Rust Split Leather Drivers	1	12	0.350#	Pair
GV30X	24131	Extra Large	Rust Split Leather Drivers	1	12	0.390#	Pair
GV35M	24132	Medium	Premium Pigskin Keystone	1	12	0.350#	Pair
GV35L	24133	Large	Premium Pigskin Keystone	1	12	0.350#	Pair
GV35X	24134	Extra Large	Premium Pigskin Keystone	1	12	0.350#	Pair
GV35ML	24148	Medium	Premium Pigskin Keystone Lined	1	12	0.370#	Pair
GV35LL	24146	Large	Premium Pigskin Keystone Lined	1	12	0.370#	Pair
GV35XL	24149	Extra Large	Premium Pigskin Keystone Lined	1	12	0.370#	Pair
GV42M	24135	Medium	Top Grain Leather Drivers Pull Strap	1	12	0.350#	Pair
GV42L	24136	Large	Top Grain Leather Drivers Pull Strap	1	12	0.350#	Pair
GV42X	24137	Extra Large	Top Grain Leather Drivers Pull Strap	1	12	0.400#	Pair
GV44M	24138	Medium	Top Grain Leather Drivers	1	12	0.340#	Pair
GV44L	24139	Large	Top Grain Leather Drivers	1	12	0.340#	Pair
GV44X	24140	Extra Large	Top Grain Leather Drivers	1	12	0.340#	Pair
GV52M	24141	Medium	Premium Deerskin Drivers	1	12	0.250#	Pair
GV52L	24142	Large	Premium Deerskin Drivers	1	12	0.280#	Pair
GV52X	24143	Extra Large	Premium Deerskin Drivers	1	12	0.290#	Pair



Latex Gloves and Shoe Covers  
PC 6771



**Latex Gloves**

- Superior Quality
- Resistant To Most Residual Solvents And Chemicals
- Universal Fit
- Perfect For Finish Work

**Shoe Covers**

- Anti-Static
- Impervious Material
- Non-linting
- EZ On / EZ Off

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
LG100	59860	100 Latex Gloves in Jar	1	10	2.35#	Ea
SC	59880	50 Shoe Covers in Jar	1	10	0.90#	Ea





# Techwear™ Gloves PC 6774

- Ergo Cut Technology
- Neoprene-Spandex Laminated Back
- 100% Washable
- Charmude™ Synthetic Leather Palm For Ventilation
- Double-Stitched Schoeller® Keprotec™ Secondary Palm Layer For Positive Grip And Shock Absorption

Techwear™, a Dottie exclusive, is a form fitting glove that almost feels like part of your hand. Made with the finest materials, they are available in three color coded styles; blue for full finger lined, red for full finger unlined, and yellow for the half finger version.



CAT NO	UPC	SIZE	DESCRIPTION	COLOR	STD	MSTR	WT/STD	UNIT
GVT1M	24201	Medium	Full Finger (Lined)	Blue	1	12	0.248#	Pair
GVT1L	24202	Large	Full Finger (Lined)	Blue	1	12	0.248#	Pair
GVT1X	24203	X Large	Full Finger (Lined)	Blue	1	12	0.248#	Pair
GVT1XX	24204	XX Large	Full Finger (Lined)	Blue	1	12	0.248#	Pair
GVT2M	24207	Medium	Full Finger (Unlined)	Red	1	12	0.248#	Pair
GVT2L	24208	Large	Full Finger (Unlined)	Red	1	12	0.248#	Pair
GVT2X	24209	X Large	Full Finger (Unlined)	Red	1	12	0.248#	Pair
GVT2XX	24210	XX Large	Full Finger (Unlined)	Red	1	12	0.248#	Pair
GVT3M	24213	Medium	Half Finger (Unlined)	Yellow	1	12	0.180#	Pair
GVT3L	24214	Large	Half Finger (Unlined)	Yellow	1	12	0.180#	Pair
GVT3X	24215	X Large	Half Finger (Unlined)	Yellow	1	12	0.180#	Pair
GVT3XX	24216	XX Large	Half Finger (Unlined)	Yellow	1	12	0.180#	Pair

## Hybrid Gloves PC 6774

### Goatskin With Safety Cuff:

- Safety Cotton Cuff
- Premium Suede Palm
- Keystone Thumb With Gusset Stitching
- Neoprene-padded Knuckle
- Breathable Spandex Back
- Stretchable Lycra Side Panels In Glove Fingers

### Deerskin With Neoprene Cuff:

- Neoprene Cuff
- Top Grain Deerskin Leather
- Keystone Thumb With Gusset Stitching
- Breathable Spandex Back
- Reinforced Leather Patches
- Stretchable Lycra Side Panels In Glove Fingers

The durability of traditional leather work gloves combined with the advanced materials of high performance dexterity gloves.



CAT NO	UPC	SIZE	DESCRIPTION	STD	MSTR	WT/STD	UNIT
GV270M	81039	Medium	Goatskin With Safety Cuff	1	12	0.24#	Pair
GV270L	81040	Large	Goatskin With Safety Cuff	1	12	0.24#	Pair
GV270X	81041	X Large	Goatskin With Safety Cuff	1	12	0.24#	Pair
GV285M	81042	Medium	Deerskin With Neoprene Cuff	1	12	0.24#	Pair
GV285L	81043	Large	Deerskin With Neoprene Cuff	1	12	0.24#	Pair
GV285X	81044	X Large	Deerskin With Neoprene Cuff	1	12	0.24#	Pair

## TECH TALK

### Techwear™ Gloves

Posi-Grip™ non-slip cradle for sure grip and control when handling tools

- Neoprene/Spandex™ laminated back
- Neoprene gives soft padded protection to the back of hand.
- The breathable Spandex™ ventilates to keep hands cool and flexes for a snug, comfortable fit.
- Full-finger, Full-finger lined, and Half-finger versions available
- 100% washable



Chamude™ synthetic leather palm absorbs moisture, ventilates and provides both excellent sensitivity and abrasion resistance

Double-stitched Schoeller® Keprotec™ secondary palm layer for positive grip and shock absorption

See new products at [Ihdottie.com](http://Ihdottie.com)

Dottie



TOOLS & SPECIALTY ITEMS > TECHWEAR GLOVES > HYBRID GLOVES

Tool Holders, Organizers & Accessories  
PC 6770



- 5" Padded Comfort Belt - Universal And In Sizes
- Nylon Stitching & Double Steel Rivets Reinforce Major Stress Points
- New Larger Screw Driver Holders
- Jumbo Pockets With Meter/Phone Clip
- 2" Double Tongue Metal Roller Buckle

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
YF520EU	11972	<b>Universal</b> 5" Back Support 23-large pockets w/ meter clip & top handles. Sm, Med & Lg	1	3	2.34#	Ea
YF520ES	11949	<b>Small Size</b> 5" Back Support 23-large pockets w/ meter clip & top handles 29"- 34"	1	3	2.69#	Ea
YF520EM	11944	<b>Medium Size</b> 5" Back Support 23-large pockets w/ meter clip & top handles 35"- 39"	1	3	2.89#	Ea
YF520EL	11945	<b>Large Size</b> 5" Back Support 23-large pockets w/ meter clip & top handles 40"- 46"	1	3	2.94#	Ea
YF520EXL	11946	<b>X Large Size</b> 5" Back Support 23-large pockets w/ meter clip & top handles 46"- 56"	1	3	2.95#	Ea
YE5WBNU	11973	<b>Universal</b> 5" Back Support Comfort Belt Accommodates sizes; Sm, Med & Lg	1	3	0.96#	Ea
YE5WBNS	11948	<b>Small Size</b> 5" Back Support Comfort Belt 29"- 34"	1	3	0.75#	Ea
YE5WBNSM	11936	<b>Medium Size</b> 5" Back Support Comfort Belt 35"- 39"	1	3	0.85#	Ea
YE5WBNSL	11937	<b>Large Size</b> 5" Back Support Comfort Belt 40"- 46"	1	3	0.91#	Ea
YE5WBNSXL	11938	<b>X Large Size</b> 5" Back Support Comfort Belt 46"- 56"	1	3	0.94#	Ea



Climate Gear Tool Holders  
PC 6770

Put a layer of heavy duty, weather-resistant tarpaulin between your tools and the harsh weather outside. Climate Gear keeps tools and accessories out of the elements, wherever the job takes you.

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
YH1205	81034	9" Soft Tool Bag 9" L x 2-1/4" W x 6-1/4" H Durable interwoven tarpaulin construction. Weather resistant zippers. Polyester bottom w/rubber strips. Organizes hand tools, parts, bits & fasteners.	1	3	0.45#	Ea
YH1206	81035	12" Large Parts Bag 12" L x 3" W x 8" H Durable interwoven tarpaulin construction. Weather resistant zippers. Polyester bottom with rubber strips. Organizes hand tools, parts, bits & fasteners.	1	3	0.60#	Ea
YH1258	81037	14" Soft Tool Bag 14" L x 9-1/2" W x 11" H Durable interwoven tarpaulin construction. Weather resistant zippers. Polyester bottom with rubber strips. Padded anti-slip shoulder strap with metal clips. Large internal compartment with 12 webbing tool loops and pockets. Large external zipper compartment & front tool cover	1	3	3.65#	Ea
YH1263	81038	18" Soft Tool Bag 18" L x 10-1/2" W x 12" H Durable interwoven tarpaulin construction. Weather resistant zippers. Polyester bottom with rubber strips. Padded anti-slip shoulder strap with metal clips. Large internal compartment with 12 webbing tool loops and pockets. Large external zipper compartment and front tool cover	1	3	3.75#	Ea
YH1213	81036	Bucket Tool Bag 11-1/2" Round x 14" H Durable interwoven tarpaulin construction. Unique dome top with weather resistant zipper. 20 internal pockets. 12" diameter internal compartment reinforced with 600D polyester. Adjustable metal frame partition slides into place. Polyester bottom with rubber strips	1	3	4.60#	Ea



- Ballistic Nylon Bindings And Grip Strip™ Hook And Loop Fastener System Keeps Pouches In Place
- Double Layer Lightweight Nylon Will Not Crack, Harden or Mildew
- Nylon Stitching & Double Steel Rivets Reinforce Major Stress Points
- All Parts Are Removable & Interchangeable

Need proof positive that something doesn't have to be made of leather to be tough and durable? Look no further than Dottie's lineup of hard working, hard wearing, nylon tool bags, featuring stay open pockets. Softside Tool carriers include handy tote trays and are just one of the creative touches you'll find in our product line.



YA1148



YB1132



YB1137



YB1139



YB1141



YB1164

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
YA1148	11900	22-Pocket, Drawstring BucketBag™ 10" Round x 6" High	1	3	0.850#	Ea
YB1132	11913	75-Pocket Backpack 13" W x 17-1/2" H x 9" D Closed. Deluxe back pack w/ multi-comp.	1	3	5.200#	Ea
YB1137	11909	12-Pocket Traytote™ Bag 12" L x 8" W x 12" H Multi-compartment. Plastic tray included, 11" X 6"	1	3	3.600#	Ea
YB1139	11914	14-Pocket, Large Traytote™ Bag 2 Pockets inside, 12 outside. 13-1/2" x 6" multi-compartment plastic tray included	1	3	5.330	Ea
YB1141	11915	37-Pocket, double Traytote™ Bag 2 Pockets inside, 35 outside. Double 11" x 6" multi-compartment, plastic trays included	1	3	7.960#	Ea
YB1164	11911	32-Pocket, 24" Megamouth™ Tote bag 24" L x 11" W x 12" H	1	3	4.610#	Ea
YB1526	11917	28-Pocket Electrical & Maintenance Tool Pouch 7" x 5-1/2" multi-compartment. Plastic tray included	1	3	3.240#	Ea
YB1529	11993	15 Pocket 16" Center Tray Tool Bag 13-1/2" x 9" multi-compartment plastic tray included. 8 pockets outside and 7 inside to organize tools and accessories	1	3	4.330#	Ea
YB1530	11919	43 Pockets w/ Plastic Tray Window pockets & shoulder strap 23" L x 12" W x 15" H	1	3	4.720#	Ea
YB1534	11870	16" Tote Bag with Tray 10 pockets inside, 13 pockets outside. 10" x 3" multi-compartment plastic tray. Reinforced web carrying handles 16" L x 8" W x 11" H	1	3	5.550#	Ea
YB1535	11871	18" Tote Bag with Tray 13 Pockets inside, 24 pockets outside. 13-1/2" x 3" multi-compartment tray. Reinforced web carrying handles. 18" L x 11" W x 11" H	1	3	5.650#	Ea



YB1526



YB1529



YB1530



YB1534



YB1535



CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
YB1537	11872	13" Multi-Compartment Tool Carrier 23 Pockets inside and 10 pockets outside. Zippered side panel.Padded, reinforced web carrying handles. 13" L x 7" W x 13" H	1	3	3.75#	Ea
YB1544	11873	18" Tote Bag w/Swivel Parts Organizer 14 Multi-use outside pockets, 8 inside pockets. Padded web carrying handle.Double swivel plastic organizer. 18" L x 9" W x 11-1/2"H	1	3	6.35#	Ea
YB1570	11874	12" Soft-sided Tool Box 12 Multi-use outside pockets, 8 inside. Padded web carrying handle. Multi-compartment plastic. Screen mesh zippered pocket. 12" L x 8-1/2" W x 14" H	1	3	4.50#	Ea
YB1572	11875	18" Soft-sided Tool Box 21 Multi-use outside pockets, 12 inside. Padded rubber web carrying handle. 8" x 4" Multi-compartment plastic tray. Large interior. 18" L x 9-1/2" W x 14" H	1	3	4.40#	Ea
YB1581	81914	15" Open Top Tool Bag with molded base. 12 external pockets, including 2 oversized pockets. Interior includes additional pockets. 15" L x 8" W x 9-3/4" H	1	3	4.00#	Ea
YB1582	81915	15" Zipper Top Tool Carrier with molded base. Exclusive tray system for small parts and accessories. 12 external pockets and 8 inside pockets. 15" L x 8-1/2" W x 12-1/2" H	1	3	4.00#	Ea
YD2PS	11939	2" Wide Padded Work Suspenders - Black	1	3	0.66#	Ea
YC361	11974	UltraFlex® Professional Kneepad Gel center provides maximum cushioning. Adjustable rubber straps. One size fits all.	1	3	1.73#	Pair
YC345	11975	Professional Kneepad SuperThick High Density foam for maximum comfort. Two strap fastening adds stability.	1	3	1.37#	Pair
YG1101	11926	3 Multi-purpose Clip-on, Zippered Bags Blue - 9" x 7"; Green - 7" x 6"; Red 6" x 5". All w/durable clip hanger.	1	3	0.35#	Ea
YG1104	11966	4 Pocket Multi-purpose Tool Holder				
YG1108	11994	3 Multi-purpose Clip Bag Combo One ea; 4" x 3" x 9", 3-1/2" x 2-1/2" x 8" 3" x 2" x 6-1/2". Easy-lock/push button-released draw string system.	1	3	0.67#	Ea
YG5124	11963	Universal Cell Phone Holder (Small) Specially designed for small cell phones. Versatile 2-way attachment for belts, pants, etc. Heavy duty clip.	1	3	0.15#	Ea
YG5127	11961	Large Cell Phone Holster Hang-strap-clip onto work belts,suspenders, pants, etc. Holds most brands of large cell phones.	1	3	0.17#	Ea



# Tool Holders, Organizers & Accessories PC 6770



YG5539



YF11ENP



YF6DH



YF7EN



YF5508



YF1509

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
YG5539	11962	Steel Loop Hammer Holder Made of durable fabric. Cradle design prevents hammer pivoting. Fits belts up to 2-3/4" wide.	1	3	0.21#	Ea
YF11ENP	11940	11-pocket new larger Professional Electrician's Tool Pouch, nylon E-Z carry handles	1	3	0.99#	Ea
YF6DH	11947	12-pocket new wider & taller Electrician's Pouch With Hammer Loop, nylon E-Z carry handles	1	3	1.02#	Ea
YF7EN	11942	7-Pocket Electrician's Tool Pouch nylon	1	3	0.76#	Ea
YF5508	11928	20-pocket Pro Electrician's Tool Pouch with shoulder strap, 6 large screwdriver holders 1 steel hammer holder, grip-strip hook & loop fastening system	1	3	1.50#	Ea
YF1509	11992	21-pocket zippered Professional Electrician's Tool Pouch. Rubber handle and padded shoulder strap designed for easy storage. Outside pocket to hold cell phone holder.	1	3	2.67#	Ea
YG5169	11927	Clip-on Window Pocket with heavy duty clip Hook and loop top closure	1	3	0.33#	Ea
YG4MN	11959	Electrical Meter/Tester/Phone Holder Medium, nylon 4 1/2" H x 2-1/2" W x 1-1/2" D	1	3	0.23#	Ea
YG6MN	11960	Electrical Meter/Tester/Phone Holder Large, nylon 6" H x 3" W x 2" D	1	3	0.31#	Ea
YF5050	11950	3 Piece Comfortfit Electricians Combo with added support belt	1	3	3.54#	Ea



YG5169



YG45NY



YG4MN



YG6MN



YF5050

## Sharpie® Holder PC 6770

- Constructed of Heavy Duty Webbing
- Heavy Duty Belt Clip
- Die Cast Cap
- Webbing Prevents Accidental Marking of User's Clothing

Marking pens are used by professional contractors every day. Our new Kwik-Draw Holster eliminates the awkward task of removing and replacing the cap of a marking pen and keeps the pen handy at your side. Simply discard the cap the pen came with and use the precision grip cap affixed to the holster. Turns a two handed task into a one hand task.



CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
SH	81893	Sharpie® Holder	1	10	0.23#	Ea

See new products at [lhdottie.com](http://lhdottie.com)

Dottie



TOOLS & SPECIALTY ITEMS > TOOL HOLDERS & ORGANIZERS



## Rope Lock Tie Down System PC 6776

- Patented Quick Release Rope Lock
- Stainless Steel Lever Spring
- Zinc Plated Hooks
- Sonic Welded Construction
- Easy Thumb Release
- Non-corrosive
- Fully Assembled & Ready to Use

CAT NO	UPC	DESCRIPTION	STD	MSTR	WT/STD	UNIT
RTL10	17238	Rope Lock Tie Down System 10 Ft. Green and White 3/8" Braided Polypropylene Rope	1	12	0.500#	Ea



## Web Straps (Tie Down) PC 6775




- Weatherproof
- 750 lb. Test Webbing
- Strong 1" Heavy Duty Web Construction
- Rustproof, Cam-Action Buckle
- For Securing Contractor, DIY, Landscape Maintenance, Recreational Loads
- Available In 2 Piece Bag or Counter Merchandiser
- 6 Color Coded Lengths: 2 Ft. To 12 Ft.
- Individual Lengths May Be Re-ordered In 1 Dozen Quantities
- Display Box Comes With Header Card
- Caution! Always Wear Eye Protection

WS00 Contains: 36 Web Straps (6 of Ea. Length)

CAT NO	UPC	DESCRIPTION	COLOR	STD	MSTR	WT/STD	UNIT
WS00	-	Counter Merchandiser w/Straps	Assorted	1	1	6.80#	Ea
WS02	24160	2' Nylon Tie Down w/Buckle	Red	12	144	2.05#	Ea
WS04	24161	4' Nylon Tie Down w/Buckle	Yellow	12	144	2.45#	Ea
WS06	24162	6' Nylon Tie Down w/Buckle	Green	12	144	2.90#	Ea
WS08	24163	8' Nylon Tie Down w/Buckle	Purple	12	144	3.35#	Ea
WS10	24164	10' Nylon Tie Down w/Buckle	Blue	12	144	3.75#	Ea
WS12	24165	12' Nylon Tie Down w/Buckle	Black	12	144	4.05#	Ea

### Strap-It 2 Pc Hang-up Display Pack

2WS02	58211	2' Nylon Tie Down w/Buckle	Red	1	12	2.05#	Ea Pack
2WS04	58212	4' Nylon Tie Down w/Buckle	Yellow	1	12	2.45#	Ea Pack
2WS06	58213	6' Nylon Tie Down w/Buckle	Green	1	12	2.90#	Ea Pack
2WS08	58214	8' Nylon Tie Down w/Buckle	Purple	1	12	3.35#	Ea Pack
2WS10	58215	10' Nylon Tie Down w/Buckle	Blue	1	12	3.75#	Ea Pack
2WS12	58216	12' Nylon Tie Down w/Buckle	Black	1	12	4.05#	Ea Pack



Heavy-use Strap-it tie-down straps are now available in 6 popular color-coded lengths.