


SATCO

GENERAL LIGHTING



New York, Florida, Texas, California,
Washington & Puerto Rico



SATCO Corporate Headquarters, Brentwood, NY

General Lighting Products—

We are pleased to present our General Lighting Products catalog. This edition now incorporates several product categories into one useful reference tool.

The first 100 pages of this book feature our newly expanded bulk lighting hardware product assortment. Many new items such as ballasts, fluorescent sockets and finials have been added. Other categories of lighting hardware have been expanded and now make our selection one of the most complete in the industry.

Our Electrical Accessories section features many new items as well. Numerous LED products, night lights and extension cords are now part of this offering.

Towards the rear the catalog we present many new desk lamps and our vastly expanded fixture and track lighting product segments.

We look forward to servicing you with these products in conjunction with our large lamp offering through our vast distribution network which totals nearly one million square feet.

Locations –

- ① Brentwood, New York
(Corporate Headquarters)
- ② Seattle, Washington
- ③ San Francisco, California
- ④ Dallas, Texas
- ⑤ Miami, Florida
- ⑥ Puerto Rico



The Complete Satco Product Line



The Light Bulb Source Book

An easy to use catalog sorted by lamp type.



The Lamp Specification Catalog

A technical guide to our lamp selection.



General Lighting Products

Featuring:

- OEM & Consumer Hardware
- Electrical Accessories
- Glassware
- Track & Lighting Fixtures
- Portable Lamps



Nuvo Lighting

Satco's Decorative Lighting Brand



NATIONAL TOLL-FREE
1-800-43-SATCO (1-800-437-2826)

NEW YORK EXECUTIVE OFFICES & WAREHOUSE:
110 Heartland Blvd.
Brentwood, N.Y. 11717
800-437-2826
(631) 243-2022
FAX:(631) 243-2027

TEXAS
2000 Valwood Parkway
Farmers Branch,
Texas 75234
800-437-2826
(972) 247-2437
FAX:(972) 247-5408

WASHINGTON
4710 116th St. S.W.
Mukilteo,
Washington 98275
800-437-2826
(425) 789-3300
FAX:(425) 789-3310

FLORIDA
900 N.W. 159th Drive
Miami, Florida 33169
800-437-2826
(305) 624-2044
FAX:(305) 623-0286

CALIFORNIA
31288 San Benito St.
Hayward, California 94544
800-437-2826
(510) 487-4822
FAX:(510) 487-8955

PUERTO RICO
Bldg 3, Compeche St. 22
Julio N. Matos Industrial Park
Bo Martin Gonzales
Carolina, PR 00984
800-437-2826
(787) 757-3510
FAX:(787) 757-3540

www.satco.com

the
SATCO
advantage

Six fully inventoried distribution centers.

Each Satco facility features the latest warehouse management systems ensuring that each order is addressed in a timely and efficient manner.

Comprehensive product selection we have what you need.

Our unique product offering positions us as a "One Shop" vendor. Satco has compiled a variety products through various industry relationships which makes us the primary choice for selection and service.

Products produced to the highest industry standards.

Quality products – An adage we've built our company by. Every item we sell has been designed, produced and tested to meet or exceed industry benchmarks for quality and testing. Quality assurance is controlled on all levels from production to shipping.

Innovative technology.

Satco owns numerous patents on lamp and lighting technology. As a leader we have introduced many new concepts that have been embraced by the lighting community.

Retail packaging and merchandising programs.

Satco's product assortment includes many retail point of purchase items packaged for the consumer market. These product programs are supported by eye-catching easy to use merchandisers

Forty years of performance.

A proven history of service, quality and relationships are the integral part of who we are. We value our long term associations and looking forward to many more successful years together.

Exceptional customer service.

The backbone of any company is their customer service. Each of our distribution centers are staffed with highly experienced knowledgeable personnel ready to assist. If you can't locate an item you are looking for, just ask – chances are we have it!

table of Contents



table of contents

BULK LIGHTING HARDWARE



Sockets

Aluminum & Brass Shell	10-15
Phenolic/Medium Base.....	16-17
Phenolic Clusters	18-19
Porcelain Sockets	20-21
Ceiling Receptacles	22-23
Candelabra Sockets	24-27
Mogul Base Sockets	28
Halogen Sockets	29
Sign Receptacles	30
"S" Arm Socket Clusters	31
Fluorescent Lampholders ..	32-34



Ballasts

Electronic Socket Ballast	35
Electronic Ballasts	36-38
Magnetic Ballasts	39-40



Switches & Dimmers

Ceiling Fan Switches	41
Rotary Switches	42
Push Switches	43
Rocker/Toggle/Hi-Lo	44
Dimmer Switches	45




Socket Adapters

Screw Plugs	46
Cube Tap	46
Triple Tap	46
Single to Twin Lampholder ..	46
Socket Reducers & Extenders	47
Screw Plugs	46



Plugs & Cord Switches

Attachment Plugs	48
On/Off Line Cord Switch.....	49
Hi/Lo Line Cord Switch.....	49
Rocker Line Cord Switch.....	49



Wire & Accessories

Spool Wire	50-53
Cord Sets	54-57
Wirenuts & Bushings	58



Canopies & Holders

Canopy Kits	52-62
Deep Canopies & Extensions ...	63
Specialty Canopies	64
Blank Up Kits	65
Fixture Holders & Ceiling Pans	66-67
Wall Brackets	71
Neckless Ball & Glass Holders	72-73



Chain

Bulk Chain	74-75
Reel Chain	76-77



Fixture Hardware

Cross Bars	78-79
Nipples	80
Locknuts/Washers/Checkrings	81-85
Loops	86-88
Screws	89
Lock-Up Caps	90
Couplings/Balls/Armbacs ..	91-92
Swivels	93
Necks/Spindles/Spacers	94-96



Harps & Accessories

Harps	97-99
Finials	100-103
Candle Covers	104-105
Crystal	106
Beaded Chain/"S" Hooks ...	107
Swag Hooks	108



GLASSWARE



Glass Globes.....	112-113
Schoolhouse Globes	114
Lexan & Poly Globes	115
Screwfitter Glassware	116
Hall & Porch Glass	117



Cased Glass	118
IES. Glass	119
Bent Glass	120-121
Drum Glass	122
Clip On Shades	123-124

ELECTRICAL ACCESSORIES



Emergency Lights	128
LED Night Lights	129-130
Standard Night Lights	131-132
Surge Suppressors	133-134
Cord Covers	135



Coiled Extension Cords	136
Standard Extension Cords ..	137
Outdoor & Appliance Ext. Cords	138
Bulb Changers	139
Socket Adapters	140

CARDED LIGHTING HARDWARE



Canopy Kits	144-146
Fixture Chain	147
Swag Kits	148
Swag Hooks	149
Fixture Holders	150-151
Ceiling Receptacles	152
Candle Covers	153



Crystal Prisms	154
Sockets	155-158
Switches & Plugs	159-160
Accessories	161-162
Cord Sets	163
Lamp Kits & Dimmers	164-166
Assorted Fixture Hardware .	167-176

DESK LAMPS & SPECIALTY LIGHTING



Floor & Desk Lamps	180-194
Portable Spot Lights	195
Banker & Piano Lamps	196



Swing Arm Lamps	197
Accent Lite	198-199
Picture Lights	200-204

table of Contents



table of contents

LIGHTING FIXTURES



Chandeliers & Pendants ...	208-211
Alabaster Flush & Semi-Flush	212-215
Flush & Semi-Flush	
Dome Fixtures	216-224
Energy Efficient Domes	225-226
Energy Efficient	
Mushroom Fixtures	231-232
Ball Fixtures	233-235
Drum/Hall &	
Bent Glass Fixtures	236-238
1/2/3 Light Spot Fixtures ...	239-241



Vanity & Wall Fixtures	242-249
Outdoor Poly Lanterns	250-251
Industrial Style Fixtures	252-253
Carport & Utility Fixtures	254-255
Porch Wall Fixtures	256-258
Exterior Flood Lights	259-263
Landscape Flood Lights	264-265
Pathway Lighting	266
Mounting Posts	267
Outdoor Globe Fixtures	268-270

TRACK LIGHTING



Step Cylinder	274
Soft Square	274
Straight Cylinder	275
Bullet Cylinder	275
PAR Gimbal Ring	276
PAR Short Bullet.....	276
12 Volt MR16	277
12 Volt PAR36	277
120 Volt MR16/GU10	278



R40 Cylinders	279
Halogen Power Flood.....	279
Flexible Snake.....	279
Universals	280
Power Feeds & Connectors	281
Extensions & Mono Points	282
Tracks	282
Track Kits	283-284
Flexible Track Kits	285-286

NATIONAL TOLL-FREE 1-800-43-SATCO (1-800-437-2826)

NEW YORK EXECUTIVE OFFICES & WAREHOUSE:
110 Heartland Blvd.
Brentwood, N.Y. 11717
800-437-2826
(631) 243-2022
FAX:(631) 243-2027

TEXAS
2000 Valwood Parkway
Farmers Branch,
Texas 75234
800-437-2826
(972) 247-2437
FAX:(972) 247-5408

WASHINGTON
4710 116th St. S.W.
Mukilteo,
Washington 98275
800-437-2826
(425) 789-3300
FAX:(425) 789-3310

FLORIDA
900 N.W. 159th Drive
Miami, Florida 33169
800-437-2826
(305) 624-2044
FAX:(305) 623-0286

CALIFORNIA
31288 San Benito St.
Hayward, California 94544
800-437-2826
(510) 487-4822
FAX:(510) 487-8955

PUERTO RICO
Bldg 3, Compeche St. 22
Julio N. Matos Industrial Park
Bo Martin Gonzales
Carolina, PR 00984
800-437-2826
(787) 757-3510
FAX:(787) 757-3540

aluminum



Medium Base Sockets



bulk lighting hardware



90-410 Brite Gilt
80-1001 Nickel
Push-Thru
660W-250V



90-411 Brite Gilt
80-1007 Nickel
Pull-Chain
660W-250V



90-412 Brite Gilt
80-1003 Nickel
3-Way Turn Knob
250W-250V



90-413 Brite Gilt
80-1013 Nickel
On-Off Turn Knob
250W-250V



90-420 Brite Gilt
80-1011 Nickel
Short Keyless
660W-250V



90-421 Brite Gilt
80-1009 Nickel
3 Terminal 2 Circuit Turn Knob
250W-250V



90-418 Brite Gilt
Push-Thru with
Wire Way
660W-250V



90-4310 Brite Gilt
3-Way Pull-Chain
w/Set Screw
250W-250V



90-1314 Brite Gilt
80-1021 Nickel
Keyless 3 Terminal w/Set Screw
Requires 3-Way Switch
660W-250V

Finishes:



Brite Gilt



Nickel



SATCO[®]



aluminum Medium Base Sockets



80-1004 Brite Gilt
80-1005 Nickel
3-Way Turn Knob
1/4 IP Cap
250W-250V



80-1014 Brite Gilt
80-1015 Nickel
Full Range Dimmer Socket w/Ivory Knob
1/8 IP Cap w/Set Screw
150W Max-120V



80-1016 Brite Gilt
80-1017 Nickel
Hi-Low Dimmer Socket w/Brown Knob
1/8 IP Cap w/Set Screw
250W-250V

Aluminum Medium Base Sockets with Uno Thread



90-1408
Push-Thru
1/8 IP Cap w/Set Screw
660W-250V



90-1409
Pull-Chain
1/8 IP Cap w/Set Screw
660W-250V



90-1410
3-Way-Turn Knob
1/8 IP Cap w/Set Screw
250W-250V

Socket Key



90-020
4/36
Brass Finish

Socket Key Extenders



90-1657
1/2" x 4/36

90-1658
5/8" x 4/36

90-181
3/4" x 4/36

90-182
1" x 4/36

90-183
1 1/4" x 4/36

Socket Knob



90-021
4/36



90-1411
On-Off Turn Knob
1/8 IP Cap w/Set Screw
250W-250V



90-1412
Short Keyless
1/8 IP Cap w/Set Screw
660W-250V

Finishes:



Brite Gilt



Nickel

bulk lighting hardware

stamped brass



Medium Base Sockets



1/8 IP Cap with Set Screw

bulk lighting hardware



90-870 Brass
90-1667 Nickel
Push-Thru
660W-250V



90-867 Brass
90-1669 Nickel
3-Way Turn Knob
250W-250V



90-868 Brass
90-1670 Nickel
On-Off Turn Knob
250W-250V



90-869 Brass
90-1668 Nickel
On-Off Pull Chain
660W-250V



90-871 Brass
90-1671 Nickel
Short Keyless
660W-250V



90-1672 Brass
90-1673 Nickel
3 Terminal 2 Circuit Turn Knob
250W-250V

Finishes:



Brass



Nickel




SATCO[®]



cast brass *Medium Base Sockets*

4 Piece Socket Set (Shell, Cap, Interior & Ring)
1/8 IP Cap with Set Screw



80-1432 Polished Brass
80-1433 Polished Nickel
Push-Thru
660W-250V



80-1052 Polished Brass
80-1053 Polished Nickel
On-Off Pull Chain
660W-250V



80-1046 Polished Brass
80-1047 Polished Nickel
3-Way w/Metal Turn Knob
250W-250V



80-1058 Polished Brass
80-1059 Polished Nickel
On-Off Metal Turn Knob
250W-250V



80-1054 Polished Brass
80-1055 Polished Nickel
Short Keyless
660W-250V



80-1430 Polished Brass
80-1431 Polished Nickel
3 Terminal 2 Circuit w/Metal Turn Knob
250W-250V

Available Finishes:



Polished Brass



Polished Nickel



80-1064 Polished Brass
80-1065 Polished Nickel
Full Range Dimmer
w/Metal Turn Knob
150W Max-120V

bulk lighting hardware

phenolic

SATCO®

Medium Base Sockets



1/8 IP Cap



80-1110

Push-Thru
with Metal Bushing
660W-250V



80-1108

On-Off Metal Pull Chain
with Metal Bushing
660W-250V



80-1109

3-Way Turn Knob
with Metal Bushing
250W-250V



80-1112

On-Off Turn Knob
with Metal Bushing
250W-250V



90-458

Short Keyless
1/8 IP Cap w/Set Screw
660W-250V



90-459

3-Way Pull Chain w/Cord
1/8 IP Cap w/Set Screw
250W-250V



80-1266

3 Terminal 2 Circuit
with Metal Bushing
250W-250V

Phenolic Sockets with Uno Thread and Ring



80-1071

Push-Thru
with Metal Bushing
660W-250V



80-1068

On-Off Metal Pull Chain
with Metal Bushing
660W-250V



80-1265

3-Way Turn Knob
with Metal Bushing
250W-250V



80-1070

On-Off Turn Knob
with Metal Bushing
250W-250V



80-1072

Short Keyless
660W-250V



80-1069

3 Terminal 2 Circuit
with Metal Bushing
250W-250V



80-1267

1/4 IP Cap
with Metal Bushing



80-1389

Uno Ring

bulk lighting hardware



90-1138
Push-Thru
660W-250V



90-1140
3-Way Turn Knob
250W-250V




90-1141
On-Off Turn Knob
250W-250V



90-1143
3 Terminal 2 Circuit Turn Knob
250W-250V



90-1139
Pull-Chain Interior
660W-250V



90-1142
Short Keyless
660W-250V



90-1144
Push-Thru Shell



90-1145
Pull-Chain & Turn Knob Shell



90-1146
Short Keyless Shell



90-1147
1/8 IP Cap



80-1242
1/8 IP Cap w/Set Screw



80-1210
1/4 IP Cap

phenolic

SATCO®

Medium Base Sockets



90-407
1/8 IP Hickey
Screw Terminals
660W-250V



90-1151
10" AWM
B/W Leads 105°C
1/8 IP Hickey
660W-250V



80-1077
Threaded Socket w/Ring
1/8 IP Hickey
Screw Terminals
660W-250V



90-541 Snap-In Socket
for 3 1/4" - 4" Holders
8" AWM
B/W Leads 105°C
660W-250V



90-595 Snap-In Socket
Bracket Extends 3/4" from
End of Socket
7" AWM
B/W Leads 105°C
660W-250V



90-543 Snap-In Socket
for 6" Pans Bracket Extends
1" from End of Socket
8" AWM
B/W Leads 105°C
660W-250V



90-542 Snap-In Socket
for 8" & 10" Pans Bracket Extends
1 1/4" from End of Socket
8" AWM
B/W Leads 105°C
660W-250V



90-540 Snap-In Socket
6" AWM
B/W Leads
105°C
660W-250V



90-4300
Bottom Turn Knob
Screw Terminals 1/8 IP
250W-250V



80-1326
Bottom Turn Knob
w/Removable Husk
Screw Terminals 1/8 IP
250W-250V

bulk lighting hardware



SATCO[®]



medium base *Sockets*

bulk lighting hardware



90-1153
2"
Three Way Turn Knob
Screw Terminals
1/8 IP Inside Extrusion
with Paper Liner
250W-250V



90-1152
2"
On-Off Turn Knob
Screw Terminals
1/8 IP Inside Extrusion
with Paper Liner
250W-250V



90-424
4" to 5 1/2" Adjustable
On-Off Turn Knob
Screw Terminals
with Paper Liner
1/8 IP Inside Extrusion
250W-250V



90-405
2" Keyless
Screw Terminals - 1/8IP
with Paper Liner
660W-250V



80-1337
3" Keyless
Screw Terminals - 1/8IP
with Paper Liner
660W-250V



90-404
4" to 5 1/2" Keyless - 1/8IP
Screw Terminals
with Paper Liner
660W-250V

phenolic

SATCO®

Twin Cluster Medium Base Sockets



90-432 Snap-On Top

- 2³/₈" Top Bracket + Snap
- 1³/₄" 1/8 IP Threaded Bottom Bracket w/3/8" Nipple
- 8" AWM B/W Leads 105°C
 - 660W-250V



80-1379 Snap-On Top

- 2³/₈" Top Bracket + Snap
- 1³/₄" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 8" AWM B/W Leads 105°C w/Ground Wire
 - 660W-250V



90-465

- 1¹/₂" 1/8 IP Threaded Top Bracket w/3/8" Nipple
- 2¹/₈" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 8" AWM B/W Leads 105°C
 - 660W-250V



80-1380

- 1³/₄" 1/8 IP Threaded Top Bracket w/1/2" Nipple
- 1³/₄" 1/8 IP Threaded Bottom Bracket w/1/2" Nipple
- 7" AWM B/W Leads 105°C
 - Ground Wire
 - 660W-250V



90-414 Twin Offset

- 1¹/₂" 1/8 IP Female Top & Bottom Bracket w/Set Screw
- 8" AWM B/W Leads 105°C
 - 660W-250V



90-415 On-Off Brass Finish Pull Chain

- 1¹/₂" 1/8 IP Threaded Top Bracket w/3/8" Nipple
- 1³/₄" 1/8 IP Threaded Bottom Bracket
- 7" AWM B/W Leads 105°C
 - 660W-250V



90-416 On-Off Brass Finish Turn Knob

- 1" 1/8 IP Threaded Top Bracket w/1/4" Nipple
- 1³/₄" 1/8 IP Threaded Bottom Bracket
- 6" AWM B/W Leads 105°C
 - 660W-250V

bulk lighting hardware



SATCO[®]



phenolic

3 & 4 Light Cluster Medium Base Sockets



90-463

- 3 Light Cluster Socket
- 1³/₄" 1/8 IP Threaded Top and Bottom Bracket w/5/8" Nipple
- 8" AWM B/W Leads 105°C
- 660W-250V



90-1587

- 3 Light Cluster Socket On-Off Nickel Pull Chain
- 1³/₄" 1/8 IP Threaded Top Bracket w/5/8" Nipple
- 1³/₄" 1/8 IP Threaded Bottom Bracket
- 7" AWM B/W Leads 105°C
- 660W-250V



90-464

- 4 Light Cluster Socket
- 1³/₄" 1/8 IP Threaded Top and Bottom Bracket w/1/2" Nipple
- 7" AWM B/W Leads 105°C
- 660W-250V



90-1588

- 4 Light Cluster Socket On-Off Nickel Pull Chain
- 1³/₄" 1/8 IP Threaded Top Bracket w/1/2" Nipple
- 1³/₄" 1/8 IP Threaded Bottom Bracket
- 6" AWM B/W Leads 105°C
- 660W-250V

bulk lighting hardware

porcelain

SATCO®

Medium Base Sockets



bulk lighting hardware



90-419
Screw Terminals
1/8 IP Hickey
660W-250V



90-409
Screw Terminals
1/8 IP Metal Cap w/Set Screw
660W-250V



90-760 10" Leads
90-466 16" Leads
90-759 24" Leads
1/8 IP Hickey Wire Pulled Thru
AWM B/W Leads 105°C
660W-250V



90-1107 Snap In Socket
8" AWM B/W Leads 105°C
660W-250V



90-1074
Threaded Socket with Ring
Screw Terminals
1/8 IP Cap w/Set Screw
660W-250V



80-1076
Metal Ring
For Threaded Socket



80-1074
White Die Cast Ring
For Threaded Socket



90-1150
48" 18/2 SPT-1 105°C
Clear Gold Leads w/Ground Wire
1 1/4" 1/8 IP Nipple
660W-250V



90-417
Screw Terminals
1/8 IP Phenolic Cap
660W-250V



90-1706
Screw Terminals
1/4 IP Metal Cap w/Set Screw
660W-250V



90-1707
3 Terminal Socket
w/Screw Terminals
1/8 IP Metal Cap w/Set Screw
660W-250V



80-1157
Bottom Turn Knob Socket
w/Porcelain
Removable Husk
Screw Terminals
250W-250V



SATCO[®]



porcelain Medium Base Sockets


bulk lighting hardware



90-1108
Side Angle Mount 1/8 IP
Screw Terminals
660W-250V



90-1109
Twin Lamp Holder
Screw Terminals
1/8 IP Cap
660W-250V



90-1110
Twin Lamp Holder
Screw Terminals
1/8 IP Top Bracket
660W-250V



90-1708
Twin Lamp Holder
Screw Terminals
1/8 IP Double Bracket
660W-250V



80-1313
Porcelain Socket w/1/8 IP Cap
9" AWM B/W Leads 150°C
Pulled Thru Cap - 660W-250V




80-1330
Side Angle Mount
1/8 IP
9" AWM B/W Leads 150°C
Pulled Thru Bushing - 660W-250V



80-1314
Twin Lampholder
1/8 IP Cap
10" AWM B/W Leads 150°C
Pulled Thru Cap - 660W-250V



80-2652
Snap-In Socket
Bracket Extends 3/8" from
End of Socket
12" AWM B/W Leads 150°C
660W-250V



80-1220
Snap-In Socket
Bracket Extends 1" from
End of Socket
12" AWM B/W Leads 150°C
660W-250V



90-1563 White
90-1564 Black
Porcelain Socket w/1/8 IP
U-Bracket Hickey w/Strain
Relief & Fiber Sleeving
8Ft. 18/3 SVT 105°C
660W-250V

porcelain
**Medium Base
Receptacles**



90-445
*Keyless Glazed Porcelain
Ceiling Receptacle
Screw Terminals
660W-250V*



90-443
*Glazed Porcelain
On-Off Pull Chain Ceiling Receptacle
Screw Terminals
250W-250V*



90-444
*Glazed Porcelain
Ceiling Receptacle
On-Off Pull Chain w/Grounded
Convenience Outlet
Screw Terminals
15A-250W-125V*



90-1310
*Brass Finish Light Bulb Cage
Height: 5 1/4"*

bulk lighting hardware



phenolic Medium Base Receptacles

bulk lighting hardware



90-480
Keyless White Phenolic
Ceiling Receptacle
Screw Terminals
660W-250V



90-481
White Phenolic
On-Off Pull-Chain Ceiling Receptacle
Screw Terminals
250W-250V

Phenolic Receptacles with Leads



90-1502
Keyless White Phenolic
Ceiling Receptacle
6" AWM B/W Leads 105°C
660W-250V



90-1503
White Phenolic
On-Off Pull-Chain Ceiling Receptacle
6" AWM B/W Leads 105°C
250W-250V

phenolic

Candelabra Base Sockets



Phenolic Candelabra Sockets with Paper Liner



90-422 1½"

Screw Terminals-Double Leg
1/8 IP-Outside Extrusion
75W-125V



90-403 2"

Screw Terminals-Double Leg
1/8 IP-Outside Extrusion
75W-125V



80-1347 2½"

Screw Terminals-Double Leg
1/8 IP-Inside Extrusion
75W-125V



80-1088 3"

Screw Terminals-Double Leg
1/8 IP-Inside Extrusion
75W-125V




80-1087 3½"

Screw Terminals-Double Leg
1/8 IP-Inside Extrusion
75W-125V




80-1327 4"

Screw Terminals-Double Leg
1/8 IP-Inside Extrusion
75W-125V



90-402 3¼"-4¼"

Screw Terminals-Adjustable Leg
1/8 IP-Inside Extrusion
75W-125V



80-1089 5¾"-6¾"

Screw Terminals-Adjustable Leg
1/8 IP-Inside Extrusion
75W-125V



90-1709

Paper Liner
for Candelabra Sockets



90-548

Pin Socket
Pressure Fit
75W-125V



80-1274 2¾"

Screw Terminals
1/8 IP Slip Round Hole Bracket
75W-125V

Push-in Terminals



80-1312 2"

Flange Type-Single Leg
1/8 IP-Inside Extrusion
75W-125V

bulk lighting hardware



phenolic Candelabra Base Sockets

Phenolic Candelabra Sockets with Leads



90-738 1 1/8" Smooth
6" AWM B/W Leads 105°C
1/8 IP-Inside Extrusion
Single Leg, 75W-125V



90-739 1 1/8" Smooth
6" AWM B/W Leads 105°C
1/8 IP Nipple
Single Leg, 75W-125V



80-1145 1 1/8" Flange
12" AWM B/W Leads 105°C
1/8 IP-Inside Extrusion
Single Leg, 75W-125V



80-1146 1 1/8" Flange
24" AWM B/W Leads 105°C
1/8 IP-Inside Extrusion
Single Leg, 75W-125V



80-1300 1 3/4" Flange
26" #18 UL 1430
B/W Leads 105°C
1/8 IP-Inside Extrusion
Double Leg
75W-125V



80-1301 3" Flange
26" #18 UL 1430
B/W Leads 105°C
1/8 IP-Inside Extrusion
Double Leg
75W-125V



80-1148 3" Flange
24" 18/2 SPT-2 105°C
Clear Silver Leads
1/8 IP-Inside Extrusion
Single Leg
75W-125V



80-1302 4" Flange
26" #18 UL 1430
B/W Leads 105°C
1/8 IP-Inside Extrusion
Double Leg
75W-125V

Candelabra Base Phenolic Sockets with Spring Clip



80-1198 Ivory
6" AWM B/W Leads 105°C
75W-125V



80-1275 Brown
14" AWM B/W Leads 105°C
75W-125V



80-1093 Brown
24" AWM B/W Leads 105°C
75W-125V

Candelabra European Style Sockets



80-1094 4 Piece
Full Uno Thread and Ring
1/8 IP
Screw Terminals
75W-125V



80-1095 4 Piece
1/2 Uno Thread and Ring
w/Shoulder 1/8 IP
Screw Terminals
75W-125V



80-1311 3 Piece
Smooth
1/8 IP
Screw Terminals
75W-125V

bulk lighting hardware

phenolic

Candelabra Base Sockets



Phenolic Threaded Candelabra Sockets with Leads



90-1556 1 1/4"
with Shoulder and Phenolic Ring
8" AWM B/W Leads 105°C
75W-125V



80-1473 1 1/4"
with Shoulder and Phenolic Ring
24" 18/2 SPT-1 Brown Leads 105°C
75W-125V



90-1557 1 3/4"
with Shoulder and Phenolic Ring
8" AWM B/W Leads 105°C Pulled Thru
1/8 IP Inside Extrusion
75W-125V

3 Light Phenolic Threaded Candelabra Harness Sets



80-1912 1 1/4"
with Shoulder and Phenolic Ring
9" Centers 18" Tail
AWM B/W Leads 150°C
75W-125V



80-1474 1 1/4"
with Shoulder and Phenolic Ring
6" Centers 18" Tail
18/2 SPT-1 105°C Brown
75W-125V

Rings for Threaded Candelabra Sockets



80-1485
Brass Finish



80-1486
Chrome Finish Ring



80-1977
Phenolic Ring

bulk lighting hardware

phenolic

Candelabra Base Sockets



Phenolic Threaded Candelabra Sockets with Leads



90-1556 1 1/4"
with Shoulder and Phenolic Ring
8" AWM B/W Leads 105°C
75W-125V



80-1473 1 1/4"
with Shoulder and Phenolic Ring
24" 18/2 SPT-1 Brown Leads 105°C
75W-125V



90-1557 1 3/4"
with Shoulder and Phenolic Ring
8" AWM B/W Leads 105°C Pulled Thru
1/8 IP Inside Extrusion
75W-125V

3 Light Phenolic Threaded Candelabra Harness Sets



80-1912 1 1/4"
with Shoulder and Phenolic Ring
9" Centers 18" Tail
AWM B/W Leads 150°C
75W-125V



80-1474 1 1/4"
with Shoulder and Phenolic Ring
6" Centers 18" Tail
18/2 SPT-1 105°C Brown
75W-125V

Rings for Threaded Candelabra Sockets



80-1485
Brass Finish



80-1486
Chrome Finish Ring



80-1977
Phenolic Ring

bulk lighting hardware



Candelabra Base Porcelain Sockets w/Paper Liner



80-1090 1 3/4"
Screw Terminals
1/8 IP Inside Extrusion
Double Leg
75W-125V



80-1091 2"
Screw Terminals
1/8 IP Inside Extrusion
Double Leg
75W-125V



80-1092
Adjustable Leg 3 1/2" - 4 5/8"
Screw Terminals
1/8 IP Outside Extrusion
Double Leg
75W-125V

Intermediate Base Porcelain Sockets



90-1554 1 3/4"
Screw Terminals
1/8 IP Inside Extrusion
Single Leg
75W-250V



90-1555 1 3/4"
1/8 IP Inside Extrusion
8" AWM B/W 105°C Leads
Pulled Thru Single Leg
75W-250V

Bayonet Base Double Contact Sockets



90-1558
1/8 IP Nipple
8" AWM B/W Leads 105°C Pulled Thru
150W-125V



90-1559
1/8 IP Nipple
Angle Bracket
8" AWM B/W Leads 105°C Pulled Thru
150W-125V



90-1560
Flat Mounting Bracket
Screw Holes 1 1/4" CC
8" AWM B/W Leads 105°C
150W-125V

porcelain Mogul Base Sockets



bulk lighting hardware



90-428

Three Way Turn Knob
Mogul Base Socket
Screw Terminals
1/4 IP Hickey
750W-250V

4KV



90-429

Keyless
Mogul Base Socket
Screw Terminals
1/4 IP Cap
1500W-600V
4KV Pulse Rated

4KV



80-1378

Keyless
Mogul Base Socket
with Wireway
Screw Terminals
1/4 IP Cap
1500W-600V
4KV Pulse Rated

4KV



80-1376

Keyless
Mogul Base Socket
w/2 Mounting Screws
10"-SF-2 B/W Leads 200°C
with Wireway
1500W-600V
4KV Pulse Rated

5KV



80-1377

Keyless
Mogul Base Socket
w/2 Mounting Screws
16"-SF-2 B/W Leads 200°C
with Wireway
1500W-600V
5KV Pulse Rated



Porcelain Halogen Sockets



90-475

MR16 Socket
GX5.3 Base
6" SF-1 200°C Leads
75W-125V




90-1590

Round Halogen Socket
G4-GX5.3-GY6.35 Base
6" SF-1 200°C Leads
75W-125V




90-1553

Round Halogen Socket
1/8 IP Hickey
G4-GX5.3-GY6.35 Base
8" SF-1 200°C Leads
75W-125V




90-1080

Mini Can Halogen Socket
Screw Mount Bracket
E11 Base
6" SF-1 200°C Leads
1,000W-250V



90-1078

78mm Double Ended
Halogen Socket
R7S Base, 6" SF-1
200°C Leads
1000W-250V




90-1077

118mm Double Ended
Halogen Socket
R7S Base, 6" SF-1
200°C Leads
1,000W-250V



90-1561

Halogen Socket
R7S Base, 6" SF-1
200°C Leads
1,000W-250V



90-474

Double Ended
Halogen Socket Set
R7S Base, 12" SF-1
200°C Leads
1,000W-250V



90-1552

GU10 Socket
w/Mounting Holes
6" SF-1 200°C Leads
1,000W-250V



80-1500

G9 Threaded Bi-Pin Socket
1/8 IP
20" UL1430 B/W Leads 250°C



90-1081

Porcelain 4 Terminal
Wire Connector
1,000W-250V

Porcelain Wire Connectors High Heat 300V



90-1311

Small
Rated Up to
2 #18



90-1312

Medium
Rated Up to
4 #18



90-1313

Large
Rated Up to
6 #18

See pg. 58 for
Additional Wire
Connectors

sign receptacles & Socket Accessories



bulk lighting hardware



90-1112

Two Piece Medium Base
Porcelain Sign Receptacle
Screw Terminals
660W-250V



90-425

Two Piece Medium Base
Porcelain Sign Receptacle
Screw Terminals
660W-250V



90-1111

Two Piece Medium Base
Porcelain Sign Receptacle
8" AWM B/W Leads 105°C
660W-250V



90-449

Medium Base, Snap-In
Phenolic Sign Receptacle
Lay-In Wiring-Twist Top
660W-250V



90-1113

Medium Base
Phenolic Receptacle
w/Mounting Holes
Screw Terminals
660W-250V




90-1097

Rubber Coated
Pigtail with 6" Leads
660W-600V



90-1076

Miniature Base
Plastic Receptacle
75W-125V



90-532

Candelabra Base
Plastic Receptacle
75W-125V



90-446

Medium Base
Pull-Chain Current Tap
660W-125V



Steel "S" Clusters



80-1189

*Twin Keyless–Brite Gilt
with 14" 18/2 SPT–2 105°C
Clear Gold Wire
Internal Wire–18 AWM 105°C
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1272

*Twin Keyless–Nickel
with 14" 18/2 SPT–2 105°C
Clear Silver Wire
Internal Wire–18 AWM 105°C
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1271

*Twin Keyless–Satin Nickel
with 14" 18/2 SPT–2 105°C
Clear Silver Wire
Internal Wire–18 AWM 105°C
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1268

*Twin Pull Chain–Brite Gilt
Brite Gilt Chain and End Ball
with 14" 18/2 SPT–2 105°C
Clear Gold Wire
Internal Wire–18 AWM 105°C
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1270

*Twin Pull Chain–Nickel
Nickel Chain and End Ball
with 14" 18/2 SPT–2 105°C
Clear Silver Wire
Internal Wire–18 AWM 105°C
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1269

*Twin Pull Chain–Satin Nickel
Satin Nickel Chain and
End Ball with 14" 18/2 SPT–2 105°C
Clear Silver Wire
7" Centers 1/8 IP Top and
1/8 IP Bottom 660W-250V*



80-1161

*Unfinished–No Wire
7" Centers
1/8 IP Top and 1/4 IP Bottom*



80-1162

*Brite Gilt–No Wire
7" Centers
1/8 IP Top and 1/4 IP Bottom*

Stamped Brass Cluster Body



80-1523 Polished Brass

80-1524 Polished Chrome

80-1532 Antique Brass

*1/8 IP Nipple & Locknut Top–1/4IP Bottom
250W-250V*

fluorescent Lampholders



Medium Profile

Rotary Locking T8-T12
Used in Troffers
and Wrap Fixtures
for Retro Fit Kits
and Replacement
Snap Wing Mounting
Made from Urea
660W-600V



80-1252 Shunted for Instant Start
Ballast Applications
80-1253 Rapid Start Applications



Standard Twist -In
Used in Troffers
and Wrap Fixtures
Slide-On Mounting
Made from Urea
660W-600V

80-1254 Rapid Start Applications,
Slide-On Mounting
20 Gauge Slots Upper and Lower
80-1255 Shunted for Instant Start Ballast Applications
Slide-On Mounting, 20 Gauge Slots Upper
and 18 Gauge Lower

Twist -In T12 Shunted
Dedicated T8 Lampholder
w/T12 Stop
Used in Troffers
and Wrap Fixtures
Slide-On Mounting
20 Gauge Slots Upper
and 18 Gauge Slots Lower
Made from Urea
660W-600V



80-1256 Shunted for Instant Start
Ballast Applications



U-Bend Straight In
Used for 2x2 Troffers
Slide-On Mounting
20 Gauge Slots
Upper and Lower
Made from Urea
660W-600V

80-1257 Rapid Start Applications,
80-1258 Shunted for Instant Start
Ballast Applications

Tall Profile



80-1245 Shunted for Instant Start
Ballast Applications
80-1246 Rapid Start Applications
Tall Rotary Locking T8/T12
Used in Troffers and Wrap Fixtures
for Retro Fit Kits/Replacements
Snap Wing Mounting
Made from Urea 660W-600V



80-1247 Tall Standard
Twist-In
Used in Strip Fixtures
for Rapid Start Applications
Slide-On Mounting
20 Gauge Slots Upper and Lower
Made from Urea 660W-600V



80-1248 Tall Standard Twist-In
Externally Shunted
Used in Strip Fixtures
for Instant Start Ballasts
Slide-On Mounting
20 Gauge Slots Upper
and 18 Gauge Lower
Made from Urea 660W-600V



SATCO[®]



fluorescent Lampholders

T12 Slimline Single Pin Fluorescent Sockets



80-1496
Plunger



80-1497
Fixed

Shallow Base
Slide-On Quick Wire for
Wet and Damp Locations
Rapid Start for 20 Gauge Panels
Strip 3/8"-1/2"
660W-600V

T12(HO) High Output Fluorescent Sockets – Recessed Double Contact



80-1498
Plunger



80-1499
Fixed

Quickwire Terminals Accept
Up to 18 Gauge
Solid Or Tinned Leads
Slide-On Shallow Base
Rapid Start
Strip 3/8"-1/2"
660W-600V



80-1249
Butt-On Mounting
Lampholder
Rapid Start Applications
660W-600V



80-1250
Fluorescent Starter Holder
Snap-In Mounting Spring
660W-250V



80-1251
T5 Lampholder with 9" Leads
for Retro Fit and Replacement
Tall Right Angle Bracket
120W-600V



80-1490
Circle Connector-Quickwire
Used with High Voltage
Instant Starting Transformers
Accepts 18AWG Leads
Solid or Stranded w/Brass
Alloy Contact
660W-600V

bulk lighting hardware

fluorescent Lampholders



Compact Fluorescent Lampholders – CFL

Rated 75W–600V

2 Pin Lamps



90-1540

Horizontal Snap-In
G23–G23-2 Base

For: CF5, 7, 9DS and CF9DD



90-1541

Horizontal Screw Down
G23–G23-2 Base

For: CF5, 7, 9DS and CF9DD



90-1542

Vertical Screw Down
G23–G23-2 Base

For: CF5, 7, 9DS and CF9D



90-1543

Horizontal Snap-In
GX23 and GX23-2 Base

For: CF13DS and CF13DD



90-1544

Horizontal Screw Down
GX23 and GX23-2 Base

For: CF13DS and CF13DD



90-1545

Vertical Screw Down
GX23 and GX23-2 Base

For: CF13DS and CF13DD



90-1547

18W Two-Pin Bottom Screw Down
G24D-2 and GX24D-2 Base

For: CF18DD and CF18DT



90-1548

26W Two-Pin Bottom Screw Down
G24D-3 and GX24D-3 Base

For: CF26DD and CF26DT

4 Pin Lamps



90-1549

13W Four-Pin Bottom Screw Down
G24Q-1 and GX24Q-1 Base

For: CF13DD/E and CF13DT/E



90-1550

18W Four-Pin Bottom Screw Down
G24Q-2 and GX24Q-2 Base

For: CF18DD/E and CF18DT/E



90-1551

26W Four-Pin Bottom Screw Down
G24Q-3 and GX24Q-3 Base

For: CF26DD/E and CF26DT/E



SATCO[®]



electronic Socket Ballasts

Twist-Lock

4-Pin CFL Sockets



80-1325 13W
80-1324 18W
80-1383 26W
1/8 IP Hickey



Uno Ring
80-1335 13W
80-1336 18W
80-1382 26W
1/8 IP Hickey



26/32/42W Multi
80-1323
1/8 IP Hickey



26/32W Dimmer w/ Knob
80-1331
• 1/8 IP Hickey
• Integral Harp Saddle
• Integral Dimmer
• Indoor Only



Low Profile
80-1384 13W
80-1385 18W
80-1386 26W
1/8 IP Hickey



80-1405 13W
80-1406 18W
Snap-In Bracket

- Rating: 120V/60HZ
- Rated: Indoor / Outdoor
Minus 20 Degrees
- Replaceable Ballast
- Detachable:
Twist Lock Socket

Primary Lamp Type	Satco OrderNo.	Finish	Terminal	Cap	Hickey	Wire	Pkd
13W	80/1325	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
18W	80/1324	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
26W	80/1383	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
13W Uno / Ring	80/1335	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
18W Uno / Ring	80/1336	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
26W Uno / Ring	80/1382	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
26/32/42 W	80/1323	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
26/32 Dimmer	80/1331	Ivory	With 36" Leads	Cap	Hickey	UL1015	200
13W Low Profile	80/1384	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
18W Low Profile	80/1385	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
26W Low Profile	80/1386	Ivory	With 24" Leads	Cap	Hickey	UL1015	200
13W	80/1405	Ivory	With 24" Leads	Cap	Snap-In Bracket	UL1015	200
18W	80/1406	Ivory	With 24" Leads	Cap	Snap-In Bracket	UL1015	200

bulk lighting hardware

electronic Ballasts



bulk lighting hardware

T8 Instant Start – Dedicated Voltage



<20% THD Electronic T8 Fluorescent Ballasts

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F32T8	1	120	S6623	QT1X32T8120/ISN/SC	10
F32T8	1	277	S6633	QT1X32T8277/ISN/SC	10
F32T8	2	120	S6624	QT2X32T8120/ISN/SC	10
F32T8	2	277	S6634	QT2X32T8277/ISN/SC	10
F32T8	3	120	S6625	QT3X32T8120/ISN/SC	10
F32T8	3	277	S6635	QT3X32T8277/ISN/SC	10
F32T8	4	120	S6626	QT4X32T8120/ISN/SC	10
F32T8	4	277	S6636	QT4X32T8277/ISN/SC	10
Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • F40T8 • FB016 • FB024 • FB031 • FB032					
For F40T8 operation, use 2 lamp ballast for 1 lamp, 3 lamp ballast for 2 lamps, 4 lamp ballast for 3 lamps.					
F96T8	1/2	120	S5211	QT2X59120/IS	10
F96T8	1/2	277	S5212	QT2X59277/IS	10

Also Operates: FB032, F025, FB024, F017, FB016, F030/SS, FB030/SS, (30W Lamps) & F028/SS (28W Lamps)

T8 Instant Start – Universal Voltage



<10% THD Electronic T8 Fluorescent Ballasts

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F32T8	1	120/277	S5207	QTP1X32T8/UNV/ISN/SC	10
F32T8	2	120/277	S5208	QTP2X32T8/UNV/ISN/SC	10
F32T8	3	120/277	S5209	QTP3X32T8/UNV/ISN/SC	10
F32T8	4	120/277	S5210	QTP4X32T8/UNV/ISN/SC	10
Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • F40T8 • FB016 • FB024 • FB031 • FB032					
For F40T8 operation, use 2 lamp ballast for 1 lamp, 3 lamp ballast for 2 lamps, 4 lamp ballast for 3 lamps.					
F96T8	2	120/277	S5213	QTP2X59T8/UNV/ISN/SC	10

Also Operates: FB032, FB031, F025, FB024, F017, FB016, F030/SS, FB030/SS (30W Lamps) & F028/SS (28W Lamps)

T8 4 Foot Programmed Start Universal Voltage



< 10% THD Electronic T8 Fluorescent Ballasts

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F32T8	1	120/277	S5286	QTP1X32T8/UNV/PSNTC	10
F32T8	2	120/277	S5287	QTP2X32T8/UNV/PSNTC	10
F32T8	3	120/277	S5288	QTP3X32T8/UNV/PSNTC	10
F32T8	4	120/277	S5289	QTP4X32T8/UNV/PSNTC	10

Also operates F17T8 • F25T8 • F28T8/SS • F30T8/SS • FB016 • FB024 • FB031 • FB032

Also Operates: F096T8/SS (55W Lamp)



T5 Programmed Start Universal Voltage

T5 Programmed Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F28T5	1	120/277	S5221	QTP1X28UNVPSNNL	20
F28T5	2	120/277	S5222	QTP2X28UNVPSNNL	20

Also operates F14T5 • F21T5 • F35T5



T5 HO Programmed Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F39T5/HO	1	120/277	S5214	QTP1X39/24T5HOUNVPSNNL	20
F39T5/HO	2	120/277	S5215	QTP2X39/24T5HOUNVPSNNL	20

Also operates F24T5/HO • FPC22 • FPC40 • FT24DL • CF24DF • FT36DL • CF36DF

F54T5/HO	1	120/277	S5218	QTP1X54T5HOUNVPSNNL	20
F54T5/HO	2	120/277	S5219	QTP2X54T5HOUNVPSNNL	20

Also operates FT55DL • FPC55

F80T5/HO	1	120/277	S5220	QTP1X80T5HOUNVPSNNL	20
----------	---	---------	--------------	---------------------	----

Also operates FT80DL



40 T12 Rapid Start

T12 F40T12 Rapid Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F40T12	1	120	S5258	QTP1X40T12/120/RSN/B	20
F40T12	1	277	S5259	QTP1X40T12/277/RSN/B	20
F40T12	2	120	S5260	QTP2X40T12/120/RSN/B	20
F40T12	2	277	S5261	QTP2X40T12/277/RSN/B	20
F40T12	3	120	S5262	QTP3X40T12/120/RSN/B	20
F40T12	3	277	S5263	QTP3X40T12/277/RSN/B	20



electronic Ballasts



bulk lighting hardware

TT5 Instant Start



TT5 FT40DL Instant Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
FT40	1	120	S5240	QT1x40/120/DL	10
FT40	1	277	S5241	QT1x40/277/DL	10
FT40	2	120	S5242	QT2x40/120/DL	10
FT40	2	277	S5243	QT2x40/277/DL	10
FT40	3	120	S5244	QT3x40/120/DL	10
FT40	3	277	S5245	QT3x40/277/DL	10

Compact Fluorescent



Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
CF13	1/2	120/277	S5223	QTP1/2X13CF/UNV/BS	20
CF13	1/2	120/277	S5225	QTP1/2X13CF/UNV/TS	20
Operates 1 or 2 each CF13DT/E • CF13DD/E					
CF18	1/2	120/277	S5226	QTP1/2X18CF/UNV/BS	20
CF18	1/2	120/277	S5228	QTP1/2X18CF/UNV/TS	20
Operates 1 or 2 each CF18DT/E • CF18DD/E					
CF26	1/2	120/277	S5229	QTP1/2X26CF/UNV/BS	20
CF26	1/2	120/277	S5231	QTP1/2X26CF/UNV/TS	20
Operates 1 or 2 each CF26DT/E • CF26DD/E Operates 1 each CF32DT/E • CF42DT/E					
CF26	1/2	120/277	S5232	QTP1/2XCF/UNV/BM	20
CF26	1/2	120/277	S5233	QTP1/2XCF/UNV/PM	18
CF26	1/2	120/277	S5234	QTP1/2XCF/UNV/TM	18
Operates 1 or 2 each CF26DT/E • CF26DD/E Operates 1 each CF32DT/E • CF42DT/E					
CF26	2	120/277	S5235	QTP2X26/32/42CF/UNV/BM	20
CF26	2	120/277	S5236	QTP2X26/32/42CF/UNV/PM	18
CF26	2	120/277	S5237	QTP2X26/32/42CF/UNV/TM	18
Operates 2 each CF26DT/E • CF32DT/E • CF42DT/E					
CF57	1	120/277	S5238	QTP1X57CF/UNV/BM	20
CF57	1	120/277	S5239	QTP1X57CF/UNV/PM	18
Operates 1 each CF57DT/E • CF70DT/E					

- BS = Bottom Mount / Plastic Case
- TS = Top Mount / Plastic Case
- BM = Bottom Mount / Metal Case
- PM = PEM Stud Mount / Metal Case
- TM = Top Mount / Metal Case

T2 Universal Voltage



T2 Subminiature

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
FM13	1/2	120/277	S5246	QT-FM	50
Operates 1 or 2 FM6 • FM8 • FM11 • FM13					



magnetic Ballasts

Rapid Start

F40T12 & F34T12 Rapid Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F34T12	1	120	S5274	MB1X40/120RS	10
F34T12	1	277	S5275	MB1X40/277RS	10
Also operates F40T12 • F40T10 • FB40T12 • FB34T12/SS • F30T12 • F25T12/SS					
F34T12	2	120	S6620	MB2X40/120RS	10
F34T12	2	277	S6622	MB2X40/277RS	10
Also operates F40T12 • F40T10 • FB40T12 • FB34T12/SS					
F40T12	1	120	S5276	MB1X40/120RES	16
Operates F40T12 FULL WATTAGE LAMPS ONLY - Not for use for F34T12 lamps					
F30T12	2	120	S5171	MB2X30/120RS	10
F30T12	2	277	S5170	MB2X30/277RS	10
Operates F30T12 and F25T12/SS Lamps					



Instant Start Slimline

T12 Slimline Instant Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F48T12	2	120	S5277	MB2X48/120IS	6
F48T12	2	277	S5278	MB2X48/277IS	6
Also operates F48T12/SS					
F96T12	1	120	S5279	MB1X96/120IS	6
F96T12	1	277	S5280	MB1X96/277IS	6
F96T12	2	120	S6621	MB2X96/120IS	6
F96T12	2	277	S5281	MB2X96/277IS	6
Also operates F60T12 • F64T12 • F72T12 • F84T12 • F96T12/SS					



Preheat/Trigger Start

T8 / T12 PreHeat and Trigger Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F15T12	1	120	S5268	MB1X15/120PH/TP	16
F20T12	1	120	S5269	MB1X20/120PH/TP	40
F20T12	1	120	S5270	MB1X20/120PH/TP	40
F20T12	2	120	S5271	MB2X20/120PH/TP	16
Also operates F14T8 • F14T12 • F15T8 • F15T12					



magnetic Ballasts



bulk lighting hardware

Circline



T9 Circline Rapid Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
FC8T9	1	120	S5273	MB1X22/120CIRC	16
FC12T9	1	120	S5272	MB1X32/120CIRC	16

Also operates FC16T9

Rapid Start HO



T12 HO Rapid Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F96T12/HO	1	120	S5282	MB1X96HO/120RS	4
F96T12/HO	1	277	S5283	MB1X96HO/277RS	4
F96T12/HO	2	120	S5284	MB2X96HO/120RS	4
F96T12/HO	2	277	S5285	MB2X96HO/277RS	4

Also operates F24HO • F36HO • F42HO • F48HO • F60HO • F72HO • F84HO • F96HO/SS



T12 VHO Rapid Start

Primary Lamp Type	Number of Lamps	Voltage	Satco Order No.	Ballast Number	Case
F96T12/VHO	1	120	S5264	MB1X96/VHO/120RS	4
F96T12/VHO	1	277	S5265	MB1X96/VHO/277RS	4

Also operates F48/VHO • F60/VHO • F72/VHO • F96/VHO/SS

F96T12/VHO	2	120	S5266	MB2X96/VHO/120RS	4
F96T12/VHO	2	277	S5267	MB2X96/VHO/277RS	4

Also operates F72/VHO • F96/VHO/SS




Canopy & Ceiling Fan Pull Chain Switches



90-704 Brass Finish
90-505 Nickel Finish

Single Circuit Canopy Switch:
On-Off


Rated: 6A-125V, 3-A 250V
W/6" AWM 105 Wire, Strip 3/4"
w/Metal Chain, White Cord & Bell



90-2260 Brass Finish
90-2261 Nickel Finish

Two Circuit Canopy Switch:
4 Position

Rated: 6A-125V, 3-A 250V
Brass Chain & Bell Nut
W/6" AWM 105 Wire, Strip 3/4"
w/Metal Chain, White Cord & Bell



90-689

Two Circuit Ceiling Fan Switch
Rated: 6A-125V, 3-A 250V
Nickel Chain & Bell Nut
W/6" AWM 105 Wire, Strip 1/2"
w/Nickel Chain, White Cord & Bell



90-690

Two Speed 4 Position
Ceiling Fan Switch
Rated: 6A-125V, 3-A 250V
Nickel Chain & Bell Nut
W/6" AWM 105 Wire, Strip 1/2"
w/Brass Chain, White Cord & Bell

Dimmer Controls

Slide - Floor Lamp Dimmers



90-1069 White
90-1070 Black

Full Range Floor Slide Dimmer
Rated 500W-120V-4.3A
Indicator Light & Positive Off
Female Polarized Receptacle
7 ft. # 18/2 SPT-2 105°
cord with molded plug

Step on Switches.



80-1466 White
80-1163 Black

Step On Switch - On-Off
Rated 1A-250V 2A-125V 3A-125V
Button Type Floor Switch
Switch is for SPT-1 & SPT-2
Fully Assembled

Slide - Table Lamp Dimmers



93-5011 White
93-5012 Black

Full Range Table-Top Slide Dimmer
Rated 300W-120V
Indicator Light & Positive Off
8 ft. # 18/2 SPT-2 105° Cord Set
Female & Male Plug

rotary Switches



*On-Off Metal Rotary Switches with Metal Bushings.
Single Circuit: On-Off – 6" leads 3/4" Strip. 3A–250V, 6A–125V.*



90-501 Brass Finish
90-507 Nickel Finish
3/8" Bushing



80-1134 Brass Finish
80-1135 Nickel Finish
5/8" Bushing




80-1363 Brass Finish
80-1364 Nickel Finish
1" Bushing




80-1413 Brass Finish
80-1414 Nickel Finish
1 1/2" Bushing


*3-Way Metal Rotary Switches with Metal Bushings
Two Circuit – Four Position: L-1, L-2, L1-2, Off. 6" Leads – 3/4" Strip
3A–250V, 6A–125V.*



90-504 Brass Finish
90-590 Nickel Finish
3/8" Bushing



80-1138 Brass Finish
80-1139 Nickel Finish
5/8" Bushing




80-1365 Brass Finish
80-1366 Nickel Finish
1" Bushing




80-1415 Brass Finish
80-1416 Nickel Finish
1 1/2" Bushing

Lighted Switches

*On-Off Lighted
Rotary Switch
with Plastic Bushing
Single Circuit
3A-250V, 6A-125V.
6" Leads – 3/4" Strip*



80-1359 Brass Finish
80-1360 Nickel Finish



80-1361 Brass Finish
80-1362 Nickel Finish

*3- Way Lighted
Rotary Switch
with Plastic Bushing
Two Circuit –
Four Position:
L-1, L-2, L1-2, Off
6" Leads – 3/4" Strip*

*Phenolic On-Off
Rotary Switch
6" Leads – 3/4" Strip
1A-125V 3A-125V
1.5A-250V*



90-502 Black
3/8" Bushing



90-703 White
3/8" Bushing



push Switches

*On-Off Metal Push Switches with Metal Bushings.
Single Circuit: 3A-250V 6A-125V 6" Leads 3/4" Strip*



90-508 Brass Finish
90-1676 Nickel Finish
3/8" Bushing



80-1126 Brass Finish
80-1127 Nickel Finish
5/8" Bushing




80-1367 Brass Finish
80-1368 Nickel Finish
1/2" Bushing




80-1409 Brass Finish
80-1410 Nickel Finish
1 1/2" Bushing


*3-Way Metal Push Switches with Metal Bushings
Two Circuit – Four Position: L-1, L-2, L1-2, Off
3A-250V 6A-125V 6" Leads – 3/4" Strip*




90-1678 Brass Finish
90-1679 Nickel Finish
3/8" Bushing



80-1130 Brass Finish
80-1131 Nickel Finish
5/8" Bushing




80-1369 Brass Finish
80-1370 Nickel Finish
1/2" Bushing



80-1411 Brass Finish
80-1412 Nickel Finish
1 1/2" Bushing

Lighted Switches

*On-Off Lighted
Push Switch
with Plastic Bushing
Single Circuit
3A-250V, 6A-125V
6" Leads – 3/4" Strip*



80-1355 Brass Finish
80-1356 Nickel Finish



80-1357 Brass Finish
80-1358 Nickel Finish

*3- Way lighted
Push Switch
with Plastic Bushing
Two Circuit –
Four Position:
L-1, L-2, L1-2, Off
6" Leads – 3/4" Strip*

bulk lighting hardware

switches & Outlets



Rocker, Toggle & Hi-Lo Switches




80-1141

Black Rocker Switch w/White Dot
Sequence: On-Off
Rated: 15A-125V, 10-A 250V
6" AWM 105°C Leads Strip 3/4"



80-1371

Round Black Hi-Low Rocker Switch
Sequence: Hi-Low
Rated: 6A-125V, 3A 250V
6" AWM 105°C Leads Strip 3/4"



80-1140

Two Circuit Hi-Low Rotary Switch w/Diode
Rated: 6A-125V, 3-A 250V
Brass Knob-3/8" Bushing
6" AWM 105°C Leads Strip 3/4"



90-1106

Single Circuit On-Off Toggle Switch
Rated: 6A-125V, 3-A 250V
Nickel Bat-3/8" Bushing
6" AWM 105°C Leads Strip 3/4"

3 Wire Receptacle



80-1408 White
80-1142 Black


Function: 2-Pole, 3-Wire
Metal Snap-In Receptacle
Opening Size: 1" x 1" x 1"
Rated 15A-125V
6" #16 GA AWM 105°C
Black, White & Green Leads Strip 3/4"

2 Wire Receptacle



90-545 Black

Function: Flat Head, 2-Wire
Metal Snap-In Receptacle
Opening Size: 1 1/8" x 1/2" x 7/8"
Rated 15A-125V
6" #14 GA AWM 105°C
Black White Leads Strip 3/4"



SATCO®



dimmer switches

Full Range Dimmer Switches



80-1166

Full Range Table Lamp Dimmer Switch
Phenolic Housing
Black 300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/Two Knobs: Black & Brass
300W-120V



80-1293

Full Range Table Lamp Dimmer Switch
Paper Housing
300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/Two Knobs: Black & Brass
60-300W-120V



80-1241

Full Range Table Lamp Dimmer Switch
Phenolic Housing
Black 300W Dimmer
12" AWM 105°C Black Leads Strip 1/2"
w/One Knob: Black
300W-120V

bulk lighting hardware




90-1082

Full Range Pole Lamp Dimmer Switch
Paper Housing
500W Pole or Post Lamp Dimmer
w/One End 2 Foot Leads SPT-1 Black
Other End 7" SPT-1, Strip 1/2"
w/One Brass Knob
500W-120V



80-1481 Brown
80-1482 Ivory

Full Range Lamp Cord
Rotary Dimmer Switch
Phenolic - 200W-120V



80-1167

Full Range Socket Dimmer
Medium Base
Candle Socket w/Paper Liner
150W Full Range
w/Removable Black Knob
1/8 IP Bushing w/Set Screw
5 1/2" AWM B/W150°C Leads Strip 1/2"
150W-120V

Plastic Dimmer Knobs



90-798

Brass Finish Knob



90-799

Chrome Finish Knob



90-2315

Black Knob

socket & outlet Adaptors



90-546 Ivory
Medium Base – Polarized
Socket Outlet Adapter
660W-125V



90-547 Brown
Medium Base – Polarized
Socket Outlet Adapter
660W-125V



90-438 Ivory
Medium Base – Polarized
Socket Outlet Adapter
660W-125V



90-437 Brown
Medium Base – Polarized
Socket Outlet Adapter
660W-125V



90-1120 Ivory
Triple Cube Tap
Polarized
15A-125V



90-1119 Brown
Triple Cube Tap
Polarized
15A-125V



90-1118 Ivory
Single to Triple Adapter
Polarized
15A-125V



90-1117 Brown
Single to Triple Adapter
Polarized
15A-125V



90-806
Three to Two Adapter
Polarized
15A-125V



90-1404 White
90-1405 Brown
Add-On Outlet




90-1121
Single to Twin Lamp Holder
660W Max. Total-250V



Reducers & Extenders



92-400
Medium to
Candelabra
Reducer
75W-250V



92-321
Medium to
French
Reducer
75W-250V



92-322
Medium
to Intermediate
Reducer
75W-250V



92-401
French to
Candelabra
Reducer



92-403
Intermediate to
Candelabra
Reducer



92-406
Mogul
to Medium
Reducer
660W-250V



92-405
Candelabra
to Intermediate
Extender



90-1519
Candelabra
to Medium
Extender



92-407
French to
Intermediate
Extender



92-414
Medium to Mogul
Extender
Overall Ext. 1 3/4"
660W-250V



92-323
Medium to Medium
Phenolic
Extender
Overall Ext. 1"



92-324
Medium to Medium
Porcelain Extender
Overall Ext. 1"
660W-250V

attachment Plugs



bulk lighting hardware

Plugs for 18/2 SPT-1 Wire



Slide Plug-Polarized
18/2-SPT 1 8A-125V

- 90-715 Brown
- 90-716 Ivory
- 90-719 Black
- 90-2041 Gold
- 90-2245 Silver



Quick Connect Plug
Non Polarized
18/2-SPT 1

- 90-631 White
- 90-632 Brown




Quick Connect Plug
Polarized
18/2-SPT 1

- 90-1520 White
- 90-1521 Brown
- 90-1522 Black



Attachment Plug-Polarized
18/2-SPT 1


- 90-393 Ivory
- 90-394 Brown



Female Slide Plug-Polarized
18/2-SPT 1

- 90-793 Brown
- 90-794 Ivory

Plugs for 18/2 SPT-2 Wire



Slide Plug-Polarized
18/2-SPT 2 8A-125V


- 90-695 Brown
- 90-696 Ivory
- 90-697 Black
- 90-2040 Gold
- 90-2244 Silver



Quick Connect Flat Plug
Non Polarized
18/2-SPT 2

- 90-1083 White
- 90-1084 Brown

Plugs for 18/2 SVT Round Wire



Attachment Plug
with Terminal Screws

- 90-1114 Brown
- 90-1115 White
- 90-1116 Black



**On-Off Cord Switch
for 18/2 SPT 1
6A-125V 3A-250V 3A-125V**

- 90-500 White
- 90-506 Brown
- 90-814 Black



**On-Off Cord Switch
for 18/2 SPT 2
6A-125V 3A-250V 3A-125V**

- 90-573 White
- 90-574 Brown
- 90-825 Black



**200 Watt Hi-Low Dimmer
for 18/2 SPT 1
200W-120V**

- 90-436 White
- 90-435 Brown



**200 Watt Hi-Low Dimmer
for 18/2 SPT 2
200W-120V**

- 90-820 White
- 90-821 Brown



**Heavy Duty Rocker Switch
for 18/2, 16/2 SPT1 & SPT 2 &
18/2 SVT
3A-125V 1/2HP-125V**

- 90-434 Ivory
- 90-433 Brown



**Feed Thru Rocker Switch
for 18/2 SPT 2
3A-120V**

- 90-2368 Black
- 90-2369 White
- 90-2370 Brown
- 90-2371 Silver
- 90-2372 Gold

bulk Spool Wire



bulk lighting hardware



18/2 SPT-1 105°C 250 Ft./Spool

- 93-130 White
- 93-132 Black
- 93-131 Brown
- 93-138 Clear Silver
- 93-139 Clear Gold
- 93-140 Metallic Gold

Packing: 8 Spools/Master



18/2 SPT-2 105°C 250 Ft./Spool

- 93-127 Black
- 93-168 Clear Silver
- 93-129 Clear Gold
- 93-126 White
- 93-128 Brown

Packing: 4 Spools/Master



16/2 SPT-2 105°C 250 Ft./Spool

- 93-141 White
- 93-142 Brown
- 93-165 Clear Gold
- 93-166 Black
- 93-167 Clear Silver

Packing: 4 Spools/Master



18/2 SVT 105°C Pulley Cord 250 Ft./Spool

- 93-183 Black
- 93-150 White

Packing: 4 Spools/Master



18/3 SVT 105°C Pulley Cord 250 Ft./Spool

- 93-182 Black
- 93-144 White

Packing: 4 Spools/Master





bulk Spool Wire

18/2 SJT 105°C Pulley Cord
250 Ft./Spool



93-311 Black
93-312 White

Packing: 2 Spools/Master



18/3 SJT 105°C Pulley Cord
250 Ft./Spool



93-313 Black
93-314 White

Packing: 2 Spools/Master



18/1 AWM 105°C UL 1015 Wire
500 Ft./Spool



93-315 Black
93-316 White
93-317 Green

Packing: 4 Spools/Master



18/1 Solid 105°C TFN-PVC Nylon
Wire 500 Ft./Spool

93-203 White
93-204 Black



18/1 Stranded 200°C SF-1 Wire
250 Ft./Spool

93-205 White
93-206 Black



18/1 Rayon Braided 90°C Wire
500 Ft./Spool

93-207 Gold
93-208 Gold with
Red Marker



bulk lighting hardware



Spool Wire

bulk lighting hardware



18/2 Rayon Wire 250 Ft./Spool

- 93-209 White
- 93-210 Brown
- 93-211 Black
- 93-212 Gold



20/2 Wire 250 Ft./Spool

- 93-134 Clear Gold
- 93-186 Black
- 93-187 Clear Silver



22/2 Wire 250 Ft./Spool

- 93-133 Clear Gold
- 93-184 Black
- 93-185 Clear Silver



Grounding Wire 500 Ft./Spool

- 93-115 Tinned Copper
- 93-110 Bare Copper





bulk wire 2500 ft. Spools

18/2 SPT-1 105°C Wire 2500 Ft./Reel

- 93-300 Clear Gold
- 93-301 Clear silver
- 93-302 Black

Packing: 1 Spool/Master



18/2 SPT-1.5 105°C Wire 2500 Ft./Reel

- 93-303 Clear Gold
- 93-304 Clear Silver
- 93-305 Black

Packing: 1 Spool/Master



18/2 SPT-2 105°C Wire 2500 Ft./Reel

- 93-306 Clear Gold
- 93-307 Clear silver
- 93-308 Black
- 93-309 White
- 93-310 Brown

Packing: 1 Spool/Master



bulk lighting hardware



SPT-1 Cord Sets – 18/2 SPT-1-105°C

Colors Available:



White Black Brown Clear Silver Clear Gold

All Cord Sets – Molded Plug – Tinned Tips 3/4" Strip with 2" Slit

8 Ft.

36" Hank – 200 Ctn.

- 90-1523 White
- 90-1524 Brown
- 90-1525 Black
- 90-1526 Clear Gold
- 90-1527 Clear Silver

12 Ft.

72" Hank – 150 Ctn.

- 90-2033 White
- 90-2034 Black
- 90-2035 Brown
- 90-2036 Clear Gold
- 90-2037 Clear Silver

15 Ft.

100 Ctn.

- 90-1528 White
- 90-1529 Brown
- 90-1530 Black
- 90-1531 Clear Gold
- 90-1532 Clear Silver

20 Ft.

100 Ctn.

- 90-1534 White
- 90-1535 Brown
- 90-1536 Black
- 90-1537 Clear Gold
- 90-1538 Clear Silver



90-1566
Plug Cover



cord Sets

SPT-2 Cord Sets – 18/2 SPT-2-105°C

All Cord Sets – Molded Plug – Tinned Tips 3/4" Strip with 2" Slit

Colors Available:



White Black Brown Clear Silver Clear Gold

8 Ft.

36" Hank – 200 Ctn.

- 90-100 White
- 90-101 Brown
- 90-102 Black
- 90-105 Clear Gold
- 90-967 Clear Silver

9 Ft.

36" Hank – 150 Ctn.

- 90-2038 Clear Gold
- 90-2039 Brown
- 90-2042 Black
- 90-2101 Clear Silver

10 Ft.

36" Hank – 150 Ctn.

- 90-2183 Clear Gold
- 90-2184 Clear Silver
- 90-2185 Black

12 Ft.

72" Hank – 150 Ctn.

- 90-1413 White
- 90-1414 Brown
- 90-1415 Black
- 90-1416 Clear Gold
- 90-1417 Clear Silver

15 Ft.

100 Ctn.

- 90-103 Clear Gold
- 90-490 Brown
- 90-491 White
- 90-492 Black
- 90-493 Clear Silver

20 Ft.

100 Ctn.

- 90-496 Brown
- 90-497 White
- 90-498 Black
- 90-460 Clear Silver
- 90-462 Clear Gold



90-1566
Plug Cover



bulk lighting hardware




bulk lighting hardware



Flat Plug Cord Set
18/2 SPT-2 105°C
Molded Plug Tinned Tips
3/4" Strip with 2" Slit
36" Hank

- 90-2320 – 8ft. Clear Gold – 200 Ctn
- 90-2321 – 8ft. Black – 200 Ctn
- 90-2322 – 8ft. Clear Silver – 200 Ctn
- 90-2323 – 8ft. White – 200 Ctn
- 90-2324 – 8ft. Brown – 200 Ctn



Heavy Duty Cord Set
18/3 SVT –105°C
3 Prong Molded Plug
Stripped & Slit

- 90-2085 – 8ft. Black – 100 Ctn
- 90-2086 – 10ft. Black – 100 Ctn
- 90-2210 – 12ft. Black – 50 Ctn
- 90-2243 – 15ft. Black – 50 Ctn




Heavy Duty Cord Set
18/3 SJT –105°C
3 Prong Molded Plug
Stripped & Slit

- 90-2208 – 6ft. Black – 100 Ctn
- 90-2209 – 8ft. Black – 50 Ctn
- 90-2325 – 10ft. Black – 50 Ctn

Colors Available:



White Black Brown Clear Silver Clear Gold



8 Ft. Cord Sets with Line Switches

Colors Available:



White Black Brown Clear Silver Clear Gold

All Cord Sets – Molded Plug – Tinned tips 3/4" Strip with 2" Slit

SPT-1

18/2 SPT-1 105°C

- 90-1581 White
- 90-1582 Brown Switch 24"
- 90-1583 Black From Free End
- 90-1584 Clear Gold 36" Hank – 200 Ctn.
- 90-1585 Clear Silver

SPT-2

18/2 SPT-2 105°C

- 90-106 White
- 90-107 Brown Switch 24"
- 90-723 Clear Gold From Free End
- 90-968 Clear Silver 36" Hank – 200 Ctn
- 90-1425 Black



8Ft. Cord Sets w/Hi-Low Switch – 18/2 SPT-2 105°

SPT-2

18/2 SPT-2 105°C

- 90-2309 Clear Gold Switch 24"
- 90-2310 Clear Silver From Free End
- 36" Hank – 100 Ctn



90-1566
Plug Cover



Accessories

bulk lighting hardware



Plastic Wirenuts for 105°C Supply Wire 300V



90-396
Ext. Small
2 #18 Max.



90-469
Small
4 #18 Max.



90-470
Medium
5 #18 Max.



90-1311
Small
2 #18 Max.



90-1312
Medium
4 #18 Max.



90-1313
Large
6 #18 Max.



Wire Connectors with Spring Inserts for 105°C Supply Wire 300V



90-1418
High Heat
Black
2 #18 Max.



90-1419
Medium
Orange
5 #18 Max.



90-1440
Large
Yellow
6 #18 Max.



90-1421
Extra Large
Red
8 #18 Max.



Wing Nut Wire Connectors with Spring Inserts for 105°C Supply Wire 600V



90-2237
Yellow
4 #18 Max.



90-2238
Tan
9 #18 Max.



90-2239
Red
5 #16 Max.



90-2240
Grey
4 #12 Max.



90-2241
Blue
4 #10 Max.

Plastic Pipe Bushings



90-1422
1/8 IP



90-1423
1/4 IP



90-157
for 5/16" Hole
Black



90-158
for 3/8" Hole
Black



90-161
for 7/16" Hole
Black



90-180
for 7/16" Hole
Gold

Metal Strain Reliefs



90-1158
Small



90-998
Small with Tab



90-1159
Large with Tab

Plastic Bushings



90-327
1/8 IP
Male / White



90-328
1/8 IP
Male / Black



90-321
1/8 IP
Female / White



90-322
1/8 IP
Female / Black



90-325
1/4 IP
Male / White



90-326
1/4 IP
Male / Black



90-323
1/4 IP
Female / White



90-324
1/4 IP
Female / Black



Ribbed Canopy Kit

- 90-052 Brass Finish
- 90-053 Ant. Brass Finish
- 90-054 Ant. Copper Finish
- 90-055 Black Finish
- 90-056 White Finish
- 90-058 Chrome Finish

Shown: antique brass finish

Dimensions:
 Diameter 5"
 Center Hole 7/16"
 Bar Holes 2 -8/32

Packing: 25/Master



Includes
Hardware



Ribbed Canopy Kit

- 90-192 Brass Finish
- 90-193 Ant. Brass Finish
- 90-196 Chrome
- 90-197 White Finish
- 90-198 Black Finish

Shown: brass finish

Dimensions:
 Diameter 5"
 Center Hole 1 1/16"

Packing: 25/Master



Includes
Hardware



Standard Canopy Kit

- 90-062 Brass Finish
- 90-063 Ant. Brass Finish
- 90-065 Black Finish
- 90-066 White Finish
- 90-068 Chrome Finish

Shown: black finish

Dimensions:
 Diameter 5"
 Center Hole 7/16"
 Bar Holes 2 -8/32

Packing: 25/Master



Includes
Hardware



canopy Kits



bulk lighting hardware



Includes Hardware

Contemporary Canopy Kit

- 90-890 Brass Finish
- 90-891 Chrome Finish
- 90-892 Ant. Brass Finish
- 90-893 Black Finish
- 90-894 White Finish

Shown: chrome finish

Dimensions:

Diameter 5"
Center Hole 7/16"
Bar Holes 2-8/32

Packing: 25/Master



Includes Hardware

Ribbed Canopy Hanger Kit

- 90-1098 Brass Finish
- 90-1099 Ant. Brass Finish
- 90-1100 Black Finish
- 90-1101 White Finish
- 90-1102 Chrome Finish

Shown: brass finish

Dimensions:

Diameter 5"
Center Hole 1 1/8"
with 1yd. 8 gauge chain

Packing: 25/Master



Includes Hardware

Bath Swag Canopy Kit

- 90-194 Brass Finish
- 90-191 Ant. Brass Finish
- 90-195 Black Finish
- 90-199 White Finish

Shown: White finish

Dimensions:

Diameter 5"
3- 7/16" Holes

Packing: 25/Master



canopy & Fan Kits

Deep Canopy Kit

- 90-057 Brass Finish
- 90-1697 Chrome Finish

Shown: brass finish

Dimensions:

Diameter 5"
Center Hole 1 1/8"
Depth 1 1/4"

Packing: 25/Master



Includes Hardware

Canopy Kit with Convenience Outlet

- 90-040 Black Finish
- 90-041 Brass Finish
- 90-1072 White Finish

Shown: brass finish

Dimensions:

Diameter 5"
Center Hole 7/16"
Bar Holes 2-8/32

Packing: 25/Master



Includes Hardware

4" Wired Fan Light Holder w/On-Off Pull Chain

- SF77-461 White Finish
- SF77-462 Brass Finish
- SF77-466 Ant. Brass Finish

Shown: antique brass finish



bulk lighting hardware

canopies & Parts Bags



Canopy Only



Ribbed Canopy

- 90-1674 Brass Finish
- 90-1675 Ant. Brass Finish
- 90-1677 Black Finish
- 90-1680 White Finish
- 90-1681 Chrome Finish

Shown: antique brass finish

Dimensions:

Diameter 5"
Center Hole 7/16"
Bar Holes 2 - 8/32

Packing: 200/Master

Canopy Only



Ribbed Canopy

- 90-1682 Brass Finish
- 90-1683 Ant. Brass Finish
- 90-1684 Chrome Finish
- 90-1685 White Finish
- 90-1686 Black Finish

Shown: brass finish

Dimensions:

Diameter 5"
Center Hole 1 1/16"

Packing: 200/Master



1" Loop Parts Bag

- 90-1687 Brass Finish
- 90-1688 Ant. Brass Finish
- 90-1689 Black
- 90-1690 White
- 90-1691 Chrome Finish



Screw Collar Loop Parts Bag

- 90-1692 Brass Finish
- 90-1693 Ant. Brass Finish
- 90-1694 Chrome Finish
- 90-1695 White
- 90-1696 Black

bulk lighting hardware



canopies & Canopy Extensions

Plain Deep Fixture Canopy (Canopy Only)

90-047 Brass Finish

90-050 Chrome Finish

Shown: chrome finish

Dimensions:

Diameter 5"
Center Hole 1 1/8"
Depth 1 1/4"



Plain Deep Fixture Canopy (Canopy Only)

90-051 Brass Finish

90-061 Chrome Finish

Shown: brass finish

Dimensions:

Diameter 5"
Center Hole 7/16"
Depth 1 1/4"



Plain Shallow Fixture Canopy (Canopy Only)

90-048 Brass Finish

Dimensions:

Diameter 5"
Center Hole 1 1/16"



Canopy Extension

90-242 Brass Finish

90-108 White Finish

90-1518 Chrome Finish

Dimensions:

Diameter 5 1/4"
Fits 5" canopy
Extension 1 1/2"



canopies

Cast Brass *Canopy Only*



bulk lighting hardware



Cast Brass Canopy

90-2381 French Gold Finish

Dimensions:

Diameter 6 1/4"

Center Hole 1 1/8"

Height 2"

Packing: 25/Master



Cast Brass Canopy

90-2382 Ant. Brass Finish

Dimensions:

Diameter 5 1/2"

Center Hole 1 1/8"

Height 1 1/2"

Packing: 25/Master



Cast Brass Canopy

90-2383 Polished Brass Finish

Dimensions:

Diameter 5 1/2"

Center Hole 1 1/8"

Height 1 1/2"

Packing: 25/Master



Cast Brass Canopy

90-2384 Polished Nickel Finish

Dimensions:

Diameter 5 1/2"

Center Hole 1 1/8"

Height 1 1/2"

Packing: 25/Master



Cast Brass Canopy

90-039 Ant. Brass Finish

Dimensions:

Diameter 4 3/4"

Center Hole 1 1/8"

Height 1"

Packing: 25/Master



Blank Up Kit for 4" Box

90-069 White Finish

Dimensions:

Diameter 5"
Bar Holes 2-8/32
Center to Center 3 1/2"

Packing: 250/Master



Includes Hardware

Blank Up Kit for 3" Box

90-151 White Finish

Dimensions:

Diameter 5"
Bar Holes 2-8/32
Center to Center 3"

Packing: 250/Master



Includes Hardware

Blank Up Kit

90-045 White Finish

Dimensions:

Diameter 5"
Center Hole 7/16"

Packing: 25/Master



Includes Hardware

Blank Up Kit

90-044 Brass Finish

90-0580 White Finish

90-119 Black Finish

Shown: black finish

Dimensions:

Diameter 5"
Bar Holes 2-8/32

Packing: 25/Master




Includes Hardware

wired

Fixture Holders



bulk lighting hardware




Includes Hardware

3 1/4" Wired Holder

- 90-230 Brass Finish
- 90-330 Ant. Brass Finish
- 90-430 White Finish
- 90-724 Black Finish
- 90-840 Chrome Finish

Shown: brass finish
Packing: 25/Master



Includes Hardware

4" Wired Holder

- 90-231 Pol. Brass Finish
- 90-331 Ant. Brass Finish
- 90-431 White Finish
- 90-841 Chrome Finish
- 90-749 Black Finish

Shown: polished brass finish
Packing: 25/Master



Includes Hardware

3 1/4" Wired Holder with Convenience Outlet

- 90-121 Chrome Finish

Packing: 25/Master



SATCO[®]



wired Ceiling Pans

6" One Light Ceiling Pan

90-755 Chrome Finish

90-756 Brass Finish

90-686 White Finish

90-763 Ant. Brass Finish

Shown: brass finish

Packing: 25/Master



Includes
Hardware



8" Two Light Ceiling Pan

90-757 Chrome Finish

90-876 Brass Finish

90-684 White Finish

90-877 Ant. Brass Finish

Shown: white finish

Packing: 25/Master



Includes
Hardware



10" Two Light Ceiling Pan

90-758 Chrome Finish


90-766 Brass Finish

90-685 White Finish

90-767 Ant. Brass Finish

Shown: chrome finish

Packing: 25/Master



Includes
Hardware




bulk lighting hardware

bent Glass Holders



bulk lighting hardware



90-234
**2 Light Bent Glass
Fixture Holder**

White Finish.
Dimensions:
Diameter 4 3/4"
Height 5"
Packing: 25/Master

Includes Hardware



90-235
**2 Light Bent Glass
Fixture Holder with
Pull Chain Switch**

White Finish.
Dimensions:
Diameter 4 3/4"
Height 5"
Packing: 25/Master

Includes Hardware



90-244
Bent Glass Ceiling Holder

White Finish.
Dimensions:
Diameter 4 3/4"
Height 1"



SATCO[®]




U-channel Glass Holders

90-769

4 Light U-Channel Glass Holder

4 Light-Convenience
Outlet for Use with
24" U-Bend Glass

Packing: 25/Master



Includes Hardware

90-768

2 Light U-Channel Glass Holder

2 Light-Convenience
Outlet for Use with
14" U-Bend Glass

Packing: 25/Master




Includes Hardware

90-246

1 Light U-Channel Glass Holder

1 Light Holder with
Bottom Turn Knob Switch
for Use with 7"
U-Bend Glass

Packing: 25/Master




Includes Hardware

bulk lighting hardware

U-channel Glass Holders



bulk lighting hardware



90-1307
**4 Light U-Channel
Glass Holder**
4 Light for Use with
24" U-Bend Glass
Packing: 25/Master



90-1306
**2 Light U-Channel
Glass Holder**
2 Light for Use with
14" U-Bend Glass
Packing: 25/Master



90-1299
**1 Light U-Channel
Glass Holder**
1 Light for Use with
7" U-Bend Glass
Packing: 25/Master




wall Brackets

3 1/4" Wired Wall Bracket

- 90-708 Brass Finish
- 90-775 Black Finish
- 90-776 Ant. Brass Finish
- 90-1085 White Finish

Shown: antique brass finish
Packing: 25/Master



Includes Hardware

3" Wired Wall Bracket

- 90-709 Brass Finish
with Bottom Turn
Knob Switch
- Packing: 25/Master



Includes Hardware

1 5/8" Wired Wall Bracket with Bottom Turn Knob Switch

- 90-120 Brass Finish
- 90-1407 Ant. Brass Finish

Shown: brass finish
Packing: 25/Master



Includes Hardware

bulk lighting hardware



bulk lighting hardware

Neckless Ball Holders Kits



4" Neckless Ball Holder Kit

For 3 7/8" Dia. Glass

90-615 White

Packing: 25/Master

Includes Hardware

5" Neckless Ball Holder Kit

For 5 1/4" Dia. Glass

90-616 White

Packing: 25/Master

Neckless Ball Holders with Inserts



4" Neckless Ball Holder

90-649 White

90-706 Brass Finish



5" Neckless Ball Holder

90-650 White

90-707 Brass Finish

Fitter



6" Fitter

90-1504 White

90-303 Ant. Brass Finish



glass holders & Fixture Bodies

bulk lighting hardware



1 5/8" Fitter
90-656 Vacuum Brass Finish



1 5/8" Fitter
90-654 Vacuum Brass Finish
90-655 Chrome Finish



2 5/8" Fitter
90-659 Vacuum Brass Finish
90-705 Ant. Brass Finish



3" Fitter
90-660 Vacuum Brass Finish



2 1/4" Fitter
90-577 Brass Finish
90-677 Ant. Brass Finish
90-878 Chrome Finish



3 1/4" Fitter
90-578 Brass Finish
90-678 Ant. Brass Finish
90-879 Chrome Finish



2 3/4" Fixture Body and Cover
Vacuum Brass Finish
90-657 3 Arm Holes
90-658 5 Arm Holes



4" Fitter
90-439 Brass Finish
90-679 Ant. Brass Finish
90-880 Chrome Finish



Chain

1 Yard Lengths

bulk lighting hardware



11 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 3/32" Thick
- 1 yd. Length
- 200 yds./ctn.

90-070
Brass
Finish

90-071
Ant. Brass
Finish

90-072
Black
Finish

90-077
Nickel
Finish

90-670
White
Finish



8 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 1/8" Thick
- 1 yd. Length
- 100 yds./ctn.

79-455
Brass
Finish

79-464
Ant. Brass
Finish

79-460
Nickel
Finish

79-458
White
Finish

79-457
Black
Finish



bulk Chain 1 Yard Lengths

8 Gauge

- 1 1/2" Link Length
- 7/8" Link Width
- 1/8" Thick
- 1 yd. Length
- 100 yds./ctn.



25-1067
8 Gauge
Old Bronze
Finish

25-1072
8 Gauge
Textured White
Finish

25-1069
8 Gauge
Bushed Nickel
Finish

Specialty Chain – 1 Yard Length 100 yds./ctn.



90-078
Spanish Type
Pol. Brass
Finish

90-086
Spanish Type
Ant. Brass
Finish

79-432
Fluorescent
Chrome
Finish

79-306
#12
Jack Chain
100ft. Lengths

4 Gauge

- 1 3/4" Link Length
- 1 1/8" Link Width
- 1/4" Thick
- 1 yd. Length
- 50 yds./ctn.



90-080
4 Gauge
Brass
Finish

90-081
4 Gauge
Ant. Brass
Finish

90-000
4 Gauge
Nickel
Finish

90-085
4 Gauge
Black
Finish

Malleable Iron Chain Pliers

90-099 Chain Pliers

Packing: 1 Box/50 Master



bulk lighting hardware

11 gauge Reel Chain



bulk lighting hardware



11 Gauge Chain – 50 yds. (150 ft.) to Reel / 1 Reel to Master



79-200
Brass
Finish

79-204
Ant. Brass
Finish

79-201
Nickel
Finish

79-233
White
Finish

79-203
Black
Finish

79-205 (120' Reel)
Spanish Type
Brass Finish

79-206 (120' Reel)
Spanish Type
Ant. Brass



**Malleable Iron
Chain Pliers**

90-099 Chain Pliers

Packing: 1 Box/50 Master



8 gauge Reel Chain



8 Gauge Chain - 100 ft. to Reel / 1 Reel to Master



79-209
Brass
Finish

79-212
Ant. Brass
Finish

79-210
Nickel
Finish

79-213
White
Finish

79-211
Black
Finish

bulk lighting hardware



Gem Bar 1/8 IP



90-113 3/4" x 3/8"



90-1125 with Ground Screw – 3/4" x 3/8"

Cross Bar 1/4 IP



90-110 1" x 4 3/8"



90-1126 with Ground Screw – 1" x 4 3/8"

Cross Bar 3/8 IP



90-1065 1" x 4 3/8"

Offset Cross Bar



90-112 1" x 4"
Screw Holes – 2 3/4", 3 3/8" and 3 1/2"
Center to Center
Center Hole Slips 3/8 IP
With Ground Screw

Offset Cross Bar



90-109 1" x 4 5/8"
Screw Holes – 4 1/4" Center to Center

Double Cross Bar



90-575
Screw Holes – 2 3/4" and 3 7/8"
Center to Center

Adjustable Cross Bar



90-179 Center Hole Slips 3/8 IP
Adjusts from 4 1/2" to 6 1/2"



90-1073
Screw Holes – 2 3/4" and 3 7/8"
Center to Center
with Ground Screw



1/2" Small Ceiling Hickey

90-5310 1/8 IP x 1/8 IP



1" Ceiling Hickey

- 90-114 1/8 IP x 1/4 IP
- 90-115 1/8 IP x 1/8 IP
- 90-178 1/8 IP x 3/8 IP
- 90-1705 1/4 IP x 1/4 IP
- 90-175 1/4 IP x 3/8 IP
- 90-589 3/8 IP x 3/8 IP
- 90-612 1/2 IP x 1/2 IP



1" Malleable Iron Hickey

- 90-1127 1/8 IP x 1/8 IP
- 90-1128 1/8 IP x 1/4 IP
- 90-1217 1/8 IP x 3/8 IP
- 90-1565 1/4 IP x 1/4 IP
- 90-1129 1/4 IP x 3/8 IP
- 90-598 3/8 IP x 3/8 IP
- 90-613 1/2 IP x 1/2 IP



Ceiling Extension


3/8 IP Male x
3/8 IP Female

- 90-165 1"
- 90-593 1 3/8"



Crowfoot

90-1130 3/8 IP Male



Universal Crossbar

Screw Holes 2 3/4" x 3 1/2" Center to Center


90-111



Round Universal Crossbar

Screw Holes 2 3/4" x 3 1/2" Center to Center

90-1650



1/8IP Steel Nipples Zinc Plated (Except 90-274 36" Unfinished)

Cat No.	Lengths	Cat No.	Lengths	Cat No.	Lengths
90-1028	3/8" 1/8IP	90-1022	2 3/4" 1/8IP	90-256	8" 1/8IP
90-280	1/2" 1/8IP	90-291	3" 1/8IP	90-2102	9" 1/8IP
90-281	5/8" 1/8IP	90-292	3 1/4" 1/8IP	90-1068	10" 1/8IP
90-282	3/4" 1/8IP	90-293	3 1/2" 1/8IP	90-2103	11" 1/8IP
90-1021	7/8" 1/8IP	90-1014	3 3/4" 1/8IP	90-1009	11 1/2" 1/8IP
90-283	1" 1/8IP	90-294	4" 1/8IP	90-272	12" 1/8IP
90-284	1 1/8" 1/8IP	90-1023	4 1/4" 1/8IP	90-2104	14" 1/8IP
90-258	1 1/4" 1/8IP	90-1003	4 1/2" 1/8IP	90-2105	16" 1/8IP
90-285	1 3/8" 1/8IP	90-1029	4 3/4" 1/8IP	90-2106	18" 1/8IP
90-286	1 1/2" 1/8IP	90-295	5" 1/8IP	90-2107	20" 1/8IP
90-2111	1 5/8" 1/8IP	90-1030	5 1/4" 1/8IP	90-271	24" 1/8IP
90-257	1 3/4" 1/8IP	90-1031	5 1/2" 1/8IP	90-270	30" 1/8IP
90-287	1 7/8" 1/8IP	90-1198	5 3/4" 1/8IP	90-2233	36" 1/8IP
90-288	2" 1/8IP	90-255	6" 1/8IP	90-274	36" 1/8IP Unfinished
90-1008	2 1/8" 1/8IP	90-1004	6 1/8" 1/8IP	90-2108	45" 1/8IP
90-289	2 1/4" 1/8IP	90-1281	6 1/2" 1/8IP	90-2109	48" 1/8IP
90-290	2 1/2" 1/8IP	90-1005	7" 1/8IP	90-2110	54" 1/8IP
90-1012	2 3/8" 1/8IP				

1/8 IP



1/8 IP Thread Size
3/8" Wide

1/4IP Steel Nipples Zinc Plated (Except 90-1063 36" Unfinished)

Cat No.	Lengths	Cat No.	Lengths	Cat No.	Lengths
90-296	1/2" 1/4IP	90-301	2 1/2" 1/4IP	90-2119	5 1/2" 1/4IP
90-1199	5/8" 1/4IP	90-1162	2 3/4" 1/4IP	90-2120	5 3/4" 1/4IP
90-302	3/4" 1/4IP	90-259	3" 1/4IP	90-262	6" 1/4IP
90-2112	7/8" 1/4IP	90-1026	3 1/4" 1/4IP	90-2121	7" 1/4IP
90-297	1" 1/4IP	90-1027	3 1/2" 1/4IP	90-2122	8" 1/4IP
90-2113	1 1/8" 1/4IP	90-1163	3 3/4" 1/4IP	90-2123	9" 1/4IP
90-1000	1 1/4" 1/4IP	90-260	4" 1/4IP	90-2124	10" 1/4IP
90-2114	1 3/8" 1/4IP	90-2116	4 1/4" 1/4IP	90-2125	11" 1/4IP
90-298	1 1/2" 1/4IP	90-1002	4 1/2" 1/4IP	90-2126	12" 1/4IP
90-1025	1 3/4" 1/4IP	90-2117	4 3/4" 1/4IP	90-2127	24" 1/4IP
90-299	2" 1/4IP	90-261	5" 1/4IP	90-1063	36" 1/4IP Unfinished
90-2115	2 1/4" 1/4IP	90-2118	5 1/4" 1/4IP		

1/4 IP



1/4 IP Thread Size
1/2" Wide

3/8IP Steel Nipples Zinc Plated (Except 90-611 36" Unfinished)

Cat No.	Lengths	Cat No.	Lengths	Cat No.	Lengths
90-2128	1/2" 3/8IP	90-1018	1 1/4" 3/8IP	90-1060	3" 3/8IP
90-2129	5/8" 3/8IP	90-2132	1 3/8" 3/8IP	90-1173	3 3/4" 3/8IP
90-1016	3/4" 3/8IP	90-606	1 1/2" 3/8IP	90-608	4" 3/8IP
90-2130	7/8" 3/8IP	90-1017	1 3/4" 3/8IP	90-609	5" 3/8IP
90-1015	1" 3/8IP	90-1062	2" 3/8IP	90-610	6" 3/8IP
90-2131	1 1/8" 3/8IP	90-607	2 1/2" 3/8IP	90-611	36" 3/8IP Unfinished

3/8 IP



3/8 IP Thread Size 5/8" Wide


1/8IP Solid Brass Nipples - Unfinished

Cat No.	Lengths	Cat No.	Lengths	Cat No.	Lengths
90-2211	3/8" 1/8IP	90-2134	1 3/4" 1/8IP	90-2136	3 3/4" 1/8IP
90-1182	1/2" 1/8IP	90-1189	2" 1/8IP	90-1195	4" 1/8IP
90-1183	5/8" 1/8IP	90-1190	2 1/4" 1/8IP	90-1196	4 1/4" 1/8IP
90-1184	3/4" 1/8IP	90-1191	2 1/2" 1/8IP	90-1197	4 1/2" 1/8IP
90-1185	1" 1/8IP	90-2135	2 3/4" 1/8IP	90-2137	5" 1/8IP
90-1186	1 1/8" 1/8IP	90-1192	3" 1/8IP	90-2138	5 1/2" 1/8IP
90-1187	1 1/4" 1/8IP	90-1193	3 1/4" 1/8IP	90-2158	6" 1/8IP
90-1188	1 1/2" 1/8IP	90-1194	3 1/2" 1/8IP	90-2234	36" 1/8IP
90-2133	1 5/8" 1/8IP				

1/8 IP
Solid Brass



1/8 IP Thread size
3/8" Wide



Locknuts & Washers

Locknuts, Pal Nuts and Toothwashers



Steel Locknut – 1/8 IP
 9/16" hex., 1/8" thick
 90-001 Unfinished
 90-1036 Brass Plated
 90-1037 Zinc Plated



Steel Locknut – 1/8 IP
 9/16" hex., 3/16" thick
 90-034 Unfinished
 90-033 Brass Plated
 90-1035 Zinc Plated



Steel Locknut – 1/8 IP
 1/2" hex., 1/8" thick
 90-187 Unfinished
 90-1066 Brass Plated
 90-1636 Zinc Plated



Steel Locknut – 1/8 IP
 1/2" hex., 3/16" thick
 90-1648 Unfinished
 90-1646 Brass Plated
 90-1649 Zinc Plated



Steel Locknut – 1/4 IP
 11/16" hex., 1/8" thick
 90-1038 Unfinished
 90-591 Brass Plated
 90-171 Zinc Plated



Steel Locknut – 1/4 IP
 3/4" hex., 1/4" thick
 90-1702 Unfinished
 90-1703 Brass Plated
 90-1704 Zinc Plated




Steel Locknut – 3/8 IP
 7/8" dia., 1/8" thick
 90-002 Zinc Plated



Steel Square Locknut – 3/8 IP
 1" dia., 1/8" thick
 90-1424 Zinc Plated


Steel Locknuts



90-015
 6/32
 Zinc Plated



90-017
 8/32
 Zinc Plated



90-018
 1/4-20
 Zinc Plated

Steel Pal Nuts 1/8 IP



90-019
 Unfinished




90-594
 Brass Plated

Toothwashers 1/8 IP Slip



90-390
 Unfinished



90-392
 Brass Plated



90-592
 Zinc Plated

Toothwasher 8/32 Slip



90-1578
 Zinc Plated

Toothwashers 1/4 IP Slip



90-1579
 Unfinished



90-1580
 Brass Plated

Toothwasher 3/8 IP Slip



90-1698
 Zinc Plated

brass Locknuts



bulk lighting hardware

Brass Round Knurled Locknuts 9/16" Diameter 1/8 IP



90-003
Burnished &
Lacquered



90-1042
Nickel Plated



90-1699
Unfinished

Brass Round Knurled Locknuts 3/4" Diameter 1/8 IP



90-004
Burnished &
Lacquered



90-1577
Nickel Plated



90-1623
Unfinished

Brass Hexagon Locknuts 1/8 IP



90-172
1/2" Hex, 1/8" Thick
Unfinished



90-1385
1/2" Hex., 1/8" Thick
Nickel Plated



90-1700
1/2" Hex., 3/16" Thick
Unfinished

Brass Round Beaded Locknut 1/8 IP



90-1634
9/16" Dia., 5/32" Thick
Unfinished

Brass Round Plain Locknut 1/8 IP



90-1621
3/4" Dia., 1/8" Thick
Unfinished

Brass Battery Nut 8/32



90-016
Burnished &
Lacquered

Brass Hexagon Locknut 1/4 IP



90-1701
11/16" Hex., 3/16" Thick
Unfinished

Brass Round Knurled Locknut 1/4 IP



90-014
3/4" Dia., 1/8" Thick
Burnished &
Lacquered

Brass Round Knurled Locknut 1/8 IP



90-1601
1" Dia., 1/8" Thick
Unfinished



Curled Edge 1/8 IP Slip



Steel Check Ring
Curled Edge
1/8 IP Slip – Brass Plated

- | | |
|---------------|----------------|
| 90-2049 1/2" | 90-333 1 1/4" |
| 90-379 5/8" | 90-2061 1 3/8" |
| 90-359 3/4" | 90-364 1 1/2" |
| 90-360 7/8" | 90-350 1 3/4" |
| 90-362 1" | 90-351 2" |
| 90-363 1 1/8" | |




Steel Check Ring
Curled Edge
1/8 IP Slip – Nickel Plated

- | | |
|--------------|----------------|
| 90-1661 1/2" | 90-1710 1 1/8" |
| 90-2051 5/8" | 90-1095 1 1/4" |
| 90-381 3/4" | 90-1096 1 1/2" |
| 90-383 7/8" | 90-1644 1 3/4" |
| 90-361 1" | |



Steel Check Ring
Curled Edge
1/8 IP Slip – Unfinished

- | | |
|----------------|----------------|
| 90-2050 1/2" | 90-2059 1 1/4" |
| 90-2052 5/8" | 90-2062 1 3/8" |
| 90-2053 3/4" | 90-2063 1 1/2" |
| 90-2055 7/8" | 90-2074 1 3/4" |
| 90-2056 1" | 90-2076 2" |
| 90-2058 1 1/8" | |



Beaded Steel
Check Ring
1/8 IP Slip

- | |
|-----------------------------|
| 90-388 1 1/8" Brass Plated |
| 90-389 1 1/8" Nickel Plated |



Steel Check Ring
Curled Edge
1/8 IP Slip – Vacuum Brass

- | |
|---------------|
| 90-176 1" |
| 90-177 1 1/4" |

Straight Edge 1/8 IP Slip



Steel Check Ring
Straight Edge
1/8 IP Slip – Brass Plated

- | | |
|---------------|----------------|
| 90-353 1 1/4" | 90-356 1 3/4" |
| 90-354 1 1/2" | 90-357 2" |
| 90-355 1 5/8" | 90-1641 3 1/4" |



Steel Check Ring
Straight Edge
1/8 IP Slip – Unfinished

- | | |
|----------------|----------------|
| 90-2064 1 5/8" | 90-2070 2 1/2" |
| 90-2066 1 7/8" | 90-1640 2 3/4" |
| 90-2067 2" | 90-1654 3" |
| 90-2068 2 1/8" | 90-2072 3 1/4" |
| 90-2069 2 1/4" | 90-2073 3 1/2" |

Curled Edge 1/4 IP Slip




Steel Check Ring
Curled Edge
1/4 IP Slip – Brass Plated

- | | |
|----------------|----------------|
| 90-358 3/4" | 90-2075 1 3/4" |
| 90-472 1" | 90-1656 2" |
| 90-473 1 1/4" | |
| 90-2091 1 1/2" | |



Steel Check Ring
Curled Edge
1/4 IP Slip – Unfinished

- | | |
|----------------|----------------|
| 90-2054 3/4" | 90-2060 1 1/4" |
| 90-2057 1" | 90-2090 1 1/2" |
| 90-1655 1 1/8" | 90-2077 2" |



Steel Washers



Steel Washer
1/8 IP Slip – 16 Gauge
Unfinished

- | | | | |
|---------|--------|---------|--------|
| 90-1652 | 7/8" | 90-991 | 1 3/4" |
| 90-985 | 1" | 90-992 | 2" |
| 90-987 | 1 1/8" | 90-1218 | 2 1/2" |
| 90-988 | 1 1/4" | 90-995 | 3" |
| 90-989 | 1 1/2" | | |



Steel Washer
1/4 IP Slip – 16 Gauge
Unfinished

- | | | | |
|---------|--------|---------|--------|
| 90-986 | 1" | 90-993 | 2" |
| 90-1298 | 1 1/4" | 90-1660 | 2 1/4" |
| 90-990 | 1 1/2" | 90-1149 | 2 1/2" |
| 90-1653 | 1 3/4" | 90-996 | 3" |



Light Steel Washer
1/8 IP Slip
Brass Plated

- | | | | |
|---------|------|--------|----|
| 90-1020 | 5/8" | 90-385 | 1" |
| 90-384 | 3/4" | | |



Reducing Washer
9/16" x 7/16"
Brass Plated

- 90-365

Rubber and Felt Washers



Felt Washer
1/8 IP Slip – White

- | | | | |
|---------|------|---------|--------|
| 90-1175 | 5/8" | 90-1179 | 1 1/4" |
| 90-1176 | 3/4" | 90-1180 | 1 1/2" |
| 90-1177 | 7/8" | 90-1181 | 2" |
| 90-1178 | 1" | | |



Rubber Washer
1/8 IP Slip – White

- | | | | |
|--------|------|--------|--------|
| 90-386 | 1/2" | 90-154 | 1 1/4" |
| 90-152 | 3/4" | 90-155 | 1 1/2" |
| 90-153 | 7/8" | 90-156 | 2" |
| 90-387 | 1" | | |



Rubber Washer
1/8 IP Slip – Black

- | | | | |
|---------|------|---------|--------|
| 90-1166 | 1/2" | 90-1174 | 1 1/4" |
| 90-1167 | 3/4" | 90-1169 | 1 1/2" |
| 90-1168 | 1" | 90-1170 | 2" |



Plastic Crystal Washer
1 1/4" Dia. w/Lip – 1/8 IP Slip

- 90-1429

Felt Pads and Dots



90-489
Green Felt – 36" Wide
Sold by the Yard



90-488
Green Felt – 3/4" Dots
Sold by Roll Only
(1000 per Roll)



90-487
Green Felt – 1/2" Dots
Sold by Roll Only
(1000 per Roll)

bulk lighting hardware



Turned Brass Check Rings – Plated




Turned Brass Check Ring
1/8 IP Slip
Burnished and Lacquered

90-2139 1/2"	90-1091 1 1/4"
90-2140 5/8"	90-1092 1 1/2"
90-2141 3/4"	90-2146 1 3/4"
90-2142 7/8"	90-1094 2"
90-1090 1"	



Turned Brass Check Ring
1/8 IP Slip
Nickel Plated

90-1093 1"
90-1088 1 1/4"
90-1089 1 1/2"



Turned Brass Check Ring
1/4 IP Slip
Burnished and Lacquered

90-2147 3/4"
90-2148 7/8"
90-2149 1"
90-2150 1 1/2"

Turned Brass Check Rings – Unfinished



Turned Brass Check Ring
1/8 IP Slip – Unfinished

90-1608 1/2"	90-1602 1 1/8"	90-1605 1 3/4"
90-1594 5/8"	90-1598 1 1/4"	90-1606 1 7/8"
90-1595 3/4"	90-1603 1 3/8"	90-1607 2"
90-1596 7/8"	90-1599 1 1/2"	
90-1597 1"	90-1604 1 5/8"	



Turned Brass Check Ring
1/4 IP Slip – Unfinished

90-1609 5/8"	90-1613 1 1/8"	90-1617 1 5/8"
90-1610 3/4"	90-1614 1 1/4"	90-1618 1 3/4"
90-1611 7/8"	90-1615 1 3/8"	90-1619 1 7/8"
90-1612 1"	90-1616 1 1/2"	90-1620 2"

**Turned Brass
Double Check Ring**



1/8 IP Slip
Burnished and Lacquered

90-2151 3/4"
90-2152 1"

**Solid Brass
Square Check Ring**



1/8 IP Slip

90-2318 3/4" Polished
90-2319 1" Polished

die cast Loops



bulk lighting hardware

1" Male Loops-1/8 IP



90-200
Brass
Finish

90-202
Ant. Brass
Finish

90-204
Black
Finish

90-721
White
Finish

90-212
Chrome
Finish

90-206
Ant. Copper
Finish

1" Female Loops-1/8 IP



90-201
Brass
Finish

90-203
Ant. Brass
Finish

90-205
Black
Finish

90-720
White
Finish

90-714
Chrome
Finish

1½" Female Loops-1/8 IP



90-249
Brass
Finish

90-254
Ant. Brass
Finish

90-599
Chrome
Finish

2" Die Cast Fixture Loops-1/8 IP



90-253 Brass Finish
90-340 Ant. Brass Finish
90-341 Chrome Finish

90-263 Brass Finish
90-1726 Ant. Brass Finish
90-1727 Pol. Chrome Finish

Hang Straight Loop
90-1728 Pol. Brass Finish
90-1729 Ant. Brass Finish
90-1730 Pol. Chrome Finish



1/8 IP Screw Collar Loops with Ring

1/8 IP



90-2342
Brass
Finish



90-2344
Ant. Brass
Finish



90-2343
Chrome
Finish

1/4 IP Screw Collar Loops with Ring

1/4 IP



90-335
Brass
Finish



90-336
Ant. Brass
Finish



90-337
Chrome
Finish



90-338
White
Finish



90-339
Black
Finish

3/8 IP Screw Collar Loops with Ring

3/8 IP



90-1164
Brass
Finish



90-2352
Ant. Brass
Finish



90-2351
Chrome
Finish



Cast Brass Loops

bulk lighting hardware

1/8 IP Cast Brass Screw Collar Loops with Ring

1/8 IP
Fits 1" Canopy Hole
Ring Diameter 1 1/8"
Height 1 3/4"



90-2295
Polished & Lacquered



90-2301
Polished Chrome



90-2294
Unfinished

1/4 IP Cast Brass Screw Collar Loops with Ring

1/4 IP
Fits 1" Canopy Hole
Ring Diameter 1 1/8"
Height 1 3/4"



90-1572
Polished & Lacquered



90-2300
Polished Chrome



90-1571
Unfinished

3/8 IP Cast Brass Screw Collar Loops with Ring

3/8 IP
Fits 1" Canopy Hole
Ring Diameter 1 1/8"
Height 1 3/4"



90-2297
Polished & Lacquered



90-2302
Polished Chrome



90-2296
Unfinished

1/4 IP Heavy Duty Cast Brass Screw Collar Loops with Ring

1/4 IP
Fits 1 1/4" Canopy Hole
Ring Diameter 1 5/8"
Height 2 1/4"



90-2299
Polished & Lacquered



90-2303
Polished Chrome



90-2298
Unfinished



Steel Round Head Slotted Machine Screws – 8/32

							
90-722 1/2" Brass Plated	90-797 1/2" Green Ground	90-027 1" Brass Plated	90-026 1" Nickel Plated	90-028 1 1/2" Brass Plated	90-030 2" Brass Plated	90-029 2" Nickel Plated	90-1032 3" Nickel Plated

Steel Knurled Head Thumb Screws – 8/32

							
90-022 1/2" Brass Plated	90-023 1/2" Nickel Plated	90-024 1/2" Ant. Brass	90-025 1/2" Black	90-059 3/4" Brass Plated	90-060 3/4" Ant. Brass	90-031 1" Brass Plated	90-032 1" Nickel Plated

Steel Knurled Head Thumb Screws – 6/32

		
90-1154 1/2" Brass Plated	90-1156 1/2" Nickel Plated	90-1155 1/2" Ant. Brass

Steel Switchplate Screws – 6/32

		
90-538 1/2" Brass Plated	90-535 1/2" Ant. Brass	90-536 1/2" Black

Plastic Switchplate Screws – 6/32

	
90-537 1/2" White Plastic	90-539 1/2" Ivory Plastic

Solid Brass Thumb Screws Burnished and Lacquered – 8/32

Ball Head

			
90-035 3/8"	90-036 1/2"	90-037 5/8"	90-038 3/4"

Flat Head

	
90-744 3/8"	90-635 1/4"



B/L = Burnished & Lacquered
BPL = Brass Plated & Lacquered
UNF = Unfinished

Cap Nuts-8/32



90-208
Brass
Plated

90-209
Ant. Brass

90-210
Black

90-710
Chrome

Brass Balls-8/32




90-666
3/8" B/L

90-711
Knurled
3/8" B/L

90-955
Knurled
3/8" B/L

Brass Knob 8/32



90-955
Knurled
3/8" B/L

Brass Lock-Up Caps-1/8 IP



90-169
Brass B/L

90-640
Nickel

90-168
Ant. Brass

90-551
Brass B/L

Brass Pear Knobs-8/32



90-652
Brass B/L

90-651
Ant. Brass

90-653
Nickel

Plastic Lock-Up Caps-1/8 IP



90-167
White
3/4"

90-822
White
1"

90-159
Vac. Brass
1"

90-245
White
w/Pull Chain Hole 1"

Brass Beaded Nozzles



90-642
1/8 F x 1/8 M
B/L

90-643
1/4 F x 1/8 M
B/L

Hexagon Head Nipples-Brass Plated-1/8 IP



90-636
1/4"

90-637
3/8"

90-638
1/2"

90-639
5/8"

Acorn Knobs-1/8 IP



90-668
Knurled
Brass B/L

90-667
Hex
Brass B/L

Brass Knobs-1/8 IP



90-626
Brass
B/L

90-625
Brass
B/L

Brass Bushing



90-207
1/8 F x 3/8 F
Unf.

Brass Closed Gas Cap



90-702
3/8 IP
B/L

90-1308
3/8 IP x 1/8 IP
Unf.

Brass Reducing Bushings - Unfinished



90-644
1/8 M x 8/32 F

90-645
1/8 M x 1/4-27 F

90-646
1/4 M x 1/8 F

90-761
1/8 M x 8/32 F
with shoulder

90-762
1/8 M x 1/4-27 F
with shoulder

90-963
1/4 M x 1/8 F
with shoulder

90-764
3/8 M x 1/8 F
with shoulder

90-765
3/8 M x 1/4 F
with shoulder



Couplings & Balls

bulk lighting hardware

B/L = Burnished & Lacquered
UNF = Unfinished

Brass Couplings



90-162
1/2" Long
1/8 IP - B/L



90-332
1/2" Long
1/8 IP - B/L



90-1059
1/2" Long - 1/8 IP
Nickel Plated



90-241
1/2" Long
1/4 IP - B/L



90-623
1/2" Long
1/4 F x 1/8 F
B/L



90-634
1/2" Long
1/4 F x 1/8 Slip
8/32 Hole - B/L



90-614
7/8" Long
3/8 IP - BL

Brass Couplings-Unfinished



90-1622 1/2"
90-1600 7/8"
1/8 IP



90-2153 1/2" Long
90-2154 3/4" Long
Hexagon Head
Coupling - 1/8 IP



90-2155
5/8" Long
5/8" Diameter
1/8 IP



90-2156
5/8" Long
5/8" Diameter
1/4 IP



90-2157
5/8" Long
5/8" Diameter
1/8 F x 1/4 F

Brass Balls-Unfinished



90-1624 3/8" - 8/32
90-1625 1/2" - 8/32
90-1626 1/2" - 1/8 IP
90-1627 5/8" - 1/8 IP
90-1628 3/4" - 1/8 IP
90-1629 1" - 1/8 IP
90-1631 1 1/4" - 1/8 IP
90-1630 1 1/2" - 1/8 IP
90-1632 1 3/4" - 1/8 IP
90-1633 2" - 1/8 IP

Brass Half Balls-Unfinished



90-2095 1/2" - 8/32
90-2096 5/8" - 1/8 IP
90-2097 3/4" - 1/8 IP
90-2098 1" - 1/8 IP
90-2099 1 1/4" - 1/8 IP
90-2100 1 1/2" - 1/8 IP



Armbaks & Elbows

bulk lighting hardware

Brass Ball Armbaks – Unfinished



90-2172
5/8" x 3/4"
1/8 IP x 1/8 IP



90-2173
3/4" x 1 1/16"
1/8 IP x 1/8 IP



90-2174
7/8" x 1 1/16"
1/8 IP



90-2175
7/8" x 1 1/16"
1/8 IP x 1/8 IP



90-2176
7/8" x 1 1/16"
1/4 IP x 1/8 IP



90-2177
7/8" x 1 1/16"
1/4 IP x 1/4 IP

Brass Armbaks – Unfinished




90-2180
5/8" x 13/16"
1/8 IP x 1/8 IP x 1/8 IP



90-2373
5/8" x 13/16"
1/8 IP x 1/8 IP
x 1/8 IP x 1/8 IP

Brass Large Elbows – Unfinished



90-2178
1 1/8" x 1 3/16"
1/4 IP x 1/4 IP



90-2179
1 1/8" x 1 3/16"
3/8 IP x 3/8 IP



Solid Brass Swivels

bulk lighting hardware



90-2332
Knurled Swivel
1/8 M x 1/8 F
1 3/16" Height
Unfinished



90-2331
Hang Straight Swivel w/Stop
1/8 M x 1/8 F
1 1/2" Height
Unfinished



90-2330
Modern Swivel
1/8 M x 1/8 F
1 3/16" Height
Unfinished



90-2333
Modern Long Swivel
1/8 M x 1/8 F
1 1/2" Height
Unfinished



90-2329
Stop Swivel
1/8 M x 1/4 F
1 3/8" Height
Unfinished



90-2334
Side Swivel
1/8 M x 1/8 F
1 3/8" Height
Unfinished



90-2335
Heavy Duty Swivel
1/8 M x 1/8 F
1 3/4" Height
Unfinished



90-2336
Large Hang Straight Swivel
1/4 F x 1/4 F
Ring Nut to Seat 1 1/16"
1 1/2" Height
Unfinished



90-2337
Large Hang Straight Swivel
1/4 F x 1/4 F
Ring Nut to Seat 1 1/16"
1 1/2" Height
Barrel Nickel Finish

Necks & Spindles



Solid Brass Necks & Spindles—Burnished and Lacquered

					
90-098 3/4" x 3" 1/8 Slip – B/L	90-097 7/8" x 2" 1/8 Slip – B/L	90-096 1 1/16" x 1 1/2" 1/8 Slip – B/L	90-095 15/16" x 5/8" 1/8 Slip – B/L	90-163 13/16" x 7/8" 1/8 Slip – B/L	90-174 13/16" x 7/8" Tapped 1/8 IP – B/L

Solid Brass Necks & Spindles—Unfinished

				
90-2163 15/16" x 5/8" 1/8 IP – Tapped	90-2165 1 1/4" x 9/16" 1/8 IP – Tapped	90-2164 1 1/4" x 3/4" 1/8 IP – Tapped	90-2166 7/8" x 13/16" 1/8 IP – Tapped	90-2167 7/8" x 13/16" 1/8 IP – Slip

			
90-2168 7/8" x 1 1/4" 1/8 IP – Tapped	90-2169 7/8" x 1 1/4" 1/8 IP – Slip	90-2171 5/8" x 2 1/16" 1/8 IP – Tapped	90-2170 3/4" x 4 1/8" 1/8 IP – Tapped



Flanged Steel Necks



1/2" Height-7/8" Bottom
90-2192 Brass Plated
90-2212 Nickel Plated
90-2271 Ant. Brass
90-2213 Unfinished



1" Height-7/8" Bottom
90-2193 Brass Plated
90-2214 Nickel Plated
90-2272 Ant. Brass
90-2215 Unfinished



1 1/2" Height-7/8" Bottom
90-2194 Brass Plated
90-2216 Nickel Plated
90-2273 Ant. Brass
90-2217 Unfinished



2" Height-7/8" Bottom
90-2195 Brass Plated
90-2218 Nickel Plated
90-2274 Ant. Brass
90-2219 Unfinished



7/16" Hole-9/16" Height
 1 1/16" Top-7/8" Bottom
90-2230 Brass Plated
90-2275 Ant. Brass
90-2229 Unfinished



9/16" Hole-9/16" Height
 1 1/16" Top-7/8" Bottom
90-2232 Brass Plated
90-2276 Ant. Brass
90-2231 Unfinished



7/16" Hole-1" Height
 1 3/16" Top-Bottom Seats 1 3/8"
90-2190 Brass Plated
90-2201 Nickel Plated
90-2199 Ant. Brass
90-2202 Unfinished



9/16" Hole-1" Height
 1 3/16" Top-Bottom Seats 1 3/8"
90-2191 Brass Plated



7/16" Hole-1 1/16" Height
 3/4" Top-Bottom Seats 1 3/4"
90-2188 Brass Plated
90-2200 Nickel Plated
90-2197 Ant. Brass
90-2196 Unfinished



9/16" Hole-1 1/16" Height
 3/4" Top-Bottom Seats 1 3/4"
90-2189 Brass Plated

spacers & Candle Cups



bulk lighting hardware

Steel Spacers



7/16" Hole-1" Height
7/8" Dia.-1" Base Dia.
90-2277 Brass Plated
90-2278 Nickel Plated
90-2279 Ant. Brass
90-2280 Unfinished



7/16" Hole-1½" Height
7/8" Dia.-1" Base Dia.
90-2281 Brass Plated
90-2282 Nickel Plated
90-2283 Ant. Brass
90-2284 Unfinished



7/16" Hole-2" Height
7/8" Dia.-1" Base Dia.
90-2285 Brass Plated
90-2286 Nickel Plated
90-2287 Ant. Brass
90-2288 Unfinished

Steel Candle Cups



7/16" Hole-1½" Height
1" Diameter
80-1183 Brass Plated
80-1184 Nickel Plated
80-1185 Unfinished



7/16" Hole-3" Height
1" Diameter
80-1186 Brass Plated
80-1187 Unfinished



7/16" Hole-1½" Height
1" Diameter
90-2227 Polished & Lacquered
90-2228 Polished Nickel
90-2226 Unfinished

Solid Brass Spacers



7/16" Hole-1" Height
7/8" Dia.-1" Base Dia.
90-2223 Polished & Lacquered
90-2222 Unfinished



7/16" Hole-1½" Height
7/8" Dia.-1" Base Dia.
90-2225 Polished & Lacquered
90-2224 Unfinished



7/16" Hole-2" Height
7/8" Dia.-1" Base Dia.
90-2221 Polished & Lacquered
90-2220 Unfinished



harps & Accessories

Light Duty Harps with 1/8 IP Saddle

bulk lighting hardware



Polished Brass Finish
125 CTN

90-2029 - 4"	90-560 - 9½"
90-2030 - 5"	90-222 - 10"
90-2374 - 5½"	90-561 - 10½"
90-2376 - 6"	90-223 - 11"
90-570 - 6½"	90-562 - 11½"
90-219 - 7"	90-224 - 12"
90-558 - 7½"	90-563 - 12½"
90-220 - 8"	90-225 - 13"
90-559 - 8½"	90-571 - 13½"
90-221 - 9"	90-2378 - 14"



Polished Nickel Finish
125 CTN

90-2242 - 4"	90-2023 - 9½"
90-2028 - 5"	90-2016 - 10"
90-2375 - 5½"	90-2024 - 10½"
90-2377 - 6"	90-2017 - 11"
90-2020 - 6½"	90-2025 - 11½"
90-2013 - 7"	90-2018 - 12"
90-2021 - 7½"	90-2026 - 12½"
90-2014 - 8"	90-2019 - 13"
90-2022 - 8½"	90-2027 - 13½"
90-2015 - 9"	90-2379 - 14"



Dark Antique Finish
125 CTN

90-2081 - 7"	90-2083 - 9"
90-2082 - 8"	

1/2" Finial-Zinc Die Cast 1/4-27



- 80-1181 Polished Brass Finish
- 80-1182 Nickel Finish
- 80-1518 Ant. Brass
- 80-1519 Dark Ant. Brass

1/4 IP Saddles - Light Duty

90-2093	1/4 IP Saddle - Brass Plated
90-2094	1/4 IP Saddle - Nickel Plated



1/8 IP - 2¾" Wide Saddles for CFL - Light Duty

90-2338	1/8 IP Saddle - Brass Plated
90-2339	1/8 IP Saddle - Nickel Plated



See Page 99-103 for Other Finials and Risers

harps & Accessories



Heavy Duty Harps with 1/8 IP Saddle



Polished Brass Finish
125 CTN

90-2203 - 6"	90-922 - 10"
90-2204 - 6½"	90-555 - 10½"
90-919 - 7"	90-923 - 11"
90-552 - 7½"	90-556 - 11½"
90-2235 - 7¾"	90-924 - 12"
90-920 - 8"	90-557 - 12½"
90-553 - 8½"	90-925 - 13"
90-921 - 9"	90-2256 - 13½"
90-554 - 9½"	90-2257 - 14"



Polished Nickel Finish
125 CTN

90-2205 - 6"	90-2003 - 10"
90-2206 - 6½"	90-2010 - 10½"
90-2000 - 7"	90-2004 - 11"
90-2007 - 7½"	90-2011 - 11½"
90-2236 - 7¾"	90-2005 - 12"
90-2001 - 8"	90-2012 - 12½"
90-2008 - 8½"	90-2006 - 13"
90-2002 - 9"	90-2258 - 13½"
90-2009 - 9½"	90-2259 - 14"



Antique Brass Finish
125 CTN

90-2264 - 6"	90-2268 - 10"
90-2265 - 7"	90-2269 - 11"
90-2266 - 8"	90-2270 - 12"
90-2267 - 9"	



Dark Antique Brass Finish
125 CTN

90-2088 - 7"	90-2079 - 8½"
90-2078 - 7½"	90-2080 - 9"
90-2089 - 8"	

1/2" Finial-Zinc Die Cast
1/4-27



- 80-1181 Polished Brass Finish
- 80-1182 Nickel Finish
- 80-1518 Ant. Brass
- 80-1519 Dark Ant. Brass

1/4 IP Saddles - Heavy Duty

- 90-2031 1/4 IP Saddle - Brass Plated
- 90-2032 1/4 IP Saddle - Nickel Plated



1/8 IP - 2¾" Wide Saddles for CFL - Heavy Duty

- 90-2340 1/8 IP Saddle - Brass Plated
- 90-2341 1/8 IP Saddle - Nickel Plated



bulk lighting hardware



Heavy Duty Cup Harp



Polished Brass Plated

- 90-2246 - 6" 90-2252 - 9"
- 90-2248 - 7" 90-2254 - 10"
- 90-2250 - 8"



Polished Nickel Plated

- 90-2247 - 6" 90-2253 - 9"
- 90-2249 - 7" 90-2255 - 10"
- 90-2251 - 8"

Heavy Duty Cup for Swing Arm Lamps



- 90-2353 Polished Brass Finish
- 90-2354 Nickel Finish

1/2" Finial-Zinc Die Cast-1/4-27



- 80-1181 Polished Brass Finish
- 80-1182 Nickel Finish
- 80-1518 Ant. Brass
- 80-1519 Dark Ant. Brass

Steel Finials



- 90-139 1/2" Brass Plated
- 90-136 1" Brass Plated
- 90-137 1 1/2" Brass Plated

Steel Risers 1/4-27



- 90-142 1" Brass Plated
- 90-141 2" Brass Plated

*Solid Brass Risers 1/4-27
Burnished and Lacquered*



- 90-1562 1/2" 90-1589 1 1/2"
- 90-140 1" 90-701 2"

Bulb Clips 1/4-27



- 90-940
Medium Base
Bulb Clip
Brass Plated



- 90-1567
Candelabra Base
Bulb Clip
Brass Plated

Socket Saddle Protector



- 80-1197
Steel U-Bracket
Unfinished

solid brass


Finials



bulk lighting hardware




90-130
Small Spindle Finial
1 1/8" Height - 1/4-27
Burnished and
Lacquered



90-1731
Large Spindle Finial
2 3/8" Height - 1/4-27
Polished Brass




90-886
Urn Finial
1 3/4" Height - 1/8 IP
Burnished and
Lacquered



90-838
Bullet Finial
2" Height - 1/8 IP
Burnished and
Lacquered



90-1386
Ball Knob Finial
1 1/8" Height - 1/4-27
Burnished and
Lacquered



90-842
Ball Finial
1 1/4" Height 3/4" Dia. - 1/8 IP
Burnished and
Lacquered



90-132
Ball Finial
1 3/8" Height 7/8" Dia. - 1/8 IP
Burnished and
Lacquered



80-837
Acorn Finial
1 1/2" Height - 1/8 IP
Burnished and
Lacquered



90-1735
Urn Finial
1 7/8" Height - 1/4-27
Polished Brass



90-1732
Finial
1 1/2" Height - 1/4-27
Polished Brass



90-1733
Tear Drop Finial
1 1/2" Height - 1/8 IP
Polished Brass



90-1734
Large Urn Finial
2 3/4" Height - 1/8 IP
Polished Brass



90-762
Use 90-762 to Reduce
1/8 IP to 1/4-27
(Thread on Lamp Harp)



die cast Knobs & Finials

bulk lighting hardware




Bud Finial
1 3/8" Height - 1/8 IP
90-1723 Pol. Brass
90-1724 Ant. Brass
90-1725 Pol. Chrome




Acorn Finial
1 1/2" Height - 1/8 IP
90-133 Pol. Brass
90-1712 Ant. Brass
90-1713 Pol. Chrome




Spindle Finial
2 1/4" Height - 1/8 IP
90-135 Pol. Brass



Bullet Finial
2" Height - 1/4-27
90-1717 Pol. Brass
90-1718 Ant. Brass
90-1719 Pol. Chrome




Modern Finial
1 1/2" Height - 1/4-27
90-1714 Pol. Brass
90-1715 Ant. Brass
90-1716 Pol. Chrome




Pyramid Finial
1 1/2" Height - 1/4-27
90-1720 Pol. Brass
90-1721 Ant. Brass
90-1722 Pol. Chrome




Eagle Finial
2" Height - 1/8 IP
90-134 Pol. Brass



90-762
Use 90-762 to Reduce
1/8 IP to 1/4-27
(Thread on Lamp Harp)



Small Pyramid Knob
3/4" Height - 1/8 IP
90-959 Pol. Brass



Large Pyramid Knob
1 1/4" Height - 1/8 IP
90-1160 Pol. Brass
90-1161 Ant. Brass
90-1711 Pol. Chrome



1" Plain Knob
1/8 IP
90-1050 Pol. Brass
90-1051 Pol. Chrome



1 1/2" Plain Knob
1/8 IP
90-166 Pol. Brass
90-1056 Pol. Chrome

decorative *Finials*



90-1738
Diamond Cut
Crystal Finial
2¼" Height – 1/4-27



90-1737
Pendulog Cut
Crystal Finial
2¾" Height – 1/4-27



90-1739
U-Drop Cut
Crystal Finial
3¼" Height – 1/4-27




90-1736
Ball Cut
Crystal Finial
2¼" Height – 1/4-27



90-1740
Beige Marble
Ball Finial
2" Height – 1/4-27



90-1748
Ceramic
Urn Finial
2½" Height – 1/4-27



90-1741
Wood Ball
Finial
1½" Height – 1/4-27



90-1742
Wood Ribbed
Ball Finial
2" Height – 1/4-27

bulk lighting hardware



solid brass *Decorative Finials*

bulk lighting hardware



90-1743
Leaf Brass
Finial
3½" Height - 1/4-27
Polished Brass



90-1744
Flame Ribbed
Brass Finial
2¾" Height - 1/4-27
Polished Brass



90-1745
U-Shaped
Leaf Brass Finial
2¾" Height - 1/4-27
Polished Brass



90-1746
Fan
Brass Finial
3" Height - 1/4-27
Polished Brass



90-1747
Oriental
Brass Finial
2¾" Height - 1/4-27
Polished Brass

candle covers

Candelabra Base



Plastic Candle Covers – 13/16" Inside Dia. – 7/8" Outside Dia.



White Plastic

- | | | | |
|---------|--------|--------|-----|
| 90-1103 | 1 1/2" | 90-370 | 4" |
| 90-931 | 1 3/4" | 90-905 | 5" |
| 90-901 | 2" | 90-906 | 6" |
| 90-902 | 2 1/4" | 90-907 | 8" |
| 90-903 | 2 3/4" | 90-908 | 12" |
| 90-904 | 3" | 90-909 | 24" |
| 90-1148 | 3 1/2" | 90-910 | 36" |



White Plastic with Gold Drip

- | | |
|---------|----|
| 90-1509 | 2" |
| 90-352 | 3" |
| 90-372 | 4" |



Black Plastic with Gold Drip

- | | |
|---------|----|
| 90-1510 | 2" |
| 90-366 | 3" |
| 90-374 | 4" |



Antique Plastic Drip

- | | |
|---------|--------|
| 90-1511 | 2" |
| 90-1262 | 2 1/2" |
| 90-1512 | 3" |
| 90-1263 | 3 1/2" |
| 90-1264 | 4" |

Ivory Drip Paper Candle Covers
13/16" Inside Dia. – 7/8" Outside Dia.



Ivory Drip

- | | |
|---------|----|
| 80-1487 | 2" |
| 80-1454 | 4" |
| 80-1455 | 6" |



White Plastic Drip

- | | |
|---------|--------|
| 90-1505 | 2" |
| 90-1256 | 2 1/2" |
| 90-1506 | 3" |
| 90-1258 | 3 1/2" |
| 90-1260 | 4" |



Ivory Plastic Drip

- | | |
|---------|--------|
| 90-1507 | 2" |
| 90-1257 | 2 1/2" |
| 90-1508 | 3" |
| 90-1259 | 3 1/2" |
| 90-1261 | 4" |



candle covers

Medium Base

Plastic Candle Covers 1¹³/₁₆" Inside Dia. – 1¹/₄" Outside Dia.



White Plastic

90-1104	2"	90-911	6"
90-913	2 ¹ / ₈ "	90-912	8"
90-914	3"	90-916	12"
90-371	4"	90-917	24"
90-915	5"	90-918	36"



White Plastic with Gold Drip

90-1514	2"
90-369	3"
90-373	4"



Black Plastic with Gold Drip

90-1513	2"
90-368	3"
90-375	4"



Antique Plastic Drip

90-1247	2"
90-1249	3"
90-1251	4"

Ivory Drip Paper Candle Covers
1¹³/₁₆" Inside Dia. – 1¹/₄" Outside Dia.



Ivory Drip

80-1456	4"
80-1457	6"
80-1458	8"



White Plastic Drip

90-1246	2"
90-1248	3"
90-1250	4"



Ivory Plastic Drip

90-1515	2"
90-1516	3"
90-1517	4"

bulk lighting hardware

Crystal & Accessories



bulk lighting hardware



90-300
1 1/2" Clear

90-305
1 1/2" Aurora Borealis

90-306
2" Clear

90-312
3" Clear "U" Drop

90-317
3" Aurora Borealis "U" Drop

90-318
4" Cut Spear

90-319
6" Cut Spear

Swarovski Crystal



90-777
3 Bead
14 mm

90-778
4 Bead
14 mm

90-784
1 1/2" Plug
14 mm Bead


90-783
1 3/4" Plug
14 mm Bead

90-780
1 1/2" with
14 mm Bead

90-779
2" with
14 mm Bead

90-781
Ball
30 mm

90-782
Ball
40 mm



90-753
Metered Strass
(54 Bead - 14mm)
Length =
1 meter/39 inch



90-693
Crystal
Clip



90-691
Small
Bow-Tie
Clip



90-692
Large
Bow-Tie
Clip




90-747
1 1/2" Brass
Pins




90-748
1 1/2" Silver
Pins

Pins Sold 250/Bag



#3 Beaded Chain
3/32" Dia. 250 Ft. Spool




90-122 Brass Finish 250 Ft./Spool



90-123 Nickel Finish 250 Ft./Spool

#6 Beaded Chain
1/8" Dia. 100 Ft. Spool



90-124 Brass Finish 100 Ft./Spool



90-125 Nickel Finish 100 Ft./Spool

Pull String



90-1034 3Ft. Pull String

Connector for #3 Beaded Chain



90-127
BPL



90-173
Nickel

Connector for #6 Beaded Chain



90-129
BPL



90-128
Nickel

Bells for #3 & #6 Beaded Chain



90-117
BPL



90-116
Nickel

Brass Plated S-Hooks & Rings



90-013
5/8"



90-008
1"



90-009
1 1/4"



90-010
1 5/8"



90-011
3/4"



90-012
1"

Corks



90-188 5/8" x 3/4" 90-189 3/4" x 1" 90-190 1" x 1 1/4"



90-935
Circline Fluorescent Clip

Tassels




90-533 Wood 1 1/4" 90-522 Black 5" 90-521 Gold 5" 90-503 White 5" 90-534 Gold 7"

Adjustable Figurine



90-273
10" -15" BPL
1/8 IP
Threaded
Ends

Steel Pipe



90-276 4"
90-277 6"
90-278 8"
90-267 10"
90-268 12"
90-269 14"
3/4" x 3/4" Threaded
Ends
1/8 IP BPL


swag hook Kits



Die Cast Swag Hook Kits

- 90-450 Brass Plated
- 90-451 Ant. Brass
- 90-452 Black
- 90-453 Ant. Copper
- 90-456 Chrome
- 90-770 White


Shown: brass finish.
Kits contain 2 hooks
and hardware shown
Packing: Poly Bagged



Die Cast Revolving Swivel Hooks

- 90-815 Brass Plated
- 90-816 Ant. Brass
- 90-817 Black

Shown: black finish.
Kits contain 1 hook
and hardware shown
Packing: Poly Bagged



Die Cast Large Swag Hooks

- 90-440 Brass Plated
- 90-441 Ant. Brass
- 90-442 Black

Shown: Ant. brass finish.
Kits contain 1 hook
and hardware shown
Packing: Poly Bagged



Drop Ceiling Hook Set


- 90-846 White
- Kits contain 2 sets
per bag.
No hardware needed
Packing: Poly Bagged



globes Glassware



50-143 Sprayed
Glossy White Ball
Dia.: 6" Fitter: 3 1/4"




50-927 Clear
Prismatic Ball
Dia.: 6" Fitter: 3 1/4"



50-186 White Ball
Dia.: 5" Fitter: 3 1/4"



50-268 Clear Ball
Dia.: 6" Fitter: 3 1/4"



50-928 Clear
Prismatic Ball
Dia.: 8" Fitter: 4"



50-144 Sprayed
Glossy White Ball
Dia.: 8" Fitter: 4"

A Satco
Best Seller!

glassware



50-351 Blown
Glossy Opal Ball
Dia.: 6" Fitter: 3 1/4"



50-151 Blown
Glossy Opal Ball
Dia.: 8" Fitter: 4"



Blown Glossy Opal Ball
50-153 Dia.: 10" Fitter: 4"
50-155 Dia.: 12" Fitter: 4"



Blown Glossy Opal Ball
50-218 Dia.: 14" Fitter: 6"



Blown Glossy Opal
Neckless Ball

- 50-312** Dia.: 6" Open.: 3"
- 50-152** Dia.: 8" Open.: 3 7/8"
- 50-154** Dia.: 10" Open.: 3 7/8"
- 50-156** Dia.: 12" Open.: 5 1/4"
- 50-157** Dia.: 14" Open.: 5 1/4"



school House Globes



glassware



50-275 Blown Opal
Dia.: 9" Fitter: 4"



50-276 Blown Opal
Dia.: 10" Fitter: 4"



Blown Opal
Schoolhouse Globes
50-468 Dia.: 12" Fitter: 6"
50-469 Dia.: 14" Fitter: 6"
50-470 Dia.: 16" Fitter: 6"
50-471 Dia.: 18" Fitter: 6"



lexan & Poly Globes

50-727 Lexan®
White Ball
Dia.: 6"
Screw Fitter: 3 11/64"



50-231 Poly Ball
Dia.: 6"
Fitter: 3 1/4"



50-233 Poly Ball
Dia.: 6"
Screw Fitter: 3 11/64"



Poly Globe
with 4" Lip Fitter
50-171 Dia.: 8"
50-172 Dia.: 10"
50-173 Dia.: 12"



Poly Globe
with 3 3/8" or 4"
Neckless Opening
50-429 Dia.: 6"
Opening: 3 3/8"
50-168 Dia.: 8"
Opening: 4"
50-169 Dia.: 10"
Opening: 4"



Poly Globe
with 5 1/4"
Neckless Opening
50-170 Dia.: 12"
50-230 Dia.: 14"
50-238 Dia.: 16"
50-239 Dia.: 18"



Lexan®
Prismatic
Cylinders
Dia.: 3 3/4"
Fitter: 3 1/4"

50-721 Ht.: 6 1/4"
50-723 Ht.: 7 1/4"
50-725 Ht.: 8 1/2"



Lexan®
Prismatic
Cylinders
Dia.: 3 3/4"
Screw Fitter: 3 11/64"

50-722 Ht.: 6 1/4"
50-724 Ht.: 7 1/4"
50-726 Ht.: 8 1/2"



Lexan® White
Cylinders
Dia.: 3 3/4"
Screw Fitter: 3 11/64"
50-729 Ht.: 6 1/4"
50-730 Ht.: 7 1/4"

*A Satco
Best Seller!*



50-728 Lexan®
Smoke Ball
Dia.: 6"
Screw Fitter: 3 11/64"



Screw Fitter Glassware



glassware



50-332 Inside
Sprayed White
Dia.: 3 1/4"
Screw Fitter: 3 11/64"
Height: 6 1/4"



50-216 Inside
Sprayed White
Dia.: 6"
Screw Fitter: 3 11/64"



50-547 Clear
Ribbed Glass
Dia.: 3 11/32"
Screw Fitter: 3 11/64"
Height: 6 15/16"



50-919 Clear Glass
Dia.: 3 11/32"
Screw Fitter: 3 11/64"
Height: 6 15/16"



50-114 Clear
Porch Globe

Dia.: 3 3/4" Fitter: 3 1/4"
Ht.: 4 1/2"



50-112 Clear
"Pineapple" Glass

Dia.: 5 1/2" Fitter: 3 1/4"



50-382 Frosted
Porch Globe

Dia.: 3 3/4" Fitter: 3 1/4"
Ht.: 4 1/2"



50-108 Etched Hall
Glass Clear Bottom

Dia.: 5 9/16" Fitter: 3 1/4"
Ht.: 5"



50-551 Vertical
Exit Globe

Dia.: 4 1/4" Fitter: 3 1/4"
Ht.: 6 9/16"
3 Sides



50-111 White with Clear
Bottom Bath Shade

Dia.: 5 1/4" Fitter: 3 1/4"
Ht.: 4 1/2" Depth: 5 13/16"



cased Glassware



50-667 Green Cased Pharmacy Shade
Width:9" Slip Side Holes: 7/16"



50-664 Opal Cased Shade
Dia.:10" Fitter: 2 1/4" Height: 5"



50-666 Opal Cased Pharmacy Shade
Width:9" Slip Side Holes: 7/16"



50-665 Green Cased Shade
Dia.:10" Fitter: 2 1/4" Height: 5"



50-825 Butterscotch Cased Pharmacy Shade
Width:9" Slip Side Holes: 7/16"

glassware



I.E.S. fixture & Specialty Glassware



I.E.S. Shade

50-165
Dia.: 6" Fitter: 2 1/4" Ht.: 4 3/4"



Bobesches

50-777 Dia.: 4 " 1" Cent. hole: 5 pins
50-778 Dia.: 5 " 1" Cent. hole: 10 pins
50-779 Dia.: 6 " 1/2" Cent. hole: 8 pins



I.E.S. Shade

50-166
Dia.: 8" Fitter: 2 1/4" Ht.: 5 3/4"



50-222 Acid Etched with Grape Design
Dia.: 4 1/2" Fitter: 1 5/8" Ht.: 5"



I.E.S. Shade

50-167
Dia.: 10" Fitter: 2 7/8" Ht.: 5 1/2"



50-120 Acid Etched with Grape Design
Dia.: 4 3/8" Fitter: 1 5/8" Ht.: 5"

glassware

bent Glassware

7/16 Center Hole



White & Grape Pattern

50-194 13" Round
50-195 15" Round

Packing: 12/Master



White & Gold Sunburst Pattern

50-196 13" Round
50-197 15" Round

Packing: 12/Master



White

50-376 13" Round

Packing: 12/Master



Sunburst Pattern

Packing: 12/Master

Sunburst Pattern Semi Bend & Regular Bend Glass

Semi Bend/Shallow

50-505 Dia.: 11" Depth: 1/2"
50-202 Dia.: 11" Depth: 3/4"
50-506 Dia.: 12" Depth: 7/8"
50-203 Dia.: 13" Depth: 1 1/8"
50-204 Dia.: 14" Depth: 1 1/8"
50-205 Dia.: 15" Depth: 1"
50-508 Dia.: 16" Depth: 1 1/4"
50-307 Dia.: 17" Depth: 3/4"

Regular Bend/Deep

50-198 Dia.: 11" Depth: 1 3/4"
50-199 Dia.: 13" Depth: 1 7/8"
50-200 Dia.: 14" Depth: 2 1/2"
50-201 Dia.: 15" Depth: 2 1/2"
50-308 Dia.: 17" Depth: 2 1/2"

glassware



*A Satco
Best Seller!*



White with Clear Floral Pattern

50-190 12" Square
50-191 14" Square



White & Gold Scroll Pattern

50-192 13" Square
50-193 15" Square



Ruffled Edge White with Wheat Design

50-503 12" Square



White

50-374 12" Square
50-375 14" Square



White "U" Channel

50-378 7" (vertical) hole 1³/₄" from end 1/8 slip
50-379 14" (horizontal) hole centered 1/8 slip
50-380 24" (horizontal) holes 6¹/₂" from ends 1/8 slip



Diamond "U" Channel

50-234 7" (vertical) hole 1³/₄" from end 1/8 slip
50-235 14" (horizontal) hole centered 1/8 slip
50-236 24" (horizontal) holes 6¹/₂" from ends 1/8 slip

drum & mushroom Glassware



glassware



*A Satco
Best Seller!*

Sprayed Inside White Mushroom Glass

- 50-329 Dia.: 7 1/2" Fitter: 5 7/8" Ht.: 3 5/8"
- 50-330 Dia.: 9 1/2" Fitter: 7 7/8" Ht.: 4"
- 50-331 Dia.: 11 1/2" Fitter: 9 7/8" Ht.: 4 9/16"



Sprayed Inside White Drum Glass

- 50-334 Dia.: 6 5/8" Fitter: 5 7/8" Ht.: 3 1/2"
- 50-335 Dia.: 8 11/16" Fitter: 7 7/8" Ht.: 4"
- 50-336 Dia.: 10 5/8" Fitter: 9 7/8" Ht.: 4 3/16"



50-109 Etched with Grape Design
Dia.: 5 9/16" Fitter: 6" Ht.: 3 3/4"



*A Satco
Best Seller!*

Outside White Drum Glass
with Clear Sides and Bottom

- 50-105 Dia.: 6 1/2" Fitter: 5 7/8" Ht.: 3 1/2"
- 50-106 Dia.: 8 3/8" Fitter: 7 7/8" Ht.: 4"
- 50-107 Dia.: 10 7/16" Fitter: 9 7/8" Ht.: 4 1/2"



90-2362

Ivory Floral

Top: 3" Bottom: 5" Side: 4 1/4"



90-2358

Beige Beaded Floral

Top: 3" Bottom: 5" Side: 4 1/4"



90-2359

Kakhi Beaded Floral

Top: 3" Bottom: 5" Side: 4 1/4"



90-2360

White Shantung

Top: 3" Bottom: 5" Side: 4 1/4"



90-2361

Ivory Shantung

Top: 3" Bottom: 5" Side: 4 1/4"



90-2357

Beige Shantung

Top: 3" Bottom: 5" Side: 4 1/4"



90-2363

Beige Folded Pleat

Top: 3" Bottom: 5" Side: 4"



90-2364

White Folded Pleat

Top: 3" Bottom: 5" Side: 4"



90-2365

Black Folded Pleat

Top: 3" Bottom: 5" Side: 4"



90-2366

White Swirl Folded Pleat

Top: 3" Bottom: 5" Side: 4"



90-2367

Beige Swirl Folded Pleat

Top: 3" Bottom: 5" Side: 4"

clip on Shades



90-1252
Amber Beaded Cone
Top: 1" Bottom: 5" Side: 4"



90-1253
Silver Beaded Cone
Top: 1" Bottom: 5" Side: 4"



90-1254
Blue Beaded Cone
Top: 1" Bottom: 5" Side: 4"



90-1255
Green Beaded Cone
Top: 1" Bottom: 5" Side: 4"



90-1335
Amber Beaded Square
Top: 3" Bottom: 4" Side: 4"



90-1336
Silver Beaded Square
Top: 3" Bottom: 4" Side: 4"



90-1337
Blue Beaded Square
Top: 3" Bottom: 4" Side: 4"



90-1338
Green Beaded Square
Top: 3" Bottom: 4" Side: 4"



90-1270
White Pleated Round
Top: 3" Bottom: 4" Side: 4"



90-1271
Bone Pleated Round
Top: 3" Bottom: 4" Side: 4"



90-1273
Beige Pleated Round
Top: 3" Bottom: 4" Side: 4"



90-1272
Black Pleated Round
Top: 3" Bottom: 4" Side: 4"



90-1274
Black Round with Gold Interior
Top: 3" Bottom: 4" Side: 4"



90-1275
Beige Parchment Round
Top: 3" Bottom: 4" Side: 4"



90-1276
White Linen Round
Top: 3" Bottom: 4" Side: 4"



90-1277
White Silk Bell
Top: 3" Bottom: 5" Side: 4"

glassware

emergency Lights



electrical accessories



Emergency Flashlight/Night Light

75-047

Features:

- LED flashlight with adjustable focus
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



Emergency Flashlight/Night Light

75-046

Features:

- LED flashlight
- LED night light controlled by photocell.
- Emergency Power Failure Feature – LED lights stay on for up to 8 hours
- Uses 3 AAA rechargeable batteries (Included).

Packing: 12/Master



*Automatically
lights*
WHEN POWER FAILS!

Power Failure & Automatic Night Light

76-529

7W bulb included

Features:

- Replaceable 7W night light bulb.
- Separate On/Off switch for Power Failure Light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Replaceable emergency bulb.

Packing: 12/Master





Specialty Lights

LED Clip On Book Light

75-045

Features:

- Uses 3 AAA batteries for up to 6 hours of use.
- Lights automatically when cover is lifted up.
- Narrow beam does not disturb others.

Packing: 12/Master



LED Motion Sensing Utility Light

75-044

Features:

- Built in photo Sensor – Light will only operate in darkness.
- Uses 3 AAA batteries.
- Velcro® mounting strips supplied.

Packing: 12/Master



Press the Color Button to select the color/mode:

- Steady Red, Green or Blue
- Fast color change
- Gradual color change



LED Color Changing Clear Lens Night Light with Photo Cell

75-041

Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn–photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



LED Color Changing Window Night Light with Photo Cell

75-042

Features:

- Life: 100,000 hours.
- On at dusk/Off at dawn–photocell automatically controls night light.
- Low power consumption: 0.8W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner





Night Lights

75-043

LED Clear Prismatic Cylinder Night Light with Photo Cell

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



75-040

LED Multi Directional Night Light with Photo Cell

- Life: 100,000 hours
- Rotatable head directs light.
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



75-031

Sleeping Moon Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



75-032

Skyline Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



75-033

Flame Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner



75-034

Light Bulb Night Light

- Life: 100,000 hours
- On at dusk/Off at dawn-photocell automatically controls night light.
- Low power consumption: 0.3W at 120V, cool to the touch.

Packing: 24/Master, 6/Inner





night Lights

- Many Styles to choose from
- Full color selection
- Photo cell & manual controls
- Night light bulbs included
- U.L. listed
- Promotionally priced
- Attractively packaged on four color blister cards

Night lights with on/off switch include a 4 watt bulb	Night lights with photo cells include a 7 watt bulb
---	---



75-023 Blue shell photo cell 1/Card
Packing: 72/Master, 12/Inner



75-024 Pink shell photo cell 1/Card
Packing: 72/Master, 12/Inner



75-022 Beige shell photo cell 1/Card
Packing: 72/Master, 12/Inner



75-021 White shell photo cell 1/Card
Packing: 72/Master, 12/Inner



75-019 Blue shell on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-020 Pink shell on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-018 Beige shell on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-017 White shell on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-010 Blue square on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-011 Pink square on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-009 Beige square on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-008 White square on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-015 Blue angled on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-016 Pink angled on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-014 Beige angled on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-013 White angled on/off switch 1/Card
Packing: 72/Master, 12/Inner

night Lights



electrical accessories



75-000 Clear angled photo cell 1/Card
Packing: 72/Master, 12/Inner



75-004 Clear straight on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-001 Clear straight photo cell 1/Card
Packing: 72/Master, 12/Inner



75-003 Clear rounded photo cell 1/Card
Packing: 72/Master, 12/Inner



75-053 Gold Grill on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-054 Black Grill on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-048 Deco Gold photo cell 1/Card
Packing: 72/Master, 12/Inner



75-049 Deco Silver photo cell 1/Card
Packing: 72/Master, 12/Inner



75-050 Gold Window photo cell 1/Card
Packing: 72/Master, 12/Inner



75-051 Silver Window photo cell 1/Card
Packing: 72/Master, 12/Inner



75-052 Clear/Silver on/off switch 1/Card
Packing: 72/Master, 12/Inner



75-006 Jewel light photo cell 1/Card
Packing: 72/Master, 12/Inner



75-007 Guide light constant on 2/Card
Packing: 72/Master, 12/Inner



75-029
Battery operated utility light push on push off 1/Card
Uses 4 "AA" batteries
Packing: 72/Master, 12/Inner

Night lights with on/off switch include a 4 watt bulb	Night lights with photo cells include a 7 watt bulb
---	---



surge Suppressors

electrical accessories



91-222

6 Outlet professional metal surge strip 270 Joules
Packing: 12/Master



91-221

6 Outlet superior surge strip 270 Joules
Packing: 12/Master




91-220

6 Outlet standard surge strip 90 Joules
Packing: 12/Master



current Taps



electrical accessories



91-223
6 Outlet Wall Plug In
Tap/Surge
540 Joules
Packing: 36/Master



91-228
6 Outlet Wall Plug In
Tap/Coax/Surge
6' Coax Cable Supplied
540 Joules
Packing: 36/Master



91-227
3 Outlet wall plug in
tap with glow light
Packing: 36/Master



hide- A-Cord

electrical accessories



S70-830 White
Inside Elbow
Packing: 144/Master, 12/Inner



S70-832 White
Outside Elbow
Packing: 144/Master, 12/Inner



S70-829 White
Straight Coupling
Packing: 144/Master, 12/Inner



S70-831 White
Flat Elbow
Packing: 144/Master, 12/Inner



S70-826
40" White
Packing: 24/Master

S70-827
40" Brass
Packing: 24/Master


A COMPLETE DO-IT-YOURSELF SELF STICKING WIRE COVER SYSTEM

For:

- Wall lamps
- Telephones
- Track lighting
- Speaker wire
- Extension cords
- Home alarm systems
- CATV cable
- Television wire
- Ceiling swag lighting
- Stereo and VCR

Wire covers available in white and brass.
Couplings, available in white and can be painted.

Coiled Extension Cords



electrical accessories



12 FT. COILED (Extended) EXTENSION CORDS

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.



- 93-179 Blue
- 93-175 Yellow
- 93-170 White
- 93-174 Red
- 93-169 Green
- 93-173 Black

Packing: 48/Master, 12/Inner, 1/Card



93-5012 Black
Cord with dimmer switch
Packing: 36/Master



93-5011 White
Cord with dimmer switch
Packing: 36/Master



Full Range Table-Top Slide Dimmer
Rated 300W-120V
Indicator Light & Positive Off
8 ft. # 18/2 SPT-2 105° Cord Set
Female & Male Plug



EXTENSION CORDS
16/2 SPT 2

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.

White

- 93-192** 6 ft.
- 93-194** 9 ft.
- 93-196** 12 ft.
- 93-198** 15 ft.



EXTENSION CORDS
16/2 SPT 2

All extension cords rated 1250 watts maximum and supplied with safety cover to conceal unused outlets.

Brown

- 93-193** 6 ft.
- 93-195** 9 ft.
- 93-197** 12 ft.
- 93-199** 15 ft.



appliance, A/C & **SATCO**[®] Outdoor Extension Cords



electrical accessories



#14/3 Ga. SPT-3 Gray Air Conditioning/Appliance Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5000	3 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	24
93-5001	6 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	24
93-5002	9 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12
93-5003	12 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12
93-5004	15 ft.	14-3 SPT-3 Gray Cord w/Sleeve	15A/125V	1875W	12

#16/3 Ga. SJTW-3 Orange Outdoor Extension Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5005	25 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1625W	12
93-5006	50 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1625W	12
93-5007	100 ft.	16-3 SJTW-3 Orange Cord w/Sleeve	10A/125V	1250W	6



#14/3 Ga. SJTW-3 Orange Outdoor Extension Cords

Cat. No.	Footage	Description	Amps	Wattage	Packed
93-5008	25 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	15A/125V	1875W	12
93-5009	50 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	15A/125V	1875W	6
93-5010	100 ft.	14-3 SJTW-3 Orange Cord w/Sleeve	13A/125V	1875W	6



bulb Changers

SATCO BULB CHANGERS

The easy way to change hard to reach bulbs. Available in PAR, incandescent and R type changers.



Par Type
Bulb Changer

S70-3001



R Type
Bulb Changer

S70-3002



Incandescent
Bulb Changer

S70-0101



Aluminum
Extension Pole

S70-9272 6-12 Ft

Two section handle, "nylon" threaded, fits all changers. Homeowner quality.



Alumiglass
Extension Pole

S70-6516 8-16 Ft.

S70-6624 8-24 Ft.

Two section handle, threaded end fits all changers. Professional quality.

electrical accessories

socket Adapters

150W Per Socket Max.



electrical accessories

77-601

One light ceiling swivel fixture

Packing: 6/Master, 1/Card



77-602

Two light ceiling swivel fixture

Packing: 6/Master, 1/Card



77-622

One light plug a light
100W Max.


Packing: 6/Master, 1/Card



77-607

Two light socket light


Packing: 6/Master, 1/Card



77-621

Recessed light converter
13.25" overall height

Packing: 6/Master, 1/Card



77-608

Recessed light
converter 5" overall height

Packing: 6/Master, 1/Card



77-606

One light
socket light

Packing: 6/Master, 1/Card

carded Canopy Kits



carded lighting hardware

Kits contain hardware as shown.



Ribbed Canopy Kit

- S70-192 Brass Finish
 - S70-193 Ant. Brass Finish
 - S70-196 Chrome Finish
 - S70-197 White Finish
 - S70-198 Black Finish
- Shown: brass finish

Dimensions:
Diameter 5"
Center Hole 1 1/16"

Packing: 48/Master, 4/Inner



Ribbed Canopy Kit

- S70-052 Brass Finish
 - S70-053 Ant. Brass Finish
 - S70-054 Ant. Copper Finish
 - S70-055 Black Finish
 - S70-056 White Finish
 - S70-058 Chrome Finish
- Shown: antique brass finish

Dimensions:
Diameter 5"
Center Hole 7/16"
Bar Holes 2 - 9/32"

Packing: 48/Master, 4/Inner



Standard Canopy Kit

- S70-062 Brass Finish
 - S70-063 Ant. Brass Finish
 - S70-065 Black Finish
 - S70-066 White Finish
 - S70-068 Chrome Finish
- Shown: black finish

Dimensions:
Diameter 5"
Center Hole 7/16"
Bar Holes 2 - 9/32"

Packing: 48/Master, 4/Inner



carded Canopy Kits

Contemporary Canopy Kit

- S70-034** Brass Finish
- S70-035** Ant. Brass Finish
- S70-036** Black Finish
- S70-037** White Finish
- S70-038** Chrome Finish

Shown: chrome finish

Dimensions:
Diameter 5"
Center Hole $\frac{7}{16}$ "
Bar Holes 2 - $\frac{9}{32}$ "

Packing: 48/Master, 4/Inner



Kits contain hardware as shown.



Deep Canopy Kit

- S70-057** Brass Finish

Shown: brass finish

Dimensions:
Diameter 5"
Center Hole $1\frac{7}{16}$ "
Depth $1\frac{1}{16}$ "

Packing: 48/Master, 4/Inner




Canopy Kit with Convenience Outlet

- S70-040** Black Finish
- S70-041** Brass Finish

Shown: brass finish

Dimensions:
Diameter 5"
Center Hole $\frac{7}{16}$ "
Bar Holes 2 - $\frac{9}{32}$ "

Packing: 48/Master, 4/Inner



carded lighting hardware

Carded Canopy Kits



carded lighting hardware

Kits contain hardware as shown.




Blank Up Kit

S70-045 White Finish

Dimensions:
Diameter 5"
Center Hole $\frac{7}{16}$ "

Packing: 48/Master, 4/Inner



Blank Up Kit

S70-0580 White Finish

S70-044 Black Finish

Shown: white finish

Dimensions:
Diameter 5"
Slip Holes 2 - $\frac{9}{32}$ "
Center to Center 3 $\frac{1}{2}$ "

Packing: 48/Master, 4/Inner





carded Fixture Chain

11 Gauge Chain

- S70-670** White Finish
- S70-070** Pol. Brass Finish
- S70-071** Ant. Brass Finish
- S70-072** Black Finish
- S70-077** Nickel Finish

Dimensions:
1 yard lengths / 11 gauge
Packing: 72/Master, 6/Inner



Polished Brass Finish Antique Brass Finish Nickel Finish White Finish Black Finish



Chain Opening Pliers

S70-099
Packing: 72/Master, 6/Inner



Polished Brass Finish Antique Brass Finish

Spanish Chain

S70-078 Brass Finish
S70-086 Ant. Brass Finish
Dimensions: 1 yard lengths
Packing: 72/Master, 6/Inner



Antique Brass Finish White Finish Polished Brass Finish

8 Gauge Chain

S70-571 White Finish
S70-569 Pol. Brass Finish
S70-570 Ant. Brass Finish
Dimensions: 1 yard lengths / 8 gauge
Packing: 72/Master, 6/Inner

carded lighting hardware

carded Swag Kits



carded lighting hardware



Polished
Brass Finish

Antique
Brass Finish


Nickel
Finish

White
Finish

Black
Finish

Spanish
Brass Finish

Kits contain
hardware as
shown.



Packaged Swag Lite Kits

12 Ft. 15 Ft.

- S70-480** **S70-470** Brass Finish
- S70-481** **S70-471** Ant. Brass Finish
- S70-482** **S70-472** Black Finish
- S70-484** **S70-474** Spanish Type
(Pol. Brass Finish)
- S70-489** **S70-479** Nickel Finish
- S70-531** **S70-530** White Finish

Each kit packaged in sturdy polybag with protective metal grommet at top.

12' Kits Contain:

12' chain, 15' electric wire with plug,
2 swag hooks with hardware and
1 feed thru cord switch.

15' Kits Contain:

15' chain, 20' electric wire with plug,
2 swag hooks with hardware and
1 feed thru cord switch.

Packing: 24/Master, 2/Inner



carded Swag Hook Kits

Double Swag Hook Kits

- S70-450** Brass Finish
- S70-451** Ant. Brass Finish
- S70-452** Black Finish
- S70-453** Ant. Copper Finish
- S70-456** Chrome Finish
- S70-770** White Finish

Shown: brass finish

Packing: 72/Master, 6/Inner
2 Hooks per card



Hook Kits

Large Single

- S70-440** Brass Finish
- S70-441** Ant. Brass Finish
- S70-442** Black Finish

Shown: ant. brass finish

Swivel Hook Set

- S70-815** Brass Finish
- S70-816** Ant. Brass Finish
- S70-817** Black Finish

Shown: black finish

Packing: 72/Master, 6/Inner
1 Hook per card



Drop Ceiling Hook Kit (Metal)

- S70-846** White Finish

Packing: 72/Master, 6/Inner
2 Hooks per card



Kits contain hardware as shown.

carded lighting hardware

carded Fixture Holders



carded lighting hardware



3 1/4" Ball Holder

S70-578 Brass Finish

S70-678 Ant. Brass Finish

Shown: ant. brass finish

Packing: 48/Master, 4/Inner



4" Ball Holder

S70-439 Brass Finish

S70-679 Ant. Brass Finish

Shown: polished brass finish

Packing: 48/Master, 4/Inner



3 1/4" Wired Holder

S70-230 Brass Finish

S70-330 Ant. Brass Finish

S70-430 White Finish

S70-840 Chrome Finish

Shown: chrome finish

Packing: 48/Master, 4/Inner



SATCO[®]

carded *Fixture Holders*



*Twin Cluster
with Pull Chain Switch
S70-235 White Finish
Packing: 48/Master, 4/Inner*



*4" Wired Holder
S70-231 Pol. Brass Finish
S70-331 Ant. Brass Finish
S70-431 White Finish
S70-841 Chrome Finish
Shown: polished brass finish
Packing: 48/Master, 4/Inner*



*Twin Cluster
S70-234 White Finish
Packing: 48/Master, 4/Inner*



carded lighting hardware

carded Lighting Hardware



carded lighting hardware



4" Wired Fan
Light Holder

S70-589 Pol. Brass Finish

S70-587 Ant. Brass Finish

S70-588 White Finish

Shown: antique brass finish

Packing: 48/Master, 4/Inner



S70-591

Medium base pull chain,
porcelain lampholder

Packing: 48/Master, 4/Inner



S70-590

Medium base keyless,
porcelain lampholder

Packing: 48/Master, 4/Inner



carded Candle Covers

4" Candelabra

S70-372 White with Gold Drip

S70-374 Black with Gold Drip

4" Edison

S70-373 White with Gold Drip

S70-375 Black with Gold Drip

Packing: 72/Master, 6/Inner, 2/Card



Edison Base

Candelabra Base



4" Candelabra Base

S70-370 White Finish

Packing: 72/Master, 6/Inner, 2/Card



4" Edison Base

S70-371 White Finish

Packing: 72/Master, 6/Inner, 2/Card

carded lighting hardware

carded Crystal Prisms



2" Pendants
S70-306 Clear
Packing: 72/Master, 6/Inner
5 pieces/card



1 1/2" Pendants
S70-300 Clear
Packing: 72/Master, 6/Inner
5 pieces/card



1 1/2" Pendants
S70-305 Aurora Borealis
Packing: 72/Master, 6/Inner
5 pieces/card



1 1/2" Silver Crystal Pins
S70-584
Packing: 72/Master, 6/Inner
100 pieces/card



1 1/2" Brass Crystal Pins
S70-585
Packing: 72/Master, 6/Inner
100 pieces/card



3" U-Drop
S70-312 Clear
Packing: 72/Master, 6/Inner
5 pieces/card



3" U-Drop
S70-317 Aurora Borealis
Packing: 72/Master, 6/Inner
5 pieces/card

carded lighting hardware



carded Shell Sockets



S70-411

Pull chain socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-412

3 way turn knob socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-4310

3 way pull chain socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-410

Push thru switch socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-420

Keyless socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



Solid Brass

S70-622

3 way turn knob socket, medium base, solid brass, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-413

Turn knob on/off socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



S70-421

3 terminal / 2 circuit turn knob socket, medium base, brite gilt, 1/8 IP

Packing: 72/Master, 6/ Inner, 1/Card



carded Cluster Sockets



carded lighting hardware

S70-414

Medium base,
twin cluster
ceiling socket,
female both ends
w/8" leads 1/8 IP

Packing:
72/Master, 6/Inner



S70-425

Medium base,
4 light cluster
no switch socket,
male top male
bottom
w/7" leads 1/8 IP

Packing:
48/Master, 4/Inner



S70-416

Medium base,
twin cluster turn
switch fixture socket,
male both ends
w/6" leads 1/8 IP

Packing:
72/Master, 6/Inner



S70-415

Medium base,
twin cluster
ceiling fixture socket,
w/pull chain,
male both ends
w/7" leads, 1/8 IP

Packing:
72/Master, 6/Inner



S70-422

Medium base,
3 light cluster
no switch socket,
male both ends
w/8" leads 1/8 IP

Packing:
48/Master, 4/Inner





carded Bakelite Sockets

carded lighting hardware



S70-430

Bottom turn knob socket,
medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



S70-433

Pull chain socket, w/set screw
medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



S70-432

3 way pull chain socket, w/set screw
medium base, bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



S70-407

Keyless socket, medium base,
bakelite, 1/8 IP

Packing: 72/Master, 6/Inner



S70-556

Keyless snap in socket, medium base,
bakelite, 6" leads

Packing: 72/Master, 6/Inner



S70-557

Keyless snap in socket, medium base,
bakelite for 3 1/4" and 4"
holders, 8" leads

Packing: 72/Master, 6/Inner



S70-559

Keyless snap in socket, medium base,
bakelite for 6" pans, 8" leads

Packing: 72/Master, 6/Inner



S70-558

Keyless snap in socket,
medium base, bakelite for
8" and 10" pans, 8" leads

Packing: 72/Master, 6/Inner

carded Fixture Sockets



carded lighting hardware



S70-402

3 1/4" to 4 1/4" adjustable candelabra base, 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



S70-403

2" candelabra base 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



S70-404

4" to 5 3/4" adjustable medium base, 1/8 IP socket, 2 per card

Packing: 72/Master, 6/Inner



S70-405

2" medium base 1/8 IP socket, 2 per card


Packing: 72/Master, 6/Inner



S70-568

Mini can socket, E11 base with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



S70-565

118mm double ended halogen socket, with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



S70-566

78mm double ended halogen socket, with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



S70-567

MR16 bi-pin socket, GY6.35 base with 6" leads & ceramic wire connector

Packing: 72/Master, 6/Inner



S70-560

Keyless medium base, porcelain socket, 1/8 IP hickey


Packing: 72/Master, 6/Inner



S70-409

Keyless medium base, porcelain socket, 1/8 IP metal cap

Packing: 72/Master, 6/Inner



S70-408

Keyless medium base, porcelain socket, adaptor kit, 1/8 IP metal cap

Packing: 72/Master, 6/Inner



carded Switches

carded lighting hardware

S70-505

Pull chain canopy switch, 1/8 IP threaded


Packing: 72/Master, 6/Inner



S70-689

Pull chain fan switch, 2 circuit low, med., high & off 1/8 IP threaded


Packing: 72/Master, 6/Inner



S70-574

Brass finish push switch 1/8 IP threaded

Packing: 72/Master, 6/Inner



S70-575

White button rotary switch, 1/8 IP threaded

Packing: 72/Master, 6/Inner



S70-501

Brass finish rotary switch 1/8 IP threaded

Packing: 72/Master, 6/Inner



S70-502

Black button rotary switch, 1/8 IP threaded

Packing: 72/Master, 6/Inner



S70-504

3 way rotary switch, 1/8 IP threaded

Packing: 72/Master, 6/Inner



carded Switches & Plugs



carded lighting hardware




S70-572 White
S70-573 Brown
Inline cord switch for
18/2 SPT 2 wire
Packing: 72/Master, 6/Inner



S70-500 White
S70-506 Brown
S70-814 Black
Feed thru cord switch
for 18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-793
2 brown, quick connect
female gilbert plugs
for 18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-794
2 ivory, quick connect
female gilbert plugs
for 18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-551
2 brown, quick connect
easy plugs
for 18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-552
2 white, quick connect
easy plugs
for 18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-553
2 ivory, quick connect
gilbert plugs for
18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-554
2 brown, quick connect
gilbert plugs for
18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-555
2 black, quick connect
gilbert plugs for
18/2 SPT 1 wire
Packing: 72/Master, 6/Inner



S70-550
2 brown, quick connect
super plugs for
18/2 SPT 2 wire
Packing: 72/Master, 6/Inner



S70-549
2 white, quick connect
super plugs for
18/2 SPT 2 wire
Packing: 72/Master, 6/Inner



S70-577
(2) 3 to 2 plug adapters
with grounding clip
Packing: 72/Master, 6/Inner



S70-563

Bakelite, medium base to medium base 1" socket extender

Packing: 72/Master, 6/Inner



S70-564

Porcelain, medium base to medium base 1" socket extender

Packing: 72/Master, 6/Inner



S70-400

Medium base to candelabra base reducers, 2 per card

Packing: 72/Master, 6/Inner



S70-586

12 assorted wire nuts 4 ea./small, medium and large

Packing: 144/Master, 12/Inner



S70-167

Nickel finish ball chain kit includes: 36" of chain, connector and bell

Packing: 144/Master, 12/Inner



S70-168

Brass finish ball chain kit includes: 36" of chain, connector and bell

Packing: 144/Master, 12/Inner



S70-160

2 brass finish, socket keys w/3/4" extensions, 2 per card

Packing: 144/Master, 12/Inner



S70-161

Socket replacement knobs w/3/4" extensions, 2 per card

Packing: 144/Master, 12/Inner



S70-581

Pull string with connector and bell

Packing: 144/Master, 12/Inner



S70-533

Fan pull chain includes: 5" of chain, connector and 1 1/4" wood pull

Packing: 144/Master, 12/Inner

Tassels with Chain & Connector

S70-503
5" white/4" chain

S70-521
5" gold/4" chain

S70-522
2 3/4" Black/
2 3/4" Chain

Packing: 72/Master, 6/Inner



carded Accessories



carded lighting hardware



S70-542
Medium base bakelite brown female screw plug
Packing: 72/Master, 6/Inner



S70-543
Medium base bakelite ivory female screw plug
Packing: 72/Master, 6/Inner



S70-540
Medium base bakelite pull chain current tap socket
Packing: 72/Master, 6/Inner



S70-541
Medium base bakelite single to twin lampholder
Packing: 72/Master, 6/Inner



S70-544
Medium base bakelite ivory socket adapter
Packing: 72/Master, 6/Inner



S70-545
Medium base bakelite brown socket adapter
Packing: 72/Master, 6/Inner



S70-538
Ivory vinyl cube tap
Packing: 72/Master, 6/Inner



S70-548
Brown vinyl cube tap
Packing: 72/Master, 6/Inner



S70-546
Ivory triple tap adapter
Packing: 72/Master, 6/Inner



S70-547
Brown triple tap adapter
Packing: 72/Master, 6/Inner



carded SPT-1 Cord Sets

carded lighting hardware



S70-105
8' clear gold cord set with
molded plug
Packing: 72/Master, 6/Inner



S70-101
8' brown cord set with
molded plug
Packing: 72/Master, 6/Inner



S70-102
8' black cord set with
molded plug
Packing: 72/Master, 6/Inner



S70-100
8' white cord set with
molded plug
Packing: 72/Master, 6/Inner



S70-106
8' white cord set with line switch
and molded plug
Packing: 72/Master, 6/Inner



S70-107
8' brown cord set with line switch
and molded plug
Packing: 72/Master, 6/Inner



S70-103
15' clear gold cord set
with molded plug
Packing: 72/Master, 6/Inner

carded Lamp Kits



carded lighting hardware



S70-269

Create a lamp kit,

kit includes: 10" harp, 8' brown cord
w/molded plug, push thru socket,
finial, fittings

Packing: 48/Master, 4/Inner



S70-266

Create a lamp kit,

kit includes: 10" harp, 8' white cord
w/molded plug, push thru socket,
finial, fittings

Packing: 48/Master, 4/Inner



SATCO®

carded Lamp Kits

carded lighting hardware



S70-266

Create a lamp kit,

kit includes: 10" harp, 8' white cord w/molded plug, push thru socket, finial, 3 asst. corks (will fit most bottles) and fittings

Packing: 48/Master, 4/Inner



S70-025

Bottle/candlestick adapter kit, kit includes: 8' white cord w/molded plug, push thru socket, 3 asst. corks (will fit most bottles), and fittings

Packing: 48/Master, 4/Inner

carded Dimmers



carded lighting hardware



S70-579
500 Watt white floor dimmer
with slide control
Packing: 48/Master, 4/Inner



S70-576
500 Watt post dimmer
with 2' leads
Packing: 48/Master, 4/Inner



carded Crossbar Kit

carded lighting hardware



S70-350

Brass finish screw collar loop & ring kit, 1/4 IP

Packing: 72/Master, 6/Inner



S70-352

Antique brass finish screw collar loop & ring kit, 1/4 IP

Packing: 72/Master, 6/Inner



S70-351

Chrome finish screw collar loop & ring kit, 1/4 IP

Packing: 72/Master, 6/Inner



S70-111

Universal all purpose cross bar

Packing: 144/ Master, 12/Inner



S70-110

4" cross bar with 1/4 X 3/8 hickey, 1/4 - 1/8 IP reducer 2-8/32 screws

Packing: 144/Master, 12/Inner



S70-113

4" cross bar 1/8 IP 2-8/32 screws


Packing: 144/Master, 12/Inner



S70-109

4" cross bar 1/4 IP 2-8/32 screws

Packing: 144/Master, 12/Inner



S70-112

4" offset cross bar with 2 3/8" and 3 3/8" tapped on center screw holes 2-8/32 screws

Packing: 144/Master, 12/Inner



S70-114

2 steel hickeys, one 1/8 IPS x 1/4 IP one 1/8 IPS x 1/8 IP

Packing: 144/Master, 12/Inner



S70-175

2 steel hickeys, 1/4 IP x 3/8 IP

Packing: 144/Master, 12/Inner



S70-165

2 steel ceiling outlet extensions, 1" ht., 3/8 male x 3/8 female

Packing: 144/Master, 12/Inner



S70-593

4" offset swivel cross bar with 2 3/8" and 3 3/8" tapped on center screw holes 2 - 8/32 screws

Packing: 144/Master, 12/Inner

carded Fixture Loops



carded lighting hardware



S70-255

2 brass finish female loops,
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-256

2 antique brass finish
female loops, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-257

2 black finish female loops,
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-259

2 brass finish male loops,
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-260

2 antique brass finish
male loops, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-261

2 black finish male loops,
1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-250

brass finish loops, 2 male,
2 female, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-251

antique brass finish loops 2 male loops,
2 female, 1/8 IPS, 1" O.D.

Packing: 144/Master, 12/Inner



S70-252

black finish loops, 2 male loops,
2 female, 1/8 IPS, 1" O.D.


Packing: 144/Master, 12/Inner



S70-263

Brass finish fixture pull down, female loop, 1/8 IPS, 2" O.D.


Packing: 144/Master, 12/Inner



S70-249

Brass finish female loop, 1/8 IPS, 1 1/2" O.D.

Packing: 144/Master, 12/Inner



S70-254

Antique brass finish female loop, 1/8 IPS, 1 1/2" O.D.

Packing: 144/Master, 12/Inner



S70-253

Vacuum brass finish decorative female loop, 1/8 IPS, 2" O.D.


Packing: 144/Master, 12/Inner



S70-130

2 solid brass finials, 2" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



S70-133

Brass finish acorn knob, 1 1/2" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 72/Master, 6/Inner



S70-132

Solid brass ball knob, 1 3/8" h., 1/8 IPS, supplied with one 1/4-27 reducer


Packing: 144/Master, 12/Inner



S70-131

2 vacuum brass finish plastic pyramid knobs, 2" h., 1/8 IPS, supplied with two 1/4-27 reducer

Packing: 144/Master, 12/Inner



S70-135

Brass finish finial, 2 1/4" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 144/Master, 12/Inner



S70-134

Brass finish eagle finial, 2" h., 1/8 IPS, supplied with one 1/4-27 reducer

Packing: 72/Master, 6/Inner

carded Finials & Risers



carded lighting hardware



S70-136

2 brass finish finials,
1" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



S70-137

2 brass finish finials,
1 1/2" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner



S70-142

2 brass finish risers,
1" h., 1/4-27 IPS

Packing: 72/Master, 6/Inner



S70-140

2 solid brass risers,
1" h., 1/4-27 IPS

Packing: 144/Master, 12/Inner




S70-141


2 brass finish risers,
2" h., 1/4-27 IPS

Packing: 72/Master, 6/Inner





S70-621
6 brass locknuts, 1/8 IPS
Packing: 144/Master, 12/Inner




S70-172
12 brass locknuts, 1/8 IPS
Packing: 144/Master, 12/Inner




S70-623
2 steel locknuts, 1/4 IPS
Packing: 144/Master, 12/Inner



S70-622
6 steel locknuts, 1/8 IPS
Packing: 144/Master, 12/Inner



S70-171
12 steel locknuts, 1/4 IPS
Packing: 144/Master, 12/Inner




S70-152
16 assorted steel locknuts
Packing: 144/Master, 12/Inner




S70-620
4 brass knurled locknuts, 1/8 IPS
Packing: 144/Master, 12/Inner



S70-153
12 assorted brass locknuts
Packing: 144/Master, 12/Inner



S70-155
12 assorted washers
Packing: 144/Master, 12/Inner




S70-628
4 assorted washers 1/8 slip,
2 locknuts, 1/8 IPS
Packing: 144/Master, 12/Inner

carded Fixture Hardware



carded lighting hardware



S70-660

4 brass balls,
8/32 threaded

Packing: 144/Master, 12/Inner



S70-174

2 brass knurled necks,
1/8 IPS

Packing: 144/Master, 12/Inner



S70-163

2 brass knurled necks,
slips 1/8 IPS pipe

Packing: 144/Master, 12/Inner



S70-162

2 brass couplings,
1/8 IPS


Packing: 144/Master, 12/Inner



S70-627

2 brass couplings,
1/4 IPS x 1/8 IPS

Packing: 144/Master, 12/Inner



S70-632

3 brass finish knurled thumb
screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



S70-633

3 nickel finish knurled thumb
screws, 8/32 x 1/2"

Packing: 144/Master, 12/Inner



S70-634

3 brass finish knurled thumb
screws, 8/32 x 3/4"

Packing: 144/Master, 12/Inner



S70-637

5 nickel finish round head
fixture screws, 8/32 x 2"


Packing: 144/Master, 12/Inner



S70-636

5 brass finish round head
fixture screws, 8/32 x 2"

Packing: 144/Master, 12/Inner



S70-156

13 assorted 8/32 screws

Packing: 144/Master, 12/Inner



S70-157

12 assorted brass plated
S shape hooks and rings

Packing: 144/Master, 12/Inner



carded Lamp Parts

carded lighting hardware



S70-169

2 brass lock up caps,
1/8 IPS

Packing: 144/Master, 12/Inner



S70-640

2 nickel finish lock up caps,
1/8 IPS

Packing: 144/Master, 12/Inner



S70-159

2 vacuum brass finish plastic
lock up caps, 1/8 IPS


Packing: 144/Master, 12/Inner



S70-822

2 white plastic lock up caps,
1/8 IPS


Packing: 144/Master, 12/Inner



S70-582

2 white plastic lock up caps,
1/8 IPS

Packing: 144/Master, 12/Inner



S70-154

2 Assorted brass finish check rings,
7/16 center hole


Packing: 144/Master, 12/Inner



S70-639

Nickel finish ceiling glass
lock up kit

Packing: 144/Master, 12/Inner



S70-638

Brass finish ceiling glass
lock up kit

Packing: 144/Master, 12/Inner


carded Lamp Parts



carded lighting hardware



S70-583
1/4 - 27 bulb clip
Packing: 72/Master, 6/Inner



S70-592
70 - 1/2" green felt dots
Packing: 72/Master, 6/Inner



*Regular Lamp
Harp and Holder*


- S70-219** 7" **S70-223** 11"
- S70-220** 8" **S70-224** 12"
- S70-221** 9" **S70-225** 13"
- S70-222** 10"

Packing: 72/Master, 6/Inner



carded Running Thread Nipples

carded lightning hardware




S70-270

30" long 1/8 IPS
running thread pipe
Packing: 6/Master




S70-177

6 running thread nipples,
1/4 IPS, 1 1/2" long
Packing: 144/Master, 12/Inner



S70-151

6 running thread nipples,
1/4 IPS, assorted lengths
Packing: 144/Master, 12/Inner



S70-150

8 running thread nipples,
1/8 IPS, assorted lengths
Packing: 144/Master, 12/Inner



S70-600

6 running thread nipples,
1/8 IPS, 1/2" long
Packing: 144/Master, 12/Inner




S70-176

4 running thread nipples,
1/8 IPS, 1" long
Packing: 144/Master, 12/Inner



S70-601

4 running thread nipples,
1/8 IPS, 1 1/2" long
Packing: 144/Master, 12/Inner




S70-603

2 running thread nipples,
1/8 IPS, 3" long
Packing: 144/Master, 12/Inner



S70-602

2 running thread nipples,
1/8 IPS, 2" long
Packing: 144/Master, 12/Inner



S70-605

2 running thread nipples,
1/8 IPS, 5" long
Packing: 144/Master, 12/Inner

carded Lamp Parts



carded lighting hardware



S70-273

Figurine pipe kit, brass finish adjustable from 10" - 15"

Packing: 72/Master, 6/Inner



S70-272

Pipe kit, two 12" running thread steel pipes with fittings and couplings. 1/8 IPS

Packing: 72/Master, 6/Inner

floor & Desk Lamps



*Twin Goose Neck
Desk Lamp*

60-801 White
(2) 60W A19 max.
Height: 16½"
Packing: 4/Master



*Goose Neck
Desk Lamp*

60-800 White
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master

*Goose Neck
Floor Lamp*

60-802 White
(1) 60W A19 max.
Height: 64"
Packing: 2/Master



desk lamps & specialty lighting



*Goose Neck
Floor Lamp*

60-805 Black
(1) 60W A19 max.
Height: 64"
Packing: 2/Master

*Goose Neck
Desk Lamp*

60-803 Black
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master

*Twin Goose Neck
Desk Lamp*

60-804 Black
(2) 60W A19 max.
Height: 16½"
Packing: 4/Master



*Twin Goose Neck
Desk Lamp*

60-806 Brushed Nickel
(2) 60W A19 max.
Height: 16½"
Packing: 4/Master

*Goose Neck
Desk Lamp*

60-808 Brushed Nickel
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master

*Goose Neck
Floor Lamp*

60-807 Brushed Nickel
(1) 60W A19 max.
Height: 64"
Packing: 2/Master



floor & Desk Lamps



desk lamps & specialty lighting

Clip on Goose Neck Lamp

60-816 Old Bronze
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



Large Goose Neck Desk Lamp

60-818 Old Bronze
(1) 60W A19 max.
Height: 15"
Packing: 4/Master



Small Goose Neck Desk Lamp

60-817 Old Bronze
(1) 40W S11N Included
Height: 13"
Packing: 4/Master



Goose Neck Floor Lamp

60-819 Old Bronze
(1) 60W A19 max.
Height: 64"
Packing: 2/Master





*Large Goose Neck
Desk Lamp*

60-822 Metallic Red
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master



*Clip on Goose
Neck Lamp*
60-820 Metallic Red
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



*Goose Neck
Floor Lamp*
60-823 Metallic Red
(1) 60W A19 max.
Height: 64"
Packing: 2/Master



*Small Goose
Neck Desk Lamp*
60-821 Metallic Red
(1) 40W S11N Included
Height: 13"
Packing: 8/Master

floor & Desk Lamps



desk lamps & specialty lighting

Clip on Goose Neck Lamp
60-824 Metallic Blue
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



Large Goose Neck Desk Lamp
60-826 Metallic Blue
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master



Small Goose Neck Desk Lamp
60-825 Metallic Blue
(1) 40W S11N Included
Height: 13"
Packing: 8/Master



Goose Neck Floor Lamp
60-827 Metallic Blue
(1) 60W A19 max.
Height: 64"
Packing: 2/Master





floor & Desk Lamps



desk lamps & specialty lighting



Goose Neck Floor Lamp
60-831 Brushed Nickel
(1) 60W A19 max.
Height: 64"
Packing: 2/Master



Large Goose Neck Desk Lamp
60-830 Brushed Nickel
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master



Clip on Goose Neck Lamp
60-828 Brushed Nickel
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



Small Goose Neck Desk Lamp
60-829 Brushed Nickel
(1) 40W S11N Included
Height: 13"
Packing: 8/Master

floor & Desk Lamps



desk lamps & specialty lighting



Clip on Goose Neck Lamp

60-832 White
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



Large Goose Neck Desk Lamp

60-834 White
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master




Small Goose Neck Desk Lamp

60-833 White
(1) 40W S11N Included
Height: 13"
Packing: 8/Master




Goose Neck Floor Lamp

60-835 White
(1) 60W A19 max.
Height: 64"
Packing: 2/Master



Clip on Goose Neck Lamp
60-836 Black
(1) 40W S11N Included
Height: 13"
Packing: 12/Master



Large Goose Neck Desk Lamp
60-838 Black
(1) 60W A19 max.
Height: 16½"
Packing: 4/Master



Small Goose Neck Desk Lamp
60-837 Black
(1) 40W S11N Included
Height: 13"
Packing: 8/Master



Goose Neck Floor Lamp
60-839 Black
(1) 60W A19 max.
Height: 64"
Packing: 2/Master

desk Lamps



desk lamps & specialty lighting



Clip on Goose Neck Lamp
60-840 White
(1) 40W S11N Included
Height: 13"
Packing: 8/Master



Mini Head Drafting Lamp
60-842 White
(1) 40W S11N Included
Height: 21"
Packing: 2/Master



Small Goose Neck Desk Lamp
60-841 White
(1) 40W S11N Included
Height: 13"
Packing: 8/Master



desk Lamps

desk lamps & specialty lighting



*Mini Head
Drafting Lamp*
60-845 Black
(1) 40W S11N Included
Height: 21"
Packing: 2/Master



*Clip on Goose
Neck Lamp*
60-843 Black
(1) 40W S11N Included
Height: 13"
Packing: 4/Master



*Small Goose
Neck Desk Lamp*
60-844 Black
(1) 40W S11N Included
Height: 13"
Packing: 8/Master




desk Lamps

desk lamps & specialty lighting



*Mini Head
Drafting Lamp*
60-845 Black
(1) 40W S11N Included
Height: 21"
Packing: 2/Master



*Clip on Goose
Neck Lamp*
60-843 Black
(1) 40W S11N Included
Height: 13"
Packing: 4/Master



*Small Goose
Neck Desk Lamp*
60-844 Black
(1) 40W S11N Included
Height: 13"
Packing: 8/Master

floor & Desk Lamps



*Halogen Clip on
Goose Neck Lamp*

60-851 Brushed Nickel
(1) 35W GU10 Included
Height: 13"
Packing: 12/Master



*Halogen
Pin Up Lamp*

60-852 Brushed Nickel
(1) 35W GU10 Included
Height: 13"
Packing: 12/Master



*Halogen
Clip On Lamp*

60-850 Brushed Nickel
(1) 35W GU10 Included
Height: 7"
Packing: 12/Master
Clam shell blister



*Halogen
Goose Neck
Desk Lamp*

60-853 Brushed Nickel
(1) 35W GU10 Included
Height: 13"
Packing: 8/Master



*Halogen
Goose Neck
Floor Lamp*

60-854 Brushed Nickel
(1) 35W GU10 Included
Height: 64"
Packing: 2/Master

desk lamps & specialty lighting

floor & Desk Lamps

desk lamps & specialty lighting



Small Drafting Lamp
60-863 Brushed Nickel
(1) 40W S11N Included
Height: 21"
Packing: 4/Master

Clip on Goose Neck Lamp
60-861 Brushed Nickel
(1) 40W S11N Included
Height: 13"
Packing: 8/Master

Small Goose Neck Desk Lamp
60-862 Brushed Nickel
(1) 40W S11N Included
Height: 13"
Packing: 12/Master

Goose Neck Floor Lamp
60-864 Brushed Nickel
(1) 40W S11N Included
Height: 64"
Packing: 2/Master

Clip On Lamp
60-860 Brushed Nickel
(1) 40W S11N Included
Height: 7"
Packing: 12/Master
Clam shell blister

floor & Desk Lamps



desk lamps & specialty lighting



*Halogen
Goose Neck
Desk Lamp*
60-871 Brushed Nickel
(1) 35W GU10 Included
Height: 13"
Packing: 4/Master



*Halogen
Goose Neck
Floor Lamp*
60-873 Brushed Nickel
(1) 35W GU10 Included
Height: 64"
Packing: 2/Master



*Halogen
Tri Head Goose
Neck Desk Lamp*
60-872 Brushed Nickel
(3) 35W GU10 Included
Height: 13"
Packing: 2/Master



**Swing Arm
Drafting Light**
76-358 Steel/Black
(1) 60W A19 max.
Dimensions: Maximum Ext. 34"
Packing: 6/Master
Optional mounting
clamp included



Desk Lamp
76-355 Steel/Black
(1) 60W A19 max.
Dimensions: Height 20"
Packing: 6/Master



Clip-On Light
76-357 Steel/Black
with Coiled Cord
(1) 60W A19 max.
Dimensions: Height 9"
Packing: 6/Master



Stationery items
NOT INCLUDED!

Organizer Desk Lamp
76-356 Steel/Black
(1) 60W A19 max.
Dimensions: Height 20"
Packing: 6/Master


desk Lamps



desk lamps & specialty lighting



**Goose Neck
Desk Lamp**
77-537 Black
77-538 White
(1) 60W A19 max.
Dimensions: Height 20"
Packing: 6/Master




**Clamp On Swing
Arm Drafting Light**
76-360 White
76-359 Black
(1) 60W A19 max.
Dimensions: Maximum Ext. 35"
Packing: 6/Master



3 Diopter Lens

**Clamp On Magnifier
Swing Arm Lamp**
77-437 Beige
(1) 60W A19 max.
Dimensions: Maximum Ext. 35"
Packing: 6/Master



**Flexible Goose
Neck Clip-On Lamp
with Coiled Cord**
76-226 Black
76-227 White
(1) 60W A19 max.
Dimensions: Height 9"
Packing: 12/Master



portable Spot Lights

desk lamps & specialty lighting



77-293 Almond



77-396 Brass



77-394 Black



77-395 White



77-397 Chrome



FEATURES:

- 75 watt max.
- Contemporary styling
- Multi directional aiming with positive position locking method
- Can be used as a wall mount or free standing on a table or floor
- Rotary on-off switch on back of shade
- Porcelain socket

Perfect for use as a ... Reading light
Plant or tree light
Work light
Display light



Packing: 12/Master

banker & Piano Lamps



desk lamps & specialty lighting



Brass Finish Bankers Lamp
77-698 Green Cased Glass Shade
 (1) 60W A19 max.
 Dimensions: Height 15"
 Width of shade 8"
 Packing: 6/Master



Brass Finish Bankers Lamp
77-553 Green Cased Glass Shade
 (1) 60W A19 max.
 Dimensions: Height 15"
 Width of shade 8"
 Packing: 6/Master



Brass Finish Bankers Lamp
with Dark Green Marble
77-064
 (1) 60W A19 max.
 Dimensions: Height 15"
 Width of shade 8"
 Packing: 6/Master



Brass Finish Piano Lamp
77-498
 (1) 40W T10 max.
 and arm are fully adjustable.
 Dimensions: Height 12"
 Width of shade 13"
 Packing: 6/Master



Brass Finish Piano Lamp
with Dark Green Marble
77-063
 (1) T10 40W max.
 Dimensions: Height 12"
 Width of shade 8"
 Packing: 6/Master





swing Arm Lamps

desk lamps & specialty lighting



*Brass Finish
Swing Arm Desk Lamp*

77-830 Beige Shade
77-832 White Shade

3-way socket (1)100W max.
cord and plug supplied,

Dimensions: Arm Extends 17"
Width of shade 13"

Packing: 6/Master



*Brass Finish
Swing Arm Desk Lamp*

77-662 Beige Shade
77-575 White Shade

3-way socket (1)100W max.
cord and plug supplied,

Dimensions: Arm Extends 17"
Width of shade 13"

Packing: 6/Master



*Brass Finish Swing Arm Lamp
with Dark Green Marble*

77-065

(1) 100W A19 max.

Dimensions: Height 15"
Width of shade 11"

Packing: 6/Master



*Brass Finish
Swing Arm Lamp*

77-497 Beige Shade
77-555 White Shade

(1) 100W A19 max.

Dimensions: Height 15"

Packing: 6/Master

accent Lite™




The original "Satco Accent Lite" is the thinnest adjustable shelf light that puts light right where you need it. Accent Lite's unique 360° swivel mount allows the light to be directed anywhere you want. Accent Lite will light the objects you want to light, not just the shelf. Accent Lite installs in minutes without tools and comes complete with 6-foot line cord and removable plug. Accent Lite is fully dimmable.

Accent Lite is Ideal for:

Wall Units • Stereo Cabinets • Platform Beds • China Cabinets
Book Shelves • Anywhere You Need an Accent Lite

Accent Lite is available in 10", 20", 30" and 40" sizes in polished brass, chrome, black or white finishes.



36-Piece Wall Display

33601

With order of 12-10", 20" and 30" units.
40" size not included in wall display



Counter Display

33600

Included with wall display






accent
Lite™



*Unique 360°
Swivel Mount
Directs Light
Where Needed*



*Packing: 10" & 20" sizes 12/Master
30" & 40" sizes 6/Master*



Polished Brass Finish

- S71-000 10"*
- S71-004 20"*
- S71-008 30"*
- S71-012 40"*



Polished Chrome Finish

- S71-001 10"*
- S71-005 20"*
- S71-009 30"*
- S71-013 40"*



White Finish

- S71-003 10"*
- S71-007 20"*
- S71-011 30"*
- S71-015 40"*



Black Finish

- S71-002 10"*
- S71-006 20"*
- S71-010 30"*
- S71-014 40"*

desk lamps & specialty lighting

standard Picture Lights



desk lamps & specialty lighting

SATCO standard *Picture Lights* offer exceptional value, style and quality.



7" Standard Picture Light

S72-201 Polished Brass

(1) 25 Watt frosted T10 bulb
S3251 included

Adjustable bracket,
turn switch on shade

Packing: 12/Master




14" Standard Picture Light

S72-202 Polished Brass

(2) 25 Watt frosted T10 bulb
S3251 included

Adjustable bracket,
line cord switch

Packing: 12/Master



Adjustable slide bracket controls distance of shade from painting.





deluxe Picture Lights



SATCO Deluxe Picture Lights feature telescoping brackets and adjustable swivel shades.



(1) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade,
line cord switch

7" Deluxe Picture Light

S72-203 Polished Brass Packing: 12/Master



(2) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade
line cord switch

14" Deluxe Picture Light

S72-204 Polished Brass Packing: 12/Master



(1) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade,
line cord switch

7" Deluxe Picture Light

S72-206 Antique Brass Packing: 12/Master



(2) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade
line cord switch

14" Deluxe Picture Light

S72-208 Antique Brass Packing: 12/Master



(1) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade,
line cord switch

7" Deluxe Picture Light

S72-207 Polished Chrome Packing: 12/Master




(2) 25 Watt frosted T10 bulb
S3251 included
Telescopic bracket and
adjustable swivel shade
line cord switch

14" Deluxe Picture Light

S72-209 Polished Chrome Packing: 12/Master

desk lamps & specialty lighting

slimline Picture Lights



All Slimline Picture Lights featured include the following. Ultra compact shade design. Adjustable swivel shade and telescopic bracket to adjust in or out from painting. On/off switch on line cord. Highly reflective interior finish for maximum light output.



7" Slimline Deluxe Picture Light

S72-210 Polished Brass

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade

Packing: 12/Master



14" Slimline Deluxe Picture Light

S72-213 Polished Brass

(2) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade
line cord switch

Packing: 12/Master



7" Slimline Deluxe Picture Light

S72-211 Antique Brass

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade
line cord switch

Packing: 12/Master



14" Slimline Deluxe Picture Light

S72-214 Antique Brass

(2) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade
line cord switch

Packing: 12/Master



7" Slimline Deluxe Picture Light

S72-212 White

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade
line cord switch

Packing: 12/Master



14" Slimline Deluxe Picture Light

S72-215 White

(2) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and adjustable swivel shade
line cord switch

Packing: 12/Master

desk lamps & specialty lighting



cabinet Lights



7" Slimline Cabinet Light

S72-230 Polished Brass

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and
adjustable swivel shade
line cord switch

Packing: 12/Master



7" Slimline Cabinet Light

S72-232 White

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and
adjustable swivel shade
line cord switch

Packing: 12/Master



7" Slimline Cabinet Light

S72-231 Antique Brass

(1) 15 Watt frosted T6 bulb
S3315 included
Telescopic bracket and
adjustable swivel shade
line cord switch

Packing: 12/Master



7" Cabinet Light

S72-205 Polished Brass

(1) 25 Watt frosted T10 bulb
S3251 included
Turn switch on shade

Packing: 12/Master




desk lamps & specialty lighting

picture & Cabinet Light Replacement Bulbs



desk lamps & specialty lighting



T10 Tubular
Medium Base
for Use with Standard,
Deluxe Picture and
Cabinet Lights
S3251
25 Watt Frosted
Packing: Individually Boxed,
500/Master, 25/Inner

Boxed



T10 Tubular
Medium Base
for Use with Standard,
Deluxe Picture
and Cabinet Lights
S3701
25 Watt Frosted
Packing: 1 Bulb/Card,
120 Cards/Master,
10 Cards/Inner



T6 Tubular
Candelabra Base
for Use with Slimline
Deluxe Picture
and Cabinet Lights
S3715
15 Watt Frosted
Packing: 2 Bulb/Card,
72 Cards/Master,
6 Cards/Inner



T6 Tubular
Candelabra Base
for Use with Slimline,
Deluxe Picture and
Cabinet Lights
S3315
15 Watt Frosted
Packing: Individually Boxed,
500/Master, 25/Inner

Boxed

decorative Chandeliers



chandeliers



Five Light Chandelier
With frosted ribbed shades
76-693 Textured White
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With frosted ribbed shades
76-694 Old Bronze
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With frosted ribbed shades
76-695 Brushed Nickel
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With clear ribbed shades
76-281 Polished Brass
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With clear ribbed shades
76-449 Textured White
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With clear ribbed shades
76-445 Old Bronze
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
With clear ribbed shades
76-444 Brushed Nickel
(5) 60W A19 max.
Dimensions: Width 22", Height 18", Chain 36"



Five Light Chandelier
76-280 Polished Brass
(5) 60W Type B, Cand Base max.
Dimensions: Width 18", Height 14", Chain 36"



prismatic Pendants

pendants

*Prismatic Dome
With clear ribbed glass*

76-282 Polished Brass

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With frosted ribbed glass*

76-690 Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With frosted ribbed glass*

76-691 Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With frosted ribbed glass*

76-692 Textured White

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With clear ribbed glass*

76-447 Old Bronze

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With clear ribbed glass*

76-446 Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Dome
With clear ribbed glass*

76-448 Textured White

(1) 100W A19 max.

Dimensions: Width 15",
Height 10½", Chain 36"



*Prismatic Railroad
Shade*

76-262 8" Polished Brass

Dimensions: 8", Height 7½", Chain 36"

76-263 12" Polished Brass

Dimensions: 12", Height 8", Chain 36"

76-264 15" Polished Brass

Dimensions: 15", Height 9½", Chain 36"

(1) 100W A19 max.



glass Pendants



Alabaster Glass Hanging Dome

60-390 Brushed Nickel

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



Alabaster Glass Hanging Dome

60-391 Old Bronze

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



Alabaster Glass Hanging Dome

60-392 Polished Brass

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



Alabaster Glass Hanging Dome

60-393 Textured White

(1) 100W A19 max.

Dimensions: Width 16", Height 11½", Chain 48"



10" Prismatic Cone Shade

76-254 Polished Brass

(1) 100W A19 max.

Dimensions: Width 10", Height 7¾", Chain 36"



12" Prismatic Cone Shade

76-255 Polished Brass

(1) 100W A19 max.

Dimensions: Width 12", Height 9", Chain 36"



warehouse shade *Pendants*



Black Warehouse Shade

76-284

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"



White Warehouse Shade

76-283

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"



Green Warehouse Shade

76-660

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"



Brushed Nickel Warehouse Shade

76-661

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"



Old Bronze Warehouse Shade

76-662

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"




Red Warehouse Shade

76-663

(1) 100W A19 max.

Dimensions: Width 16", Height 8 1/4", Cord 12"

foyer Hall/Bedroom



11" Flush

60-197 Brushed Nickel
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½",
Height 4¼"



11" Semi-flush

60-200 Brushed Nickel
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½",
Height 12"



13" Flush

60-198 Brushed Nickel
with Alabaster Glass

(2) 60W A19 max.

Dimensions:
Width 13¼",
Height 5¼"



13" Semi-flush

60-201 Brushed Nickel
with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼",
Height 14"



15" Flush

60-199 Brushed Nickel
with Alabaster Glass

(3) 60W A19 max.

Dimensions:
Width 15¼",
Height 6"



15" Semi-flush

60-202 Brushed Nickel
with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼",
Height 15½"



11" Semi-flush

60-216 Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 12"



11" Flush

60-213 Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11½", Height 4½"



13" Semi-flush

60-217 Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 14"



13" Flush

60-214 Polished Brass with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13¼", Height 5½"



15" Semi-flush

60-218 Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 15½"



15" Flush

60-215 Polished Brass with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15¼", Height 6"



foyer
Hall/Bedroom



foyer/hall/bedroom



11" Semi-flush
60-208 Old Bronze with Alabaster Glass
(2) 60W A19 max.
Dimensions: Width 11½", Height 12"



11" Flush
60-205 Old Bronze with Alabaster Glass
(2) 60W A19 max.
Dimensions: Width 11½", Height 4½"



13" Semi-flush
60-209 Old Bronze with Alabaster Glass
(2) 60W A19 max.
Dimensions: Width 13½", Height 14"



13" Flush
60-206 Old Bronze with Alabaster Glass
(2) 60W A19 max.
Dimensions: Width 13½", Height 5½"



15" Semi-flush
60-210 Old Bronze with Alabaster Glass
(3) 60W A19 max.
Dimensions: Width 15½", Height 15½"



15" Flush
60-207 Old Bronze with Alabaster Glass
(3) 60W A19 max.
Dimensions: Width 15½", Height 6"



11" Flush

60-221 Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 3/4", Height 4 1/2"



11" Semi-flush

60-224 Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 11 3/4", Height 12"



13" Flush

60-222 Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/4"



13" Semi-flush

60-225 Textured White with Alabaster Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 14"



15" Flush

60-223 Textured White with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 6"



15" Semi-flush

60-226 Textured White with Alabaster Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 15 1/2"



foyer Hall/Bedroom



See Pages 222 and 223
for More Swirl Glass
Flush Dome Fixtures



11" Flush

60-229 Antique Brass
with Clear Swirl Glass
(2) 60W A19 max.
Dimensions: Width 11 $\frac{1}{2}$ ",
Height 4 $\frac{1}{2}$ "



11" Semi-flush

60-232 Antique Brass
with Clear Swirl Glass
(2) 60W A19 max.
Dimensions: Width 11 $\frac{1}{2}$ ",
Height 12"



13" Flush

60-230 Antique Brass
with Clear Swirl Glass
(2) 60W A19 max.
Dimensions: Width 13 $\frac{1}{2}$ ",
Height 5 $\frac{1}{2}$ "



13" Semi-flush

60-233 Antique Brass
with Clear Swirl Glass
(2) 60W A19 max.
Dimensions: Width 13 $\frac{1}{2}$ ",
Height 14"



15" Flush

60-231 Antique Brass
with Clear Swirl Glass
(3) 60W A19 max.
Dimensions: Width 15 $\frac{1}{4}$ ",
Height 5 $\frac{1}{4}$ "



15" Semi-flush

60-234 Antique Brass
with Clear Swirl Glass
(3) 60W A19 max.
Dimensions: Width 15 $\frac{1}{4}$ ",
Height 15 $\frac{1}{2}$ "



11" Semi-flush

60-240 Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2", Height 12"



11" Flush

60-237 Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 11 1/2", Height 4 1/2"



13" Semi-flush

60-241 Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 14"



13" Flush

60-238 Antique Brass with Frosted Swirl Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Semi-flush

60-242 Antique Brass with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 15 1/2"



15" Flush

60-239 Antique Brass with Frosted Swirl Glass

(3) 60W A19 max.

Dimensions: Width 15 1/4", Height 5 1/2"



ceiling Fixtures



ceiling fixtures



11" Flush
76-243 Brushed Nickel
 with Frosted Melon Glass
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 12"



13" Flush
76-244 Brushed Nickel
 with Frosted Melon Glass
 (2) 60W A19 max.
 Dimensions: Width 13 3/4", Height 14"



15" Flush
76-245 Brushed Nickel
 with Frosted Melon Glass
 (3) 60W A19 max.
 Dimensions: Width 15 1/4", Height 15 1/2"



11" Flush
76-606 Old Bronze
 with Clear Ribbed Glass
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 4 1/2"



13" Flush
76-607 Old Bronze
 with Clear Ribbed Glass
 (2) 60W A19 max.
 Dimensions: Width 13 3/4", Height 5 1/2"



15" Flush
76-608 Old Bronze
 with Clear Ribbed Glass
 (3) 60W A19 max.
 Dimensions: Width 15 1/4", Height 5 1/2"



11" Flush
76-609 Brushed Nickel
 with Clear Ribbed Glass
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Length 12"



13" Flush
76-610 Brushed Nickel
 with Clear Ribbed Glass
 (2) 60W A19 max.
 Dimensions: Width 13 3/4", Height 14"



15" Flush
76-611 Brushed Nickel
 with Clear Ribbed Glass
 (3) 60W A19 max.
 Dimensions: Width 15 1/4", Height 15 1/2"



15" Flush
76-248 Old Bronze
with Frosted Melon Glass
(3) 60W A19 max.
Dimensions: Width 15 1/4", Height 6"



13" Flush
76-247 Old Bronze
with Frosted Melon Glass
(2) 60W A19 max.
Dimensions: Width 13 1/8", Height 5 1/8"



11" Flush
76-246 Old Bronze
with Frosted Melon Glass
(2) 60W A19 max.
Dimensions: Width 11 3/8", Height 4 1/8"

13" Semi-flush
76-433 Brushed Nickel
with Frosted Melon Glass
(2) 60W A19 max.
Dimensions: Width 13",
Height 13"



13" Semi-flush
76-434 Polished Brass
with Frosted Melon Glass
(2) 60W A19 max.
Dimensions: Width 13",
Height 13"




13" Semi-flush
76-435 Textured White
with Frosted Melon Glass
(2) 60W A19 max.
Dimensions: Width 15",
Height 13"



**15" Semi-flush
Dome**
76-436 Old Bronze
with Frosted Melon Glass
(2) 60W A19 max
Dimensions: Width 13",
Height 13"



ceiling Fixtures



ceiling fixtures



11" Flush

76-124 Polished Brass
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-126 Polished Brass
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-128 Polished Brass
with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

76-125 Textured White
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-127 Textured White
with Frosted Melon Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-129 Textured White
with Frosted Melon Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



11" Flush

76-130 Polished Brass
with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



13" Flush

76-132 Polished Brass
with Frosted Ribbed Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



15" Flush

76-134 Polished Brass
with Frosted Ribbed Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



15" Flush
76-135 Textured White
with Frosted Ribbed Glass
(3) 60W A19 max.
Dimensions: Width 15", Length 6"



13" Flush
76-133 Textured White
with Frosted Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-131 Textured White
with Frosted Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"



15" Flush
76-093 Polished Brass
with Clear Ribbed Glass
(3) 60W A19 max.
Dimensions: Width 15", Height 6"



13" Flush
76-092 Polished Brass
with Clear Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-091 Polished Brass
with Clear Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"



15" Flush
76-193 Textured White
with Clear Ribbed Glass
(3) 60W A19 max.
Dimensions: Width 15", Height 6"



13" Flush
76-192 Textured White
with Clear Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-191 Textured White
with Clear Ribbed Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"

ceiling Fixtures



11" Flush
76-194 Textured White
 with Ribbed Ice Glass
 (2) 60W A19 max.
 Dimensions: Width 11¼", Height 5"



13" Flush
76-195 Textured White
 with Ribbed Ice Glass
 (2) 60W A19 max.
 Dimensions: Width 13¼", Height 5½"



15" Flush
76-190 Textured White
 with Ribbed Ice Glass
 (3) 60W A19 max.
 Dimensions: Width 15", Height 6"



11" Flush
76-094 Polished Brass
 with Ribbed Ice Glass
 (2) 60W A19 max.
 Dimensions: Width 11¼", Height 5"



13" Flush
76-095 Polished Brass
 with Ribbed Ice Glass
 (2) 60W A19 max.
 Dimensions: Width 13¼", Height 5½"



15" Flush
76-189 Polished Brass
 with Ribbed Ice Glass
 (3) 60W A19 max.
 Dimensions: Width 15", Height 6"



11" Flush
76-027 Textured White
 with Clear Ribbed Swirl Glass
 (2) 60W A19 max.
 Dimensions: Width 11¼", Height 5"



13" Flush
76-028 Textured White
 with Clear Ribbed Swirl Glass
 (2) 60W A19 max.
 Dimensions: Width 13¼", Height 5½"



15" Flush
76-029 Textured White
 with Clear Ribbed Swirl Glass
 (3) 60W A19 max.
 Dimensions: Width 15", Height 6"

ceiling fixtures



See Pages 216 and 217
for More Swirl Glass
Flush Dome Fixtures



15" Flush
76-026 Polished Brass
with Clear Ribbed Swirl Glass
(3) 60W A19 max.
Dimensions: Width 15", Height 6"



13" Flush
76-025 Polished Brass
with Clear Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-024 Polished Brass
with Clear Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"



15" Flush
76-197 Textured White
with Frosted Ribbed Swirl Glass
(3) 60W A19 max.
Dimensions: Width 15", Height 6"



13" Flush
76-218 Textured White
with Frosted Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-196 Textured White
with Frosted Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"



15" Flush
76-097 Polished Brass
with Frosted Ribbed Swirl Glass
(3) 60W A19 max.
Dimensions: Width 15", Height 6"



13" Flush
76-214 Polished Brass
with Frosted Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush
76-096 Polished Brass
with Frosted Ribbed Swirl Glass
(2) 60W A19 max.
Dimensions: Width 11 1/4", Height 5"

ceiling Fixtures



15" Flush

76-215 Polished Brass with
Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



15" Flush

76-216 Textured White with
Clear & Frosted Glass

(3) 60W A19 max.

Dimensions: Width 15", Height 6"



13" Flush

76-099 Polished Brass with
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



13" Flush

76-199 Textured White with
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 13 1/4", Height 5 1/2"



11" Flush

76-098 Polished Brass with
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"



11" Flush

76-198 Textured White with
Clear & Frosted Glass

(2) 60W A19 max.

Dimensions: Width 11 1/4", Height 5"

ceiling fixtures



energy efficient Ceiling Fixtures

energy efficient ceiling fixtures



15" Flush Dome
Energy Saver



60-445 White with
Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



15" Flush Dome
Energy Saver



60-442 Polished Brass
with Frosted Melon Glass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 15", Length 6"



13" Flush Dome
Energy Saver



60-444 White with
Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



13" Flush Dome
Energy Saver



60-441 Polished Brass
with Frosted Melon Glass

(2) 13W Quad/G24q-1 Base max. -Included

Dimensions: Width 13", Height 5 1/2"



11" Flush Dome
Energy Saver



60-443 White with
Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"



11" Flush Dome
Energy Saver



60-440 Polished Brass
with Frosted Melon Glass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 11", Height 5 1/4"

energy efficient Ceiling Fixtures



energy efficient ceiling fixtures



15" Flush
Energy Saver

60-451 Old Bronze with
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included
Dimensions: Width 15", Height 6"



15" Flush
Energy Saver

60-448 Brushed Nickel with
Frosted Melon Glass



(2) 18W Quad/G24q-2 Base max. -Included
Dimensions: Width 15", Length 6"



13" Flush
Energy Saver

60-450 Old Bronze with
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included
Dimensions: Width 13", Height 5 1/2"



13" Flush
Energy Saver

60-447 Brushed Nickel with
Frosted Melon Glass



(2) 13W Quad/G24q-1 Base max. -Included
Dimensions: Width 13", Height 5 1/2"



11" Flush
Energy Saver

60-449 Old Bronze with
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included
Dimensions: Width 11", Height 5 1/4"



11" Flush
Energy Saver

60-446 Brushed Nickel with
Frosted Melon Glass



(1) 18W Quad/G24q-2 Base max. -Included
Dimensions: Width 11", Height 5 1/4"



ceiling Fixtures

ceiling fixtures

Small White Mushroom

76-600 Old Bronze
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small White Mushroom

76-601 Brushed Nickel
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small White Mushroom

77-060 White
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small White Mushroom

77-345 Polished Chrome
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small White Mushroom

77-059 Polished Brass
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small White Mushroom

77-921 Antique Brass
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small Clear Ribbed Mushroom

76-250 Polished Brass
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



Small Clear Ribbed Mushroom

76-251 White
(1) 60W A19 max.
Dimensions: Width 7½",
Height 5"



ceiling Fixtures



*Small Alabaster
Mushroom*

76-670 Old Bronze
(1) 60W A19 max.

*Dimensions: Width 7½",
Height 5"*



*Small Alabaster
Mushroom*

76-671 Brushed Nickel
(1) 60W A19 max.

*Dimensions: Width 7½",
Height 5"*



*Small Alabaster
Mushroom*

76-672 Polished Brass
(1) 60W A19 max.

*Dimensions: Width 7½",
Height 5"*



*Small Alabaster
Mushroom*

76-612 Textured White
(1) 60W A19 max.

*Dimensions: Width 7½",
Height 5"*



*Medium Alabaster
Mushroom*

76-673 Old Bronze
(2) 60W A19 max.

*Dimensions: Width 9½",
Height 6"*



*Medium Alabaster
Mushroom*

76-674 Brushed Nickel
(2) 60W A19 max.

*Dimensions: Width 9½",
Height 6"*



*Medium Alabaster
Mushroom*

76-675 Polished Brass
(2) 60W A19 max.

*Dimensions: Width 9½",
Height 6"*



*Medium Alabaster
Mushroom*

76-613 Textured White
(2) 60W A19 max.

*Dimensions: Width 9½",
Height 6"*

ceiling fixtures



**Medium White
Mushroom**

76-602 Old Bronze

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium White
Mushroom**

76-603 Brushed Nickel

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium White
Mushroom**

77-061 Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium White
Mushroom**

77-062 White

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium White
Mushroom**

77-346 Polished Chrome

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium White
Mushroom**

77-924 Antique Brass

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium Clear
Ribbed Mushroom**

76-252 Polished Brass

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



**Medium Clear
Ribbed Mushroom**

76-253 White

(2) 60W A19 max.

Dimensions: Width 9½",
Height 6"



ceiling Fixtures



Large White Mushroom
76-604 Old Bronze
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large White Mushroom
76-605 Brushed Nickel
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large White Mushroom
77-347 Polished Chrome
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large White Mushroom
77-987 White
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large White Mushroom
77-986 Polished Brass
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large White Mushroom
77-988 Antique Brass
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large Alabaster Mushroom
76-676 Old Bronze
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large Alabaster Mushroom
76-677 Brushed Nickel
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large Alabaster Mushroom
76-678 Polished Brass
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"



Large Alabaster Mushroom
76-614 Textured White
 (2) 60W A19 max.
 Dimensions: Width 12",
 Height 6"

ceiling fixtures



energy efficient Ceiling Fixtures

Medium White Mushroom Energy Saver



60-401 Polished Brass

(1) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 10",
Height 5"



Large White Mushroom Energy Saver



60-402 Polished Brass

(2) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 12",
Height 6 1/2"



Medium White Mushroom Energy Saver



60-403 White

(1) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 10",
Height 5"



Large White Mushroom Energy Saver



60-404 White

(2) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 12",
Height 6 1/2"



Medium White Mushroom Energy Saver



60-405 Brushed Nickel

(1) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 10",
Height 5"



Large White Mushroom Energy Saver



60-406 Brushed Nickel

(2) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 12",
Height 6 1/2"



Medium White Mushroom Energy Saver



60-407 Old Bronze

(1) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 10",
Height 5"



Large White Mushroom Energy Saver



60-408 Old Bronze

(2) 18W Quad/G24q-2
Base max. -Included

Dimensions: Width 12",
Height 6 1/2"



energy efficient ceiling fixtures

energy efficient Ceiling Fixtures



energy efficient ceiling fixtures



Medium Alabaster Mushroom Energy Saver

60-415 Old Bronze

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



Large Alabaster Mushroom Energy Saver

60-416 Old Bronze

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



Medium Alabaster Mushroom Energy Saver

60-413 Brushed Nickel

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



Large Alabaster Mushroom Energy Saver

60-414 Brushed Nickel

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



Medium Alabaster Mushroom Energy Saver

60-411 White

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



Large Alabaster Mushroom Energy Saver

60-412 White

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



Medium Alabaster Mushroom Energy Saver

60-409 Polished Brass

(1) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 10", Height 5"



Large Alabaster Mushroom Energy Saver

60-410 Polished Brass

(2) 18W Quad/G24q-2 Base max. -Included

Dimensions: Width 12", Height 6 1/2"



6" White Ball

60-245 Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" Alabaster Ball

60-255 Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" White Ball

60-247 Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" Alabaster Ball

60-257 Brushed Nickel

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" White Ball

77-108 Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" Alabaster Ball

60-259 Old Bronze

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" White Ball

77-110 Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" Clear Ribbed Ball

76-256 Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" White Ball

77-947 White

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



6" Clear Ribbed Ball

76-257 White

(1) 60W A19 max.

Dimensions: Width 6", Height 7¼"



ceiling Fixtures



8" White Ball
77-109 Polished Brass
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" White Ball
77-111 Polished Chrome
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" White Ball
77-948 White
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" White Ball
60-246 Brushed Nickel
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" White Ball
60-248 Old Bronze
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



**8" White Ball with
 Pull Chain Switch**
60-295 Polished Brass
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" Clear Ribbed Ball
76-258 Polished Brass
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"



8" Clear Ribbed Ball
76-259 White
 (1) 60W A19 max.
 Dimensions: Width 8", Height 9 1/4"

ceiling fixtures



ceiling Fixtures

ceiling fixtures



8" Alabaster Ball
60-256 Polished Brass
 (1) 60W Type A19 max.
 Dimensions:
 Width 8", Height 9 1/4"



8" Alabaster Ball
60-258 Brushed Nickel
 (1) 60W Type A19 max.
 Dimensions:
 Width 8", Height 9 1/4"



8" Alabaster Ball
60-260 Old Bronze
 (1) 60W Type A19 max.
 Dimensions:
 Width 8", Height 9 1/4"

energy efficient Ceiling Fixtures

**8" White Ball
Energy Saver**
60-430 White
 (1) 13W Quad/G24q-1
 Base max. -Included
 Dimensions: Width 8",
 Height 9 1/4"



**8" White Ball
Energy Saver**
60-431 Polished Brass
 (1) 13W Quad/G24q-1
 Base max. -Included
 Dimensions: Width 8",
 Height 9 1/4"



**8" White Ball
Energy Saver**
60-432 Brushed Nickel
 (1) 13W Quad/G24q-1
 Base max. -Included
 Dimensions: Width 8",
 Height 9 1/4"



**8" White Ball
Energy Saver**
60-433 Old Bronze
 (1) 13W Quad/G24q-1
 Base max. -Included
 Dimensions: Width 8",
 Height 9 1/4"



ceiling Fixtures



*Small Crystal/
White Drum*

77-097 White

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



*Small Crystal/
White Drum*

77-100 Polished Chrome

(1) 60W A19 max.

Dimensions: Width 6", Height 5"



*Medium Crystal/
White Drum*

77-098 White

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Medium Crystal/
White Drum*

77-101 Polished Chrome

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Large Crystal/
White Drum*

77-099 White

(2) 60W A19 max.

Dimensions: Width 8", Height 6"



*Large Crystal/
White Drum*

77-102 Polished Chrome

(2) 60W A19 max.

Dimensions: Width 10", Height 7"



*Small Frosted
Grape Mushroom*

77-123 Polished Brass

(1) 60W A19 max.

Dimensions: Width 6", Height 5"

ceiling fixtures



Small White Drum
77-342 Polished Chrome
(1) 60W A19 max.
Dimensions: Width 6", Height 5"



Clear Pineapple Glass
77-125 Polished Brass
(1) 60W A19 max.
Dimensions: Width 5½", Height 7"



Medium White Drum
77-343 Polished Chrome
(2) 60W A19 max.
Dimensions: Width 8", Height 6"



Clear Hobnail Squat Ball
77-124 Polished Brass
(1) 60W A19 max.
Dimensions: Width 5½", Height 5"




Large White Drum
77-344 Polished Chrome
(2) 60W A19 max.
Dimensions: Width 10", Height 7"



Clear Bottom Squat Ball
77-122 Polished Brass
(1) 60W A19 max.
Dimensions: Width 5½", Height 5"



ceiling Fixtures



Round Grape Design
76-268 White Holder
 (2) 60W A19 max.
 Dimensions: Width 12", Height 4 3/4"



Round Sunburst Design
76-269 White Holder
 (2) 60W A19 max.
 Dimensions: Width 12", Height 4 3/4"



White Round
77-823 White Holder
 (2) 60W A19 max.
 Dimensions: Width 12", Height 4 3/4"



*Square Wheat Design/
 Ruffled Edge*
76-270 White Holder
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 4 3/4"



Square Floral Design
77-126 White Holder
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 4 3/4"



*Square Floral Design
 With Pull Chain Switch*
76-392 White Holder
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 4 3/4"



White Square
77-824 White Holder
 (2) 60W A19 max.
 Dimensions: Width 11 3/4", Height 4 3/4"

ceiling fixtures



1 Light R20 Step Cylinder

76-401 Polished Brass

(1) 50W R20 / 50W PAR20 Halogen
Dimensions: Height 9", Canopy 5"



1 Light R20 Step Cylinder

76-400 White

(1) 50W R20 / 50W PAR20 Halogen
Dimensions: Height 9", Canopy 5"



1 Light R30 Step Cylinder

76-406 White

(1) 75W BR30 / 50W PAR30/Longneck Halogen
Dimensions: Height 9", Canopy 5"



1 Light R30 Step Cylinder

76-407 Polished Brass

(1) 75W BR30 / 50W PAR30/Longneck Halogen
Dimensions: Height 9", Canopy 5"



2 Light R20 Step Cylinder

76-402 White

(2) 50W R20 / 50W PAR30 Halogen
Dimensions: Height 9", Canopy 9X5 1/2" Width 14"



2 Light R20 Step Cylinder

76-403 Polished Brass

(2) 50W R20 / 50W PAR30 Halogen
Dimensions: Height 9", Canopy 9X5 1/2" Width 14"



2 Light R30 Step Cylinder

76-409 Polished Brass

(2) 75W BR30 / 50W PAR30/Longneck Halogen
Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



2 Light R30 Step Cylinder

76-408 White

(2) 75W BR30 / 50W PAR30/Longneck Halogen
Dimensions: Height 9", Canopy 9X5 1/2", Width 14"



ceiling Fixtures



ceiling fixtures



3 Light R20 Step Cylinder
76-405 Polished Brass
 (3) 50W R20 / 50W PAR20 Halogen
 Dimensions: Height 8", Canopy 10", Width 16"



3 Light R20 Step Cylinder
76-404 White
 (3) 50W R20 / 50W PAR20 Halogen
 Dimensions: Height 8", Canopy 10", Width 16"



3 Light R30 Step Cylinder
76-410 White
 (3) 50W BR30 / 50W PAR20 Halogen
 Dimensions: Height 8", Canopy 10", Width 16"



3 Light R30 Step Cylinder
76-411 Polished Brass
 (3) 75W BR30 / 50W PAR30 Halogen
 Dimensions: Height 9", Canopy 10", Width 18"



1 Light R20 Straight Cylinder
76-413 Polished Brass
 (1) 50W R20 / 50W PAR20 Halogen
 Dimensions: Height 8 1/2", Canopy 5"



1 Light R20 Straight Cylinder
76-412 White
 (1) 50W R20 / 50W PAR20 Halogen
 Dimensions: Height 8 1/2", Canopy 5"



1 Light R30 Straight Cylinder
76-418 White
 (1) 75W BR30 / 50W PAR30 Halogen
 Dimensions: Height 9", Canopy 5"



1 Light R30 Straight Cylinder
76-419 Polished Brass
 (1) 75W BR30 / 50W PAR30 Halogen
 Dimensions: Height 9", Canopy 5"



**2 Light R20
Straight Cylinder**

76-415 Polished Brass

(2) 50W R20 / 50W
PAR20 Halogen

Dimensions: Height 8½",
Canopy 9X5½", Width 14"



**2 Light R20
Straight Cylinder**

76-414 White

(2) 50W R20 / 50W
PAR20 Halogen

Dimensions: Height 8½",
Canopy 9X5½", Width 14"



**2 Light R30
Straight Cylinder**

76-420 White

(2) 75W BR30 / 50W
PAR30 Halogen

Dimensions: Height 10",
Canopy 9X5½", Width 14"



**2 Light R30
Straight Cylinder**

76-421 Polished Brass

(2) 75W BR30 / 50W
PAR30 Halogen

Dimensions: Height 10",
Canopy 9X5½", Width 14"



**3 Light R20
Straight Cylinder**

76-417 Polished Brass

(3) 50W R20 / 50W
PAR20 Halogen

Dimensions: Height 8½",
Canopy 10", Width 14"



**3 Light R20
Straight Cylinder**

76-416 White

(3) 75W BR30 / 50W
PAR30 Halogen

Dimensions: Height 8½",
Canopy 10", Width 14"



**3 Light R30
Straight Cylinder**

76-422 White

(3) 75W BR30 / 50W
PAR30 Halogen

Dimensions: Height 10",
Canopy 10", Width 18"



**3 Light R30
Straight Cylinder**

76-423 Polished Brass

(3) 75W BR30 / 50W
PAR30 Halogen

Dimensions: Height 10",
Canopy 10", Width 18"



vanity & Wall Fixtures



Ballerina Two Light 18" Vanity

60-320 Brushed nickel

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



Ballerina Three Light 24" Vanity

60-321 Brushed nickel

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



Ballerina Four Light 30" Vanity

60-322 Brushed nickel

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



Ballerina Five Light 36" Vanity

60-323 Brushed nickel

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



Ballerina Seven Light 48" Vanity

60-291 Brushed nickel

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"



Ballerina Two Light 18" Vanity

60-324 Old Bronze

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/4", Extension 8 1/2"



Ballerina Three Light 24" Vanity

60-325 Old Bronze

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/4", Extension 8 1/2"



Ballerina Four Light 30" Vanity

60-326 Old Bronze

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/4", Extension 8 1/2"



Ballerina Five Light 36" Vanity

60-327 Old Bronze

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/4", Extension 8 1/2"



Ballerina Seven Light 48" Vanity

60-292 Old Bronze

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/4", Extension 8 1/2"



vanity & wall fixtures



vanity & Wall Fixtures



Ballerina Two Light 18" Vanity

60-332 Textured White

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/8", Extension 8 1/2"



Ballerina Three Light 24" Vanity

60-333 Textured White

(2) 100W A19 max.

Dimensions: Width 24", Height 7 1/8", Extension 8 1/2"



Ballerina Four Light 30" Vanity

60-334 Textured White

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/8", Extension 8 1/2"



Ballerina Five Light 36" Vanity

60-335 Textured White

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/8", Extension 8 1/2"



Ballerina Seven Light 48" Vanity

60-294 Textured White

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/8", Extension 8 1/2"



Ballerina Two Light 18" Vanity

60-316 Polished Chrome

(2) 100W A19 max.

Dimensions: Width 18", Height 7 1/8", Extension 8 1/2"



Ballerina Three Light 24" Vanity

60-317 Polished Chrome

(3) 100W A19 max.

Dimensions: Width 24", Height 7 1/8", Extension 8 1/2"



Ballerina Four Light 30" Vanity

60-318 Polished Chrome

(4) 100W A19 max.

Dimensions: Width 30", Height 7 1/8", Extension 8 1/2"



Ballerina Five Light 36" Vanity

60-319 Polished Chrome

(5) 100W A19 max.

Dimensions: Width 36", Height 7 1/8", Extension 8 1/2"



Ballerina Seven Light 48" Vanity

60-290 Polished Chrome

(7) 100W A19 max.

Dimensions: Width 48", Height 7 1/8", Extension 8 1/2"

vanity & Wall Fixtures



Ballerina Two Light 18" Vanity

60-328 Polished Brass

(2) 100W A19 max.

Dimensions: Width 18", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



Ballerina Three Light 24" Vanity

60-329 Polished Brass

(3) 100W A19 max.

Dimensions: Width 24", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



Ballerina Four Light 30" Vanity

60-330 Polished Brass

(4) 100W A19 max.

Dimensions: Width 30", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



Ballerina Five Light 36" Vanity

60-331 Polished Brass

(5) 100W A19 max.

Dimensions: Width 36", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



Ballerina Seven Light 48" Vanity

60-293 Polished Brass

(7) 100W A19 max.

Dimensions: Width 48", Height 7 $\frac{1}{2}$ ", Extension 8 $\frac{1}{2}$ "



18" Three Light Vanity Strip

60-304 Old Bronze

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 $\frac{1}{4}$ ",
Extension 2" (less lamp)



24" Four Light Vanity Strip

60-305 Old Bronze

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 $\frac{1}{4}$ ",
Extension 2" (less lamp)



36" Six Light Vanity Strip

60-306 Old Bronze

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 $\frac{1}{4}$ ",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

60-307 Old Bronze

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 $\frac{1}{4}$ ",
Extension 2" (less lamp)



vanity & wall fixtures



vanity & Wall Fixtures

vanity & wall fixtures



18" Three Light Vanity Strip

60-300 Brushed Nickel

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

60-301 Brushed Nickel

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

60-302 Brushed Nickel

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

60-303 Brushed Nickel

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)



18" Three Light Vanity Strip

60-296 Polished Chrome

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

60-297 Polished Chrome

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

60-298 Polished Chrome

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

60-299 Polished Chrome

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)

vanity & Wall Fixtures



18" Three Light Vanity Strip

60-308 Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

60-309 Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

60-310 Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

60-311 Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)



18" Three Light Vanity Strip

60-312 Textured White

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

60-313 Textured White

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

60-314 Textured White

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

60-315 Textured White

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)



vanity & wall fixtures



vanity & Wall Fixtures

vanity & wall fixtures



18" Three Light Vanity Strip

77-192 Polished Chrome

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

77-193 Polished Chrome

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

77-194 Polished Chrome

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)



48" Eight Light Vanity Strip

77-195 Polished Chrome

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)



18" Three Light Vanity Strip

77-188 Polished Brass

(3) 100W Type G / Med. base max.

Dimensions: Width 18", Height 4 1/4",
Extension 2" (less lamp)



24" Four Light Vanity Strip

77-189 Polished Brass

(4) 100W Type G / Med. base max.

Dimensions: Width 24", Height 4 1/4",
Extension 2" (less lamp)



36" Six Light Vanity Strip

77-190 Polished Brass

(6) 100W Type G / Med. base max.

Dimensions: Width 36", Height 4 1/4",
Extension 2" (less lamp)




48" Eight Light Vanity Strip

77-191 Polished Brass

(8) 100W Type G / Med. base max.

Dimensions: Width 48", Height 4 1/4",
Extension 2" (less lamp)

vanity & Wall Fixtures



14" White "U" Channel Glass
77-990 White / With Convenience Outlet
77-087 White / Without Convenience Outlet
(2) 60W A19 max.
Dimensions: Width 14", Height 4 3/4", Extension 4 1/4"



24" White "U" Channel Glass
77-991 White / With Convenience Outlet
77-088 White / Without Convenience Outlet
(4) 60W A19 max.
Dimensions: Width 24", Height 4 3/4", Extension 4 1/4"



14" Diamond "U" Channel Glass
76-276 White / Without Convenience Outlet
(2) 60W A19 max.
Dimensions: Width 14", Height 4 3/4", Extension 4 1/4"



24" Diamond "U" Channel Glass
76-277 White / Without Convenience Outlet
(4) 60W A19 max.
Dimensions: Width 24", Height 4 3/4", Extension 4 1/4"

vanity & wall fixtures



7" Diamond "U" Channel Glass
76-273 White / With Bottom Turn Knob Switch
 (1) 60W A19 max.
Dimensions: Width 4½", Height 7½", Extension 4¼"



7" White "U" Channel Glass
77-989 White / With Bottom Turn Knob Switch
77-086 White/Without Switch
 (1) 60W A19 max.
Dimensions: Width 4½", Height 7½", Extension 4¼"



Hooded Grape Shade
77-120 Polished Brass / With Bottom Turn Knob Switch
 (1) 60W A19 max.
Dimensions: Width 4½", Height 8", Extension 5"



Crystal Bottom Bath Shade
77-121 Chrome / With Convenience Outlet
 (1) 60W A19 max.
Dimensions: Width 4½", Height 4¼", Extension 6¼"



Frosted Grape Shade
77-118 Polished Brass / With Bottom Turn Knob Switch
 (1) 60W A19 max.
Dimensions: Width 4½", Height 7¾", Extension 4¼"

poly Lanterns



Coach Wall Lantern
with Brass Trimmed Acrylic Panels

77-896 Black
77-897 White
(1) 60W A19 max.

*Dimensions: Height 17", Extension 8",
Diameter 7 1/4", Top to Outlet 12"*



Hex Dome Wall Lantern
with Clear Acrylic Panels

77-804 Black
77-805 White
(1) 60W A19 max.

*Dimensions: Height 17 1/2", Extension 8",
Diameter 8", Top to Outlet 12"*



Mansard Wall Lantern
with Textured Acrylic Panels

77-852 Black
77-853 White
(1) 60W A19 max.

*Dimensions: Height 17 1/2", Extension 8",
Diameter 8", Top to Outlet 12"*



Swirl Dome Wall Lantern
with Clear Acrylic Panels

77-854 Black
77-855 White
(1) 60W A19 max.

*Dimensions: Height 17 1/2", Extension 8 1/2",
Diameter 8", Top to Outlet 12"*



Coach Post Lantern
with Brass Trimmed Acrylic Panels

77-898 Black
77-899 White
(1) 60W A19 max.

*Dimensions: Height 12 1/2",
Extension 8", Diameter 7 1/4"*



Hex Dome Post Lantern
with Clear Acrylic Panels

77-806 Black
77-807 White
(1) 60W A19 max.

Dimensions: Height 13 1/2", Diameter 8"

poly lanterns



Oval Cage
with Poly Body and Lens

77-857 Black

77-858 White

(1)75W A19 max.

Dimensions: Height 10", Width 5",
Extension 4"



Round Cage
with Poly Body and Lens

77-859 Black

77-861 White


(1)75W A19 max.

Dimensions: Height 10", Extension 4"



Round Cage
Energy Saver

with Poly Body and Lens

 77-892 Black

 77-893 White

(2) 9W Twin/G23 base max. Included

Dimensions: Height 10", Extension 4"



Oval Cage
Energy Saver

with Poly Body and Lens

 77-894 Black

 77-895 White

(1) 9W Twin/G23 base max. Included

Dimensions: Height 10", Width 5", Extension 4"

industrial style Surface Mounts



industrial style surface mounts



Large Old Bronze
76-627 (1) 200W A Type max.
Dimensions: Height 11", Diameter 5½"



Large Metallic Silver
76-626 (1) 200W A Type max.
Dimensions: Height 11", Diameter 5½"



Large White
76-618 (1) 200W A Type max.
Dimensions: Height 11", Diameter 5½"



Small Old Bronze
76-625 (1) 100W A Type max.
Dimensions: Height 9", Diameter 4¼"



Small Metallic Silver
76-624 (1) 100W A Type max.
Dimensions: Height 9", Diameter 4¼"



Small White
76-616 (1) 100W A Type max.
Dimensions: Height 9", Diameter 4¼"

FEATURES

CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Supplied
- Suitable for Residential Use Without Junction Box



industrial style Wall Mounts

industrial style wall mounts



Large White

76-617 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Metallic Silver

76-622 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Large Old Bronze

76-623 (1) 300W A Type max.

Dimensions: Height 11", Diameter 5 1/2"



Small White

76-615 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Metallic Silver

76-620 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



Small Old Bronze

76-621 (1) 150W A Type max.

Dimensions: Height 9 1/2", Diameter 4 1/4"



76-651

76-650

76-652

Die-Cast Junction Box
(Can be added to wall fixture)

FEATURES

WALL MOUNTED FIXTURES

- Die-Cast Aluminum
- Frosted Glass Globe with Gasket
- Die Cast Junction Box Available For Surface Mount Installations
- Suitable for Residential Use Without Junction Box

carport Flush Mounts



**Small Poly Frame
Black**
Frosted Acrylic Panels
77-863
(1) 60W A19 max.
Dimensions: Width 8¼",
Height 4½"



**Small Poly Frame
White**
Frosted Acrylic Panels
77-835
(1) 60W A19 max.
Dimensions: Width 8¼",
Height 4½"



**Large Poly Frame
White**
Frosted Acrylic Panels
77-879
(2) 60W A19 max.
Dimensions: Width 10¼",
Height 5½"



**Large Poly Frame
Black**
Frosted Acrylic Panels
77-891
(2) 60W A19 max.
Dimensions: Width 10¼",
Height 5½"



**Metal Frame
Black**
Textured Frosted Glass
60-473
(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
White**
Textured Frosted Glass
60-470
(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
Polished Brass Finish**
Textured Frosted Glass
60-471
(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"



**Metal Frame
Old Bronze**
Textured Frosted Glass
60-472
(2) 60W A19 max.
Dimensions: Width 9¼",
Height 5"

carport flush mounts



utility Fixtures

UTILITY LIGHTING
WALL & CEILING MOUNTED FIXTURES

- Die-Cast Aluminum
- White Glass with Gasket
- U.L. Wet Location Listed
- Suitable for Residential Use

utility fixtures



Wall Mount with
White Glass Cylinder
77-137 Black
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-136 Satin Aluminum
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-138 Bronztotic
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Wall Mount with
White Glass Cylinder
77-530 White
(1) 100W A19 max.
Dimensions: Height 8",
Diameter 4 1/4", Extension 6"



Ceiling Mount with
White Glass Globe
77-157 Black
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-152 Satin Aluminum
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-153 Bronztotic
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Ceiling Mount with
White Glass Globe
77-532 White
(1) 60W A19 max.
Dimensions: Height 7 1/4",
Diameter 6"



Wall Mount with
White Glass Globe
77-140 Black
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-139 Satin Aluminum
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-141 Bronztotic
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Wall Mount with
White Glass Globe
77-531 White
(1) 100W A19 max.
Dimensions: Height 7 1/4",
Diameter 6", Extension 7"



Ceiling Mount with
White Glass Cylinder
77-154 Black
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-155 Satin Aluminum
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-156 Bronztotic
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"



Ceiling Mount with
White Glass Cylinder
77-533 White
(1) 60W A19 max.
Dimensions: Height 8",
Diameter 4 1/4"

porch Wall Fixtures



porch wall fixtures



White Globe
77-993 Polished Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-996 Polished Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



White Globe
77-992 Black
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-119 Black
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



White Globe
77-994 Antique Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Clear Mason Jar
77-995 Antique Brass Finish
(1) 60W A19 max.
Dimensions: Diameter 5½",
Height 8½", Extension 6"



Frosted Mason Jar

76-702 Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe

76-704 Gloss White

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



Frosted Mason Jar

76-700 Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe

76-703 Old Bronze

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



Frosted Mason Jar

76-701 Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



White Globe

76-705 Brushed Nickel

(1) 60W A19 max.

*Dimensions: Diameter 5½",
Height 8½", Extension 6"*



porch Wall Fixtures



porch wall fixtures



Clear Mason Jar with Photoelectric Sensor
77-856 Black
 (1) 60W A19 max.
 Dimensions: Diameter 4½",
 Height 6", Extension 6"



Clear Mason Jar with Photoelectric Sensor
77-862 White
 (1) 60W A19 max.
 Dimensions: Diameter 4½",
 Height 6", Extension 6"



Lexan Globe with Photoelectric Sensor Energy Saver
77-750 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Globe with Photoelectric Sensor Energy Saver
77-751 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Cylinder with Photoelectric Sensor Energy Saver
77-748 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Cylinder with Photoelectric Sensor Energy Saver
77-749 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Globe Energy Saver
77-728 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Globe Energy Saver
77-729 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 6",
 Height 8", Extension 7¼"



Lexan Cylinder Energy Saver
77-726 Black
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



Lexan Cylinder Energy Saver
77-727 White
 Requires (1) 13W Quad tube
 GX23-2 Base max.
 Dimensions: Diameter 4",
 Height 8", Extension 6"



exterior Floodlights

exterior flood lights



One Light PAR Floodlight
77-702 Gray
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-494 Bronze
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-487 White
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"



One Light PAR Floodlight
77-700 Black
(1) 150W PAR38 max.
Dimensions: Width 4½",
Extension 8"

**HEAVY DUTY
CAST ALUMINUM**

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

exterior Floodlights



Two Light PAR Floodlight

77-495 Bronze

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-703 Gray

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-701 Black

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"



Two Light PAR Floodlight

77-488 White

(2) 150W PAR38 max.

Dimensions: Width 15", Extension 8"

**HEAVY DUTY
CAST ALUMINUM**

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket



exterior Floodlights



Twin Floodlight with Motion Sensor

76-502 White **76-503** Black

(2) 150W PAR38 max.

Dimensions: Width 10", Extension 9 1/2"



Twin Floodlight with Motion Sensor

76-530 White **76-531** Black

(2) 150W PAR38 max.

Dimensions: Width 14", Extension 9 1/2"

*One Light PAR
Floodlight Holder*

76-520 White

76-521 Black

(1) 150W PAR38 max.

Dimensions: Width 4 1/2",
Extension 5"



*Two Light PAR
Floodlight Holder*

76-522 White

76-523 Black

(2) 150W PAR38 max.

Dimensions:
Width 10",
Extension 5"



*One Light
"Quick Mount"
Adjustable Par Holder*

76-682 White

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*One Light
"Quick Mount"
Adjustable Par Holder*

76-683 Bronze

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*Two Light
"Quick Mount"
Adjustable Par Holder*

76-684 White

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



*Two Light
"Quick Mount"
Adjustable Par Holder*

76-685 Bronze

(2) 150W PAR38 max.

Dimensions:
Width 14", Extension 9 1/2"



SENSOR FEATURES

- 110° x 15M Sensor range
- 5 sec. to 18 min. delay control
- Adjustable daylight control
- Manual override feature

*Add On
Motion Sensor*

Fits 1/2" Threaded Knockouts

76-500 White

76-501 Black



exterior flood lights

exterior Floodlights



exterior flood lights




Mini Halogen Floodlight

76-510 White

76-511 Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 3 1/4", Extension 8"



Twin Mini Halogen Floodlight

76-512 White

76-513 Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 3 1/4", Extension 8"



*Mini Halogen Floodlight
with Motion Sensor*

76-504 White

76-505 Black

(1) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 5", Height 6", Extension 8"



*Twin Mini Halogen Floodlight
with Motion Sensor*

76-506 White

76-507 Black

(2) 150W Type J 78mm Halogen bulb - Included

Dimensions: Width 15", Height 7", Extension 8"

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

SENSOR FEATURES

- 110° x 15M Sensor range
 - 5 sec. to 18 min. delay control
- Manual override feature



exterior Floodlights

exterior flood lights



Large Halogen FloodLight

76-515 Black

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 10", Extension 10"



Large Halogen FloodLight

76-514 White

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 10", Extension 10"



Large Halogen FloodLight
with Motion Sensor

76-509 Black

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 12", Extension 10"



Large Halogen FloodLight
with Motion Sensor

76-508 White

(1) 300W Type J 118mm Halogen bulb - Included
Dimensions: Width 7¼" Height 12", Extension 10"

FEATURES

- Contemporary styling
- Heavy duty cast aluminum construction
 - Adjustable swivels
 - Weather proof gasket

SENSOR FEATURES

- 110° x 15M Sensor range
 - 5 sec. to 18 min. delay control
- Manual override feature

landscape Floods



PAR16 Floodlight

76-645 Dark Bronze

(1) 60W PAR16 max.

Dimensions: Diameter 2 1/8", Length 5 1/2"



PAR20 Floodlight

76-646 Dark Bronze

(1) 75W PAR20 max.

Dimensions: Diameter 2 3/8", Length 6 1/4"



PAR30 Floodlight

76-647 Dark Bronze

(1) 75W PAR30 (Longneck) max.

Dimensions: Diameter 4 1/4", Length 11 1/2"



PAR38 Floodlight

76-648 Dark Bronze


(1) 150W PAR38 max.

Dimensions: Diameter 5 1/4", Length 12 1/2"

Landscape Floods

Incandescent Flood Lights

- Die-cast aluminum
- With hood and weatherproof gasket
 - Stainless Steel Screws
- For uplighting trees, foliage, statues...



PAR16 Floodlight
76-655 Antique Verdi
 (1) 60W PAR16 max.
 Dimensions:
 Diameter 2 1/4",
 Length 5 1/4"



PAR30 Floodlight
76-657 Antique Verdi
 (1) 75W PAR30
 (Longneck) max.
 Dimensions:
 Diameter 4 1/4",
 Length 11 1/2"



PAR20 Floodlight
76-656 Antique Verdi
 (1) 75W PAR20 max.
 Dimensions:
 Diameter 2 3/4",
 Length 6 1/4"



PAR38 Floodlight
76-658 Antique Verdi
 (1) 150W PAR38 max.
 Dimensions:
 Diameter 5 1/2",
 Length 12 1/2"



Mounting Plates
 Die Cast
76-665 1 Light / Dark Bronze



Mounting Plates
 Die Cast
76-667 1 Light / Antique Verdi



Mounting Plates
 Die Cast
76-666 2 Light / Dark Bronze



Mounting Plates
 Die Cast
76-668 2 Light / Antique Verdi



Landscape Floodlight
 Mounting Plates

- Convert Any Landscape Floodlight into a Wall Mounted Security Floodlight
- U.L. Listed for Dual Applications



Hardware and gasket included with mounting plates.

pathway Lighting



pathway lighting

Two Louver Small Hood

76-632 Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 6 1/8"



Two Louver Small Hood

77-323 Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 6 1/8"



Two Louver Large Hood

76-635 Old Bronze

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 9 3/8"



Two Louver Large Hood

76-634 Green

(1) 75W A19 max.

Dimensions: Height 7 1/8",
Diameter 9 3/8"



Three Louver Small Hood

76-633 Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 6 1/8"



Three Louver Small Hood

77-324 Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 6 1/8"



Three Louver Large Hood

76-637 Old Bronze

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 9 3/8"



Three Louver Large Hood

76-636 Green

(1) 100W A19 max.

Dimensions: Height 8 3/8",
Diameter 9 3/8"



All Pathway Lighting Fixtures Supplied
with 1/2" Couplings for Use with
Mounting Posts on the Following Page.



mounting Posts

PVC Mounting Post

- 2" & 3" Wide cap • 1/2" Female thread
- 18" High • Ground wire attached
- Stabilizer bar included
- Cast aluminum cap included



2" Diameter PVC Mounting Post
76-638
 Green Finish
 Dimensions: Height 18", Diameter 2"



2" Diameter PVC Mounting Post
76-639
 Old Bronze Finish
 Dimensions: Height 18", Diameter 2"



3" Diameter PVC Mounting Post
76-641
 Dark Bronze
 Dimensions: Height 18", Diameter 3"



2" Diameter PVC Mounting Post
76-640
 Dark Bronze Finish
 Dimensions: Height 18", Diameter 2"



2" Diameter PVC Mounting Post
76-644
 Verdi Finish
 Dimensions: Height 18", Diameter 2"



3" Diameter PVC Mounting Post
76-664
 Verdi Finish
 Dimensions: Height 18", Diameter 3"



12" X 1/2" Steel Mounting Post
 Threaded on Both Ends
90-1278
 Green Finish



12" X 1/2" Steel Mounting Post
 Threaded on Both Ends
90-1279
 Old Bronze Finish



mounting posts

twist Lock Globes



White Acrylic Globe

	Dia.	Fitter
50-784	10"	4"
50-785	12"	5 1/4"
50-786	14"	5 1/4"
50-787	16"	5 1/4"



White Acrylic Cube

	Dia.	Fitter
50-796	10"	5 1/4"



Smoke Acrylic Globe

	Dia.	Fitter
50-780	10"	4"
50-781	12"	5 1/4"
50-782	14"	5 1/4"
50-783	16"	5 1/4"



Smoke Acrylic Cube

	Dia.	Fitter
50-797	10"	5 1/4"



Clear Stripe Acrylic Globe

	Dia.	Fitter
50-788	10"	4"
50-789	12"	5 1/4"
50-790	14"	5 1/4"
50-791	16"	5 1/4"



Clear Acrylic Cube

	Dia.	Fitter
50-798	10"	5 1/4"



*Shown: 50-781 Globe
with 77-969 Holder*



twist lock globes



Twist Lock Globes

White Acrylic Elliptical

50-800 Dia. Fitter
16"x10" 5 1/4"



Smoke Acrylic Elliptical

50-799 Dia. Fitter
16"x10" 5 1/4"



*Clear Stripe
Acrylic Elliptical*

50-801 Dia. Fitter
16"x10" 5 1/4"



Clear Acrylic Elliptical

50-802 Dia. Fitter
16"x10" 5 1/4"



White Acrylic Pear

50-794 Dia. Fitter
12" 5 1/4"



Smoke Acrylic Pear

50-792 Dia. Fitter
12" 5 1/4"



Choose a globe and holder to create a complete fixture. Globe and holders sold separately. All acrylic globes have 1/4 turn twist lock notched holders for easy relamping. Holders are available in compact fluorescent and incandescent versions to fit all standard 3" posts and pier mount bases.



Shown:
50-801 Globe with
SF77-998 Holder

Also Shown:
50-726 Clear
Prismatic Cylinder

twist lock globes

twist lock Globes



Clear Acrylic Pear

50-793 Dia. 12" Fitter 5 1/4"




Clear Stripe Acrylic Pear

50-795 Dia. 12" Fitter 5 1/4"



twist lock Holders




Incandescent



4" Holders	5 1/4" Holders
77-692 Black	77-968 Black
77-693 White	77-969 White

Incandescent Max. Wattages:
10" Globes-60 watt max.
12" to 14"-100 watt max.
16"-150 watt max.



Compact Fluorescent




4" Holders	5 1/4" Holders
77-949 Black	77-998 Black
77-967 White	77-999 White

All compact fluorescent holders accommodate 13W Twin Tube GX23-2 base max.

twist lock globes

track Heads



track heads



R30 Step Cylinder

TH206 White

TH207 Black

TH304 Brushed Nickel

(1) R30/PAR30 75W max.
(Long Neck)

Dimensions: Height 6 1/2",
Width 4 1/2", Extension 8 1/2"



R20 Step Cylinder

TH204 White

TH205 Black

TH303 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 5 1/4",
Width 3 1/2", Extension 7 1/2"



R30 Soft Square

TH214 White

TH215 Black

(1) R30/PAR30 75W max.
(Long Neck)

Dimensions: Height 7",
Width 4 1/2", Extension 9 1/2"



R20 Soft Square

TH212 White

TH213 Black

(1) R20/PAR20 50W max.

Dimensions: Height 6",
Width 3 1/2", Extension 8"



R20 Straight Cylinder

TH200 White

TH201 Black

TH307 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 6 1/2",
Width 4 1/4", Extension 9 1/2"



R30 Straight Cylinder

TH202 White

TH203 Black

TH308 Brushed Nickel

(1) R30/PAR30 75W max.
(Long Neck)

Dimensions: Height 7",
Width 4 1/4", Extension 9 1/2"



R20 Bullet Cylinder

TH208 White

TH209 Black

TH305 Brushed Nickel

(1) R20/PAR20 50W max.

Dimensions: Height 7",
Width 4 1/4", Extension 9 1/2"



R30 Bullet Cylinder

TH210 White

TH211 Black

TH306 Brushed Nickel

(1) R30/PAR30 75W max.
(Long Neck)

Dimensions: Height 7",
Width 4 1/4", Extension 9 1/2"

track Heads



track heads



PAR20 Gimbal Ring

- TH220 White
- TH221 Black
- TH300 Brushed Nickel

(1) PAR20 50W max.
Dimensions: Height 4 1/2",
Width 2 3/4", Extension 6 3/4"



PAR30 Gimbal Ring

- TH222 White
- TH223 Black
- TH301 Brushed Nickel

(1) PAR30 75W max. (Short Neck)
Dimensions: Height 4 1/2",
Width 4", Extension 10 1/2"



PAR38 Gimbal Ring

- TH224 White
- TH225 Black
- TH302 Brushed Nickel

(1) PAR38 150W max.
Dimensions: Height 6 1/4",
Width 5", Extension 10 1/2"



PAR20 Short Bullet Cylinder

- TH216 White
- TH217 Black

(1) PAR20 50W max.
Dimensions: Height 4 1/2",
Width 3 1/2", Extension 7"



PAR30 Short Bullet Cylinder

- TH218 White
- TH219 Black

(1) PAR30 75W max. (Short Neck)
Dimensions: Height 5 1/4",
Width 4 1/2", Extension 8"



12V track Heads

MR11 Mini Square

TH269 White

TH270 Black

(1) 35W MR11 12V max.

Dimensions: Height 2 1/4",
Width 1 1/4", Extension 5 1/2"



MR11 Mini Round

TH267 White

TH268 Black

(1) 35W MR11 12V max.

Dimensions: Height 3 1/4",
Width 2 1/4", Extension 6 1/2"



MR16 Round

TH234 White

TH235 Black

TH309 Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3 1/4",
Width 2 1/4", Extension 6 1/2"



MR16 Square

TH232 White

TH233 Black

TH310 Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3 1/4",
Width 2 1/4", Extension 6 1/2"



MR16 Roundback

TH236 White

TH237 Black

TH327 Brushed Nickel

(1) 50W MR16 12V max.

Dimensions: Height 3 1/4",
Width 2 1/4", Extension 6 1/2"



MR16 Gimbal Ring

TH238 White

TH239 Black

TH311 Brushed Nickel

(1) MR16 50W 12V max.

Dimensions: Height 2 1/4",
Width 2", Extension 4 1/2"



MR16 Cast Ring

TH259 White

TH260 Black

TH328 Brushed Nickel

(1) MR16 50W max.

Dimensions: Height 4",
Width 2 1/4", Extension 6 1/2"



PAR36 Gimbal Ring

TH271 White

TH272 Black

(1) 50W PAR36 12V max.

Dimensions: Height 3",
Width 4 1/4", Extension 7"



12V track heads

120V



Track Heads

120V track heads



MR16 Square

TH312 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Square

TH313 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Square

TH314 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Roundback

TH315 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Roundback

TH316 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Roundback

TH317 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 3¼", Width 2¼", Extension 6½"



MR16 Gimbal Ring

TH321 White

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼", Width 2", Extension 4½"



MR16 Gimbal Ring

TH322 Black

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼", Width 2", Extension 4½"



MR16 Gimbal Ring

TH323 Brushed Nickel

(1) 50W MR16 / GU10 base 120V max.

Dimensions: Height 2¼", Width 2", Extension 4½"



*Power Flood
with Barndoor*

TH228 White

TH229 Black

(1) 150W J Type 78MM
(Short) max.

*Dimensions: Height 2 1/4",
Width 5 X 2 1/4", Extension 4 1/2"*



R40 Step Cylinder

TH281 White

TH282 Black

(1) 150W BR40/
PAR38/BR38 max.

*Dimensions: Height 8",
Width 5 1/2", Extension 11"*



*Snake-Flexible
Gooseneck*

TH273 White

TH274 Black

(1) 50W MR16 12V. max.

*Dimensions: Height 22",
Width 2 1/4"*



R40 Straight Cylinder

TH283 White

TH284 Black

(1) 150W BR40/
PAR38/BR38 max.

*Dimensions: Height 8",
Width 5 1/2", Extension 12"*

universal Holders



universal holders

Mini Universal Holder

TH279 White

TH280 Black

(1) R20/BR30/BR40/PAR20 /PAR30/PAR38 150W. max.

Dimensions: Height 2 1/4" Width 2",
Extension 6" (without lamp)



Universal Holder

TH226 White

TH227 Black

TH324 Brushed Nickel

(1) R20/BR30/BR40/PAR20 /PAR30/PAR38 150W. max.

Dimensions: Height 4 1/4" Width 2",
Extension 7" (without lamp)



Universal Holder Lamping Suggestions



R20



BR30



BR40



PAR20



PAR30



PAR38



Self
Grounding
3 Conductor
System

POWER FEEDS



Conduit Live End

- TP169 White
- TP170 Black

Electrifies the track from the end of the run to a conduit pipe.



Live End & Canopy

- TP152 White
- TP153 Black

Electrifies the track from the end of the run.



Live End Cord Kit

- TP154 White
- TP155 Black

Electrifies the track anywhere along the length of the run.



Live End Cord Kit

- TP156 White
- TP157 Black

Electrifies the track from the end of the run supplied with 15' of two conductor wire and line switch.

CONNECTORS



Mini Straight Connector

- TP144 White
- TP145 Black

Connects tracks in a straight run.



"X" Connector

- TP150 White
- TP151 Black

Connects four tracks together in an "X" shape pattern.



"T" Connector

- TP148 White
- TP149 Black

Connects three tracks together in a "T" shape pattern.



"L" Connector

- TP146 White
- TP147 Black

Connects tracks at a 90° angle.



Flexible Connector

- TP167 White
- TP168 Black

Variable angle connector.



Inline Feed

- TP171 White
- TP172 Black

track Lighting Accessories




track lighting accessories

Extensions

- 18" **TP159** White
- TP163** Black
- 24" **TP160** White
- TP164** Black
- 36" **TP161** White
- TP165** Black
- 48" **TP162** White
- TP166** Black

Lowers track heads to desired length.



Monopoint Adapter



Monopoint Adapter

TP142 White

TP143 Black

Individually mounts a single track head to a junction box.
Note: Not for use with low voltage track heads.



White Baffle

TP180 R20 Size

TP181 R30 Size



Offset Monopoint Adapter

TP176 White

TP177 Black

Offset monopoint for low voltage track heads.



Pendant Suspension Kit

- 24" **TP178** White
- TP179** Black


Kit Includes:

Canopy, Stem, Support & Power Feed Accessories

Tracks

- 2' **TR118** White
- TR119** Black
- TR126** Brushed Nickel
- 4' **TR120** White
- TR121** Black
- TR127** Brushed Nickel
- 6' **TR124** White
- TR125** Black
- TR128** Brushed Nickel
- 8' **TR122** White
- TR123** Black
- TR129** Brushed Nickel

All tracks include two dead end caps and mounting hardware.






track lighting Kits

track lighting kits



PAR30 Gimbal Ring
TK316 White
(3) PAR30 (shortneck) 75W max.



PAR30 Gimbal Ring
TK317 Black
(3) PAR30 (shortneck) 75W max.



PAR30 Gimbal Ring
TK343 Brushed Nickel
(3) PAR30 (shortneck) 75W max.



R30 Straight Cylinder
TK318 White
(3) R30/PAR30 (longneck) 75W max.



R30 Straight Cylinder
TK319 Black
(3) R30/PAR30 (longneck) 75W max.



R30 Straight Cylinder
TK341 Brushed Nickel
(3) R30/PAR30 (longneck) 75W max.



R30 Step Cylinder
TK320 White
(3) R30/PAR30 (longneck) 75W max.



R30 Step Cylinder
TK321 Black
(3) R30/PAR30 (longneck) 75W max.



R30 Step Cylinder
TK340 Brushed Nickel
(3) R30/PAR30 (longneck) 75W max.



R30 Bullet Cylinder
TK322 White
(3) R30/PAR30 (longneck) 75W max.



R30 Bullet Cylinder
TK323 Black
(3) R30/PAR30 (longneck) 75W max.



R30 Bullet Cylinder
TK342 Brushed Nickel
(3) R30/PAR30 (longneck) 75W max.


ALL TRACK KITS INCLUDE:

- (1) Four foot track
- (3) Track lighting heads
- (1) Floating power feed canopy
- All necessary mounting hardware
- Four color display carton












All track kits supplied with floating canopy kit

track lighting Kits









track lighting kits

LINE VOLTAGE

 <p>MR16 Square TK347 Brushed Nickel (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Square TK345 White (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Square TK346 Black (3) 50W MR16 / GU10 base 120V max.</p>
 <p>MR16 Round Back TK349 Black (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Round Back TK348 White (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Round Back TK354 Brushed Nickel (3) 50W MR16 / GU10 base 120V max.</p>
 <p>MR16 Gimbal Ring TK355 White (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Gimbal Ring TK352 Black (3) 50W MR16 / GU10 base 120V max.</p>	 <p>MR16 Gimbal Ring TK353 Brushed Nickel (3) 50W MR16 / GU10 base 120V max.</p>

LOW VOLTAGE

 <p>MR16 Square TK310 White (3) 50W MR16 / GX5.3 base 12V max.</p>	 <p>MR16 Square TK311 Black (3) 50W MR16 / GX5.3 base 12V max.</p>
 <p>MR16 Round Back TK312 White (3) 50W MR16 / GX5.3 base 12V max.</p>	 <p>MR16 Round Back TK313 Black (3) 50W MR16 / GX5.3 base 12V max.</p>
 <p>MR16 Gimbal Ring TK314 White (3) 50W MR16 / GX5.3 base 12V max.</p>	 <p>MR16 Gimbal Ring TK315 Black (3) 50W MR16 / GX5.3 base 12V max.</p>

ALL TRACK KITS INCLUDE:

- (1) Four foot track
- (3) Track lighting heads
- (1) Floating power feed canopy
- All necessary mounting hardware
- Four color display carton



All track kits supplied with floating canopy kit



flexible track Kits

The days of rigid linear tracks are now a bygone era. Flexible Track Kits afford freedom of choice in lighting design. Whether an "S" shape, semicircle or free form, these systems allow sleek curves to gracefully move across the ceiling. Each kit comes packaged with everything needed for a quick, simple installation.

DIRECT WIRE KITS

Direct Wire Bullet Kit

76-460 Silver

5 Lights X 20W MR16 Max. (included)

INCLUDES:

- 5 Metallic Silver Bullets
- 15' X 1/2" Silver Track and Supports
- Direct Wire Silver Transformer



Direct Wire MR16 Spot Kit

76-454 Silver

5 Lights X 20W MR16 Max. (included)

INCLUDES:

- 5 Metallic Silver MR16 Spots
- 15' X 1/2" Silver Track and Supports
- Direct Wire Silver Transformer



PORTABLE KITS

Portable Bullet Kit

76-457 Silver

5 Lights X 20W MR16 Max. (included)

INCLUDES:

- 5 Metallic Silver Bullets
- 15' X 1/2" Silver Track and Supports
- Portable Silver Transformer with 10'coiled cord



Portable MR16 Spot

76-450 Silver

5 Lights X 20W MR16 Max. (included)

INCLUDES:

- 5 Metallic Silver MR16 Spots
- 15' X 1/2" Silver Track and Supports
- Portable Silver Transformer with 10'coiled cord



Portable MR16 Spot

76-453 Transparent

5 Lights X 20W MR16 Max. (included)

INCLUDES:

- 5 Transparent MR16 Spots
- 15' X 1/2" Transparent Track and Supports
- Portable Transparent Transformer with 10'coiled cord



See Page 286 for More information

FLEXIBLE TRACK KITS INCLUDE: • Five Spotlights • 15' X 1/2" Flexible Track • Transformer


flexible track kits

flexible track Kits




flexible track kits

Portable transformers



Direct wire transformers



All transformers rated at 105 Watts maximum.

Kits Include All Mounting Hardware & Halogen Lamps

Satco Lighting & Electrical Merchandisers

Our coordinated merchandising programs allow for a seamless presentation of lighting and electrical related products. These all in one programs combine hundreds of lamp craft items for the do it your self market, as well as many successful consumer products.

S1354

Lamp Repair Center
Header Sign
10" X 48"

S1355

Lighting Hardware
Header Sign
10" X 48"





Four Color Retail Packaging

offers ease of product identification, uniformity and contemporary design.



S1300 A – Four foot white gondola display.
(Bottom shelf included) 48"W X 24"D X 71"H

S1300 B – (3) Four foot white shelves

S1356

Lamp Craft Center
Header Sign
10" X 48"



merchandising



S1357
 Spool Wire /
 Reel Chain
 Dispenser

Mounts to any standard
 gondola display
 Stocks 9 spools of wire
 or 6 reels of chain



Hardware
 Tilt Out Bin Program

- Easy product identification
- Uniform presentation
- Flexible , modular system
- Simple to reorder product

This versatile merchandising system
 offers the capability
 to display & stock over one hundred
 different products
 on a four foot display.

S1370	Three Bin -	9 1/2 " H x 7 3/4" D x 23 7/8 W
S1371	Four Bin -	8 1/8 " H x 6 5/8" D x 23 7/8 W
S1372	Five Bin -	6 1/2 " H x 5 1/4" D x 23 7/8 W
S1373	Six Bin -	4 1/2 " H x 3 5/8" D x 23 7/8 W

S1374 70" Mounting Rails (Set of two)
 Rails attach to pegboard, plywood, concrete, etc.

S1375 Mounting Disc & Screw
 (Two each needed per bin unit)

S1376 Hardware Product labels
 (One complete set)

Satco Power Panels can be customized to suit your specific product needs.



S1364 Night Light power panel:

12 - 75-017	12 - 75-019	12 - 75-004
12 - 75-014	12 - 75-003	12 - 75-010
12 - 75-023	12 - 75-007	12 - 75-021
12 - 75-018	12 - 75-008	12 - 75-013
12 - 75-015	12 - 75-000	12 - 75-022
12 - 75-024	12 - 75-009	

15"W X 48"H X 4.5"D

S1365 Surge Suppressor & Extension Cord power panel:

12 - 91-220	12 - 93-170	12 - 93-193
12 - 91-221	12 - 93-192	12 - 93-195
12 - 91-222	12 - 93-194	12 - 93-197
12 - 91-223	12 - 93-196	

15"W X 48"H X 4.5"D

Satco Lighting Fixture Merchandiser

Satco offers hundreds of lighting fixtures for interior and exterior use around the home. Our fixture header signs mount to any standard gondola and can display a variety styles.

Ask for details regarding merchandising plans.

S1358

Lighting Fixture
Header Sign
(Fixtures Sold Separately)



S1300 A – Four foot wide gondola display. (Bottom shelf included)
48"W X 24"D X 71"H

S1300 B – (3) Four foot wide shelves



merchandising

track lighting Display Panel



A complete demonstrating merchandiser
for Satco Track Lighting

Features: 30" x 60" flexible merchandiser can be displayed, freestanding, wall hung or suspended from the ceiling.

- Track display panels can be grouped together to form a continuous uniform presentation.
- Two–four foot electrified tracks with rotary on/off switch supplied.
- Full four color graphics with detailed information and application guides.
- Consumer catalogs and catalog holder included.
- Neutral textured gray color.



Track Lighting
Display Panel

White Track TD1001
Black Track TD1002
Legs for freestanding
option TD/LEG

(Leg supports must be ordered in addition to the display panel for the freestanding version.)

accent *Lite*



Accent Lite
Counter Display
33600
Included with wall display

Accent Lite 36–Piece
Wall Display
33601
With order of 12–10",
20" and 30" Units.
40" size not included
in wall display





S1352 Four foot Display Canopy
22"D X 48"W X 10"H

The bold colors and contemporary graphics of this dynamic header create a sophisticated product presentation. The 22" X 48" bottom Chrome louver allows light to pass through for product illumination. Mounts to any standard four foot gondola display.



S1353 Vertical Glass & Holder Sign

This eye catching sales add mounts to the front of any standard gondola display. The hinged brackets swing the sign open for easy shelf stocking. Perfect for use where there are height restrictions.

Glass sign swings open for easy product access.



S1300 A – Four foot white gondola display.
(Bottom shelf included) 48"W X 24"D X 71"H

S1300 B – (3) Four foot white shelves