

2017 Off The Shelf

Distributor lighting product guide



Powering Business Worldwide

Ambient lighting 1

Recessed and undercabinet 7

Outdoor lighting 11

Outdoor security lighting 15

Emergency lighting and exit signage 17

Control solutions 19





2017 Off The Shelf

The **Off The Shelf** (OTS) stock program is designed to keep our most popular outdoor, recessed, ambient, exit and emergency lighting and controls products for residential, commercial and industrial applications flowing on and off your shelves! The **Off The Shelf** program combines high quality, energy-efficient products with service benefits and merchandising support. With **Off The Shelf**, growing your stock sales with Eaton's lighting solutions has never been easier!

Value-added exclusive OTS program benefits

- Automatic enrollment with a qualifying **Reach the Goal** 2017 stock order.
- One **Reach the Goal** 2017 promotional stock order provides you with OTS benefits throughout 2017.
- Pre-paid freight on OTS stock reorders in 2017 (OTS qualifying stock SKUs).
- No minimum order. Use any OTS brand and any mix of product lines to restock your shelves.

Hundreds of products to select from!

Award winning, new product innovations from Eaton's lighting solutions are available today! Download the latest stock guide on www.eaton.com/lighting under QUICK LINKS:

Quickly identify SKUs in the stock guide with the OTS product locator.




OTS terms and conditions:

- Automatic enrollment is by branch location.
- Freight is pre-paid on OTS SKUs shipped into stocking branch location only.
- Pallet quantities by SKU is required on all Metalux ambient SKUs.
- Program terms are applicable on OTS SKUs represented in Eaton's lighting solutions stock guide. SKU availability is subject to change without notice.
- Not valid on national account orders.
- Valid through December 31, 2017.



Ambient lighting

Metalux products are designed with the latest lighting and optical control technologies for commercial, industrial, institutional, retail and residential markets.



Ambient lighting solutions

Metalux WaveStream – Specification troffers / linear

Series	Catalog Prefix	Series Offering
SkyRidge LED	22SR_ / 24SR_	WaveStream LED technology, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming
Encounter LED	22EN_ / 24EN_	WaveStream LED technology, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming, high performance (HP) models available
WSL Linear LED	4WSL_ / 8WSL_	WaveStream LED technology, 4' / 8', 3500K / 4000K, 0-10V dimming

Metalux LED – Specification troffers

Series	Catalog Prefix	Series Offering
Accord LED	22AC_ / 24AC_	LED, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming
ArcLine LED	22ALN_ / 24ALN_	LED, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming
Cruze / Cruze SE LED	22CZ_ / 24CZ_	LED, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming
Cruze LED Retrofit Kit*	22CZRK_ / 24CZRK_	LED, 2' x 2' / 2' x 4', 3500K / 4000K, 0-10V dimming

* Metalux Cruze LED Retrofit Kit subject to launch availability dates

Compatible dimmer switches

Series	Catalog Prefix	Series Offering
0-10V Dimmers	WBSD-010SLD	0-10V Slide dimmer with preset
	WBSD-010DEC	0-10V Decorator dimmer with preset

see page 20 for additional compatible dimmers

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice. Metalux product must be ordered in pallet quantities by SKU to qualify for freight under the Off The Shelf program.



Ambient lighting solutions

FR Series



SP Series




GRLED



GR / APT



2EP3 / APP



Metalux – Troffers and panel

Series	Catalog Prefix	Series Offering
Premium commercial troffer	FR Series _	LED, 2' x 4' / 2' x 2', 3500K / 4000K, UNV 0-10V dimming
Surface panel	SP Series_	AP Series, LED, 2' x 2', 3500K / 4000K, UNV 0-10V dimming
Lensed commercial troffer	GRLED_	LED, 2' x 4' / 2' x 2', 3500K / 4000K, UNV 0-10V dimming
	GR_	AP Series, LED, 2' x 4' / 2' x 2', 3500K / 4000K, UNV 0-10V dimming

Metalux – Troffers and parabolics

Series	Catalog Prefix	Series Offering
Lensed commercial troffer	2GR8_	Fluorescent, 2' x 4' / 2' x 2', T8, UNV
	APT_	AP Series, fluorescent, 2' x 4' / 2' x 2', T8, UNV
Parabolics	2EP3_ / EP3_	Fluorescent, 18 or 9 cell, semi-specular, three or two lamp
	APP_ / APPV_	AP Series, fluorescent, 18 or 9 cell, semi-specular, three or two lamp

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice. Metalux product must be ordered in pallet quantities by SKU to qualify for freight under the Off The Shelf program.

Ambient lighting solutions


Metalux – LED, single and continuous row wraps

Series	Catalog Prefix	Series Offering
Specification wrap	WSNLED_	LED, 4', UNV, 0 to 10 dimmable driver, 3500K / 4000K, single / continuous row mount
General purpose wrap	WNLED_	LED, 4', UNV, 0 to 10 dimmable driver, 3500K / 4000K, single / continuous row mount
Contour wrap	CWPLD Series_	AP Series, LED, 4', UNV, 0 to 10V dimmable driver, 4000K, single / continuous row mount
Low profile wrap	WPLD Series_	AP Series, LED, 120V, Triac dimmable driver, 4000K, single mount
Flushmount	FM_	AP Series, LED, 9', 11', 15', 19', 120V, dimmable driver, 3000K / 4000K

Metalux – Fluorescent, single and continuous row wraps

Series	Catalog Prefix	Series Offering
Specification wrap	WSN_	Fluorescent, 4', 4 lamp / 2 lamp, UNV, single / continuous row mount
	APW-SPW_	AP Series, fluorescent, 4', 4 lamp / 2 lamp, UNV, single / continuous row mount
General purpose wrap	WN_	Fluorescent, 4', 4 lamp / 2 lamp, UNV, Single / continuous row mount
	APW-GPW_	AP Series, fluorescent, 4', 4 lamp / 2 lamp, UNV, single / continuous row mount

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice. Metalux product must be ordered in pallet quantities by SKU to qualify for freight under the Off The Shelf program.



Ambient lighting solutions



SNLED




SLSTP



SSF / APS (wide)



SNF / APS (narrow)



Metalux – Striplight, single / continuous row

Series	Catalog Prefix	Series Offering
Strip LED	SNLED_	LED, 4', wide or narrow lens, UNV-dimmable, 3500K / 4000K
	SLSTP	LED, 4' or 2', UNV + 120V (Triac), dimmable, 4000K
Fluorescent strip	SNF_ / SSF_	Fluorescent 2' / 4' / 8', tandem or narrow, flip-up sockets
	APS_	AP series fluorescent, one or two lamp, narrow or wide strip

Compatible dimmer switches

Series	Catalog Prefix	Series Offering
Phase cut dimmers	WBSD-SLD	Forward phase cut slide dimmer with preset
	WBSD-DEC	Forward phase cut decorator dimmer with preset
	WBSD-TOG	Forward phase cut toggle dimmer with preset

*see page 20 for additional compatible dimmers

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice. Metalux product must be ordered in pallet quantities by SKU to qualify for freight under the Off The Shelf program.

Ambient lighting solutions


Metalux – High bays

Series	Catalog Prefix	Series Offering
High bay LED	HBLED_	LED, wide or narrow distribution, up to 48,000 lumens, 4000K or 5000K
	SSLED	Steeler LED, high bay, narrow, medium, wide distribution, up to 28,000 lumens
	VHB_*	LED, high bay, up to 22,000 lumens, 4000K or 5000K
Linear bay LED	ILED	LED, full-body linear bay, up to 32,000 lumens
	LBL_	LED low bay linear, 4ft. and 8ft., up to 22,000 lumens
High bay	HBL_	Fluorescent, open-body, specular reflector, four or six lamp T5HO, six lamp T8
	HBI_	Fluorescent, full-body, specular reflector, four or six lamp T5HO, six lamp T8
	APHBI_	AP series fluorescent, full-body, standard reflectance, four or six lamp, T8 / T5HO
	I5_	Fluorescent, full-body, specular reflector, four lamp T5HO
	APHL_	AP series fluorescent, open-body, standard reflectance, four or six lamp T8 / T5HO

* Metalux VHB high bay LED subject to launch availability dates



Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice. Metalux product must be ordered in pallet quantities by SKU to qualify for freight under the Off The Shelf program.



Ambient lighting solutions

VT2 LED



VT3



APLB




Metalux – Vaportites

Series	Catalog Prefix	Series Offering
Vaportite LED	4VT2-LD4_	LED, 4', 4000K, UNV, 0-10V dimming, up to 8000 lumens
Vaportite	VT3_	Fluorescent, two lamp, T8, fiberglass housing, acrylic lens
	APHDVT_	AP series fluorescent, two lamp, T8 or T5HO, acrylic lens

Metalux – Low bays

Series	Catalog Prefix	Series Offering
Low bay	APLB_	AP series fluorescent, 4', two lamp, apertured
		AP series fluorescent, 4', two lamp, closed



Recessed and undercabinet lighting

Halo offers a comprehensive selection of the latest energy-efficient LED and traditional lighting fixtures to satisfy new construction, remodel and retrofit needs for residential and commercial spaces.



Recessed and undercabinet

Halo – Trims

Series	Series Offering
3" Trims	
4" Trims	
5" Trims	All varieties, mix and match*
6" Trims	

*Case quantities only, non-LED trims



3" trim



4" trim



5" trim



6" trim

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Recessed and undercabinet




Halo – Recessed LED downlighting retrofit kits

Series	Catalog Prefix	Series Offering
SMD LED*	SMD6_6	LED, 6", 120V, surface mount downlight, 600 or 900 lumen series
	SMD4_9	LED, 4", 120V, surface mount downlight, 600 lumen series
	SMD6_WHDM	LED, 6", 120V, surface mount downlight, 600 or 900 lumen, spring clip
	SMD4_WHDM	LED, 4", 120V, surface mount downlight, 600 lumen, spring clip
SLD LED	SLD6_	LED, 6", 120V, surface downlight - 600 or 1200 lumen series
	SLD612_UNV	LED, 6", surface downlight, 120-277V - 1200 lumen series
	SLD4_	LED, 4", 120V surface downlight
RL LED	RL56_	LED, 5" / 6", baffle trim
	RL4_	LED, 4", baffle trim
RA LED	RA56_	LED, 5" / 6", adjustable gimbal trim
	RA4_	LED, 4", adjustable gimbal trim
LT LED	LT56_	LED, 5" / 6", 120V, baffle trim
	LT4_	LED, 4", 120V, baffle trim

* Halo SMD LED downlight subject to launch availability dates

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Recessed and undercabinet

Halo Track – Undercabinet lighting

Series	Catalog Prefix	Series Offering
		LED, undercabinet, 9" / 18" / 24" / 36" / 48", dimmable, black or white
		Daisy chain connectors, 3" / 6" / 12" / 18" / 24" / 120", black or white
Undercabinet LED	HU10_	Power cable, 48", black or white
		Splice Box, black or white
		Male-to-male connector, black or white

Compatible dimmer switches


Series	Catalog Prefix	Series Offering
	WBSD-SLD	Forward phase cut slide dimmer with preset
Phase cut dimmers	WBSD-DEC	Forward phase cut decorator dimmer with preset
	WBSD-TOG	Forward phase cut toggle dimmer with preset

*see page 20 for additional compatible dimmers

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice.



Undercabinet LED



Recessed and undercabinet


Halo Commercial – Recessed LED downlighting

Series	Catalog Prefix	Series Offering
	PD6_	LED, 6" new construction and remodel housing, 1000, 1500, 2000, 3000 lumens, 0-10V, phase cut dimming to 10%
PD6 LED housing	PD56R_	LED, 6" retrofit housing, 1000, 1500, 2000, 3000 lumens, 0-10V or phase cut dimming to 10% (retrofits 6"-6.6" aperture)
	PD6R_	LED, 6" retrofit housing, 1000, 1500, 2000, 3000 lumens, 0-10V or phase cut dimming to 10% (retrofits 6.6"-7" aperture)
PD6 LED module	PDM6_	LED module for remote driver, 80 or 90 CRI, 2700K, 3000K, 3500K, 4000K
PD6 LED reflector	61V_	LED reflector, vertical, wall-wash or shallow, self-flanged
	PR8_	LED, 8" new construction and remodel housing, 1000, 1500, 2000, 3000 and 4000 lumens, 0-10V dimming to 1%
PR8 LED housing*	PR8R_	LED, 8" retrofit housing, 1000, 1500, 2000, 3000, 4000 lumens, 0-10V dimming to 1%
	PR8S_MW	LED, 8" surface mount housing, 1000, 1500, 2000, 3000 and 4000 lumens, 0-10V dimming to 1%, matte white
PR8 LED module*	PR8M_MW	LED module for remote driver, 80 CRI, CCT seleCCTable™ in 3000K, 3500K, 4000K, matte white trim and flange
	PR8WW	LED module field installed wall wash optic
PR8 accessories*	PR8C	8" LED module, specular clear trim insert
	PR8TH	8" LED module, semi-specular clear trim insert

* Halo commercial PR8 series subject to launch availability dates

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.

PD6 LED housing




PD6 LED module




PD6 LED reflector



PR8 LED housing



PR8 LED module



Outdoor lighting

Designed for performance and reliability, products from Lumark and All-Pro provide superior illumination for outdoor lighting and safety applications. These products offer the latest energy-efficient optical technology with easy installation and maintenance features.



WILDWOOD

WILDWOOD

Outdoor lighting

Lumark and All-Pro – Wall mount

Series	Catalog Prefix	Series Offering
Crosstour MAXX LED	XTOR_	LED, 58W-102W, full cutoff or refractive door, carbon bronze or summit white
Crosstour LED	XTOR_	LED, 12-38W, full cutoff door, carbon bronze or summit white
Wal-Pak LED	WPL_	LED, 27W / 32W / 46W, hinged refractive lens door, bronze
Wal-Pak	WP_	HID, 250W / 400W, hinged refractive lens door, bronze
FE	FE_	LED or fluorescent, photocontrol, bronze or white
WP	WP11_	LED, 14W, 3500K or 5000K, bronze



Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice.



Outdoor lighting



Night Falcon
LED flood



Crosstour
LED flood



Night Falcon Small

Lumark – Floodlights

Series	Catalog Prefix	Series Offering
Night Falcon LED flood	NFFLD_	LED, 20W-256W, wide distribution floodlight, slipfitter, knuckle or trunnion mount, carbon bronze
Crosstour LED flood	XTORFLD_	Knuckle or trunnion flood kit, carbon bronze or summit white
Nighthawk HID flood	MHNK_	HID, 1000W, slipfitter, yoke mount, bronze with lamp



Outdoor lighting

Lumark – Area and site lighting

Series	Catalog Prefix	Series Offering
Prevail LED	PRV_	LED, 57W / 87W / 143W, area / site, standard versatile mount arm, bronze
Crosstour MAXX LED	XTOR_	LED, 58W-102W, full cutoff or refractive door, area / site, 6" pole mount arm (PMA), carbon bronze

Lumark – Parking garage

Series	Catalog Prefix	Series Offering
Quadcast LED	QDCAST_	LED, 54W, adjustable locking panels, universal bracket, concrete gray



Prevail LED




Crosstour MAXX
LED PMA



Quadcast LED

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Outdoor lighting



Caretaker LED




AL LED



AL6501LF

Lumark and All-Pro – Dusk-to-dawn

Series	Catalog Prefix	Series Offering
Caretaker LED	CTKR_	LED, 50W-70W, wall/pole mount bracket, integral slipfitter, NEMA photocontrol, natural aluminum
AL LED	AL_	LED, 34W, NEMA photocontrol, bronze or gray
		LED, 34W, integrated photocontrol, bronze or gray
AL	AL6501LF	Fluorescent, 65W, integrated photocontrol



Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.

Outdoor security lighting

All-Pro LED outdoor products use the latest in LED and optical technology to provide superior area coverage for a wide range of applications. These products were designed to install easily and maximize efficiency for years of maintenance-free service.



Outdoor security lighting

All-Pro – Security lighting

Series	Catalog Prefix	Series Offering
FS LED	FSL_	LED flood, large head, bronze or white
	FSS_	LED flood, small head with photocontrol, bronze or white
FTR LED	FTR_	LED twin round flood, with or without photocontrol, bronze or white
Revolve	REV3_	Revolve triple head flood, with or without photocontrol, bronze or white
	REV2_	Revolve twin head flood, with or without photocontrol, bronze or white

All-Pro – Motion lighting

Series	Catalog Prefix	Series Offering
MST LED	MST_	LED, 180° / 270° motion sensor, twin head, bronze or white
	MST18R_	LED, twin round with 180° motion sensor, bronze or white
Revolve	REV327_	Revolve triple head flood with 270° motion sensor, bronze or white
	REV218_	Revolve twin head flood with 180° motion sensor, bronze or white



FS LED



FTR LED



Revolve



MST LED



Outdoor security lighting



WL LED



Might-D-Light

All-Pro – Worklights

Series	Catalog Prefix	Series Offering
Might-D-Light	LED140_	LED, rechargeable, USB, folding, gray or camo
	LED150_	LED, rechargeable, USB, sticklight, gray or camo
Mini Might-D-Light	LED125_	LED, battery operated, folding, black or camo
	LED225_	LED, rechargeable, USB, folding, gray
WL LED	WL_	LED portable or stand worklight, 300W equivalent
	WLT_	LED twin head stand worklight, 600W equivalent



Emergency lighting and exit signage

Market leading, UL924 code compliant, LED products designed to reduce total emergency egress costs for commercial, institutional and retail spaces.



EXIT

Emergency lighting and exit signage

Sure-Lites, All-Pro – Exit signage


Series	Catalog Prefix	Series Offering
Exit signage	APX_	All-Pro LED, red or green, universal mount, AC or NiCad battery
	APXEL_	All-Pro LED, red or green Edge-Lit, AC or NiCad battery
	LPX_	Sure-Lites LED, red and green, universal mount, AC or NiCad battery, EZ key, SD option
	EU	Sure-Lites LED, red or green Edge-Lit, surface or recessed mount, AC or NiCad battery

Sure-Lites, All-Pro – Emergency lighting

Series	Catalog Prefix	Series Offering
Emergency lighting	APEL	All-Pro LED, adjustable heads, NiCad battery
	LEMRO	Sure-Lites LED, rotatable heads, AccuLED optic, NiCad battery, EZ key
	LEM_	Sure-Lites LED, adjustable heads, AccuLED optic, NiCad battery, EZ key, remote options, SD options
	SEL_	Sure-Lites LED, adjustable heads, NiCad battery, 17/25/50/60 ft. spacing
	SEL60_	Sure-Lites LED, adjustable heads, NiCad battery, 60 feet spacing, SD and remote capable options
	SELW	Sure-Lites LED, wet location, rotatable heads, NiCad battery, 25 ft. spacing, SD option



Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice.



Emergency lighting and exit signage



APC



APWR



LEMUR



SRP



SRM



EBP

All-Pro – Combination exit and emergency signage

Series	Catalog Prefix	Series Offering
Exit / Emergency combo	APC_	All-Pro LED, red or green, exit / emergency sign, universal mount, NiCad battery

Sure-Lites, All-Pro – Remote heads

Series	Catalog Prefix	Series Offering
Remotes	APWR	All-Pro LED All-Pro remote, wet location, single or double head
	LEMUR_	Sure-Lites LED remote, 4.8V or 6V versions, damp or wet location, single or double head, DC or Cat 5
	SRP	Sure-Lites plastic LED remote, 4.8V thru 12V compatible, wet location, single or double head, 13 feet to 60 feet spacing
	SRM	Sure-Lites metal LED remote, 4.8V thru 12V compatible, wet location, single or double head, 13 feet to 60 feet spacing

Sure-Lites – Emergency lighting, battery pack


Series	Catalog Prefix	Series Offering
Battery pack	EBP_	450, 700, and 1400 Lumen output fluorescent battery pack, NiCad battery
	EBPLED	7 Watt and 14 Watt field installable LED Emergency battery pack, NiCad battery

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Control solutions

Eaton offers a complete line of cost-effective energy management lighting controls, including relay panels and occupancy sensors for commercial, industrial, and institutional projects.




Control solutions

Greengate vacancy and occupancy sensors

Series	Catalog Prefix	Series Offering
Vacancy and occupancy sensors	VAC_	Ceiling, low or line voltage, microset dual tech, ultrasonic and passive infrared
	OAC_	Ceiling, low or line voltage, microset dual tech, ultrasonic and passive infrared
	OAWC_	Wall/corner, low or line voltage, microset dual tech, ultrasonic and passive infrared
	OEF_	High bay fixture mount, passive infrared, (360°)
	OXC_	Extreme temperature sensor -40°F to 125°F (-40°C to 52°C)
Switchpacks	SP_	Single or dual relay, low or line voltage, receptacle rated for occupancy and vacancy sensing products



Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice.



Control solutions

Greengate wall switch vacancy and occupancy sensors



WBSD-SMT WBSD-010SLD WBSD-DEC




VSW / OSW

VNW / ONW

VNLW

Series	Catalog Prefix	Series Offering
0-10V Dimmers	WBSD-010SLD	0-10V Slide dimmer with preset
	WBSD-010DEC	0-10V Decorator dimmer with preset
Phase cut dimmers	WBSD-SLD	Forward phase cut slide dimmer with preset
	WBSD-DEC	Forward phase cut decorator dimmer with preset
	WBSD-TOG	Forward phase cut toggle dimmer with preset
Smart dimmers	WBSD-SMT	Forward phase cut electronic dimmer
	WBSD-SMTACC	Smart dimmer accessory for multi-location dimming
Wall switch vacancy and occupancy sensors	VSW_	Vacancy, single level, passive infrared
	VNW_	Vacancy, single and dual level, neoswitch, dual tech and passive infrared
	VNLW_	Vacancy, single level, neoswitch, passive infrared, locator light option
	OSW_	Occupancy, single and dual level, dual tech, ultrasonic and passive infrared
	ONW_	Occupancy, single and dual level, neoswitch, dual tech and passive infrared

Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Control solutions

Greengate room controller solutions

Series	Catalog Prefix	Series Offering
Room controller	RC3_	3 Zone room controller, 0-10V dimming, plenum rated, network versions available, also available in starter kits
	DSRC_	Daylight sensor for room controller
	OCC_	CAT5 coupler to sensor
	SPRC_	Switchpack for room controller
	RC_	Wallstation for room controller, 3, 5 and 6 - button configurations
	RCQK_	Room Controller QuickKits - conference, office, classroom, healthcare



SPRC

DSRC

RCQK
(components
may vary)



Visit www.eaton.com/lighting for more information on the complete stock offering.
Product availability and specifications subject to change without notice.



Control solutions

LK



CEPC



PPS



FLT-* PK

Greengate light control panel

Series	Catalog Prefix	Series Offering
LiteKeeper	LK_	Stand-alone relay panel, astronomic time clock, low voltage input connections


Greengate controls

Series	Catalog Prefix	Series Offering
Emergency power controls	CEPC_	Emergency power control, 120 or 277V, 0-10V
Daylight sensors	PPS_	Contact input photocell, indoor or outdoor

Fifth Light ballast

Series	Catalog Prefix	Series Offering
0-10V Ballast	FLT-* PK	0-10V fluorescent dimming ballast

Visit www.eaton.com/lighting for more information on the complete stock offering. Product availability and specifications subject to change without notice.





**Our Lighting
Product Lines**

Halo
Halo Commercial
Portfolio
Iris
RSA
Metalux
Corelite
Neo-Ray
Fail-Safe
MWS

Ametrix
Shaper
io
Lumark
McGraw-Edison
Invue
Lumière
Streetworks
AtLite
Sure-Lites

**Our Controls
Product Lines**

Greengate
iLumin
Zero 88
Fifth Light Technology
iLight (International Only)



Powering Business Worldwide

Eaton

1121 Highway 74 South
Peachtree City, GA 30269
P: 770-486-4800
www.eaton.com/lighting

Canada Sales

5925 McLaughlin Road
Mississauga, Ontario L5R 1B8
P: 905-501-3000
F: 905-501-3172

© 2016 Eaton
All Rights Reserved
Printed in USA
Publication No. BR525058EN
November 28, 2016 1:57 PM

Eaton is a registered trademark.

All other trademarks are property
of their respective owners.

Product availability, specifications,
and compliances are subject to
change without notice.