





TRANSCENDENT



PRODUCT CATALOG
FALL 2016
(v2 November)

ALL-IN-ONE HYBRID SOLUTION

- ✓ 1080P TVI TECHNOLOGY
- ✓ 1080P AHD TECHNOLOGY
- ✓ CVBS 960H TECHNOLOGY
- ✓ SUPPORTS IP CAMERAS



Transcendent Tribrid 1080P TVI/AHD High Definition Video Surveillance Solutions offer unprecedented performance and value. These user friendly, easy to install Tribrid analog HD DVRs are available in 4, 8 and 16ch along with versatile HD-TVI/AHD/CVBS camera designs for every budget and application. Transmit and record Real Time Images, up to 1080P, over existing Coaxial cable at distances of up to 1500 feet (Depending on cable characteristics and integrity). Transcendent HD-TVI/AHD Recorders also accept analog (CVBS) inputs with additional support for IP Cameras! This family of recorders share the same client, CMS and mobile applications as the Transcendent NVRs.



2.1 MEGAPIXEL CCTV OVER COAX

Transcendent Series High Definition 1080P HD-TVI, AHD, CVBS Cameras are highly versatile offering Turret, Bullet and Dome versions, all produced of high impact aluminum with a weather rating of IP66.

These simple, easy to install, attractively styled, analog HD Cameras transmit over your existing Coaxial cable at distances up to 1500'.



VTC-TTAB42R2F

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Bullet Camera with 42 IR LED Illumination with 150' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 3.6mm Fixed Iris Lens Included
- 42 Infrared LED's with 150' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- IP66 Weather Resistance
- Supports Up The COAX Control
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC Operation



VT-TJB01

VTC-TTAB36R2V

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Bullet Camera with 36 IR LED Illumination with 120' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 2.8~12mm Varifocal Lens
- 36 Infrared LED's with 120' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- IP66 Weather Resistance
- Supports Up The COAX Control
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC Operation



VT-TJB01



VTC-TTAT2HR2F

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Turret Camera with 2 High Power IR LED Illumination with 65' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 3.6mm Fixed Iris Lens Included
- 2 High Power Infrared LED's with 65' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- IP66 Weather Resistance
- Supports Up The COAX Control
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Optional Junction Box Mount Available (VT-TJB01)
- Available in Ivory or Charcoal Gray
- 12VDC Operation



VT-TJB01




VTC-TTAT2HR2V

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Turret Camera with 2 High Power IR LED Illumination with 100' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 2.8~12mm Varifocal Lens
- 2 High Power Infrared LED's with 100' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- IP66 Weather Resistance
- Supports Up The COAX Control
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Optional Junction Box Mount (VT-TJB01) & Wall Mount (VT-TWM03) Available
- Available in Ivory or Charcoal Gray
- 12VDC Operation



VT-TJB01



VT-TWM03



VTD-TTAD24R2F

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Vandal Dome Camera with 24 IR LED Illumination with 70' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 3.6mm Fixed Iris Lens Included
- 24 Infrared LED's with 70' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- IP66 Weather Resistance
- Supports Up The COAX Control
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Optional Junction Box Mount Available (VT-TJB03)
- 12VDC Operation




VT-TJB03



VTD-TTAD30R2V

Transcendent Series 2.1 Megapixel Outdoor HD-TVI / AHD / CVBS Vandal Dome Camera with 30 IR LED Illumination with 100' Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- HD-TVI & AHD/CVBS Video Output
- 2.8~ 12mm Varifocal Lens
- 30 Infrared LED's with 100' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night function by ICR
- 3D-DNR Noise Reduction
- IP66 Weather Resistance
- Supports Up The COAX Control
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Optional Wall Mount (VT-TWM03) & Junction Box Mount Available (VT-TJB02)
- Available in Ivory or Charcoal Gray
- 12VDC Operation




VT-TWM03



VT-TJB02

Covert HD-TVI Cameras



VT-SMKC2T

Transcendent Series Covert 2.1 MegaPixel 1080P HD-TVI/CVBS Smoke Detector Camera with 3.7mm Lens

- 1/3" 2.1 MegaPixel Progressive Scan CMOS
- 2.1 MegaPixel (1080p / 720p)
- 1 Lux at F1.2 / 0.1 Lux (B/W)
- 3.7mm Fixed lens Included
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- 12VDC Operation



VT-PIRC2T

Transcendent Series Covert 2.1 MegaPixel 1080P HD-TVI/CVBS PIR Camera with 3.7mm Lens

- 1/3" 2.1 MegaPixel Progressive Scan CMOS
- 2.1 MegaPixel (1080p / 720p)
- 1 Lux at F1.2 / 0.1 Lux (B/W)
- 3.7mm Fixed lens Included
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Complete with adjustable gimbal wall/ceiling Mount
- 12VDC Operation



Inside Camera



PTZ ACCESSORIES



VT-TKBD2

Transcendent 3D Keyboard Controller for Transcendent HD-TVI PTZ Camera

- Integrated LCD Display
- Three-dimensional Vector Operation
- Compact Form Factor
- RS485 Communication
- 3 Year Warranty



VT-TPT-CNMT

PTZ Corner Mount Adapter Bracket for Transcendent HD-TVI & IP PTZ Cameras



VT-TPT-PLMT

PTZ Pole Mount Adapter Bracket for Transcendent HD-TVI & IP PTZ Cameras


2.1 MEGAPIXEL HD-TVI PTZ



VT-TPTZ10HR-2T

Transcendent Series 2.0 MegaPixel 10x PTZ Camera with Integrated IR LEDs for up to 165' IR Range

- 1/3" 2.1 MegaPixel CMOS Sensor
- 30fps live view @ 1920 x 1080p
- True Day/Night by IR Cut Filter
- Built-in 5mm to 50mm Lens offering 10x Optical Zoom
- 6 Integrated IR LEDs with up to 165 IR Range
- 2DNR Noise Reduction
- 220 Presets programmed with view direction, zoom, BLC, etc
- Max manual speed 480°/sec
- 360° continuous rotation
- 16:9 Video format
- RS485 Communication / COC (Control Over Coax)
- 5,5" double layer metal body construction with IP66 Weather Resistance
- Over 1500' HD Video Transmission (Depending on cable characteristics and integrity)
- Includes Wall Mount Bracket & Power Supply
- 12VDC Operation
- 3 Year Warranty





TRANSCENDENT Tribrid 1080P

TRANSCENDENT SERIES
HD-TVI/AHD Recorders

Transcendent Series High Definition 1080P HD-TVI, AHD, CVBS Recorders match simplicity with performance in a wide variety of camera and storage capacities.

The all new Transcendent "Generation 2" recorder client GUI, Software package and Mobile applications are far more feature rich and yet user friendly and intuitive than ever before.



Local Management, Viewing Interface & Remote Viewing with Web Browsers



Remote Viewing Using Windows and Mac OS X



Redesigned Advanced Apps Available for iOS & Android Devices



Professional Grade WD Purple HDD's



VT-TTAR410

Transcendent Series 4 Channel HD-TVI / AHD / CVBS / IP Digital Video Recorder supporting up to 6TB Internal Storage Plus 1 IP Camera

- 4 Channel HD-TVI/AHD/960H BNC Inputs + IP Camera Support
- 1-Channel IP Camera Support
- 120fps @ 720p & 1080P-Lite / 50fps @ 1080p Recording
- Simple plug and play, point-to-point connection from camera to DVR
- H.264 Compression
- HDMI, VGA, and BNC (Spot) Video Outputs
- 2-Way Audio
- PTZ Control over RS-485
- 4 Alarm inputs / 1 Alarm Output
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 1 Internal SATA2/SATA3 HDD Slot supporting up to 6TB (1 x 6TB HDD)
- Applications for iOS & Android
- Remote Viewing over the Internet via Web Browser or LAN
- Mac OS® Client & CMS Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- RS485/CoC (control over Coax)
- Control locally via USB Mouse or IR Remote control



Rear Connections

HD-TVI Digital Video Recorders



TRANSCENDENT SERIES
HD-TVI/AHD Recorders



VT-TTAR810

Transcendent Series 8 Channel HD-TVI / AHD / CVBS / IP Digital Video Recorder supporting up to 6TB Internal Storage & 1 IP Camera

- 8 Channel HD-TVI/AHD/960H BNC Inputs + IP Camera Support
- 1-Channel IP Camera Support
- 240fps @ 720p & 1080P-Lite / 100fps @ 1080p Recording
- Simple plug and play, point-to-point connection from camera to DVR
- H.264 Compression
- HDMI, VGA, and BNC (Spot) Video Outputs
- 2-Way Audio
- PTZ Control over RS-485
- 4 Alarm inputs / 1 Alarm Output
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 1 Internal SATA2/SATA3 HDD Slot supporting up to 6TB (1 x 6TB HDD)
- Applications for iOS & Android
- Remote Viewing over the Internet via Web Browser or LAN
- Mac OS® Client & CMS Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- RS485/CoC (control over Coax)
- Control locally via USB Mouse or IR Remote control



Rear Connections



VT-TTAR1620

Transcendent Series 16 Channel HD-TVI / AHD / CVBS / IP Digital Video Recorder supporting up to 12TB Internal Storage & 4 IP Cameras

- 16 Channel HD-TVI/AHD/960H BNC Inputs + IP Camera Support
- 4-Channel IP Camera Support
- 480fps @ 720p & 1080P-Lite / 200fps @ 1080p Recording
- Simple plug and play, point-to-point connection from camera to DVR
- H.264 Compression
- HDMI, VGA, and BNC (Spot) Video Outputs
- 2-Way Audio
- PTZ Control over RS-485
- 4 Alarm inputs / 1 Alarm Output
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 2 Internal SATA2/SATA3 HDD Slots supporting up to 12TB (2 x 6TB HDD)
- Applications for iOS & Android
- Remote Viewing over the Internet via Web Browser or LAN
- Mac OS® Client & CMS Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- RS485/CoC (control over Coax)
- Control locally via USB Mouse or IR Remote control



Rear Connections

Complete HD-TVI Package Systems



COMPLETE SURVEILLANCE SYSTEM:

- 4 or 8 Channel Video Recorder:**
 Transcendent Series 4 or 8 Channel Digital Video Recorder Supporting HD-TVI / AHD / 960H Cameras as well as 1 IP Camera with Full 1080P Recording & Playback. Internal storage options of up to 6TB are available.
- HD-TVI/AHD Cameras:**
 Transcendent Series 2.1 Megapixel (1080P) HD-TVI/AHD Indoor/Outdoor Bullet, Dome, or Turret Cameras with Built-In IR LED Illumination and 3.6mm Fixed Lens.
- Necessary Accessories:**
 HD-TVI/AHD Packages also include one energy efficient 4 Output 12VDC UL Listed Power Block with 5 AMP Rating, USB Mouse, and IR Remote Control.
- Optional Accessories:**
 Professional grade Transcendent Monitors available Separately.

Versatile, Complete, Expandable!



TRANSCENDENT SERIES
HD-TVI/AHD Packages



4 or 8 Channel DVR

Transcendent Series 4 or 8 Channel Digital Video Recorder supporting HD-TVI / AHD / 960H Cameras as well as 1 IP Camera with Full 1080p Recording & Playback. Internal storage options of up to 6TB are available.



3 Versatile Camera Styles

The All New Transcendent Series 2.1 MegaPixel Indoor/Outdoor Turret, Bullet, or Dome Cameras offer incredible performance and value delivering 1080P High Definition images over coaxial cable using HD-TVI/AHD technology. IR LEDs make seeing in total darkness possible and come standard with a 3.6mm Lens.



Ease of Setup

Setup and Configuration is a breeze with the included accessories and easy to understand documentation! This system also includes a 4-Output 12VDC Power Supply, USB Mouse, and IR Remote Control.

ADD-ON CAMERA PACKS AVAILABLE TO COMPLETE 8 CAMERA SYSTEMS!



VT-TTATCKT2F
HD-TVI/AHD/CVBS
Fixed Turret Camera 4
Pack w/Multi-Output
Power Supply



VT-TTABCKT2F
HD-TVI/AHD/CVBS
Fixed Bullet Camera 4
Pack w/Multi-Output
Power Supply



VT-TTADCKT2F
HD-TVI/AHD/CVBS
Fixed Dome Camera 4
Pack w/Multi-Output
Power Supply

HD-TVI SURVEILLANCE PACKAGE CONFIGURATIONS:

VT-TTKTA4A	4-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Turret/Ball Cameras, and One 4 output 12VDC Power Supply with 500GB-6TB HDD Options
VT-TTKTA4B	4-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Bullet Cameras, and One 4 output 12VDC Power Supply with 500GB-6TB HDD Options
VT-TTKTA4D	4-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Dome Cameras, and One 4 output 12VDC Power Supply with 500GB-6TB HDD Options
VT-TTKTA8A	8-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Turret/Ball Cameras, and One 4 output 12VDC Power Supply with 1TB-6TB HDD Options
VT-TTKTA8B	8-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Bullet Cameras, and One 4 output 12VDC Power Supply with 1TB-6TB HDD Options
VT-TTKTA8D	8-CH 2.1 MegaPixel TVI/AHD Digital Surveillance Package w/TVI/AHD DVR, Four 2.1 MegaPixel Dome Cameras, and One 4 output 12VDC Power Supply with 1TB-6TB HDD Options

H.265 IP PLATFORM 4, 8, AND 32CH* WITH POE

- ✓ UP TO 5 MEGAPIXEL
- ✓ H.265 COMPRESSION
- ✓ UP TO 64 CHANNELS
- ✓ NEW ENHANCED GUI



Transcendent Series Network Video Solutions combine the simplicity of Stand Alone, Plug and Play Recorders and surveillance cameras with professional features and versatile design options. Available in 4, 8, 32, and 64 channel configurations, these simple to use and easy to install NVRs support High Definition IP security cameras in real time up to 5 Megapixel with support for PoE on 4ch (4), 8ch (8) and 32ch (16). A perfect pairing with Transcendent IP Cameras for quick, professional installation offering a variety of viewing options such as Central Monitoring Software (CMS) and Internet Explorer along with simple yet intuitive IOS and Android apps. Both the Transcendent TVI and Network recorders share the same client, CMS viewing platform and Mobile apps. Camera options include fixed, vari-focal and vandal / weather resistant models.



3 MEGAPIXEL H.265 IP CAMERAS

Transcendent Series H.265 High Definition Megapixel IP Network Cameras are highly versatile offering Turret, Bullet and Dome versions, all produced of high impact aluminum with a weather rating of IP66.

The latest Compression algorithm dubbed H.265 enables transmission of images using up to 50% less bandwidth than their predecessor (H.264).

These simple, easy to install, attractively styled, IP Network Cameras Can be powered over Ethernet cable and offer simple Plug and Play set up using Transcendent Network Recorders. Viewing and playback options include individually via on board Viewer Software, CMS, Internet Explorer, and iOS & Android Apps.



VTC-TNB42R3F2

3 Megapixel H.265 Outdoor WDR IP Camera with 42 IR LED Illumination with 150' Range & 3.6mm Lens

- 1/3" 3.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 3 MegaPixel (2304x1296)
- 3.6mm Fixed Iris Lens Included (2.8mm Also Available)
- 42 Infrared LED's with 150' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night function by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- On Board Motion Detection
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01

VTC-TNB36R3V2

3 Megapixel H.265 Outdoor WDR IP Camera with 36 IR LED Illumination with 120' Range & 3.3~12mm Varifocal Lens

- 1/3" 3.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 3 MegaPixel (2304x1296)
- 3.3~12mm Varifocal Lens
- 36 Infrared LED's with 120' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night function by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- On Board Motion Detection
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01



3 MEGAPIXEL H.265 IP CAMERAS



VTD-TND24R3F2

3 Megapixel H.265 Outdoor WDR IP Vandal Dome Camera with 24 IR LED Illumination with 70' Range & 3.6mm Lens

- 1/3" 3.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 3 MegaPixel (2304x1296)
- 3.6mm Fixed Iris Lens Included (2.8mm Also Available)
- 24 Infrared LED's with 70' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB03)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB03



VTD-TND30R3V2

3 Megapixel H.265 Outdoor WDR IP Vandal Dome Camera with 30 IR LED Illumination with 100' Range & 3.3~12mm Varifocal Lens

- 1/3" 3.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 3 MegaPixel (2304x1296)
- 3.3~12mm Varifocal Lens
- 30 Infrared LED's with 100' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- MicroSD Card Slot supporting 128GB Cards
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Wall Mount (VT-TWM03) & Junction Box Mount Available (VT-TJB02)
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TWM03



VT-TJB02



VTC-TNT2HR3F2

3 Megapixel H.265 Outdoor WDR IP Turret Camera with 2 High Power IR LED Illumination with 65' Range & 3.6mm Lens

- 1/3" 3.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 3 MegaPixel (2304x1296)
- 3.6mm Fixed Lens Included (2.8mm Also Available)
- 2 High Power Infrared LED's with 65' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01

4 MEGAPIXEL H.265 IP CAMERAS



VTC-TNB42R4F2

4 Megapixel H.265 Outdoor WDR IP Camera with 42 IR LED Illumination with 150' Range & 3.6mm Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592 x 1520)
- 3.6mm Fixed Iris Lens Included (2.8mm Also Available)
- 42 Infrared LED's with 150' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01



VTD-TND24R4F2

4 Megapixel H.265 Outdoor WDR IP Vandal Dome Camera with 24 IR LED Illumination with 70' Range & 3.6mm Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592 x 1520)
- 3.6mm Fixed Lens Included (2.8mm Also Available)
- 24 Infrared LED's with 70' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB03)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB03



VTC-TNT2HR4F2

4 Megapixel H.265 WDR IP Turret Camera with 2 High Power IR LED Illumination with 65 Range & 2.8mm Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592x1520)
- 2.8mm Fixed Iris Lens Included
- 2 High Power Infrared LED's with 65' IR Range
- 120dB Super Wide Dynamic Range (WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01



4 MEGAPIXEL H.265 IP CAMERAS



VTC-TNB48R4M2

4 Megapixel H.265 WDR IP Camera with 48 IR LED Illumination with 160' Range & Motorized 3.3-12mm Varifocal Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592x1520)
- **Motorized** 3.3-12mm Varifocal Lens
- 48 Infrared LED's with 160' IR Range
- 120dB Super Wide Dynamic Range
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- MicroSD Card Slot supporting 128GB Cards
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC & PoE (Power over Ethernet) Operation



VT-TJB01



VTD-TND30R4M2

4 Megapixel H.265 WDR IP Vandal Dome Camera with 30 IR LED Illumination with 100' Range & Motorized 3.3-12mm Varifocal Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592x1520)
- **Motorized** 3.3-12mm Varifocal Lens
- 30 Infrared LED's with 100' IR Range
- 120dB Super Wide Dynamic Range
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- IP66 Weather Resistance
- MicroSD Card Slot supporting 128GB Cards
- ONVIF Compliant
- Optional Wall Mount (VT-TWM03) & Junction Box Mount Available (VT-TJB02)
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TWM03



VT-TJB02



VTC-TNT2HR4M2

4 Megapixel H.265 WDR IP Turret Camera with 2 High Power IR LED Illumination with 100' Range & Motorized 3.3-12mm Varifocal Lens

- 1/3" 4.0 Megapixel Progressive Scan CMOS image sensor
- Up to 30fps live view @ 4 MegaPixel (2592x1520)
- **Motorized** 3.3-12mm Varifocal Lens
- 2 High Power IR LED's w/100' Range
- 120dB Super Wide Dynamic Range
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- IP66 Weather Resistance
- ONVIF Compliant
- Optional Wall Mount (VT-TWM03) & Junction Box Mount (VT-TJB01) Available
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TWM03



VT-TJB01

5 MEGAPIXEL H.265 IP CAMERAS



VTC-TNB48R5V2

5 Megapixel H.265 Outdoor WDR IP Bullet Camera with 48 IR LED Illumination with 160' Range, 3.6~10mm Varifocal Lens, and Advanced Starlight Technology

- 1/1.8" 5.0 Megapixel Progressive Scan CMOS image Sensor
- **Advanced Starlight Technology** Offers Dramatically Higher Sensitivity to Light Producing Color Images in Very Dark & Night Scenes
- Up to 30fps live view @ 5 MegaPixel (2592x1944)
- 3.6~10mm Varifocal Lens
- 48 Infrared LED's with 160' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- On Board Motion Detection
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- MicroSD Card Slot supporting 128GB Cards
- ONVIF Compliant
- IP66 Weather Resistance
- Optional Junction Box Mount Available (VT-TJB01)
- 12VDC & PoE (Power over Ethernet) Operation




VT-TJB01



VTD-TND30R5V2

5 Megapixel H.265 Outdoor WDR IP Vandal Dome Camera with 30 IR LED Illumination with 100' Range, 3.6~10mm Varifocal Lens, and Advanced Starlight Technology

- 1/1.8" 5.0 Megapixel Progressive Scan CMOS image sensor
- **Advanced Starlight Technology** Offers Dramatically Higher Sensitivity to Light Producing Color Images in Very Dark & Night Scenes
- Up to 30fps live view @ 5 MegaPixel (2592x1944)
- 3.6~10mm Varifocal Lens
- 30 Infrared LED's with 100' IR Range
- Digital Wide Dynamic Range (D-WDR)
- True Mechanical Day/Night by ICR
- XD-DNR (2D-DNR & 3D-DNR) Noise Reduction
- On Board Motion Detection
- H.265/H.264/MJPEG Triple Streaming
- Secondary Video Output (CVBS)
- IP66 Weather Resistance
- MicroSD Card Slot supporting 128GB Cards
- ONVIF Compliant
- Optional Wall Mount (VT-TWM03) & Junction Box Mount Available (VT-TJB02)
- Available in Ivory or Charcoal Gray
- 12VDC & PoE (Power over Ethernet) Operation



VT-TWM03



VT-TJB02



PTZ ACCESSORIES



VT-TKBD1

Transcendent 3D Network IP Keyboard Controller for Transcendent IP PTZ Camera

- Integrated 5" HD LED Real-Time Display
- Three-dimensional Vector Operation
- Compact Form Factor
- Direct Connection to IP Networks
- 1 RJ45, 1 DC12V, 1HDMI output, 1 USB port
- 3 Year Warranty



VT-TPT-CNMT

PTZ Corner Mount Adapter Bracket for Transcendent HD-TVI & IP PTZ Cameras



VT-TPT-PLMT

PTZ Pole Mount Adapter Bracket for Transcendent HD-TVI & IP PTZ Cameras


4.0 MEGA PIXEL NETWORK PTZ



VT-TPTZ18HR-4N

4.0 MegaPixel H.265 18x PTZ Camera with 10 Integrated IR LEDs for up to 500' IR Range

- 1/3" 2.0 MegaPixel CMOS Sensor
- Up to 2592x1520 @ 22fps / 2304x1296 @ 30fps
- H.265/H.264 Dual-stream
- True Day/Night by IR Cut Filter
- Built-in 4.8mm to 84mm Lens offering 18x Optical Zoom
- 10 Integrated IR LEDs with up to 500 IR Range
- 2DNR Noise Reduction
- 220 Presets programmed with view direction, zoom, BLC, etc
- Max manual speed 480°/sec
- 360°continuous rotation
- 16:9 Video format
- 9" double layer metal body construction with IP66 Weather Resistance
- Includes Wall Mount Bracket & Power Supply
- ONVIF Compliant
- 12VDC Operation
- 3 Year Warranty







ADVANCED MOBILE APPLICATIONS WITH FEATURES THAT ARE TRULY COMPREHENSIVE AND COMPLETE




New Devices can Quickly be Added by Scanning a QR Code on a Transcendent Recorder.



Supports Multiple IP Cameras, DVRs, and NVRs with up to 16 Camera Split Screen Viewing.



Playback Recorded Video by Swiping Left or Right on a Scrolling Timeline.



Intuitive Advanced Search Feature Helps Quickly Locate Recorded Video.



**INSTALL THE
TRANSCENDENT
MOBILE APP,
THEN SCAN THE
QR CODE FOR A
LIVE DEMO!**





FULL FEATURED H.265 REAL TIME NETWORK VIDEO RECORDERS

Transcendent Series Stand Alone H.265 Network Video Recorders offer unprecedented performance and value.

These simple to use and easy to install Plug and Play Recorders support High Definition IP security cameras in real time up to 5 Megapixel. This family of recorders share the same client, CMS and mobile applications as the Transcendent TVI/AHD DVRs. PoE support on 4ch (4), 8ch (8) and 32ch (16). A perfect pairing with Transcendent IP Cameras for quick, professional installation offering a variety of viewing options such as Central Monitoring Software (CMS) and Internet Explorer along with iOS and Android apps.



Local Management, Viewing Interface & Remote Viewing with Web Browsers



Remote Viewing Using Windows and Mac OSX



Professional Grade WD Purple HDD's



4, 8, and 32 Channel Transcendent Network Video Recorders Feature Integrated PoE Switches!



Supports up to 5 MegaPixel IP Cameras!

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE

ONVIF



VT-TNR414P

4 Channel 5 MegaPixel H.265 Real Time Network Video Recorder with 4K Output & 4 Port PoE Switch

- 4 Channel Real-time IP Network Video Recorder
- Full 5 Megapixel Real-time recording (120fps) with 120fps playback
- 4K HDMI & VGA Video Outputs
- H.265 / H.264 Video Compression
- Plug and Play & Auto configuration for many leading ONVIF compliant IP Camera models
- Internal 4-Port PoE Switch
- 1 Gigabit LAN Port
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 1 Internal SATA2/SATA3 HDD Slot supporting up to 6TB (1 x 6TB HDD) Internal Storage
- Network Based PTZ Control
- Applications for iOS® & Android®
- Remote Viewing over the Internet or LAN via Web Browser
- Mac OS® Client & CMS Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- Web-based remote configuration
- Control locally via USB Mouse or with the Included IR Remote control



VT-TNR818P

8 Channel 5 MegaPixel H.265 Real Time Network Video Recorder with 4K Output & 8 Port PoE Switch

- 8 Channel Real-time IP Network Video Recorder
- Full 5 Megapixel Real-time recording (240fps) with 240fps playback
- 4K HDMI & VGA Video Outputs
- H.265 / H.264 Video Compression
- Plug and Play & Auto configuration for many leading ONVIF compliant IP Camera models
- Internal 8-Port PoE Switch
- 1 Gigabit LAN Port
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 1 Internal SATA2/SATA3 HDD Slot supporting up to 6TB (1 x 6TB HDD) Internal Storage
- Network Based PTZ Control
- Applications for iOS® & Android®
- Remote Viewing over the Internet or LAN via Web Browser
- Mac OS® Client & CMS Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- Web-based remote configuration
- Control locally via USB Mouse or with the Included IR Remote control



Rear Connections



Rear Connections



VT-TNR3216P

32 Channel 5 MegaPixel H.265 Real Time Network Video Recorder with 4K Output & 16 Port PoE Switch

- 32 Channel Real-time IP Network Video Recorder
- Full 5 Megapixel Real-time recording (960fps) with 16 Channel (480fps) playback
- 4K HDMI & VGA Video Outputs
- H.265 / H.264 Video Compression
- Plug and Play & Auto configuration for many leading ONVIF compliant IP Camera models
- Internal 16-Port PoE Switch
- 1 Gigabit LAN Port
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 16 Local Alarm Inputs / 4 Alarm Outputs
- 8 Internal SATA2/SATA3 HDD Slots supporting up to 48TB (8 x 6TB HDD) Internal Storage + 1 eSATA Port
- RS485 & Network Based PTZ Control
- Applications for iOS® & Android®
- Remote Viewing over the Internet or LAN via Web Browser
- Mac OS® Client & Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- Web-based remote configuration
- Control locally via Front Panel Controls, USB Mouse, or with the Included IR Remote control
- Heavy duty rack ears included



Rear Connections



VT-TNR6480

64 Channel 5 MegaPixel H.265 Real Time Network Video Recorder with 4K Output & Dual Ethernet Ports

- 64 Channel Real-time IP Network Video Recorder
- Full 5 Megapixel Real-time recording (1920fps) with 16 Channel (480fps) playback
- 4K HDMI & VGA Video Outputs
- H.265 / H.264 Video Compression
- Plug and Play & Auto configuration for many leading ONVIF compliant IP Camera models
- Dual Gigabit LAN Ports
- Pentaplex: Live Display / Record / Playback / Backup / Remote Access
- 16 Local Alarm Inputs / 4 Alarm Outputs
- RS485 & Network Based PTZ Control
- 8 Internal SATA2/SATA3 HDD Slots supporting up to 48TB (8 x 6TB HDD) Internal Storage + 2 eSATA Ports for External Expansion
- Applications for iOS® & Android®
- Remote Viewing over the Internet or LAN via Web Browser
- Mac OS® Client & Central Management Software Included
- Supports both Dynamic and Static IP Addresses
- Web-based remote configuration
- Control locally via Front Panel Controls, USB Mouse, or with the Included IR Remote control
- Heavy duty rack ears included



Rear Connections

Complete H.265 IP Package Systems



COMPLETE SURVEILLANCE SYSTEM:

- **4 or 8 Channel Video Recorder:** Transcendent Series 4 or 8 Channel H.265 Network Video Recorder Supporting Real Time Recording of up to 5.0 MegaPixel IP Cameras with Integrated Channel PoE Switch, and internal storage options of up to 6TB are available.
- **3 MegaPixel Cameras:** Transcendent Series 3 Megapixel H.265 Indoor/Outdoor WDR IP Bullet, Dome, or Turret Cameras with Built-In IR LED Illumination and 3.6mm Fixed Lens.
- **Optional Accessories:** Professional grade Transcendent Monitors available Separately.



Local & Remote Viewing/Management for Windows and Mac OSX



Remote Viewing apps Available for Apple iOS & Google Android Devices

Versatile, Complete, Expandable!



TRANSCENDENT SERIES
IP Network Packages



4 or 8 Channel NVR

Transcendent 4 Channel H.265 Network Video Recorder Supporting Real Time (120fps) Recording of up to four 5.0 MegaPixel IP Cameras. Integrated 4 Channel PoE Switch. Internal storage options of up to 6TB are available.



3 Versatile Camera Styles

Transcendent Series 3.0 Megapixel Indoor/Outdoor IP Cameras offer incredible performance and value delivering 3.0 MegaPixel High Definition images over IP networks. IR LEDs make seeing in total darkness possible and come standard with a 3.6mm Lens.



Ease of Setup

Setup and Configuration is a breeze with the included accessories and easy to understand Quick Start documentation! This system also includes a USB Mouse and IR Remote Control.

ADD-ON CAMERA PACKS AVAILABLE TO COMPLETE 8 CAMERA SYSTEMS!



VT-TNT2CKT3F Camera Pack

Transcendent Series IP
3 MegaPixel 30fps Fixed
Turret Camera 4 Pack



VT-TNB2CKT3F Camera Pack

Transcendent Series IP
3 MegaPixel 30fps Fixed
Bullet Camera 4 Pack



VT-TND2CKT3F Camera Pack

Transcendent Series IP
3 MegaPixel 30fps Fixed
Dome Camera 4 Pack

H.265 IP SURVEILLANCE PACKAGE CONFIGURATIONS:

VT-TN2KT4A	4-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Turret/Ball Cameras with 500GB-6TB HDD Options (Cable and Power Supplies not included)
VT-TN2KT4B	4-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Bullet Cameras with 500GB-6TB HDD Options (Cable and Power Supplies not included)
VT-TN2KT4D	4-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Dome Cameras with 500GB-6TB HDD Options (Cable and Power Supplies not included)
VT-TN2KT8A	8-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Turret/Ball Cameras with 1TB-6TB HDD Options (Cable and Power Supplies not included)
VT-TN2KT8B	8-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Bullet Cameras with 1TB-6TB HDD Options (Cable and Power Supplies not included)
VT-TN2KT8D	8-CH 3 MegaPixel PnP IP Surveillance Package w/Transcendent IP PoE NVR & 4ea 3.0 MegaPixel 30fps IP Dome Cameras with 1TB-6TB HDD Options (Cable and Power Supplies not included)



VTM-TLM191 / VTM-TLM241 *19" & 24" Professional LED Monitors with HDMI, VGA, and Looping BNC*

- 19.5" & 23.6" Wide Screen LED Display Panel
- HDMI, VGA, and Looping BNC Composite Video Inputs & Stereo Audio Input
- Resolution up to 1920 x 1080 (1080P)
- Contrast Ratio of 10,000:1
- <5ms Response time
- 170° Horizontal Viewing Angle
- Front Panel Controls
- VESA Standard Mounting
- Professional grade display designed for 24/7 continuous use in security applications with 50,000 Hour Panel Life



VTM-LCD43TA *3-in-1 4.3" LCD Service Monitor Supporting HD-TVI, AHD, and CVBS Cameras*

- 4.3" 480x272 Pixel LCD Screen
- Supports HD-TVI, AHD, and CVBS Cameras
- 800mA 12VDC Power Output to Power Camera
- Coaxitron™ Support
- Internal 4400mAH Lithium Ion Extended Life Battery

* Coaxitron™ is a registered trademark of Pelco, Inc.



VT-TR4K

Passive Video Balun Transmitter/Receiver pair for TVI/AHD/CVI for distances from 680 to 1400'. Built in Surge suppression and 60dB noise immunity


- Compatible with all HD-TVI/AHD/CVI analog cameras
- No power required
- Built-in TVS (Transient Voltage Suppressor) for surge protection
- Push pin terminal connection for UTP cable
- Wave Filter Design, Anti-Static Design
- Lightning protection design Grade:III
- 60dB crosstalk and noise immunity
- Exceptional interference rejection



VT-TR4VPK

Video & Power Balun Transmitter/Receiver pair for TVI/AHD/CVI for distances from 680 to 1400'. Built in Surge suppression and 60dB noise immunity

- Compatible with all HD-TVI/AHD/CVI analog cameras
- Video & Power Transmission
- Built-in TVS (Transient Voltage Suppressor) for surge protection
- Wave Filter Design, Anti-Static Design
- Lightning protection design Grade: III
- 60dB crosstalk and noise immunity
- Exceptional interference rejection



VT-TWM03

Wall Mount for Transcendent Varifocal Vandal Dome and Turret Cameras (Large Base)

- Also available in charcoal gray (VT-TWM03-B)



VT-TJB01

Junction Box for Cable Management for use with all Transcendent Bullet and Turret Style Cameras


- Also available in charcoal gray (VT-TJB01B)



VT-TJB02

Junction Box for Cable Management for use with Transcendent 30 IR LED Vari-Lens Vandal Domes

- Also available in charcoal gray (VT-TJB02B)



VT-TJB03

Junction Box for Cable Management for use with Transcendent 24 IR LED Fixed Lens Vandal Domes



Scan for more info about the
TRANSCENDENT Line.



www.vitekccv.com

An Eye On
Innovation