


catalog
27



access


Lighting

access

LIGHTING

WHERE EXCLUSIVITY MEETS AFFORDABILITY

catalog
27



access

Lighting

access

LIGHTING

WHERE EXCLUSIVITY MEETS AFFORDABILITY



Access Lighting has an energy and an awareness of self that far outweighs previous years. It seems appropriate that in our 25th year of business, in the exciting world of lighting, our sense of purpose, our identity, our vision for the future, is so perfectly clear.

We believe that our strength lies in our ability to create a symphony of luminary possibilities. Pairing cutting-edge technology and current designs, at a price point that makes high-fashion lighting accessible to a multitude of people - this in a nutshell is the Access Lighting mission.

As you peruse our catalog 27, we hope that you will sense the care that has been taken to carefully curate a collection which reflects the current direction of lighting designs. Low profile, linear lines abound as a result of the outstanding technological advancements in luminary sources, namely LED.

A variety of lifestyle images have been incorporated to stir your imagination with the possibilities both in residential and commercial applications, whilst enlarged images bring the details in our product to life. Detailed descriptions reflect the personality of each product, revealing the inspirational elements to the development of this year's collection.

We believe that this is the most comprehensive and exciting release in the history of Access Lighting. From whimsical to transitional, practical to unusual – we present catalog 27.

Sincerely,

A handwritten signature in black ink, reading "H. Rosenblatt". The signature is written in a cursive, flowing style.

Harry Rosenblatt
Chairman and CEO

starting on page

03

FAMILIES

starting on page

93

SPOTLIGHTS

starting on page

113

CEILING

114

CHANDELIERS

123

PENDANTS

205

MIDI PENDANTS

247

MINI PENDANTS

273

SEMI-FLUSH

279

FLUSH-MOUNTS

starting on page

311

WALL

310

SCONCES AND VANITIES

367

LED MIRRORS

369

TASK LIGHTING

starting on page

375

EXTERIOR

starting on page

405

InteLED MODULES

starting on page

410

PORTABLES

starting on page

412

INDEX

CUSTOM CAPABILITIES

At Access Lighting we take pride in catering to our customers design requirements. With our UL / ETL approved conversion center we are able to adapt our fixtures to fit your unique lamping needs.

By constantly researching and investing in a wide variety of cutting edge technology, we offer a vast number of distinctive selections.

Countless hours are spent on designing and debating our product range and you will see the results of this throughout our catalogue. We understand each client has their own set of requirements and we will make every effort to find what works best for you.

All modifications are completed in our own facility so there are regular progress reports and no delays.

Whether you are looking for dimming fluorescent, emergency backups or the latest in LED technology, Access Lighting will deliver the best solution, on time and within your budget.



ICONOGRAPHY

The following icons are used throughout the catalog to assist in labeling identifying characteristics of each fixture



Fixtures bearing these marks are certified by these accredited testing laboratories, assuring the construction and electrical components meet or exceed all safety requirements.



Access Lighting is a proud Energy Star Partner and all fixtures bearing this mark have been tested and certified as Energy Star compliant.



Fixtures bearing this symbol meet or exceed the requirements of a 4" projection to comply with the American Disability Act.



Fixtures bearing this symbol are coated with a durable process suitable for use in high Saline conditions and installations that incur severe weather conditions.

Pg 233



Fixtures bearing this symbol are part of a family, related product on Pg # as shown in the box.



Assembled in the USA with US electronics and imported parts

To identify the various lamping options available

LED fixtures are highlighted in Green

Fluorescent fixtures are highlighted in Blue

Quick reference Lumen equivalencies
LED vs Incandescent

| Incandescent | Lumens | LED | Lumens |
|--------------|--------|-------|--------|
| 60w | 800 | 10.8w | 1265 |
| 100w | 1600 | 13w | 1520 |

Detailed lamp specifications can be found on page 286

FAMILIES





LAYERS | COLLECTION

Lift your spirits, and dress up any room with the stunning Layers Collection. The contrasting coupling of a round frame topped with square layers, and inset with horizontal lines, brings texture to the forefront. Stark white upon white, an industrial chrome set on white, or regal gold upon white provides a multitude of applications in a variety of locales. This extensive collection allows for perfect pairing in your open space.



Layers Large Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 18" H 6.3" oah 12 to 123" | | Certification | CETL Ceiling Dry | |
|---------------------------|-----------|--------|--------------------|------------|-----------------------------|--------------------------|---------------|------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50906-WH/___ | 5Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord & Cable | | | |
| 50906LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft Cord & Cable | | | |



50904-WH/WH

50904-WH/GLD

50904-WH/CH

Layers Medium Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 14" | H 6.3" | oah 12 to 123" | Certification | CETL Ceiling Dry |
|---------------------------|-----------|--------|--------------------|------------|----------|------------------|----------------|---------------|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50904-WH/___ | 3Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord | | | |
| 50904LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps, 10ft Cord | | | |



50903-WH/WH

50903-WH/CH

50903-WH/GLD

Layers Small Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 11" | H 6.3" | oah 12 to 123" | Certification | CETL Ceiling Dry |
|---------------------------|-----------|--------|--------------------|------------|----------|------------------|----------------|---------------|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50903-WH/___ | 1Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord | | | |
| 50903LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps, 10ft Cord | | | |





50902-WH/GLD



50901-WH/GLD



50902-WH/CH



50901-WH/CH



50902-WH/WH



50901-WH/WH

Layers Large Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | Certification | | |
|---------------------------|-----------|--------|--------------------|----------------|------------------------|----------|--|
| | | | | D 21.5" H 6.3" | CETL Ceiling Damp (UL) | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50902-WH/___ | 6Lt x 26w | GU-24 | LED or Fluorescent | | | | |
| 50902LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | |

Layers Medium Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | Certification | | |
|---------------------------|-----------|--------|--------------------|--------------|------------------------|----------|--|
| | | | | D 18" H 6.3" | CETL Ceiling Damp (UL) | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50901-WH/___ | 4Lt x 26w | GU-24 | LED or Fluorescent | | | | |
| 50901LEDD WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | |



50900-WH/WH



50900-WH/GLD



50900-WH/CH

Layers Small Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 14.25" H 6.3" | | | Certification | CETL Ceiling Damp | |
|---------------------------|-----------|--------|--------------------|------------|-----------------|----------|--|---------------|-------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | | |
| 50900-WH/___ | 4Lt x 26w | GU-24 | LED or Fluorescent | | | | | | | |
| 50900LEDD WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | | |



50907-WH/WH



50907-WH/GLD



50907-WH/CH

Layers Wall Fixture

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | H 7.9" W 12.6" Ext 6.75" | | | Certification | CETL Wall Damp | |
|---------------------------|-----------|--------|--------------------|------------|--------------------------|----------|--|---------------|----------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | | |
| 50907-WH/___ | 2Lt x 36w | E-12 | LED or Fluorescent | | | | | | | |
| 50907LEDD WH/___ Dimmable | 1Lt x 16w | Module | 90CRI LED | 3000k | 1650Lm | Lamps | | | | |



GLAM | COLLECTION

Smoke and mirrors absolutely do make a splash, as can you with the Glam Collection. This striking smoked mirrored glass collection, recalls contemporary retro. Illuminated, the Glam Collection reveals charming crystal balls that sparkle beneath the glass shades. Glamorize your rooms with the Glam Collection.



Glam Mirror Glass with Crystal

| Finish CH Glass MIR | | Supplied Lamps, 10ft Cord | | | | Certification CETL Ceiling Dry |
|---------------------|-----------|---------------------------|----------|--------|----------|--------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52116-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" oah 12 to 123" |
| B 52117-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | D 10" H 4.75" oah 12 to 123" |
| C 52118-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 14" H 4.75" oah 12 to 123" |



A 52119-CH/MIR

B 52120-CH/MIR



A 52111-CH/MIR



B 52112-CH/MIR




C 52113-CH/MIR




C 52114-CH/MIR

Glam Flush-Mount and Chandelier

| Finish CH Glass MIR | | | | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|------|----------|--------|----------|----------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52119-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" | Lamps |
| B 52120-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" oah 12.5 to 50.5" | Lamps, Rods 6"16"22", 10ft Cord |

Glam Mirror Glass with Crystal Vanity Fixture

| Finish CH Glass MIR | | Supplied Lamps | | | Certification CETL Wall Damp  | |
|---------------------|-----------|----------------|----------|--------|--|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52111-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" L 4.75" Ext 6.5" |
| B 52112-CH/MIR | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.75" L 14.5" Ext 6.5" |
| C 52113-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.75" L 24" Ext 6.5" |
| D 52114-CH/MIR | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.75" L 33.5" Ext 6.5" |





AERO | COLLECTION

Already overwhelmingly successful in a multitude of applications, the Aero collection has, through demand, expanded to include an impactful 19" and 21" flush mount. Clean contemporary lines permit Aero the flexibility of use for design driven kitchens or living rooms to upscale closets.



Aero Chromium Ring Drum Cable Pendant

| Finish | CH Glass OPL | Dimensions | | | Certification | |
|--------------------|--------------|------------|--------------------|------------|-------------------|---|
| | | D 15.7" | H 5.5" oah | 12 to 130" | CETL Ceiling Damp |  |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 20673-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | 10ft of Cable & Cord |
| C20673CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | Lamps, 10ft of Cable & Cord |
| 20673LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord  |



A 20670-CH/OPL



B 20671-CH/OPL



C 20672-CH/OPL



A 20676-CH/OPL



B 20677-CH/OPL

Aero Chromium Ring Flush-Mount

| Finish CH Glass OPL | | | | | Certification CETL Ceiling Damp | | |
|----------------------------|-----------|--------|--------------------|--------|---------------------------------|-----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20670-CH/OPL | 1Lt x 75w | E-26 | A-19 Medium Base | 2700k | 1100Lm | D 10" H 4" | |
| A C20670CHOPLN1126B | 1Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 1710Lm | D 10" H 4" | Lamps |
| 20670LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10" H 4" | Lamps |
| B 20671-CH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | 2700k | 1600Lm | D 12.5" H 4" | |
| B C20671CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 12.5" H 4" | Lamps |
| 20671LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12.5" H 4" | Lamps |
| C 20672-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 15.7" H 4.75" | |
| C C20672CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.7" H 4.75" | Lamps |
| 20672LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 15.7" H 4.75" | Lamps |

Aero Chromium Ring Flush-Mount

| Finish CH Glass OPL | | | | | Certification CETL Ceiling Damp | | |
|----------------------------|-----------|--------|--------------------|--------|---------------------------------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20676-CH/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | 2700k | 3057Lm | D 19.5" H 4.4" | |
| A C20676CHOPLN1318B | 3Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 3750Lm | D 19.5" H 4.4" | Lamps |
| 20676LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.4" | Lamps |
| B 20677-CH/OPL | 4Lt x 75w | E-26 | A-19 Medium Base | 2700k | 4400Lm | D 21.5" H 4.4" | |
| B C20677CHOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 21.5" H 4.4" | Lamps |
| 20677LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 4.4" | Lamps |



OPTIX | COLLECTION

Strength and aesthetic beauty are perfectly paired in the acrylic Optix Collection. In addition, the LED light source and adjustable heads form a winning solution for a multitude of applications.



A 63978LEDD-CH/ACR



B 63979LEDD-CH/ACR

Optix LED Flush-Mount

| Finish | CH Diffuser | ACR | Supplied Lamps | | | | Certification | |
|--------|------------------|----------|----------------|--------|-----------|------------|---------------|-------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | |
| A | 63978LEDD-CH/ACR | Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | D 14" H 5.5" oah 5.5" |
| B | 63979LEDD-CH/ACR | Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | D 15.8" H 5.5" oah 5.5" |



A 63971LEDD-CH/ACR



B 63973LEDD-CH/ACR




C 63974LEDD-CH/ACR



D 63975LEDD-CH/ACR

Optix LED Wall Vanity Fixture

| Finish CH Diffuser ACR | | Supplied Lamps | | | Certification CETL Wall Damp  | |
|-----------------------------|----------|----------------|-----------|--------|---|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63971LEDD-CH/ACR Dimmable | 1Lt x 4w | Module | 90CRI LED | 3000k | 400Lm | H 4.75" W 4.75" Ext 5.5" |
| B 63973LEDD-CH/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 4.75" W 19" Ext 5.5" |
| C 63974LEDD-CH/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 4.75" W 26" Ext 5.5" |
| D 63975LEDD-CH/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 4.75" W 36" Ext 5.5" |



B 63054LEDD-MC/ACR




A 63053LEDD-MC/ACR



C 63055LEDD-MC/ACR

Optix LED Spotlight Pendant

| Finish MC Diffuser ACR | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | Certification CETL Ceiling Dry  | |
|-----------------------------|----------|--|-----------|--------|--|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63053LEDD-MC/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 6" oah 13 to 51" W 28" |
| B 63054LEDD-MC/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 6" oah 13 to 51" W 36" |
| C 63055LEDD-MC/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 6" oah 13 to 51" W 51" |



METEOR | COLLECTION

The meteor collection is out of this world with a 3-dimensional effect generated by the curved acrylic medium. Soft pillows of light appear to be suspended in this LED collection that intrigues the onlooker. Equipped with a multitude of LED modules, Meteor lends itself well to placement over a nook table, dining room in pairs or triplets, or as an inviting entry piece.



A 70080LEDD-BSL/ACR

B 70081LEDD-BSL/ACR

C 70082LEDD-BSL/ACR

Meteor LED Flush-Mount with Prismatic Lens

| Model | Wattage | Base | Supplied Lamps | | Certification | Dimensions |
|------------------------------|-----------|--------|----------------|--------|---------------|-----------------------|
| | | | Type | Kelvin | | |
| A 70080LEDD-BSL/ACR Dimmable | 9Lt x 3w | Module | 85CRI LED | 3000k | 1440Lm | D 13.25" H 3" oah 3" |
| B 70081LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 4.5" |
| C 70082LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 4.5" |





A 70083LEDD-BSL/ACR



B 70084LEDD-BSL/ACR

Meteor LED Pendant with Prismatic Lens

| Finish | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | | CETL Ceiling Dry  |
|------------------------------|--|--------|-----------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70083LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 10 to 125" |
| B 70084LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 10 to 125" |





TITANIUM | COLLECTION

Metal meets glass in this geometrically inspired collection. Titanium instills an instant aura of raw strength captured in an attention demanding, architectural body of steel which emits a stunning circle of light. Titanium, light empowered,



62317-BS/FST




A 62315-BS/FST




B 62316-BS/FST

Titanium 6 - Light Cable Chandelier

| Finish BS Glass FST | | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 62317-BS/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | D 28" H 3" oah 10 to 120" W 2.25" |

Titanium Pendant

| Finish BS Glass FST | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|---|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62315-BS/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 3" oah 10 to 49" L 35.4" |
| B 62316-BS/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 3" oah 10 to 49" W 2.75" L 47.2" |





A 62311-BS/FST



B 62312-BS/FST

Titanium Wall Vanity Fixture, Floating cover for non centered J-boxes

| Finish BS Glass FST | | Supplied Lamps | | | CETL Wall Damp   | |
|---------------------|------------|----------------|--------------|--------|--|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62311-BS/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 2.75" L 12" Ext 4" |
| B 62312-BS/FST | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 2.75" L 23.6" Ext 4" |



A veritable gem, pulsar has a unique appearance that is both interesting and pleasing to the eye. Between 800 and 2000 lumens (model dependent) is reflected off a stunning gold or silver concave shade fashioning a dramatic light output. Pulsar is fully dimmable with a standard incandescent dimmer.



70072LEDD-WH/SILV



70072LEDD-WH/GLD



A 70073LEDD-WH/SILV




B 70074LEDD-WH/GLD

Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | | | CETL Wall/Ceiling Dry |
|---------------------------|----------|---------|----------------|--------|----------|-----------------|-----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 70072LEDD-WH/___ Dimmable | 1Lt x 7w | Module | 85CRI LED | 3000k | 810Lm | D 11.75" Ext 7" | |

Pulsar Gold or Silver Leaf Reflective LED Pendant

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | | CETL Wall Damp |
|-----------------------------|-------------|---------|----------------|--------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70073LEDD-WH/___ Dimmable | 1Lt x 16.8w | Module | 85CRI LED | 3000k | 1350Lm | D 17" H 8" oah 14 to 128" |
| B 70074LEDD-WH/___ Dimmable | 1Lt x 18w | Module | 85CRI LED | 3000k | 2025Lm | D 24" H 9" oah 15 to 129" |



NIMBUS | COLLECTION


The organic shape of the Nimbus collection is notably on point with design trends. The stark contrast of the opal glass outlined with chrome keeps this collection distinctly contemporary. Aircraft cable with grip lock adjustability sustains the minimalist features of Nimbus.



A 20686-CH/OPL

B 20687-CH/OPL

Nimbus Abstract Glass Flush-Mount and Aircraft Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp  |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20686-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" W 16.5" L 17.7" | |
| A C20686CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 4.5" W 16.5" L 17.7" | Lamps |
| 20686LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" W 16.5" L 17.7" | Lamps |
| 20687-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | 10ft Aircraft Cable and Cord |
| B C20687CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |
| 20687LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |



FAMILIES



35



PEBBLE | COLLECTION

A far cry from commonplace, Pebble brings an artistic flair to any setting. Gently stepped opal glass in a soft triangular shape suggests texture, challenging smooth contemporary lines that are the anticipated norm. Pebble turns ordinary into extraordinary.




A 20688-CH/OPL



B 20689-CH/OPL

Pebble Abstract Glass Flush-Mount and Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp  | |
|---------------------------|-----------|--------|--------------------|--------|----------|-------------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 20688-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 3.5" | | |
| A C20688CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 19.5" H 3.5" | Lamps | |
| 20688LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 3.5" | Lamps | |
| 20689-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 4.7" oah 11 to 125" | 10ft Aircraft Cable and Cord | |
| B C20689CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord | |
| 20689LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord | |





NIDO | COLLECTION

Crafted by a Spanish artisan, the spectacular Nido Collection is a timeless beauty. Glass shades fashioned into a modern oblong form, are delicately suspended from a low profile rod in an extensive range of semi-flush and pendant luminaires. Detailed elements, including canopies and back plates that mimic the contour of the glass shades equip this collection with unrivaled style and grace.




63951-ORB/FST



63951-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

| Finish | MC ORB Glass FST | Supplied Lamps | | | | CETL Ceiling Dry  |
|---------------|------------------|----------------|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63951-___/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | W 6" L 10" Ext 3.5" |



D 63962-MC/FST



A 63953-MC/FST



B 63958-MC/FST




B 63960-ORB/FST



A 63957-MC/FST



C 63961-ORB/FST




C 63959-MC/FST

Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | CETL Ceiling Dry |
|-------------------------|------------|---|--------------|--------|----------|----------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63957-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 4" oah 11 to 35" W 5" L 32" |
| B 63958-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 4" oah 11 to 35" W 5" L 42.5" |
| C 63959-___/FST | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | H 4" oah 11 to 35" W 5" L 53.5" |
| D 63962-___/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | H 4" oah 11 to 35" W 3" L 29.25" |


Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps | | | | CETL Ceiling Dry |
|-------------------------|------------|----------------|--------------|--------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63953-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 3.75" L 14.25" W 14.25" |
| B 63960-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" W 5" L 32" Ext 5" |
| C 63961-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" W 3" L 42" Ext 5" |




FLUX | COLLECTION

Retro vintage and industrial in nature, Flux is a mod twist on an old favorite. Chrome or brushed bronze finishes paired with clear or smoked glass, allows for seamless placement in either a contemporary or transitional settings. Inclusive, replica vintage Edison bulbs allow for that retro, "Menlo Park" look. Bring home your application by pairing Flux with the right mix of vintage or industrial furniture and accessories.



Flux Vintage Lamped Chandeliers

| Finish | | Supplied | | | | CETL Ceiling Dry  | |
|----------|------------|----------|-------------------|--------|----------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| A 55542- | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 24" oah 24 to 36" | |
| B 55543- | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 19" oah 19 to 36" | |



A 55545-ANCK/CLR





B 55546-DBRZ/AMB



C 55547-ANCK/CLR

Flux Vintage Lamped Pendant

| | Finish ANCK Glass CLR | Finish DBRZ Glass AMB SMK | | | | | | CETL Ceiling Dry  |
|--------------|-----------------------|---------------------------|--------------------|--------|----------|------------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 55545- / / | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 7.5" H 10.25" oah 17 to 56.25" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| B 55546- / / | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 13" H 15.25" oah 21.25 to 61.25" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| C 55547- / / | 3Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 600Lm | D 15" H 17.1" oah 24 to 63.1" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |




Aeria has an allure of its own, with chrome weaved baskets encircled with delicate clear glass globes. Place multiple 7 light clusters over a long dining table or the 5 light pendant with an attractive organic canopy on a stairwell. Aeria, options abound.



A 52076-CH/CLR


B 52078-CH/CLR

Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Finish CH Glass CLR | | Supplied Lamps, 10Ft Co-Axial Cable | | | | CETL Ceiling Damp  |
|---------------------|-----------|-------------------------------------|----------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52076-CH/CLR | 5Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 1500Lm | D 14" H 4" oah 12 to 115" |
| B 52078-CH/CLR | 1Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 300Lm | D 4" H 4" oah 12 to 115" |



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Finish CH Glass CLR | | Supplied Lamps, 10Ft Co-Axial Cable | | | | CETL Ceiling Damp  |
|---------------------|-----------|-------------------------------------|----------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52077-CH/CLR | 7Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 2100Lm | D 12" H 4" oah 12 to 115" |



E 52085CH/CLR

D 52084-CH/CLR

A 52081-CH/CLR

C 52083-CH/CLR

B 52082-CH/CLR

Aeria Vanity Series, Metal Foil in Glass

| Finish | CH Glass CLR | Supplied Lamps | | | | | CETL Wall Damp | UL | |
|--------|--------------|----------------|------|------------|----------|------------|----------------|---------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | | |
| A | 52081-CH/CLR | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm | H 4.75" | L 4.75" | Ext 5.5" |
| B | 52082-CH/CLR | 2Lt x 40w | G9 | G9 Halogen | 2900k | 960Lm | H 4.75" | L 12.5" | Ext 5.5" |
| C | 52083-CH/CLR | 3Lt x 40w | G9 | G9 Halogen | 2900k | 1440Lm | H 4.75" | L 20.5" | Ext 5.5" |
| D | 52084-CH/CLR | 4Lt x 40w | G9 | G9 Halogen | 2900k | 1920Lm | H 4.75" | L 28.3" | Ext 5.5" |
| E | 52085-CH/CLR | 5Lt x 40w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" | L 36" | Ext 5.5" |






PRIZM | COLLECTION

A contemporary slant on traditional crystal, Prizm is dazzling, aesthetically pleasing, eye-candy. Crystal squares paired with modern chrome will upgrade and glamorize your bathroom space, whilst the three light semi-flush makes a wonderful addition to a dressing room or closet. Prizm-design with style!



Prizm Semi Flush

| Finish CH Glass CCL | | Supplied Lamps | | | | CETL Ceiling Damp  |
|---------------------|-----------|----------------|------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23924-CH/CCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | D 20" H 11" oah 11" |



A 23920-CH/CCL



B 23921-CH/CCL




C 23922-CH/CCL



D 23923-CH/CCL

Prizm Crystal Vanity & Wall Fixture, Mountable Up or Down

| Model | Wattage | Supplied Lamps | | | | CETL Wall Damp  |
|----------------|-----------|----------------|------------|--------|----------|--|
| | | Base | Type | Kelvin | NomLumen | |
| A 23920-CH/CCL | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 4.75" oah 4.75" L 4.6" Ext 5" |
| B 23921-CH/CCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" oah 4.75" L 20" Ext 5" |
| C 23922-CH/CCL | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 4.75" oah 4.75" L 28" Ext 5" |
| D 23923-CH/CCL | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 4.75" oah 4.75" L 36" Ext 5" |



SOHO | COLLECTION

The urban, hip, Soho Collection embraces loft living and the lighter side of industrial design. Three edgy hues transform the look and feel to this “on fleek” collection with a sleek glossy white or infinitely rawer brushed silver and rice white. Soho is a statement in design and clearly defines a space with grip-lock adjustable aircraft cables and a retro spin on a powerful modern design. Counter, nook, entry way or a 3 piece configuration-the options with Soho are infinite.



SoHo Reflective Illumination Pendant

| Finish | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|-------------|-----------|------|------------------|--------|----------|-----------------------------------|
| BSL GWH RIC | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 18.75" H 10.5" oah 16 to 130.5" |

Supplied 10ft of Cable & Cord
CETL Ceiling Dry (CD)



23764-GWH




23764-BSL



23764-RIC

SoHo Reflective Illumination Flush-Mount

| Finish BSL GWH RIC | | | | | | CETL Ceiling Dry  |
|--------------------|-----------|------|------------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23764-___ | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 18.75" H 10.5" |



RA | COLLECTION

Ra incorporates cutting edge LED technology and a wonderful blend of soft opal glass set in a brushed steel shade. Equipped with both an up and down light Ra illuminates the surface and lower glass, while the upper glass enhances the ambiance with an easy glow. The wall sconce prompts thoughts of ancient times, starkly contrasting with obvious present day materials and LED light.


A 70028LED-BRZ/CLR

70028LED-BS/CLR

B 70029LED-BRZ/CLR

70029LED-BRZ/CLR


Ra LED Pendant and Wall Sconce

| Finish BRZ BS Diffuser ACR | | | | | | | CETL Ceiling Dry  |
|----------------------------|-------------|--------|-----------|--------|----------|---------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70028LED-_/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm | D 2.2" H 17.5" oah 25 to 140" | Lamps, 10Ft Clear Cord |
| B 70029LED-_/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm | D 2.2" H 17.5" oah 17.5" Ext 5" | Lamps |





ORION | COLLECTION

Orion puts contemporary in its best light. Simple, unadorned and understated, Orion is functional, easily blending into the background, always allowing the design elements in your application to shine.



50163-BS/OPL

Orion Aircraft Cable Pendant

| Finish | Dimensions | | | | | CETL Ceiling Damp  |
|---------------------------|-----------------------------|--------|------------------|--------|----------|---|
| BS Glass OPL | D 19" H 3.9" oah 10 to 123" | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 50163-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | 10ft of Cable & Cord |
| C50163BSOPLN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | Lamps, 10ft of Cable & Cord |
| 50163LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord  |



A 50160-WH/OPL



B 50161-WH/OPL



C 50162-WH/OPL

Orion Flush-Mount

Finish WH Glass OPL CETL Ceiling Damp 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|------------------------------|-----------|--------|------------------|--------|----------|------------------|---|
| A 50160-WH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | D 10.75" H 3.75" | |
| A C50160WHOPLEN118BQ | 1Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 1250Lm | D 10.75" H 3.75" | Lamps |
| 50160LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10.75" H 3.75" | Lamps  |
| B 50161-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 13.25" H 4" | |
| B C50161WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | D 13.25" H 4" | Lamps |
| 50161LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 13.25" H 4" | Lamps  |
| C 50162-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19" H 4.5" | |
| C C50162WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | D 19" H 4.5" | Lamps |
| 50162LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19" H 4.5" | Lamps  |





A 50120-BS/OPL



B 50121-BS/OPL

Tara Flush-Mount

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp | |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------|-------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50120-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 14" H 4.75" | | |
| A C50120BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 14" H 4.75" | Lamps | |
| 50120LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 4.75" | Lamps | |
| 50121-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" | | |
| B C50121BSOPLN1226BS | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" | Lamps | |
| 50121LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" | Lamps | |

It's the little details that make all the difference, and the details are perfectly depicted in the Tara Collection. Contemporary style is obvious, with modern metal accents in all the right places, and in stark contrast to the frosted opal glass with clear openings. The solid rod hanging mechanism and energy efficient options make Tara an obvious choice for commercial applications. Place Tara over a nook table or on a staircase landing, and instantly bring artful, stylish design to your space.



A 50123-BS/OPL



B 50124-BS/OPL

Tara Pendant

| Finish BS Glass OPL | | | | | | CETL Ceiling Damp | | |
|---------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | Supplied |
| 50123-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" oah 13 to 50.75" | | Rods 6"16"22", 10ft Cord, Slope Adapter |
| A C50123BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" oah 13 to 50.75" | | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| 50123LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" oah 13 to 50.75" | | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| 50124-BS/OPL | 5Lt x 60w | E-26 | A-19 Medium Base | | | D 24" H 4.75" oah 13 to 50.75" | | Rods 6"16"22", 10ft Cord, Slope Adapter |
| B C50124BSOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 24" H 4.75" oah 13 to 50.75" | | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| 50124LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 24" H 4.75" oah 13 to 50.75" | | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |



ALTUM | COLLECTION

The exceptional design element of Altum lies in the indented channels in the glass. The lateral indent is perfectly centered between two layers commanding a feeling of balance and order. An outer indent on the bottom of the glass provides dimension and further enhances the overall design elements. Aircraft cable that suspends the pendant version of Altum, is understated and draws further attention to this show stopping glass. Energy efficient pendant options, including LED and a variety of sizes and matching flush mounts make Altum a designer's choice.






A 50186-WH/OPL



B 50187-WH/OPL

Altum Flush-Mount

| Finish WH Glass OPL | | | | | | | CETL Ceiling Damp  | |
|---------------------------|-----------|--------|--------------------|--------|----------|-----------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50186-WH/OPL | 1Lt x 60w | E-26 | A-19 Medium Base | | | D 10.25" H 3.1" | | |
| A C50186WHOPLEN1118B | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 10.25" H 3.1" | Lamps | |
| 50186LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10.25" H 3.1" | Lamps  | |
| 50187-WH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | D 12.5" H 3.5" | | |
| B C50187WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 12.5" H 3.5" | Lamps | |
| 50187LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12.5" H 3.5" | Lamps  | |






A 50188-WH/OPL



B 50189-WH/OPL

Altum Flush-Mount




| Finish WH Glass OPL | | | | | | | CETL Ceiling Damp  |
|----------------------------------|-----------|--------|--------------------|--------|----------|-------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50188-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.75" | |
| A C50188WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.75" | Lamps |
| 50188LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.75" | Lamps  |
| 50189-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 3.9" | |
| B C50189WHOPLEN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 3.9" | Lamps |
| 50189LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 3.9" | Lamps  |




A 50190-WH/OPL

B 50191-WH/OPL

Altum Aircraft Cable Pendant

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp  |
|----------------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50190-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.4" oah 10 to 120" | 10ft of Cable & Cord |
| A C50190BSOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50190LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord  |
| 50191-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 4" oah 10 to 120" | 10ft of Cable & Cord |
| B C50191BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord  |




AQUARIUS | COLLECTION

Cast your mind back to the late 1960's, early 70's and the hit musical "Hair", there you will find the inspiration for the Aquarius Collection. A whimsical metal panel placed upon clear edged, center frosted glass, designed to take you back to an era when shiny metals and geometric shapes were all the rage. Aquarius is a revival of some of those elements, yet clearly updated. Pendant, large or small, perhaps a wall sconce, all available in halogen or energy efficient CFL or LED. - "Aquarius, far out"



Aquarius Adjustable Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|---------------------|-----------|------|------------|--------|----------|---------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50107-BS/CLR | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 2" oah 8 to 47" W 10" L 29.5" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |



50110-BS/CLR



A 50108-BS/CLR








B 62095-BS/FST

Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|---------------------|------------|--------|------------------|--------|----------|-------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50110-BS/CLR | 10Lt x 40w | G9 | G9 Halogen | 2900k | 4800Lm | H 2" oah 8 to 47" W 12" L 30" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| C50110BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 30" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |

Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|----------------------|------------|--------|--------------------|--------|----------|---|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50108-BS/CLR | 8Lt x 40w | G9 | G9 Halogen | 2900k | 3840Lm | H 2" oah 8 to 47" W 12" L 24" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| A C50108BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 24" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 62095-BS/FST | 1Lt x 100w | R7s | J-118 Halogen | 2900k | 1650Lm | H 15" oah 15" L 8" Ext 3"  | Lamps |
| B C62095BSFSTEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 15" oah 15" L 8" Ext 3"  | Lamps |
| B 62095LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 15" oah 15" L 8" Ext 3"  | Lamps  |



HELIUS | COLLECTION


Take your lighting to new heights with the Helius Collection. Helius is distinguishable by its extremely low profile, circular frosted glass, surrounded by clear glass and accented with a ring of metal, all beautifully illuminated by a central light source. Perfect for an open plan space, Helius offers multi local light sources including; pendant, flush, semi-flush and sconce.



A 50481-BS/CFR

B 50484-BS/CFR

Helius Pendant and Semi-Flush with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | | | | | | CETL Ceiling Dry  |
|---------------------|------------|------|--------------|--------|----------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50481-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 12" H 8" | Lamps |
| B 50484-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 20" H 4" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft Cord |



A 50480-BS/CFR



B 50483-BS/CFR

Helius Flush-Mount with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | Supplied Lamps | | CETL (E) 50480 Ceiling Damp 50483 Wall Dry | | |
|----------------------|------------|----------------|--------------|--|----------|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50480-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 12" H 4" oah 4" |
| A 50480LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 12" H 4" oah 4" |
| B 50483-BS/CFR | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 4.5" L 12" Ext 6.75" |





IRON | COLLECTION

The iron collection brings strength and character to any room. Cylindrical opal glass is boldly wrapped in a metal mesh screen and suspended in a tri metal basket. Iron is sensational in a 3 or 5 grouping over a kitchen counter. Pair this combination with an entry way flush mount and sconces on either side of a fireplace to create an unrivaled, strong, contemporary destination. Iron, bold and beautiful to the core.



20738-BS/OPL

Iron Pendant

| Finish | Supplied | CUL Ceiling Dry | | | | |
|--------------------|------------|-----------------|--------------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20738-BS/OPL | 1Lt x 100w | E-26 | A-19 Medium Base | | | D 6.1" H 12" oah 20 to 58" |
| C20738BSOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 6.1" H 12" oah 20 to 58" |



A 50130-BS/FST



B 50131-BS/FST

Iron Flush-Mount

| Finish BS Glass FST | | | | | | | CETL Ceiling Damp | |
|---------------------------|------------|--------|--------------------|--------|----------|------------|-------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50130-BS/FST | 1Lt x 100w | E-26 | A-19 Medium Base | | | D 12" H 4" | | |
| A C50130BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 12" H 4" | Lamps | |
| 50130LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12" H 4" | Lamps | |
| 50131-BS/FST | 2Lt x 75w | E-26 | A-19 Medium Base | | | D 16" H 4" | | |
| B C50131BSFSTEN1218BS | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 16" H 4" | Lamps | |
| 50131LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 16" H 4" | Lamps | |









B 50562-BS/OPL
Shown with optional extra SCR50562 Mesh Sleeve

B 50562-BS/OPL

A 20739-BS/OPL

Iron Wall Fixture

| Finish BS Glass OPL | | | 20739 CUL Wall Dry   | | | 50562 CETL Wall Damp   | |
|--|-----------|--------|--|--------|----------|--|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20739-BS/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | H 11.75" L 10" Ext 4" | |
| A C20739BSOPLN1218BS  | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 11.75" L 10" Ext 4" | Lamps |
| 20739LEDD-BS/OPL Dimmable | 1Lt x 16w | Module | 80CRI LED | 3000k | 1650Lm | H 11.75" L 10" Ext 4" | Lamps |
| B 50562-BS/OPL | 1Lt x 60w | E-26 | A-19 Medium Base | | | H 14.5" L 4.3" Ext 4" | |
| C50562BSOPLN1113BS  | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | H 14.5" L 4.3" Ext 4" | Lamps |





50091-BS/FST

SATURN | COLLECTION

Simply heavenly, the Saturn collection, named for its multiple layered rings, uses depth and artistic elements to enhance a basic cylindrical collection. The Contemporary Saturn Series, is applauded for detailed components including a stepped brushed steel frame, bound with geometrical fitters, and set against an acid frosted glass. The allure of Saturn lies in the complex engineering of Saturn marking this collection as a focal point. The sensational, energy efficient LED light source takes Saturn beyond the outer limits.



50090-BS/FST

Saturn Pendant with Concentric Metal Rings

| Finish | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | | CETL Ceiling Dry |
|--------------------|--|--------|---------------|--------|----------|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50090-BS/FST | 1Lt x 300w | R7s | J-118 Halogen | 2900k | 5000Lm | D 19" H 5" oah 11 to 50" |
| 50090LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19" H 5" oah 11 to 50" |

Saturn Flush-Mount with Concentric Metal Rings

| Finish | Supplied Lamps | | | | CETL Ceiling Damp | |
|---------------------------|----------------|--------|--------------------|--------|-------------------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50091-BS/FST | 1Lt x 75w | G9 | G9 Halogen | 2900k | 1050Lm | D 9.5" H 4.5" |
| C50091BSFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | D 9.5" H 4.5" |
| 50091LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 9.5" H 4.5" |



50092-BS/FST

Saturn Flush-Mount with Concentric Metal Rings

| Finish | Supplied Lamps | | | | CETL Ceiling Damp | |
|---------------------------|----------------|--------|--------------------|--------|-------------------|----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50092-BS/FST | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | D 14.5" H 5.5" |
| C50092BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 14.5" H 5.5" |
| 50092LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14.5" H 5.5" |




PHOEBE | COLLECTION

Put down the wine glasses and bring the party to your space with the martini inspired Phoebe Collection. The pendant sports thick, clear, curved glass capped with a stepped brushed steel top and hung on a solid brushed steel rod. The covered light source, halogen or LED, maintains the detail with a fitted metal trim and chunky thumb screws. The stunning wall sconce extends from the wall making a dramatic statement, whilst the vanities are impactful with a frosted glass seemingly suspended incrementally in the middle of the clear glass.



50441-BS/8CL

Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50441-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 13.5" H 4" oah 12 to 50" |
| 50441LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 13.5" H 4" oah 12 to 50" |




50444-BS/8CL





50443-BS/8CL

Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50444-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 19" H 4" oah 12 to 50" |
| 50444LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 19" H 4" oah 12 to 50" |

Phoebe Pendant


| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50443-BS/8CL | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| 50443LEDD Dimmable | 3Lt x 13w | GX-53 | 85CRI LED | 3000k | 3600Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |



50511-CH/8CL




Phoebe Wall Fixture Incorporating Thick Bent Glass

| Finish CH Glass 8CL | | Supplied Lamps | | | | CETL Wall Dry  |
|---------------------|------------|----------------|--------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50511-CH/8CL | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 12" oah 12" L 6.5" Ext 6" |



A 62091-BS/12C



B 62092-BS/12C




C 62093-BS/12C



D 62099-BS/12C

Phoebe Wall Vanity Fixture with Thick Panel Glass, Full Size Backplate to J-Box

| Finish BS Glass 12C | | Supplied Lamps | | | | CETL Wall Damp  |
|---------------------|------------|----------------|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62091-BS/12C | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5" L 12.75" Ext 6.25" |
| B 62092-BS/12C | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5" L 23" Ext 6.25" |
| C 62093-BS/12C | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" L 33.25" Ext 6.25" |
| D 62099-BS/12C | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" L 43.5" Ext 6.25" |



AZTEC | COLLECTION

You just can't go wrong with the Aztec Collection. This classic design is made more interesting with double metal rings, set apart with metal standoff's and hung with a four arm configuration. The availability of a pendant, semi-flush and multi flush mount options, makes this collection open configuration friendly. In addition the GU24 bulb, delivers an energy efficient collection too.



B 20457GU-BS/WHT







A 20456GU-BS/WHT




C 20458GU-BS/WHT

Aztec Flush-Mount

| Finish BS Glass WHT | | | | | | CUL Ceiling Damp  | |
|---------------------|-----------|--------|--------------------|--------|----------|--|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20456GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 14" H 4" oah 4" | |
| 20456LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 4" oah 4" | Lamps  |
| B 20457GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 17" H 4.5" oah 4.5" | |
| 20457LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 17" H 4.5" oah 4.5" | Lamps  |
| C 20458GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | D 21.5" H 5" oah 5" | |
| 20458LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 5" oah 5" | Lamps  |



Aztec Chain Supported Bowl Pendant

| Finish BS Glass WHT | | Supplied 6ft Chain, 10ft Cord | | | | CUL Ceiling Damp  |
|---------------------|-----------|-------------------------------|--------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20463GU-BS/WHT | 5Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 8550Lm | D 25" H 25.75" oah 28.75 to 97.75" |




A 20460GU-BS/WHT



B 20462GU-BS/WHT

Aztec Semi Flush Bowl and Chain Suspended Pendant

| Finish BS Glass WHT | | | | | | | CUL Ceiling Damp  |
|---------------------|-----------|-------|--------------------|--------|----------|---------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20460GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 17" H 17.5" oah 17.5" | |
| C20460BSWHTEN1140C | 1Lt x 40w | G10q | 2CT6 Fluorescent | 2700k | 2800Lm | D 17" H 17.5" oah 17.5" | |
| B 20462GU-BS/WHT | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | D 21" H 23.5" oah 26.5 to 95.5" | 6ft Chain, 10ft Cord |
| C20462BSWHTEN1158C | 1Lt x 58w | G10q | 2CT6 Fluorescent | 2700k | 3700Lm | D 21" H 23.5" oah 26.5 to 95.5" | 6ft Chain, 10ft Cord |



A 20452GU-BS/WHT




B 20453GU-BS/WHT



C 20454GU-BS/WHT

Aztec Wall Vanity Fixture with Full Size Backplate to Cover J-Box


| Finish BS Glass WHT | | | | | | CUL Wall Damp  |
|---------------------|-----------|-------|--------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 20452GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | H 4.5" L 24" Ext 6" |
| B 20453GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | H 4.5" L 36" Ext 6" |
| C 20454GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | H 4.5" L 48" Ext 6" |

SPOTLIGHTS





Optix LED Pendant Spotlight

| Finish | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | | CETL Ceiling Dry  |
|-----------------------------|--|--------|-----------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63053LEDD-MC/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 6" oah 13 to 51" W 28" |
| B 63054LEDD-MC/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 6" oah 13 to 51" W 36" |
| C 63055LEDD-MC/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 6" oah 13 to 51" W 51" |



Versahl 4 - Light Adjustable Spotlight Pendant

| | | | | | | |
|------------|-----------|-------------------------------|---------------|--------|------------------|-----------------------------|
| Finish | MC Glass | Supplied Lamps, Slope Adapter | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63004ET-MC | 4Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 2056Lm | H 5" oah 23 to 39" L 27.75" |



Versahl Spotlight

| | | | | | | |
|-------------|------------|-------------------------------|---------------|--------|-----------------------|--------------------|
| Finish | MC | Supplied Lamps, Slope Adapter | | | CETL Ceiling Wall Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63021-MC | 1Lt x 35w | GU-5.3 | MR-16 Halogen | 2900k | 360Lm | H 14" oah 14" W 4" |
| 63021LED-MC | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 14" oah 14" W 4" |



Versahl 3 - Light Semi-Flush Spotlight

| Finish MC | | Supplied Lamps, Slope Adapter | | | | CETL Ceiling Dry |
|------------|-----------|-------------------------------|---------------|--------|----------|---------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63013ET-MC | 3Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 1542Lm | H 13" W 4" L 21.25" |



Versahl 3 - Light Ceiling Offset Spotlight

| Finish MC | | Supplied Lamps | | | CETL Ceiling Dry | |
|-------------|------------|----------------|---------------|--------|------------------|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63023ET-MC | 3Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 1542Lm | H 9" oah 9" W 6" L 36" |
| 63023LED-MC | 3Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 1038Lm | H 9" oah 9" W 6" L 36" |



Versahl 5 - Light Semi-Flush Spotlight

| Finish MC | | Supplied Lamps, Slope Adapter | | | | CETL Ceiling Dry |
|------------|-----------|-------------------------------|---------------|--------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63015ET-MC | 5Lt x 35w | GU-5.3 | MR-16 Halogen | 2900k | 1800Lm | H 13.5" oah 13.5" W 4" L 72" |



Versahl 4 - Light Ceiling Offset Spotlight

| Finish MC | | Supplied Lamps | | | CETL Ceiling Dry | |
|-------------|------------|----------------|---------------|--------|------------------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63024ET-MC | 4Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 2056Lm | H 11.5" L 56" |
| 63024LED-MC | 4Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 1384Lm | H 11.5" L 56" |



Mirage 1 - Light Swivel Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry (ETL) | |
|---------------|-----------|----------------|---------------|--------|------------------------|--------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52220-__ | 1Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 550Lm | D 6" H 5.63" |



Mirage 3 - Light Cluster Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry (ETL) | |
|---------------|-----------|----------------|---------------|--------|------------------------|------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52221-__ | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 10" H 8" |




Mirage 4 - Light G Cluster Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry | |
|---------------|-----------|----------------|---------------|--------|------------------|------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52222-__ | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | D 18" H 6" |



Mirage 3 - Light Pendant

| Finish BRZ BS | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | CETL Ceiling Dry |
|---------------|-----------|--|---------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52223-__ | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 6" oah 12 to 52" W 3" L 33" |



Mirage 4 - Light Pendant

| Finish BRZ BS | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | CETL Ceiling Dry |
|---------------|-----------|--|---------------|--------|----------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52224-__ | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 6" oah 12 to 52" W 4.7" L 40" |



Mirage 6 - Light Semi-Flush with Articulating Arms

| Finish BRZ BS | | Supplied Lamps | | | | CETL Ceiling Dry |
|---------------|-----------|----------------|---------------|--------|----------|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52226-__ | 6Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 3300Lm | H 5" W 3" L 24.5 + 24.5" |




A 52103-BS



B 52133-BS

Cobra Spotlight Cluster

| Finish BS | | CETL Ceiling Dry  | | | | |
|------------|-----------|--|---------------|--------|----------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52103-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 10" H 4" |
| B 52133-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 12" H 4.75" |



A 52203-BS



B 52205-BS

Cobra 3 - Light Semi-Flush and Pendant Curved Bar Spotlight

| Finish BS | | | | | | | CETL Ceiling/Wall Dry |
|------------|-----------|-------|---------------|--------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52203-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 5.5" L 27" | |
| B 52205-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 3.75" oah 10 to 50" L 27" | Rods 6"16"22", 10ft Cord, Slope Adapter |



A 52204-BS




B 52206-BS

Cobra 4 - Light Semi-Flush and Pendant Curved Bar Spotlight

| Finish BS | | | | | | | CETL Ceiling/Wall Dry |
|------------|-----------|-------|---------------|--------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52204-BS | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 5.5" L 33" | |
| B 52206-BS | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 3.75" oah 10 to 50" L 33" | Rods 6"16"22", 10ft Cord, Slope Adapter |




Viper Off-Set Semi Flush

| Finish BS | | Supplied Lamps | | | CETL Ceiling Dry  | |
|-----------|-----------|----------------|---------------|--------|--|-----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52043-BS | 6Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1920Lm | H 9" L 31 + 31" |



Viper Semi-Flush with Articulating Arm

| Finish BS | | Supplied Lamps | | | CETL Ceiling Dry  | |
|-----------|-----------|----------------|---------------|--------|--|--------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52042-BS | 5Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1600Lm | H 10" L 35.5 + 16" |



52030-BS

Comet 3 - Light Semi Flush

| Finish BS Glass OPL | | Supplied Slope Adapters | | | CETL Ceiling Dry | |
|---------------------|-----------|-------------------------|---------------|--------|------------------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52030-BS/OPL | 3Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 960Lm | H 13.2" L 21" |



52034-BS


Comet 3 - Light Off Set Semi-Flush

| Finish BS Glass OPL | | Supplied Slope Adapters | | | CETL Ceiling Dry | |
|---------------------|-----------|-------------------------|---------------|--------|------------------|-------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52034-BS/OPL | 3Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 960Lm | H 10" L 35" |



52031-BS


Comet 5 - Light Semi Flush

| Finish BS Glass OPL | | | | | CETL Ceiling Dry  | |
|---------------------|-----------|-------|---------------|--------|--|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52031-BS/OPL | 5Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1600Lm | H 13.2" L 71" |



52035-BS

Comet 4 - Light Off Set Semi-Flush

| Finish BS Glass OPL | | | | | CETL Ceiling Dry  | |
|---------------------|-----------|-------|---------------|--------|--|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52035-BS/OPL | 4Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1280Lm | H 13.75" L 53.5" |

CHANDELIERS





A 55542-BRZ



B 55543-CH



Flux Vintage Lamped Chandeliers

| Finish BRZ CH | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry |
|---------------|------------|---|-------------------|--------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 55542-___ | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 24" oah 24 to 36" |
| B 55543-___ | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 19" oah 19 to 36" |



62317-BS/FST



Titanium 6 - Light Cable Chandelier

| Finish BS Glass FST | | | | | | CETL Ceiling Dry | |
|---------------------|------------|------|--------------|--------|----------|-----------------------------------|-------------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 62317-BS/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | D 28" H 3" oah 10 to 120" W 2.25" | Lamps, 10ft Aircraft Cable and Cord |



52120-CH/MIR



Glam Chandelier

Finish CH Glass MIR


Certification CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|--------------|-----------|------|----------|--------|----------|----------------------------------|---------------------------------|
| 52120-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" oah 12.5 to 50.5" | Lamps, Rods 6"16"22", 10ft Cord |



23980-CH/OPL

Nitrogen Cable Chandelier with Articulating Rings

| Finish CH Glass OPL | | | | | | CETL Ceiling Dry  | |
|---------------------|------------|------|------------|--------|----------|--|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23980-CH/OPL | 15Lt x 40w | G9 | G9 Halogen | 2900k | 7200Lm | D 38" H 5 to 38" oah 12 to 120" | Lamps, 10ft of Cable & Cord |



A 50465-BS/FST



B 50466-BS/FST

Oracle Cable Ring Glass Chandelier

Finish BS Glass FST

CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
|----------------|-----------|------|------------|--------|----------|---------------------------|-----------------------------|
| A 50465-BS/FST | 6Lt x 50w | G9 | G9 Halogen | 2900k | 3600Lm | D 22" H 3" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| B 50466-BS/FST | 8Lt x 50w | G9 | G9 Halogen | 2900k | 4800Lm | D 28" H 3" oah 10 to 120" | Lamps, 10ft of Cable & Cord |




63962-ORB/FST

63962-MC/FST



Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | | | | | CETL Ceiling Dry  | |
|--|------------|------|--------------|--------|----------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63962-___/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | H 4" oah 11 to 35" W 3" L 29.25" | |
| Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | | | | |
| Supplied | | | | | | | |

PENDANTS





FLOAT | COLLECTION

Seemingly effortlessly hung from the sky, the Float Suspension Collection is light and airy. Fully adjustable with an enclosed grip-lock system, the extremely low profile Float has phenomenal LED light output.



A 63963LEDD-SILV/ACR



B 63964LEDD-SILV/ACR

Float LED Pendant

Finish SILV Diffuser ACR

Certification CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|-------------------------------|-----------|--------|-----------|------------|----------|------------------------------|-----------------------------|
| A 63963LEDD-SILV/ACR Dimmable | 1Lt x 22w | Module | 85CRI LED | 2800-3200K | 2200Lm | H 2.75" oah 10 to 120" L 36" | Lamps, 10ft of Cable & Cord |
| B 63964LEDD-SILV/ACR Dimmable | 1Lt x 30w | Module | 85CRI LED | 2800-3200K | 3000Lm | H 2.75" oah 10 to 120" L 48" | Lamps, 10ft of Cable & Cord |




AVIATOR | COLLECTION

Soar to new heights with solid state LED technology perfectly packaged in a stunning geometrically inspired pendant. The Aviator Collection embraces the latest lighting trends, effortlessly providing light from minimalist bars. Aviator-trending now.



63965LEDD-CH/ACR

Aviator LED Pendant

| Finish CH Diffuser ACR | | | | | | | Certification CETL Ceiling Dry  | |
|---------------------------|----------|--------|-----------|------------|----------|----------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 63965LEDD-CH/ACR Dimmable | 3Lt x 8w | Module | 85CRI LED | 2800-3200K | 2100Lm | D 34" H 2.5" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft of Cable & Cord | |



STEALTH | COLLECTION

The seductive contours and low profile of the stealth collection make this energy efficient number a spirited addition to a minimalist contemporary environment.

Stealth Spherical Pendants

| Finish BS Glass FST | | | | | | | Certification CUL Ceiling Damp  | |
|---------------------|-----------|-------|--------------------|--------|----------|--------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 20664-BS/FST | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 16.5" H 5.5" oah 13.5 to 50" | Rods 6"16"22", 10ft Cord, Slope Adapter | |
| B 20665-BS/FST | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | D 23.5" H 5.5" oah 13.5 to 50" | Rods 6"16"22", 10ft Cord, Slope Adapter | |



ESSENCE | COLLECTION

Copper, dubbed an essential element for both one's health and a myriad of domestic, industrial and high tech applications, is back on the scene. Whether brushed or full gloss, the allure of copper is irrefutable. The Essence Collection lends itself to settings from the nostalgic to hard core contemporary always warmed with a touch of copper.



28092-BCP

Essence Metal Cone Pendant

| Finish BCP | | | | | | Certification CETL Ceiling Dry  | |
|------------|-----------|------|-------------------|--------|----------|--|-----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 28092-BCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 12" H 16.5" oah 24.5 to 136.5" | 10ft Cord |



A 28090-SCP



B 28091-SCP



A D 8" H 10"




B D 11.75" H 12"

oah 18 to 130"

oah 20 to 132"

Essence Metal Dome Pendant

| Finish SCP | | | | | | | Certification CETL Ceiling Dry  | |
|-------------|-----------|------|-------------------|--------|----------|-------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 28090-SCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 10" oah 18 to 130" | 10ft Cord | |
| B 28091-SCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 11.75" H 12" oah 20 to 132" | 10ft Cord | |



A 70064LEDD-SCP/ACR



B 70065LEDD-BCP/ACR




A D 6" H 5"



B D 4.75" H 4.75"

Essence Metal Dome Pendant

| Finish SCP BCP | | | | | | Certification CETL Ceiling Dry  | |
|--------------------------|----------|--------|-----------|--------|----------|--|-------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70064LEDD-SCP Dimmable | 1Lt x 8w | Module | 85CRI LED | 3000k | 800Lm | D 6" H 5" oah 12 to 120" | Lamps, 10ft Cord, |
| B 70065LEDD-BCP Dimmable | 1Lt x 5w | Module | 85CRI LED | 3000k | 500Lm | D 4.75" H 4.75" oah 12 to 120" | Lamps, 10ft Cord, |



METALICO | COLLECTION

Further enhancing our stunning collection of pendants is the Metalico Pendant. A beautifully crafted curved metal cone is encased in a clear glass with divergent lines that task the mind to unravel the mystery. Set on a clear cord these sleek and stylish pendants speaks for itself.



Metalico Pendant

| Finish CH RGLD Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|--------------------------|-----------|------|------------|--------|----------|--|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50147-___/CLR | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm | D 5" H 7" oah 13 to 120" | Lamps, 10ft Clear Cord |



50145-CH/CLR



D 16" H 11"

Metalico Pendant

| Finish CH Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|---------------------|------------|------|-------------------|--------|----------|--|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50145-CH/CLR | 1Lt x 100w | E-26 | A-19 Incandescent | | | D 16" H 11" oah 16 to 133" | 10ft of Cable & Cord |




B 70031LED-CH/CLR

PULSE | COLLECTION

Charming in every sense of the word, Pulse is an attractive design with an exposed metal heat sync encased in smoked glass. An alternative Pulse pendant with a metal cone shade, makes Pulse a must for industrial or loft settings.

A 70030LED-CH/CLR

Pulse LED Pendants

| Finish CH Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|--------------------------|----------|--------|-----------|--------|----------|--|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70030LED-CH/CLR | 1Lt x 7w | Module | 85CRI LED | 3200k | 720Lm | D 4.4" H 12.5" oah 18 to 133" | Lamps, 10Ft Clear Cord |
| B 70031LED-CH/CLR | 1Lt x 7w | Module | 85CRI LED | 3200k | 720Lm | D 10.75" H 7" oah 12 to 128" | Lamps, 10Ft Clear Cord |



A 23435-WH/OPL

B 23436-BL/OPL

C 23437-BRZ/OPL

CHUKKI | COLLECTION

Available with or without an inner glass shade Chuki's attraction lies in the contrast between the metal spokes on the outer shade and the smoother inner shade or bulb. The timeless elements of Chuki make this transitional piece adaptable to multiple applications.




A D 15" H 18.5"

B D 11.5" H 14.5"

C D 8" H 11"

Chuki Metal Ribbed Pendant with Opal Glass Shade

| Finish BL BRZ WH Glass OPL | | | | | | | Certification CETL Ceiling Damp  |
|----------------------------|------------|------|-------------------|--------|----------|--------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23435-___/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 15" H 18.5" oah 24 to 140" | 10ft Cord (black with BL and BRZ, white with WH) |
| B 23436-___/OPL | 1Lt x 75w | E-26 | A-19 Incandescent | 2700k | 1100Lm | D 11.5" H 14.5" oah 22 to 135" | 10ft Cord (black with BL and BRZ, white with WH) |
| C 23437-___/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 11" oah 17 to 130" | 10ft Cord (black with BL and BRZ, white with WH) |



A 23771-WD/NAT




B 23775-WD/NAT



KOBU | COLLECTION

Organic meets contemporary in the Japanese inspired Koku collection. The red cord adds a pop of color in contrast to the natural wood shade. Place Koku alone over a nook table or in pairs of three over a coffee table in a quiet corner.

Koku Real Wood Dome Pendant

| Finish WD/NAT | | | | | | Certification CETL Ceiling Dry  | |
|----------------|-----------|------|-------------------|--------|----------|--|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23771-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 13" H 12" oah 18 to 130" | 10Ft Red Linen Coated Cord |
| B 23775-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 16" H 15" oah 21 to 130" | 10Ft Red Linen Coated Cord |



A 23773-WD/NAT



B 23774-WD/NAT



A D 14" H 18"

oah 24 to 140"



B D 9.75" H 18"

oah 24 to 138"

Kobu Real wood Ball Pendant

| Finish WD/NAT | | | | | | Certification CETL Ceiling Dry  | |
|----------------|-----------|------|--------------------|--------|----------|--|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23773-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 14" H 18" oah 24 to 140" | 10Ft Red Linen Coated Cord |
| B 23774-WD/NAT | 1Lt x 60w | E-26 | 60/T8 Incandescent | | | D 9.75" H 18" oah 24 to 138" | 10Ft Red Linen Coated Cord |




ASTRO | COLLECTION

This is a stunning dome pendant with two color combinations. For a cool, stark application the outer white/inner silver combination is a natural choice. In contrast, the outer black/inner gold combination is warm and inviting. Regardless of your choice Astro is a focal point extraordinaire.



Astro Dome Pendant


| Finish GWH/SILV MBL/MGL | | | | | | Certification CETL Ceiling Damp  | |
|-------------------------|------------|------|-------------------|--------|----------|---|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23766-___/___ | 1Lt x 100w | E-26 | G-40 Incandescent | 2700k | 1150Lm | D 19" H 11" oah 17 to 130" | 10Ft Black Linen Coated Cord |
| B 23767-___/___ | 1Lt x 100w | E-26 | G-40 Incandescent | 2700k | 1150Lm | D 16" H 8" oah 14 to 130" | 10Ft Black Linen Coated Cord |



CALISTO | COLLECTION

Calisto's paper thin glass and distinctive shaped, line glass, bring to mind visions of the traditional Japanese lantern. To further add to the Zen like qualities of this simple, subtle pendant is the crisp white, unadorned finish on the glass shade. Calisto, bringing calm to a crazy world.


Callisto Ribbed OPL Glass Pendant

| Finish BS Glass OPL | | Supplied 10ft of Clear Cord | | | Certification CETL Ceiling Damp  | |
|---------------------|-----------|-----------------------------|--------------------|--------|---|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50180-BS/OPL | 2Lt x 60w | E-26 | A-19 Incandescent | | | D 15" H 11.8" oah 18 to 133" |
| C50180BSOPLN1213B | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 15" H 11.8" oah 18 to 133" |
| B 50181-BS/OPL | 3Lt x 60w | E-26 | A-19 Incandescent | | | D 18" H 12.8" oah 19 to 134" |
| C50181BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 18" H 12.8" oah 19 to 134" |




METALICA | COLLECTION

Affectionately termed the “paperclip pendant”, Metalica is whimsical, and quite striking. The 10’ adjustable cord, and G9 bulb make for easy installation and maintenance. Stand alone, or terrific when hung in three’s, Metalica sets a beguiling tone in discerning applications.



23633-BS

Metalica Cable Pendant


| Finish BS | | | | | | Certification CETL Ceiling Dry  | |
|-----------|-----------|------|------------|--------|----------|--|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23633-BS | 1Lt x 75w | G9 | G9 Halogen | 2900k | 1050Lm | D 16" H 16" oah 22 to 120" | Lamps, 10ft of Cable & Cord |



INDIUM | COLLECTION

Bold in design, magnificent in function, this 39w beauty puts out 3100 nominal lumens. The detail to design is apparent in the corners which have been rounded to soften Indium and add an artistic element to this stunning pendant. A sloped ceiling adaptor and a variety of rod lengths provide Indium with the flexibility for success.

31012-BS/OPL



Indium Pendant

| Finish BS Glass OPL | | | | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|--------|---------------------------|--------|----------|----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 31012-BS/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | oah 10 to 50" L 35.5" W 4" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's |



THESIS | COLLECTION

Thesis leaves one awestruck by the decorative capabilities of glass. The juxtaposition of the crisp white, gently curved glass, pierced by a square chrome rod, is unexpected and aesthetically pleasing. The use of glass to transform a simple functional pendant into a work of art – quite brilliant!

31017-CH/FST



Thesis Pendant

| Finish CH Glass FST | | | | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|--------|---------------------------|--------|----------|-----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 31017-CH/FST | 2Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 6200Lm | oah 11 to 51" L 45.5" W 12" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's |



23770-RED



23770-BL




23770-WH

MAGNETO | COLLECTION

Function truly meets form with the whimsical Magneto magnetized pendant. Acute angle adjustment of the shade, is made possible as you slide the magnetic cup to the desired angle on the metal shade. Using a silver tipped G40 bulb says MOD, while an LED bulb portrays green living. Either way, be it a red, white or black magneto- you've chosen one fabulous conversation piece.



Magneto Adjustable Angle Pendant

| Finish BL RED WH | | | | | | Certification CETL Ceiling Dry  | |
|------------------|-----------|------|-------------------|--------|----------|--|---------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23770-__ | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 13.8" H 13.8" oah 20 to 120" | 8ft of Cable & Cord |




A 50548-BS/OPL




B 50549-BS/OPL

DEZI | COLLECTION

Fluorescent never presented so well, before the introduction of the Dezi three and four light bar pendant. Clear cord that is fully adjustable further enhances the features to Dezi making this collection a winning energy efficient option.



Dezi Bar Pendant

| Finish BS Glass CLOP | | | Supplied Lamps, 10Ft Clear Cord | | | Certification CUL Ceiling Dry  |
|----------------------|-----------|-------|---------------------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50548-BS/CLOP | 3Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 3750Lm | H 13.5" oah 20 to 140" L 23" |
| B 50549-BS/CLOP | 4Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 5000Lm | H 13.5" oah 20 to 140" L 36" |



HELIX | COLLECTION

Raw aluminum strips encasing a cylindrical glass shade, immediately communicate an authentic, contemporary aura. With an energy efficient fluorescent option, Helix spans two worlds with both residential and commercial potential. Permeate the scene with a contemporary influence beside a bed, over a counter, on a stairwell, or simply over a nook table. Helix, contemporary to the core.



A 23425-ALU/OPL



B 23426-ALU/OPL



A D 10.75" H 12" oah 18 to 128"



B D 13.25" H 15" oah 21 to 131"

Helix Pendant

| Finish ALU Glass OPL | | Supplied 10ft of Clear Cord | | | | Certification CUL Ceiling Dry |
|-----------------------|------------|-----------------------------|--------------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 23425-ALU/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 10.75" H 12" oah 18 to 128" |
| A C23425ALUOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 10.75" H 12" oah 18 to 128" |
| B 23426-ALU/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 13.25" H 15" oah 21 to 131" |
| B C23426ALUOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 13.25" H 15" oah 21 to 131" |



DECO BALL | COLLECTION

Retrolicious—the Deco Ball is a true design diva with retro routes. Two sizes, and two lamping options, expand the functionality of the Deco Ball exponentially. The energy efficient fluorescent “minor” Deco Ball, is perfect setting the scene in a coffee shop. While the larger Deco Ball is ideal in multiples over a kitchen counter or work area. Deck out your space with the Deco Ball.



DecoBall Ball Pendant

| Finish | Supplied Rods 6"16"22", 10ft Cord, Slope Adapter | | | | Certification CETL Ceiling Dry | | |
|--------|--|------------|-------|--------------------|--------------------------------|------------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| A | 23636-BS | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 8" oah 16 to 52" |
| | C23636BSEN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 8" H 8" oah 16 to 52" |
| B | 23637-BS | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 14" H 14" oah 18 to 56" |
| | C23637BSEN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 14" H 14" oah 18 to 56" |



Layers Large Pendant

| Finish | | WH/CH WH/GLD WH/WH | | | | | Certification | |
|------------------------------------|-----------|--------------------|--------------------|--------|----------|-----------------------------|--------------------------|--|
| | | | | | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 50903-WH/___ | 1Lt x 26w | GU-24 | LED or Fluorescent | | | D 11" H 6.3" oah 12 to 123" | 10ft Cord | |
| A 50903LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 11" H 6.3" oah 12 to 123" | 10ft Cord | |
| B 50904-WH/___ | 3Lt x 26w | GU-24 | LED or Fluorescent | | | D 14" H 6.3" oah 12 to 123" | 10ft Cord & Cable | |
| B 50904LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 6.3" oah 12 to 123" | Lamps, 10ft Cord & Cable | |
| C 50906-WH/___ | 5Lt x 26w | GU-24 | LED or Fluorescent | | | D 18" H 6.3" oah 12 to 123" | 10ft Cord & Cable | |
| C 50906LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 6.3" oah 12 to 123" | Lamps, 10ft Cord & Cable | |



SoHo Reflective Illumination Pendant

| Finish | | BSL GWH RIC | | | | | Certification | |
|-----------|-----------|-------------|------|--------|----------|-----------------------------------|----------------------|--|
| | | | | | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 23765-___ | 3Lt x 60w | E-26 | A-19 | | | D 18.75" H 10.5" oah 16 to 130.5" | 10ft of Cable & Cord | |





Nimbus Abstract Glass Aircraft Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|-------------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20687-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | 10ft Aircraft Cable and Cord |
| C20687CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |
| 20687LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |



Pebble Abstract Glass Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp |
|---------------------------|-----------|--------|--------------------|--------|----------|-------------------------------|-------------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20689-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 4.7" oah 11 to 125" | 10ft Aircraft Cable and Cord |
| C20689CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord |
| 20689LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord |



Noya Cable Pendant

| | | | | | | |
|--------------------------------|---|-------------|--------------------|---------------|-----------------|---------------------------|
| Finish BRZ BS Glass WHT | Supplied Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | CUL Ceiling Dry |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23072-___/WHT | 4Lt x 60w | E-26 | A-19 Incandescent | | | D 18" H 28" oah 36 to 74" |
| C23072xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 18" H 28" oah 36 to 74" |



23073-BRZ/WH

23073-BS/WH



Noya Cable Pendant

| Finish | Supplied | | | | | CUL Ceiling Dry |
|---------------------|---|-------|--------------------|--------|----------|---------------------------|
| BRZ BS Glass WHT | Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23073-___/WHT | 4Lt x 60w | E-26 | A-19 Incandescent | | | D 24" H 28" oah 36 to 74" |
| C23073xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 24" H 28" oah 36 to 74" |



23074-BS/WH



Noya Cable Pendant

| Finish | Supplied | | | | | CUL Ceiling Dry |
|---------------------|---|-------|--------------------|--------|----------|-----------------------|
| BRZ BS Glass WHT | Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23074-BRZ BS/WHT | 5Lt x 60w | E-26 | A-19 Incandescent | 2700k | 4000Lm | D 28" oah 39.5 to 78" |
| C23074xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 28" oah 39.5 to 78" |



A 50107-BS/CLR



B 50108-BS/CLR



C 50110-BS/CLR



Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Damp |
|---------------------|------------|---|------------------|--------|----------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50107-BS/CLR | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 2" oah 8 to 47" W 10" L 29.5" |
| B 50108-BS/CLR | 8Lt x 40w | G9 | G9 Halogen | 2900k | 3840Lm | H 2" oah 8 to 47" W 12" L 24" |
| C50108BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 24" |
| C 50110-BS/CLR | 10Lt x 40w | G9 | G9 Halogen | 2900k | 4800Lm | H 2" oah 8 to 47" W 12" L 30" |
| C50110BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 30" |



C 50444-BS/8CL



A 50441-BS/8CL



B 50443-BS/8CL



Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50441-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 13.5" H 4" oah 12 to 50" |
| 50441LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 13.5" H 4" oah 12 to 50" |
| B 50443-BS/8CL | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| 50443LEDD Dimmable | 3Lt x 13w | GX-53 | 85CRI LED | 3000k | 3600Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| C 50444-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 19" H 4" oah 12 to 50" |
| 50444LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 19" H 4" oah 12 to 50" |



A 70083LEDD-BSL/ACR

B 70084LEDD-BSL/ACR



A D 18" H 4.5"



B D 23" H 4.5"



Meteor LED Pendant with Prismatic Lens

| Finish | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | | CETL Ceiling Dry (CETL) |
|------------------------------|--|--------|-----------|--------|----------|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70083LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 10 to 125" |
| B 70084LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 10 to 125" |



C 52078-CH/CLR

B 52077-CH/CLR



A 52076-CH/CLR



A D 14" H 4"

B D 12" H 4"

C D 4" H 4"



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Model | Wattage | Base | Supplied Lamps, 10ft Co-Axial Cable | | | CETL Ceiling Damp (CETL) |
|----------------|-----------|------|-------------------------------------|--------|----------|---------------------------|
| | | | Type | Kelvin | NomLumen | |
| A 52076-CH/CLR | 5Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 1500Lm | D 14" H 4" oah 12 to 115" |
| B 52077-CH/CLR | 7Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 2100Lm | D 12" H 4" oah 12 to 115" |
| C 52078-CH/CLR | 1Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 300Lm | D 4" H 4" oah 12 to 115" |



B 62316-BS/FST



A 62315-BS/FST



Titanium Pendant


| Finish BS Glass FST | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry |
|---------------------|------------|---|--------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62315-BS/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | oah 10 to 49" L 35.4" |
| B 62316-BS/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | oah 10 to 49" W 2.75" L 47.2" |



A 63957-MC/FST



A L 32" x W 5"



B L 42.5" x W 5"



C L 53.5" x W 5"



Nido Chandelier and Pendants's, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | CETL Ceiling Dry |
|-------------------------|------------|---|--------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63957-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | oah 11 to 35" L 32" W 5" |
| B 63958-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | oah 11 to 35" L 42.5" W 5" |
| C 63959-___/FST | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | oah 11 to 35" L 53.5" W 5" |



D 15.7" H 5.5"

Pg 18

Aero Chromium Ring Drum Cable Pendant

| Finish | Dimensions | Certification | | | | |
|--------------------|-------------------------------|-------------------|--------------------|--------|----------|-----------------------------|
| CH Glass OPL | D 15.7" H 5.5" oah 12 to 130" | CETL Ceiling Damp | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 20673-CH/OPL | 3Lt x 60w | E-26 | E-26 | 2700k | 2400Lm | 10ft of Cable & Cord |
| C20673CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | Lamps, 10ft of Cable & Cord |
| 20673LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord |



A D 15.75" H 3.4"



B D 19.5" H 4"

Pg 67

Altum Aircraft Cable Pendant

Finish BS Glass OPL CETL Ceiling Damp

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|---------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|-----------------------------|
| 50190-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.4" oah 10 to 120" | 10ft of Cable & Cord |
| A C50190BSOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50190LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 4" oah 10 to 120" | 10ft of Cable & Cord |
| B C50191BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |




70073LEDD-WH/SILV



70074LEDD-WH/GLD



Pulsar Gold or Silver Leaf Reflective LED Pendant

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | | | Supplied Lamps  |
|---------------|----------|-------------|----------------|-----------|----------|------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 70073LEDD-WH/ | Dimmable | 1Lt x 16.8w | Module | 85CRI LED | 3000k | 1350Lm | D 17" H 8" oah 14 to 128" |
| 70074LEDD-WH/ | Dimmable | 1Lt x 18w | Module | 85CRI LED | 3000k | 2025Lm | D 24" H 9" oah 15 to 129" |





A 50123-BS/OPL

B 50124-BS/OPL

D 24" H 4.75"



Tara Semi-Flush or Pendant

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp |
|-----------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50123-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter |
| A C50123BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| 50123LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 50124-BS/OPL | 5Lt x 60w | E-26 | A-19 Medium Base | | | D 24" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter |
| B C50124BSOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 50124LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |



Helius Pendant with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | | | | | | CETL Ceiling Dry |
|---------------------|------------|------|--------------|--------|----------|--------------------------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50484-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 20" H 4" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft Cord |



A 55545-ANCK/CLR



B 55546-ANCK/CLR



A D 7.5" H 10.25"

B D 13" H 15.25"



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter

CETL Ceiling Dry

| | Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|---|----------------|-----------|------|-----------------------|--------|----------|------------------------------------|
| A | 55545-ANCK/CLR | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 7.5" H 10.25" oah 17 to 56.25" |
| | 55545-DBRZ/AMB | | | | | | |
| | 55545-DBRZ/SMK | | | | | | |
| B | 55546-ANCK/CLR | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 13" H 15.25" oah 21.25 to 61.25" |
| | 55546-DBRZ/AMB | | | | | | |
| | 55546-DBRZ/SMK | | | | | | |



D 15" H 17.1"
55547-ANCK/CLR

55547-DBRZ/SMK



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter

CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|----------------|-----------|------|--------------------|--------|----------|-------------------------------|
| 55547-ANCK/CLR | | | | | | |
| 55547-DBRZ/AMB | 3Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 600Lm | D 15" H 17.1" oah 24 to 63.1" |
| 55547-DBRZ/SMK | | | | | | |



oah 10 to 123"

D 19" H 3.9"



Orion Aircraft Cable Pendant

| Finish | Dimensions D 19" H 3.9" oah 10 to 123" | | | | | | CETL Ceiling Damp |
|---------------------------|--|--------|------------------|--------|----------|-----------------------------|-------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50163-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | 10ft of Cable & Cord | |
| C50163BSOPLN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | Lamps, 10ft of Cable & Cord | |
| 50163LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord | |



oah 28.75" to 97.75"

B D 25" H 25.75"

B 20463GU-BS/WH



oah 26.5" to 95.5"

A D 21" H 23.5"

A 20462GU-BS/WH



Aztec Semi Flush Bowl and Chain Suspended Pendant

| Finish | Dimensions | | | | | | CUL Ceiling Damp |
|--------------------|------------|-------|--------------------|--------|----------|----------------------|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| A 20462GU-BS/WHT | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | 6ft Chain, 10ft Cord | |
| C20462BSWHTEN1158C | 1Lt x 58w | G10q | 2CT6 Fluorescent | 2700k | 3700Lm | CUL Ceiling Damp | |
| B 20463GU-BS/WHT | 5Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 8550Lm | CUL Ceiling Damp | |



C 23952-BS/OPL






B 23951-BS/OPL



A 23950-BS/OPL

Nitrogen Ball Pendants

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|---|------------|-------|--------------------|--------|----------|-----------------------------|
| A 23950-BS/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 9" H 8" oah 16 to 53" |
| A C23950BSOPLN1118BS  | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 9" H 8" oah 16 to 53" |
| B 23951-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 12" H 10.5" oah 17 to 55" |
| B C23951BSOPLN1118BS  | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 12" H 10.5" oah 17 to 55" |
| C 23952-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 14" H 12" oah 20 to 57" |
| C C23952BSOPLN1118BS  | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 14" H 12" oah 20 to 57" |



A D 9" H 8" **B** D 12" H 10.5" **C** D 14" H 12"



Pure Cold Cathode Fluorescent Pendant

Finish BS Glass CLR Certification CETL Ceiling Dry

Dimensions D 5.25" H 16.4" oah 23 to 130"

Included Lamps, 10ft Cord,

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|-------------------------------|--------|-------|
| 23762-BS/CLR | 1Lt x 18w | GX-53 | CCFL Cold Cathode Fluorescent | 2700k | 800Lm |



Iron Pendant

Finish BS Glass OPL

Certification CUL Ceiling Dry



Dimensions D 6.1" H 12" oah 20 to 58"

Included Rods 6"16"22", 10ft Cord, Slope Adapter (C20738BSOPLN1118BS includes Lamps)

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------------|------------|-------|--------------------|--------|--------|
| 20738-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | | |
| C20738BSOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm |



Aire Silk Glass Pendant

Finish BS Glass OPL

Certification CETL Ceiling Dry

Dimensions D 8.25" H 7" oah 13 to 127"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|------|--------|-------|
| 50169-BS/OPL | 1Lt x 60w | E-26 | A-19 | | |



Proteus Cable Suspended Pendant

Finish BS Glass FRC

Certification CETL Ceiling Dry

Dimensions D 5" H 9" oah 15 to 125"

Included 10ft of Cable & Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|-------------------|--------|-------|
| 50514-BS/FRC | 1Lt x 60w | E-26 | A-19 Incandescent | | |



Gyro Pendant

Finish BS Glass CLOP Certification CETL Ceiling Dry 

Dimensions D 4.4" H 14.75" oah 20 to 120"

Included Lamps, 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|-----------|------|------------|--------|-------|
| 52062-BS/CLOP | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm |



Ra LED Pendant

Finish BRZ BS Glass ACR Certification CETL Ceiling Dry

Dimensions D 2.2" H 17.5" oah 25 to 140"

Included Lamps, 10ft Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|------------------|-------------|--------|-----------|--------|-------|
| 70028LED-___/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm |



Onyx Steel Wrap Pendant

Finish BS Glass OPL Certification CETL Ceiling Dry

Dimensions D 3" H 8" oah 14 to 130" W 4.5"

Included 10ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|-------------------|--------|-------|
| 50501-BS/OPL | 1Lt x 60w | E-12 | B-10 Incandescent | | |



Basik Square Glass Pendant

Finish BS ORB Glass OPL Certification CUL Ceiling Dry

Dimensions H 9" oah 15 to 120" W 4" L 4"

Included Rods 6"16"22", 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|------------|------|-------------------|--------|-------|
| 23638-___/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | | |





A 52116-CH/MIR



B 52117-CH/MIR



C 52118-CH/MIR

Glam Mirror Glass with Crystal

| Finish CH Glass MIR | | Supplied Lamps,10ft Cord | | | | Certification CETL Ceiling Dry |
|---------------------|-----------|--------------------------|----------|--------|----------|--------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52116-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" oah 12 to 123" |
| B 52117-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | D 10" H 4.75" oah 12 to 123" |
| C 52118-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 14" H 4.75" oah 12 to 123" |



oah 12 to 127"



52102-CH

D 5" H 6"



52102-BS

52102-BRZ

Retro Ball Pendant

Finish BRZ BS CH Certification CETL Ceiling Dry

Dimensions D 5" H 6" oah 12 to 127"

Included 10ft of Black Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|-------|------------------------|--------|-------|
| 52102-___ | 1Lt x 50w | GU-10 | PAR-36 ESD 111 Halogen | | |



52070-BS



52070-BRZ
D 4.4" H 11"

Tomahawk Steel Pendant

Finish BRZ BS Certification CETL Ceiling Dry

Dimensions D 4.4" H 11" oah 17 to 135"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|------|-------------------|--------|-------|
| 52070-___ | 1Lt x 60w | E-26 | A-19 Incandescent | | |



oah 9 to 120"

L 2.75" x W 2.75" H 3.25"



Astor Crystal Pendant

Finish BS CH Glass FCL Certification CETL Ceiling Dry

Dimensions L 2.75" W 2.75" H 3.25" oah 9 to 120"

Included Lamps, 12ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|-----------|------|------------|--------|-------|
| 23905-___/FCL | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm |



Glas_e Crystal Pendant

Finish CH Glass FCL Certification CETL Ceiling Dry

Dimensions D 3.6" H 3.2" oah 9 to 120"

Included Lamps, 12ft of Clear Cord


| Model | Wattage | Base | Type | Kelvin | Lumen |
|----------------|-----------|------|------------|--------|-------|
| 23905SP-CH/FCL | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm |

oah 9 to 120"

D 3.6" x H 3.2"



AMB



BLK



WHT



23733-BS/WHT



D 3.25" H 6.5"

oah 14 to 126"

Adele Glass Pendant

Finish BS Glass AMB BLK WHT Certification CETL Ceiling Dry 

Dimensions D 3.25" H 6.5" oah 14 to 126"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|------|-------------------|--------|-------|
| 23733-BS_ | 1Lt x 60w | E-26 | A-19 Incandescent | | |



Canopy D 10" D 3" H 12"

Spartan Pendant

Finish BS Glass CLM Certification CETL Ceiling Dry 

Dimensions D 3" H 12" oah 18 to 84" Canopy D 10"

Included Lamps, 6ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|---------------|--------|-------|
| 50526-BS/CLM | 3Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 960Lm |



Spartan Pendant

Finish BS Glass CLM Certification CETL Ceiling Dry 

Dimensions D 3" H 12" oah 18 to 84" Canopy D 4.5"

Included Lamps, 6ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|---------------|--------|-------|
| 50525-BS/CLM | 1Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 320Lm |

MIDI PENDANTS





28004 Inari Silk Martini Glass Pendant

Charming cone shaped glass provides a subtle twist on everyday lighting in a variety of finishes for any setting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|-----|--------------|
| 28004 | 1 Incandescent | C Cord | BS | AMB | COB | D 7" H 6.25" |
| | 2 Fluorescent | R Rod | ORB | RED | WHT | |


Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28004 | 1 | C | BS | COB | 28004-1C-BS/COB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28011-1C-BS/RUSKY



28011-1C-BS/ASKY

28011 Merlot glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated by incandescent or fluorescent lighting.


| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|------------|-------------|
| 28011 | 1 Incandescent | C Cord | BS | ASKY RUSKY | D 3.5" H 8" |
| | 2 Fluorescent | R Rod | ORB | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28011 | 1 | R | BS | ASKY | 28011-1C-BS/ASKY |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"




BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28012-1C-BS/ICA

28012 Inari Silk champagne glass pendant

An array of designs presented in variety of colors and textures, the Inari collection accents and elevates any room for any occasion.


| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|---|------------|--------|--------|------|------------|
| 28012 | 1 Incandescent | C Cord | BS | AMST | ASKY | D 5" H 9" |
| | 2 Fluorescent  | R Rod | ORB | BLUSKY | BRST | |
| | | | | CRM | ICA | |
| | | | | MYA | OPL | |
| | | | | RED | WHST | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28012 | 1 | C | BS | AMST | 28012-1C-BS/AMST |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 5"

H 9"



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



Wicker Finish



28018-1C-BS/WAMB

28018 Inari Silk bordeaux glass pendant

Elongated dome shape offers a refined diffusion of downward light, gently illuminated by incandescent or fluorescent lighting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|------|----------------|
| 28018 | 1 Incandescent | C Cord | BS | AMB | COB | D 5.25" H 7.5" |
| | 2 Fluorescent | R Rod | ORB | OPL | RED | |
| | | | | WAMB | WRED | |
| | | | | WWHT | | |



Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28018 | 1 | C | BS | WAMB | 28018-1C-BS/WAMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28022-1C-BS/LGR

28022 Cone glass pendant

Elegant lime-green light brings a colorful and vibrant accent to any traditional or modern setting.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|-------|---------------|
| 28022 | 1 Incandescent | C Cord | BS | LGR | D 5.5" H 6.5" |
| | 2 Fluorescent | R Rod | ORB | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28022 | 1 | C | BS | LGR | 28022-1C-BS/LGR |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 5.5"


H 6.5"



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"




28023-1C-BS/PLMFB

28023 Brandy FireBird glass pendant

Eye-catching beauty and elegant design fills an atmosphere with a brilliant hue and embraces ingenuity with its eclectic variety.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|---|------------|--------|----------------------------|------------|
| 28023 | 1 Incandescent | C Cord | BS | AMBFB ASKY | D 6" H 9" |
| | 2 Fluorescent  | R Rod | ORB | LGRFB PLMFB RUSKY WHTFB | |



Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-------------------|
| 28023 | 1 | C | BS | PLMFB | 28023-1C-BS/PLMFB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |


Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



SDS



AMS



28024-1C-BS/BRS



D 4.9"

H 12"

28024 Cabernet glass pendant

A reminiscence of Marble Stone fusing into each other, gives the Cabernet series a unique Earthy feel for blending into most all discerning interiors.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|---------|--------------|
| 28024 | 1 Incandescent | C Cord | BS | AMS BRS | D 4.9" H 12" |
| | 2 Fluorescent | R Rod | ORB | SDS | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28024 | 1 | C | BS | AMS | 28024-1C-BS/AMS |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



CLRD


CLAM



28033-1C-BS/CLOP

28033 Glass n Glass cylinder pendant

Fresh bold design that enthralls with vivid colors enhanced by a transparent protective outer glass shield.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|---|------------|--------|-----------|--------------|
| 28033 | 1 Incandescent | C Cord | BS | CLAM CLOP | D 4.5" H 10" |
| | 2 Fluorescent  | R Rod | ORB | CLRD | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28033 | 1 | C | BS | CLAM | 28033-1C-BS/CLAM |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 4.5"

H 10"



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



AMB




RED



28030-1C-BS/OPL

28030 Cylinder glass pendant



Cylindrical design creates a spectacular exhibition of descending light. Complimented by a assortment of colors.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|---|------------|--------|---------|------------|
| 28030 | 1 Incandescent | C Cord | BS | AMB OPL | D 4" H 10" |
| | 2 Fluorescent  | R Rod | ORB | RED | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28030 | 1 | C | BS | AMB | 28030-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"




28069-1C-ORB/AMB



28069-1C-BS/OPL

28069 Sherry glass pendant



This graceful design displays a charming dome shaped glass and adds contrast and depth to any room.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|---|------------|--------|-------|-----|-------------|
| 28069 | 1 Incandescent | C Cord | BS | AMB | OPL | D 4.5" H 6" |
| | 2 Fluorescent  | R Rod | ORB | | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28069 | 1 | C | BS | AMB | 28069-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28070-1C-BS/AMB



28070-1C-BS/WHT

28070 Cognac glass pendant

This unique elongated glass allows for a spectacular display of light. Creating a simply delicate, defined and functional scheme in a modern-day presence.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|-----|------------------|
| 28070 | 1 Incandescent | C Cord | BS | AMB | WHT | D 4.75" H 10.25" |
| | 2 Fluorescent | R Rod | ORB | | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28070 | 1 | C | BS | AMB | 28070-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28078-1C-BS/PLC



28078-1C-BS/PLS

28078 Chianti glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated in incandescent or fluorescent lighting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|-----|-----------------|
| 28078 | 1 Incandescent | C Cord | BS | PLC | PLS | D 4.75" H 7.25" |
| | 2 Fluorescent | R Rod | ORB | | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28078 | 1 | C | BS | PLC | 28078-1C-BS/PLC |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-20 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-20 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL  LISTED



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"





28088-1C-BS/WHTLN

28085 | 7 | 8 Japanese lantern glass pendant's

Delicate white etched Glass shades reminiscent of age old Japanese paper lanterns, multiple pendant options to suite most applications

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|-------|-------------|
| 28085 | 1 Incandescent | C Cord | BS | WHTLN | D 8" H 8" |
| 28087 | 2 Fluorescent | R Rod | ORB | | D 10" H 10" |
| 28088 | | | | | D 12" H 12" |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|--------------------|
| 28088 | 1 | C | BS | WHTLN | 28088-1C-ORB/WHTLN |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



MIDI PENDANT COMPONENT SYSTEM

- A selection of corded and rod suspensions in Incandescent and Fluorescent lamping options.
- Multi light bars and circular canopies.
- Compatible mouth blown glass shades in a variety of finishes.



Julia Fluorescent Rod Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|--------|-------|--------|--------|
| 23086FC-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL  



Tali Fluorescent Cord Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|--------|-------|--------|--------|
| 23088FC-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL  



Shava Fluorescent Cord Pendant

Finish BS

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord, Lamps, Spider ring and pins

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 23091-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL 

PENDANTS - MIDI



Janine Incandescent Rod Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|------------|------|------|--------|-------|
| 23087FC-___ | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL



Sydney Incandescent Cord Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord with BS Black Cord with ORB

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|------------|------|------|--------|-------|
| 23089FC-___ | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL



Ami Adjustable Incandescent Cord Pendant

Finish BS Adjustable fitter for balancing uneven Shades

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord and Cable

| Model | Wattage | Type | Base | Kelvin | Lumen |
|----------|------------|------|------|--------|-------|
| 23095-BS | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL

52023 Trinity 3 Light Incandescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|------|------|--------|-------|
| 52023FC-___ | 3Lt x 60w | A-19 | E-26 | | |

Certification Ceiling Dry CUL



52026 Qudra 3 Light Fluorescent Bar Pendant

Finish BS

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 52026-___ | 3Lt x 18w | Spiral | GU-24 | 2700k | 3750Lm |

Certification Ceiling Dry CUL



52027 Qudra 4 Light Fluorescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 36" W 2" with floating J-Box cover

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 52027-___ | 4Lt x 18w | Spiral | GU-24 | 2700k | 5000Lm |

Certification Ceiling Dry CUL



2 3 1 0 4 Inari Silk Martini Midi Pendant Glass Shade

| | |
|------------|-----------------|
| Finish | AMB COB RED WHT |
| Dimensions | D 7" H 6.25" |




2 3 1 1 2 Inari Silk Champagne Midi Pendant Glass Shade

| | |
|------------|-------------------------------------|
| Finish | AMST ASKY BRST ICA MYA OPL RED WHST |
| Dimensions | D 5" H 9" |



2 3 1 1 1 Merlot Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | ASKY RUSKY |
| Dimensions | D 3.5" H 8" |



2 3 1 1 8 Inari Silk Pinot Midi Pendant Glass Shade

| | |
|------------|--------------------------------|
| Finish | AMB COB OPL RED WAMB WRED WWHT |
| Dimensions | D 5.25" H 7.5" |



23118 Mat Glass Finishes





23118 Wicker Textured Glass Finishes




2 3 1 2 3 Brandy FireBird Midi Pendant Glass Shade

| | |
|------------|--|
| Finish | AMBFB ASKY LGRFB PLMFB RUSKY REDFB WHTFB |
| Dimensions | D 6" H 9" |



2 3 1 2 4 Cabernet Midi Pendant Glass Shade

| | |
|------------|--------------|
| Finish | AMS BRS SDS |
| Dimensions | D 4.9" H 12" |




Stone Glass Finish



2 3 1 3 0 Cylinder Midi Pendant Glass Shade

| | |
|------------|-------------------|
| Finish | AMB OPL RED RUSKY |
| Dimensions | D 4" H 10" |



9 7 0 G G Cognac Midi Pendant Glass Shade

| | |
|------------|------------------|
| Finish | AMB WHT |
| Dimensions | D 4.75" H 10.25" |



2 3 1 3 3 Glass in Glass Midi Cylinder Pendant Shade

| | |
|------------|---------------------|
| Finish | CLAM CLCB CLOP CLRD |
| Dimensions | D 4.5" H 10" |



2 3 1 2 2 Inari Silk Flute Midi Pendant Glass Shade

| | |
|------------|---------------|
| Finish | LGR |
| Dimensions | D 5.5" H 6.5" |



9 6 9 S T Sherry Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | AMB OPL |
| Dimensions | D 4.5" H 6" |



9 7 8 S T Chianti Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | PLS PLC |
| Dimensions | D 4.7" H 7" |



MINI PENDANTS





23218UJ Cavo Italian Wire Glass Pendant

Finish BRZ BS Glass BLC CRY MTL ORO

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|----------------------|-----------|---------|-----------|--------|----------|-------------------------------|---|
| A 23218UJ-0 / _ / _ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | D 4.75" H 8.5" oah 14 to 120" | Lamp, 10ft Co-Axial Cable |
| B 23218UJ- _ / _ / _ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | D 4.75" H 8.5" oah 14 to 120" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |

CETL Ceiling Dry 



52072UJ-0-BS/CCL 52072UJ-BS/CCL

52072UJ Matrix Laser Etched Inner Glass with Clear Outer Glass Shade Pendant

Finish BS Glass CCL


CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|--------------------|-----------|------|-------|--------|----------|------------------------------|---|
| A 52072UJ-0-BS/CCL | 1Lt x 20w | G-4 | MR-11 | 2900k | 240Lm | D 3.3" H 9.8" oah 15 to 125" | Lamp, 10ft Co-Axial Cable |
| B 52072UJ-BS/CCL | 1Lt x 20w | G-4 | MR-11 | 2900k | 240Lm | D 3.3" H 9.8" oah 15 to 125" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |



52075UJ Raindrop Orb Glass Pendant

Finish BS Glass CCL


| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | CETL Ceiling Dry  Supplied |
|--------------------|-----------|------|-----------|--------|----------|------------------------------|---|
| A 52075UJ-0-BS/CCL | 1Lt x 20w | G-4 | JC Bi-Pin | 2900k | 300Lm | D 3.5" H 3.5" oah 10 to 120" | Lamp, 10ft Co-Axial Cable |
| B 52075UJ-1-BS/CCL | 1Lt x 20w | G-4 | JC Bi-Pin | 2900k | 300Lm | D 3.5" H 3.5" oah 10 to 120" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |



52001-RGLD

52001-BRZ

52001-BS



52001UJ-0-BS

52001-BS

52001UJ Odyssey Steel Bullet Pendant

Finish BRZ BS RGLD

CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|-----------------|------------|--------|-------|--------|----------|-----------------------------|---|
| 52001UJ-0-__ | 1Lt x 35w | GU-5.3 | MR-16 | 2900k | 360Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable |
| 52001UJLED-0-__ | 1Lt x 5.5w | GU-5.3 | MR-16 | 3000k | 346Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable |
| 52001-__ | 1Lt x 35w | GU-5.3 | MR-16 | 2900k | 360Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable, 87106UJ Canopy |
| 52001LED-__ | 1Lt x 5.5w | GU-5.3 | MR-16 | 3000k | 346Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable, 87106UJ Canopy |



52052UJ-BS




52052UJ-BRZ



52052UJ-0-BRZ


52052UJ-BRZ

52052UJ Apollo Steel Cone Pendant

| Finish BRZ BS | | | | | | | CETL Ceiling Dry  |
|---------------|-----------|--------|-------|--------|----------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 52052UJ-0-___ | 1Lt x 50w | GU-5.3 | MR-16 | 2900k | 514Lm | D 3" H 18" oah 24 to 120" | Lamp, 10ft Co-Axial Cable |
| 52052UJ-___ | 1Lt x 50w | GU-5.3 | MR-16 | 2900k | 514Lm | D 3" H 18" oah 24 to 120" | Lamp, 10ft Co-Axial Cable, 87107UJ Canopy |




Herme's Square Cube Glass Pendant

| Finish BRZ BS Glass AMB OPL | | | | | | | CETL Ceiling Dry  |
|-----------------------------|-----------|---------|-------------|--------|----------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 96918-0- / / | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Co-Axial Cable |
| B 96918- / / | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |
| C 97918- / / | 1Lt x 40w | G-9 | G-9 Halogen | 2900k | 480Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Clear Cord, Canopy |



94019 Mania Cone Glass Pendant

| Finish | BRZ | BS | Glass | COB | FST | RED | Dimensions | D 4" | H 5" | oah 11 to 125" | CETL Ceiling Dry | Supplied |
|--------|------------|----|-------|-----|-----|-----|------------|---------|------------|----------------|------------------|--|
| A | 94019UJ-0- | / | / | | | | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ |
| B | 94019UJ- | / | / | | | | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy |
| C | 94019LED- | / | / | | | | 1Lt x 5w | Module | LED 85 CRI | 3000k | 462Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, Driver, Canopy |



94932UJ-BS/WHTLN



A 94932UJ-0-BS/WHTLN B 94932UJ-BS/WHTLN

94932 Anari Cylinder Glass Pendant

| Finish | | BRZ | BS | Glass | AMB | BLKLN | BLULN | COB | OPL | PLM | REDLN | WHTLN | Dimensions | D 3" H 10" oah | 16 to 130" | CETL Ceiling Dry | ETL |
|---------------------|-----------|---------|-----------|--------|----------|--|-------|-----|-----|-----|-------|-------|------------|----------------|------------|------------------|-----|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | | | | | | | | | |
| A 94932UJ-0-___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ | | | | | | | | | | | |
| B 94932UJ-___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy | | | | | | | | | | | |



MINI PENDANT COMPONENT SYSTEM

- A selection of Line and Low Voltage pendant assemblies.
- Multiple lamping options LED, Line Voltage Halogen and Low voltage Halogen.
- All Low Voltage Halogen incorporate the Uni-Jack fitter for use in all UJ canopies.
- Compatible Mini pendant glass shades.



Zeta 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Base | Type | Kelvin | Lumen |
|----------|-----------|---------|------|--------|-------|
| 903UJ-__ | 1Lt x 35w | GY 6.35 | JC | 2900k | 600Lm |

Certification Ceiling Dry CETL



Tungsten LED Pendant

Projected downlight and 3/4 glass illumination

Finish BRZ BS

Canopy Dimensions: D 4.5" H 2"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamp

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-------------|----------|--------|------|--------|-------|
| 70012LED-__ | 1Lt x 5w | Module | LED | 3000k | 462Lm |

Certification Ceiling Dry CETL



903UJ-BRZ



70012LED-BS



Omega 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|------|---------|--------|-------|
| 908UJ-___ | 1Lt x 35w | JC | GY 6.35 | 2900k | 600Lm |

Certification Ceiling Dry CETL



Omega LV 120v Halogen Pendant

Line Voltage does no transformer required

Finish BRZ BS

Canopy Dimensions: D 4.5" H 1"

Included 10ft Clear Coated Cord, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|------------|-----------|------|------|--------|-------|
| 9032LV-___ | 1Lt x 40w | JCD | G-9 | 2900k | 480Lm |

Certification Ceiling Dry CETL



Xi 12v Halogen Pendant

Low profile fitter to highlight glass shade

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|------|---------|--------|-------|
| 909UJ-___ | 1Lt x 35w | JC | GY 6.35 | 2900k | 600Lm |

Certification Ceiling Dry CETL

87105FCUJ Flat Low Profile Uni-Jack System Mono-Pod

Class-2 transformer included for mounting within the J-Box

Finish Available: BRZ BS

Dimensions: D 4.3" H 0.4"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS

87106UJ Dome Shaped Surface Canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 4.5" H 3"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS

87107UJ Sphere shaped surface canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 5" H 1.75"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS




87121UJ Five Port Round
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: D 18" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL

87120UJ Three Port Round
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: D 12" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL




87203UJ Uni-Jack Plug
 Compatible with all Uni-Jack canopies and pendant assemblies
 Finish Available: BRZ BS
 Plug Dimensions: D 0.6" H .9"
 Maximum Wattage: 50w



87122UJ Three Port Bar
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: L 36" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



8 9 1 1 9 Mania Conical Mini Pendant Glass Shade

| | |
|------------|-------------|
| Finish | COB FST RED |
| Dimensions | D 4" H 5" |
| Fitter | 22mm |

Compatible with the following mini pendants Pg 265 -266

| | | |
|----------|-------|--------|
| 70012LED | 903RT | 908RT |
| 909UJ | 906RT | 9032LV |



9 1 8 S T Hermes Square Mini Pendant Glass Shade

| | |
|------------|------------------|
| Finish | OPL AMB |
| Dimensions | W 3" x 3" H 3.5" |
| Fitter | 22mm |

Compatible with the following mini pendants Pg 265 -266

| | | |
|-------|-------|--------|
| | 903RT | 908RT |
| 909UJ | 906RT | 9032LV |



9 3 7 I T Cavo Italian Wire Mini Pendant Glass Shade

| | |
|------------|----------------------------------|
| Finish | CRY BLC ORO MTL |
| Dimensions | D 4.75" H 8.5" |
| Fitter | Requires three prong spider ring |

Compatible with the following mini pendant

909UJ



CRY



BLC



ORO



MTL



9 3 2 V Inari Cylinder Pendant Glass Shade

| | |
|------------|---|
| Finish | AMB COB OPL WHTLN BLULN REDLN BKLN PLM |
| Dimensions | D 3" H 10" |
| Fitter | Requires three prong spider ring |

Compatible with the following mini pendants Pg 265 -266

| | | |
|----------|-------|--------|
| 70012LED | 903RT | 908RT |
| 909UJ | 906RT | 9032LV |



AMB



BKLN



BLULN



COB



OPL



PLM



REDLN



WHTLN




9 4 6 W J Studio C Mini Pendant Glass

| | | |
|---|--------------|-------|
| Finish | COB JADE SMK | |
| Dimensions | D 4" H 4.5" | |
| Fitter | 22mm | |
| Compatible with the following mini pendants Pg 265 -266 | | |
| 903RT | 908RT | 909UJ |
| 906RT | 9032LV | |



9 7 9 W J Sphere Etched Glass Shade

| | | |
|---|-------------------------|-------|
| Finish | BLKLN BLULN REDLN WHTLN | |
| Dimensions | D 5" H 3.5" | |
| Fitter | 22mm | |
| Compatible with the following mini pendants Pg 265 -266 | | |
| 903RT | 908RT | 909UJ |
| 906RT | 9032LV | |




SEMI-FLUSH





Prizm Semi Flush

| Finish CH Glass CCL | | | | | Certification CETL Ceiling Damp  | | |
|---------------------|-----------|------|--------|--------|---|-------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23924-CH/CCL | 3Lt x 60w | G9 | G9 Hgn | 2900k | 2400Lm | D 20" H 11" | Lamps |



H 17.5"

D 17"

Aztec Semi Flush Bowl

| Finish BS Glass WHT | | | | | Certification CUL Ceiling Damp | | |
|---------------------|-----------|-------|---------------|--------|--------------------------------|---------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20460GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | D 17" H 17.5" | |
| C20460BSWHTEN1140C | 1Lt x 40w | G10q | 2CT6 Circline | 2700k | 2800Lm | D 17" H 17.5" | |



H 8"

D 12"

Helius Semi-Flush

| Finish BS Glass CFR | | | | | Certification CETL Ceiling Dry | | |
|---------------------|------------|------|----------|--------|--------------------------------|------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50481-BS/CFR | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | D 12" H 8" | Lamps |



23071-BRZ/WHT



H 17"

D 17"

23071-BS/WHT

Noya Cable Semi-Flush

| Finish BRZ BS Glass WHT | | | | | Certification CUL Ceiling Dry | | |
|-------------------------|-----------|-------|-----------|--------|-------------------------------|-------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23071-___/WHT | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | D 17" H 17" | |
| C23071xxxWHTEN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | D 17" H 17" | Lamps |



FLUSH-MOUNTS



A 63960-MC/FST



B 63961-ORB/FST



A L 32"



B L 42"



Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | | | | | CETL Ceiling Dry | |
|-------------------------|------------|------|--------------|--------|----------|------------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 63960-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" W 5" L 32" Ext 5" | Lamps |
| B 63961-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" W 5" L 42" Ext 5" | Lamps |





20680-CH/OPL



20681-CH/OPL



Pg 35

20686-CH/OPL



Pg 37

20688-CH/OPL

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 10.25" H 3" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20680-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20680CHOPLEN1218B | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |
| 20680LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 12.5" H 3.75" | | | | |
|---------------------------|-----------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20681-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20681CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20681LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Nimbus Abstract Glass Flush-Mount

| Finish CH Glass OPL | | Dimensions L 17.7" W 16.5" H 4.5" | | | | |
|---------------------------|-----------|-----------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20686-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20686CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20686LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp

Pebble Abstract Glass Flush-Mount

| Finish CH Glass OPL | | Dimensions D 19.5" H 3.5" | | | | |
|---------------------------|-----------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20688-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20688CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20688LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



20682-CH/OPL



20683-CH/OPL



20780LEDD-WH/ACR



20781LEDD-WH/ACR

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 16" H 4" | | | | |
|---------------------------|-----------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20682-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20682CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20682LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 17.5" H 5" | | | | |
|---------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20683-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20683CHOPLEN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 20683LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp

Catch - LED Round Flush-Mount (small)

| Finish WH Glass ACR | | Dimensions D 11" H 4.25" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20780LEDD-WH/ACR Dimmable | 1Lt x 15w | Module | 80CRI LED | 3000k | 1100Lm | Lamps |

Certification CETL Ceiling Damp

Catch - LED Round Flush-Mount (large)

| Finish WH Glass ACR | | Dimensions D 16" H 4.25" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20781LEDD-WH/ACR Dimmable | 1Lt x 22w | Module | 80CRI LED | 3000k | 1800Lm | Lamps |

Certification CETL Ceiling Damp

FLUSH-MOUNT



20770LEDD-SILV/ACR



20771LEDD-WH/CR



20775LEDD-BRZ/OPL



20776LEDD-BS/OPL

Strike - LED Round Flush-Mount (small)

| Finish | Dimensions D 7" H 1.5" | | | | | |
|----------------------------|------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20770LEDD-___/ACR Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 1064Lm | Lamps |

Certification CETL Ceiling Damp


Strike - LED Round Flush-Mount (large)

| Finish | Dimensions D 9.5" H 1.5" | | | | | |
|----------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20771LEDD-___/ACR Dimmable | 1Lt x 16w | Module | 85CRI LED | 3000k | 1290Lm | Lamps |

Certification CETL Ceiling Damp


Solid - LED Round Solid Glass Flush-Mount (small)

| Finish | Dimensions D 9" H 3" | | | | | |
|----------------------------|----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20775LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp 

Solid - LED Round Solid Glass Flush-Mount (large)

| Finish | Dimensions D 11" H 3.5" | | | | | |
|----------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20776LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp 



20772LEDD-SILV/ACR



20773LEDD-WH/ACR



20782LEDD-WH/ACR



20783LEDD-WH/ACR

Strike - LED Square Flush-Mount (small)

| Finish | Dimensions L 7" W 7" H 1.5" | | | | | |
|---------------------------|-----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20772LEDD-___ACR Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 1064Lm | Lamps |

Certification CETL Ceiling Damp



Strike - LED Square Flush-Mount (large)

| Finish | Dimensions L 9.5" W 9.5" H 1.5" | | | | | |
|----------------------------|---------------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20773LEDD-___/ACR Dimmable | 1Lt x 16w | Module | 85CRI LED | 3000k | 1290Lm | Lamps |

Certification CETL Ceiling Damp



Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (small)

| Finish | Dimensions D 5.5" H 1" | | | | | |
|---------------------------|------------------------|--------|-----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20782LEDD-WH/ACR Dimmable | 1Lt x 7w | Module | 80CRI LED | 3000k | 460Lm | Lamps |

Certification CETL Ceiling Damp  

Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (large)

| Finish | Dimensions D 7.25" H 1" | | | | | |
|---------------------------|-------------------------|--------|-----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20783LEDD-WH/ACR Dimmable | 1Lt x 11.5w | Module | 80CRI LED | 3000k | 740Lm | Lamps |

Certification CETL Ceiling Damp  



20779LEDD-WH/ACR

20779LEDD-SAT/ACR

20779LEDD-BRZ/ACR

Link LED Round Flush-Mount

| Finish BRZ SAT WH Diffuser ACR | | Dimensions D 7.5" H 2.4" | | | | |
|---------------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20779LEDD-___/ACR Dimmable | 1Lt x 12w | Module | 80CRI LED | 3200k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



20742LEDD-BS

20742LEDD-WH

Ares LED Flush or Wall Mount

| Finish BS WH | | Dimensions D 5.25" H 3" | | | | |
|---------------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20742LEDD-___ Dimmable | 1Lt x 13w | GX-53 | 80CRI LED | 3000k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



20747GU-WH/FST



20747GU-SAT/FST

TomTom Flush-Mount

| Finish SAT WH Glass FST | | Dimensions D 16.5" H 3.5" | | | | |
|----------------------------|-----------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20747GU-___/FST | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20747xxxFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | |
| 20747LEDD-___/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 13.25" H 3" | | | | |
|---------------------------------|----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70080LEDD-BSL/ACR Dimmable | 9Lt x 3w | Module | 85CRI LED | 3000k | 1440Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 18" H 4.5" | | | | |
|---------------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70081LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 23" H 4.5" | | | | |
|----------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70082LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | Lamps |

Certification CETL Ceiling Damp



50079-BRZ/OPL

Conga Flush-Mount

| Finish | Dimensions D 12" H 4.5" | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50079-___/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C50079xxxOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50079LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50080-BS/OPL

Conga Flush-Mount

| Finish | Dimensions D 16" H 4.5" | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50080-___/OPL | 2Lt x 75w | E-26 | A-19 | 2700k | 2200Lm | |
| C50080xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50080LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50081-BRZ/OPL

Conga Flush-Mount

| Finish | Dimensions D 19" H 5.25" | | | | | |
|---------------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50081-___/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C50081xxxOPLN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps |
| 50081LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



70072LEDD-WH/GLD



70072LEDD-WH/SILV



Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

| Finish | Supplied Lamps | | | | CETL Wall/Ceiling Dry | |
|---------------------------|----------------|--------|-----------|--------|-----------------------|-----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 70072LEDD-WH/___ Dimmable | 1Lt x 7w | Module | 85CRI LED | 3000k | 810Lm | D 11.75" Ext 7" |



Glam Flush-Mount

| Finish | Certification CETL Ceiling Dry | | | | | | |
|--------------|--------------------------------|------|----------|--------|----------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 52119-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" | Lamps |



63978LEDD-CH/ACR

Pg 21

Optix LED Flush-Mount

| | | | | | | | |
|---------------------------|----------------|--------|-----------|--------|---------------------------------|-----------------------|--|
| Finish CH Diffuser ACR | Supplied Lamps | | | | Certification CETL Ceiling Damp | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63978LEDD-CH/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | D 14" H 5.5" oah 5.5" | |



50900-WH/CH

Pg 10

Layers Flush-Mount Small

| | | | | | | |
|---------------------------------|----------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 14.25" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50900-_/__ | 4Lt x 26w | GU-24 | LED or PL | | | |
| 50900LEDD-_/__ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50901-WH/CH

Pg 9

Layers Flush-Mount Medium

| | | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 18" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50901-_/__ | 4Lt x 26w | GU-24 | LED or PL | | | |
| 50901LEDD-_/__ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



63979LEDD-CH/ACR

Pg 21

Optix LED Flush-Mount

| | | | | | | | |
|---------------------------|----------------|--------|-----------|--------|---------------------------------|-------------------------|--|
| Finish CH Diffuser ACR | Supplied Lamps | | | | Certification CETL Ceiling Damp | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63979LEDD-CH/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | D 15.8" H 5.5" oah 5.5" | |



50902-WH/CH

Pg 8

Layers Flush-Mount Large

| | | | | | | |
|---------------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 21.5" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50902-_/__ | 6Lt x 26w | GU-24 | LED or PL | | | |
| 50902LEDD-_/__ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |

FLUSH-MOUNT



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 14" H 4" | | | | |
|------------------|--------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20456GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| 20456LEDD-BS/WHT | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 17" H 4.5" | | | | |
|------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20457GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| 20457LEDD-BS/WHT | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20624-WH/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 11" H 3.6" | | | | |
|--------------------|-----------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20624-_/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| 20624GU-_/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20624_OPLEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20624LEDD-_/OPL | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20625-BS/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 13" H 4" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20625-_/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| 20625GU-_/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20625_OPLEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20625LEDD-_/OPL | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 21.5" H 5" | | | | |
|------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20458GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral PL | 2700k | 3600Lm | |
| 20458LEDD-BS/WHT | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp



Saloris Acrylic Flush-Mount

| Finish | BS Diffuser ACR | Dimensions D 17" H 4" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20740-BS/ACR | 1Lt x 22w+32w | G10q | T-9 PL | 3000k | 3900Lm | Lamps |
| C20740BSACREN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20740LEDD-BS/ACR | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Saloris Acrylic Flush-Mount

| Finish | BS Diffuser ACR | Dimensions D 23.25" H 5.25" | | | | |
|--------------------|-----------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20741-BS/ACR | 1Lt x 32w+40w | G10q | T-9 PL | 3000k | 4600Lm | Lamps |
| C20741BSACREN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 20741LEDD-BS/ACR | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



20626-BS/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 15" H 5" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20626-_/OPL | 2Lt x 75w | E-26 | A-19 | 2700k | 2200Lm | |
| 20626GU-_/OPL | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20626_OPLEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20626LEDD-_/OPL | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp

FLUSH-MOUNT



20650-BS/OPL



20651-ORB/OPL



20724-BS/OPL



20725-ORB/OPL

Strata Flush-Mount

| Finish | Dimensions D 10" H 3.5" | | | | | |
|----------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20650-___/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | |
| C20650___OPLN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |
| 20650LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp

Strata Flush-Mount

| Finish | Dimensions D 14" H 4" | | | | | |
|----------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20651-___/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20651___OPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20651LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp

Atom Flush-Mount

| Finish | Dimensions D 10.5" H 3.5" | | | | | |
|----------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20724-___/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C20724xxxOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20724LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp

Atom Flush-Mount

| Finish | Dimensions D 12.5" H 3.5" | | | | | |
|----------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20725-___/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20725xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20725LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20652-BS/OPL



Zenon Flush-Mount

| Finish | Dimensions D 12" H 3.5" | | | | | |
|---------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20661-BS/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| 20661GU-BS/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20661BSOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20661LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Zenon Flush-Mount

| Finish | Dimensions D 16" H 3.75" | | | | | |
|---------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20662-BS/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| 20662GU-BS/OPL | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20662BSOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20662LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp



20726-BS/OPL

Atom Flush-Mount

| Finish | Dimensions D 14" H 4" | | | | | |
|----------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20726-___/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20726xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20726LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp

FLUSH-MOUNT



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 10.25" H 3.1" | | | | |
|---------------------------|--------------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50186-WH/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | |
| C50186WHOPLEN1118B | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |
| 50186LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 12.5" H 3.5" | | | | |
|---------------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50187-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C50187WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50187LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 62



Tara Flush-Mount

| Finish | BS Glass OPL | Dimensions D 14" H 4.75" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50120-BS/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50120BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50120LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 62



Tara Flush-Mount

| Finish | BS Glass OPL | Dimensions D 18" H 4.75" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50121-BS/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C50121BSOPLN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps |
| 50121LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 15.75" H 3.75" | | | | |
|---------------------------|--------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50188-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50188WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50188LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 19.5" H 3.9" | | | | |
|---------------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50189-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50189WHOPLEN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 50189LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



FLUSH-MOUNT



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 10" H 4" | | | | | |
|---------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20670-CH/OPL | 1Lt x 75w | E-26 | A-19 | 2700k | 1100Lm | |
| C20670CHOPLEN126B | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |
| 20670LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 12.5" H 4" | | | | | |
|---------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20671-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20671CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20671LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 15.7" H 4.75" | | | | | |
|---------------------------|----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20672-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20672CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20672LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 19.5" H 4.4" | | | | | |
|---------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20676-CH/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C20676CHOPLEN1318B | 3Lt x 18w | GU-24 | Spiral PL | 2700k | 3750Lm | Lamps |
| 20676LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Chromium Ring Flush-Mount

| Finish | CH Glass OPL | | | | Certification CETL Ceiling Damp | | |
|--------------------|--------------|--------|--------------------|--------|---------------------------------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20677-CH/OPL | 4Lt x 75w | E-26 | E-26 | 2700k | 4400Lm | D 21.5" H 4.4" | |
| C20677CHOPLEN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 21.5" H 4.4" | Lamps |
| 20677LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 4.4" | Lamps |



Vision Flush-Mount

| Finish | Dimensions L 6" W 6" H 3.25" | | | | | |
|--|------------------------------|------|--------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50029-BS/FST | 1Lt x 60w | G9 | G9 Hgn | 2900k | 800Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 9.5" W 9.5" H 3.25" | | | | | |
|--|----------------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50030-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50030BSFSTEH3213Q | 2Lt x 13w | G24q-1 | Quad PL | 2700k | 1800Lm | Lamps |
| 50030LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 11.8" W 6.75" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50033-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50033BSFSTEH3118Q | 1Lt x 18w | G24q-2 | Quad PL | 2700k | 1250Lm | Lamps |
| 50033LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 15.5" W 10" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50034-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50034BSFSTEH3218Q | 2Lt x 18w | G24q-2 | Quad PL | 2700k | 2500Lm | Lamps |
| 50034LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |




Vision Flush-Mount

| Finish | Dimensions L 11.8" W 11.8" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50031-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50031BSFSTEH3218Q | 2Lt x 18w | G24q-2 | Quad PL | 2700k | 2500Lm | Lamps |
| 50031LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 15.75" W 15.75" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50032-BS/FST | 2Lt x 150w | R7s | J-118 Hgn | 2900k | 5200Lm | Lamps |
| C50032BSFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | Lamps |
| 50032LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 18" W 18" H 5.1" Ext 5.1" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50035-BS/FST | 2Lt x 150w | R7s | J-118 Hgn | 2900k | 5200Lm | Lamps |
| C50035BSFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | Lamps |
| 50035LEDD-BS/FST Dimmable | 1Lt x 36w | Module | 85CRI LED | 3000k | 4000Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Top View

Ark Fluorescent with Rear Glass Diffusers for Backlight Projection

Finish BS Glass FST Dimensions L 38.25" W 8" H 4.5" Canopy L 9.9" W 4.5" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31026-BS/FST | 2Lt x 39w | T-5 HO | Bi-Pin | 3000k | 6200Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 26.5" W 5.2" H 4" Canopy L 22.9" W 4.4" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31027-BS/FST | 1Lt x 24w | T-5 HO | Bi-Pin | 3000k | 1750Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 38.25" W 5.25" H 4" Canopy L 34.6" W 4.25" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31029-BS/FST | 1Lt x 39w | T-5 HO | Bi-Pin | 3000k | 3100Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 26.5" W 9.5" H 4" Canopy L 22.9" W 4.4" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31028-BS/FST | 2Lt x 24w | T-5 HO | Bi-Pin | 3000k | 3500Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 38.25" W 9.9" H 4" Canopy L 34.6" W 6.75" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31030-BS/FST | 2Lt x 39w | T-5 HO | Bi-Pin | 3000k | 6200Lm | Lamps |

Certification CETL Ceiling Wall Damp



VisionRound Flush-Mount

| Finish | Dimensions D 10" H 3.25" | | | | | |
|--|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50036-BS/FST | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | Lamps |
| 50036LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



VisionRound Flush-Mount

| Finish | Dimensions D 11.75" H 3.25" | | | | | |
|--|-----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50037-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| 50037LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Saturn Flush-Mount with Concentric Metal Rings

| Finish | Dimensions D 9.5" H 4.5" | | | | | |
|--|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50091-BS/FST | 1Lt x 75w | G9 | G9 Hgn | 2900k | 1050Lm | Lamps |
| C50091BSFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |
| 50091LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Saturn Flush-Mount with Concentric Metal Rings

| Finish | Dimensions D 14.5" H 5.5" | | | | | |
|--|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50092-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50092BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50092LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



VisionRound Flush-Mount

| Finish | Dimensions D 15.75" H 3.25" | | | | | |
|--|-----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50038-BS/FST | 2Lt x 150w | R7s | J-78 Hgn | 2900k | 5200Lm | Lamps |
| 50038LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Iron Flush-Mount

| Finish | Dimensions D 12" H 4" | | | | | |
|--|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50130-BS/FST | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C50130BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50130LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



VisionRound Flush-Mount

| Finish | Dimensions D 16" H 4" | | | | | |
|--|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50131-BS/FST | 2Lt x 75w | E-26 | A-19 | | 5200Lm | |
| C50131BSFSTEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50131LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |




23764-BSL



SoHo Reflective Illumination Flush-Mount

| Finish | Dimensions D 18.75" H 10.5" | | | | | |
|--|-----------------------------|------|------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 23764-___ | 3Lt x 60w | E-26 | A-19 | | | |
| Certification CETL Ceiling Damp | | | | | | |



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 10.75" H 3.75" | | | | |
|---------------------------|--------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50160-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C50160WHOPLN1118BQ | 1Lt x 18w | GU-24 | Quad PL | 2700k | 1250Lm | Lamps |
| 50160LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 13.25" H 4" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50161-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50161WHOPLN1218BQ | 2Lt x 18w | GU-24 | Quad PL | 2700k | 2500Lm | Lamps |
| 50161LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Luna Flush-Mount

| Finish | BS Glass WHT | Dimensions D 13.5" H 3" | | | | |
|---------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50069-BS/WHT | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50069BSWHTEN1213BQ | 2Lt x 13w | GU-24 | Quad PL | 2700k | 1800Lm | Lamps |

Certification CETL Ceiling Damp



Luna Flush-Mount

| Finish | BS Glass WHT | Dimensions D 17.25" H 4.3" | | | | |
|---------------------|--------------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50070-BS/WHT | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50070BSWHTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |

Certification CETL Ceiling Damp



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 19" H 4.5" | | | | |
|---------------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50162-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50162WHOPLN1218BQ | 2Lt x 18w | GU-24 | Quad PL | 2700k | 2500Lm | Lamps |
| 50162LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 8" W 8" H 5" | | | | |
|--------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20656-WH/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C20656WHOPLN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |

Certification CUL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 11" W 11" H 5.75" | | | | |
|--------------------|--------------|--------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20657-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20657WHOPLN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |

Certification CUL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 14" W 14" H 6.5" | | | | |
|--------------------|--------------|-------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20658-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20658WHOPLN1126BS | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |

Certification CUL Ceiling Damp



23019-BS/ALB



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 12" H 4.25" | | | |
|----------------|-----------|----|-----------|-----------|-----------|--------|----------|--------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23019-_/__ | 2Lt x 60w | | E-12 | B-10 | 2700k | 1600Lm | | | | | |
| 23019GU-_/__ | 2Lt x 13w | | GU-24 | Spiral PL | 2700k | 1800Lm | | | | | |
| C23019 | EN1213BS | | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps | | | |
| 23019LEDD-_/__ | Dimmable | | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | |

Certification CUL Ceiling Dry



23020-CH/WH



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 16" H 4.5" | | | |
|----------------|-----------|----|-----------|-----------|-----------|--------|----------|-------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23020-_/__ | 3Lt x 60w | | E-26 | A-19 | 2700k | 2400Lm | | | | | |
| 23020GU-_/__ | 2Lt x 13w | | GU-24 | Spiral PL | 2700k | 1800Lm | | | | | |
| C23020 | EN1226BS | | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps | | | |
| 23020LEDD-_/__ | Dimmable | | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | |

Certification CUL Ceiling Dry



23022-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 12" H 4.5" | | | |
|---------------------|-----------|-----------|-----------|-------------------------|-----------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23022-BS/TEX | 2Lt x 60w | | E-26 | A-19 | 2700k | 1600Lm | |
| C23022BSTEXEN1213BS | | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 23022LEDD-BS/TEX | Dimmable | | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm |

Certification CETL Ceiling Dry



23023-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 15.5" H 4.75" | | | |
|---------------------|-----------|-----------|-----------|----------------------------|-----------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23023-BS/TEX | 3Lt x 60w | | E-26 | A-19 | 2700k | 2400Lm | |
| C23023BSTEXEN1218BS | | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 23023LEDD-BS/TEX | Dimmable | | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm |

Certification CETL Ceiling Dry



23021-BS/ALB



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 20" H 5.5" | | | |
|----------------|-----------|----|-----------|-----------|-----------|--------|----------|-------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23021-_/__ | 4Lt x 60w | | E-26 | A-19 | 2700k | 3200Lm | | | | | |
| 23021GU-_/__ | 3Lt x 13w | | GU-24 | Spiral PL | 2700k | 2700Lm | | | | | |
| C23021 | EN1226BS | | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps | | | |
| 23021LEDD-_/__ | Dimmable | | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | | | |

Certification CUL Ceiling Dry



23024-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 20" H 5" | | | |
|---------------------|-----------|-----------|-----------|-----------------------|-----------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23024-BS/TEX | 4Lt x 60w | | E-26 | A-19 | 2700k | 3200Lm | |
| C23024BSTEXEN1318BS | | 3Lt x 18w | GU-24 | Spiral PL | 2700k | 3750Lm | Lamps |
| 23024LEDD-BS/TEX | Dimmable | | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm |

Certification CETL Ceiling Dry

FLUSH-MOUNT



50020-CH/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 8.25" H 3.25" | |
|----------------------|-------------------|------|----------|--------|--------|------------|-----------------|--|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50020-___/FST | 1Lt x 75w | R7s | J-78 Hgn | 2900k | 1050Lm | Lamps | | |
| Certification | CETL Ceiling Damp | | | | | | | |



50041-SAT/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 12.5" H 4" | |
|----------------------|-------------------|-------|-----------|--------|--------|------------|--------------|--|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50041-___/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50041xxxFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps | | |
| Certification | CETL Ceiling Damp | | | | | | | |



50050-SAT/ALB



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | ALB | Dimensions | D 16.25" H 5" | |
|----------------------|-------------------|-------|-----------|--------|--------|------------|---------------|--|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50050-___/ALB | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50050__ALBEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps | | |
| Certification | CETL Ceiling Damp | | | | | | | |



Cirrus Flush-Mount

| Finish | SAT | Glass | FST | Dimensions | D 8.25" H 3" | |
|----------------------|-------------------|-------|----------|------------|--------------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50060-SAT/FST | 1Lt x 75w | R7s | J-78 Hgn | 2900k | 1050Lm | Lamps |
| Certification | CETL Ceiling Damp | | | | | |



50046-CH/ALB




Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | ALB | Dimensions | D 12.5" H 4" | |
|----------------------|-------------------|-------|-----------|--------|--------|------------|--------------|--|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50046-___/ALB | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50046xxxALBEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps | | |
| Certification | CETL Ceiling Damp | | | | | | | |



50049-WH/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 16" H 5" | |
|----------------------|-------------------|-------|-----------|--------|--------|------------|------------|--|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50049-___/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50049xxxFSTEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps | | |
| Certification | CETL Ceiling Damp | | | | | | | |



Cirrus Flush-Mount

| Finish | SAT | Glass | FST | Dimensions | D 12.25" H 4" | |
|----------------------|-------------------|-------|-----------|------------|---------------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50061-SAT/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50061SATFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |
| Certification | CETL Ceiling Damp | | | | | |



Cirrus Flush-Mount

| Finish | SAT | Glass | FST | Dimensions | D 16" H 5" | |
|----------------------|-------------------|-------|-----------|------------|------------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50063-SAT/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50063SATFSTEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| Certification | CETL Ceiling Damp | | | | | |

FLUSH-MOUNT




Lithium Flush-Mount

| | | | | | | | |
|---|--------------|------------|------|-----------|--------|--------|------------------|
| Finish | BS Glass FST | Dimensions | | | | | L 12" W 12" H 3" |
| Model | | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50127-BS/FST | | 1Lt x 100w | R7s | J-118 Hgn | 2900k | 1650Lm | Lamps |
| Certification CETL Ceiling Damp  | | | | | | | |



Helius Flush-Mount

| | | | | | | | |
|--|--------------|------------|-------|-----------|--------|--------|------------|
| Finish | BS Glass CFR | Dimensions | | | | | D 12" H 4" |
| Model | | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50480-BS/CFR | | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | |
| 50480LEDD-BS/CFR Dimmable | | 1Lt x 13w | GX-53 | 80CRI LED | 3000k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp  | | | | | | | |



63951-MC/FST




63953-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

| | | | | | | | |
|--|------------------|------------|------|----------|--------|--------|---------------------|
| Finish | MC ORB Glass FST | Dimensions | | | | | L 10" W 6" Ext 3.5" |
| Model | | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 63951-___/FST | | 1Lt x 100w | R7s | J-78 Hgn | 2900k | 1650Lm | Lamps |
| Certification CETL Ceiling Dry  | | | | | | | |

Nido 3 - Light Wall or Ceiling Fixture

| | | | | | | | |
|--|------------------|------------|------|----------|--------|--------|-----------------------------|
| Finish | MC ORB Glass FST | Dimensions | | | | | L 14.25" W 14.25" Ext 3.75" |
| Model | | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 63953-___/FST | | 3Lt x 100w | R7s | J-78 Hgn | 2900k | 4950Lm | Lamps |
| Certification CETL Ceiling Dry  | | | | | | | |

WALL FIXTURES & VANITIES





70038LEDD-CH/OPL



70037LEDD-CH/OPL







70039LEDD-CH/OPL

CHIC | COLLECTION


Graced with long lines, and adorned with simple metal accents, the Chic Collection has endless applications. Corridors, bathrooms, or sconce requirements, will be exceeded by the classy sophistication of this breath taking collection.

Chic LED Wall Vanity Fixture

| Finish CH Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|-----------------------------|-----------|----------------|-----------|--------|----------|------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 70037LEDD-CH/OPL Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 630Lm | H 13" W 4.5" Ext 3.75" | L 6.5" W 4.75" Ext 0.5" | |
| B 70038LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 85CRI LED | 3000k | 1652Lm | H 5" W 24" Ext 3.25" | L 5" W 7" Ext 0.75" | |
| C 70039LEDD-CH/OPL Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 633Lm | H 13" W 4.25" Ext 4.5" | L 4.5" W 4.5" Ext 0.5" | |



70036LEDD-CH/OPL





70034LEDD-CH/OPL






70035LEDD-CH/OPL

Chic LED Wall Vanity Fixture


| Finish CH Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|---------------------------|-----------|----------------|-----------|--------|----------|--------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70036LEDD-CH/OPL Dimmable | 2Lt x 17w | Module | 85CRI LED | 3000k | 2021.4Lm | H 5" W 26" Ext 3" | L 5" W 7" Ext 0.75" | |

Chic LED Wall Vanity Fixture

| Finish CH Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|-----------------------------|-----------|----------------|-----------|--------|----------|---------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 70034LEDD-CH/OPL Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 766.9Lm | H 12.75" W 4.75" Ext 3.5" | L 6.5" W 4.75" Ext 0.5" | |
| B 70035LEDD-CH/OPL Dimmable | 1Lt x 25w | Module | 85CRI LED | 3000k | 1576.7Lm | H 5" W 19" Ext 3.75" | L 5" W 7" Ext 1" | |



C 62245LEDD-CH/ACR



A 62243LEDD-CH/ACR


LINEAR | COLLECTION

Linear, so named for its straight, sleek lines, represents a clean and precise form of design that lends itself perfectly to an LED light source. An additional exciting touch is fashioned through the acrylic layering that adds depth to this fabulous bathroom vanity.



B 62244LEDD-CH/ACR

Linear Wall Vanity Fixture

| Finish CH Glass ACR | | Supplied Lamps | | | | | CETL Wall Damp  | |
|-----------------------------|-----------|----------------|-----------|--------|----------|-------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62243LEDD-CH/ACR Dimmable | 1Lt x 18w | Module | 85CRI LED | 3000k | 1800Lm | H 5" W 18.25" Ext 4.25" | L 4.25" W 8" Ext 1.5" | |
| B 62244LEDD-CH/ACR Dimmable | 1Lt x 24w | Module | 85CRI LED | 3000k | 2400Lm | H 5" W 24" Ext 4.25" | L 4.25" W 8" Ext 1.5" | |
| C 62245LEDD-CH/ACR Dimmable | 1Lt x 30w | Module | 85CRI LED | 3000k | 3000Lm | H 5" W 30" Ext 4.25" | L 4.25" W 8" Ext 1.5" | |



50566-BS/OPL

50566-ORB/OPL

Aqueous Wall and Vanity Fixture

Finish BS ORB Glass OPL Dimensions L 4.3" H 11.25" Ext 5.9" Back-Plate: L 5.9" W 4.25" H 1.75"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|---------------|-----------|------|--------|--------|--------|----------|
| 50566-___/OPL | 1Lt x 18w | 2G11 | FT18DL | 3000k | 1200Lm | Lamps |

Certification Wall Damp Location CETL



50567-BS/OPL

50567-ORB/OPL

Aqueous Wall and Vanity Fixture

Finish BS ORB Glass OPL Dimensions L 4.3" H 22" Ext 5.9" Back-Plate: L 5.9" W 4.25" H 1.75"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|---------------|-----------|------|--------|--------|--------|----------|
| 50567-___/OPL | 2Lt x 18w | 2G11 | FT18DL | 3000k | 2400Lm | Lamps |

Certification Wall Damp Location CETL



Aqueous Wall and Vanity Fixture

Finish BS Glass OPL Dimensions L 4.75" H 12" Ext 4" Back-Plate: D 5" H 0.88"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|--------------------|-----------|-------|--------|--------|-------|----------|
| 20441-BS/OPL | 1Lt x 60w | E-26 | B-10 | | | |
| C20441BSOPLN1113BS | 1Lt x 13w | GU-24 | Spiral | 2700k | 900Lm | Lamps |

Certification Wall Damp Location CETL



Aqueous Wall and Vanity Fixture

Finish BS Glass OPL Dimensions L 4.75" H 20.5" Ext 4" Back-Plate: D 5" H 0.88"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|--------------------|-----------|-------|--------|--------|--------|----------|
| 20442-BS/OPL | 2Lt x 60w | E-26 | A-19 | | | |
| C20422BSOPLN1213BS | 2Lt x 13w | GU-24 | Spiral | 2700k | 1800Lm | Lamps |

Certification Wall Damp Location CETL



Aqueous Wall and Vanity Fixture

Finish BS Glass OPL Dimensions L 5" H 11.25" Ext 4.5" Back-Plate: H 6" W 4.2" Ext 1.4"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|-----------------|----------|--------|----------|--------|-------|----------|
| 70032LED-BS/OPL | 1Lt x 8w | Module | 85CRILED | 3000k | 558Lm | Lamps |

Certification Wall Damp Location CETL



Aqueous Wall and Vanity Fixture

Finish BS Glass OPL Dimensions L 5" H 21.1" Ext 4.5" Back-Plate: H 6" W 4.2" Ext 1.4"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|-----------------|----------|--------|----------|--------|--------|----------|
| 70033LED-BS/OPL | 2Lt x 8w | Module | 85CRILED | 3000k | 1116Lm | Lamps |

Certification Wall Damp Location CETL



20435-BS/OPL



20435-ORB/OPL

Cobalt Wall and Vanity Fixture

Finish BS ORB Glass OPL Dimensions L 5" H 12.2" Ext 4" Back-Plate: D 5" H .75"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|--------------------|-----------|-------|--------|--------|-------|----------|
| 20435-___/OPL | 1Lt x 60w | E-26 | B-10 | | | |
| C20435___OPLN1113B | 1Lt x 13w | GU-24 | Spiral | 2700k | 900Lm | Lamps |

Certification Wall Damp Location CUL



20436-BS/OPL

20436-ORB/OPL

Cobalt Wall and Vanity Fixture

Finish BS ORB Glass OPL Dimensions L 5" H 18.5" Ext 4" Back-Plate: D 5" H .75"

| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
|--------------------|-----------|-------|--------|--------|--------|----------|
| 20436-___/OPL | 2Lt x 60w | E-26 | B-10 | | | |
| C20436___OPLN1213B | 2Lt x 13w | GU-24 | Spiral | 2700k | 1800Lm | Lamps |

Certification Wall Damp Location CUL



Lynx Wall and Vanity Fixture

| Finish BS | Glass OPL | Dimensions D 4.75" L 4.5" H 16" Ext 4" Back-Plate: D 5" H 0.88" | | | | |
|--------------|-----------|---|---------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50564-BS/OPL | 2Lt x 40w | G9 | G-9 Hgn | 2900k | 960Lm | Lamps |

Certification Wall Damp Location CETL



A 50165-CH/OPL



B 50166-CH/OPL

Aire Wall Sconce and Vanity Fixture

| Finish CH | Glass OPL | Dimensions | | | | |
|----------------|-----------|------------|------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| A 50165-CH/OPL | 1Lt x 60w | E-12 | B10 | 2900k | 960Lm | Lamps |
| B 50166-CH/OPL | 1Lt x 60w | E-26 | B10 | 2900k | 960Lm | Lamps |

Certification Wall Damp Location CETL



Oracle Wall & Vanity

| Finish BS | Glass OPL | Dimensions L 4.25" H 11.75" Ext 3.75" Canopy: L 4.4" W 4.4" H .75" | | | | |
|--------------|-----------|--|------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50565-BS/OPL | 1Lt x 60w | E-12 | B-10 | 2900k | 960Lm | Lamps |

Certification Wall Dry Location CETL



Sentinel Wall Vanity Fixture

| Finish SAT | Glass FST | Dimensions L 7.5" H 8" Ext 3.5" Canopy: L 7.5" H 8" H .25" | | | | |
|---------------|------------|--|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62081-SAT/FST | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | Lamps |

Certification Wall Dry Location CETL



Pg 57

70029LED-BRZ/ACR

70029LED-BS/ACR

Ra LED Wall Fixture

| Finish BRZ BS | Glass ACR | Dimensions D 2.2" H 17.5" Ext 5" Back-Plate: D 4.3" Ext 0.7 | | | | |
|------------------|------------|---|----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 70029LED-___/ACR | 2Lt x 5+1w | MODULE | 85CRILED | 3200k | 650Lm | Lamps |

Certification Wall Damp CETL



Pg 78

50562-BS/OPL
shown with optional extra SCR-50

Iron Wall Fixture with On/Off Switch, optional Mesh Sleeve SCR-50

| Finish BS | Glass OPL | Dimensions L 4.3" H 14.5" Ext 4" Back-Plate: L 11.5" W 4.25" H .9" | | | | |
|--------------------|-----------|--|--------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50562-BS/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 900Lm | Lamps |
| C50562BSOPLN1113BS | 1Lt x 13w | GU-24 | Spiral | 2700k | 900Lm | Lamps |

Certification Wall Damp CETL




Pg 86

Phoebe Wall Fixture

| Finish CH | Glass 8CL | Dimensions L 6.5" H 12" Ext 6" Back-Plate: D 5.5" H .25" | | | | |
|--------------|------------|--|------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50511-CH/8CL | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |

Certification Wall Dry Location CETL



Pg 74

Helius Wall Sconce

| Finish BS | Glass CFR | Dimensions L 12" H 4.5" Ext 6.75" Back-Plate: L 9.75" W 4.25" H .75" | | | | |
|--------------|------------|--|------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50483-BS/CFR | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |

Certification Wall Dry Location CETL



A 70060LED-CH/GREY



B 70061LED-CH/GREY



MAXIME CHANET Designer
The Heart & Soul of Design...



C 70062LED-CH/GREY

Waterworks LED Wall Art Faucet

| Finish CH Glass GREY | | Supplied Lamps | | | | | CETL Wall Damp | |
|----------------------|----------|----------------|-----------|--------|----------|----------------------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 70060LED-CH/GREY | 1Lt x 1w | Module | 85CRI LED | 3000k | 55Lm | H 8" L 8" Ext 5" | L 6.25" W 6.25" Ext 1.5" | |
| B 70061LED-CH/GREY | 3Lt x 1w | Module | 85CRI LED | 3000k | 165Lm | H 8" L 23.5" Ext 5" | L 22.5" W 6.25" Ext 1" | |
| C 70062LED-CH/GREY | 7Lt x 1w | Module | 85CRI LED | 3000k | 385Lm | H 10.5" L 59" Ext 5" | L 57.9" W 9.5" Ext 1" | |



180 deg
Articulating LED Wand



Nite Dimmable LED Wall Fixture

| Finish CH Glass OPL | Dimensions H 11" W 4.25" Ext 5.5" | | Back-Plate: L 4.25" W 4.25" Ext 1.5" | | | |
|---------------------|-----------------------------------|--------|--------------------------------------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 50568LEDD-CH/OPL | 1Lt x 10w | Module | 85CRI LED | 3000k | 800Lm | Lamps |

Certification Wall Damp Location CETL

Sabre LED Wall Fixture with Articulating LED Wand

| Finish SAT Diffuser ACR | Dimensions H 26" Canopy D 4.5" Ext 2.8" | | | | | |
|-------------------------|---|--------|-----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 70026LED-SAT | 10Lt x 1w | Module | 85CRI LED | 3000k | 700Lm | Lamps |

Certification Wall Damp Location CETL



70025LED-BL



Blue LED strip available on request



70025LED-SAT

Sail LED Wall Washer

| Finish BL SAT | | Supplied Lamps | | | | | CETL Wall Dry   | |
|---------------|-------------------|----------------|-----------|--------|----------|------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70025LED-___ | 2Lt x 5w+1Lt x 4w | Module | 85CRI LED | 3000k | 640Lm | H 10" W 9" L 7" Ext 3" | L 4.25" W 4.25" Ext 0.5" | |




A 62229-BS/LFR



B 62230-BS/LFR

Neon Wall Vanity Fixture

| Finish BS Glass LFR | | Supplied Lamps | | | | | CETL Wall Damp  | |
|---------------------|------------|----------------|--------------------|--------|----------|-------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62229-BS/LFR | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | H 12" W 12.25" Ext 4.5" | L 7.1" W 11.1" Ext 2.25" | |
| C62229BSLFREN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 12" W 12.25" Ext 4.5" | L 7.1" W 11.1" Ext 2.25" | |
| B 62230-BS/LFR | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | H 16" L 8" Ext 4.5" | L 4.75" W 15" Ext 1.4" | |
| C62230BSLFREN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 16" L 8" Ext 4.5" | L 4.75" W 15" Ext 1.4" | |



62242-BS/OPL



62242-BRZ/OPL

Nitrous Wall

| Finish BRZ BS Glass OPL | | | | | | | CETL Wall Dry   | |
|-------------------------|-----------|------|-------------------|--------|----------|---------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 62242-___/OPL | 2Lt x 60w | E-26 | B-10 Incandescent | | | H 16" L 5.5" Ext 4" | L 5" W 5" Ext .25" | |







A 62104-BS/OPL



B 62105-BS/OPL

Argon Wall Vanity Fixture

| Finish BS Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|--|-------------|----------------|--------------------|--------|----------|--------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62104-BS/OPL | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| C62104BSOPLN1113BS  | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| 62104LED-BS/OPL | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| B 62105-BS/OPL | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |
| C62105BSOPLN1226BS  | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |
| 62105LED-BS/OPL | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |



20417-BS/ALB

20417-ORB/ALB

Mona Wall Sconce

| Finish BS ORB Glass ALB | Dimensions L 12" H 6" Ext 4.25" Canopy: L 9.6" W 4.75" H .9" | | | | | |
|-------------------------|--|-------|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20417-___/ALB | 1Lt x 60w | E-26 | A-19 | | | |
| C20417___ALBEN1118BS | 1Lt x 18w | GU-24 | Spiral | 2700k | 1250Lm | Lamps |

Certification Wall Dry Location CUL



20414-SAT/FST



20414-RU/FST

Thebes Wall Sconce

| Finish RU SAT Glass FST | Dimensions L 15.75" H 4" Ext 4.75" Canopy: L 15.75" W 4" H .9" | | | | | |
|-------------------------|--|------|------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20414-___/FST | 1Lt x 150w | R7s | J-78 | 2900k | 2600Lm | Lamps |

Certification Wall Dry Location CETL



20635-SAT/ALB



20635-ORB/ALB

Crest Wall Sconce

| Finish ORB SAT Glass ALB | Dimensions L 13" H 6.5" Ext 4" Canopy: L 6.4" W 13" H 0.4" | | | | | |
|--------------------------|--|--------|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20635-___/ALB | 2Lt x 60w | E-26 | A-19 | | | |
| C20635___ALBEN1118BS | 1Lt x 18w | GU-24 | Spiral | 2700k | 1250Lm | Lamps |
| 20635LED-___/ALB | 1Lt x 10.8w | Module | LED | 3000k | 1265Lm | Lamps |

Certification Wall Dry Location CUL



Zenon Wall Sconce

| Finish BS Glass OPL | Dimensions L 12.5" H 5.6" Ext 3.3" Canopy: L 7.5" W 3.5" H 1.5" | | | | | |
|---------------------|---|-------|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20660-BS/OPL | 1Lt x 60w | E-26 | A-19 | | | |
| C20660BSOPLN1118BS | 1Lt x 18w | GU-24 | Spiral | 2700k | 1250Lm | Lamps |

Certification Wall Dry Location CUL



A 50182-BS/OPL



C 50184-BS/OPL



B 50183-BS/OPL



D 50185-BS/OPL

Tabo Wall Vanity Fixture

| Finish BS Glass OPL | | | | | | | CETL Wall Damp |
|---------------------|-----------|------|-------------------|--------|----------|-------------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 50182-BS/OPL | 1Lt x 60w | E-12 | B-10 Incandescent | 2700k | 800Lm | H 7.25" L 4.9" Ext 5.9" | L 9.88" Ext 0.75" |
| B 50183-BS/OPL | 2Lt x 60w | E-12 | B-10 Incandescent | 2700k | 1600Lm | H 11.8" L 4.9" Ext 5.9" | L 9.88" Ext 0.75" |
| C 50184-BS/OPL | 2Lt x 60w | E-12 | B-10 Incandescent | 2700k | 1600Lm | H 15.5" L 4.9" Ext 5.9" | L 9.88" Ext 0.75" |
| D 50185-BS/OPL | 2Lt x 60w | E-12 | B-10 Incandescent | 2700k | 1600Lm | H 19.5" L 4.9" Ext 5.9" | L 9.88" Ext 0.75" |



Krypton Wall Fixture

| Finish BS | Glass OPL | Dimensions L 12" H 12" Ext 3.5" Canopy: L 15.6" W 7.6" H .25" | | | | |
|-------------------|-----------|---|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 53340-BS/OPL | 2Lt x 60w | E-26 | A-19 | | | |
| C53340BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral | 2700k | 3420Lm | Lamps |

Certification Wall Damp Location CETL



Krypton Wall Fixture

| Finish BS | Glass OPL | Dimensions L 8.25" H 16" Ext 3" Canopy: L 15.6" W 7.6" H .25" | | | | |
|-------------------|-----------|---|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 53341-BS/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1640Lm | |
| C53341BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral | 2700k | 3420Lm | Lamps |

Certification Wall Damp Location CETL



Prong Dimmable Wall and Vanity Fixture

| Finish BS | Glass WHT | Dimensions L 7.1" H 12.5" Ext 3.75" Canopy: L 11.25" W 6.75" H .5" | | | | |
|-------------------|-----------|--|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20446-BS/WHT | 2Lt x 60w | E-26 | A-19 | | | |
| C20446BSWHTN1218B | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20446LEDD-BS/WHT | 1Lt x 16w | Module | 80CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Prong Dimmable Wall and Vanity Fixture

| Finish BS | Glass WHT | Dimensions L 12" H 7.1" Ext 4" Canopy: L 6.75" W 11.25" H .5" | | | | |
|-------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20447-BS/WHT | 2Lt x 60w | E-26 | A-19 | | | |
| C20447BSWHTN1218B | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20447LEDD-BS/WHT | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Nitrous Wall and Vanity fixture

| Finish BS | Glass FST | Dimensions L 12" H 12" Ext 3.5" Canopy: L 9.1" W 10" H 0.88" | | | | |
|--------------------|------------|--|------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62215-BS/FST | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |
| C62215BSFSTEH3126Q | 1Lt x 26w | G24q-3 | Quad | 2700k | 1710Lm | |

Certification Wall Damp Location CETL



Nitrous Wall and Vanity Fixture

| Finish BS | Glass FST | Dimensions L 11" H 6.4" Ext 3.4" Canopy: L 7.2" W 5" H .75" | | | | |
|--------------|------------|---|------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62216-BS/FST | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |

Certification Wall Damp Location CETL



Vector Dimmable Wall and Vanity Fixture

| Finish BS | Glass OPL | Dimensions L 9" H 11.25" Ext 4" Canopy: L 10.25" W 8.25" H 0.2" | | | | |
|------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20451-BS/OPL | 2Lt x 13w | GU-24 | Spiral | 2700k | 1800Lm | Lamps |
| 20451LEDD-BS/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Cobalt Wall and Vanity Fixture

| Finish BS | Glass OPL | Dimensions L 10.25" H 11.5" Ext 4" Canopy: L 10.25" | | | | |
|--------------|-----------|---|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20445-BS/OPL | 2Lt x 13w | GU-24 | Spiral | 2700k | 1800Lm | Lamps |

Certification Wall Damp Location CUL



Artemis Wall Fixture

| Finish BS | Glass OPL | Dimensions L 10" H 11" Ext 4" Canopy: L 11" W 10" H .5" | | | | |
|--------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20439-BS/OPL | 2Lt x 60w | E-26 | B-10 | | | |
| C20439BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20439LEDD-BS/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Artemis Wall Fixture

| Finish BS | Glass OPL | Dimensions L 10" H 11" Ext 4" Canopy: L 11" W 10" H .5" | | | | |
|--------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20440-BS/OPL | 2Lt x 60w | E-26 | B-10 | | | |
| C20440BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20440LEDD-BS/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Metro Wall Fixture

| Finish BS | Glass OPL | Dimensions W 8.25" H 14" Ext 4" Canopy: L 12.4" W 4.75" H 2.25" | | | | |
|--------------------|------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62218-BS/OPL | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |
| C62218BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 62218LED-BS/OPL | 1Lt x 13w | Module | 85CRILED | 3000k | 1520Lm | Lamps |

Certification Wall Damp Location CETL



Sierra Wall and Vanity Fixture

| Finish BS | Diffuser ACR | Dimensions W 5.5" H 15.5" Ext 4" Canopy: L 15.5" W 5.5" H .9" | | | | |
|--------------|--------------|---|--------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 31025-BS/ACR | 1Lt x 24w | 2G11 | FT24DL | 3000k | 1800Lm | Lamps |

Certification Wall Damp Location CETL



Pg 78

Iron Wall Sconce

| Finish BS | Glass OPL | Dimensions L 10" H 11.75" Ext 4" Canopy: L 10.2" W 9" H .5" | | | | |
|--------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20739-BS/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1640Lm | |
| C20739BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20739LEDD-BS/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp Location CUL



Pg 71

Aquarius Glass & Metal Wall Fixture

| Finish BS | Glass FST | Dimensions L 8" H 15" Ext 3" Canopy: L 12.6" W 5.25" H 2.4" | | | | |
|--------------------|------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62095-BS/FST | 1Lt x 100w | R7s | J-118 | 2900k | 1650Lm | Lamps |
| C62095BSFSTEN1218B | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 62095LED-BS/FST | 1Lt x 13w | Module | 85CRILED | 3000k | 1520Lm | Lamps |

Certification Wall Damp Location CETL



Bo Wall and Vanity Fixture

| Finish BS | Glass OPL | Dimensions L 5.75" H 19.25" Ext 4" Canopy: L 5.1" W 18.5" H 1.4" | | | | |
|--------------------|-----------|--|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62235-BS/OPL | 2Lt x 60w | E-12 | B-10 | | | |
| C62235BSOPLN1218BQ | 2Lt x 18w | GU-24 | Quad | 2700k | 2500Lm | |
| 62235LED-BS/OPL | 1Lt x 13w | Module | 85CRILED | 3000k | 1520Lm | Lamps |

Certification Wall Damp Location CETL



Bo Wall and Vanity Fixture

| Finish BS | Glass OPL | Dimensions L 5.75" H 12" Ext 4" Canopy: L 5.1" W 11" H 1.4" | | | | |
|-------------------|-------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62236-BS/OPL | 1Lt x 100w | R7s | J-118 | 2900k | 1650Lm | Lamps |
| C62236BSOPLN1118Q | 1Lt x 18w | G24q-2 | Quad | 2700k | 1250Lm | |
| 62236LED-BS/OPL | 1Lt x 10.8w | Module | 85CRILED | 3000k | 1265Lm | Lamps |

Certification Wall Damp Location CETL

WALL - VANITY



Oxygen Wall and Vanity Fixture

| Finish BS | Glass CKF | Dimensions L 7.25" H 14.5" Ext 3.25" Canopy: L 12.88" W 4.75" H 0.75" | | | | |
|---------------------|------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62060-BS/CKF | 1Lt x 150w | R7s | J-118 | 2900k | 2600Lm | Lamps |
| C62060BSCCKFEH3218Q | 2Lt x 18w | G24q-2 | Quad | 2700k | 2500Lm | Lamps |
| 62060LEDD-BS/CKF | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

CETL Wall Damp



Radon Wall and Vanity Fixture

| Finish BS | Glass CKF | Dimensions L 5.5" H 11.5" Ext 3.75" Canopy: L 7.75" W 4.5" H .88" | | | | |
|----------------------|-------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62055-BS/CKF | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |
| C62055BSCCKFEN1118BS | 1Lt x 18w | GU-24 | Spiral | 2700k | 1250Lm | Lamps |
| 62055LED-BS/CKF | 1Lt x 10.8w | Module | 85CRILED | 3000k | 1265Lm | Lamps |

CETL Wall Damp



Daphne Wall Sconce, included with BS and WH Knobs

| Finish BS | Glass ALB OPL | Dimensions L 5.5" H 11.75" Ext 4" Canopy: L 8.5" W 4" H .5" | | | | |
|-------------------|---------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20415-___ | 1Lt x 100w | E-26 | A-19 | | | |
| C20415___EN1126BS | 1Lt x 26w | GU-24 | Spiral | 2700k | 1710Lm | Lamps |
| 20415LED-___ | 1Lt x 10.8w | Module | 85CRILED | 3000k | 1265Lm | Lamps |

Certification Wall Damp Location CUL



Artemis Wall Sconce

| Finish BS | Glass OPL | Dimensions L 7.5" H 12.25" Ext 4" Canopy: L 12.25" W 7.4" H .5" | | | | |
|--------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20416-BS/OPL | 2Lt x 60w | E-26 | A-19 | | | |
| C20416BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20416LEDD-BS/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Dry Location CUL



62050-BS/CKF

62050-BS/OPL

Radon Wall Fixture

| Finish BS | Glass CKF OPL | Dimensions L 8.5" H 13.75" Ext 2.75" Canopy: L 14.25" W 8.5" H .4" | | | | |
|--------------------|---------------|--|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62050-BS/___ | 1Lt x 100w | R7s | J-118 | 2900k | 1650Lm | Lamps |
| C62050BS___EN1126Q | 2Lt x 26w | G24q-3 | Quad | 2700k | 3420Lm | Lamps |
| 62050LEDD-BS/___ | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp



Radon Wall Fixture

| Finish BS | Glass CKF | Dimensions L 7.75" H 8" Ext 2.5" Canopy: L 4.75" W 6.88" H .75" | | | | |
|---------------------|------------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 62054-BS/CKF | 1Lt x 100w | R7s | J-78 | 2900k | 1650Lm | Lamps |
| C62054BSCCKFEN1113Q | 1Lt x 13w | GU-24 | Quad | 2700k | 900Lm | Lamps |
| 62504LEDD-BS/CKF | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Damp



Cobalt Wall Sconce

| Finish BS | Glass OPL | Dimensions W 6.25" H 11" Ext 4" Canopy: L 11" W 6.2" H .5" | | | | |
|-------------------|-----------|--|--------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20421-BS/OPL | 1Lt x 60w | E-26 | A-19 | | | |
| C20421BSOPLN1113B | 1Lt x 13w | GU-24 | Spiral | 2700k | 900Lm | Lamps |

Certification Wall Dry Location CUL



Artemis Wall Sconce

| Finish SAT | Glass OPL | Dimensions L 11.5" H 10.5" Ext 4" Canopy: L 11.4" W 10.4" H .5" | | | | |
|---------------------|-----------|---|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20420-SAT/OPL | 2Lt x 60w | E-26 | A-19 | | | |
| C20420SATOPLN1218BS | 2Lt x 18w | GU-24 | Spiral | 2700k | 2500Lm | Lamps |
| 20420LEDD-SAT/OPL | 1Lt x 16w | Module | 90CRILED | 3000k | 1650Lm | Lamps |

Certification Wall Dry Location CUL



A 63971LEDD-CH/ACR



B 63973LEDD-CH/ACR



C 63974LEDD-CH/ACR



D 63975LEDD-CH/ACR



Pg 22

Optix Dimmable LED Wall Vanity Fixture

| Model | Wattage | Base | Supplied Lamps | | | | Fixture Dimensions | Backplate Dimensions | CETL Wall Damp |
|-----------------------------|----------|--------|----------------|--------|----------|--------------------------|---------------------------|----------------------|----------------|
| | | | Type | Kelvin | NomLumen | | | | |
| A 63971LEDD-CH/ACR Dimmable | 1Lt x 4w | Module | 90CRI LED | 3000k | 400Lm | H 4.75" W 4.75" Ext 5.5" | L 4.75" W 4.75" Ext 0.75" | | |
| B 63973LEDD-CH/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 4.75" W 19" Ext 5.5" | L 4.75" W 19" Ext 0.75" | | |
| C 63974LEDD-CH/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 4.75" W 26" Ext 5.5" | L 4.75" W 26" Ext 0.75" | | |
| D 63975LEDD-CH/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 4.75" W 36" Ext 5.5" | L 4.75" W 36" Ext 0.75" | | |



A 52081-CH/CLR



B 52082-CH/CLR



C 52083-CH/CLR



D 52084-CH/CLR



E 52085CH/CLR

Pg 48



Aeria Metal Foil in Glass Vanity

| Finish CH Glass CLR | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|-----------|----------------|------------|--------|----------|--------------------------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 52081-CH/CLR | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm | H 4.75" L 4.75" Ext 5.5" | L 4.75" W 4.75" Ext 1.25" | |
| B 52082-CH/CLR | 2Lt x 40w | G9 | G9 Halogen | 2900k | 960Lm | H 4.75" L 12.5" Ext 5.5" | L 12.5" W 4.6" Ext 0.9" | |
| C 52083-CH/CLR | 3Lt x 40w | G9 | G9 Halogen | 2900k | 1440Lm | H 4.75" L 20.5" Ext 5.5" | L 20.5" W 4.5" Ext 0.9" | |
| D 52084-CH/CLR | 4Lt x 40w | G9 | G9 Halogen | 2900k | 1920Lm | H 4.75" L 28.3" Ext 5.5" | L 28.3" W 4.6" Ext 0.9" | |
| E 52085-CH/CLR | 5Lt x 40w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" L 36" Ext 5.5" | L 36" W 4.5" Ext 0.9" | |



A 52111-CH/MIR



B 52112-CH/MIR



C 52113-CH/MIR



D 52114-CH/MIR

Pg 15





Glam Mirror Glass with Crystal Vanity Fixture

| Finish CH Glass MIR | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|-----------|----------------|----------|--------|----------|--------------------------|------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 52111-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" L 4.75" Ext 6.5" | L 4.75" W 4.75" Ext 1" | |
| B 52112-CH/MIR | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.75" L 14.5" Ext 6.5" | L 14.5" W 4.75" Ext 1" | |
| C 52113-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.75" L 24" Ext 6.5" | L 24" W 4.75" Ext 1" | |
| D 52114-CH/MIR | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.75" L 33.5" Ext 6.5" | L 33.5" W 4.75" Ext 1" | |





Evia Crystal Vanity Fixture

| Model | Finish CH Glass CRY | | Supplied Lamps | | | | CETL Wall Damp   | |
|-------|---------------------|-----------|----------------|----------|----------|--------------------|--|---------------------------|
| | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 62286-CH/CRY | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" L 4.75" Ext 3.75" | L 4.75" W 4.75" Ext 0.9" |
| B | 62287-CH/CRY | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.75" L 11" Ext 3.75" | L 11" W 4.75" Ext 0.9" |
| C | 62288-CH/CRY | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.75" L 18.75" Ext 3.75" | L 18.75" W 4.75" Ext 0.9" |
| D | 62289-CH/CRY | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.75" L 26" Ext 3.75" | L 26" W 4.75" Ext 0.9" |
| E | 62290-CH/CRY | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | H 4.75" L 33" Ext 3.75" | L 33" W 4.75" Ext 0.9" |



Sophie Square Etched Crystal Vanity Fixture

| Model | Finish CH Glass CLFR | | Supplied Lamps | | | | CETL Wall Damp   | |
|-------|----------------------|-----------|----------------|----------|----------|--------------------|--|---------------------------|
| | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 62280-CH/CLFR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" L 4.75" Ext 3.75" | L 4.75" W 4.75" Ext 0.75" |
| B | 62281-CH/CLFR | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.75" L 11" Ext 3.75" | L 11" W 4.75" Ext 0.9" |
| C | 62282-CH/CLFR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.75" L 18.75" Ext 3.75" | L 18.75" W 4.75" Ext 0.9" |
| D | 62283-CH/CLFR | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.75" L 26" Ext 3.75" | L 26" W 4.75" Ext 0.9" |
| E | 62284-CH/CLFR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | H 4.75" L 33" Ext 3.75" | W 4.75" Ext 0.9" |



A 23920-CH/CCL



B 23921-CH/CCL



C 23922-CH/CCL



D 23923-CH/CCL

Pg 51



Prizm Crystal Vanity Fixture & Wall

| Finish CH Glass CCL | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|-----------|----------------|------------|--------|----------|-----------------------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 23920-CH/CCL | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 4.75" L 4.6" Ext 5" | L 4.75" W 4.75" Ext 0.75" | |
| B 23921-CH/CCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" L 20" Ext 5" | L 20" W 4.75" Ext 0.75" | |
| C 23922-CH/CCL | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 4.75" L 28" Ext 5" | L 28" W 4.75" Ext 0.75" | |
| D 23923-CH/CCL | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 4.75" L 36" Ext 5" | L 35.9" W 4.75" Ext 0.75" | |



A 23925-CH/CLR

B 23926-CH/CLR

C 23927-CH/CLR

D 23928-CH/CLR

E 23929-CH/CLR

Bubbles Solid Crystal Vanity with Opal glass Downlight

| Finish CH Glass CLR | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|-----------|----------------|----------|--------|----------|------------------------|------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 23925-CH/CLR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.25" L 5" Ext 4.5" | L 5" W 4.25" Ext 0.9" | |
| B 23926-CH/CLR | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.25" L 12" Ext 4.5" | L 12" W 4.25" Ext 0.9" | |
| C 23927-CH/CLR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.25" L 19" Ext 4.5" | L 19" W 4.25" Ext 0.9" | |
| D 23928-CH/CLR | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.25" L 26" Ext 4.5" | L 26" W 4.25" Ext 0.9" | |
| E 23929-CH/CLR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | H 4.25" L 33" Ext 4.5" | L 33" W 4.25" Ext 0.9" | |



A 23910-CH/FCL



B 23911-CH/FCL



C 23912-CH/FCL



Glas_e Sphere Crystal Vanity Fixture


| Finish CH Glass FCL | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|--------------|----------------|------|------------|----------|--------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 23910-CH/FCL | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 5.25" L 4.75" Ext 5.25" L 4.4" W 4.4" Ext 1" | |
| B | 23911-CH/FCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 5.25" L 25" Ext 5.25" L 23.6" W 1.5" Ext 1" | |
| C | 23912-CH/FCL | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 5.25" L 34" Ext 5.25" L 32.5" W 1.5" Ext 1" | |



A 23916-CH/FCL



B 23917-CH/FCL



C 23918-CH/FCL



Glas_e Square Crystal Vanity Fixture

| Finish CH Glass FCL | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|--------------|----------------|------|------------|----------|--------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 23916-CH/FCL | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 5.25" L 4.75" Ext 5.25" L 4.4" W 7.4" Ext 0.5" | |
| B | 23917-CH/FCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 5.25" L 25" Ext 5.25" L 23.6" W 1.5" Ext 1" | |
| C | 23918-CH/FCL | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 5.25" L 34" Ext 5.25" L 32.5" W 1.5" Ext 1" | |



A 62258-CH/FST



B 62259-CH/FST





C 62260-CH/FST



D 62262-CH/FST

Nitro Bent Glass Wall Vanity Fixture

| Finish CH Glass FST | | Supplied Lamps | | | | | CETL Wall Damp   | |
|---------------------|------------|----------------|--------------|--------|----------|---------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62258-CH/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5" L 6.5" Ext 3" | L 5.6" W 4.5" Ext 1.75" | |
| B 62259-CH/FST | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5" L 15.9" Ext 3" | L 14.5" W 4.5" Ext 0.6" | |
| C 62260-CH/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" L 24.5" Ext 3" | L 23.5" W 4.5" Ext 0.6" | |
| D 62262-CH/FST | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | H 5" L 42.5" Ext 3" | L 41.5" W 4.5" Ext 0.6" | |



A 62291-BS/OPL



B 62292-BS/OPL



C 62293-BS/OPL





D 62294-BS/OPL




E 62295-BS/OPL

Nitro2 Wall Vanity Fixture

| Finish BRZ BS Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|-------------------------|------------|----------------|--------------|--------|----------|----------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62291-___/OPL | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5.25" L 6.9" Ext 3.75" | L 6" W 5.1" Ext 0.9" | |
| B 62292-___/OPL | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5.25" L 16" Ext 3.75" | L 15" W 5.1" Ext 0.9" | |
| C 62293-___/OPL | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5.25" L 25.2" Ext 3.75" | L 24" W 5.1" Ext 0.9" | |
| D 62294-___/OPL | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5.25" L 34.25" Ext 3.75" | L 33.25" W 5.1" Ext 0.9" | |
| E 62295-___/OPL | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | H 5.25" L 48.75" Ext 3.75" | L 48" W 5.1" Ext 0.9" | |



A 62251-CH/OPL



B 62252-CH/OPL





C 62253-CH/OPL




D 62254-CH/OPL

Styx Wall Vanity Fixture with Floating J-Box Cover

| Finish CH Glass OPL | | Supplied Lamps | | | | | CETL Wall Dry   | |
|---------------------|-----------|----------------|--------------|--------|----------|------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62251-CH/OPL | 1Lt x 75w | R7s | J-78 Halogen | 2900k | 1050Lm | H 4.4" L 9.4" Ext 4" | L 6.25" W 4.75" Ext 1.4" J-Box Cover Plate 4.3" x 4.3" | |
| B 62252-CH/OPL | 2Lt x 75w | R7s | J-78 Halogen | 2900k | 2100Lm | H 1.6" L 23.25" Ext 4" | L 23.25" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3" | |
| C 62253-CH/OPL | 3Lt x 75w | R7s | J-78 Halogen | 2900k | 3150Lm | H 1.6" L 35" Ext 4" | L 34.9" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3" | |
| D 62254-CH/OPL | 4Lt x 75w | R7s | J-78 Halogen | 2900k | 4200Lm | H 1.6" L 46.5" Ext 4" | L 46.5" W 2.6" Ext 1" J-Box Cover Plate 4.3" x 4.3" | |



A 50175-BS/OPL



B 50177-BS/OPL



C 50178-BS/OPL

Archi Wall Vanity Fixture

Finish BS Glass OPL

CETL Wall Damp 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
|-------------------|-----------|-------|--------------------|--------|----------|--------------------------|--------------------------|----------|
| A 50175-BS/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | H 8.75" L 4.7" Ext 4.5" | L 5.9" W 4.75" Ext 0.9" | |
| C50175BSOPLN1113B | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | H 8.75" L 4.7" Ext 4.5" | L 5.9" W 4.75" Ext 0.9" | Lamps |
| B 50177-BS/OPL | 3Lt x 60w | E-26 | A-19 Incandescent | 2700k | 2400Lm | H 8.75" L 18.3" Ext 4.5" | L 1.4" W 4.75" Ext 0.9" | |
| C50177BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | H 8.75" L 18.3" Ext 4.5" | L 1.4" W 4.75" Ext 0.9" | Lamps |
| C 50178-BS/OPL | 4Lt x 60w | E-26 | A-19 Incandescent | 2700k | 3200Lm | H 8.75" L 24.4" Ext 4.5" | L 22.5" W 4.75" Ext 0.9" | |
| C50178BSOPLN1413B | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | H 8.75" L 24.4" Ext 4.5" | L 22.5" W 4.75" Ext 0.9" | Lamps |



A 53302-BS/OPL





B 53303-BS/OPL



C 53304-BS/OPL

Cosmos Wall Vanity Fixture Mountable up or Down with Full Size Back-Plate

| Finish BS Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp  |
|---------------------|-----------|----------------|------------|--------|----------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 53302-BS/OPL | 2Lt x 40w | G9 | G9 Halogen | 2900k | 960Lm | H 6.4" L 18" Ext 4"  | L 17" W 4.4" Ext 1" |
| B 53303-BS/OPL | 3Lt x 40w | G9 | G9 Halogen | 2900k | 1440Lm | H 6.75" L 24" Ext 4.6" | L 24" W 4.4" Ext 1.2" |
| C 53304-BS/OPL | 4Lt x 40w | G9 | G9 Halogen | 2900k | 1920Lm | H 6.75" L 36" Ext 8" | L 36" W 4.4" Ext 1.2" |



A 63811-19-CH/FST



B 63813-19-CH/FST



C 63815-19-MC/FST




63811-19-CH/RED



63811-19-MC/COB

Sydney Mania Glass Wall Vanity Fixture

| Finish CH MC Glass COB FST RED | | Supplied Lamps | | | | | CETL Wall Dry  |
|--------------------------------|-----------|----------------|------------|--------|----------|--------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 63811-19-_/_/ | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 9" L 7.5" Ext 5" | D 5" Ext 1.25" |
| B 63813-19-_/_/ | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 9" L 22" Ext 5" | D 5" Ext 1.25" |
| C 63815-19-_/_/ | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 9" L 32" Ext 5" | D 5" Ext 1.25" |



A 63811-20-CH/OPL

B 63813-20-CH/OPL

C 63815-20-MC/OPL

Sydney Thea Glass Wall Vanity Fixture

| Finish CH MC Glass OPL | | Supplied Lamps | | | | CETL Wall Dry | |
|------------------------|-----------|----------------|------------|--------|----------|-------------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 63811-20-_/__ | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 8.5" L 7.5" Ext 4.5" | D 5" Ext 1.25" |
| B 63813-20-_/__ | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 8.5" L 22.5" Ext 4.5" | D 5" Ext 1.25" |
| C 63815-20-_/__ | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 8.5" L 32.5" Ext 4.5" | D 5" Ext 1.25" |



A 63811-18-CH/OPL

B 63813-18-CH/OPL

C 63815-18-MC/OPL

63811-18-CH/AMB

Sydney Herme's Glass Wall Vanity Fixture

| Finish CH MC Glass AMB OPL | | Supplied Lamps | | | | CETL Wall Dry | |
|----------------------------|-----------|----------------|------------|--------|----------|----------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 63811-18-_/__ | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 7.5" L 7.5" Ext 5" | D 5" Ext 1.25" |
| B 63813-18-_/__ | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 7.5" L 22" Ext 5" | D 5" Ext 1.25" |
| C 63815-18-_/__ | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 7.5" L 32" Ext 5" | D 5" Ext 1.25" |



A 63811-46-CH/OPL



A 63811-47-CH/OPL



B 63813-46-MC/OPL



B 63813-47-MC/OPL



C 63815-46-CH/OPL



C 63815-47-MC/OPL

Sydney Cone Glass Wall Vanity Fixture

| Finish CH MC Glass OPL | | Supplied Lamps | | | | | CETL Wall Dry | |
|------------------------|-----------|----------------|------------|--------|----------|----------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 63811-46-_/_/ | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 7" L 7.5" Ext 4.5" | D 5" Ext 1.25" | |
| B 63813-46-_/_/ | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 7" L 22" Ext 4.5" | D 5" Ext 1.25" | |
| C 63815-46-_/_/ | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 7" L 32" Ext 4.5" | D 5" Ext 1.25" | |

Sydney Tube Glass Wall Vanity Fixture

| Finish CH MC Glass AMB OPL | | Supplied Lamps | | | | | CETL Wall Dry | |
|----------------------------|-----------|----------------|------------|--------|----------|------------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 63811-47-_/_/ | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 7.5" L 7.5" Ext 4.5" | D 5" Ext 1.25" | |
| B 63813-47-_/_/ | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 7.5" L 22" Ext 4.5" | D 5" Ext 1.25" | |
| C 63815-47-_/_/ | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 7.5" L 32" Ext 4.5" | D 5" Ext 1.25" | |



A 20452GU-BS/WHT



B 20453GU-BS/WHT



C 20454GU-BS/WHT

Aztec Wall Vanity Fixture with Full Size Back-Plate

| Finish BS Glass WHT | | | | | | | CUL Wall Damp | |
|---------------------|-----------|-------|--------------------|--------|----------|---------------------|-----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 20452GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | H 4.5" L 24" Ext 6" | L 24" W 4.5" Ext 0.9" | |
| B 20453GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | H 4.5" L 36" Ext 6" | L 36" W 4.5" Ext 0.9" | |
| C 20454GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | H 4.5" L 48" Ext 6" | L 48" W 4.5" Ext 0.9" | |



A 23901-BS/OPL




B 23903-CH/OPL




C 23904-BS/OPL

Frisco Wall Vanity Fixture

| Finish BS CH Glass OPL | | | | | | | CETL Wall Damp | |
|------------------------|-----------|-------|--------------------|--------|----------|-----------------------|---------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 23901-_/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | H 6" L 5" Ext 6.5" | L 6" W 4.6" Ext 0.6" | |
| C23901xxOPLEN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | H 6" L 5" Ext 6.5" | L 6" W 4.6" Ext 0.6" | |
| B 23903-_/OPL | 3Lt x 60w | E-26 | A-19 Incandescent | 2700k | 2400Lm | H 7.5" L 26" Ext 6.5" | D 4.75" L 26.25" W 2" Ext 0.88" | |
| C23903xxOPLEN1318BS | 3Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 3750Lm | H 7.5" L 26" Ext 6.5" | D 4.75" L 26.25" W 2" Ext 0.88" | |
| C 23904-_/OPL | 4Lt x 60w | E-26 | A-19 Incandescent | 2700k | 3200Lm | H 7.5" L 35" Ext 6.5" | D 4.75" L 35" W 2" Ext 0.88" | |
| C23904xxOPLEN1418BS | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | H 7.5" L 35" Ext 6.5" | D 4.75" L 35" W 2" Ext 0.88" | |



A 62256-BS/FST





B 62257-BS/FST

Plasma Wall Vanity Fixture

| Finish BS Glass FST | | Supplied Lamps | | | | | CETL Wall Damp | | |
|---------------------|------------|----------------|------------------|--------|----------|--------------------|--------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| A 62256-BS/FST | 2Lt x 100w | R7s | J-118 Halogen | 2900k | 3300Lm | W 24" L 7" Ext 3" | L 21" W 4.5" Ext 1.75" | | |
| C62256BSFSTEH3218Q | 2Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 2500Lm | W 24" L 7" Ext 3" | L 21" W 4.5" Ext 1.75" | | |
| B 62257-BS/FST | 3Lt x 100w | R7s | J-118 Halogen | 2900k | 4950Lm | W 36" L 7" Ext 3" | L 33.1" W 4.5" Ext 1.75" | | |
| C62257BSFSTEN1313Q | 3Lt x 13w | G24q-1 | Quad Fluorescent | 2700k | 2700Lm | W 36" L 7" Ext 3" | L 33.1" W 4.5" Ext 1.75" | | |



Vail Wall Vanity Fixture

| Finish BS Glass OPL | | | | | Supplied Lamps | | CETL Wall Damp   |
|-----------------------|-----------|--------|---------------------------|--------|----------------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 31000-BS/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4.25" L 25.5" Ext 3.25" | D 4.4" L 25.5" W 3" Ext 1.25" |
| 31000LEDD-BS/OPL | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 4.25" L 25.5" Ext 3.25" | D 4.4" L 25.5" W 3" Ext 1.25" |
| B 31001-BS/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4.25" L 37.5" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |
| 31001LEDD-BS/OPL | 1Lt x 40w | Module | 85CRI LED | 3000k | 4560Lm | H 4.25" L 37.5" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |





A 31006LEDD-BS/OPL



B 31007LEDD-BS/OPL

Vail Wall Vanity Fixture

| Finish BS Glass OPL | | | | | Supplied Lamps | | | CETL Wall Damp   |
|------------------------------------|-----------|--------|-----------|--------|----------------|-------------------------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31006LEDD-BS/OPL Dimmable | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 3.5" L 18.5" Ext 3.5" | D 4.4" L 14.5" W 3" Ext 1.25" | |
| B 31007LEDD-BS/OPL Dimmable | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 3.5" L 22.5" Ext 3.5" | D 4.4" L 18.75" W 3" Ext 1.25" | |





A 31002-BS/OPL



B 31003-BS/OPL

Vail Wall Vanity Fixture


| Finish (31002 BS) (31003 BS CH) Glass OPL | | | | | Supplied Lamps | | CETL Wall Damp   |
|---|-----------|--------|---------------------------|--------|----------------|----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 31002-BS/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4.25" L 30.25" Ext 3.25" | D 4.4" L 25.6" W 3" Ext 1.25" |
| 31002LEDD-BS/OPL | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 4.25" L 30.25" Ext 3.25" | D 4.4" L 25.6" W 3" Ext 1.25" |
| B 31003-_/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4.25" L 42" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |
| 31003LEDD-_/OPL | 1Lt x 40w | Module | 85CRI LED | 3000k | 4560Lm | H 4.25" L 42" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |



A 62067-BS/FST



B 62068-BS/FST





C 62069-BS/FST




D 62070-BS/FST

Mercury Wall Vanity Fixture

| Finish BS Glass FST | | Supplied Lamps | | | | CETL Wall Dry   | |
|---------------------|-----------|----------------|------------|--------|----------|---|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 62067-BS/FST | 2Lt x 40w | G9 | G9 Halogen | 2900k | 960Lm | H 5.25" L 15" Ext 2.75" | W 12.75" L 4" Ext .25" |
| B 62068-BS/FST | 3Lt x 40w | G9 | G9 Halogen | 2900k | 1440Lm | H 5.25" L 22.25" Ext 2.75" | W 20.25" L 4" Ext .25" |
| C 62069-BS/FST | 4Lt x 40w | G9 | G9 Halogen | 2900k | 1920Lm | H 5.25" L 29" Ext 2.75" | W 25.5" L 4" Ext .25" |
| D 62070-BS/FST | 5Lt x 40w | G9 | G9 Halogen | 2900k | 2400Lm | H 5.25" L 36.25" Ext 2.75" | W 34.25" L 4" Ext .25" |



A 62091-BS/12C



B 62092-BS/12C




C 62093-BS/12C



D 62099-BS/12C



Phoebe Wall Vanity Fixture with Full Size Back-Plate

| Finish BS Glass 12C | | Supplied Lamps | | | | CETL Wall Damp  | |
|---------------------|------------|----------------|--------------|--------|----------|--|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 62091-BS/12C | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5" L 12.75" Ext 6.25" | L 12" W 4.4" Ext 1.5" |
| B 62092-BS/12C | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5" L 23" Ext 6.25" | L 22.25" W 4.4" Ext 0.75" |
| C 62093-BS/12C | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" L 33.25" Ext 6.25" | L 32.25" W 4.4" Ext 0.75" |
| D 62099-BS/12C | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" L 43.5" Ext 6.25" | L 42.5" W 4.4" Ext 2.4" |




A 62061-SC/FST



B 62062-SC/FST

Roto Wall Vanity Fixture with Full Size Back-Plate

| Finish SC Glass FST | | Supplied Lamps | | | | | CETL Wall Dry  | |
|---------------------|--------------------|----------------|--------|------------------|----------|--------------------|---|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 62061-SC/FST | 1Lt x 100w | R7s | J-118 Halogen | 2900k | 1650Lm | H 5.5" L 12" Ext 4" | L 6" W 4.25" Ext 0.75" |
| | C62061SCFSTEN1118Q | 1Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 1250Lm | H 5.5" L 12" Ext 4" | L 6" W 4.25" Ext 0.75" |
| B | 62062-SC/FST | 2Lt x 100w | R7s | J-118 Halogen | 2900k | 3300Lm | H 5.5" L 24" Ext 4" | L 18" W 4.25" Ext 1.1" |
| | C62062SCFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad Fluorescent | 2700k | 3420Lm | H 5.5" L 24" Ext 4" | L 18" W 4.25" Ext 1.1" |



A 62041-BS/CKF





B 62042-BS/CKF




C 62043-BS/CKF

Helium Wall Vanity Fixture

| Finish BS Glass CKF | | Supplied Lamps | | | | | CETL Wall Damp  | |
|---------------------|---|----------------|--------|---------------------------|----------|--------------------|--|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 62041-BS/CKF | 1Lt x 100w | R7s | J-118 Halogen | 2900k | 1650Lm | H 4.75" L 12.5" Ext 3.5" | L 12.1" W 4.6" Ext 0.75" |
| | C62041BSCKFEN1113BQ | 1Lt x 13w | GU-24 | Quad Fluorescent | 2700k | 900Lm | H 4.75" L 12.5" Ext 3.5" | L 12.1" W 4.6" Ext 0.75" |
| B | 62042-BS/CKF | 2Lt x 100w | R7s | J-118 Halogen | 2900k | 3300Lm | H 4.75" L 24.5" Ext 4.25" | L 23.5" W 4.6" Ext 0.6" |
| | C62042BSCKFEN1226BS  | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 4.75" L 24.5" Ext 4.25" | L 23.5" W 4.6" Ext 0.6" |
| C | 62042LED-BS/CKF | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 4.75" L 24.5" Ext 4.25" | L 23.5" W 4.6" Ext 0.6" |
| | 62043-BS/CKF | 2Lt x 100w | R7s | J-118 Halogen | 2900k | 3300Lm | H 4.75" L 32" Ext 5" | L 31.5" W 4.75" Ext 0.75" |
| | C62043BSCKFEH12245 | 2Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3500Lm | H 4.75" L 32" Ext 5" | L 31.5" W 4.75" Ext 0.75" |
| | 62043LEDD-BS/CKF | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 4.75" L 32" Ext 5" | L 31.5" W 4.75" Ext 0.75" |




A 53313-BS/CKF



B 53314-BS/CKF

Nara Bent Glass Checkered Frosted Vanity Wall Fixture

| Finish BS Glass CKF | | Supplied Lamps | | | | | CETL Wall Damp  | |
|---------------------|--------------|----------------|------|-------------------|----------|--------------------|--|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A | 53313-BS/CKF | 3Lt x 60w | E-12 | B-10 Incandescent | 2700k | 2400Lm | H 7" L 30.5" Ext 4" | L 8.25" W 4.5" Ext 0.75" |
| B | 53314-BS/CKF | 4Lt x 60w | E-12 | B-10 Incandescent | 2700k | 3200Lm | H 7" L 40.5" Ext 4" | L 8.25" W 4.5" Ext 0.75" |



B 62233-BS/LFR



A 62231-BS/LFR




C 62234-BS/LFR




Neon Wall Vanity Fixture

| Finish BS Glass LFR | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|------------|----------------|--------------------|--------|----------|-----------------------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62231-BS/LFR | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | H 6.3" L 16" Ext 4.5" | L 5.4" W 10.5" Ext 1.4" | |
| C62231BSLFREN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 6.3" L 16" Ext 4.5" | L 5.4" W 10.5" Ext 1.4" | |
| B 62233-BS/LFR | 2Lt x 100w | R7s | J-118 Halogen | 2900k | 3300Lm | H 6.3" L 24" Ext 4.5" | L 19.25" W 5.4" Ext 1.4" | |
| C62233BSLFREN1213BS | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | H 6.3" L 24" Ext 4.5" | L 19.25" W 5.4" Ext 1.4" | |
| C 62234-BS/LFR | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 6.3" L 32" Ext 4.5" | L 27.4" W 5.4" Ext 0.88" | |
| C62234BSLFREN1218BS | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 6.3" L 32" Ext 4.5" | L 27.4" W 5.4" Ext 0.88" | |



A 62051-BS/CKF



A 62051-BS/CKF



B 62052-BS/CKF



C 62053-BS/CKF



Oxygen Wall Vanity Fixture


| Finish CH Glass CKF | | Supplied Lamps | | | | | CETL Wall Damp | |
|---------------------|------------|----------------|--------------------|--------|----------|----------------------------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62051-CH/CKF | 1Lt x 100w | R7s | J-118 Halogen | 2900k | 1650Lm | H 6.75" L 13.75" Ext 3.25" | L 8.5" W 5.5" Ext 0.4" | |
| C62051CHCKFEN1118Q | 1Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 1250Lm | H 6.75" L 13.75" Ext 3.25" | L 8.5" W 5.5" Ext 0.4" | |
| B 62052-CH/CKF | 2Lt x 150w | R7s | J-118 Halogen | 2900k | 5200Lm | H 6.75" L 25.25" Ext 4.25" | L 17" W 5.5" Ext 0.88" | |
| C62052CHCKFEN1226BS | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 6.75" L 25.25" Ext 4.25" | L 17" W 5.5" Ext 0.88" | |
| 62052LED-CH/CKF | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 6.75" L 25.25" Ext 4.25" | L 17" W 5.5" Ext 0.88" | |
| C 62053-CH/CKF | 2Lt x 150w | R7s | J-118 Halogen | 2900k | 5200Lm | H 6.75" L 33.5" Ext 4.75" | L 25.25" W 5.5" Ext 0.88" | |
| C62053CHCKFEN1226BS | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 6.75" L 33.5" Ext 4.75" | L 25.25" W 5.5" Ext 0.88" | |
| 62053LEDD-CH/CKF | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 6.75" L 33.5" Ext 4.75" | L 25.25" W 5.5" Ext 0.88" | |



A 30110-BS/FST

B 30111-BS/FST

Tahoe Wall & Ceiling Fixture with Full Size Back-Plate



| Finish BS Glass FST | | Supplied Lamps | | | | | CETL Wall Dry  | |
|---------------------|-----------|----------------|---------------------------|--------|----------|-------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 30110-BS/FST | 2Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3500Lm | H 2.55" W 6.1" L 24.25" | L 24.2" W 4.2" Ext 2.25" | |
| B 30111-BS/FST | 2Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 6200Lm | H 2.55" W 6.1" L 36" | L 36" W 4.2" Ext 2.25" | |



A 31021-BS/ACR

B 31022-BS/ACR

Sierra Wall Vanity Fixture with Full Size Back-Plate



| Finish BS Diffuser ACR | | Supplied Lamps | | | | | CETL Wall Ceiling Damp   | |
|------------------------|-----------|----------------|---------------------------|--------|----------|------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31021-BS/ACR | 2Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3500Lm | H 4" L 24.75" Ext 2.5" | L 22.1" W 3.9" Ext 0.4" | |
| B 31022-BS/ACR | 2Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 6200Lm | H 4" L 36.75" Ext 2.5" | L 34.1" W 3.9" Ext 0.4" | |



A 31004-BS/OPL

B 31005-BS/OPL

Aspen Wall Vanity Fixture



| Finish BS Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|---------------------|-----------|----------------|---------------------------|--------|----------|--------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31004-BS/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4.25" L 29.5" Ext 4" | D 4.4" L 24.1" W 2.6" Ext 1.25" | |
| B 31005-BS/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4.5" L 41.5" Ext 4.75" | D 4.4" L 35.9" W 2.6" Ext 1.25" | |



A 31032-BS/ACR

B 31033-BS/ACR

Sequoia Ceiling & Wall Fixture with Full Size Back-Plate

| Finish BS Diffuser ACR | | Supplied Lamps | | | | | CETL Wall Ceiling Damp   | |
|------------------------|-----------|----------------|---------------------------|--------|----------|-----------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31032-BS/ACR | 2Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3500Lm | H 3.62" W 5.5" L 25.25" Ext 3.62" | L 24.9" W 5.25" Ext 0.6" | |
| B 31033-BS/ACR | 2Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 6200Lm | H 3.62" W 5.5" L 37" Ext 3.62" | L 36.75" W 5.25" Ext 0.6" | |





A 62311-BS/FST

B 62312-BS/FST



Titanium Wall Vanity Fixture

| Finish BS Glass FST | | Supplied Lamps | | | | | CETL Wall Damp   | |
|---------------------|------------|----------------|--------------|--------|----------|------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62311-BS/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 2.75" L 12" Ext 4" | L 6.4" W 2" Ext 0.9" | |
| B 62312-BS/FST | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 2.75" L 23.6" Ext 4" | L 13.5" W 2" Ext 0.75" | |





A 31010-BS/OPL



B 31011-CH/OPL

Geneva Wall Vanity Fixture

| Finish BS CH Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|------------------------|-----------|----------------|---------------------------|--------|----------|-----------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31010-_/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4" L 24.5" Ext 3.5" | D 4.4" L 25.6" W 2.25" Ext 1.25" | |
| B 31011-_/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4" L 36.6" Ext 3.5" | D 4.4" L 37.4" W 2.25" Ext 1.25" | |

LED MIRRORS







70085LEDD-MIR

SPA | COLLECTION

Luxuriate in the privacy of your own bathroom with your own resort worthy mirror. The SPA Collection, an anti-fog mirror, illuminated via solid state LEDs, is equipped with a blue lit button for ease of access in the dark. Turn your ordinary bathroom into an extraordinary bathroom with SPA...so much more than just a mirror.




70086LEDD-MIR

TASK LIGHTING



Spa Round LED Anti-Fog Mirror, Electronic On/Off Switch and Touch Dimmer

| Finish MIR | | Supplied Lamps | | | | | CETL Wall Damp  |
|--------------------------|-----------|----------------|-----------|--------|----------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 70085LEDD-MIR Dimmable | 1Lt x 20w | Module | 85CRI LED | 2800k | 3009Lm | D 24.5" Ext 2.5" | D 22" Ext 2" |
| B 70086LEDD-MIR Dimmable | 1Lt x 30w | Module | 85CRI LED | 2800k | 4420Lm | H 28.5" W 28.5" Ext 2.5" | H 26" W 26" Ext 2" |



70017LED-CH/CRM

70017LED-BRZ/CRM

Cyprus LED and Fluorescent Wall Lamp with 4-Way On/Off Switch

| Finish BRZ CH Linen Shade CRM | | | | | | | CETL Wall Dry | |
|-------------------------------|-----------|--------|--------------------|--------|----------|--------------------------|-------------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 70017LED-___/CRM | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | H 14.25" L 15.25" Ext 9" | L 5.25" W 4.4" Ext 1.5" | |
| | 1Lt x 3w | Module | 85CRI LED | 3500k | 165Lm | | | Lamps |



70020LED-CH/OPL


NITE | COLLECTION

Let Nite keep you on task with bedside activities. This attractive LED bedside lamp offers 3 settings for ambience, task lighting, or a combination of the two. Alternatively, keep your bedroom a sanctuary without the task light. Nite, a wonderful bedroom addition both visually and functionally.



Nite LED Wall Fixture

| Finish BRZ CH Glass OPL | | | | | | Supplied Lamps | | CETL Wall Dry | |
|-------------------------|----------------------|--------|-----------|------------|----------|---------------------|----------------------|---------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| 70020LED-___/OPL | 1Lt x 10w + 1Lt x 3w | Module | 85CRI LED | 2800-3200K | 940Lm | H 16" W 5" Ext 6.5" | L 7" W 5" Ext 1.5" | | |





70003LED-BS



70003LED-BRZ

Epiphane Gooseneck Wall Lamp with On/Off Switch. Hardwiring or Plug-In

| Finish BRZ BS | | Supplied Lamps, Cord and Plug | | | | | CETL Wall Dry (ETL) | |
|---------------|----------|-------------------------------|-----------|--------|----------|--------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70003LED-___ | 1Lt x 3w | Module | 85CRI LED | 3500k | 165Lm | H 16.7" W 16" L 5" | D 5" Ext 0.9" | |



70018LED-CH



70018LED-BRZ

Cyprus2 LED Plug-In Headboard Lamp

| Finish BRZ CH | | Supplied Lamps, Cord and Plug-Driver | | | | | CETL Wall Dry (ETL) | |
|---------------|----------|--------------------------------------|-----------|--------|----------|-----------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70018LED-___ | 1Lt x 3w | Module | 85CRI LED | 3200k | 360Lm | D 3.15" H 4.6" Ext 5" | D 3.15" Ext 1.4" | |



62089-BS



62089-BRZ

LED Gooseneck Wall Lamp with On/Off Switch. Hardwiring or Plug-In

| Finish BRZ BS | | Supplied Lamps, Cord and Plug | | | | | CETL Wall Dry (ETL) | |
|---------------|----------|-------------------------------|-----------|--------|----------|-----------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 62089-___ | 1Lt x 1w | Module | 85CRI LED | 4700k | 65Lm | D 5" H 16.7" Ext 1.7" | D 5" Ext 0.9" | |



Illuminated switch, turns blue when the lamp is in the off position for easy location in the dark

Unagi LED Gooseneck Headboard Lamp


| Finish BRZ CH | | Supplied Lamps, Cord and Plug-Driver | | | | | CETL Wall Dry (ETL) | |
|---------------|----------|--------------------------------------|-----------|--------|----------|--------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70019LED-___ | 1Lt x 3w | Module | 85CRI LED | 3200k | 360Lm | D 1.75" L 12.6" | | |




62088-BS

62088-BRZ

Odyssey Wall Mounted Task Lamp with On/Off switch

| Finish | BRZ BS | Supplied Lamps | | | | | CETL Wall Dry  |
|-----------|-----------|----------------|---------------|--------|----------|--------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 62088-___ | 1Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 320Lm | H 26" W 6.25" L 5 To 20" | L 4.9" W 4.9" Ext 0.75" |

EXTERIOR





A 20376MG-SAT/FST



B 20377MG-BRZ/FST



C 20378MG-BRZ/FST



W 6" Ext 5.25"

W 6" Ext 5.25"

W 6" Ext 5.25"

Zen Marine Grade Wet Location Wall Fixture

| Finish BRZ SAT Glass FST | | CETL Wall Wet (ETL) | | | | |
|--------------------------|-----------|---------------------|------|--------|----------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions |
| A 20376MG-_/FST | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | H 12" W 6" Ext 5.25" |
| B 20377MG-_/FST | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | H 18" W 6" Ext 5.25" |
| C 20378MG-_/FST | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | H 26" W 6" Ext 5.25" |



20367MG-BRZ/OPL



L 4.25" Ext 5.6"

H 11.9"

Nyz Marine Grade Wet Location Wall Fixture

| Finish BRZ SAT Glass OPL | | Supplied Lamps | | | | CETL Wall Wet | |
|--------------------------|-----------|----------------|--------------------|--------|----------|--------------------------|-----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 20367MG-___/OPL | 1Lt x 18w | 2G11 | FT18DL Fluorescent | 3000k | 1200Lm | H 11.9" L 4.25" Ext 5.6" | L 6" W 4.25" Ext 1.9" |



B 20361-ALU/OPL

EOS | COLLECTION

Bring instant curbside appeal to your home with the Eos Collection. The beauty of Eos lies in the simple, unadorned lines. The downward light projection provides both general illumination and simple path lighting. A fluorescent alternative couples design with energy efficiency.



A 20360-ALU/OPL



H 11.5"

D 3" Shade Ext 4.5"



D 3" Shade Ext 4.5"

H 18.5"

Eos Wet Location Wall Fixture

| Finish ALU BRZ Glass OPL | | | | | | | CUL Wall Wet | |
|--------------------------|-----------|------|------|--------|----------|--------------------|----------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 20360-___/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | H 11.5" Ext 4.5" | D 5" Ext 0.5" | |
| B 20361-___/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | H 18.5" Ext 4.5" | D 5" Ext 0.5" | |



H 14"

L 9.25" Ext 4"

Eclipse Wall Fixture

| Finish SAT Glass OPL | | | | | | | CUL Wall Wet | | |
|----------------------|-----------|-------|-----------|--------|----------|----------------------|-----------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| 20449-SAT/OPL | 1Lt x 75w | E-26 | A-19 | | | H 14" L 9.25" Ext 4" | L 9.25" W 4.6" Ext 1" | | |
| C20449SATOPLEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | H 14" L 9.25" Ext 4" | L 9.25" W 4.6" Ext 1" | | |



H 5.5"

W 10" Ext 4"

The 180 Wet Location Wall Fixture

| Finish SAT Glass OPL | | | | | | | CETL Wall Wet | | |
|----------------------|------------|------|------|--------|----------|---------------------|----------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| 20397-SAT/OPL | 1Lt x 100w | E-26 | A-19 | | | H 5.5" W 10" Ext 4" | H 5" W 9" | | |



H 10.25"

L 5.5" Ext 4"

Brick Wet Location Wall Fixture

| Glass OPL | | | | | | | CUL Wall Wet | | |
|------------------|-----------|-------|-----------|--------|----------|------------------------|----------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| 20450-OPL | 1Lt x 75w | E-26 | A-19 | | | H 10.25" L 5.5" Ext 4" | L 9.6" W 4.6" Ext 1" | | |
| C20450OPLN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | H 10.25" L 5.5" Ext 4" | L 9.6" W 4.6" Ext 1" | | |



H 10"

W 7" Ext 3.5"

Oblong Wet Location Wall Fixture

| Finish WH Glass OPL | | | | | | | CETL Wall Wet | | |
|---------------------|------------|------|------|--------|----------|---------------------|----------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | |
| 20395-WH/OPL | 1Lt x 100w | E-26 | A-19 | | | H 10" W 7" Ext 3.5" | L 9.6" W 4.6" Ext 1" | | |



EXTERIOR



20290-BL/FST



20290-SAT/FST






20290-WH/FST

Ext 3.5"

W 4.25" L 8.25"

Nauticus Wet Location Bulkhead

| Finish BL SAT WH Glass FST | | | | | | | CUL Wall Ceiling Wet   | | |
|---|-----------|-------|-----------|--------|----------|--------------------------|--|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20290-___/FST | 1Lt x 60w | E-26 | A-19 | | | W 4.25" L 8.25" Ext 3.5" | L 8" W 4.4" Ext 1" | | |
| C20290 ___FSTEN1113BS  | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | W 4.25" L 8.25" Ext 3.5" | L 8" W 4.4" Ext 1" | Lamps | |



20292-BL/FST



20292-SAT/FST






20292-WH/FST

Ext 4.75"

W 6.5" L 11"

Nauticus Wet Location Bulkhead

| Finish BL SAT WH Glass FST | | | | | | | CUL Wall Ceiling Wet   | | |
|---|------------|-------|-----------|--------|----------|------------------------|--|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20292-___/FST | 1Lt x 100w | E-26 | A-19 | | | W 6.5" L 11" Ext 4.75" | L 10.6" W 6.5" Ext 1" | | |
| C20292 ___FSTEN1118BS  | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | W 6.5" L 11" Ext 4.75" | L 10.6" W 6.5" Ext 1" | Lamps | |



20294-BL/FST






20294-SAT/FST



D 7" Ext 4"
20294-WH/FST

D 7"

Nauticus Wet Location Bulkhead

| Finish BL SAT WH Glass FST | | | | | | | CUL Wall Ceiling Wet   | | |
|---|-----------|-------|-----------|--------|----------|--------------------|--|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20294-___/FST | 1Lt x 60w | E-26 | A-19 | | | D 7" Ext 4" | D 7" Ext 1" | | |
| C20294 ___FSTEN1113BS  | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | D 7" Ext 4" | D 7" Ext 1" | Lamps | |



20296-BL/FST






20296-SAT/FST



D 9.5" Ext 5"
20296-WH/FST

D 9.5"

Nauticus Wet Location Bulkhead

| Finish BL SAT WH Glass FST | | | | | | | CUL Wall Ceiling Wet   | | |
|---|------------|-------|-----------|--------|----------|--------------------|--|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20296-___/FST | 1Lt x 100w | E-26 | A-19 | | | D 9.5" Ext 5" | D 9.5" Ext 1" | | |
| C20296 ___FSTEN1118BS  | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | D 9.5" Ext 5" | D 9.5" Ext 1" | Lamps | |



20291-BL/FST



20291-SAT/FST



20291-WH/FST

L 8.25" Ext 3.5"

H 4.25"






20355MG-SAT/FST







D 12" Ext 5"
20355MG-BRZ/FST

D 12" H 5"

Nauticus Wet Location Bulkhead

| Finish BL SAT WH Glass FST | | | | | | | CUL Wall Ceiling Wet   | |
|--|-----------|-------|-----------|--------|----------|--------------------------|--|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20291-___/FST | 1Lt x 60w | E-26 | A-19 | | | H 4.25" L 8.25" Ext 3.5" | L 8" W 4.4" Ext 1" | |
| C20291___FSTEN1113BS  | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | H 4.25" L 8.25" Ext 3.5" | L 8" W 4.4" Ext 1" | Lamps |

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

| Finish BRZ SAT Glass FST  | | | | | | | CETL Wall Ceiling Wet  | |
|--|-----------|--------|-----------|--------|----------|--------------------|---|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20355MG-___/FST | 1Lt x 60w | E-26 | A-19 | | | D 12" Ext 5" | L 5" W 4.6" | |
| C20355MGxxxFSTEN1118BS  | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | D 12" Ext 5" | L 5" W 4.6" | Lamps |
| 20355LEDDMG-___/FST | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12" Ext 5" | L 5" W 4.6" | Lamps  |



20337MG-SAT/FST



D 5"
20337MG-BRZ/FST

H 5"



20356MG-BRZ/FST







D 15.75" Ext 5.5"
20356MG-SAT/FST


H 5.5"

MicroMoon Marine Grade Wet Location Ceiling or Wall Fixture

| Finish BRZ SAT Glass FST  | | | | | | | Supplied Lamps | | CETL Wall Ceiling Wet  |
|--|-----------|-------|-----------|--------|----------|--------------------|----------------------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20337MG-___/FST  | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | D 5" H 5" | D 4.4" Ext 1.5" | | |

Oceanus Marine Grade Wet Location Ceiling or Wall Fixture

| Finish BRZ SAT Glass FST  | | | | | | | CETL Wall Ceiling Wet  | |
|--|-----------|--------|-----------|--------|----------|--------------------|---|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20356MG-___/FST | 2Lt x 60w | E-26 | A-19 | | | D 15.75" Ext 5.5" | L 5" W 4.6" | |
| C20356MGxxxFSTEN1218BS  | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | D 15.75" Ext 5.5" | L 5" W 4.6" | Lamps |
| 20356LEDDMG-___/FST | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" Ext 5.5" | L 5" W 4.6" | Lamps  |



20370MG-SAT/FST



H 16.25"

L 6.5" Ext 6"
20370MG-BRZ/FST

Nyami Marine Grade Wet Location Wall Fixture

| Finish BRZ SAT Glass FST | | | | | | | CETL Wall Wet | | |
|--------------------------|-----------|--------|-----------|--------|----------|------------------------|----------------------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20370MG-___/FST | 2Lt x 60w | E-26 | A-19 | | | H 16.25" L 6.5" Ext 6" | L 7" W 4.5" | | |
| C20370MGxxxFSTEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | H 16.25" L 6.5" Ext 6" | L 7" W 4.5" | Lamps | |
| 20370LEDMG-___/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 16.25" L 6.5" Ext 6" | L 7" W 4.5" | Lamps | |



20333MG-BRZ/RFR



H 13"

L 7" Ext 5"

Neptune Marine Grade Wet Location Wall Fixture

| Finish BRZ SAT Glass RFR | | | | | | | CETL Wall Wet | | |
|--------------------------|-------------|--------|-----------|--------|----------|--------------------|----------------------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20333MG-___/RFR | 1Lt x 75w | E-26 | A-19 | | | H 13" L 7" Ext 5" | H 7" W 4.6" | | |
| C20333MGxxxRFREN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | H 13" L 7" Ext 5" | H 7" W 4.6" | Lamps | |
| 20333LEDMG-___/RFR | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | H 13" L 7" Ext 5" | H 7" W 4.6" | Lamps | |



20362-SAT/OPL



L 11.5"

W 10.25" Ext 4"

Artemis Wet Location Wall Fixture

| Finish BRZ SAT Glass OPL | | | | | | | CUL Wall Wet | | |
|--------------------------|-----------|-------|-----------|--------|----------|-------------------------|--------------------------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20362-___/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | W 10.25" L 11.5" Ext 4" | L 11.5" W 10.4" Ext 0.4" | | |



20335MG-SAT/RFR



L 8.25"

W 8.25" Ext 4.75"

Neptune Marine Grade Wet Location Wall Fixture



| Finish BRZ SAT Glass RFR | | | | | | | CETL Wall Wet | | |
|--------------------------|-------------|--------|-----------|--------|----------|---------------------------|----------------------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied | |
| 20335MG-___/RFR | 1Lt x 60w | E-26 | A-19 | | | W 8.25" L 10.5" Ext 4.75" | L 7" W 4.6" | | |
| C20335MGxxxRFREN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | W 8.25" L 10.5" Ext 4.75" | L 7" W 4.6" | Lamps | |
| 20335LEDMG-___/RFR | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | W 8.25" L 10.5" Ext 4.75" | L 7" W 4.6" | Lamps | |



L 10.6" Ext 4.25"

W 6.5"

Poseidon Wet Location Bulkhead

| Finish SS Glass FST | | | | | | | CETL Wall Wet  | |
|---|-------------|--------|-----------|--------|----------|--------------------------|---|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20301-SS/FST | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | W 6.5" L 10.6" Ext 4.25" | L 8.5" W 5" Ext 0.5" | |
| C20301SSFSTEN1118BS  | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | W 6.5" L 10.6" Ext 4.25" | L 8.5" W 5" Ext 0.5" | Lamps |
| 20301LED-SS/FST | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | W 6.5" L 10.6" Ext 4.25" | L 8.5" W 5" Ext 0.5" | Lamps |





W 10.25" Ext 4.75"

L 10.25"

20330-SAT/FST

Oden Wet Location Wall Fixture

| Finish BL SAT Glass FST | | | | | | | CETL Wall Wet  | |
|--|-----------|--------|-----------|--------|----------|-----------------------------|---|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20330-___/FST | 2Lt x 60w | E-26 | A-19 | | | H 10.25" L 10.25" Ext 4.75" | L 10.25" W 10.25" Ext 1.2" | |
| C20330xxxFSTEN1218BS  | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | H 10.25" L 10.25" Ext 4.75" | L 10.25" W 10.25" Ext 1.2" | Lamps |
| 20330LED-___/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 10.25" L 10.25" Ext 4.75" | L 10.25" W 10.25" Ext 1.2" | Lamps |



20373-BRZ/OPL




L 14.6" Ext 4.2"

20373-SAT/OPL

W 5.25"

Tyro Wet Location Wall Fixture

| Finish BRZ SAT Glass OPL | | | | | | | CUL Wall Wet  | |
|--------------------------|------------|-------|-----------|--------|----------|--------------------------|--|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20373-___/OPL | 1Lt x 100w | E-26 | A-19 | | | W 5.25" L 14.6" Ext 4.2" | L 13.75" W 4.2" Ext 0.4" | |
| C20373xxxOPLN1118B | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | W 5.25" L 14.6" Ext 4.2" | L 13.75" W 4.2" Ext 0.4" | Lamps |






20375MG-SAT/FST



D 6.6" Ext 4"

20375MG-BRZ/FST

Nymph Marine Grade Wet Location Wall Fixture

| Finish BRZ SAT Glass FST  | | | | | | | Supplied Lamps | | CETL Wall Wet   | |
|--|-------------|--------|-----------|--------|----------|--------------------|----------------------|--|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | | | |
| 20375MG-___/FST | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | D 6.6" Ext 4" | D 4.5" Ext 0.4" | | | |
| 20375LEDMG-___/FST | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | D 6.6" Ext 4" | D 4.5" Ext 0.4" | | | |



A 20300-BRZ/RFR



A 20300-SAT/RFR



L 7.25" Ext 5.5"
20300-BL/RFR

H 10.75"



B 20302-BRZ/RFR



B 20302-SAT/RFR



A 20342-SAT/RFR



B 20343-BRZ/RFR



C 20344MG-SAT/RFR

Poseidon Wet Location Bulkhead

| Finish BRZ BL SAT Glass RFR | | | | | | | CETL Wall Wet | |
|-----------------------------|-------------|--------|-----------|--------|----------|---------------------------|------------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20300-___/RFR | 1Lt x 60w | E-26 | A-19 | | | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | |
| A C20300xxxRFREN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | Lamps |
| 20300LED-___/RFR | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | Lamps |
| 20302-___/RFR | 1Lt x 60w | E-26 | A-19 | | | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | |
| B C20302xxxRFREN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | Lamps |
| 20302LED-___/RFR | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | H 10.75" L 7.25" Ext 5.5" | L 4.6" W 4.6" Ext 0.5" | Lamps |

Poseidon Wet Location Bulkhead

| Finish BRZ SAT Glass RFR | | Dimensions H 16.75" L 6" Ext 5.3" Backplate L 7" W 4.5" Ext 0.5" | | | |
|---|-----------|--|-----------|---------------|----------|
| 20344 Supplied in a Marine Grade Finish | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen |
| 20342-___/RFR | 2Lt x 60w | E-26 | A-19 | | |
| A C20342__RFREN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm |
| 20342LED-___/RFR | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm |
| 20343-___/RFR | 2Lt x 60w | E-26 | A-19 | | |
| B C20343__RFREN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm |
| 20343LED-___/RFR | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm |
| 20344MG-___/RFR | 2Lt x 60w | E-26 | A-19 | | |
| C C20344MG__RFREN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm |
| 20344LEDMG-___/RFR | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm |



L 6" Ext 5.3"

H 16.75"



23063LEDMG-SAT/CLR



23063LEDMG-BRZ/CLR

W 4.75" Ext 2.75"

L 7.2"

Archer Marine Grade Wet Location LED Wallwasher

| | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------------|-------------------------|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 23063LEDMG-___/CLR | 2Lt x 4.5w | Module | 85CRI LED | 3000k | 770Lm | W 4.75" L 7.2" Ext 2.75" | L 7.2" W 4.75" Ext 0.4" |



23062LEDMG-SAT/CLR



23062LEDMG-BRZ

W 4.75" Ext 2.75"

L 7.2"

Archer Marine Grade Wet Location LED Wallwasher

| | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------------|-------------------------|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 23062LEDMG-___/CLR | 1Lt x 4.5w | Module | 85CRI LED | 3000k | 385Lm | W 4.75" L 7.2" Ext 2.75" | L 7.2" W 4.75" Ext 0.4" |



A 20346-BRZ/ACR



B 20347-SAT/ACR

Kraken Wet Location Wall Fixture

| | | | | | | | |
|-----------------|-------------------|----------------|---------|--------|----------|----------------------|----------------------|
| Finish | BRZ SAT Glass ACR | Supplied Lamps | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 20346-___/ACR | 2Lt x 24w | Bi-Pin | T-5 H/O | 3000k | 3500Lm | H 26" L 10" Ext 5.7" | L 6.2" W 4.4" |
| B 20347-___/ACR | 2Lt x 24w | Bi-Pin | T-5 H/O | 3000k | 3500Lm | H 26" L 10" Ext 5.7" | L 6.2" W 4.4" |

A 20346-SAT/ACR



L 10" Ext 5.7"

H 26"

EXTERIOR



23064LEDMG-SAT



23064LEDMG-BRZ

W 5.25" Ext 2.5"

L 5.25"



20786LED-WH

ZyZx Marine Grade Wet Location LED Wallwasher

| | | | | | | | | | |
|--------|----------------|----------------|--------|-----------|--------|----------|--------------------------|------------------------|--|
| Finish | BRZ SAT | Supplied Lamps | | | | | CETL Wall Wet | | |
| Model | 23064LEDMG-___ | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| | | 2Lt x 3.5w | Module | 85CRI LED | 3000k | 280Lm | H 5.25" L 5.25" Ext 2.5" | L 5.25" W 5.25" Ext 1" | |



23061MGLED-SAT



23061MGLED-BRZ

W 5.25" Ext 3"

L 5.25"



W 6.38 Ext 3.85"

H 9"



SLANT | COLLECTION

Defined architectural angles mark this outdoor wall washer as a serious player. A low profile and LED light source brand Slant for both residential and commercial applications.

ZyZx Marine Grade Wet Location LED Wallwasher

| | | | | | | | | | |
|--------|----------------|----------------|--------|-----------|--------|----------|------------------------|----------------------|--|
| Finish | BRZ SAT | Supplied Lamps | | | | | CETL Wall Wet | | |
| Model | 23061LEDMG-___ | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| | | 1Lt x 3.5w | Module | 85CRI LED | 3000k | 140Lm | W 5.25" L 5.25" Ext 3" | W 5.25" Ext 1" | |


Slant DLC Certified Wet Location Wall Fixture with Day-Night Sensor

| | | | | | | | | |
|--------|--------------|----------------|--------|-----------|--------|----------|------------------------|--|
| Finish | BL WH | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | 20786LED-___ | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | |
| | | 1Lt x 20w | Module | 80CRI LED | 4500k | 1400Lm | H 9" W 6.38" Ext 3.85" | |



SQUARE | COLLECTION

These perfectly four-sided outdoor luminaire conveys a cool, stylish image. Two versions, adjustable or fixed, allow for the dramatic distribution of light on the mounting surface. Square, for those with out of the box thinking.




A 20398LED-SAT



B 20399LED-WH
(with adjustable louvers)



Square Wet Location LED Wall Fixture

| Finish BRZ SAT WH | | Supplied Lamps | | | | | CETL Wall Wet  | |
|-------------------|----------|----------------|-----------|--------|----------|---------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 20398LED-___ | 1Lt x 6w | Module | 85CRI LED | 3000k | 480Lm | H 3.1" W 5" Ext 5" | H 4" W4" | |
| B 20399LED-___ | 1Lt x 6w | Module | 85CRI LED | 3000k | 480Lm | H 4.25" W 4.25" Ext 4.25" | H 4" W4" | |



20350MG-BRZ/CLR



20350MG-SAT/CLR

Ext 4.2"

KO Marine Grade Wet Location Halogen Spotlight

| | | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 20350MG-___/CLR | 1Lt x 35w | GU-10 | MR-16 Hgn | 2900k | 320Lm | H 4.25" Ext 4.2" | D 4.2" Ext 1.5" | |
| 20350LEDMG-___/CLR | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 4.25" Ext 4.2" | D 4.2" Ext 1.5" | |



70063LED-BRZ

FIN | COLLECTION

LED in both form and function, the Fin is designed with LED performance in mind. The heat sync has been artistically integrated into the design of this exceptional outdoor wall washer.



20351MG-SAT/CLR



20351MG-BRZ/CLR

Ext 4 to 6"

KO Marine Grade Wet Location Halogen Spotlight

| | | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 20351MG-___/CLR | 1Lt x 35w | GU-10 | MR-16 Hgn | 2900k | 320Lm | H 4" Ext 4 to 6" | D 4.2" Ext 1.5" | |
| 20351LEDMG-___/CLR | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 4" Ext 4 to 6" | D 4.2" Ext 1.5" | |



D 5.1"

Ext 8"



70063LED-SAT

Fin LED Wet Location Spotlight

| | | | | | | | | |
|--------------|----------|----------------|-----------|------------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70063LED-___ | 1Lt x 7w | Module | 85CRI LED | 2800-3200K | 600Lm | H 7.5" Ext 8" | D 5.1" Ext 1.5" | |



23026MG-BRZ/CLR



23026MG-SAT/CLR

D 4.5"

H 6.5"

Ext 5"

Myra Marine Grade Wet Location Wall Washer

| Finish BRZ SILV Glass CLR | | Supplied Lamps | | | | CETL Wall Wet | |
|---------------------------|-----------|----------------|-----------|--------|----------|--------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 23026MG-___/CLR | 2Lt x 50w | GU-10 | MR-16 Hgn | 2900k | 110Lm | H 6.5" Ext 5" | D 4.5" Ext 0.6" |



D 4.2"

20352MG-SAT/CLR

KO Marine Grade Wet Location Halogen Spotlight

| Finish BRZ SAT Glass CLR | | Supplied Lamps | | | | CETL Wall Wet | |
|--------------------------|------------|----------------|-----------|--------|----------|--------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 20352MG-___/CLR | 2Lt x 35w | GU-10 | MR-16 Hgn | 2900k | 520Lm | H 6.5" Ext 4" | D 4.2" Ext 1.5" |
| 20352LEDMG-___/CLR | 2Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 692Lm | H 6.5" Ext 4" | D 4.2" Ext 1.5" |



20352MG-BRZ/CLR

H 6.5"

Ext 4"



23025MG-BRZ/CLR



23025MG-SAT/CLR

D 4.5"

H 6.5"

Ext 5"

Myra Marine Grade Wet Location Adjustable Spotlight

| Finish BRZ SILV Glass CLR | | Supplied Lamps | | | | CETL Wall Wet | |
|---------------------------|-----------|----------------|-----------|--------|----------|--------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 23025MG-___/CLR | 1Lt x 50w | GU-10 | MR-16 Hgn | 2900k | 550Lm | L 3.75" Ext 5" | D 4.5" Ext 0.6" |



20385MG-SAT/CLR

D 4.5"

20385MG-BRZ/CLR

H 6.5"

Ext 4.8"

Poseidon Marine Grade Wet Location Wall Washer

| Finish BRZ SAT Glass CLR | | Supplied Lamps | | | | CETL Wall Wet | |
|--------------------------|-----------|----------------|-----------|--------|----------|--------------------|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 20385MG-___/CLR | 2Lt x 35w | GU-5.3 | MR-16 Hgn | 2900k | 720Lm | H 9" Ext 4.8" | D 4.5" Ext 1.5" |



Poseidon Wet Location Wallwasher

| Finish BRZ SAT Glass CLR | | | | | | | CUL Wall Wet | |
|--------------------------|-----------|-------|-----------|--------|----------|--------------------|----------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20364___/CLR | 2Lt x 60w | E-26 | PAR 30 | | | L 12.25" Ext 7" | D 4.75" Ext 0.4" | |
| C20364___CLREN1213B | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | L 12.25" Ext 7" | D 4.75" Ext 0.4" | Lamps |



Trident Marine Grade Wet Location Wall Washer

| Finish BRZ SAT Glass CLR | | | | | | | CETL Wall Wet | |
|--------------------------|-----------|-------|-----------|--------|----------|--------------------|--------------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20389MG___/CLR | 2Lt x 75w | E-26 | PAR 30 | | | H 14" Ext 8.4" | L 6.9" W 4.25" Ext 0.25" | |
| C20389MG___CLREN1213B | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | H 14" Ext 8.4" | L 6.9" W 4.25" Ext 0.25" | Lamps |




Poseidon Wet Location Wallwasher

| Finish BL BRZ SAT | | | | | | | CUL Wall Wet | |
|-------------------|-----------|-------|-----------|--------|----------|--------------------|----------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | Supplied |
| 20363-___ | 1Lt x 60w | E-26 | PAR 30 | | | L 6" Ext 7" | D 4.75" Ext 0.4" | |
| C20363___EN1113B | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | L 6" Ext 7" | D 4.75" Ext 0.4" | Lamps |



Poseidon Damp location wall washer, for use in covered installations

| Finish: BRZ SAT | | Certification: Wall only Damp Location CUL | | | | | | |
|-------------------|-----------|--|-------|--------|--------|----------------|---------------|----------|
| Model | Wattage | Type | Base | Lumen | Kelvin | Dimensions | Back-Plate | Included |
| 20444-___ | 2Lt x 60w | A-19 | E-26 | | | H 12" Ext 6.9" | D 4.75" H .5" | |
| C20444___EN1213BS | 2Lt x 13w | Spiral | GU-24 | 1800Lm | 2700k | H 12" Ext 6.9" | D 4.75" H .5" | Lamps |



LedOrb Wet Location LED Wall Fixture

| | | | | | | | |
|----------------------|-----------|----------------|-----------|--------|----------|--------------------|----------------------|
| Finish SAT Glass ACR | | Supplied Lamps | | | | | CETL Wall Wet |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 20394LED-SAT/ACR | 1Lt x 12w | Module | 85CRI LED | 3000k | 500Lm | D 7.75" Ext 2.5" | D 6" Ext 1.5" |

Ext 2.5"



20785LED-BL

W 11.5" Ext 9.25"

H 10"


Guardian Wet Location Security Spotlight

| | | | | | | | |
|--------------|-------------|----------------|-----------|--------|----------|-------------------------|----------------------|
| Finish BL WH | | Supplied Lamps | | | | | CETL Wall Wet |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| 20785LED-__ | 2Lt x 10.5w | Module | 80CRI LED | 4000k | 1200Lm | H 10" W 11.5" Ext 9.25" | L 4" W 5" |

InteLED

Building Blocks of Light

COVE | UNDERCABINET | WALL GRAZING | DISPLAY | TOE KICKS



InteLED

Building Blocks of Light

The InteLED modular system is an ideal lighting solution for multiple applications such as coves and sots, backlighting displays and bookshelves, under cabinet and step lighting. For applications that require low maintenance, energy consumption, and low operating temperatures. With it's high lumen output and long life, InteLED is the answer.



FEATURES: 120v System

- Extruded aluminium frame with frosted polycarbonate lens
- Integrated Driver
- High Lumen output 70 Lpw
- Consistent Color 3000k or 4000k
- Seamless light output
- Smooth dimming
- Simple Plug and Play



The secret behind InteLED's spot free light diffusion is our tightly spaced LED's ensuring a controlled light output and eliminates traditional hot spots on Stone or shiny surfaces.

BENEFITS:

- Simple and affordable solution for many lighting applications
- The modules can be used singularly or in multiples
- Non-Dimming applications up to 48' feet
- Fully dimmable when using recommended dimmers up to 24 feet



InteLED LED modules

Available in warm 3000k and cool 4000k

| Model | Wattage | Type | Base | 3000k Warm White | | | 4000k Cool White | | | Dimensions |
|-----------------|---------|------|--------|------------------|-------------|---------------|------------------|-------------|-----------------|-------------------------|
| | | | | Kelvin | Total Lumen | Nominal Lumen | Kelvin | Total Lumen | Nominal Lumen | |
| A 780LEDSTR-ALU | 5w | LED | Module | 3000k | 350Lm | 70Lm P/w | 4000k | 400Lm | 80Lm per watt | L 12" W .86" H 1.38" |
| B 781LEDSTR-ALU | 10w | LED | Module | 3000k | 700Lm | 70Lm P/w | 4000k | 805Lm | 80.5Lm per watt | L 23.75" W .86" H 1.38" |
| C 782LEDSTR-ALU | 14w | LED | Module | 3000k | 1100Lm | 78.5Lm P/w | 4000k | 1265Lm | 90Lm per watt | L 39.5" W .86" H 1.38" |
| D 783LEDSTR-ALU | 18w | LED | Module | 3000k | 1400Lm | 78Lm P/w | 4000k | 1610Lm | 89Lm per watt | L 47" W .875" H 1.38" |

Finish: ALU

Certification Ceiling Dry Location CETL

784PWB-WHT Hardwire connection box with On/Off switch
Can be mounted between modules or at either end of the track run.

Included with Romex connector

Finish: WH

Dimensions: H 1" L 4.75" W 2.6"

Certification Ceiling Dry CETL



785PWC-WHT 3ft Power Cord including Plug

Finish: WH

Dimensions: L 36"

Certification Ceiling Dry CETL



786PWC-WHT 6ft Power Cord including Plug

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL



789SPC-WHT 6ft Power Cord with In-Line ON/Off Switch

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL



795SPC-WHT 6ft Power Cord with In-Line Dimmer Switch

Finish: WH

Dimensions: L 72"

Certification Ceiling Dry CUL



787CON-WHT 12" Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 12"

Certification Ceiling Dry CUL



792CON-WHT 6" Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 6"

Certification Ceiling Dry CUL

793CON-WHT 9" Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 9"

Certification Ceiling Dry CUL

794CON-WHT 60" Flex connector for interconnecting two modules

Finish: WH

Dimensions: L 60"

Certification Ceiling Dry CUL

788BCON Butt connector, for seamless connections between modules

Finish: WH

Certification Ceiling Dry CETL



Included accessories included with all LED module's

Hardwire connector to power the system

788CONN Butt connector for joining modules

Mounting Brackets

Moly plugs and screws





tut•chi

Tu-ch-ee
adjective

LED touch light; touchable;
irresistible to touch

synonym
tremendous, phenomenal
remarkable, exceptional

Tut Chi - the irresistible LED
touch lamp whose use is
only limited by your imagination.

Tut Chi General purpose touch controlled LED lantern, battery operated 3 AA cells for more than 38 hours of continuous use. Batteries not included.

Finish: PBLU PNK SILV WHT Diffuser: ACR

| Model | Wattage | Type | Base | Kelvin | Lumen | Dimensions | Included |
|------------------|------------|------|--------|--------|-------|-------------|----------|
| 70007LED-___/ACR | 12Lt x .2w | LED | Module | 4000k | 100Lm | D 4.2" H 8" | Lamps |

INDEX

| MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# | MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# |
|-------|-----|-------|--------|-------|--------|-------|--------|---------|--------|-------|--------|-------|-----|-------|--------|
| 20290 | 382 | 20377 | 377 | 20457 | 89 290 | 20688 | 37 281 | 23061 | 394 | 23767 | 149 | 28069 | 229 | 50034 | 299 |
| 20291 | 384 | 20378 | 377 | 20458 | 89 290 | 20689 | 37 169 | 23062 | 392 | 23770 | 159 | 28070 | 231 | 50035 | 299 |
| 20292 | 383 | 20385 | 401 | 20460 | 91 276 | 20724 | 293 | 23063 | 392 | 23771 | 145 | 28078 | 233 | 50036 | 302 |
| 20294 | 382 | 20389 | 403 | 20462 | 91 191 | 20725 | 293 | 23064 | 394 | 23773 | 147 | 28085 | 236 | 50037 | 302 |
| 20296 | 383 | 20394 | 404 | 20463 | 90 191 | 20726 | 293 | 23071 | 276 | 23774 | 147 | 28087 | 236 | 50038 | 302 |
| 20300 | 390 | 20395 | 381 | 20624 | 291 | 20738 | 76 194 | 23072 | 171 | 23775 | 145 | 28088 | 236 | 50041 | 308 |
| 20301 | 388 | 20397 | 381 | 20625 | 291 | 20739 | 78 328 | 23073 | 172 | 23901 | 355 | 28090 | 133 | 50046 | 308 |
| 20302 | 390 | 20398 | 397 | 20626 | 291 | 20740 | 290 | 23074 | 173 | 23903 | 355 | 28091 | 133 | 50049 | 308 |
| 20330 | 389 | 20399 | 397 | 20635 | 326 | 20741 | 291 | 23086FC | 237 | 23904 | 355 | 28092 | 131 | 50050 | 309 |
| 20333 | 387 | 20414 | 326 | 20650 | 292 | 20742 | 284 | 23087FC | 238 | 23905 | 203 | 30110 | 364 | 50060 | 309 |
| 20335 | 387 | 20415 | 333 | 20651 | 292 | 20747 | 284 | 23088FC | 237 | 23910 | 342 | 30111 | 364 | 50061 | 309 |
| 20337 | 384 | 20416 | 333 | 20652 | 292 | 20770 | 282 | 23089FC | 238 | 23911 | 342 | 31000 | 357 | 50063 | 309 |
| 20342 | 391 | 20417 | 326 | 20656 | 304 | 20771 | 282 | 23091 | 237 | 23912 | 342 | 31001 | 357 | 50069 | 305 |
| 20343 | 391 | 20420 | 333 | 20657 | 305 | 20772 | 282 | 23095 | 238 | 23916 | 343 | 31002 | 357 | 50070 | 305 |
| 20344 | 391 | 20421 | 333 | 20658 | 305 | 20773 | 282 | 23104 | 240 | 23917 | 343 | 31003 | 357 | 50079 | 286 |
| 20346 | 393 | 20435 | 319 | 20660 | 326 | 20775 | 283 | 23111 | 240 | 23918 | 343 | 31004 | 364 | 50080 | 286 |
| 20347 | 393 | 20436 | 319 | 20661 | 292 | 20776 | 283 | 23112 | 241 | 23920 | 51 340 | 31005 | 364 | 50081 | 286 |
| 20350 | 398 | 20439 | 330 | 20662 | 293 | 20779 | 284 | 23118 | 242 | 23921 | 51 340 | 31006 | 356 | 50090 | 80 |
| 20351 | 398 | 20440 | 330 | 20664 | 129 | 20780 | 281 | 23122 | 246 | 23922 | 51 340 | 31007 | 356 | 50091 | 81 303 |
| 20352 | 401 | 20441 | 319 | 20665 | 129 | 20781 | 281 | 23123 | 243 | 23923 | 51 340 | 31010 | 366 | 50092 | 81 303 |
| 20355 | 385 | 20442 | 319 | 20670 | 18 296 | 20782 | 283 | 23124 | 244 | 23924 | 50 275 | 31011 | 366 | 50107 | 69 174 |
| 20356 | 385 | 20444 | 403 | 20671 | 18 296 | 20783 | 283 | 23130 | 245 | 23925 | 341 | 31012 | 155 | 50108 | 71 174 |
| 20360 | 379 | 20445 | 329 | 20672 | 18 296 | 20785 | 404 | 23132 | 0 | 23926 | 341 | 31017 | 157 | 50110 | 70 174 |
| 20361 | 379 | 20446 | 329 | 20673 | 17 180 | 20786 | 395 | 23133 | 245 | 23927 | 341 | 31021 | 365 | 50120 | 62 295 |
| 20362 | 386 | 20447 | 329 | 20676 | 19 296 | 23019 | 306 | 23218 | 249 | 23928 | 341 | 31022 | 365 | 50121 | 62 295 |
| 20363 | 402 | 20449 | 380 | 20677 | 19 297 | 23020 | 306 | 23425 | 163 | 23929 | 341 | 31025 | 331 | 50123 | 63 184 |
| 20364 | 402 | 20450 | 380 | 20680 | 280 | 23021 | 306 | 23426 | 163 | 23950 | 193 | 31026 | 300 | 50124 | 63 184 |
| 20367 | 378 | 20451 | 329 | 20681 | 280 | 23022 | 307 | 23435 | 143 | 23951 | 193 | 31027 | 300 | 50127 | 310 |
| 20370 | 386 | 20452 | 92 354 | 20682 | 280 | 23023 | 307 | 23436 | 143 | 23952 | 193 | 31028 | 301 | 50130 | 77 302 |
| 20373 | 388 | 20453 | 92 354 | 20683 | 280 | 23024 | 307 | 23437 | 143 | 23980 | 119 | 31029 | 300 | 50131 | 77 303 |
| 20375 | 389 | 20454 | 92 354 | 20686 | 35 281 | 23025 | 400 | 23633 | 153 | 28004 | 211 | 31030 | 301 | 50145 | 139 |
| 20376 | 377 | 20456 | 89 290 | 20687 | 35 168 | 23026 | 400 | 23636 | 165 | 28011 | 213 | 31032 | 365 | 50147 | 137 |
| | | | | | | | | 23637 | 165 | 28012 | 215 | 31033 | 365 | 50160 | 60 304 |
| | | | | | | | | 23638 | 199 | 28018 | 217 | 50020 | 308 | 50161 | 60 304 |
| | | | | | | | | 23733 | 205 | 28022 | 219 | 50029 | 298 | 50162 | 60 304 |
| | | | | | | | | 23762 | 194 | 28023 | 221 | 50030 | 298 | 50163 | 59 190 |
| | | | | | | | | 23764 | 55 303 | 28024 | 223 | 50031 | 298 | 50165 | 320 |
| | | | | | | | | 23765 | 53 167 | 28030 | 227 | 50032 | 298 | 50166 | 320 |
| | | | | | | | | 23766 | 149 | 28033 | 225 | 50033 | 299 | 50169 | 195 |

| MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# | MODEL | PG# | Model | PG# | MODEL | PG# | MODEL | PG# |
|-------|--------|-------|--------|-------|--------|-------|--------|----------|--------|----------|--------|-----------|--------|----------|-----|
| 50175 | 347 | 50900 | 10 289 | 52118 | 13 201 | 62067 | 358 | 62280 | 339 | 63813-47 | 353 | 70007 | 411 | 87107UJ | 267 |
| 50177 | 347 | 50901 | 9 289 | 52119 | 14 287 | 62068 | 358 | 62281 | 339 | 63815-19 | 349 | 70012 | 265 | 87120UJ | 268 |
| 50178 | 347 | 50902 | 8 289 | 52120 | 14 117 | 62069 | 358 | 62282 | 339 | 63815-20 | 350 | 70017 | 370 | 87121UJ | 268 |
| 50180 | 151 | 50903 | 7 166 | 52133 | 105 | 62070 | 358 | 62283 | 339 | 63815-18 | 351 | 70018 | 373 | 87122UJ | 268 |
| 50181 | 151 | 50904 | 6 166 | 52203 | 106 | 62081 | 321 | 62284 | 339 | 63815-46 | 352 | 70019 | 373 | 87203UJP | 268 |
| 50182 | 327 | 50906 | 5 166 | 52204 | 107 | 62088 | 374 | 62286 | 338 | 63815-47 | 353 | 70020 | 371 | 89119 | 269 |
| 50183 | 327 | 50907 | 11 | 52205 | 106 | 62089 | 372 | 62287 | 338 | 63951 | 39 310 | 70025 | 324 | 903UJ | 265 |
| 50184 | 327 | 52001 | 255 | 52206 | 107 | 62091 | 87 359 | 62288 | 338 | 63953 | 41 310 | 70026 | 323 | 908UJ | 266 |
| 50185 | 327 | 52023 | 239 | 52220 | 101 | 62092 | 87 359 | 62289 | 338 | 63957 | 40 179 | 70028 | 57 198 | 909UJ | 266 |
| 50186 | 65 294 | 52026 | 239 | 52221 | 101 | 62093 | 87 359 | 62290 | 338 | 63958 | 40 179 | 70029 | 57 320 | 918ST | 269 |
| 50187 | 65 294 | 52027 | 239 | 52222 | 102 | 62095 | 71 330 | 62291 | 345 | 63959 | 40 179 | 70030 | 141 | 932V | 271 |
| 50188 | 66 294 | 52030 | 111 | 52223 | 103 | 62099 | 87 359 | 62292 | 345 | 63960 | 41 278 | 70031 | 141 | 946WJ | 272 |
| 50189 | 66 294 | 52031 | 112 | 52224 | 102 | 62104 | 325 | 62293 | 345 | 63961 | 41 278 | 70032 | 318 | 969ST | 246 |
| 50190 | 67 181 | 52034 | 111 | 52226 | 103 | 62105 | 325 | 62294 | 345 | 63962 | 40 122 | 70033 | 318 | 970GG | 244 |
| 50191 | 67 181 | 52035 | 112 | 53302 | 348 | 62215 | 328 | 62295 | 345 | 63963 | 125 | 70034 | 315 | 978ST | 246 |
| 50441 | 83 175 | 52042 | 109 | 53303 | 348 | 62216 | 328 | 62311 | 30 366 | 63964 | 125 | 70035 | 315 | 979WJ | 272 |
| 50443 | 85 175 | 52043 | 109 | 53304 | 348 | 62218 | 331 | 62312 | 30 366 | 63965 | 127 | 70036 | 314 | 9032LV | 266 |
| 50444 | 84 175 | 52052 | 257 | 53313 | 360 | 62229 | 325 | 62315 | 29 178 | 63971 | 22 335 | 70037 | 313 | 94019 | 261 |
| 50465 | 121 | 52062 | 197 | 53314 | 360 | 62230 | 325 | 62316 | 29 178 | 63973 | 22 335 | 70038 | 313 | 94046 | 0 |
| 50466 | 121 | 52070 | 202 | 53340 | 328 | 62231 | 362 | 62317 | 28 115 | 63974 | 22 335 | 70039 | 313 | 94918 | 0 |
| 50480 | 74 310 | 52072 | 251 | 53341 | 328 | 62233 | 362 | 63004 | 97 | 63975 | 22 335 | 70060 | 322 | 94932 | 263 |
| 50481 | 73 277 | 52075 | 253 | 55542 | 43 114 | 62234 | 362 | 63013 | 98 | 63978 | 21 288 | 70061 | 322 | 96918 | 259 |
| 50483 | 74 321 | 52076 | 46 177 | 55543 | 43 114 | 62235 | 331 | 63015 | 98 | 63979 | 21 288 | 70062 | 322 | 97119 | 0 |
| 50484 | 73 185 | 52077 | 47 177 | 55545 | 44 187 | 62236 | 331 | 63021 | 97 | 780STR | 407 | 70063 | 399 | 97918 | 0 |
| 50501 | 199 | 52078 | 46 177 | 55546 | 44 187 | 62242 | 324 | 63023 | 99 | 781STR | 407 | 70064 | 135 | | |
| 50511 | 86 321 | 52081 | 48 336 | 55547 | 44 189 | 62243 | 317 | 63024 | 99 | 782STR | 407 | 70065 | 135 | | |
| 50514 | 195 | 52082 | 48 336 | 62041 | 361 | 62244 | 317 | 63053 | 23 95 | 783STR | 407 | 70072 | 32 287 | | |
| 50525 | 208 | 52083 | 48 336 | 62042 | 361 | 62245 | 317 | 63054 | 23 95 | 784PWB | 408 | 70073 | 33 183 | | |
| 50526 | 207 | 52084 | 48 336 | 62043 | 361 | 62251 | 346 | 63055 | 23 95 | 785PWC | 408 | 70074 | 33 183 | | |
| 50543 | 198 | 52085 | 48 336 | 62050 | 332 | 62252 | 346 | 63811-19 | 349 | 786PWC | 408 | 70080 | 25 285 | | |
| 50548 | 161 | 52102 | 202 | 62051 | 363 | 62253 | 346 | 63811-20 | 350 | 787CON | 409 | 70081 | 25 285 | | |
| 50549 | 161 | 52103 | 105 | 62052 | 363 | 62254 | 346 | 63811-18 | 351 | 788CON | 409 | 70082 | 25 285 | | |
| 50562 | 78 320 | 52111 | 15 337 | 62053 | 363 | 62256 | 354 | 63811-46 | 352 | 789SPC | 408 | 70083 | 26 176 | | |
| 50564 | 320 | 52112 | 15 337 | 62054 | 332 | 62257 | 354 | 63811-47 | 353 | 792CON | 409 | 70084 | 26 176 | | |
| 50565 | 321 | 52113 | 15 337 | 62055 | 332 | 62258 | 344 | 63813-19 | 349 | 793CON | 409 | 70085 | 368 | | |
| 50566 | 318 | 52114 | 15 337 | 62060 | 332 | 62259 | 344 | 63813-20 | 350 | 794CON | 409 | 70086 | 368 | | |
| 50567 | 318 | 52116 | 13 201 | 62061 | 360 | 62260 | 344 | 63813-18 | 351 | 795SPC | 408 | 87105FCUJ | 267 | | |
| 50568 | 323 | 52117 | 13 201 | 62062 | 360 | 62262 | 344 | 63813-46 | 352 | 70003 | 372 | 87106UJ | 267 | | |



Fixture Finish Codes

| | | | | | |
|------|----------------|------|-------------------|---------|------------------------|
| ALU | Aluminum | DBRZ | Distressed Bronze | RU | Rust |
| ANCK | Antique Nickle | GWH | Gloss White | SAT | Satin |
| BCHR | Black Chrome | MC | Mat Chrome | SC | Satin Chrome |
| BCP | Brushed Copper | MIR | Mirror | SCP | Shiny Copper |
| BL | Black | ORB | Oil Rubbed Bronze | SILV | Silver |
| BRZ | Bronze | PB | Polished Bronze | SS | Stainless Steel |
| BS | Brushed Steel | PBLU | Powder Blue | WD/NAT | Natural Wood |
| BSL | Brushed Silver | PNK | Pink | WH | White |
| CH | Chrome | RED | Red | WH/GLD | White with Gold Leaf |
| CRM | Cream | RGLD | Rose Gold | WH/SILV | White with Silver Leaf |
| | | RIC | Rice | | |

Glass Finish Codes

| | |
|--------|-------------------|
| 8CL | 8mm Clear |
| 12CL | 12mm Clear |
| ACR | White Acrylic |
| ALB | Alabaster Glass |
| AMB | Amber |
| AMFBFB | Amber Firebird |
| AMM | Amber Marble |
| AMST | Amber Stone |
| ASKY | Amber Sky |
| BLC | Black and White |
| BLK | Black |
| BLKLN | Black Lined |
| BLU | Blue |
| BLULN | Blue Lined |
| BRST | Brown Stone |
| CCL | Crystal Clear |
| CFR | Clear Frosted |
| CKF | Checkered Frosted |
| CLAM | Clear+Amber |

| | |
|-------|----------------------|
| CLCB | Clear+Cobalt |
| CLOP | Clear+Opal |
| CLR | Clear |
| CLRD | Clear+Red |
| COB | Cobalt |
| COG | Cognac |
| CRM | Cream Linen Shade |
| CRY | Crystal |
| FCL | Frosted & Clear |
| FST | Frosted |
| ICA | Inca |
| LFR | Line Frosted |
| LGR | Lime Green |
| LGRFB | Light Green Firebird |
| MIR | Mirror |
| MTL | Metal |
| MYA | Maya |
| OPL | Opal |
| ORO | Gold |
| PLC | Purple Cloud |

| | |
|-------|----------------|
| PLM | Plum |
| PLMFB | Plum Firebird |
| PLS | Purple Swirl |
| RED | Red |
| REDLN | Red Lined |
| REDFB | Red Firebird |
| RFR | Ribbed Frosted |
| RUSKY | Red Sky |
| SMK | Smoke |
| TEX | Textured |
| WAMB | Wicker Amber |
| WH | White |
| WHST | White Stone |
| WHT | White |
| WHTFB | White Firebird |
| WHTLN | White Lined |
| WRD | Wire Glass |
| WRED | Wicker Red |
| WWHT | Wicker White |

HEADQUARTERS:

1200 Valencia Avenue
Tustin, CA 92780 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADEMART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA



www.accesslighting.com



\$15.00

Catalog 27 © 2015/16 All Rights Reserved



Access Lighting has an energy and an awareness of self that far outweighs previous years. It seems appropriate that in our 25th year of business, in the exciting world of lighting, our sense of purpose, our identity, our vision for the future, is so perfectly clear.

We believe that our strength lies in our ability to create a symphony of luminary possibilities. Pairing cutting-edge technology and current designs, at a price point that makes high-fashion lighting accessible to a multitude of people - this in a nutshell is the Access Lighting mission.

As you peruse our catalog 27, we hope that you will sense the care that has been taken to carefully curate a collection which reflects the current direction of lighting designs. Low profile, linear lines abound as a result of the outstanding technological advancements in luminary sources, namely LED.

A variety of lifestyle images have been incorporated to stir your imagination with the possibilities both in residential and commercial applications, whilst enlarged images bring the details in our product to life. Detailed descriptions reflect the personality of each product, revealing the inspirational elements to the development of this year's collection.

We believe that this is the most comprehensive and exciting release in the history of Access Lighting. From whimsical to transitional, practical to unusual – we present catalog 27.

Sincerely,

A handwritten signature in black ink, reading "H. Rosenblatt". The signature is written in a cursive, flowing style.

Harry Rosenblatt
Chairman and CEO

CUSTOM CAPABILITIES

At Access Lighting we take pride in catering to our customers design requirements. With our UL / ETL approved conversion center we are able to adapt our fixtures to fit your unique lamping needs.

By constantly researching and investing in a wide variety of cutting edge technology, we offer a vast number of distinctive selections.

Countless hours are spent on designing and debating our product range and you will see the results of this throughout our catalogue. We understand each client has their own set of requirements and we will make every effort to find what works best for you.

All modifications are completed in our own facility so there are regular progress reports and no delays.

Whether you are looking for dimming fluorescent, emergency backups or the latest in LED technology, Access Lighting will deliver the best solution, on time and within your budget.



ICONOGRAPHY

The following icons are used throughout the catalog to assist in labeling identifying characteristics of each fixture



Fixtures bearing these marks are certified by these accredited testing laboratories, assuring the construction and electrical components meet or exceed all safety requirements.



Access Lighting is a proud Energy Star Partner and all fixtures bearing this mark have been tested and certified as Energy Star compliant.



Fixtures bearing this symbol meet or exceed the requirements of a 4" projection to comply with the American Disability Act.



Fixtures bearing this symbol are coated with a durable process suitable for use in high Saline conditions and installations that incur severe weather conditions.



Fixtures bearing this symbol are part of a family, related product on Pg # as shown in the box.



Assembled in the USA with US electronics and imported parts

To identify the various lamping options available

LED fixtures are highlighted in Green

Fluorescent fixtures are highlighted in Blue

Quick reference Lumen equivalencies
LED vs Incandescent

| Incandescent | Lumens | LED | Lumens |
|--------------|--------|-------|--------|
| 60w | 800 | 10.8w | 1265 |
| 100w | 1600 | 13w | 1520 |

Detailed lamp specifications can be found on page 286

FAMILIES





LAYERS | COLLECTION

Lift your spirits, and dress up any room with the stunning Layers Collection. The contrasting coupling of a round frame topped with square layers, and inset with horizontal lines, brings texture to the forefront. Stark white upon white, an industrial chrome set on white, or regal gold upon white provides a multitude of applications in a variety of locales. This extensive collection allows for perfect pairing in your open space.



Layers Large Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 18" H 6.3" oah 12 to 123" | | Certification | CETL Ceiling Dry | |
|---------------------------|-----------|--------|--------------------|------------|-----------------------------|--------------------------|---------------|------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50906-WH/___ | 5Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord & Cable | | | |
| 50906LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft Cord & Cable | | | |



50904-WH/WH

50904-WH/GLD

50904-WH/CH

Layers Medium Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 14" H 6.3" oah 12 to 123" | | Certification | CETL Ceiling Dry | |
|------------------|-----------|--------|--------------------|------------|-----------------------------|------------------|---------------|------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50904-WH/___ | 3Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord | | | |
| 50904LEDD-WH/___ | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps, 10ft Cord | | | |



50903-WH/WH

50903-WH/CH

50903-WH/GLD

Layers Small Pendant

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 11" H 6.3" oah 12 to 123" | | Certification | CETL Ceiling Dry | |
|------------------|-----------|--------|--------------------|------------|-----------------------------|------------------|---------------|------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50903-WH/___ | 1Lt x 26w | GU-24 | LED or Fluorescent | | | 10ft Cord | | | |
| 50903LEDD-WH/___ | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps, 10ft Cord | | | |



50902-WH/GLD



50901-WH/GLD



50902-WH/CH



50901-WH/CH



50902-WH/WH



50901-WH/WH

Layers Large Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | Certification | | |
|---------------------------|-----------|--------|--------------------|----------------|------------------------|----------|--|
| | | | | D 21.5" H 6.3" | CETL Ceiling Damp (UL) | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50902-WH/___ | 6Lt x 26w | GU-24 | LED or Fluorescent | | | | |
| 50902LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | |

Layers Medium Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | Certification | | |
|---------------------------|-----------|--------|--------------------|--------------|------------------------|----------|--|
| | | | | D 18" H 6.3" | CETL Ceiling Damp (UL) | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50901-WH/___ | 4Lt x 26w | GU-24 | LED or Fluorescent | | | | |
| 50901LEDD WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | |



50900-WH/WH



50900-WH/GLD



50900-WH/CH



50907-WH/WH



50907-WH/GLD



50907-WH/CH

Layers Small Flush-Mount

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | D 14.25" H 6.3" | | Certification | CETL Ceiling Damp | |
|---------------------------|-----------|--------|--------------------|------------|-----------------|----------|---------------|-------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50900-WH/___ | 4Lt x 26w | GU-24 | LED or Fluorescent | | | | | | |
| 50900LEDD WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | |



Layers Wall Fixture

| Finish | WH/CH | WH/GLD | WH/WH | Dimensions | H 7.9" W 12.6" Ext 6.75" | | Certification | CETL Wall Damp | |
|---------------------------|-----------|--------|--------------------|------------|--------------------------|----------|---------------|----------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | | | |
| 50907-WH/___ | 2Lt x 36w | E-12 | LED or Fluorescent | | | | | | |
| 50907LEDD WH/___ Dimmable | 1Lt x 16w | Module | 90CRI LED | 3000k | 1650Lm | Lamps | | | |






GLAM | COLLECTION

Smoke and mirrors absolutely do make a splash, as can you with the Glam Collection. This striking smoked mirrored glass collection, recalls contemporary retro. Illuminated, the Glam Collection reveals charming crystal balls that sparkle beneath the glass shades. Glamorize your rooms with the Glam Collection.



Glam Mirror Glass with Crystal

| Finish CH Glass MIR | | Supplied Lamps, 10ft Cord | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|---------------------------|----------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52116-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" oah 12 to 123" |
| B 52117-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | D 10" H 4.75" oah 12 to 123" |
| C 52118-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 14" H 4.75" oah 12 to 123" |



A 52119-CH/MIR

B 52120-CH/MIR



A 52111-CH/MIR



B 52112-CH/MIR



C 52113-CH/MIR




C 52114-CH/MIR

Glam Flush-Mount and Chandelier

| Finish CH Glass MIR | | | | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|------|----------|--------|----------|----------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52119-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" | Lamps |
| B 52120-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" oah 12.5 to 50.5" | Lamps, Rods 6"16"22", 10ft Cord |

Glam Mirror Glass with Crystal Vanity Fixture

| Finish CH Glass MIR | | Supplied Lamps | | | Certification CETL Wall Damp  | |
|---------------------|-----------|----------------|----------|--------|--|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52111-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" L 4.75" Ext 6.5" |
| B 52112-CH/MIR | 2Lt x 48w | G9 | G9 Xenon | 2900k | 1480Lm | H 4.75" L 14.5" Ext 6.5" |
| C 52113-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | H 4.75" L 24" Ext 6.5" |
| D 52114-CH/MIR | 4Lt x 48w | G9 | G9 Xenon | 2900k | 2960Lm | H 4.75" L 33.5" Ext 6.5" |



AERO | COLLECTION

Already overwhelmingly successful in a multitude of applications, the Aero collection has, through demand, expanded to include an impactful 19" and 21" flush mount. Clean contemporary lines permit Aero the flexibility of use for design driven kitchens or living rooms to upscale closets.



Aero Chromium Ring Drum Cable Pendant

| Finish | CH Glass OPL | Dimensions | | | Certification | |
|--------------------|--------------|------------|--------------------|------------|-------------------|-----------------------------|
| | | D 15.7" | H 5.5" oah | 12 to 130" | CETL Ceiling Damp | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 20673-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | 10ft of Cable & Cord |
| C20673CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | Lamps, 10ft of Cable & Cord |
| 20673LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord |



A 20670-CH/OPL



B 20671-CH/OPL



C 20672-CH/OPL



A 20676-CH/OPL



B 20677-CH/OPL

Aero Chromium Ring Flush-Mount

| Finish CH Glass OPL | | | | | Certification CETL Ceiling Damp | | |
|----------------------------|-----------|--------|--------------------|--------|---------------------------------|-----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20670-CH/OPL | 1Lt x 75w | E-26 | A-19 Medium Base | 2700k | 1100Lm | D 10" H 4" | |
| A C20670CHOPLN1126B | 1Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 1710Lm | D 10" H 4" | Lamps |
| 20670LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10" H 4" | Lamps |
| B 20671-CH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | 2700k | 1600Lm | D 12.5" H 4" | |
| B C20671CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 12.5" H 4" | Lamps |
| 20671LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12.5" H 4" | Lamps |
| C 20672-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 15.7" H 4.75" | |
| C C20672CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.7" H 4.75" | Lamps |
| 20672LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 15.7" H 4.75" | Lamps |

Aero Chromium Ring Flush-Mount

| Finish CH Glass OPL | | | | | Certification CETL Ceiling Damp | | |
|----------------------------|-----------|--------|--------------------|--------|---------------------------------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20676-CH/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | 2700k | 3057Lm | D 19.5" H 4.4" | |
| A C20676CHOPLN1318B | 3Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 3750Lm | D 19.5" H 4.4" | Lamps |
| 20676LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.4" | Lamps |
| B 20677-CH/OPL | 4Lt x 75w | E-26 | A-19 Medium Base | 2700k | 4400Lm | D 21.5" H 4.4" | |
| B C20677CHOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 21.5" H 4.4" | Lamps |
| 20677LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 4.4" | Lamps |



OPTIX | COLLECTION

Strength and aesthetic beauty are perfectly paired in the acrylic Optix Collection. In addition, the LED light source and adjustable heads form a winning solution for a multitude of applications.



A 63978LEDD-CH/ACR



B 63979LEDD-CH/ACR

Optix LED Flush-Mount

| Finish | CH Diffuser | ACR | Supplied Lamps | | | | Certification | |
|--------|------------------|----------|----------------|--------|-----------|------------|---------------|-------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | |
| A | 63978LEDD-CH/ACR | Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | D 14" H 5.5" oah 5.5" |
| B | 63979LEDD-CH/ACR | Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | D 15.8" H 5.5" oah 5.5" |



A 63971LEDD-CH/ACR



B 63973LEDD-CH/ACR




C 63974LEDD-CH/ACR



D 63975LEDD-CH/ACR

Optix LED Wall Vanity Fixture

| Finish CH Diffuser ACR | | Supplied Lamps | | | Certification CETL Wall Damp  | |
|-----------------------------|----------|----------------|-----------|--------|---|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63971LEDD-CH/ACR Dimmable | 1Lt x 4w | Module | 90CRI LED | 3000k | 400Lm | H 4.75" W 4.75" Ext 5.5" |
| B 63973LEDD-CH/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 4.75" W 19" Ext 5.5" |
| C 63974LEDD-CH/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 4.75" W 26" Ext 5.5" |
| D 63975LEDD-CH/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 4.75" W 36" Ext 5.5" |



B 63054LEDD-MC/ACR




A 63053LEDD-MC/ACR



C 63055LEDD-MC/ACR

Optix LED Spotlight Pendant

| Finish MC Diffuser ACR | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | Certification CETL Ceiling Dry  | |
|-----------------------------|----------|--|-----------|--------|--|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63053LEDD-MC/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 6" oah 13 to 51" W 28" |
| B 63054LEDD-MC/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 6" oah 13 to 51" W 36" |
| C 63055LEDD-MC/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 6" oah 13 to 51" W 51" |



METEOR | COLLECTION

The meteor collection is out of this world with a 3-dimensional effect generated by the curved acrylic medium. Soft pillows of light appear to be suspended in this LED collection that intrigues the onlooker. Equipped with a multitude of LED modules, Meteor lends itself well to placement over a nook table, dining room in pairs or triplets, or as an inviting entry piece.



Meteor LED Flush-Mount with Prismatic Lens

| Model | Wattage | Base | Supplied Lamps | | Certification | Dimensions |
|------------------------------|-----------|--------|----------------|--------|---------------|-----------------------|
| | | | Type | Kelvin | | |
| A 70080LEDD-BSL/ACR Dimmable | 9Lt x 3w | Module | 85CRI LED | 3000k | 1440Lm | D 13.25" H 3" oah 3" |
| B 70081LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 4.5" |
| C 70082LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 4.5" |





A 70083LEDD-BSL/ACR



B 70084LEDD-BSL/ACR

Meteor LED Pendant with Prismatic Lens

| Finish | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | | CETL Ceiling Dry  |
|------------------------------|--|--------|-----------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70083LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 10 to 125" |
| B 70084LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 10 to 125" |





TITANIUM | COLLECTION

Metal meets glass in this geometrically inspired collection. Titanium instills an instant aura of raw strength captured in an attention demanding, architectural body of steel which emits a stunning circle of light. Titanium, light empowered,



62317-BS/FST




A 62315-BS/FST




B 62316-BS/FST

Titanium 6 - Light Cable Chandelier

| Finish BS Glass FST | | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 62317-BS/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | D 28" H 3" oah 10 to 120" W 2.25" |

Titanium Pendant

| Finish BS Glass FST | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|---|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62315-BS/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 3" oah 10 to 49" L 35.4" |
| B 62316-BS/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 3" oah 10 to 49" W 2.75" L 47.2" |



A 62311-BS/FST



B 62312-BS/FST

Titanium Wall Vanity Fixture, Floating cover for non centered J-boxes

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|----------------|------------|------|--------------|--------|----------|------------------------|
| A 62311-BS/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 2.75" L 12" Ext 4" |
| B 62312-BS/FST | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 2.75" L 23.6" Ext 4" |



A veritable gem, pulsar has a unique appearance that is both interesting and pleasing to the eye. Between 800 and 2000 lumens (model dependent) is reflected off a stunning gold or silver concave shade fashioning a dramatic light output. Pulsar is fully dimmable with a standard incandescent dimmer.



70072LEDD-WH/SILV



70072LEDD-WH/GLD



A 70073LEDD-WH/SILV




B 70074LEDD-WH/GLD

Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | CETL Wall/Ceiling Dry | |
|---------------------------|----------|---------|----------------|--------|-----------------------|-----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 70072LEDD-WH/___ Dimmable | 1Lt x 7w | Module | 85CRI LED | 3000k | 810Lm | D 11.75" Ext 7" |

Pulsar Gold or Silver Leaf Reflective LED Pendant

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | CETL Wall Damp | |
|-----------------------------|-------------|---------|----------------|--------|----------------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70073LEDD-WH/___ Dimmable | 1Lt x 16.8w | Module | 85CRI LED | 3000k | 1350Lm | D 17" H 8" oah 14 to 128" |
| B 70074LEDD-WH/___ Dimmable | 1Lt x 18w | Module | 85CRI LED | 3000k | 2025Lm | D 24" H 9" oah 15 to 129" |



NIMBUS | COLLECTION


The organic shape of the Nimbus collection is notably on point with design trends. The stark contrast of the opal glass outlined with chrome keeps this collection distinctly contemporary. Aircraft cable with grip lock adjustability sustains the minimalist features of Nimbus.



A 20686-CH/OPL

B 20687-CH/OPL

Nimbus Abstract Glass Flush-Mount and Aircraft Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp  |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20686-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" W 16.5" L 17.7" | |
| A C20686CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 4.5" W 16.5" L 17.7" | Lamps |
| 20686LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" W 16.5" L 17.7" | Lamps |
| 20687-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | 10ft Aircraft Cable and Cord |
| B C20687CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |
| 20687LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |



FAMILIES



35



PEBBLE | COLLECTION

A far cry from commonplace, Pebble brings an artistic flair to any setting. Gently stepped opal glass in a soft triangular shape suggests texture, challenging smooth contemporary lines that are the anticipated norm. Pebble turns ordinary into extraordinary.




A 20688-CH/OPL



B 20689-CH/OPL

Pebble Abstract Glass Flush-Mount and Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp  | |
|---------------------------|-----------|--------|--------------------|--------|----------|-------------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 20688-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 3.5" | | |
| A C20688CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 19.5" H 3.5" | Lamps | |
| 20688LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 3.5" | Lamps | |
| 20689-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 4.7" oah 11 to 125" | 10ft Aircraft Cable and Cord | |
| B C20689CHOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord | |
| 20689LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord | |





NIDO | COLLECTION

Crafted by a Spanish artisan, the spectacular Nido Collection is a timeless beauty. Glass shades fashioned into a modern oblong form, are delicately suspended from a low profile rod in an extensive range of semi-flush and pendant luminaires. Detailed elements, including canopies and back plates that mimic the contour of the glass shades equip this collection with unrivaled style and grace.




63951-ORB/FST



63951-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

| Finish | MC ORB Glass FST | Supplied Lamps | | | | CETL Ceiling Dry  |
|---------------|------------------|----------------|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63951-___/FST | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | W 6" L 10" Ext 3.5" |



D 63962-MC/FST



A 63953-MC/FST



B 63958-MC/FST



B 63960-ORB/FST



A 63957-MC/FST



C 63961-ORB/FST




C 63959-MC/FST

Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | CETL Ceiling Dry |
|-------------------------|------------|---|--------------|--------|----------|----------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63957-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 4" oah 11 to 35" W 5" L 32" |
| B 63958-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 4" oah 11 to 35" W 5" L 42.5" |
| C 63959-___/FST | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | H 4" oah 11 to 35" W 5" L 53.5" |
| D 63962-___/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | H 4" oah 11 to 35" W 3" L 29.25" |

Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps | | | | CETL Ceiling Dry |
|-------------------------|------------|----------------|--------------|--------|----------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63953-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 3.75" L 14.25" W 14.25" |
| B 63960-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" W 5" L 32" Ext 5" |
| C 63961-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" W 3" L 42" Ext 5" |



FLUX | COLLECTION


Retro vintage and industrial in nature, Flux is a mod twist on an old favorite. Chrome or brushed bronze finishes paired with clear or smoked glass, allows for seamless placement in either a contemporary or transitional settings. Inclusive, replica vintage Edison bulbs allow for that retro, "Menlo Park" look. Bring home your application by pairing Flux with the right mix of vintage or industrial furniture and accessories.



A 55542-BRZ

B 55543-CH

Flux Vintage Lamped Chandeliers

| Finish | | Supplied | | | | | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | CETL Ceiling Dry  |
|----------|------------|----------|-------------------|--------|----------|---------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | |
| A 55542- | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 24" oah 24 to 36" | | |
| B 55543- | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 19" oah 19 to 36" | | |



A 55545-ANCK/CLR





B 55546-DBRZ/AMB



C 55547-ANCK/CLR

Flux Vintage Lamped Pendant

| | Finish ANCK Glass CLR | Finish DBRZ Glass AMB SMK | | | | | | CETL Ceiling Dry  |
|--------------|-----------------------|---------------------------|--------------------|--------|----------|------------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 55545- / / | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 7.5" H 10.25" oah 17 to 56.25" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| B 55546- / / | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 13" H 15.25" oah 21.25 to 61.25" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| C 55547- / / | 3Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 600Lm | D 15" H 17.1" oah 24 to 63.1" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |




Aeria has an allure of its own, with chrome weaved baskets encircled with delicate clear glass globes. Place multiple 7 light clusters over a long dining table or the 5 light pendant with an attractive organic canopy on a stairwell. Aeria, options abound.



A 52076-CH/CLR


B 52078-CH/CLR

Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Finish CH Glass CLR | | Supplied Lamps, 10Ft Co-Axial Cable | | | | CETL Ceiling Damp  |
|---------------------|-----------|-------------------------------------|----------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52076-CH/CLR | 5Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 1500Lm | D 14" H 4" oah 12 to 115" |
| B 52078-CH/CLR | 1Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 300Lm | D 4" H 4" oah 12 to 115" |



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Finish CH Glass CLR | | Supplied Lamps, 10Ft Co-Axial Cable | | | | CETL Ceiling Damp  |
|---------------------|-----------|-------------------------------------|----------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52077-CH/CLR | 7Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 2100Lm | D 12" H 4" oah 12 to 115" |



E 52085-CH/CLR

D 52084-CH/CLR

A 52081-CH/CLR

C 52083-CH/CLR

B 52082-CH/CLR

Aeria Vanity Series, Metal Foil in Glass

| Finish | CH Glass CLR | Supplied Lamps | | | | | CETL Wall Damp | ETL | |
|--------|--------------|----------------|------|------------|----------|------------|----------------|---------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | | |
| A | 52081-CH/CLR | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm | H 4.75" | L 4.75" | Ext 5.5" |
| B | 52082-CH/CLR | 2Lt x 40w | G9 | G9 Halogen | 2900k | 960Lm | H 4.75" | L 12.5" | Ext 5.5" |
| C | 52083-CH/CLR | 3Lt x 40w | G9 | G9 Halogen | 2900k | 1440Lm | H 4.75" | L 20.5" | Ext 5.5" |
| D | 52084-CH/CLR | 4Lt x 40w | G9 | G9 Halogen | 2900k | 1920Lm | H 4.75" | L 28.3" | Ext 5.5" |
| E | 52085-CH/CLR | 5Lt x 40w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" | L 36" | Ext 5.5" |






PRIZM | COLLECTION

A contemporary slant on traditional crystal, Prizm is dazzling, aesthetically pleasing, eye-candy. Crystal squares paired with modern chrome will upgrade and glamorize your bathroom space, whilst the three light semi-flush makes a wonderful addition to a dressing room or closet. Prizm-design with style!



Prizm Semi Flush

| Finish CH Glass CCL | | Supplied Lamps | | | | CETL Ceiling Damp  |
|---------------------|-----------|----------------|------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23924-CH/CCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | D 20" H 11" oah 11" |



A 23920-CH/CCL



B 23921-CH/CCL




C 23922-CH/CCL



D 23923-CH/CCL

Prizm Crystal Vanity & Wall Fixture, Mountable Up or Down

| Model | Wattage | Supplied Lamps | | | | CETL Wall Damp  |
|----------------|-----------|----------------|------------|--------|----------|--|
| | | Base | Type | Kelvin | NomLumen | |
| Dimensions | | | | | | |
| A 23920-CH/CCL | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm | H 4.75" oah 4.75" L 4.6" Ext 5" |
| B 23921-CH/CCL | 3Lt x 60w | G9 | G9 Halogen | 2900k | 2400Lm | H 4.75" oah 4.75" L 20" Ext 5" |
| C 23922-CH/CCL | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 4.75" oah 4.75" L 28" Ext 5" |
| D 23923-CH/CCL | 5Lt x 60w | G9 | G9 Halogen | 2900k | 4000Lm | H 4.75" oah 4.75" L 36" Ext 5" |



SOHO | COLLECTION

The urban, hip, Soho Collection embraces loft living and the lighter side of industrial design. Three edgy hues transform the look and feel to this “on fleek” collection with a sleek glossy white or infinitely rawer brushed silver and rice white. Soho is a statement in design and clearly defines a space with grip-lock adjustable aircraft cables and a retro spin on a powerful modern design. Counter, nook, entry way or a 3 piece configuration-the options with Soho are infinite.



SoHo Reflective Illumination Pendant

| Finish | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|-------------|-----------|------|------------------|--------|----------|-----------------------------------|
| BSL GWH RIC | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 18.75" H 10.5" oah 16 to 130.5" |

Supplied 10ft of Cable & Cord
CETL Ceiling Dry (CD)



23764-GWH




23764-BSL



23764-RIC

SoHo Reflective Illumination Flush-Mount

| Finish BSL GWH RIC | | | | | | CETL Ceiling Dry  |
|--------------------|-----------|------|------------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23764-___ | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 18.75" H 10.5" |



RA | COLLECTION

Ra incorporates cutting edge LED technology and a wonderful blend of soft opal glass set in a brushed steel shade. Equipped with both an up and down light Ra illuminates the surface and lower glass, while the upper glass enhances the ambiance with an easy glow. The wall sconce prompts thoughts of ancient times, starkly contrasting with obvious present day materials and LED light.


A 70028LED-BRZ/CLR

70028LED-BS/CLR

B 70029LED-BRZ/CLR

70029LED-BRZ/CLR


Ra LED Pendant and Wall Sconce

| Finish BRZ BS Diffuser ACR | | | | | | | CETL Ceiling Dry  |
|----------------------------|-------------|--------|-----------|--------|----------|-----------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70028LED-_/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm | D 2.2" H 17.5" oah 25 to 140" | Lamps, 10Ft Clear Cord |
| B 70029LED-_/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm | D 2.2" H 17.5" oah 17.5" " Ext 5" | Lamps |





ORION | COLLECTION

Orion puts contemporary in its best light. Simple, unadorned and understated, Orion is functional, easily blending into the background, always allowing the design elements in your application to shine.



50163-BS/OPL

Orion Aircraft Cable Pendant

| Finish | Dimensions | | | | | CETL Ceiling Damp  |
|---------------------------|-----------------------------|--------|------------------|--------|----------|---|
| BS Glass OPL | D 19" H 3.9" oah 10 to 123" | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 50163-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | 10ft of Cable & Cord |
| C50163BSOPLN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | Lamps, 10ft of Cable & Cord |
| 50163LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord  |



A 50160-WH/OPL



B 50161-WH/OPL






C 50162-WH/OPL

Orion Flush-Mount

Finish WH Glass OPL

CETL Ceiling Damp 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|------------------------------|-----------|--------|------------------|--------|----------|------------------|---|
| A 50160-WH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | D 10.75" H 3.75" | |
| A C50160WHOPLEN1118BQ | 1Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 1250Lm | D 10.75" H 3.75" | Lamps |
| 50160LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10.75" H 3.75" | Lamps  |
| B 50161-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 13.25" H 4" | |
| B C50161WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | D 13.25" H 4" | Lamps |
| 50161LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 13.25" H 4" | Lamps  |
| C 50162-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19" H 4.5" | |
| C C50162WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | D 19" H 4.5" | Lamps |
| 50162LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19" H 4.5" | Lamps  |





A 50120-BS/OPL



B 50121-BS/OPL

Tara Flush-Mount

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp | |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------|-------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50120-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 14" H 4.75" | | |
| A C50120BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 14" H 4.75" | Lamps | |
| 50120LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 4.75" | Lamps | |
| 50121-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" | | |
| B C50121BSOPLN1226BS | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" | Lamps | |
| 50121LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" | Lamps | |

It's the little details that make all the difference, and the details are perfectly depicted in the Tara Collection. Contemporary style is obvious, with modern metal accents in all the right places, and in stark contrast to the frosted opal glass with clear openings. The solid rod hanging mechanism and energy efficient options make Tara an obvious choice for commercial applications. Place Tara over a nook table or on a staircase landing, and instantly bring artful, stylish design to your space.



A 50123-BS/OPL



B 50124-BS/OPL

Tara Pendant

| Finish BS Glass OPL | | | | | | CETL Ceiling Damp | | |
|---------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50123-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter | |
| A C50123BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| 50123LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| 50124-BS/OPL | 5Lt x 60w | E-26 | A-19 Medium Base | | | D 24" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter | |
| B C50124BSOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |
| 50124LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | |



ALTUM | COLLECTION

The exceptional design element of Altum lies in the indented channels in the glass. The lateral indent is perfectly centered between two layers commanding a feeling of balance and order. An outer indent on the bottom of the glass provides dimension and further enhances the overall design elements. Aircraft cable that suspends the pendant version of Altum, is understated and draws further attention to this show stopping glass. Energy efficient pendant options, including LED and a variety of sizes and matching flush mounts make Altum a designer's choice.






A 50186-WH/OPL



B 50187-WH/OPL

Altum Flush-Mount

| Finish WH Glass OPL | | | | | | | CETL Ceiling Damp  | |
|---------------------------|-----------|--------|--------------------|--------|----------|-----------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 50186-WH/OPL | 1Lt x 60w | E-26 | A-19 Medium Base | | | D 10.25" H 3.1" | | |
| A C50186WHOPLEN1118B | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 10.25" H 3.1" | Lamps | |
| 50186LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 10.25" H 3.1" | Lamps  | |
| 50187-WH/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | D 12.5" H 3.5" | | |
| B C50187WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 12.5" H 3.5" | Lamps | |
| 50187LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12.5" H 3.5" | Lamps  | |






A 50188-WH/OPL



B 50189-WH/OPL

Altum Flush-Mount




| Finish WH Glass OPL | | | | | | | CETL Ceiling Damp  |
|----------------------------------|-----------|--------|--------------------|--------|----------|-------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50188-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.75" | |
| A C50188WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.75" | Lamps |
| 50188LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.75" | Lamps  |
| 50189-WH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 3.9" | |
| B C50189WHOPLEN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 3.9" | Lamps |
| 50189LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 3.9" | Lamps  |




A 50190-WH/OPL

B 50191-WH/OPL

Altum Aircraft Cable Pendant

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp  |
|----------------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50190-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.4" oah 10 to 120" | 10ft of Cable & Cord |
| A C50190BSOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50190LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord  |
| 50191-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 4" oah 10 to 120" | 10ft of Cable & Cord |
| B C50191BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord  |




AQUARIUS | COLLECTION

Cast your mind back to the late 1960's, early 70's and the hit musical "Hair", there you will find the inspiration for the Aquarius Collection. A whimsical metal panel placed upon clear edged, center frosted glass, designed to take you back to an era when shiny metals and geometric shapes were all the rage. Aquarius is a revival of some of those elements, yet clearly updated. Pendant, large or small, perhaps a wall sconce, all available in halogen or energy efficient CFL or LED. - "Aquarius, far out"



Aquarius Adjustable Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|---------------------|-----------|------|------------|--------|----------|---------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50107-BS/CLR | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 2" oah 8 to 47" W 10" L 29.5" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |



50110-BS/CLR



A 50108-BS/CLR








B 62095-BS/FST

Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|---------------------|------------|--------|------------------|--------|----------|-------------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50110-BS/CLR | 10Lt x 40w | G9 | G9 Halogen | 2900k | 4800Lm | H 2" oah 8 to 47" W 12" L 30" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| C50110BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 30" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |

Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | | | | | | CETL Ceiling Damp  |
|----------------------|------------|--------|--------------------|--------|----------|---|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50108-BS/CLR | 8Lt x 40w | G9 | G9 Halogen | 2900k | 3840Lm | H 2" oah 8 to 47" W 12" L 24" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| A C50108BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 24" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 62095-BS/FST | 1Lt x 100w | R7s | J-118 Halogen | 2900k | 1650Lm | H 15" oah 15" L 8" Ext 3"  | Lamps |
| B C62095BSFSTEN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 15" oah 15" L 8" Ext 3"  | Lamps |
| B 62095LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 15" oah 15" L 8" Ext 3"  | Lamps  |



HELIUS | COLLECTION


Take your lighting to new heights with the Helius Collection. Helius is distinguishable by its extremely low profile, circular frosted glass, surrounded by clear glass and accented with a ring of metal, all beautifully illuminated by a central light source. Perfect for an open plan space, Helius offers multi local light sources including; pendant, flush, semi-flush and sconce.



A 50481-BS/CFR

B 50484-BS/CFR

Helius Pendant and Semi-Flush with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | | | | | | CETL Ceiling Dry  |
|---------------------|------------|------|--------------|--------|----------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50481-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 12" H 8" | Lamps |
| B 50484-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 20" H 4" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft Cord |



A 50480-BS/CFR



B 50483-BS/CFR

Helius Flush-Mount with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | Supplied Lamps | | CETL (E) 50480 Ceiling Damp 50483 Wall Dry | | |
|----------------------|------------|----------------|--------------|--|----------|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50480-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 12" H 4" oah 4" |
| A 50480LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 12" H 4" oah 4" |
| B 50483-BS/CFR | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 4.5" L 12" Ext 6.75" |





IRON | COLLECTION

The iron collection brings strength and character to any room. Cylindrical opal glass is boldly wrapped in a metal mesh screen and suspended in a tri metal basket. Iron is sensational in a 3 or 5 grouping over a kitchen counter. Pair this combination with an entry way flush mount and sconces on either side of a fireplace to create an unrivaled, strong, contemporary destination. Iron, bold and beautiful to the core.



20738-BS/OPL

Iron Pendant

| Finish | Supplied | | | | | CUL Ceiling Dry |
|--------------------|------------|-------|--------------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20738-BS/OPL | 1Lt x 100w | E-26 | A-19 Medium Base | | | D 6.1" H 12" oah 20 to 58" |
| C20738BSOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 6.1" H 12" oah 20 to 58" |



A 50130-BS/FST



B 50131-BS/FST

Iron Flush-Mount

| Finish BS Glass FST | | | | | | CETL Ceiling Damp | |
|---------------------------|------------|--------|--------------------|--------|----------|-------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50130-BS/FST | 1Lt x 100w | E-26 | A-19 Medium Base | | | D 12" H 4" | |
| A C50130BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 12" H 4" | Lamps |
| 50130LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 12" H 4" | Lamps |
| 50131-BS/FST | 2Lt x 75w | E-26 | A-19 Medium Base | | | D 16" H 4" | |
| B C50131BSFSTEN1218BS | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 16" H 4" | Lamps |
| 50131LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 16" H 4" | Lamps |









B 50562-BS/OPL
Shown with optional extra SCR50562 Mesh Sleeve

B 50562-BS/OPL

A 20739-BS/OPL

Iron Wall Fixture

| Finish BS Glass OPL | | | 20739 CUL Wall Dry   | | | 50562 CETL Wall Damp   | |
|---|-----------|--------|--|--------|----------|--|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20739-BS/OPL | 2Lt x 60w | E-26 | A-19 Medium Base | | | H 11.75" L 10" Ext 4" | |
| A C20739BSOPLN1218BS  | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 11.75" L 10" Ext 4" | Lamps |
| 20739LEDD-BS/OPL Dimmable | 1Lt x 16w | Module | 80CRI LED | 3000k | 1650Lm | H 11.75" L 10" Ext 4" | Lamps |
| B 50562-BS/OPL | 1Lt x 60w | E-26 | A-19 Medium Base | | | H 14.5" L 4.3" Ext 4" | |
| C50562BSOPLN1113BS  | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | H 14.5" L 4.3" Ext 4" | Lamps |





50091-BS/FST

SATURN | COLLECTION

Simply heavenly, the Saturn collection, named for its multiple layered rings, uses depth and artistic elements to enhance a basic cylindrical collection. The Contemporary Saturn Series, is applauded for detailed components including a stepped brushed steel frame, bound with geometrical fitters, and set against an acid frosted glass. The allure of Saturn lies in the complex engineering of Saturn marking this collection as a focal point. The sensational, energy efficient LED light source takes Saturn beyond the outer limits.



50090-BS/FST

Saturn Pendant with Concentric Metal Rings

| Finish | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | | CETL Ceiling Dry |
|--------------------|--|--------|---------------|--------|----------|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50090-BS/FST | 1Lt x 300w | R7s | J-118 Halogen | 2900k | 5000Lm | D 19" H 5" oah 11 to 50" |
| 50090LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19" H 5" oah 11 to 50" |

Saturn Flush-Mount with Concentric Metal Rings

| Finish | Supplied Lamps | | | | CETL Ceiling Damp | |
|---------------------------|----------------|--------|--------------------|--------|-------------------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50091-BS/FST | 1Lt x 75w | G9 | G9 Halogen | 2900k | 1050Lm | D 9.5" H 4.5" |
| C50091BSFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | D 9.5" H 4.5" |
| 50091LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 9.5" H 4.5" |



50092-BS/FST

Saturn Flush-Mount with Concentric Metal Rings

| Finish | Supplied Lamps | | | | CETL Ceiling Damp | |
|---------------------------|----------------|--------|--------------------|--------|-------------------|----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50092-BS/FST | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | D 14.5" H 5.5" |
| C50092BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 14.5" H 5.5" |
| 50092LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14.5" H 5.5" |




PHOEBE | COLLECTION

Put down the wine glasses and bring the party to your space with the martini inspired Phoebe Collection. The pendant sports thick, clear, curved glass capped with a stepped brushed steel top and hung on a solid brushed steel rod. The covered light source, halogen or LED, maintains the detail with a fitted metal trim and chunky thumb screws. The stunning wall sconce extends from the wall making a dramatic statement, whilst the vanities are impactful with a frosted glass seemingly suspended incrementally in the middle of the clear glass.



50441-BS/8CL

Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50441-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 13.5" H 4" oah 12 to 50" |
| 50441LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 13.5" H 4" oah 12 to 50" |




50444-BS/8CL




50443-BS/8CL

Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50444-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 19" H 4" oah 12 to 50" |
| 50444LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 19" H 4" oah 12 to 50" |

Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry  |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50443-BS/8CL | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| 50443LEDD Dimmable | 3Lt x 13w | GX-53 | 85CRI LED | 3000k | 3600Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |



50511-CH/8CL




Phoebe Wall Fixture Incorporating Thick Bent Glass

| Finish CH Glass 8CL | | Supplied Lamps | | | | CETL Wall Dry |
|---------------------|------------|----------------|--------------|--------|----------|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 50511-CH/8CL | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 12" oah 12" L 6.5" Ext 6" |



A 62091-BS/12C



B 62092-BS/12C



C 62093-BS/12C



D 62099-BS/12C

Phoebe Wall Vanity Fixture with Thick Panel Glass, Full Size Backplate to J-Box

| Finish BS Glass 12C | | Supplied Lamps | | | CETL Wall Damp | Dimensions |
|---------------------|------------|----------------|--------------|--------|----------------|-------------------------|
| Model | Wattage | Base | Type | Kelvin | | |
| A 62091-BS/12C | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5" L 12.75" Ext 6.25" |
| B 62092-BS/12C | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5" L 23" Ext 6.25" |
| C 62093-BS/12C | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" L 33.25" Ext 6.25" |
| D 62099-BS/12C | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" L 43.5" Ext 6.25" |



AZTEC | COLLECTION

You just can't go wrong with the Aztec Collection. This classic design is made more interesting with double metal rings, set apart with metal standoff's and hung with a four arm configuration. The availability of a pendant, semi-flush and multi flush mount options, makes this collection open configuration friendly. In addition the GU24 bulb, delivers an energy efficient collection too.



B 20457GU-BS/WHT







A 20456GU-BS/WHT




C 20458GU-BS/WHT

Aztec Flush-Mount

| Finish BS Glass WHT | | | | | | CUL Ceiling Damp  | |
|---------------------|-----------|--------|--------------------|--------|----------|--|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20456GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 14" H 4" oah 4" | |
| 20456LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 4" oah 4" | Lamps  |
| B 20457GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 17" H 4.5" oah 4.5" | |
| 20457LEDD Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 17" H 4.5" oah 4.5" | Lamps  |
| C 20458GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | D 21.5" H 5" oah 5" | |
| 20458LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 5" oah 5" | Lamps  |



Aztec Chain Supported Bowl Pendant

| Finish BS Glass WHT | | Supplied 6ft Chain, 10ft Cord | | | | CUL Ceiling Damp  |
|---------------------|-----------|-------------------------------|--------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 20463GU-BS/WHT | 5Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 8550Lm | D 25" H 25.75" oah 28.75 to 97.75" |




A 20460GU-BS/WHT



B 20462GU-BS/WHT

Aztec Semi Flush Bowl and Chain Suspended Pendant

| Finish BS Glass WHT | | | | | | | CUL Ceiling Damp  |
|---------------------|-----------|-------|--------------------|--------|----------|---------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 20460GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 17" H 17.5" oah 17.5" | |
| C20460BSWHTEN1140C | 1Lt x 40w | G10q | 2CT6 Fluorescent | 2700k | 2800Lm | D 17" H 17.5" oah 17.5" | |
| B 20462GU-BS/WHT | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | D 21" H 23.5" oah 26.5 to 95.5" | 6ft Chain, 10ft Cord |
| C20462BSWHTEN1158C | 1Lt x 58w | G10q | 2CT6 Fluorescent | 2700k | 3700Lm | D 21" H 23.5" oah 26.5 to 95.5" | 6ft Chain, 10ft Cord |



A 20452GU-BS/WHT




B 20453GU-BS/WHT



C 20454GU-BS/WHT

Aztec Wall Vanity Fixture with Full Size Backplate to Cover J-Box


| Finish BS Glass WHT | | | | | | CUL Wall Damp  |
|---------------------|-----------|-------|--------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 20452GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | H 4.5" L 24" Ext 6" |
| B 20453GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | H 4.5" L 36" Ext 6" |
| C 20454GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 3600Lm | H 4.5" L 48" Ext 6" |

SPOTLIGHTS





Optix LED Pendant Spotlight

| Finish | MC Diffuser | ACR | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | CETL Ceiling Dry  |
|-----------------------------|-------------|--------|--|--------|----------|--------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| A 63053LEDD-MC/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | H 6" oah 13 to 51" W 28" | |
| B 63054LEDD-MC/ACR Dimmable | 4Lt x 4w | Module | 90CRI LED | 3000k | 1600Lm | H 6" oah 13 to 51" W 36" | |
| C 63055LEDD-MC/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | H 6" oah 13 to 51" W 51" | |



Versahl 4 - Light Adjustable Spotlight Pendant

| | | | | | | |
|------------|-----------|-------------------------------|---------------|--------|------------------|-----------------------------|
| Finish | MC Glass | Supplied Lamps, Slope Adapter | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63004ET-MC | 4Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 2056Lm | H 5" oah 23 to 39" L 27.75" |



Versahl Spotlight

| | | | | | | |
|-------------|------------|-------------------------------|---------------|--------|-----------------------|--------------------|
| Finish | MC | Supplied Lamps, Slope Adapter | | | CETL Ceiling Wall Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63021-MC | 1Lt x 35w | GU-5.3 | MR-16 Halogen | 2900k | 360Lm | H 14" oah 14" W 4" |
| 63021LED-MC | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 14" oah 14" W 4" |



Versahl 3 - Light Semi-Flush Spotlight

| Finish MC | | Supplied Lamps, Slope Adapter | | | | CETL Ceiling Dry |
|------------|-----------|-------------------------------|---------------|--------|----------|---------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63013ET-MC | 3Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 1542Lm | H 13" W 4" L 21.25" |



Versahl 3 - Light Ceiling Offset Spotlight

| Finish MC | | Supplied Lamps | | | | CETL Ceiling Dry |
|-------------|------------|----------------|---------------|--------|----------|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63023ET-MC | 3Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 1542Lm | H 9" oah 9" W 6" L 36" |
| 63023LED-MC | 3Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 1038Lm | H 9" oah 9" W 6" L 36" |



Versahl 5 - Light Semi-Flush Spotlight

| Finish MC | | Supplied Lamps, Slope Adapter | | | | CETL Ceiling Dry |
|------------|-----------|-------------------------------|---------------|--------|----------|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63015ET-MC | 5Lt x 35w | GU-5.3 | MR-16 Halogen | 2900k | 1800Lm | H 13.5" oah 13.5" W 4" L 72" |



Versahl 4 - Light Ceiling Offset Spotlight

| Finish MC | | Supplied Lamps | | | | CETL Ceiling Dry |
|-------------|------------|----------------|---------------|--------|----------|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 63024ET-MC | 4Lt x 50w | GU-5.3 | MR-16 Halogen | 2900k | 2056Lm | H 11.5" L 56" |
| 63024LED-MC | 4Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 1384Lm | H 11.5" L 56" |



Mirage 1 - Light Swivel Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry (ETL) | |
|---------------|-----------|----------------|---------------|--------|------------------------|--------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52220-__ | 1Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 550Lm | D 6" H 5.63" |



Mirage 3 - Light Cluster Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry (ETL) | |
|---------------|-----------|----------------|---------------|--------|------------------------|------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52221-__ | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 10" H 8" |



Mirage 4 - Light G Cluster Spot

| Finish BRZ BS | | Supplied Lamps | | | CETL Ceiling Dry (E17) | |
|---------------|-----------|----------------|---------------|--------|------------------------|------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52222-__ | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | D 18" H 6" |



Mirage 3 - Light Pendant

| Finish BRZ BS | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | CETL Ceiling Dry (E17) |
|---------------|-----------|--|---------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52223-__ | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 6" oah 12 to 52" W 3" L 33" |



Mirage 4 - Light Pendant

| Finish BRZ BS | | Supplied Lamps, Rods 6"16"22", 10ft Cord | | | | CETL Ceiling Dry (E17) |
|---------------|-----------|--|---------------|--------|----------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52224-__ | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 6" oah 12 to 52" W 4.7" L 40" |



Mirage 6 - Light Semi-Flush with Articulating Arms

| Finish BRZ BS | | Supplied Lamps | | | | CETL Ceiling Dry (E17) |
|---------------|-----------|----------------|---------------|--------|----------|--------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52226-__ | 6Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 3300Lm | H 5" W 3" L 24.5 + 24.5" |




A 52103-BS



B 52133-BS

Cobra Spotlight Cluster

| Finish BS | | CETL Ceiling Dry  | | | | |
|------------|-----------|--|---------------|--------|----------|---------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52103-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 10" H 4" |
| B 52133-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | D 12" H 4.75" |



A 52203-BS



B 52205-BS

Cobra 3 - Light Semi-Flush and Pendant Curved Bar Spotlight

| Finish BS | | | | | | | CETL Ceiling/Wall Dry (ETL) |
|------------|-----------|-------|---------------|--------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52203-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 5.5" L 27" | |
| B 52205-BS | 3Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 1650Lm | H 3.75" oah 10 to 50" L 27" | Rods 6"16"22", 10ft Cord, Slope Adapter |



A 52204-BS




B 52206-BS

Cobra 4 - Light Semi-Flush and Pendant Curved Bar Spotlight

| Finish BS | | | | | | | CETL Ceiling/Wall Dry (ETL) |
|------------|-----------|-------|---------------|--------|----------|-----------------------------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 52204-BS | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 5.5" L 33" | |
| B 52206-BS | 4Lt x 50w | GU-10 | MR-16 Halogen | 2900k | 2200Lm | H 3.75" oah 10 to 50" L 33" | Rods 6"16"22", 10ft Cord, Slope Adapter |




Viper Off-Set Semi Flush

| Finish BS | | Supplied Lamps | | | CETL Ceiling Dry  | |
|-----------|-----------|----------------|---------------|--------|--|-----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52043-BS | 6Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1920Lm | H 9" L 31 + 31" |



Viper Semi-Flush with Articulating Arm

| Finish BS | | Supplied Lamps | | | CETL Ceiling Dry  | |
|-----------|-----------|----------------|---------------|--------|--|--------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 52042-BS | 5Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 1600Lm | H 10" L 35.5 + 16" |



A 55542-BRZ



B 55543-CH



Flux Vintage Lamped Chandeliers

| Finish | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|-------------|------------|------|-------------------|--------|----------|---------------------------|---|
| BRZ CH | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 24" oah 24 to 36" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter, CETL Ceiling Dry (CETL) |
| Model | | | | | | | |
| A 55542-___ | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 24" oah 24 to 36" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter, CETL Ceiling Dry (CETL) |
| B 55543-___ | 16Lt x 40w | E-26 | T-14 Incandescent | 2700k | 2160Lm | D 24" H 19" oah 19 to 36" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter, CETL Ceiling Dry (CETL) |



62317-BS/FST



Titanium 6 - Light Cable Chandelier

| Finish | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|--------------|------------|------|--------------|--------|----------|-----------------------------------|--|
| BS Glass FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | D 28" H 3" oah 10 to 120" W 2.25" | Lamps, 10ft Aircraft Cable and Cord, CETL Ceiling Dry (CETL) |
| Model | | | | | | | |
| 62317-BS/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | D 28" H 3" oah 10 to 120" W 2.25" | Lamps, 10ft Aircraft Cable and Cord, CETL Ceiling Dry (CETL) |



52120-CH/MIR



Glam Chandelier

Finish CH Glass MIR


Certification CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|--------------|-----------|------|----------|--------|----------|----------------------------------|---------------------------------|
| 52120-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" oah 12.5 to 50.5" | Lamps, Rods 6"16"22", 10ft Cord |



23980-CH/OPL

Nitrogen Cable Chandelier with Articulating Rings

| Finish CH Glass OPL | | | | | | | CETL Ceiling Dry  |
|---------------------|------------|------|------------|--------|----------|---------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23980-CH/OPL | 15Lt x 40w | G9 | G9 Halogen | 2900k | 7200Lm | D 38" H 5 to 38" oah 12 to 120" | Lamps, 10ft of Cable & Cord |




A 50465-BS/FST



B 50466-BS/FST

Oracle Cable Ring Glass Chandelier

| Finish BS Glass FST | | | | | | | CETL Ceiling Dry  | |
|---------------------|-----------|------|------------|--------|----------|----------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | | |
| A 50465-BS/FST | 6Lt x 50w | G9 | G9 Halogen | 2900k | 3600Lm | D 22" H 3" oah | 10 to 120" Lamps, 10ft of Cable & Cord | |
| B 50466-BS/FST | 8Lt x 50w | G9 | G9 Halogen | 2900k | 4800Lm | D 28" H 3" oah | 10 to 120" Lamps, 10ft of Cable & Cord | |




63962-ORB/FST

63962-MC/FST



Nido Chandelier and Pendants, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | | | | | CETL Ceiling Dry  | |
|--|------------|------|--------------|--------|----------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63962-___/FST | 6Lt x 100w | R7s | J-78 Halogen | 2900k | 9900Lm | H 4" oah 11 to 35" W 3" L 29.25" | |
| Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | | | | |
| Supplied | | | | | | | |

PENDANTS





FLOAT | COLLECTION

Seemingly effortlessly hung from the sky, the Float Suspension Collection is light and airy. Fully adjustable with an enclosed grip-lock system, the extremely low profile Float has phenomenal LED light output.



A 63963LEDD-SILV/ACR



B 63964LEDD-SILV/ACR

Float LED Pendant

Finish SILV Diffuser ACR

Certification CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|-------------------------------|-----------|--------|-----------|------------|----------|------------------------------|-----------------------------|
| A 63963LEDD-SILV/ACR Dimmable | 1Lt x 22w | Module | 85CRI LED | 2800-3200K | 2200Lm | H 2.75" oah 10 to 120" L 36" | Lamps, 10ft of Cable & Cord |
| B 63964LEDD-SILV/ACR Dimmable | 1Lt x 30w | Module | 85CRI LED | 2800-3200K | 3000Lm | H 2.75" oah 10 to 120" L 48" | Lamps, 10ft of Cable & Cord |




AVIATOR | COLLECTION

Soar to new heights with solid state LED technology perfectly packaged in a stunning geometrically inspired pendant. The Aviator Collection embraces the latest lighting trends, effortlessly providing light from minimalist bars. Aviator-trending now.



63965LEDD-CH/ACR

Aviator LED Pendant


| Finish CH Diffuser ACR | | | | | | | Certification CETL Ceiling Dry  | |
|---------------------------|----------|--------|-----------|------------|----------|----------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 63965LEDD-CH/ACR Dimmable | 3Lt x 8w | Module | 85CRI LED | 2800-3200K | 2100Lm | D 34" H 2.5" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft of Cable & Cord | |



STEALTH | COLLECTION

The seductive contours and low profile of the stealth collection make this energy efficient number a spirited addition to a minimalist contemporary environment.

Stealth Spherical Pendants

| Finish BS Glass FST | | | | | | | Certification CUL Ceiling Damp  | |
|---------------------|-----------|-------|--------------------|--------|----------|--------------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 20664-BS/FST | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 16.5" H 5.5" oah 13.5 to 50" | Rods 6"16"22", 10ft Cord, Slope Adapter | |
| B 20665-BS/FST | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | D 23.5" H 5.5" oah 13.5 to 50" | Rods 6"16"22", 10ft Cord, Slope Adapter | |



D 12" H 16.5"

ESSENCE | COLLECTION

Copper, dubbed an essential element for both one's health and a myriad of domestic, industrial and high tech applications, is back on the scene. Whether brushed or full gloss, the allure of copper is irrefutable. The Essence Collection lends itself to settings from the nostalgic to hard core contemporary always warmed with a touch of copper.



28092-BCP

Essence Metal Cone Pendant

| Finish BCP | | | | | | Certification CETL Ceiling Dry  | |
|------------|-----------|------|-------------------|--------|----------|--|-----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 28092-BCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 12" H 16.5" oah 24.5 to 136.5" | 10ft Cord |



A 28090-SCP



B 28091-SCP



oah 18 to 130"

A D 8" H 10"



oah 20 to 132"

B D 11.75" H 12"

Essence Metal Dome Pendant


| Finish SCP | | | | | | Certification CETL Ceiling Dry  | | |
|-------------|-----------|------|-------------------|--------|----------|--|-----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 28090-SCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 10" oah 18 to 130" | 10ft Cord | |
| B 28091-SCP | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 11.75" H 12" oah 20 to 132" | 10ft Cord | |



A 70064LEDD-SCP/ACR



B 70065LEDD-BCP/ACR



A D 6" H 5"



B D 4.75" H 4.75"

Essence Metal Dome Pendant

| Finish SCP BCP | | | | | | Certification CETL Ceiling Dry | |
|--------------------------|----------|--------|-----------|--------|----------|--------------------------------|-------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70064LEDD-SCP Dimmable | 1Lt x 8w | Module | 85CRI LED | 3000k | 800Lm | D 6" H 5" oah 12 to 120" | Lamps, 10ft Cord, |
| B 70065LEDD-BCP Dimmable | 1Lt x 5w | Module | 85CRI LED | 3000k | 500Lm | D 4.75" H 4.75" oah 12 to 120" | Lamps, 10ft Cord, |



METALICO | COLLECTION

Further enhancing our stunning collection of pendants is the Metalico Pendant. A beautifully crafted curved metal cone is encased in a clear glass with divergent lines that task the mind to unravel the mystery. Set on a clear cord these sleek and stylish pendants speaks for itself.



Metalico Pendant

| Finish CH RGLD Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|--------------------------|-----------|------|------------|--------|----------|--|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50147-___/CLR | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm | D 5" H 7" oah 13 to 120" | Lamps, 10ft Clear Cord |



50145-CH/CLR



D 16" H 11"

Metalico Pendant

| Finish CH Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|---------------------|------------|------|-------------------|--------|----------|--|----------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50145-CH/CLR | 1Lt x 100w | E-26 | A-19 Incandescent | | | D 16" H 11" oah 16 to 133" | 10ft of Cable & Cord |



B 70031LED-CH/CLR


PULSE | COLLECTION

Charming in every sense of the word, Pulse is an attractive design with an exposed metal heat sync encased in smoked glass. An alternative Pulse pendant with a metal cone shade, makes Pulse a must for industrial or loft settings.



A 70030LED-CH/CLR

Pulse LED Pendants

| Finish CH Glass CLR | | | | | | Certification CETL Ceiling Dry  | |
|--------------------------|----------|--------|-----------|--------|----------|--|------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 70030LED-CH/CLR | 1Lt x 7w | Module | 85CRI LED | 3200k | 720Lm | D 4.4\" H 12.5\" oah 18 to 133\" | Lamps, 10Ft Clear Cord |
| B 70031LED-CH/CLR | 1Lt x 7w | Module | 85CRI LED | 3200k | 720Lm | D 10.75\" H 7\" oah 12 to 128\" | Lamps, 10Ft Clear Cord |



A 23435-WH/OPL

B 23436-BL/OPL

C 23437-BRZ/OPL

CHUKKI | COLLECTION

Available with or without an inner glass shade Chuki's attraction lies in the contrast between the metal spokes on the outer shade and the smoother inner shade or bulb. The timeless elements of Chuki make this transitional piece adaptable to multiple applications.



Chuki Metal Ribbed Pendant with Opal Glass Shade

| Finish BL BRZ WH Glass OPL | | | | | | | Certification CETL Ceiling Damp |
|----------------------------|------------|------|-------------------|--------|----------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23435-___/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 15" H 18.5" oah 24 to 140" | 10ft Cord (black with BL and BRZ, white with WH) |
| B 23436-___/OPL | 1Lt x 75w | E-26 | A-19 Incandescent | 2700k | 1100Lm | D 11.5" H 14.5" oah 22 to 135" | 10ft Cord (black with BL and BRZ, white with WH) |
| C 23437-___/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 11" oah 17 to 130" | 10ft Cord (black with BL and BRZ, white with WH) |



A 23771-WD/NAT




B 23775-WD/NAT



KOBU | COLLECTION

Organic meets contemporary in the Japanese inspired Koku collection. The red cord adds a pop of color in contrast to the natural wood shade. Place Koku alone over a nook table or in pairs of three over a coffee table in a quiet corner.

Koku Real Wood Dome Pendant

| Finish WD/NAT | | | | | | Certification CETL Ceiling Dry  | |
|----------------|-----------|------|-------------------|--------|----------|--|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23771-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 13" H 12" oah 18 to 130" | 10Ft Red Linen Coated Cord |
| B 23775-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 16" H 15" oah 21 to 130" | 10Ft Red Linen Coated Cord |



A 23773-WD/NAT



B 23774-WD/NAT



A D 14" H 18"

oah 24 to 140"



B D 9.75" H 18"

oah 24 to 138"

Kobu Real wood Ball Pendant

| Finish WD/NAT | | | | | | Certification CETL Ceiling Dry  | |
|----------------|-----------|------|--------------------|--------|----------|--|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23773-WD/NAT | 1Lt x 60w | E-26 | G-40 Incandescent | | | D 14" H 18" oah 24 to 140" | 10Ft Red Linen Coated Cord |
| B 23774-WD/NAT | 1Lt x 60w | E-26 | 60/T8 Incandescent | | | D 9.75" H 18" oah 24 to 138" | 10Ft Red Linen Coated Cord |



ASTRO | COLLECTION

This is a stunning dome pendant with two color combinations. For a cool, stark application the outer white/inner silver combination is a natural choice. In contrast, the outer black/inner gold combination is warm and inviting. Regardless of your choice Astro is a focal point extraordinaire.




B 23767-MBL/GLD

A 23766-GWH/SILV

A D 19" H 11"

Astro Dome Pendant


| Finish GWH/SILV MBL/MGL | | | | | | Certification CETL Ceiling Damp  | |
|-------------------------|------------|------|-------------------|--------|----------|---|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 23766-___/___ | 1Lt x 100w | E-26 | G-40 Incandescent | 2700k | 1150Lm | D 19" H 11" oah 17 to 130" | 10Ft Black Linen Coated Cord |
| B 23767-___/___ | 1Lt x 100w | E-26 | G-40 Incandescent | 2700k | 1150Lm | D 16" H 8" oah 14 to 130" | 10Ft Black Linen Coated Cord |



CALISTO | COLLECTION

Calisto's paper thin glass and distinctive shaped, line glass, bring to mind visions of the traditional Japanese lantern. To further add to the Zen like qualities of this simple, subtle pendant is the crisp white, unadorned finish on the glass shade. Calisto, bringing calm to a crazy world.


Callisto Ribbed OPL Glass Pendant

| Finish BS Glass OPL | | Supplied 10ft of Clear Cord | | | Certification CETL Ceiling Damp  | |
|---------------------|-----------|-----------------------------|--------------------|--------|---|------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50180-BS/OPL | 2Lt x 60w | E-26 | A-19 Incandescent | | | D 15" H 11.8" oah 18 to 133" |
| C50180BSOPLN1213B | 2Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 1800Lm | D 15" H 11.8" oah 18 to 133" |
| B 50181-BS/OPL | 3Lt x 60w | E-26 | A-19 Incandescent | | | D 18" H 12.8" oah 19 to 134" |
| C50181BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 18" H 12.8" oah 19 to 134" |




METALICA | COLLECTION

Affectionately termed the “paperclip pendant”, Metalica is whimsical, and quite striking. The 10’ adjustable cord, and G9 bulb make for easy installation and maintenance. Stand alone, or terrific when hung in three’s, Metalica sets a beguiling tone in discerning applications.



23633-BS

Metalica Cable Pendant

| Finish BS | | | | | | Certification CETL Ceiling Dry  | |
|-----------|-----------|------|------------|--------|----------|--|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23633-BS | 1Lt x 75w | G9 | G9 Halogen | 2900k | 1050Lm | D 16" H 16" oah 22 to 120" | Lamps, 10ft of Cable & Cord |



INDIUM | COLLECTION

Bold in design, magnificent in function, this 39w beauty puts out 3100 nominal lumens. The detail to design is apparent in the corners which have been rounded to soften Indium and add an artistic element to this stunning pendant. A sloped ceiling adaptor and a variety of rod lengths provide Indium with the flexibility for success.

31012-BS/OPL



Indium Pendant

| Finish BS Glass OPL | | | | | | | Certification CETL Ceiling Dry  |
|---------------------|-----------|--------|---------------------------|--------|----------|----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 31012-BS/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | oah 10 to 50" L 35.5" W 4" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's |



THESIS | COLLECTION

Thesis leaves one awestruck by the decorative capabilities of glass. The juxtaposition of the crisp white, gently curved glass, pierced by a square chrome rod, is unexpected and aesthetically pleasing. The use of glass to transform a simple functional pendant into a work of art – quite brilliant!

31017-CH/FST



Thesis Pendant

| Finish CH Glass FST | | | | | | | Certification CETL Ceiling Dry |
|---------------------|-----------|--------|---------------------------|--------|----------|-----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 31017-CH/FST | 2Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 6200Lm | oah 11 to 51" L 45.5" W 12" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter's |



23770-RED



23770-BL




23770-WH

MAGNETO | COLLECTION

Function truly meets form with the whimsical Magneto magnetized pendant. Acute angle adjustment of the shade, is made possible as you slide the magnetic cup to the desired angle on the metal shade. Using a silver tipped G40 bulb says MOD, while an LED bulb portrays green living. Either way, be it a red, white or black magneto- you've chosen one fabulous conversation piece.



Magneto Adjustable Angle Pendant

| Finish BL RED WH | | | | | | Certification CETL Ceiling Dry  | |
|------------------|-----------|------|-------------------|--------|----------|--|---------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23770-___ | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 13.8" H 13.8" oah 20 to 120" | 8ft of Cable & Cord |



A 50548-BS/OPL




B 50549-BS/OPL

DEZI | COLLECTION

Fluorescent never presented so well, before the introduction of the Dezi three and four light bar pendant. Clear cord that is fully adjustable further enhances the features to Dezi making this collection a winning energy efficient option.



Dezi Bar Pendant

| Finish BS Glass CLOP | | | Supplied Lamps, 10Ft Clear Cord | | | Certification CUL Ceiling Dry  |
|----------------------|-----------|-------|---------------------------------|--------|----------|---|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50548-BS/CLOP | 3Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 3750Lm | H 13.5" oah 20 to 140" L 23" |
| B 50549-BS/CLOP | 4Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 5000Lm | H 13.5" oah 20 to 140" L 36" |



HELIX | COLLECTION

Raw aluminum strips encasing a cylindrical glass shade, immediately communicate an authentic, contemporary aura. With an energy efficient fluorescent option, Helix spans two worlds with both residential and commercial potential. Permeate the scene with a contemporary influence beside a bed, over a counter, on a stairwell, or simply over a nook table. Helix, contemporary to the core.



A 23425-ALU/OPL



B 23426-ALU/OPL



Helix Pendant

| Finish ALU Glass OPL | | Supplied 10ft of Clear Cord | | | | Certification CUL Ceiling Dry |
|-----------------------|------------|-----------------------------|--------------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 23425-ALU/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 10.75" H 12" oah 18 to 128" |
| A C23425ALUOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 10.75" H 12" oah 18 to 128" |
| B 23426-ALU/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 13.25" H 15" oah 21 to 131" |
| B C23426ALUOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 13.25" H 15" oah 21 to 131" |



DECO BALL | COLLECTION

Retrolicious—the Deco Ball is a true design diva with retro routes. Two sizes, and two lamping options, expand the functionality of the Deco Ball exponentially. The energy efficient fluorescent “minor” Deco Ball, is perfect setting the scene in a coffee shop. While the larger Deco Ball is ideal in multiples over a kitchen counter or work area. Deck out your space with the Deco Ball.



DecoBall Ball Pendant

| Finish | Supplied Rods 6"16"22", 10ft Cord, Slope Adapter | | | | Certification CETL Ceiling Dry | | |
|--------|--|------------|-------|--------------------|--------------------------------|------------|---------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| A | 23636-BS | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 8" H 8" oah 16 to 52" |
| | C23636BSEN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 8" H 8" oah 16 to 52" |
| B | 23637-BS | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 14" H 14" oah 18 to 56" |
| | C23637BSEN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm | D 14" H 14" oah 18 to 56" |



Layers Large Pendant

| Finish | | WH/CH WH/GLD WH/WH | | | | | Certification | |
|---------------------------|-----------|--------------------|--------------------|--------|----------|-----------------------------|--------------------------|--|
| | | | | | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| A 50903-WH/___ | 1Lt x 26w | GU-24 | LED or Fluorescent | | | D 11" H 6.3" oah 12 to 123" | 10ft Cord | |
| 50903LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 11" H 6.3" oah 12 to 123" | 10ft Cord | |
| B 50904-WH/___ | 3Lt x 26w | GU-24 | LED or Fluorescent | | | D 14" H 6.3" oah 12 to 123" | 10ft Cord & Cable | |
| 50904LEDD-WH/___ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 14" H 6.3" oah 12 to 123" | Lamps, 10ft Cord & Cable | |
| C 50906-WH/___ | 5Lt x 26w | GU-24 | LED or Fluorescent | | | D 18" H 6.3" oah 12 to 123" | 10ft Cord & Cable | |
| 50906LEDD-WH/___ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 6.3" oah 12 to 123" | Lamps, 10ft Cord & Cable | |



SoHo Reflective Illumination Pendant

| Finish | | BSL GWH RIC | | | | | Certification | |
|-----------|-----------|-------------|------|--------|----------|-----------------------------------|----------------------|--|
| | | | | | | | CETL Ceiling Dry | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied | |
| 23765-___ | 3Lt x 60w | E-26 | A-19 | | | D 18.75" H 10.5" oah 16 to 130.5" | 10ft of Cable & Cord | |





Nimbus Abstract Glass Aircraft Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp |
|---------------------------|-----------|--------|--------------------|--------|----------|---------------------------------------|-------------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20687-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | 10ft Aircraft Cable and Cord |
| C20687CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |
| 20687LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | H 4.5" oah 11 to 125" W 16.5" L 17.7" | Lamps, 10ft Aircraft Cable and Cord |




Pebble Abstract Glass Cable Pendant

| Finish CH Glass OPL | | | | | | | CETL Ceiling Damp |
|---------------------------|-----------|--------|--------------------|--------|----------|-------------------------------|-------------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20689-CH/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | 2700k | 2400Lm | D 19.5" H 4.7" oah 11 to 125" | 10ft Aircraft Cable and Cord |
| C20689CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord |
| 20689LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4.7" oah 11 to 125" | Lamps, 10ft Aircraft Cable and Cord |



Noya Cable Pendant

| | | | | | | |
|--------------------------------|---|-------------|--------------------|---------------|-----------------|---|
| Finish BRZ BS Glass WHT | Supplied Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | CUL Ceiling Dry  |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23072-___/WHT | 4Lt x 60w | E-26 | A-19 Incandescent | | | D 18" H 28" oah 36 to 74" |
| C23072xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 18" H 28" oah 36 to 74" |



23073-BRZ/WH

23073-BS/WH



Noya Cable Pendant

| Finish | Supplied | | | | | CUL Ceiling Dry |
|---------------------|---|-------|--------------------|--------|----------|---------------------------|
| BRZ BS Glass WHT | Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23073-___/WHT | 4Lt x 60w | E-26 | A-19 Incandescent | | | D 24" H 28" oah 36 to 74" |
| C23073xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 24" H 28" oah 36 to 74" |



23074-BS/WH



Noya Cable Pendant

| Finish | Supplied | | | | | CUL Ceiling Dry |
|---------------------|---|-------|--------------------|--------|----------|-----------------------|
| BRZ BS Glass WHT | Rods 6"16"22", 10ft Cord, Slope Adapter | | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 23074-BRZ BS/WHT | 5Lt x 60w | E-26 | A-19 Incandescent | 2700k | 4000Lm | D 28" oah 39.5 to 78" |
| C23074xxxWHTEN1326B | 3Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 5130Lm | D 28" oah 39.5 to 78" |



A 50107-BS/CLR



B 50108-BS/CLR



C 50110-BS/CLR



Aquarius Glass & Metal Pendant

| Finish BS Glass CLR | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Damp |
|---------------------|------------|---|------------------|--------|----------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50107-BS/CLR | 4Lt x 60w | G9 | G9 Halogen | 2900k | 3200Lm | H 2" oah 8 to 47" W 10" L 29.5" |
| B 50108-BS/CLR | 8Lt x 40w | G9 | G9 Halogen | 2900k | 3840Lm | H 2" oah 8 to 47" W 12" L 24" |
| C50108BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 24" |
| C 50110-BS/CLR | 10Lt x 40w | G9 | G9 Halogen | 2900k | 4800Lm | H 2" oah 8 to 47" W 12" L 30" |
| C50110BSCLREH3418Q | 4Lt x 18w | G24q-2 | Quad Fluorescent | 2700k | 5000Lm | H 2" oah 8 to 47" W 12" L 30" |



C 50444-BS/8CL



A 50441-BS/8CL



B 50443-BS/8CL



Phoebe Pendant

| Finish BS Glass 8CL | | Supplied Lamp, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry |
|---------------------|------------|--|--------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 50441-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 13.5" H 4" oah 12 to 50" |
| 50441LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 13.5" H 4" oah 12 to 50" |
| B 50443-BS/8CL | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| 50443LEDD Dimmable | 3Lt x 13w | GX-53 | 85CRI LED | 3000k | 3600Lm | D 10" H 4" oah 12 to 50" W 3.5" L 33.75" |
| C 50444-BS/8CL | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 19" H 4" oah 12 to 50" |
| 50444LEDD Dimmable | 1Lt x 13w | GX-53 | 85CRI LED | 3000k | 1200Lm | D 19" H 4" oah 12 to 50" |



A 70083LEDD-BSL/ACR

B 70084LEDD-BSL/ACR



A D 18" H 4.5"



B D 23" H 4.5"

Pg 26



Meteor LED Pendant with Prismatic Lens

| Finish | Supplied Lamps, 10ft Aircraft Cable and Cord | | | | | CETL Ceiling Dry (CETL) |
|------------------------------|--|--------|-----------|--------|----------|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 70083LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | D 18" H 4.5" oah 10 to 125" |
| B 70084LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | D 23" H 4.5" oah 10 to 125" |



C 52078-CH/CLR

B 52077-CH/CLR




A 52076-CH/CLR



A D 14" H 4"



B D 12" H 4"



C D 4" H 4"

Pg 46



Aeria Metal Foil Pendants, Encapsulated in Clear Glass

| Model | Wattage | Base | Supplied Lamps, 10ft Co-Axial Cable | | | CETL Ceiling Damp (CETL) |
|----------------|-----------|------|-------------------------------------|--------|----------|---------------------------|
| | | | Type | Kelvin | NomLumen | |
| A 52076-CH/CLR | 5Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 1500Lm | D 14" H 4" oah 12 to 115" |
| B 52077-CH/CLR | 7Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 2100Lm | D 12" H 4" oah 12 to 115" |
| C 52078-CH/CLR | 1Lt x 20w | G4 | Bi-Pin Halogen | 2900k | 300Lm | D 4" H 4" oah 12 to 115" |



B 62316-BS/FST



A 62315-BS/FST



Titanium Pendant


| Finish BS Glass FST | | Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter | | | | CETL Ceiling Dry |
|---------------------|------------|---|--------------|--------|----------|-------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 62315-BS/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | oah 10 to 49" L 35.4" |
| B 62316-BS/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | oah 10 to 49" W 2.75" L 47.2" |



A 63957-MC/FST



A L 32" x W 5"



B L 42.5" x W 5"



C L 53.5" x W 5"



Nido Chandelier and Pendants's, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | Supplied Lamps, 2 Rod Combinations (Telescopic and 6" Rods) | | | | CETL Ceiling Dry |
|-------------------------|------------|---|--------------|--------|----------|----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 63957-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | oah 11 to 35" L 32" W 5" |
| B 63958-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | oah 11 to 35" L 42.5" W 5" |
| C 63959-___/FST | 5Lt x 100w | R7s | J-78 Halogen | 2900k | 8250Lm | oah 11 to 35" L 53.5" W 5" |



D 15.7" H 5.5"



Aero Chromium Ring Drum Cable Pendant

| Finish | Dimensions | Certification | | | | |
|--------------------|-------------------------------|-------------------|--------------------|--------|----------|-----------------------------|
| CH Glass OPL | D 15.7" H 5.5" oah 12 to 130" | CETL Ceiling Damp | | | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| 20673-CH/OPL | 3Lt x 60w | E-26 | E-26 | 2700k | 2400Lm | 10ft of Cable & Cord |
| C20673CHOPLEN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | Lamps, 10ft of Cable & Cord |
| 20673LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord |



A 50190-BS/OPL

B 50191-BS/OPL

A D 15.75" H 3.4"

B D 19.5" H 4"



Altum Aircraft Cable Pendant

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp |
|---------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|-----------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50190-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 15.75" H 3.4" oah 10 to 120" | 10ft of Cable & Cord |
| A C50190BSOPLN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50190LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | D 15.75" H 3.4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | D 19.5" H 4" oah 10 to 120" | 10ft of Cable & Cord |
| B C50191BSOPLN1313B | 3Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 2700Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |
| 50191LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 19.5" H 4" oah 10 to 120" | Lamps, 10ft of Cable & Cord |



70073LEDD-WH/SILV



70074LEDD-WH/GLD




D 17" H 8'

D 24" H 9'



Pulsar Gold or Silver Leaf Reflective LED Pendant

| Finish | WH/GLD | WH/SILV | Supplied Lamps | | | | Supplied Lamps  |
|---------------|----------|-------------|----------------|-----------|----------|------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 70073LEDD-WH/ | Dimmable | 1Lt x 16.8w | Module | 85CRI LED | 3000k | 1350Lm | D 17" H 8" oah 14 to 128" |
| 70074LEDD-WH/ | Dimmable | 1Lt x 18w | Module | 85CRI LED | 3000k | 2025Lm | D 24" H 9" oah 15 to 129" |



A 50123-BS/OPL

B 50124-BS/OPL

D 24" H 4.75"



Tara Semi-Flush or Pendant

| Finish BS Glass OPL | | | | | | | CETL Ceiling Damp |
|-----------------------------|-----------|--------|--------------------|--------|----------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 50123-BS/OPL | 3Lt x 75w | E-26 | A-19 Medium Base | | | D 18" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter |
| A C50123BSOPLN1226B | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| 50123LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 18" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 50124-BS/OPL | 5Lt x 60w | E-26 | A-19 Medium Base | | | D 24" H 4.75" oah 13 to 50.75" | Rods 6"16"22", 10ft Cord, Slope Adapter |
| B C50124BSOPLN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |
| B 50124LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 24" H 4.75" oah 13 to 50.75" | Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter |



Helius Pendant with Clear Plate Glass and Frosted Center

| Finish BS Glass CFR | | | | | | | CETL Ceiling Dry |
|---------------------|------------|------|--------------|--------|----------|--------------------------|---------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50484-BS/CFR | 1Lt x 150w | R7s | J-78 Halogen | 2900k | 2600Lm | D 20" H 4" oah 10 to 50" | Lamps, Rods 6"16"22", 10ft Cord |



A 55545-ANCK/CLR



B 55546-ANCK/CLR



A D 7.5" H 10.25" oah 17 to 56.25"

B D 13" H 15.25" oah 21.25 to 61.25"



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter

CETL Ceiling Dry

| | Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|---|----------------|-----------|------|-----------------------|--------|----------|------------------------------------|
| A | 55545-ANCK/CLR | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 7.5" H 10.25" oah 17 to 56.25" |
| | 55545-DBRZ/AMB | | | | | | |
| | 55545-DBRZ/SMK | | | | | | |
| B | 55546-ANCK/CLR | 1Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 200Lm | D 13" H 15.25" oah 21.25 to 61.25" |
| | 55546-DBRZ/AMB | | | | | | |
| | 55546-DBRZ/SMK | | | | | | |



D 15" H 17.1"
55547-ANCK/CLR

55547-DBRZ/SMK



Flux Vintage Lamped Pendant

Supplied Lamps, Rods 6"16"22", 10ft Cord, Slope Adapter

CETL Ceiling Dry

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|----------------|-----------|------|--------------------|--------|----------|-------------------------------|
| 55547-ANCK/CLR | | | | | | |
| 55547-DBRZ/AMB | 3Lt x 60w | E-26 | ST-18 Incandescent | 2700k | 600Lm | D 15" H 17.1" oah 24 to 63.1" |
| 55547-DBRZ/SMK | | | | | | |



oah 10 to 123"

D 19" H 3.9"



Orion Aircraft Cable Pendant

| Finish | Dimensions D 19" H 3.9" oah 10 to 123" | | | | | | CETL Ceiling Damp |
|---------------------------|--|--------|------------------|--------|----------|-----------------------------|-------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied | |
| 50163-BS/OPL | 3Lt x 60w | E-26 | A-19 Medium Base | | | 10ft of Cable & Cord | |
| C50163BSOPLN1218BQ | 2Lt x 18w | GU-24 | Quad Fluorescent | 2700k | 2500Lm | Lamps, 10ft of Cable & Cord | |
| 50163LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps, 10ft of Cable & Cord | |



oah 28.75" to 97.75"

B D 25" H 25.75"

B 20463GU-BS/WH



oah 26.5" to 95.5"

A D 21" H 23.5"

A 20462GU-BS/WH



Aztec Semi Flush Bowl and Chain Suspended Pendant

| Finish | Supplied 6ft Chain, 10ft Cord | | | | | | CUL Ceiling Damp |
|--------------------|-------------------------------|-------|--------------------|--------|----------|------------------------------------|------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| A 20462GU-BS/WHT | 5Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 4500Lm | D 21" H 23.5" oah 26.5 to 95.5" | |
| C20462BSWHTEN1158C | 1Lt x 58w | G10q | 2CT6 Fluorescent | 2700k | 3700Lm | D 21" H 23.5" oah 26.5 to 95.5" | |
| B 20463GU-BS/WHT | 5Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 8550Lm | D 25" H 25.75" oah 28.75 to 97.75" | |



Nitrogen Ball Pendants

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
|-----------------------|------------|------|-------------------|--------|----------|-----------------------------|
| A 23950-BS/OPL | 1Lt x 60w | E-26 | A-19 Incandescent | 2700k | 800Lm | D 9" H 8" oah 16 to 53" |
| B 23951-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 12" H 10.5" oah 17 to 55" |
| C 23952-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | 2700k | 1600Lm | D 14" H 12" oah 20 to 57" |





Pure Cold Cathode Fluorescent Pendant

Finish BS Glass CLR Certification CETL Ceiling Dry

Dimensions D 5.25" H 16.4" oah 23 to 130"

Included Lamps, 10ft Cord,

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|-------------------------------|--------|-------|
| 23762-BS/CLR | 1Lt x 18w | GX-53 | CCFL Cold Cathode Fluorescent | 2700k | 800Lm |



Iron Pendant

Finish BS Glass OPL

Certification CUL Ceiling Dry



Dimensions D 6.1" H 12" oah 20 to 58"

Included Rods 6"16"22", 10ft Cord, Slope Adapter (C20738BSOPLN1118BS includes Lamps)

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------------|------------|-------|--------------------|--------|--------|
| 20738-BS/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | | |
| C20738BSOPLN1118BS | 1Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 1250Lm |



Aire Silk Glass Pendant

Finish BS Glass OPL

Certification CETL Ceiling Dry

Dimensions D 8.25" H 7" oah 13 to 127"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|------|--------|-------|
| 50169-BS/OPL | 1Lt x 60w | E-26 | A-19 | | |



Proteus Cable Suspended Pendant

Finish BS Glass FRC

Certification CETL Ceiling Dry

Dimensions D 5" H 9" oah 15 to 125"

Included 10ft of Cable & Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|-------------------|--------|-------|
| 50514-BS/FRC | 1Lt x 60w | E-26 | A-19 Incandescent | | |



D 4.4" H 14.75"

Gyro Pendant

Finish BS Glass CLOP Certification CETL Ceiling Dry 

Dimensions D 4.4" H 14.75" oah 20 to 120"

Included Lamps, 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|-----------|------|------------|--------|-------|
| 52062-BS/CLOP | 1Lt x 60w | G9 | G9 Halogen | 2900k | 800Lm |



D 4.25" H 9.5"

oah 15 to 130"

Icicle Fused Clear & Opal Glass Pendant

Finish CH Glass CLOP Certification CETL Ceiling Dry

Dimensions D 4.25" H 9.5" oah 15 to 130"

Included Lamps, 10ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|-----------|------|------------|--------|-------|
| 50543-CH/CLOP | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm |



D 2.2" H 17.5"

oah 25 to 140"

Ra LED Pendant

Finish BRZ BS Glass ACR Certification CETL Ceiling Dry

Dimensions D 2.2" H 17.5" oah 25 to 140"

Included Lamps, 10ft Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|------------------|-------------|--------|-----------|--------|-------|
| 70028LED-___/ACR | 2Lt x 5w+1w | MODULE | 85CRI LED | 3200k | 650Lm |



D 3" H 8"

oah 14 to 130"

Onyx Steel Wrap Pendant

Finish BS Glass OPL Certification CETL Ceiling Dry

Dimensions D 3" H 8" oah 14 to 130" W 4.5"

Included 10ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|------|-------------------|--------|-------|
| 50501-BS/OPL | 1Lt x 60w | E-12 | B-10 Incandescent | | |



W 4" L 4"

oah 15 to 120"

Basik Square Glass Pendant

Finish BS ORB Glass OPL Certification CUL Ceiling Dry

Dimensions H 9" oah 15 to 120" W 4" L 4"

Included Rods 6"16"22", 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|------------|------|-------------------|--------|-------|
| 23638-___/OPL | 1Lt x 100w | E-26 | A-19 Incandescent | | |



A 52116-CH/MIR



B 52117-CH/MIR



C 52118-CH/MIR

Glam Mirror Glass with Crystal

| Finish CH Glass MIR | | Supplied Lamps,10ft Cord | | | | Certification CETL Ceiling Dry |
|---------------------|-----------|--------------------------|----------|--------|----------|--------------------------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| A 52116-CH/MIR | 1Lt x 48w | G9 | G9 Xenon | 2900k | 740Lm | H 4.75" oah 12 to 123" |
| B 52117-CH/MIR | 3Lt x 48w | G9 | G9 Xenon | 2900k | 2220Lm | D 10" H 4.75" oah 12 to 123" |
| C 52118-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 14" H 4.75" oah 12 to 123" |



oah 12 to 127"



Retro Ball Pendant

Finish BRZ BS CH Certification CETL Ceiling Dry

Dimensions D 5" H 6" oah 12 to 127"

Included 10ft of Black Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|-------|------------------------|--------|-------|
| 52102-___ | 1Lt x 50w | GU-10 | PAR-36 ESD 111 Halogen | | |



Tomahawk Steel Pendant

Finish BRZ BS Certification CETL Ceiling Dry

Dimensions D 4.4" H 11" oah 17 to 135"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|------|-------------------|--------|-------|
| 52070-___ | 1Lt x 60w | E-26 | A-19 Incandescent | | |



Astor Crystal Pendant

Finish BS CH Glass FCL Certification CETL Ceiling Dry

Dimensions L 2.75" W 2.75" H 3.25" oah 9 to 120"

Included Lamps, 12ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|---------------|-----------|------|------------|--------|-------|
| 23905-___/FCL | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm |



Glas_e Crystal Pendant

Finish CH Glass FCL Certification CETL Ceiling Dry

Dimensions D 3.6" H 3.2" oah 9 to 120"

Included Lamps, 12ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|----------------|-----------|------|------------|--------|-------|
| 23905SP-CH/FCL | 1Lt x 40w | G9 | G9 Halogen | 2900k | 480Lm |



AMB



BLK



WH



oah 14 to 126"

D 3.25" H 6.5"

23733-BS/WHT

Adele Glass Pendant

Finish BS Glass AMB BLK WHT Certification CETL Ceiling Dry 

Dimensions D 3.25" H 6.5" oah 14 to 126"

Included 10ft Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-----------|-----------|------|-------------------|--------|-------|
| 23733-BS_ | 1Lt x 60w | E-26 | A-19 Incandescent | | |



Canopy D 10" D 3" H 12"

Spartan Pendant

Finish BS Glass CLM Certification CETL Ceiling Dry 

Dimensions D 3" H 12" oah 18 to 84" Canopy D 10"

Included Lamps, 6ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|---------------|--------|-------|
| 50526-BS/CLM | 3Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 960Lm |



Spartan Pendant

Finish BS Glass CLM Certification CETL Ceiling Dry 

Dimensions D 3" H 12" oah 18 to 84" Canopy D 4.5"

Included Lamps, 6ft of Clear Cord

| Model | Wattage | Base | Type | Kelvin | Lumen |
|--------------|-----------|-------|---------------|--------|-------|
| 50525-BS/CLM | 1Lt x 35w | GU-10 | MR-16 Halogen | 2900k | 320Lm |

MIDI PENDANTS





28004 Inari Silk Martini Glass Pendant

Charming cone shaped glass provides a subtle twist on everyday lighting in a variety of finishes for any setting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|-----|--------------|
| 28004 | 1 Incandescent | C Cord | BS | AMB | COB | D 7" H 6.25" |
| | 2 Fluorescent | R Rod | ORB | RED | WHT | |


Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28004 | 1 | C | BS | COB | 28004-1C-BS/COB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28011-1C-BS/RUSKY



28011-1C-BS/ASKY

28011 Merlot glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated by incandescent or fluorescent lighting.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|------------|-------------|
| 28011 | 1 Incandescent | C Cord | BS | ASKY RUSKY | D 3.5" H 8" |
| | 2 Fluorescent | R Rod | ORB | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28011 | 1 | R | BS | ASKY | 28011-1C-BS/ASKY |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"




Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28012-1C-BS/ICA

28012 Inari Silk champagne glass pendant

An array of designs presented in variety of colors and textures, the Inari collection accents and elevates any room for any occasion.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|---|------------|--------|--------|------|------------|
| 28012 | 1 Incandescent | C Cord | BS | AMST | ASKY | D 5" H 9" |
| | 2 Fluorescent  | R Rod | ORB | BLUSKY | BRST | |
| | | | | CRM | ICA | |
| | | | | MYA | OPL | |
| | | | | RED | WHST | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28012 | 1 | C | BS | AMST | 28012-1C-BS/AMST |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL  LISTED



D 5"

H 9"



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



Wicker Finish



28018-1C-BS/WAMB

28018 Inari Silk bordeaux glass pendant

Elongated dome shape offers a refined diffusion of downward light, gently illuminated by incandescent or fluorescent lighting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|------|----------------|
| 28018 | 1 Incandescent | C Cord | BS | AMB | COB | D 5.25" H 7.5" |
| | 2 Fluorescent | R Rod | ORB | OPL | RED | |
| | | | | WAMB | WRED | |
| | | | | WWHT | | |



Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28018 | 1 | C | BS | WAMB | 28018-1C-BS/WAMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28022-1C-BS/LGR

28022 Cone glass pendant

Elegant lime-green light brings a colorful and vibrant accent to any traditional or modern setting.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|-------|---------------|
| 28022 | 1 Incandescent | C Cord | BS | LGR | D 5.5" H 6.5" |
| | 2 Fluorescent | R Rod | ORB | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28022 | 1 | C | BS | LGR | 28022-1C-BS/LGR |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 5.5"

H 6.5"



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28023-1C-BS/PLMFB

28023 Brandy FireBird glass pendant

Eye-catching beauty and elegant design fills an atmosphere with a brilliant hue and embraces ingenuity with its eclectic variety.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|---|------------|--------|----------------------------|------------|
| 28023 | 1 Incandescent | C Cord | BS | AMBFB ASKY | D 6" H 9" |
| | 2 Fluorescent  | R Rod | ORB | LGRFB PLMFB RUSKY WHTFB | |


Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-------------------|
| 28023 | 1 | C | BS | PLMFB | 28023-1C-BS/PLMFB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |


Certification Ceiling Dry CUL 



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



SDS



AMS



28024-1C-BS/BRS



D 4.9"

28024 Cabernet glass pendant

A reminiscence of Marble Stone fusing into each other, gives the Cabernet series a unique Earthy feel for blending into most all discerning interiors.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|---------|--------------|
| 28024 | 1 Incandescent | C Cord | BS | AMS BRS | D 4.9" H 12" |
| | 2 Fluorescent | R Rod | ORB | SDS | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28024 | 1 | C | BS | AMS | 28024-1C-BS/AMS |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



CLRD

CLAM



28033-1C-BS/CLOP

28033 Glass n Glass cylinder pendant

Fresh bold design that enthralls with vivid colors enhanced by a transparent protective outer glass shield.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|-----------|--------------|
| 28033 | 1 Incandescent | C Cord | BS | CLAM CLOP | D 4.5" H 10" |
| | 2 Fluorescent | R Rod | ORB | CLRD | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|------------------|
| 28033 | 1 | C | BS | CLAM | 28033-1C-BS/CLAM |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 4.5"

H 10"



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS


Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



AMB




RED



28030-1C-BS/OPL

28030 Cylinder glass pendant



Cylindrical design creates a spectacular exhibition of descending light. Complimented by a assortment of colors.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|---|------------|--------|---------|------------|
| 28030 | 1 Incandescent | C Cord | BS | AMB OPL | D 4" H 10" |
| | 2 Fluorescent  | R Rod | ORB | RED | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28030 | 1 | C | BS | AMB | 28030-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"




28069-1C-ORB/AMB



28069-1C-BS/OPL

28069 Sherry glass pendant



This graceful design displays a charming dome shaped glass and adds contrast and depth to any room.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|---|------------|--------|-------|-----|-------------|
| 28069 | 1 Incandescent | C Cord | BS | AMB | OPL | D 4.5" H 6" |
| | 2 Fluorescent  | R Rod | ORB | | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28069 | 1 | C | BS | AMB | 28069-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|---|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w  | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



ORB
Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS
Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28070-1C-BS/AMB



28070-1C-BS/WHT

28070 Cognac glass pendant

This unique elongated glass allows for a spectacular display of light. Creating a simply delicate, defined and functional scheme in a modern-day presence.

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|---------|------------------|
| 28070 | 1 Incandescent | C Cord | BS | AMB WHT | D 4.75" H 10.25" |
| | 2 Fluorescent | R Rod | ORB | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28070 | 1 | C | BS | AMB | 28070-1C-BS/AMB |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL 



D 4.75"

H 10.25"



ORB

Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



BS

Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28078-1C-BS/PLC



28078-1C-BS/PLS

28078 Chianti glass pendant

Elongated dome shape offers a refined diffusion of downward light. Gently illuminated in incandescent or fluorescent lighting.

| Model | Lamping | Suspension | Finish | Glass | | Dimensions |
|-------|----------------|------------|--------|-------|-----|-----------------|
| 28078 | 1 Incandescent | C Cord | BS | PLC | PLS | D 4.75" H 7.25" |
| | 2 Fluorescent | R Rod | ORB | | | |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|-----------------|
| 28078 | 1 | C | BS | PLC | 28078-1C-BS/PLC |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-20 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-20 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL LISTED



Canopy for R type Rod Suspension
Dimensions D 5.25" H 1.4"



Canopy for C type Cord Suspension
Dimensions D 5.25" H 1.4"



28088-1C-BS/WHTLN

28085 | 7 | 8 Japanese lantern glass pendant's

Delicate white etched Glass shades reminiscent of age old Japanese paper lanterns, multiple pendant options to suite most applications

| Model | Lamping | Suspension | Finish | Glass | Dimensions |
|-------|----------------|------------|--------|-------|-------------|
| 28085 | 1 Incandescent | C Cord | BS | WHTLN | D 8" H 8" |
| 28087 | 2 Fluorescent | R Rod | ORB | | D 10" H 10" |
| 28088 | | | | | D 12" H 12" |

Example for selecting model choice with lamping, suspension, finish and glass color

| Model | Lamp Type | Suspension | Finish | Glass Finish | Completed SKU |
|-------|-----------|------------|--------|--------------|--------------------|
| 28088 | 1 | C | BS | WHTLN | 28088-1C-ORB/WHTLN |

Suspension System and Lamping Specifications

| | Wattage | Type | Base | Kelvin | Lumen | Included |
|----|------------|--------|-------|--------|--------|---|
| 1C | 1Lt x 100w | A-19 | E-26 | | | 12ft Clear Cord with BS Black Cord with ORB |
| 1R | 1Lt x 100w | A-19 | E-26 | | | Rods 6"16"22", 10ft Cord, Integral Slope Adapter |
| 2C | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | 12ft Clear Cord with BS Black Cord with ORB, Lamps |
| 2R | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm | Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps |

Certification Ceiling Dry CUL



MIDI PENDANT COMPONENT SYSTEM

- A selection of corded and rod suspensions in Incandescent and Fluorescent lamping options.
- Multi light bars and circular canopies.
- Compatible mouth blown glass shades in a variety of finishes.



Julia Fluorescent Rod Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|--------|-------|--------|--------|
| 23086FC-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL



Tali Fluorescent Cord Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|--------|-------|--------|--------|
| 23088FC-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL



Shava Fluorescent Cord Pendant

Finish BS

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord, Lamps, Spider ring and pins

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 23091-___ | 1Lt x 18w | Spiral | GU-24 | 2700k | 1250Lm |

Certification Ceiling Dry CUL



Janine Incandescent Rod Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included Rods 6"16"22", 10ft Cord, Integral Slope Adapter

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|------------|------|------|--------|-------|
| 23087FC-___ | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL  LISTED



Sydney Incandescent Cord Pendant

Finish BS ORB

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord with BS Black Cord with ORB

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|------------|------|------|--------|-------|
| 23089FC-___ | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL  LISTED



Ami Adjustable Incandescent Cord Pendant

Finish BS Adjustable fitter for balancing uneven Shades

Canopy Dimensions: D 5.25" H 1.4"

Included 12ft Clear Cord and Cable

| Model | Wattage | Type | Base | Kelvin | Lumen |
|----------|------------|------|------|--------|-------|
| 23095-BS | 1Lt x 100w | A-19 | E-26 | | |

Certification Ceiling Dry CUL  LISTED

52023 Trinity 3 Light Incandescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-------------|-----------|------|------|--------|-------|
| 52023FC-___ | 3Lt x 60w | A-19 | E-26 | | |

Certification Ceiling Dry CUL  LISTED



52023FC-BS

52026 Qudra 3 Light Fluorescent Bar Pendant

Finish BS

Canopy Dimensions: L 24" W 2" with floating J-Box cover

Included 10ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 52026-___ | 3Lt x 18w | Spiral | GU-24 | 2700k | 3750Lm |

Certification Ceiling Dry CUL  LISTED



52026-BS

52027 Qudra 4 Light Fluorescent Bar Pendant

Finish BS ORB

Canopy Dimensions: L 36" W 2" with floating J-Box cover

Included 12ft Clear Cord with BS Black Cord with ORB, Lamps

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|--------|-------|--------|--------|
| 52027-___ | 4Lt x 18w | Spiral | GU-24 | 2700k | 5000Lm |

Certification Ceiling Dry CUL  LISTED



52027-ORB

2 3 1 0 4 Inari Silk Martini Midi Pendant Glass Shade

| | |
|------------|-----------------|
| Finish | AMB COB RED WHT |
| Dimensions | D 7" H 6.25" |




2 3 1 1 2 Inari Silk Champagne Midi Pendant Glass Shade

| | |
|------------|-------------------------------------|
| Finish | AMST ASKY BRST ICA MYA OPL RED WHST |
| Dimensions | D 5" H 9" |



2 3 1 1 1 Merlot Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | ASKY RUSKY |
| Dimensions | D 3.5" H 8" |




2 3 1 1 8 Inari Silk Pinot Midi Pendant Glass Shade

| | |
|------------|--------------------------------|
| Finish | AMB COB OPL RED WAMB WRED WWHT |
| Dimensions | D 5.25" H 7.5" |



23118 Mat Glass Finishes





23118 Wicker Textured Glass Finishes




2 3 1 2 3 Brandy FireBird Midi Pendant Glass Shade

| | |
|------------|--|
| Finish | AMBFB ASKY LGRFB PLMFB RUSKY REDFB WHTFB |
| Dimensions | D 6" H 9" |



2 3 1 2 4 Cabernet Midi Pendant Glass Shade

| | |
|------------|--------------|
| Finish | AMS BRS SDS |
| Dimensions | D 4.9" H 12" |




Stone Glass Finish



2 3 1 3 0 Cylinder Midi Pendant Glass Shade

| | |
|------------|-------------------|
| Finish | AMB OPL RED RUSKY |
| Dimensions | D 4" H 10" |



9 7 0 G G Cognac Midi Pendant Glass Shade

| | |
|------------|------------------|
| Finish | AMB WHT |
| Dimensions | D 4.75" H 10.25" |



2 3 1 3 3 Glass in Glass Midi Cylinder Pendant Shade

| | |
|------------|---------------------|
| Finish | CLAM CLCB CLOP CLRD |
| Dimensions | D 4.5" H 10" |



2 3 1 2 2 Inari Silk Flute Midi Pendant Glass Shade

| | |
|------------|---------------|
| Finish | LGR |
| Dimensions | D 5.5" H 6.5" |



9 6 9 S T Sherry Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | AMB OPL |
| Dimensions | D 4.5" H 6" |



9 7 8 S T Chianti Midi Pendant Glass Shade

| | |
|------------|-------------|
| Finish | PLS PLC |
| Dimensions | D 4.7" H 7" |



MINI PENDANTS





23218UJ Cavo Italian Wire Glass Pendant

Finish BRZ BS Glass BLC CRY MTL ORO

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|---------------------|-----------|---------|-----------|--------|----------|-------------------------------|---|
| A 23218UJ-0 ___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | D 4.75" H 8.5" oah 14 to 120" | Lamp, 10ft Co-Axial Cable |
| B 23218UJ-___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | D 4.75" H 8.5" oah 14 to 120" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |

CETL Ceiling Dry



52072UJ-0-BS/CCL 52072UJ-BS/CCL

52072UJ Matrix Laser Etched Inner Glass with Clear Outer Glass Shade Pendant

Finish BS Glass CCL

CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|--------------------|-----------|------|-------|--------|----------|------------------------------|---|
| A 52072UJ-0-BS/CCL | 1Lt x 20w | G-4 | MR-11 | 2900k | 240Lm | D 3.3" H 9.8" oah 15 to 125" | Lamp, 10ft Co-Axial Cable |
| B 52072UJ-BS/CCL | 1Lt x 20w | G-4 | MR-11 | 2900k | 240Lm | D 3.3" H 9.8" oah 15 to 125" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |



52075UJ Raindrop Orb Glass Pendant

Finish BS Glass CCL


| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | CETL Ceiling Dry  Supplied |
|--------------------|-----------|------|-----------|--------|----------|------------------------------|---|
| A 52075UJ-0-BS/CCL | 1Lt x 20w | G-4 | JC Bi-Pin | 2900k | 300Lm | D 3.5" H 3.5" oah 10 to 120" | Lamp, 10ft Co-Axial Cable |
| B 52075UJ-1-BS/CCL | 1Lt x 20w | G-4 | JC Bi-Pin | 2900k | 300Lm | D 3.5" H 3.5" oah 10 to 120" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |



52001-RGLD

52001-BRZ

52001-BS



52001UJ-0-BS

52001-BS

52001UJ Odyssey Steel Bullet Pendant

Finish BRZ BS RGLD

CETL Ceiling Dry 

| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
|-----------------|------------|--------|-------|--------|----------|-----------------------------|---|
| 52001UJ-0-__ | 1Lt x 35w | GU-5.3 | MR-16 | 2900k | 360Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable |
| 52001UJLED-0-__ | 1Lt x 5.5w | GU-5.3 | MR-16 | 3000k | 346Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable |
| 52001-__ | 1Lt x 35w | GU-5.3 | MR-16 | 2900k | 360Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable, 87106UJ Canopy |
| 52001LED-__ | 1Lt x 5.5w | GU-5.3 | MR-16 | 3000k | 346Lm | D 2" H 9.25" oah 15 to 120" | Lamp, 10ft Co-Axial Cable, 87106UJ Canopy |



52052UJ-BS




52052UJ-BRZ



52052UJ-0-BRZ

52052UJ-BRZ

52052UJ Apollo Steel Cone Pendant

| Finish BRZ BS | | | | | | | CETL Ceiling Dry  |
|---------------|-----------|--------|-------|--------|----------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 52052UJ-0-___ | 1Lt x 50w | GU-5.3 | MR-16 | 2900k | 514Lm | D 3" H 18" oah 24 to 120" | Lamp, 10ft Co-Axial Cable |
| 52052UJ-___ | 1Lt x 50w | GU-5.3 | MR-16 | 2900k | 514Lm | D 3" H 18" oah 24 to 120" | Lamp, 10ft Co-Axial Cable, 87107UJ Canopy |




96918-BS/OPL

96918-0-BS/OPL

96918-BS/OPL

97918-BS/OPL

Herme's Square Cube Glass Pendant

| Finish BRZ BS Glass AMB OPL | | | | | | | CETL Ceiling Dry  |
|-----------------------------|-----------|---------|-------------|--------|----------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 96918-0- / / | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Co-Axial Cable |
| B 96918- / / | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Co-Axial Cable, 87105UJ Canopy |
| C 97918- / / | 1Lt x 40w | G-9 | G-9 Halogen | 2900k | 480Lm | W 3" L 3" H 3.5" oah 9 to 124" | Lamp, 10ft Clear Cord, Canopy |



94019 Mania Cone Glass Pendant

| Finish BRZ BS Glass COB FST RED | | Dimensions D 4" H 5" oah 11 to 125" | | | | CETL Ceiling Dry |
|---------------------------------|-----------|-------------------------------------|------------|--------|----------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Supplied |
| A 94019UJ-0-___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ |
| B 94019UJ-___/___ | 1Lt x 35w | GY-6.35 | JC Bi-Pin | 2900k | 600Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy |
| C 94019LED-___/___ | 1Lt x 5w | Module | LED 85 CRI | 3000k | 462Lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, Driver, Canopy |



94932UJ-BS/WHTLN



94932 Anari Cylinder Glass Pendant

| Finish | BRZ | BS | Glass | AMB | BLKLN | BLULN | COB | OPL | PLM | REDLN | WHTLN | Dimensions | D 3" H 10" oah | 16 to 130" | CETL Ceiling Dry | ETL | |
|--------|-------------------|-----------|-------|---------|-----------|----------|----------|--|-----|-------|-------|------------|----------------|------------|------------------|-----|--|
| Model | Wattage | | Base | Type | Kelvin | NomLumen | Supplied | | | | | | | | | | |
| A | 94932UJ-0-___/___ | 1Lt x 35w | | GY-6.35 | JC Bi-Pin | 2900k | 600lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ | | | | | | | | | |
| B | 94932UJ-___/___ | 1Lt x 35w | | GY-6.35 | JC Bi-Pin | 2900k | 600lm | Lamp, 10ft Clear Cord with BS, Black Cord with BRZ, 87105UJ Canopy | | | | | | | | | |



MINI PENDANT COMPONENT SYSTEM

- A selection of Line and Low Voltage pendant assemblies.
- Multiple lamping options LED, Line Voltage Halogen and Low voltage Halogen.
- All Low Voltage Halogen incorporate the Uni-Jack fitter for use in all UJ canopies.
- Compatible Mini pendant glass shades.



Zeta 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Base | Type | Kelvin | Lumen |
|----------|-----------|---------|------|--------|-------|
| 903UJ-__ | 1Lt x 35w | GY 6.35 | JC | 2900k | 600Lm |

Certification Ceiling Dry CETL



Tungsten LED Pendant

Projected downlight and 3/4 glass illumination

Finish BRZ BS

Canopy Dimensions: D 4.5" H 2"

Included 12ft Clear Cord with BS Black Cord with ORB, Lamp

| Model | Wattage | Base | Type | Kelvin | Lumen |
|-------------|----------|--------|------|--------|-------|
| 70012LED-__ | 1Lt x 5w | Module | LED | 3000k | 462Lm |

Certification Ceiling Dry CETL



903UJ-BRZ



70012LED-BS



Omega 12v Halogen Pendant

Multiple Canopy options available Pg 271, 272

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|------|---------|--------|-------|
| 908UJ-___ | 1Lt x 35w | JC | GY 6.35 | 2900k | 600Lm |

Certification Ceiling Dry CETL



Omega LV 120v Halogen Pendant

Line Voltage does no transformer required

Finish BRZ BS

Canopy Dimensions: D 4.5" H 1"

Included 10ft Clear Coated Cord, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|------------|-----------|------|------|--------|-------|
| 9032LV-___ | 1Lt x 40w | JCD | G-9 | 2900k | 480Lm |

Certification Ceiling Dry CETL



Xi 12v Halogen Pendant

Low profile fitter to highlight glass shade

Finish BRZ BS

Canopy Dimensions: Multiple Canopy options available

Included 10ft Clear Coated Co-Axial with BS Black with BRZ, Lamp

| Model | Wattage | Type | Base | Kelvin | Lumen |
|-----------|-----------|------|---------|--------|-------|
| 909UJ-___ | 1Lt x 35w | JC | GY 6.35 | 2900k | 600Lm |

Certification Ceiling Dry CETL

87105FCUJ Flat Low Profile Uni-Jack System Mono-Pod

Class-2 transformer included for mounting within the J-Box

Finish Available: BRZ BS

Dimensions: D 4.3" H 0.4"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS

87106UJ Dome Shaped Surface Canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 4.5" H 3"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS

87107UJ Sphere shaped surface canopy Uni-Jack System Mono-Pod

Class-2 transformer mounted inside canopy

Finish Available: BRZ BS

Dimensions: D 5" H 1.75"

Minimum Wattage: 50w Low voltage Halogen Lamps only

Dimmable: Yes

Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



BRZ



BS




87121UJ Five Port Round
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: D 18" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL

87120UJ Three Port Round
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: D 12" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL




87203UJ Uni-Jack Plug
 Compatible with all Uni-Jack canopies and pendant assemblies
 Finish Available: BRZ BS
 Plug Dimensions: D 0.6" H .9"
 Maximum Wattage: 50w



87122UJ Three Port Bar
 Transformer incorporated within the canopy
 Finish Available: BRZ BS
 Dimensions: L 36" W 1.5"
 Minimum Wattage: 50w Low voltage Halogen Lamps only
 Dimmable: Yes
 Compatible Pendants see Pg 265 -266

Certification Ceiling Dry CETL



8 9 1 1 9 Mania Conical Mini Pendant Glass Shade

| | |
|------------|-------------|
| Finish | COB FST RED |
| Dimensions | D 4" H 5" |
| Fitter | 22mm |

Compatible with the following mini pendants Pg 265 -266

| | | |
|----------|-------|--------|
| 70012LED | 903RT | 908RT |
| 909UJ | 906RT | 9032LV |



9 1 8 S T Hermes Square Mini Pendant Glass Shade

| | |
|------------|------------------|
| Finish | OPL AMB |
| Dimensions | W 3" x 3" H 3.5" |
| Fitter | 22mm |

Compatible with the following mini pendants Pg 265 -266

| | | |
|-------|-------|--------|
| | 903RT | 908RT |
| 909UJ | 906RT | 9032LV |



PENDANTS - MINI

9 3 7 I T Cavo Italian Wire Mini Pendant Glass Shade

| | |
|--|----------------------------------|
| Finish | CRY BLC ORO MTL |
| Dimensions | D 4.75" H 8.5" |
| Fitter | Requires three prong spider ring |
| Compatible with the following mini pendant | |

909UJ



CRY



BLC



ORO



MTL



9 3 2 V Inari Cylinder Pendant Glass Shade

| | |
|---|---|
| Finish | AMB COB OPL WHTLN BLULN REDLN BKLN PLM |
| Dimensions | D 3" H 10" |
| Fitter | Requires three prong spider ring |
| Compatible with the following mini pendants Pg 265 -266 | |

70012LED

903RT

908RT

909UJ

906RT

9032LV




AMB



BKLN



BLULN



COB



OPL



PLM



REDLN



WHTLN



9 4 6 W J Studio C Mini Pendant Glass

| | | |
|---|--------------|-------|
| Finish | COB JADE SMK | |
| Dimensions | D 4" H 4.5" | |
| Fitter | 22mm | |
| Compatible with the following mini pendants Pg 265 -266 | | |
| 903RT | 908RT | 909UJ |
| 906RT | 9032LV | |

JADE



SMK




COB



9 7 9 W J Sphere Etched Glass Shade

| | | |
|---|-------------------------|-------|
| Finish | BLKLN BLULN REDLN WHTLN | |
| Dimensions | D 5" H 3.5" | |
| Fitter | 22mm | |
| Compatible with the following mini pendants Pg 265 -266 | | |
| 903RT | 908RT | 909UJ |
| 906RT | 9032LV | |

REDLN



WHTLN



BLULN



BLKLN




SEMI-FLUSH





Prizm Semi Flush

| Finish CH Glass CCL | | | | | Certification CETL Ceiling Damp  | | |
|---------------------|-----------|------|--------|--------|---|-------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23924-CH/CCL | 3Lt x 60w | G9 | G9 Hgn | 2900k | 2400Lm | D 20" H 11" | Lamps |



H 17.5"

D 17"

Aztec Semi Flush Bowl

| Finish BS Glass WHT | | | | | Certification CUL Ceiling Damp | | |
|---------------------|-----------|-------|---------------|--------|--------------------------------|---------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20460GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | D 17" H 17.5" | |
| C20460BSWHTEN1140C | 1Lt x 40w | G10q | 2CT6 Circline | 2700k | 2800Lm | D 17" H 17.5" | |



23071-BRZ/WHT



H 17"

D 17"

23071-BS/WHT

Noya Cable Semi-Flush

| Finish BRZ BS Glass WHT | | | | | Certification CUL Ceiling Dry | | |
|-------------------------|-----------|-------|-----------|--------|-------------------------------|-------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 23071-___/WHT | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | D 17" H 17" | |
| C23071xxxWHTEN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | D 17" H 17" | Lamps |



H 8"

D 12"

Helius Semi-Flush

| Finish BS Glass CFR | | | | | Certification CETL Ceiling Dry | | |
|---------------------|------------|------|----------|--------|--------------------------------|------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 50481-BS/CFR | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | D 12" H 8" | Lamps |



FLUSH-MOUNTS



A 63960-MC/FST



B 63961-ORB/FST



A L 32"



B L 42"



Nido Wall Vanity and Ceiling Fixtures, Heavy Molded Frosted Glass supported with Spring Steel Clips

| Finish MC ORB Glass FST | | CETL Ceiling Dry | | | | | |
|-------------------------|------------|------------------|--------------|--------|----------|------------------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| A 63960-___/FST | 3Lt x 100w | R7s | J-78 Halogen | 2900k | 4950Lm | H 5" W 5" L 32" Ext 5" | Lamps |
| B 63961-___/FST | 4Lt x 100w | R7s | J-78 Halogen | 2900k | 6600Lm | H 5" W 5" L 42" Ext 5" | Lamps |





20680-CH/OPL



20681-CH/OPL



Pg 35

20686-CH/OPL



Pg 37

20688-CH/OPL

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 10.25" H 3" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Included |
| 20680-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20680CHOPLN1126B | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |
| 20680LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 12.5" H 3.75" | | | | |
|---------------------------|-----------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20681-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20681CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20681LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Nimbus Abstract Glass Flush-Mount

| Finish CH Glass OPL | | Dimensions L 17.7" W 16.5" H 4.5" | | | | |
|---------------------------|-----------|-----------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20686-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20686CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20686LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp

Pebble Abstract Glass Flush-Mount

| Finish CH Glass OPL | | Dimensions D 19.5" H 3.5" | | | | |
|---------------------------|-----------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20688-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20688CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20688LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



20682-CH/OPL



20683-CH/OPL



20780LEDD-WH/ACR



20781LEDD-WH/ACR

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 16" H 4" | | | | |
|---------------------------|-----------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20682-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20682CHOPLN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20682LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp

Splash Flush-Mount

| Finish CH Glass OPL | | Dimensions D 17.5" H 5" | | | | |
|---------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20683-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20683CHOPLN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 20683LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp

Catch - LED Round Flush-Mount (small)

| Finish WH Glass ACR | | Dimensions D 11" H 4.25" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20780LEDD-WH/ACR Dimmable | 1Lt x 15w | Module | 80CRI LED | 3000k | 1100Lm | Lamps |

Certification CETL Ceiling Damp

Catch - LED Round Flush-Mount (large)

| Finish WH Glass ACR | | Dimensions D 16" H 4.25" | | | | |
|---------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20781LEDD-WH/ACR Dimmable | 1Lt x 22w | Module | 80CRI LED | 3000k | 1800Lm | Lamps |

Certification CETL Ceiling Damp

FLUSH-MOUNT



20770LEDD-SILV/ACR



20771LEDD-WH/CR



20775LEDD-BRZ/OPL



20776LEDD-BS/OPL

Strike - LED Round Flush-Mount (small)

| Finish SILV WH Diffuser ACR | | Dimensions D 7" H 1.5" | | | | |
|-----------------------------|-----------|------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20770LEDD-___/ACR Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 1064Lm | Lamps |

Certification CETL Ceiling Damp


Strike - LED Round Flush-Mount (large)

| Finish SILV WH Diffuser ACR | | Dimensions D 9.5" H 1.5" | | | | |
|-----------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20771LEDD-___/ACR Dimmable | 1Lt x 16w | Module | 85CRI LED | 3000k | 1290Lm | Lamps |

Certification CETL Ceiling Damp


Solid - LED Round Solid Glass Flush-Mount (small)

| Finish BRZ BS Glass OPL | | Dimensions D 9" H 3" | | | | |
|----------------------------|-----------|----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20775LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp 

Solid - LED Round Solid Glass Flush-Mount (large)

| Finish BRZ BS Glass OPL | | Dimensions D 11" H 3.5" | | | | |
|----------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20776LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp 



20772LEDD-SILV/ACR



20773LEDD-WH/ACR



20782LEDD-WH/ACR



20783LEDD-WH/ACR

Strike - LED Square Flush-Mount (small)

| Finish SILV WH Diffuser ACR | | Dimensions L 7" W 7" H 1.5" | | | | |
|-----------------------------|-----------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20772LEDD-___ACR Dimmable | 1Lt x 12w | Module | 85CRI LED | 3000k | 1064Lm | Lamps |

Certification CETL Ceiling Damp



Strike - LED Square Flush-Mount (large)

| Finish SILV WH Diffuser ACR | | Dimensions L 9.5" W 9.5" H 1.5" | | | | |
|-----------------------------|-----------|---------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20773LEDD-___/ACR Dimmable | 1Lt x 16w | Module | 85CRI LED | 3000k | 1290Lm | Lamps |

Certification CETL Ceiling Damp



Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (small)

| Finish WH Diffuser ACR | | Dimensions D 5.5" H 1" | | | | |
|---------------------------|----------|------------------------|-----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20782LEDD-WH/ACR Dimmable | 1Lt x 7w | Module | 80CRI LED | 3000k | 460Lm | Lamps |

Certification CETL Ceiling Damp  

Mini - LED Can Retrofit or Direct to J-Box Flush-Mount (large)

| Finish WH Diffuser ACR | | Dimensions D 7.25" H 1" | | | | |
|---------------------------|-------------|-------------------------|-----------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20783LEDD-WH/ACR Dimmable | 1Lt x 11.5w | Module | 80CRI LED | 3000k | 740Lm | Lamps |

Certification CETL Ceiling Damp  

FLUSH-MOUNT



20779LEDD-WH/ACR

20779LEDD-SAT/ACR

20779LEDD-BRZ/ACR

Link LED Round Flush-Mount

| Finish BRZ SAT WH Diffuser ACR | | Dimensions D 7.5" H 2.4" | | | | |
|---------------------------------|-----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20779LEDD-___/ACR Dimmable | 1Lt x 12w | Module | 80CRI LED | 3200k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



20742LEDD-BS

20742LEDD-WH

Ares LED Flush or Wall Mount

| Finish BS WH | | Dimensions D 5.25" H 3" | | | | |
|---------------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20742LEDD-___ Dimmable | 1Lt x 13w | GX-53 | 80CRI LED | 3000k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



20747GU-WH/FST



20747GU-SAT/FST

TomTom Flush-Mount

| Finish SAT WH Glass FST | | Dimensions D 16.5" H 3.5" | | | | |
|---------------------------------|-----------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20747GU-___/FST | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20747xxxFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | |
| 20747LEDD-___/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 13.25" H 3" | | | | |
|---------------------------------|----------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70080LEDD-BSL/ACR Dimmable | 9Lt x 3w | Module | 85CRI LED | 3000k | 1440Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 18" H 4.5" | | | | |
|---------------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70081LEDD-BSL/ACR Dimmable | 12Lt x 3w | Module | 85CRI LED | 3000k | 1920Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Meteor LED Flush-Mount with Prismatic Lens

| Finish BSL Diffuser ACR | | Dimensions D 23" H 4.5" | | | | |
|---------------------------------|-----------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 70082LEDD-BSL/ACR Dimmable | 16Lt x 3w | Module | 85CRI LED | 3000k | 2560Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |

FLUSH-MOUNT



50079-BRZ/OPL

Conga Flush-Mount

| Finish | Dimensions D 12" H 4.5" | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50079-___/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C50079xxxOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50079LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50080-BS/OPL

Conga Flush-Mount

| Finish | Dimensions D 16" H 4.5" | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50080-___/OPL | 2Lt x 75w | E-26 | A-19 | 2700k | 2200Lm | |
| C50080xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50080LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50081-BRZ/OPL

Conga Flush-Mount

| Finish | Dimensions D 19" H 5.25" | | | | | |
|---------------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50081-___/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C50081xxxOPLN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps |
| 50081LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



70072LEDD-WH/GLD



70072LEDD-WH/SILV



Pulsar Gold or Silver Leaf Reflective LED Flush-Mount or Wall Mount

| Finish | Supplied Lamps | | | | CETL Wall/Ceiling Dry | |
|---------------------------|----------------|--------|-----------|--------|-----------------------|-----------------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions |
| 70072LEDD-WH/___ Dimmable | 1Lt x 7w | Module | 85CRI LED | 3000k | 810Lm | D 11.75" Ext 7" |



Glam Flush-Mount

| Finish | Certification CETL Ceiling Dry | | | | | | |
|--------------|--------------------------------|------|----------|--------|----------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 52119-CH/MIR | 5Lt x 48w | G9 | G9 Xenon | 2900k | 3700Lm | D 22.8" H 5.5" | Lamps |



63978LEDD-CH/ACR

Pg 21

Optix LED Flush-Mount

| | | | | | | | |
|---------------------------|----------------|--------|-----------|--------|---------------------------------|-----------------------|--|
| Finish CH Diffuser ACR | Supplied Lamps | | | | Certification CETL Ceiling Damp | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63978LEDD-CH/ACR Dimmable | 3Lt x 4w | Module | 90CRI LED | 3000k | 1200Lm | D 14" H 5.5" oah 5.5" | |



50900-WH/CH

Pg 10

Layers Flush-Mount Small

| | | | | | | |
|---------------------------------|----------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 14.25" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50900-_/__ | 4Lt x 26w | GU-24 | LED or PL | | | |
| 50900LEDD-_/__ Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



50901-WH/CH

Pg 9

Layers Flush-Mount Medium

| | | | | | | |
|---------------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 18" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50901-_/__ | 4Lt x 26w | GU-24 | LED or PL | | | |
| 50901LEDD-_/__ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



63979LEDD-CH/ACR

Pg 21

Optix LED Flush-Mount

| | | | | | | | |
|---------------------------|----------------|--------|-----------|--------|---------------------------------|-------------------------|--|
| Finish CH Diffuser ACR | Supplied Lamps | | | | Certification CETL Ceiling Damp | | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | |
| 63979LEDD-CH/ACR Dimmable | 5Lt x 4w | Module | 90CRI LED | 3000k | 2000Lm | D 15.8" H 5.5" oah 5.5" | |



50902-WH/CH

Pg 8

Layers Flush-Mount Large

| | | | | | | |
|---------------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Finish WH/CH WH/GLD WH/WH | Dimensions D 21.5" H 6.3" | | | | | |
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50902-_/__ | 6Lt x 26w | GU-24 | LED or PL | | | |
| 50902LEDD-_/__ Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |

FLUSH-MOUNT



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 14" H 4" | | | | |
|------------------|--------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20456GU-BS/WHT | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| 20456LEDD-BS/WHT | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 17" H 4.5" | | | | |
|------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20457GU-BS/WHT | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| 20457LEDD-BS/WHT | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20624-WH/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 11" H 3.6" | | | | |
|--------------------|-----------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20624-_/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| 20624GU-_/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20624_OPLEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20624LEDD-_/OPL | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20625-BS/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 13" H 4" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20625-_/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| 20625GU-_/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20625_OPLEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20625LEDD-_/OPL | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Aztec Flush-Mount

| Finish | BS Glass WHT | Dimensions D 21.5" H 5" | | | | |
|------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20458GU-BS/WHT | 4Lt x 13w | GU-24 | Spiral PL | 2700k | 3600Lm | |
| 20458LEDD-BS/WHT | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp



Saloris Acrylic Flush-Mount

| Finish | BS Diffuser ACR | Dimensions D 17" H 4" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20740-BS/ACR | 1Lt x 22w+32w | G10q | T-9 PL | 3000k | 3900Lm | Lamps |
| C20740BSACREN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20740LEDD-BS/ACR | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Saloris Acrylic Flush-Mount

| Finish | BS Diffuser ACR | Dimensions D 23.25" H 5.25" | | | | |
|--------------------|-----------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20741-BS/ACR | 1Lt x 32w+40w | G10q | T-9 PL | 3000k | 4600Lm | Lamps |
| C20741BSACREN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 20741LEDD-BS/ACR | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



20626-BS/OPL

Cobalt Flush-Mount

| Finish | BS WH Glass OPL | Dimensions D 15" H 5" | | | | |
|--------------------|-----------------|-----------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20626-_/OPL | 2Lt x 75w | E-26 | A-19 | 2700k | 2200Lm | |
| 20626GU-_/OPL | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20626_OPLEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20626LEDD-_/OPL | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp

FLUSH-MOUNT



20650-BS/OPL

Strata Flush-Mount

| Finish | Dimensions D 10" H 3.5" | | | | | |
|----------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20650-___/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | |
| C20650___OPLN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |
| 20650LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20651-ORB/OPL

Strata Flush-Mount

| Finish | Dimensions D 14" H 4" | | | | | |
|----------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20651-___/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20651___OPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20651LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20724-BS/OPL

Atom Flush-Mount

| Finish | Dimensions D 10.5" H 3.5" | | | | | |
|----------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20724-___/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C20724xxxOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20724LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20725-ORB/OPL

Atom Flush-Mount

| Finish | Dimensions D 12.5" H 3.5" | | | | | |
|----------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20725-___/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20725xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20725LEDD-___/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



20652-BS/OPL

Strata Flush-Mount

| Finish | Dimensions D 16" H 5" | | | | | |
|----------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20652-___/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20652___OPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20652LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Zenon Flush-Mount

| Finish | Dimensions D 12" H 3.5" | | | | | |
|---------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20661-BS/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| 20661GU-BS/OPL | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | |
| C20661BSOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20661LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CUL Ceiling Damp



Zenon Flush-Mount

| Finish | Dimensions D 16" H 3.75" | | | | | |
|---------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20662-BS/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| 20662GU-BS/OPL | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | |
| C20662BSOPLN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 20662LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp



20726-BS/OPL

Atom Flush-Mount

| Finish | Dimensions D 14" H 4" | | | | | |
|----------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20726-___/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20726xxxOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20726LEDD-___/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CUL Ceiling Damp

FLUSH-MOUNT



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 10.25" H 3.1" | | | | |
|---------------------------|--------------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50186-WH/OPL | 1Lt x 60w | E-26 | A-19 | 2700k | 800Lm | |
| C50186WHOPLEN1118B | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |
| 50186LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 12.5" H 3.5" | | | | |
|---------------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50187-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C50187WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50187LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 62



Tara Flush-Mount

| Finish | BS Glass OPL | Dimensions D 14" H 4.75" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50120-BS/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50120BSOPLN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50120LEDD-BS/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 62



Tara Flush-Mount

| Finish | BS Glass OPL | Dimensions D 18" H 4.75" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50121-BS/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C50121BSOPLN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps |
| 50121LEDD-BS/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 15.75" H 3.75" | | | | |
|---------------------------|--------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50188-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50188WHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50188LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 66



Altum Flush-Mount

| Finish | WH Glass OPL | Dimensions D 19.5" H 3.9" | | | | |
|---------------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50189-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50189WHOPLEN1313B | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |
| 50189LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



FLUSH-MOUNT



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 10" H 4" | | | | | |
|---------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20670-CH/OPL | 1Lt x 75w | E-26 | A-19 | 2700k | 1100Lm | |
| C20670CHOPLEN126B | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |
| 20670LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 12.5" H 4" | | | | | |
|---------------------------|-------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20671-CH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20671CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20671LEDD-CH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 15.7" H 4.75" | | | | | |
|---------------------------|----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20672-CH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20672CHOPLEN1218B | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 20672LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Flush-Mount

| Finish | Dimensions D 19.5" H 4.4" | | | | | |
|---------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20676-CH/OPL | 3Lt x 75w | E-26 | A-19 | 2700k | 3300Lm | |
| C20676CHOPLEN1318B | 3Lt x 18w | GU-24 | Spiral PL | 2700k | 3750Lm | Lamps |
| 20676LEDD-CH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Pg 19



Aero Chromium Ring Flush-Mount

| Finish | CH Glass OPL | | | | Certification CETL Ceiling Damp | | |
|--------------------|--------------|--------|--------------------|--------|---------------------------------|----------------|----------|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Dimensions | Supplied |
| 20677-CH/OPL | 4Lt x 75w | E-26 | E-26 | 2700k | 4400Lm | D 21.5" H 4.4" | |
| C20677CHOPLEN1418B | 4Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 5000Lm | D 21.5" H 4.4" | Lamps |
| 20677LEDD Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | D 21.5" H 4.4" | Lamps |



Vision Flush-Mount

| Finish | Dimensions L 6" W 6" H 3.25" | | | | | |
|--|------------------------------|------|--------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50029-BS/FST | 1Lt x 60w | G9 | G9 Hgn | 2900k | 800Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 9.5" W 9.5" H 3.25" | | | | | |
|--|----------------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50030-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50030BSFSTEH3213Q | 2Lt x 13w | G24q-1 | Quad PL | 2700k | 1800Lm | Lamps |
| 50030LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 11.8" W 6.75" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50033-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50033BSFSTEH3118Q | 1Lt x 18w | G24q-2 | Quad PL | 2700k | 1250Lm | Lamps |
| 50033LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 15.5" W 10" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50034-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50034BSFSTEH3218Q | 2Lt x 18w | G24q-2 | Quad PL | 2700k | 2500Lm | Lamps |
| 50034LED-BS/FST | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |




Vision Flush-Mount

| Finish | Dimensions L 11.8" W 11.8" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50031-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50031BSFSTEH3218Q | 2Lt x 18w | G24q-2 | Quad PL | 2700k | 2500Lm | Lamps |
| 50031LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 15.75" W 15.75" H 3.25" Ext 3.25" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50032-BS/FST | 2Lt x 150w | R7s | J-118 Hgn | 2900k | 5200Lm | Lamps |
| C50032BSFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | Lamps |
| 50032LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Vision Flush-Mount

| Finish | Dimensions L 18" W 18" H 5.1" Ext 5.1" | | | | | |
|--|--|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50035-BS/FST | 2Lt x 150w | R7s | J-118 Hgn | 2900k | 5200Lm | Lamps |
| C50035BSFSTEH3226Q | 2Lt x 26w | G24q-3 | Quad PL | 2700k | 3420Lm | Lamps |
| 50035LEDD-BS/FST Dimmable | 1Lt x 36w | Module | 85CRI LED | 3000k | 4000Lm | Lamps |
| Certification CETL Ceiling Damp | | | | | | |



Top View

Ark Fluorescent with Rear Glass Diffusers for Backlight Projection

Finish BS Glass FST Dimensions L 38.25" W 8" H 4.5" Canopy L 9.9" W 4.5" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31026-BS/FST | 2Lt x 39w | T-5 HO | Bi-Pin | 3000k | 6200Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 26.5" W 5.2" H 4" Canopy L 22.9" W 4.4" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31027-BS/FST | 1Lt x 24w | T-5 HO | Bi-Pin | 3000k | 1750Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 38.25" W 5.25" H 4" Canopy L 34.6" W 4.25" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31029-BS/FST | 1Lt x 39w | T-5 HO | Bi-Pin | 3000k | 3100Lm | Lamps |

Certification CETL Ceiling Wall Damp




Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 26.5" W 9.5" H 4" Canopy L 22.9" W 4.4" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31028-BS/FST | 2Lt x 24w | T-5 HO | Bi-Pin | 3000k | 3500Lm | Lamps |

Certification CETL Ceiling Wall Damp



Vision Fluorescent Ceiling or Wall Fixture

Finish BS Glass FST Dimensions L 38.25" W 9.9" H 4" Canopy L 34.6" W 6.75" H 1.4"

| Model | Wattage | Type | Base | Kelvin | Lumen | Included |
|--------------|-----------|--------|--------|--------|--------|----------|
| 31030-BS/FST | 2Lt x 39w | T-5 HO | Bi-Pin | 3000k | 6200Lm | Lamps |

Certification CETL Ceiling Wall Damp



VisionRound Flush-Mount

| Finish | Dimensions D 10" H 3.25" | | | | | |
|---------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50036-BS/FST | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | Lamps |
| 50036LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



VisionRound Flush-Mount

| Finish | Dimensions D 11.75" H 3.25" | | | | | |
|---------------------------|-----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50037-BS/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| 50037LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Saturn Flush-Mount with Concentric Metal Rings

| Finish | Dimensions D 9.5" H 4.5" | | | | | |
|---------------------------|--------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50091-BS/FST | 1Lt x 75w | G9 | G9 Hgn | 2900k | 1050Lm | Lamps |
| C50091BSFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |
| 50091LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Saturn Flush-Mount with Concentric Metal Rings

| Finish | Dimensions D 14.5" H 5.5" | | | | | |
|---------------------------|---------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50092-BS/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50092BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50092LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



VisionRound Flush-Mount

| Finish | Dimensions D 15.75" H 3.25" | | | | | |
|---------------------------|-----------------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50038-BS/FST | 2Lt x 150w | R7s | J-78 Hgn | 2900k | 5200Lm | Lamps |
| 50038LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Iron Flush-Mount

| Finish | Dimensions D 12" H 4" | | | | | |
|---------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50130-BS/FST | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C50130BSFSTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |
| 50130LEDD-BS/FST Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



VisionRound Flush-Mount

| Finish | Dimensions D 16" H 4" | | | | | |
|---------------------------|-----------------------|--------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50131-BS/FST | 2Lt x 75w | E-26 | A-19 | | 5200Lm | |
| C50131BSFSTEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps |
| 50131LEDD-BS/FST Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



23764-BSL



SoHo Reflective Illumination Flush-Mount

| Finish | Dimensions D 18.75" H 10.5" | | | | | |
|-----------|-----------------------------|------|------|--------|-------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 23764-___ | 3Lt x 60w | E-26 | A-19 | | | |

Certification CETL Ceiling Damp

FLUSH-MOUNT



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 10.75" H 3.75" | | | | |
|---------------------------|--------------|-----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50160-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C50160WHOPLEN1118BQ | 1Lt x 18w | GU-24 | Quad PL | 2700k | 1250Lm | Lamps |
| 50160LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 13.25" H 4" | | | | |
|---------------------------|--------------|--------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50161-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50161WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad PL | 2700k | 2500Lm | Lamps |
| 50161LEDD-WH/OPL Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Damp



Luna Flush-Mount

| Finish | BS Glass WHT | Dimensions D 13.5" H 3" | | | | |
|---------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50069-BS/WHT | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50069BSWHTEN1213BQ | 2Lt x 13w | GU-24 | Quad PL | 2700k | 1800Lm | Lamps |

Certification CETL Ceiling Damp



Luna Flush-Mount

| Finish | BS Glass WHT | Dimensions D 17.25" H 4.3" | | | | |
|---------------------|--------------|----------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50070-BS/WHT | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50070BSWHTEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps |

Certification CETL Ceiling Damp



Orion Flush-Mount

| Finish | WH Glass OPL | Dimensions D 19" H 4.5" | | | | |
|---------------------------|--------------|-------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50162-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C50162WHOPLEN1218BQ | 2Lt x 18w | GU-24 | Quad PL | 2700k | 2500Lm | Lamps |
| 50162LEDD-WH/OPL Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 8" W 8" H 5" | | | | |
|---------------------|--------------|---------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20656-WH/OPL | 1Lt x 100w | E-26 | A-19 | 2700k | 1600Lm | |
| C20656WHOPLEN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |

Certification CUL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 11" W 11" H 5.75" | | | | |
|---------------------|--------------|--------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20657-WH/OPL | 2Lt x 60w | E-26 | A-19 | 2700k | 1600Lm | |
| C20657WHOPLEN1118BS | 1Lt x 18w | GU-24 | Spiral PL | 2700k | 1250Lm | Lamps |

Certification CUL Ceiling Damp



Vega Flush-Mount

| Finish | WH Glass OPL | Dimensions L 14" W 14" H 6.5" | | | | |
|---------------------|--------------|-------------------------------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 20658-WH/OPL | 3Lt x 60w | E-26 | A-19 | 2700k | 2400Lm | |
| C20658WHOPLEN1126BS | 1Lt x 26w | GU-24 | Spiral PL | 2700k | 1710Lm | Lamps |

Certification CUL Ceiling Damp



23019-BS/ALB



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 12" H 4.25" | | | |
|----------------|-----------|-----------|--------|-----------|--------|--------|----------|--------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23019-_/__ | 2Lt x 60w | | E-12 | B-10 | 2700k | 1600Lm | | | | | |
| 23019GU-_/__ | 2Lt x 13w | | GU-24 | Spiral PL | 2700k | 1800Lm | | | | | |
| C23019 | EN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps | | | | |
| 23019LEDD-_/__ | Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | | |

Certification CUL Ceiling Dry



23020-CH/WH



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 16" H 4.5" | | | |
|----------------|-----------|-----------|--------|-----------|--------|--------|----------|-------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23020-_/__ | 3Lt x 60w | | E-26 | A-19 | 2700k | 2400Lm | | | | | |
| 23020GU-_/__ | 2Lt x 13w | | GU-24 | Spiral PL | 2700k | 1800Lm | | | | | |
| C23020 | EN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps | | | | |
| 23020LEDD-_/__ | Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps | | | | |

Certification CUL Ceiling Dry



23022-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 12" H 4.5" | | | |
|---------------------|-----------|-----------|-----------|-------------------------|--------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23022-BS/TEX | 2Lt x 60w | | E-26 | A-19 | 2700k | 1600Lm | |
| C23022BSTEXEN1213BS | 2Lt x 13w | GU-24 | Spiral PL | 2700k | 1800Lm | Lamps | |
| 23022LEDD-BS/TEX | Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Dry



23023-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 15.5" H 4.75" | | | |
|---------------------|-----------|-----------|-----------|----------------------------|--------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23023-BS/TEX | 3Lt x 60w | | E-26 | A-19 | 2700k | 2400Lm | |
| C23023BSTEXEN1218BS | 2Lt x 18w | GU-24 | Spiral PL | 2700k | 2500Lm | Lamps | |
| 23023LEDD-BS/TEX | Dimmable | 1Lt x 15w | Module | 90CRI LED | 3000k | 1515Lm | Lamps |

Certification CETL Ceiling Dry



23021-BS/ALB



Mona Flush-Mount

| Finish | BS | CH | RU | WH | Glass | ALB | WH | Dimensions D 20" H 5.5" | | | |
|----------------|-----------|-----------|--------|-----------|--------|--------|----------|-------------------------|--|--|--|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied | | | | |
| 23021-_/__ | 4Lt x 60w | | E-26 | A-19 | 2700k | 3200Lm | | | | | |
| 23021GU-_/__ | 3Lt x 13w | | GU-24 | Spiral PL | 2700k | 2700Lm | | | | | |
| C23021 | EN1226BS | 2Lt x 26w | GU-24 | Spiral PL | 2700k | 3420Lm | Lamps | | | | |
| 23021LEDD-_/__ | Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps | | | | |

Certification CUL Ceiling Dry



23024-BS/TEX

Linen Flush-Mount

| Finish | BS | Glass | TEX | Dimensions D 20" H 5" | | | |
|---------------------|-----------|-----------|-----------|-----------------------|--------|--------|----------|
| Model | Wattage | | Base | Type | Kelvin | Lumen | Supplied |
| 23024-BS/TEX | 4Lt x 60w | | E-26 | A-19 | 2700k | 3200Lm | |
| C23024BSTEXEN1318BS | 3Lt x 18w | GU-24 | Spiral PL | 2700k | 3750Lm | Lamps | |
| 23024LEDD-BS/TEX | Dimmable | 1Lt x 30w | Module | 90CRI LED | 3000k | 3057Lm | Lamps |

Certification CETL Ceiling Dry

FLUSH-MOUNT



50020-CH/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 8.25" | H 3.25" |
|---------------|-----------|------|----------|--------|--------|------------|---------|---------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50020-___/FST | 1Lt x 75w | R7s | J-78 Hgn | 2900k | 1050Lm | Lamps | | |

Certification CETL Ceiling Damp



50041-SAT/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 12.5" | H 4" |
|----------------------|------------|-------|-----------|--------|--------|------------|---------|------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50041-___/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50041xxxFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps | | |

Certification CETL Ceiling Damp



50050-SAT/ALB



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | ALB | Dimensions | D 16.25" | H 5" |
|---------------------|------------|-------|-----------|--------|--------|------------|----------|------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50050-___/ALB | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50050__ALBEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps | | |

Certification CETL Ceiling Damp



Cirrus Flush-Mount

| Finish | SAT | Glass | FST | Dimensions | D 8.25" | H 3" |
|---------------|-----------|-------|----------|------------|---------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50060-SAT/FST | 1Lt x 75w | R7s | J-78 Hgn | 2900k | 1050Lm | Lamps |

Certification CETL Ceiling Damp



50046-CH/ALB



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | ALB | Dimensions | D 12.5" | H 4" |
|----------------------|------------|-------|-----------|--------|--------|------------|---------|------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50046-___/ALB | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50046xxxALBEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps | | |

Certification CETL Ceiling Damp



50049-WH/FST



Nimbus Flush-Mount

| Finish | CH | SAT | WH | Glass | FST | Dimensions | D 16" | H 5" |
|----------------------|------------|-------|-----------|--------|--------|------------|-------|------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied | | |
| 50049-___/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps | | |
| C50049xxxFSTEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps | | |

Certification CETL Ceiling Damp



Cirrus Flush-Mount

| Finish | SAT | Glass | FST | Dimensions | D 12.25" | H 4" |
|----------------------|------------|-------|-----------|------------|----------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50061-SAT/FST | 1Lt x 150w | R7s | J-118 Hgn | 2900k | 2600Lm | Lamps |
| C50061SATFSTEN1113BS | 1Lt x 13w | GU-24 | Spiral PL | 2700k | 900Lm | Lamps |

Certification CETL Ceiling Damp



Cirrus Flush-Mount


| Finish | SAT | Glass | FST | Dimensions | D 16" | H 5" |
|----------------------|------------|-------|-----------|------------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50063-SAT/FST | 1Lt x 200w | R7s | J-118 Hgn | 2900k | 3200Lm | Lamps |
| C50063SATFSTEN1313BS | 3Lt x 13w | GU-24 | Spiral PL | 2700k | 2700Lm | Lamps |

Certification CETL Ceiling Damp

FLUSH-MOUNT




Lithium Flush-Mount

| Finish BS Glass FST | Dimensions L 12" W 12" H 3" | | | | | |
|---|-----------------------------|------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50127-BS/FST | 1Lt x 100w | R7s | J-118 Hgn | 2900k | 1650Lm | Lamps |
| Certification CETL Ceiling Damp  | | | | | | |



Helius Flush-Mount

| Finish BS Glass CFR | Dimensions D 12" H 4" | | | | | |
|--|-----------------------|-------|-----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 50480-BS/CFR | 1Lt x 150w | R7s | J-78 Hgn | 2900k | 2600Lm | |
| 50480LEDD-BS/CFR Dimmable | 1Lt x 13w | GX-53 | 80CRI LED | 3000k | 1200Lm | Lamps |
| Certification CETL Ceiling Damp  | | | | | | |



63951-MC/FST




63953-MC/FST

Nido 1 - Light Wall or Ceiling Fixture

| Finish MC ORB Glass FST | Dimensions L 10" W 6" Ext 3.5" | | | | | |
|--|--------------------------------|------|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 63951-___/FST | 1Lt x 100w | R7s | J-78 Hgn | 2900k | 1650Lm | Lamps |
| Certification CETL Ceiling Dry  | | | | | | |

Nido 3 - Light Wall or Ceiling Fixture

| Finish MC ORB Glass FST | Dimensions L 14.25" W 14.25" Ext 3.75" | | | | | |
|--|--|------|----------|--------|--------|----------|
| Model | Wattage | Base | Type | Kelvin | Lumen | Supplied |
| 63953-___/FST | 3Lt x 100w | R7s | J-78 Hgn | 2900k | 4950Lm | Lamps |
| Certification CETL Ceiling Dry  | | | | | | |



70025LED-BL





Blue LED strip available on request



70025LED-SAT

Sail LED Wall Washer

| Finish BL SAT | | Supplied Lamps | | | | | CETL Wall Dry   | |
|---------------|-------------------|----------------|-----------|--------|----------|------------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70025LED-___ | 2Lt x 5w+1Lt x 4w | Module | 85CRI LED | 3000k | 640Lm | H 10" W 9" L 7" Ext 3" | L 4.25" W 4.25" Ext 0.5" | |




A 62229-BS/LFR



B 62230-BS/LFR

Neon Wall Vanity Fixture

| Finish BS Glass LFR | | Supplied Lamps | | | | | CETL Wall Damp  | |
|---------------------|------------|----------------|--------------------|--------|----------|-------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62229-BS/LFR | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | H 12" W 12.25" Ext 4.5" | L 7.1" W 11.1" Ext 2.25" | |
| C62229BSLFREN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 12" W 12.25" Ext 4.5" | L 7.1" W 11.1" Ext 2.25" | |
| B 62230-BS/LFR | 1Lt x 150w | R7s | J-118 Halogen | 2900k | 2600Lm | H 16" L 8" Ext 4.5" | L 4.75" W 15" Ext 1.4" | |
| C62230BSLFREN1218B | 2Lt x 18w | GU-24 | Spiral Fluorescent | 2700k | 2500Lm | H 16" L 8" Ext 4.5" | L 4.75" W 15" Ext 1.4" | |



62242-BS/OPL



62242-BRZ/OPL

Nitrous Wall

| Finish BRZ BS Glass OPL | | | | | | | CETL Wall Dry   | |
|-------------------------|-----------|------|-------------------|--------|----------|---------------------|---|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 62242-___/OPL | 2Lt x 60w | E-26 | B-10 Incandescent | | | H 16" L 5.5" Ext 4" | L 5" W 5" Ext .25" | |







A 62104-BS/OPL





B 62105-BS/OPL

Argon Wall Vanity Fixture

| Finish BS Glass OPL | | Supplied Lamps | | | | | CETL Wall Damp   | |
|--|-------------|----------------|--------------------|--------|----------|--------------------------|--|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 62104-BS/OPL | 1Lt x 100w | R7s | J-78 Halogen | 2900k | 1650Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| C62104BSOPLN1113BS  | 1Lt x 13w | GU-24 | Spiral Fluorescent | 2700k | 900Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| 62104LED-BS/OPL | 1Lt x 10.8w | Module | 85CRI LED | 3000k | 1265Lm | H 5.25" L 12" Ext 3.25" | L 9.88" W 4.25" Ext 0.75" | |
| B 62105-BS/OPL | 2Lt x 100w | R7s | J-78 Halogen | 2900k | 3300Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |
| C62105BSOPLN1226BS  | 2Lt x 26w | GU-24 | Spiral Fluorescent | 2700k | 3420Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |
| 62105LED-BS/OPL | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 5.25" L 22.5" Ext 3.5" | L 19.75" W 4.25" Ext 1" | |



Vail Wall Vanity Fixture

| Finish BS Glass OPL | | | | | Supplied Lamps | | CETL Wall Damp   |
|-----------------------|-----------|--------|---------------------------|--------|----------------|---------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 31000-BS/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4.25" L 25.5" Ext 3.25" | D 4.4" L 25.5" W 3" Ext 1.25" |
| 31000LEDD-BS/OPL | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 4.25" L 25.5" Ext 3.25" | D 4.4" L 25.5" W 3" Ext 1.25" |
| B 31001-BS/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4.25" L 37.5" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |
| 31001LEDD-BS/OPL | 1Lt x 40w | Module | 85CRI LED | 3000k | 4560Lm | H 4.25" L 37.5" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |





A 31006LEDD-BS/OPL



B 31007LEDD-BS/OPL

Vail Wall Vanity Fixture

| Finish BS Glass OPL | | | | | Supplied Lamps | | | CETL Wall Damp   |
|------------------------------------|-----------|--------|-----------|--------|----------------|-------------------------|--------------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| A 31006LEDD-BS/OPL Dimmable | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 3.5" L 18.5" Ext 3.5" | D 4.4" L 14.5" W 3" Ext 1.25" | |
| B 31007LEDD-BS/OPL Dimmable | 1Lt x 13w | Module | 85CRI LED | 3000k | 1520Lm | H 3.5" L 22.5" Ext 3.5" | D 4.4" L 18.75" W 3" Ext 1.25" | |





A 31002-BS/OPL



B 31003-BS/OPL

Vail Wall Vanity Fixture

| Finish (31002 BS) (31003 BS CH) Glass OPL | | | | | Supplied Lamps | | CETL Wall Damp   |
|---|-----------|--------|---------------------------|--------|----------------|----------------------------|--|
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions |
| A 31002-BS/OPL | 1Lt x 24w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 1750Lm | H 4.25" L 30.25" Ext 3.25" | D 4.4" L 25.6" W 3" Ext 1.25" |
| 31002LEDD-BS/OPL | 1Lt x 26w | Module | 85CRI LED | 3000k | 3040Lm | H 4.25" L 30.25" Ext 3.25" | D 4.4" L 25.6" W 3" Ext 1.25" |
| B 31003-_/OPL | 1Lt x 39w | Bi-Pin | T-5 HO Linear Fluorescent | 3000k | 3100Lm | H 4.25" L 42" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |
| 31003LEDD-_/OPL | 1Lt x 40w | Module | 85CRI LED | 3000k | 4560Lm | H 4.25" L 42" Ext 3.25" | D 4.4" L 37.5" W 3" Ext 1.25" |



20350MG-BRZ/CLR



20350MG-SAT/CLR

Ext 4.2"

KO Marine Grade Wet Location Halogen Spotlight

| | | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 20350MG-___/CLR | 1Lt x 35w | GU-10 | MR-16 Hgn | 2900k | 320Lm | H 4.25" Ext 4.2" | D 4.2" Ext 1.5" | |
| 20350LEDMG-___/CLR | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 4.25" Ext 4.2" | D 4.2" Ext 1.5" | |



70063LED-BRZ

FIN | COLLECTION

LED in both form and function, the Fin is designed with LED performance in mind. The heat sync has been artistically integrated into the design of this exceptional outdoor wall washer.



20351MG-SAT/CLR



20351MG-BRZ/CLR

Ext 4 to 6"

KO Marine Grade Wet Location Halogen Spotlight

| | | | | | | | | |
|--------------------|-------------------|----------------|-----------|--------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT Glass CLR | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 20351MG-___/CLR | 1Lt x 35w | GU-10 | MR-16 Hgn | 2900k | 320Lm | H 4" Ext 4 to 6" | D 4.2" Ext 1.5" | |
| 20351LEDMG-___/CLR | 1Lt x 5.5w | GU-5.3 | MR-16 LED | 3000k | 346Lm | H 4" Ext 4 to 6" | D 4.2" Ext 1.5" | |



D 5.1"

Ext 8"

H 7.5"



70063LED-SAT

Fin LED Wet Location Spotlight

| | | | | | | | | |
|--------------|----------|----------------|-----------|------------|----------|--------------------|----------------------|--|
| Finish | BRZ SAT | Supplied Lamps | | | | | CETL Wall Wet | |
| Model | Wattage | Base | Type | Kelvin | NomLumen | Fixture Dimensions | Backplate Dimensions | |
| 70063LED-___ | 1Lt x 7w | Module | 85CRI LED | 2800-3200K | 600Lm | H 7.5" Ext 8" | D 5.1" Ext 1.5" | |



tut•chi

Tu-ch-ee
adjective

LED touch light; touchable;
irresistible to touch

synonym
tremendous, phenomenal
remarkable, exceptional

Tut Chi - the irresistible LED
touch lamp whose use is
only limited by your imagination.

Tut Chi General purpose touch controlled LED lantern, battery operated 3 AA cells for more than 38 hours of continuous use. Batteries not included.

Finish: PBLU PNK SILV WHT Diffuser: ACR

| Model | Wattage | Type | Base | Kelvin | Lumen | Dimensions | Included |
|------------------|------------|------|--------|--------|-------|-------------|----------|
| 70007LED-___/ACR | 12Lt x .2w | LED | Module | 4000k | 100Lm | D 4.2" H 8" | Lamps |

Fixture Finish Codes

| | | | | | |
|------|----------------|------|-------------------|---------|------------------------|
| ALU | Aluminum | DBRZ | Distressed Bronze | RU | Rust |
| ANCK | Antique Nickle | GWH | Gloss White | SAT | Satin |
| BCHR | Black Chrome | MC | Mat Chrome | SC | Satin Chrome |
| BCP | Brushed Copper | MIR | Mirror | SCP | Shiny Copper |
| BL | Black | ORB | Oil Rubbed Bronze | SILV | Silver |
| BRZ | Bronze | PB | Polished Bronze | SS | Stainless Steel |
| BS | Brushed Steel | PBLU | Powder Blue | WD/NAT | Natural Wood |
| BSL | Brushed Silver | PNK | Pink | WH | White |
| CH | Chrome | RED | Red | WH/GLD | White with Gold Leaf |
| CRM | Cream | RGLD | Rose Gold | WH/SILV | White with Silver Leaf |
| | | RIC | Rice | | |

Glass Finish Codes

| | |
|--------|-------------------|
| 8CL | 8mm Clear |
| 12CL | 12mm Clear |
| ACR | White Acrylic |
| ALB | Alabaster Glass |
| AMB | Amber |
| AMFBFB | Amber Firebird |
| AMM | Amber Marble |
| AMST | Amber Stone |
| ASKY | Amber Sky |
| BLC | Black and White |
| BLK | Black |
| BLKLN | Black Lined |
| BLU | Blue |
| BLULN | Blue Lined |
| BRST | Brown Stone |
| CCL | Crystal Clear |
| CFR | Clear Frosted |
| CKF | Checkered Frosted |
| CLAM | Clear+Amber |

| | |
|-------|----------------------|
| CLCB | Clear+Cobalt |
| CLOP | Clear+Opal |
| CLR | Clear |
| CLRD | Clear+Red |
| COB | Cobalt |
| COG | Cognac |
| CRM | Cream Linen Shade |
| CRY | Crystal |
| FCL | Frosted & Clear |
| FST | Frosted |
| ICA | Inca |
| LFR | Line Frosted |
| LGR | Lime Green |
| LGRFB | Light Green Firebird |
| MIR | Mirror |
| MTL | Metal |
| MYA | Maya |
| OPL | Opal |
| ORO | Gold |
| PLC | Purple Cloud |

| | |
|-------|----------------|
| PLM | Plum |
| PLMFB | Plum Firebird |
| PLS | Purple Swirl |
| RED | Red |
| REDLN | Red Lined |
| REDFB | Red Firebird |
| RFR | Ribbed Frosted |
| RUSKY | Red Sky |
| SMK | Smoke |
| TEX | Textured |
| WAMB | Wicker Amber |
| WH | White |
| WHST | White Stone |
| WHT | White |
| WHTFB | White Firebird |
| WHTLN | White Lined |
| WRD | Wire Glass |
| WRED | Wicker Red |
| WWHT | Wicker White |

HEADQUARTERS:

1200 Valencia Avenue
Tustin, CA 92780 | USA

TOLL-FREE:

800-828-5483

PHONE:

714-247-1270

FAX:

714-247-1351

E-MAIL:

info@accesslighting.com

DALLAS TRADEMART:

2100 Stemmons Freeway | Suite 3939
Dallas, TX 75207 | USA



www.accesslighting.com



\$15.00

Catalog 27 © 2015/16 All Rights Reserved