

Toggle Switches

- Steel mounting strap, zinc-plated for corrosion resistance
- Washer-type break-off plaster ear for best flush alignment
- Captive mounting screws
- Back and side wiring for easy installation
- Large head combination screws for quick wiring
- Easy-access green hex head ground screw
- Copper Only
- UL listed



**Toggle Switch
15A 120/277V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
Single Pole				
82010	Ivory	10	200	
82011	White	10	200	
82012	Brown	10	200	
82013	Almond	10	200	
3 Way				
82030	Ivory	10	200	
82031	White	10	200	
82032	Brown	10	200	
82033	Almond	10	200	



**Commercial
Single Pole
Toggle Switch
20A, 120/277V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82020	Ivory	10	200	
82021	White	10	200	



**4-Way Toggle Switch
15A 120/277V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82040	Ivory	10	200	
82041	White	10	200	



**Lighted
Clear Toggle
Quiet Switch
15A, 120V
back & side wire**

Switch is lit when turned off

Cat No.	Type	Box Qty	Case Qty	Ea
82045	Single Pole	10	200	
82046	3 Way	10	200	



**Single Pole
Toggle Switch
Without Ears
15A, 120V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82048	Black	10	200	



**Decorator Switch
15A, 120/277V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
Single Pole				
82050	Ivory	10	200	
82051	White	10	200	
82052	Brown	10	200	
82053	Almond	10	200	
Single Pole Lighted (glow when off)				
82285	Ivory	10	200	
82286	White	10	200	
3 Way				
82060	Ivory	10	200	
82061	White	10	200	
82062	Brown	10	200	
82063	Almond	10	200	
3 Way Lighted				
82290	Ivory	10	200	
82291	White	10	200	
4 Way				
82070	Ivory	10	200	
82071	White	10	200	
Single Pole 20A 120/277V				
82080	Ivory	10	200	
82081	White	10	200	



**Single Pole
Double Switch
15A 120V/277V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82090	Ivory	10	200	
82091	White	10	200	



**Combination
Single Pole
Switch and
Receptacle
15A, 125V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82175	Ivory	10	200	
82176	White	10	200	



**Garbage Disposal
Decorator Switch
Momentary Contact
15A, 120/277V
back & side wire
SPDT On-Off-(On)**

Cat No.	Color	Box Qty	Case Qty	Each
82100	Ivory	10	200	
82101	White	10	200	
82103	Almond	10	200	



**Single Pole Switch
& Pilot Light
15A, 120V
back & side wire**

Cat No.	Color	Box Qty	Case Qty	Each
82095	Ivory	10	200	
82096	White	10	200	

Straight Blade Receptacles

- Shallow design for maximum wiring room
- Easy-access green hex head ground screw
- Washer-type break-off plaster ear for best flush alignment

- Captive mounting screws
- Large head combination screws for quick wiring
- Back and side wiring for easy installation
- UL listed



Standard Duplex Receptacle
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82120	Ivory	10	200	
82121	White	10	200	
82122	Brown	10	200	
82123	Almond	10	200	



Commercial Duplex Receptacle Self Ground
2 pole, 3 wire
15A, 125V
side wire

Cat No.	Color	Box Qty	Case Qty	Each
82140	Ivory	10	200	
82141	White	10	200	
82142	Brown	10	200	



Tamperproof Standard Duplex Receptacle
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
81950	Ivory	10	200	
81951	White	10	200	
81953	Almond	10	200	



Decorator Duplex Receptacle Self Grounding
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
82015	Ivory	10	200	
82016	White	10	200	
82017	Brown	10	200	
82018	Almond	10	200	



Commercial Duplex Receptacle Self Grounding
2 pole, 3 wire
20A, 125V
side wire

Cat No.	Color	Box Qty	Case Qty	Each
82150	Ivory	10	200	
82151	White	10	200	
82152	Brown	10	200	
82153	Almond	10	200	



Tamperproof Decorator Duplex Receptacle Self Grounding
2 pole, 3 wire
15A, 125V
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
81960	Ivory	10	200	
81961	White	10	200	
81963	Almond	10	200	



Isolated Ground Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82225	Ivory	10	200	
82226	White	10	200	
82228	Orange	10	200	
20 Amp 125 Volt				
82160	Ivory	10	200	
82161	White	10	200	
82164	Orange	10	200	
15 Amp 250 Volt				
82230	Ivory	10	200	
82231	White	10	200	
82233	Orange	10	200	
20 Amp 250 Volt				
82235	Ivory	10	200	
82236	White	10	200	
82238	Orange	10	200	



Decorator Isolated Ground Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
81910	Ivory	10	200	
81911	White	10	200	
81914	Orange	10	200	
20 Amp 125 Volt				
81915	Ivory	10	200	
81916	White	10	200	
81919	Orange	10	200	
15 Amp 250 Volt				
81920	Ivory	10	200	
81921	White	10	200	
81924	Orange	10	200	
20 Amp 250 Volt				
81925	Ivory	10	200	
81926	White	10	200	
81929	Orange	10	200	



Hospital Grade Duplex Receptacle Self Grounding
2 pole, 3 wire
back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82250	Ivory	10	200	
82251	White	10	200	
82253	Red	10	200	
20 Amp 125 Volt				
82170	Ivory	10	200	
82171	White	10	200	
82173	Red	10	200	
15 Amp 250 Volt				
82255	Ivory	10	200	
82256	White	10	200	
82258	Red	10	200	
20 Amp 250 Volt				
82260	Ivory	10	200	
82261	White	10	200	
82263	Red	10	200	



WIRING DEVICES



Industrial Grade Duplex Receptacle Self Grounding 2 pole, 3 wire back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82195	Ivory	10	200	
82196	White	10	200	
20 Amp 125 Volt				
82130	Ivory	10	200	
82131	White	10	200	
15 Amp 250 Volt				
82200	Ivory	10	200	
82201	White	10	200	
20 Amp 250 Volt				
82205	Ivory	10	200	
82206	White	10	200	



Industrial Grade Decorator Duplex Receptacle Self Grounding 2 pole, 3 wire back & side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82210	Ivory	10	200	
82211	White	10	200	
20 Amp 125 Volt				
82180	Ivory	10	200	
82181	White	10	200	
15 Amp 250 Volt				
82215	Ivory	10	200	
82216	White	10	200	
20 Amp 250 Volt				
82220	Ivory	10	200	
82221	White	10	200	



Industrial Grade Single Receptacle 2 pole, 3 wire side wire

Cat No.	Color	Box Qty	Case Qty	Each
15 Amp 125 Volt				
82135	Ivory	10	200	
82136	White	10	200	
20 Amp 125 Volt				
82155	Ivory	10	200	
82156	White	10	200	
15 Amp 250 Volt				
82240	Ivory	10	200	
82241	White	10	200	
20 Amp 250 Volt				
82245	Ivory	10	200	
82246	White	10	200	



Flush Dryer Receptacle 30A, 125/250V 4 wire One Gang

Cat No.	Color	Box Qty	Case Qty	Each
82521	White	10	200	
82522	Black	10	200	



Flush Range Receptacle 50A, 125/250V 4 wire One Gang Black Color

Cat No.	Box Qty	Case Qty	Each
82526	10	200	



One Gang Metal Range and Dryer Cover 2.125 Diameter 430 Stainless

Cat No.	Color	Box Qty	Case Qty	Ea
83480	Stainless	25	200	
83482	White	25	200	
83483	Ivory	25	200	

Commercial Grade Decorator Combination Devices



Fig 1 Fig 2 Fig 3

- Elegant design provides multiple controls in a single-gang wall box
- All devices have grounding terminals
- Fit standard wall boxes



2 Gang Metal Range and Dryer Cover 2.125 Diameter 430 Stainless

Cat No.	Color	Box Qty	Case Qty	Ea
83485	Stainless	25	200	
83487	White	25	200	
83488	Ivory	25	200	

Cat. No.	Color	Fig.	Box Qty.	Case Qty.	Each
Triple Rocker Switch 15 Amp Push-In only 120/277V AC					
81970	Ivory	1	10	200	
81971	White	1	10	200	
81973	Almond	1	10	200	
Double Rocker Switch 15 Amp Side Wired Only 120/277V AC					
81980	Ivory	2	10	200	
81981	White	2	10	200	
81983	Almond	2	10	200	
Single Pole Switch/Receptacle 15 Amp 120V Switch 15 Amp 125V Receptacle					
81990	Ivory	3	10	200	
81991	White	3	10	200	
81993	Almond	3	10	200	

Ground Fault Circuit Interrupter with Wallplate




This device replaces a conventional outlet. Should someone come in contact with a live (hot) wire, this GFCI will detect a current leakage as little as 5 millamps and will shut the power off almost immediately (1/40 of a second). The National Electrical Code (NEC) requires the use of GFCI outlets in kitchens, bathrooms, garages, basements and near swimming pools.

- 2-pole, 3-wire grounding duplex GFCI receptacle
- 125V AC only
- 15A at outlet
- 20A feed-through
- With LED

Cat No.	GFCI Color	Reset & Test Button Color	Receptacle	Feed-Through	Case Qty	Each
82330	Ivory	Ivory	15 AMPS	20 AMPS	50	
82331	White	White	15 AMPS	20 AMPS	50	
82332	Brown	Brown	15 AMPS	20 AMPS	50	
82333	Light Almond	Light Almond	15 AMPS	20 AMPS	50	
82334	Black	Black	15 AMPS	20 AMPS	50	
82340	Ivory	Ivory	20 AMPS	20 AMPS	50	
82341	White	White	20 AMPS	20 AMPS	50	
82342	Brown	Brown	20 AMPS	20 AMPS	50	
82343	Light Almond	Light Almond	20 AMPS	20 AMPS	50	
82344	Black	Black	20AMPS	20 AMPS	50	

Decorator Screwless Snap-In Wallplates



- Screwless snap-in design gives smooth finish without recessed lines
- Decorator-compatible two piece kit allows easy retrofit to any decorator installation
- Virtually unbreakable thermoplastic
- Easy to snap-on
- Easy to clean & maintain attractive appearance



Cat. No.	Gangs	Color	Box Qty	Case Qty	Each
80900	1	Ivory	25	200	
80901	1	White	25	200	
80903	1	Almond	25	200	
80905	2	Ivory	25	200	
80906	2	White	25	200	
80908	2	Almond	25	200	
80910	3	Ivory	10	100	
80911	3	White	10	100	
80913	3	Almond	10	100	
80915	4	Ivory	10	100	
80916	4	White	10	100	
80918	4	Almond	10	100	
80920	5	Ivory	10	100	
80921	5	White	10	100	
80923	5	Almond	10	100	

Emergency Metal Switch Plates

Red with silk screened white letters



Cat No.	Type	Size	Box Qty	Case Qty	Each
83490	Oil	Utility	10	100	
83491	Oil	1 Gang	10	100	
83492	Oil	4" Raised	10	100	
83495	Gas	Utility	10	100	
83496	Gas	1 Gang	10	100	
83497	Gas	4" Raised	10	100	

Lexan Wall Plates

- Highly resistant to impact, abrasion, oil, acids and discoloration
- Ideal for use in high-abuse areas
- Smooth, easy to clean surface
- Round on edges to prevent injury and wall damage
- Supplied with color matching painted metal mounting screws
- Mounting Screws individually wrapped in a small plastic bag to protect plate from scratches
- Specification Grade - meets all current Federal Specifications
- Conform to NEMA & ANSI standards
- Flammability rating UL94V-2



1 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81010	Ivory	25	200	
81011	White	25	200	
81012	Brown	25	200	
81013	Almond	25	200	

2 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81020	Ivory	25	200	
81021	White	25	200	
81022	Brown	25	200	
81023	Almond	25	200	

3 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81030	Ivory	10	100	
81031	White	10	100	
81032	Brown	10	100	
81033	Almond	10	100	

4 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81040	Ivory	10	200	
81041	White	10	200	
81042	Brown	10	200	
81043	Almond	10	200	

5 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81050	Ivory	10	200	
81051	White	10	200	
81052	Brown	10	200	
81053	Almond	10	200	

6 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
81060	Ivory	10	200	
81061	White	10	200	
81062	Brown	10	200	
81063	Almond	10	200	

1 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81110	Ivory	25	200	
81111	White	25	200	
81112	Brown	25	200	
81113	Almond	25	200	

2 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81120	Ivory	25	200	
81121	White	25	200	
81122	Brown	25	200	
81123	Almond	25	200	

3 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81130	Ivory	10	200	
81131	White	10	200	
81132	Brown	10	200	
81133	Almond	10	200	

Lexan Wall Plates

4 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81140	Ivory	10	200	
81141	White	10	200	
81142	Brown	10	200	
81143	Almond	10	200	

5 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81150	Ivory	10	200	
81151	White	10	200	
81152	Brown	10	200	
81153	Almond	10	200	

6 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81160	Ivory	10	200	
81161	White	10	200	
81162	Brown	10	200	
81163	Almond	10	200	

2 Gang 1 Toggle, 1 Blank



Cat No.	Color	Box Qty	Case Qty	Each
81210	Ivory	25	200	
81211	White	25	200	
81212	Brown	25	200	
81213	Almond	25	200	

2 Gang 1 GFCI, 1 Blank



Cat No.	Color	Box Qty	Case Qty	Each
81220	Ivory	25	200	
81221	White	25	200	
81222	Brown	25	200	
81223	Almond	25	200	

2 Gang 1 Duplex, 1 Blank



Cat No.	Color	Box Qty	Case Qty	Each
81230	Ivory	25	200	
81231	White	25	200	
81232	Brown	25	200	
81233	Almond	25	200	

2 Gang 1 Toggle, 1 GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81240	Ivory	25	200	
81241	White	25	200	
81242	Brown	25	200	
81243	Almond	25	200	

2 Gang 1 GFCI, 1 Duplex



Cat No.	Color	Box Qty	Case Qty	Each
81250	Ivory	25	200	
81251	White	25	200	
81252	Brown	25	200	
81253	Almond	25	200	

3 Gang 1 Duplex, 2 Toggle



Cat No.	Color	Box Qty	Case Qty	Each
81260	Ivory	10	200	
81261	White	10	200	
81262	Brown	10	200	
81263	Almond	10	200	

2 Gang 1 Duplex, 1 Single



1.406"
Diameter

Cat No.	Color	Box Qty	Case Qty
81685	Ivory	25	200
81686	White	25	200
81687	Brown	25	200
81688	Almond	25	200

2 Gang 1 Duplex, 1 Toggle



Cat No.	Color	Box Qty	Case Qty	Each
81290	Ivory	25	200	
81291	White	25	200	
81292	Brown	25	200	
81293	Almond	25	200	

3 Gang 2 Toggle, 1 GFCI



Cat No.	Color	Box Qty	Case Qty	Each
81310	Ivory	10	200	
81311	White	10	200	
81312	Brown	10	200	
81313	Almond	10	200	



WIRING DEVICES

Lexan Wall Plates

1 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
81410	Ivory	25	200	
81411	White	25	200	
81412	Brown	25	200	
81413	Almond	25	200	

1 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
81510	Ivory	25	200	
81511	White	25	200	
81512	Brown	25	200	
81513	Almond	25	200	

1 Gang Single Receptacle



1.406
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
81610	Ivory	25	200	
81611	White	25	200	
81612	Brown	25	200	
81613	Almond	25	200	

2 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
81420	Ivory	25	200	
81421	White	25	200	
81422	Brown	25	200	
81423	Almond	25	200	

2 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
81520	Ivory	25	200	
81521	White	25	200	
81522	Brown	25	200	
81523	Almond	25	200	

2 Gang Single Receptacle



1.406
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
81620	Ivory	25	200	
81621	White	25	200	
81622	Brown	25	200	
81623	Almond	25	200	

3 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
81430	Ivory	10	200	
81431	White	10	200	
81432	Brown	10	200	
81433	Almond	10	200	

1 Gang Cable



Cat No.	Color	Hole Dia.	Box Qty	Case Qty	Each
81630	Ivory	.406	25	200	
81631	White	.406	25	200	
81632	Brown	.406	25	200	
81633	Almond	.406	25	200	
81670	Ivory	.625	25	200	
81671	White	.625	25	200	
81672	Brown	.625	25	200	
81673	Almond	.625	25	200	

4 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
81440	Ivory	10	200	
81441	White	10	200	
81442	Brown	10	200	
81443	Almond	10	200	

Lexan Wall Plates - Midsize & Oversize

1 Gang Toggle Switch



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81710	Ivory	25	200	
81711	White	25	200	
81712	Brown	25	200	
81713	Almond	25	200	

2 Gang Toggle Switch



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81750	Ivory	25	200	
81751	White	25	200	
81752	Brown	25	200	
81753	Almond	25	200	

1 Gang Toggle Switch



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
81810	Ivory	25	200	
81811	White	25	200	
81812	Brown	25	200	
81813	Almond	25	200	

1 Gang Decorator/GFCI



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81720	Ivory	25	200	
81721	White	25	200	
81722	Brown	25	200	
81723	Almond	25	200	

2 Gang Decorator/GFCI



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81770	Ivory	25	200	
81771	White	25	200	
81772	Brown	25	200	
81773	Almond	25	200	

1 Gang Decorator/GFCI



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
81820	Ivory	25	200	
81821	White	25	200	
81822	Brown	25	200	
81823	Almond	25	200	

1 Gang Duplex Receptacle



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81730	Ivory	25	200	
81731	White	25	200	
81732	Brown	25	200	
81733	Almond	25	200	

2 Gang Duplex Receptacle



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
81760	Ivory	25	200	
81761	White	25	200	
81762	Brown	25	200	
81763	Almond	25	200	

1 Gang Duplex Receptacle



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
81830	Ivory	25	200	
81831	White	25	200	
81832	Brown	25	200	
81833	Almond	25	200	

1 Gang Blank



Mid-Size

Cat No.	Color	Box Qty	Case Qty
81740	Ivory	25	200
81741	White	25	200
81742	Brown	25	200
81743	Almond	25	200

1 Gang Blank



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
81840	Ivory	25	200	
81841	White	25	200	
81842	Brown	25	200	
81843	Almond	25	200	

Stainless Steel Metal Wall Plates

- Provides extended life in abusive and corrosive environments
- Contemporary smooth finish and contoured edges enhance installation appearance
- Smooth finish without recessed lines is easy to clean and maintain attractive appearance
- UL listed
- Different surface finish available: semi-gloss (white, ivory) and stainless steel
- Made of stainless steel 430

1 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
83010	Stainless	25	200	
83012	White	25	200	
83013	Ivory	25	200	

1 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83110	Stainless	25	200	
83112	White	25	200	
83113	Ivory	25	200	

2 Gang 1 Toggle 1 Blank



Cat No.	Color	Box Qty	Case Qty	Each
83410	Stainless	25	100	
83412	White	25	100	
83413	Ivory	25	100	

2 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
83020	Stainless	25	100	
83022	White	25	100	
83023	Ivory	25	100	

2 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83120	Stainless	25	100	
83122	White	25	100	
83123	Ivory	25	100	

2 Gang 1 Duplex 1 Toggle



Cat No.	Color	Box Qty	Case Qty	Each
83420	Stainless	25	100	
83422	White	25	100	
83423	Ivory	25	100	

3 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
83030	Stainless	10	100	
83032	White	10	100	
83033	Ivory	10	100	

3 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83130	Stainless	10	100	
83132	White	10	100	
83133	Ivory	10	100	

2 Gang 1 Toggle 1 GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83430	Stainless	25	100	
83432	White	25	100	
83433	Ivory	25	100	

4 Gang Toggle Switch



Cat No.	Color	Box Qty	Case Qty	Each
83040	Stainless	10	50	
83042	White	10	50	
83043	Ivory	10	50	

4 Gang Decorator/GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83140	Stainless	10	50	
83142	White	10	50	
83143	Ivory	10	50	

2 Gang 1 GFCI 1 Duplex



Cat No.	Color	Box Qty	Case Qty
83440	Stainless	25	100
83442	White	25	100
83443	Ivory	25	100

Stainless Steel Metal Wall Plates

1 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
83210	Stainless	25	200	
83212	White	25	200	
83213	Ivory	25	200	

1 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
83310	Stainless	25	200	
83312	White	25	200	
83313	Ivory	25	200	

1 Gang Single Receptacle



Cat No.	Color	Hole Dia	Box Qty	Case Qty	Each
83445	Stainless	1.620	25	200	
83447	White	1.620	25	200	
83448	Ivory	1.620	25	200	
83450	Stainless	1.406	25	200	
83452	White	1.406	25	200	
83453	Ivory	1.406	25	200	

2 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
83220	Stainless	25	100	
83222	White	25	100	
83223	Ivory	25	100	

2 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
83320	Stainless	25	100	
83322	White	25	100	
83323	Ivory	25	100	

1 Gang Cable



Cat No.	Color	Hole Dia	Box Qty	Case Qty	Each
83455	Stainless	.406	25	200	
83457	White	.406	25	200	
83458	Ivory	.406	25	200	
83460	Stainless	.625	25	200	
83462	White	.625	25	200	
83463	Ivory	.625	25	200	
83465	Stainless	.4375	25	200	
83467	White	.4375	25	200	
83468	Ivory	.4375	25	200	

3 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty	Each
83230	Stainless	10	100	
83232	White	10	100	
83233	Ivory	10	100	

3 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
83330	Stainless	10	100	
83332	White	10	100	
83333	Ivory	10	100	

2 Gang Cable



Cat No.	Color	Hole Dia	Box Qty	Case Qty	Each
83470	Stainless	.625	25	100	
83472	White	.625	25	100	
83473	Ivory	.625	25	100	
83475	Stainless	.406	25	100	
83477	White	.406	25	100	
83478	Ivory	.406	25	100	

4 Gang Duplex Receptacle



Cat No.	Color	Box Qty	Case Qty
83240	Stainless	10	50
83242	White	10	50
83243	Ivory	10	50

4 Gang Blank



Cat No.	Color	Box Qty	Case Qty	Each
83340	Stainless	10	50	
83342	White	10	50	
83343	Ivory	10	50	



WIRING DEVICES

Stainless Steel Wall Plates


2 Gang Single Receptacle



1.406"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83510	Stainless	25	200	
83512	White	25	200	
83513	Ivory	25	200	


1 Gang 1 Phone, 1 Cable



.374" & .177"
Diameters

Cat No.	Color	Box Qty	Case Qty	Each
83520	Stainless	25	200	
83522	White	25	200	
83523	Ivory	25	200	

2 Gang 1 GFCI, 1 Blank




Cat No.	Color	Box Qty	Case Qty	Each
83560	Stainless	25	200	
83562	White	25	200	
83563	Ivory	25	200	

2 Gang 1 Duplex, 1 Blank



Cat No.	Color	Box Qty	Case Qty	Each
83540	Stainless	25	200	
83542	White	25	200	
83543	Ivory	25	200	


2 Gang 1 Duplex, 1 Single



1.406"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83550	Stainless	25	200	
83552	White	25	200	
83553	Ivory	25	200	

3 Gang 2 Toggle 1 GFCI



Cat No.	Color	Box Qty	Case Qty	Each
83580	Stainless	10	200	
83582	White	10	200	
83583	Ivory	10	200	

1 Gang Range/Dryer Cover



2.125"
Diameter

Cat No.	Color	Box Qty	Case Qty	Ea
83480	Stainless	25	200	
83482	White	25	200	
83483	Ivory	25	200	

2 Gang Range/Dryer Cover



2.125"
Diameter

Cat No.	Color	Box Qty	Case Qty	Ea
83485	Stainless	25	200	
83487	White	25	200	
83488	Ivory	25	200	

Emergency Metal Switch Plates

Red with silk screened white letters



Cat No.	Type	Size	Box Qty	Case Qty
83490	Oil	Utility	10	100
83491	Oil	1 Gang	10	100
83492	Oil	4" Raised	10	100
83495	Gas	Utility	10	100
83496	Gas	1 Gang	10	100
83497	Gas	4" Raised	10	100

2 Gang 1 Toggle, 1 Duplex



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83670	Stainless	25	200	
83672	White	25	200	
83673	Ivory	25	200	

2 Gang Power Outlet



2.465"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83505	Stainless	25	200	
83507	White	25	200	
83508	Ivory	25	200	

WIRING DEVICES

Stainless Steel Wall Plates, Mid-size and Over-Size

1 Gang Blank



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83610	Stainless	25	200	
83612	White	25	200	
83613	Ivory	25	200	

1 Gang Toggle Switch



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83620	Stainless	25	200	
83622	White	25	200	
83623	Ivory	25	200	

1 Gang Duplex Receptacle



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83630	Stainless	25	200	
83632	White	25	200	
83633	Ivory	25	200	

1 Gang Decorator/GFCI



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83640	Stainless	25	200	
83642	White	25	200	
83643	Ivory	25	200	

1 Gang Single Receptacle



Mid-Size

1.406"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83650	Stainless	25	200	
83652	White	25	200	
83653	Ivory	25	200	

2 Gang Toggle Switch



Mid-Size

Cat No.	Color	Box Qty	Case Qty	Each
83660	Stainless	25	200	
83662	White	25	200	
83663	Ivory	25	200	

1 Gang Duplex Receptacle



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
83710	Stainless	25	200	
83712	White	25	200	
83713	Ivory	25	200	

1 Gang Toggle Switch



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
83720	Stainless	25	200	
83722	White	25	200	
83723	Ivory	25	200	

1 Gang Duplex Receptacle



Over-Size

Cat No.	Color	Box Qty	Case Qty	Each
83730	Stainless	25	200	
83732	White	25	200	
83733	Ivory	25	200	

1 Gang Decorator/GFCI



Over-Size

Cat No.	Color	Box Qty	Case Qty
83740	Stainless	25	200
83742	White	25	200
83743	Ivory	25	200

1 Gang Single Receptacle



Over-Size

1.406"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83750	Stainless	25	200	
83752	White	25	200	
83753	Ivory	25	200	

1 Gang Phone/Cable



Over-Size

.625"
Diameter

Cat No.	Color	Box Qty	Case Qty	Each
83760	Stainless	25	200	
83762	White	25	200	
83763	Ivory	25	200	

Dimmers

- Fits standard wall box
- Suppresses Radio Frequency Interference (RFI)
- Decorator Style permits ganging with other decorative devices
- Wire leads provide for fast & easy assembly & wiring
- UL listed

Rotary Dimmer



- 600 Watt
- Single Pole (turn off)
- 3-Way (push off)
- Includes Wallplate



Cat No.	Color	Case Qty	Each
Single Pole (turn off)			
82710	Ivory	10	
82711	White	10	
82713	Almond	10	
3-Way (push off)			
82715	Ivory	10	
82716	White	10	
82718	Almond	10	

Slide Dimmer



- 700 Watt
- Blister Pack
- Wallplate not included



Cat No.	Color	Case Qty	Each
Single Pole			
82720	Ivory	10	
82721	White	10	
82723	Almond	10	

Slide Dimmer with Switch



- 700 Watt
- On/Off Switch
- Includes Wallplate



Cat No.	Color	Case Qty	Each
Single Pole			
82750	Ivory	10	
82751	White	10	
82753	Almond	10	
3-Way			
82755	Ivory	10	
82756	White	10	
82758	Almond	10	

Slide Dimmer & On/Off Switch



- Switch: On/Off at selected light levels
- Dimmer: Select light level with slider
- Includes Wallplate
- Individually Boxed



Cat No.	Color	Box Qty	Each
Single Pole 120V 700W			
82780	Ivory	10	
82781	White	10	
82783	Almond	10	
Three Way 120V 700W			
82785	Ivory	10	
82786	White	10	
82788	Almond	10	
Single Pole Magnetic Low Voltage			
82790	Ivory	10	
82791	White	10	
82793	Almond	10	
Three Way Magnetic Low Voltage			
82795	Ivory	10	
82796	White	10	
82798	Almond	10	

Fluorescent Dimmer



- Fluorescent slide dimmer
- Also good for Incandescent
- 120VAC 600W
- On/Off Switch
- Includes Wallplate
- Individually Boxed



Cat No.	Color	Box Qty	Each
Single Pole			
82740	Ivory	10	
82741	White	10	
82743	Almond	10	
Three Way			
82745	Ivory	10	
82746	White	10	
82748	Almond	10	

Touch Dimmer 600W Single Pole




- Provides fingertip ease of use & precise adjustment of lighting levels
- Simple one-touch for ON at preset level or again for OFF, touch & hold for BRIGHT/DIM lighting control
- Blister Pack
- Wallplate not included



Cat No.	Color	Case Qty	Each
82770	Ivory	10	
82771	White	10	
82773	Almond	10	

Smart Dimmers



- Full range dimming possible for up to 9 locations, install 1 smart dimmer and then add smart remotes
- On/Off switch
- Customizable delayed fade to off ranging from 10-60 seconds lets you leave the room before lights go out
- LED's glow softly in the dark for easy dimmer locating and show preset light level when switch is off
- Decorator frame easily gangs with any device
- Power failure memory - it remembers your settings even after a power interruption
- Superior suppression of interference with radio and TV
- Wallplate Included
- Individually boxed, 120VAC, 60 Hz

Smart Dimmers - Single Pole

Cat No.	Watts	Amps	Color	Case Qty	Each
82810	600	5	Ivory	60	
82811	600	5	White	60	
82813	600	5	Almond	60	
82820	1000	8.33	Ivory	60	
82821	1000	8.33	White	60	
82823	1000	8.33	Almond	60	

Smart Remote Dimmers (use with Smart Dimmers)

Cat No.	Watts	Amps	Color	Case Qty	Each
82830	600	5	Ivory	60	
82831	600	5	White	60	
82833	600	5	Almond	60	
82835	1000	8.33	Ivory	60	
82836	1000	8.33	White	60	
82838	1000	8.33	Almond	60	

Rotary Fan Speed Controls



- Single Pole
- 120V AC Receptacle
- Rotary On/Off
- Suppresses Radio Frequency Interference (RFI)
- Includes Wallplate,
- Individually boxed

Cat No.	Color	Fans Controlled	Amps	Box Qty	Each
Single Pole 120V 3 Speed					
82610	Ivory	2 Fans	2.5	10	
82611	White	2 Fans	2.5	10	
82613	Almond	2 Fans	2.5	10	
Single Pole 120V Variable Speed					
82615	Ivory	3-5 Fans	5.0	10	
82616	White	3-5 Fans	5.0	10	
82618	Almond	3-5 Fans	5.0	10	

Rotary Fan 3-Way Speed Controls



- Quiet 4 speed
- Fits standard wall box
- 1.25 Amp for 1 fan
- Suppresses Radio Frequency Interference
- Individually packed in hanging double blister card
- Wallplate not included

Cat No.	Color	Description	Case	Each
82620	Ivory	3-way	50	
82621	White	3-way	50	

Slide Fan & Light Speed Controls



- Single Pole 120V
- Variable Speed Control
- 2.5 Amp for 2 Fans
- 300W Dimmer
- Suppresses Radio Frequency Interference (RFI)
- Includes Wallplate
- Individually Boxed

Cat No.	Color	Box Qty	Each
82660	Ivory	10	
82661	White	10	
82663	Almond	10	

Slide Fan Speed Controls



- Single Pole 120V
- Variable Speed
- 5 Amp for up to 5 Fans
- Suppresses Radio Frequency Interference (RFI)
- Includes Wallplate
- Individually Boxed

Cat No.	Color	Box Qty	Each
82650	Ivory	10	
82651	White	10	
82653	Almond	10	

Occupancy Sensors



Rating:
 Single Pole
 120VAC, 60Hz
 500W Resistive
 Tungsten: 500W @ 120V
 Fluorescent: 500VA @ 120V
 Motor: 1/8HP @ 120V



- Turns lights On/Off automatically when people enter or leave a room
- Will work with Electronic Ballasts
- PIR wall switch works best in offices, copy rooms, storage closets, small conference rooms, and other common areas where there are high levels of occupant motion. The Passive Infrared (PIR) senses occupancy by detecting the difference between heat emitted from the human body in motion and the background space.
- On/Off pushbutton
- Time delay Off setting is adjustable from 30 seconds to 30 minutes
- Ambient light setting automatically adjusts itself and controls when lights turn On/Off, depending on sufficient natural light present
- “Walk through” sensing increases energy savings by shutting off lights shortly after momentary occupancy
- Self-adaptive feature automatically adjusts time delay based on present occupancy
- The sensors utilize a unique Fresnel lens which divides the coverage area into zones, enhancing detection of small movements
- Has “Zero Arc Point” technology, which increases the life of controlled devices and enhances their reliability
- Alert Function: sensors sound to let the occupant know the time delay will expire after 1 minute
- Conforms to California Title 24 Energy Code
- UL/cUL Listed
- Wall plate Included, individually boxed

Cat No.	Color	Coverage	Case Qty	Each
80520	Ivory	150°, 450 Sq. Ft.	60	
80521	White	150°, 450 Sq. Ft.	60	

7-Day Heavy Duty In-Wall Timer



Digital timer can replace standard wall switch to provide automatic control of outdoor or indoor lighting (incandescent and fluorescent light), fans, pumps, office machines, and other types of circuits.

- Automatic or manual operation
- Push the control cover to switch On/Off at any time
- Program up to 18 On/Off setting options per day
- Large, easy to read digital display, to-the-minute accuracy
- Built-in memory holds settings indefinitely without battery
- Batteries (replaceable) save the time and program settings when the unit is unplugged or there is a power outage

- Single pole
- Resistive Rating: 15A, 1800W
- Tungsten Rating: 15A, 1200W
- Motor Load: ½ HP
- Voltage: 120VAC, 60Hz
- Operating Temperatures: 32°F to +104°F
- UL/cUL Listed
- Wallplate Included
- Individually Boxed

Multiple Daily Settings Options:

- All days of the week
- Individual days of the week
- 5 weekdays
- 2 weekend days



Cat No.	Color	Case Qty	Each
80510	Ivory	60	
80511	White	60	

Sound System Plates

- Gold Plate, Wall Connection Systems
- Strong Metal Backplate
- Decorative Style



**Single
RCA**

Cat No.	Color	Box Qty	Each
80310	Ivory	10	
80311	White	10	



**Double
RCA**

Cat No.	Color	Box Qty	Each
80320	Ivory	10	
80321	White	10	



**Triple
RCA**

Cat No.	Color	Box Qty	Each
80330	Ivory	10	
80331	White	10	



**Double
RCA
Single
Coax**

Cat No.	Color	Box Qty	Each
80340	Ivory	10	
80341	White	10	



**Triple
RCA
Single
Coax**

Cat No.	Color	Box Qty	Each
80350	Ivory	10	
80351	White	10	



**Banana
Jack
1 Pair**

Cat No.	Color	Box Qty	Each
80360	Ivory	10	
80361	White	10	



**Binding
Post
1 Pair**

Cat No.	Color	Box Qty	Each
80380	Ivory	10	
80381	White	10	



**Binding
Post
2 Pair**

Cat No.	Color	Box Qty	Each
80390	Ivory	10	
80391	White	10	



**Banana
Jack
2 Pair**

Cat No.	Color	Box Qty	Each
80370	Ivory	10	
80371	White	10	



**Single
Coax**

Cat No.	Color	Box Qty	Each
80410	Ivory	10	
80411	White	10	



**Double
Coax**

Cat No.	Color	Box Qty	Each
80420	Ivory	10	
80421	White	10	



**Triple
Coax**

Cat No.	Color	Box Qty	Each
80430	Ivory	10	
80431	White	10	

WIRING DEVICES

UL & CSA Listed Telephone & Coax Plates

Telephone Products Are Constructed With UL94V-0 Flame Retardant Plastic And 50 Micro Inches of Gold Plating. They Comply with UL Standard 1863 and Article 800-51 of The National Electrical Code.



FLUSH PHONE JACK

Smooth Plate
4 Conductor RJ11
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80010	Ivory	10	100	
80011	White	10	100	
80012	Brown	10	100	
80013	Lt Almond	10	100	



DUPLEX PHONE JACK

Smooth Plate
4 Conductor RJ11
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80020	Ivory	10	100	
80021	White	10	100	
80023	Lt Almond	10	100	



COMBINATION PHONE/CATV JACK

Smooth Plate
4 Conductor RJ11
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80056	Ivory	10	100	
80057	White	10	100	
80059	Lt Almond	10	100	



DECORATOR PHONE JACK

4 Conductor RJ11
Plate & Jack are One Piece
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80060	Ivory	10	100	
80061	White	10	100	



DECORATOR DUPLEX PHONE JACK

4 Conductor RJ11
Plate & Jack are One Piece
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80070	Ivory	10	100	
80071	White	10	100	



DECORATOR COMBINATION PHONE/CATV JACK

4 Conductor RJ11
Plate & Jack are One Piece
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80080	Ivory	10	100	
80081	White	10	100	



DECORATOR PHONE JACK

4 Conductor RJ11
Plate & Jack - 2 Pieces
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80160	Ivory	10	100	
80161	White	10	100	
80163	Lt Almond	10	100	



DECORATOR DUPLEX PHONE JACK

4 Conductor RJ11
Plate & Jack - 2 Pieces
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80170	Ivory	10	100	
80171	White	10	100	
80173	Lt Almond	10	100	



DECORATOR COMBINATION PHONE/CATV JACK

4 Conductor RJ11
Plate & Jack - 2 Pieces
Meets FCC Requirements



Cat No.	Color	Bag Qty	Master Box Qty	Each
80180	Ivory	10	100	
80181	White	10	100	
80183	Lt Almond	10	100	



MIDSIZE FLUSH PHONE JACK

Smooth Plate
4 Conductor RJ11
Meets FCC Requirements

Size 3-1/8"X4-7/8"

Cat No.	Color	Bag Qty	Master Box Qty	Each
87010	Ivory	10	100	
87011	White	10	100	
87013	Lt Almond	10	100	



MIDSIZE DUPLEX PHONE JACK

Smooth Plate
4 Conductor RJ11
Meets FCC Requirements

Size 3-1/8"X4-7/8"

Cat No.	Color	Bag Qty	Master Box Qty	Each
87020	Ivory	10	100	
87021	White	10	100	
87023	Lt Almond	10	100	



MIDSIZE COAX JACK

Smooth Plate
With F-81 Fitting

Size 3-1/8"X4-7/8"













Cat No.	Color	Bag Qty	Master Box Qty	Each
87510	Ivory	10	100	
87511	White	10	100	
87513	Lt Almond	10	100	



WIRING DEVICES

UL & CSA Listed Telephone & Coax Plates

Telephone Products Are Constructed With UL94V-0 Flame Retardant Plastic And 50 Micro Inches of Gold Plating. They Comply with UL Standard 1863 and Article 800-51 of The National Electrical Code.

 <p style="text-align: center;">CABLE TV JACK Smooth Plate With F-81 Fitting</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85010</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85011</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85012</td><td>Brown</td><td>10</td><td>100</td><td></td></tr> <tr><td>85013</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85010	Ivory	10	100		85011	White	10	100		85012	Brown	10	100		85013	Lt Almond	10	100		 <p style="text-align: center;">DOUBLE CABLE TV JACK With F-81 Fittings</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85020</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85021</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85023</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85020	Ivory	10	100		85021	White	10	100		85023	Lt Almond	10	100		 <p style="text-align: center;">DOUBLE COAX SINGLE PHONE JACK Smooth Plate 4 Conductor RJ11 Meets FCC Requirements</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>CAT NO.</th> <th>COLOR</th> <th>BAG QTY</th> <th>MASTER BOX QTY</th> <th>EACH</th> </tr> </thead> <tbody> <tr><td>85030</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85031</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85033</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	CAT NO.	COLOR	BAG QTY	MASTER BOX QTY	EACH	85030	Ivory	10	100		85031	White	10	100		85033	Lt Almond	10	100	
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85010	Ivory	10	100																																																																
85011	White	10	100																																																																
85012	Brown	10	100																																																																
85013	Lt Almond	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85020	Ivory	10	100																																																																
85021	White	10	100																																																																
85023	Lt Almond	10	100																																																																
CAT NO.	COLOR	BAG QTY	MASTER BOX QTY	EACH																																																															
85030	Ivory	10	100																																																																
85031	White	10	100																																																																
85033	Lt Almond	10	100																																																																
 <p style="text-align: center;">DECORATOR CABLE TV JACK Plate & Jack are One Piece</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85015</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85016</td><td>White</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85015	Ivory	10	100		85016	White	10	100		 <p style="text-align: center;">DECORATOR DUPLEX CABLE TV JACK Plate & Jack are One Piece</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85120</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85121</td><td>White</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85120	Ivory	10	100		85121	White	10	100		 <p style="text-align: center;">DECORATOR DOUBLE COAX SINGLE PHONE JACK 4 Conductor RJ11 Plate & Jack – 2 Pieces Meets FCC Requirements</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85230</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85231</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85233</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85230	Ivory	10	100		85231	White	10	100		85233	Lt Almond	10	100																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85015	Ivory	10	100																																																																
85016	White	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85120	Ivory	10	100																																																																
85121	White	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85230	Ivory	10	100																																																																
85231	White	10	100																																																																
85233	Lt Almond	10	100																																																																
 <p style="text-align: center;">DECORATOR CABLE TV JACK Plate & Jack – 2 Pieces</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85115</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85116</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85118</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85115	Ivory	10	100		85116	White	10	100		85118	Lt Almond	10	100		 <p style="text-align: center;">DECORATOR DUPLEX CABLE TV JACK Plate & Jack – 2 Pieces</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>85220</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>85221</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>85223</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	85220	Ivory	10	100		85221	White	10	100		85223	Lt Almond	10	100		 <p style="text-align: center;">SURFACE MOUNT WALL JACK 4 Conductor RJ11 Meets FCC Requirements</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>80050</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>80051</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>80052</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	80050	Ivory	10	100		80051	White	10	100		80052	Lt Almond	10	100						
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85115	Ivory	10	100																																																																
85116	White	10	100																																																																
85118	Lt Almond	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
85220	Ivory	10	100																																																																
85221	White	10	100																																																																
85223	Lt Almond	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
80050	Ivory	10	100																																																																
80051	White	10	100																																																																
80052	Lt Almond	10	100																																																																
 <p style="text-align: center;">PLASTIC WALL PHONE PLATE 4 Conductor RJ11 Meets FCC Requirements Used in Kitchens</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>80030</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>80031</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>80033</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	80030	Ivory	10	100		80031	White	10	100		80033	Lt Almond	10	100		 <p style="text-align: center;">6 CONDUCTOR FLUSH PHONE JACK Smooth Plate RJ14 Meets FCC Requirements</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>86010</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>86011</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>86013</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	86010	Ivory	10	100		86011	White	10	100		86013	Lt Almond	10	100		 <p style="text-align: center;">DOUBLE SURFACE MOUNT WALL JACK 4 Conductor RJ11 Meets FCC Requirements For 2 Separate Phone Lines</p> <p style="text-align: center;">UL SP </p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <thead> <tr> <th>Cat No.</th> <th>Color</th> <th>Bag Qty</th> <th>Master Box Qty</th> <th>Each</th> </tr> </thead> <tbody> <tr><td>80053</td><td>Ivory</td><td>10</td><td>100</td><td></td></tr> <tr><td>80054</td><td>White</td><td>10</td><td>100</td><td></td></tr> <tr><td>80055</td><td>Lt Almond</td><td>10</td><td>100</td><td></td></tr> </tbody> </table>	Cat No.	Color	Bag Qty	Master Box Qty	Each	80053	Ivory	10	100		80054	White	10	100		80055	Lt Almond	10	100						
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
80030	Ivory	10	100																																																																
80031	White	10	100																																																																
80033	Lt Almond	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
86010	Ivory	10	100																																																																
86011	White	10	100																																																																
86013	Lt Almond	10	100																																																																
Cat No.	Color	Bag Qty	Master Box Qty	Each																																																															
80053	Ivory	10	100																																																																
80054	White	10	100																																																																
80055	Lt Almond	10	100																																																																

Cat 5E (RJ-45) Unshielded Keystone Jacks (Toolless)



- No Tooling Needed
- Use for Voice or Data
- 8 Position, 8 Contact
- 568A & 568B Wiring - Color Coded
- Contacts have 50u Gold Plating
- Connector has UL94V-0 Plastic
- Accepts 22-26 AWG Solid & Stranded Wire



IDC Terminal Has Plastic Cap Which Pushes Wire Into the Connector and Therefore Needs No Tooling for Easy Installation

Cat No.	Color	Bag Qty	Each
88010	Ivory	10	
88011	White	10	

Cat 3 (RJ-45) Unshielded Keystone Jacks (Toolless)



- No Tooling Needed
- Use for Voice
- 8 Position, 8 Contact
- 568A & 568B Wiring - Color Coded
- Contacts have 50u Gold Plating
- Connector has UL94V-0 Plastic
- Accepts 22-26 AWG Solid & Stranded Wire



IDC Terminal Has Plastic Cap Which Pushes Wire Into the Connector and Therefore Needs No Tooling for Easy Installation

Cat No.	Color	Bag Qty	Each
88000	Ivory	10	
88001	White	10	

Cat 5E 110 TYPE (RJ-45) Unshielded Keystone Jacks



**PUNCH DOWN TOOL
NEEDED**

- Use for Voice or Data
- 110 & Krone Type Termination
- 8 Position, 8 Contact
- 568A & 568B Wiring - Color Coded
- Contacts have 50u Gold Plating
- Connector has UL94V-0 Plastic
- Accepts 22-26 AWG Solid & Stranded Wire
- Amp Compatible



Cat No.	Color	Bag Qty	Each
88020	Ivory	10	
88021	White	10	
88022	Blue	10	
88023	Red	10	
88024	Yellow	10	
88025	Black	10	
88026	Green	10	
88027	Orange	10	
88028	Lt. Almond	10	

Cat 5E Vertical 12 Port Patch Panels



- This Compact High Density 12 Port Cat 5E Patch Panel is perfect for the Small Network Installation
- H10" X W2.25" X D1.75"
- Top Entry Type, 568B Wiring, 110 Type
- Accepts Krone & 110 Impact Tool
- 89D Bracket Included for Mounting

Cat No.	Ports	Each
88042	12 Port Vertical	

Cat 5E High Density Patch Panels



- Top Entry Type
- 568B Wiring
- 110 Type
- Accepts Krone & 110 Impact Tool




Cat No.	Ports	Dimensions	Each
88044	24 Port Patch Panel	H1.75" X W19" X D1.32"	
88046	48 Port Patch Panel	H3.50" X W19" X D1.32"	



WIRING DEVICES

RCA Modular Inserts



Cat No.	Color	Bag Qty	Each
88230	Ivory	10	
88232	White	10	

BNC Modular Inserts



Cat No.	Color	Bag Qty	Each
88212	Ivory	10	
88214	White	10	

“ST” Fiber Optic Modular Inserts



Cat No.	Color	Bag Qty	Each
88220	Ivory	10	
88222	White	10	

“F” CATV Modular Inserts



Cat No.	Color	Bag Qty	Each
88216	Ivory	10	
88218	White	10	
88219	Lt. Almond	10	

Blank Modular Inserts



Cat No.	Color	Bag Qty	Each
88224	Ivory	10	
88226	White	10	
88227	Lt. Almond	10	

Cat 5E UTP Coupler Female To Female RJ-45



Cat No.	Color	Bag Qty	Each
88240	Black	10	

Hinged Wall-Mount Brackets



- Hold panels 6" from wall
- Provides a rear cable entry
- Opening for easy cable access
- Threaded holes follow standard EIA pattern

Cat No.	Height	Panel	Each
88052	1-3/4"	24 Port	
88054	3-1/2"	48 Port	

Single Gang Surface Mount Box Housing Only – Accepts Keystone Jacks



Cat No.	Color	Bag Qty	Each
88252	Ivory	10	
88254	White	10	

Double Gang Surface Mount Box Housing Only – Accepts Keystone Jacks



Cat No.	Color	Bag Qty	Each
88256	Ivory	10	
88258	White	10	



1 Piece Patchcord Strain Reliefs

- Protects the connector
- Used as color-codes for different departments, work stations or cable functions
- Attached before RJ45 plugs are terminated
- Can't be removed after termination

Cat No.	Color	Bag Qty	Each
88512	Black	10	
88514	Green	10	
88516	Yellow	10	
88518	Ivory	10	
88520	Gray	10	
88522	Blue	10	
88524	Red	10	

Cat 5E UTP Patchcords




- Blue Cord
- 100% Tested To meet T568B CAT 5E standards
- 2-RJ45 Gold Plated 50u 8P8C Plugs
- Stranded 24AWG 4 Pair Wire Provides Maximum Flexibility

Cat No.	Length	Each
88312	3'	
88314	5'	
88318	10'	
88320	14'	
88322	20'	

WIRING DEVICES

Decorator Wallplate For Keystone Jacks & Modular Inserts

Note that Decorative 4 and 6 gang plates can only be used with modular inserts 88010/88011 Jacks (pg 130) & Modular Inserts (pg 131)



Cat No.	Color	Ports	Bag Qty	Each
88102	Ivory	1	10	
88104	Ivory	2	10	
88106	Ivory	3	10	
88108	Ivory	4	10	
88110	Ivory	6	10	
88112	White	1	10	
88114	White	2	10	
88116	White	3	10	
88118	White	4	10	
88120	White	6	10	
88122	Lt. Almond	1	10	
88124	Lt. Almond	2	10	
88126	Lt. Almond	3	10	
88128	Lt. Almond	4	10	
88130	Lt. Almond	6	10	

Wallplate For Keystone Jacks & Modular Inserts



Cat No.	Color	Ports	Gang	Bag Qty	Each
88142	Ivory	1	1	10	
88144	Ivory	2	1	10	
88146	Ivory	3	1	10	
88148	Ivory	4	1	10	
88150	Ivory	6	1	10	
88152	Ivory	12	2	10	
88162	White	1	1	10	
88164	White	2	1	10	
88166	White	3	1	10	
88168	White	4	1	10	
88170	White	6	1	10	
88172	White	12	2	10	
88182	Lt. Almond	1	1	10	
88184	Lt. Almond	2	1	10	
88186	Lt. Almond	3	1	10	
88188	Lt. Almond	4	1	10	
88190	Lt. Almond	6	1	10	

Junction Box

With Mounting Block
4 Conductor – Ivory



For 2 Phone Lines

Cat No.	Box Qty	Each
40070	50	

Cord Ends



Note that 40120 RJ11 Cord End will fit into a RJ45 Wall Jack

Cat No.	Type	Usage	Bag	Each
40120	RJ11	Wall Jacks	10	
40122	RJ22	Hand Cord Sets	10	
88612	RJ45	Cat5e Wall Jacks	10	

Stainless Steel Phone Jack



4 Conductor RJ11
Used in Kitchens

No.	Box Qty	Each
40040	50	

Cord Coupler

Connects Two Modular Cords
4 Conductor – Ivory



Cat No.	Box Qty	Each
40100	50	

Duplex Adaptor

Convert One Line to 2 Lines
4 Conductor – Ivory



Cat No.	Box Qty	Each
40090	50	

Splitters & 'F' Connectors

Mini 2 Way Splitters



- Allows 2 units to be operated from one source
- Accepts coaxial 'F' fittings

Cat No.	MHz	Type	Bag Qty	Master Box	Each
45025	900	Standard	10	100	

2 Way Splitters With Grounding Block



- Allows 2 units to be operated from one source
- Accepts coaxial 'F' fittings

Cat No.	MHz	Type	Bag Qty	Master Box	Each
45030	900	Standard	10	50	
45032	1000	Digital	10	50	
45034	2050	Satellite	10	50	

3 Way Splitters With Grounding Block



- Allows 3 units to be operated from one source
- Accepts coaxial 'F' fittings

Cat No.	MHz	Type	Bag Qty	Master Box	Each
45040	900	Standard	10	30	
45042	1000	Digital	10	30	
45044	2050	Satellite	10	30	

4 Way Splitters With Grounding Block



- Allows 4 units to be operated from one source
- Accepts coaxial 'F' fittings

Cat No.	MHz	Type	Bag Qty	Master Box	Each
45050	900	Standard	10	30	
45052	1000	Digital	10	30	
45054	2050	Satellite	10	30	

8 Way Splitters With Grounding Block



- Allows 8 units to be operated from one source
- Accepts coaxial 'F' fittings

Cat No.	MHz	Type	Bag Qty	Master Box	Each
45055	900	Standard	1	10	
45057	1000	Digital	1	10	
45059	2050	Satellite	1	10	

Compression Connectors



Push-Lock Design
Used by Cable TV & Satellite Companies

- Design prevents moisture from entering the rear of the connector & an 'O' ring keeps moisture from entering through the nut
- Water-tight seal for outdoor applications & superior durability in all climates
- Compression crimp protects the center conductor from damage
- Permanent connections do not pull off or become loose
- Gold Plated contacts
- RF signal containment ensures strong signal

Cat No.	Type	Bag Qty	Master Bag Qty	Band
F Male Compression				
45072	RG6	10	100	Yellow
45074	RG6U Quad Shield	10	100	Blue
45076	RG59	10	100	Red
BNC Male Compression w/Extra Pin				
45102	RG6 Quad Shield	10	100	
45106	RG59 Quad Shield	10	100	
RCA Male Compression Connector w/Extra Pin & 6 Color Bands				
45112	RG6 Quad Shield	10	100	
45116	RG59U Quad Shield	10	100	

Split Feed Connectors



Cat No.	MHz	Type	Bag Qty	Each
45028	1000	Digital	10	

Terminators



- Attach to unused terminals of splitters, couplers, amplifiers & outlets
- Built-in resistor reduces ghosting & feedback

Cat No.	Bag Qty	Master Bag Qty	Each
45095	10	100	

FEMALE TO FEMALE CONNECTOR



WITH NUT & WASHER

- Couples 2 coaxial cables together that terminate in 'F' plugs

Cat No.	Bag Qty	Master Bag Qty	Each
45100	10	100	

"F" CONNECTOR TWIST ON



- Terminates coaxial cable
- Twist on to prepared cable end

Cat No.	Type	Bag Qty	Master Bag Qty	Each
45080	RG6	10	100	
45090	RG59	10	100	

"F" CONNECTOR CRIMP ON




- Terminates coaxial cable
- Crimp on to prepared cable end

Cat No.	Type	Bag Qty	Master Bag Qty
45060	RG6	10	100
45062	RG6/U Quad Shield	10	100
45070	RG59	10	100

WIRING DEVICES

Switches are Individually Labeled & Bagged in Sealed Hanging Plastic Bags




PULL CHAIN
Brass
With String
SPST, On-Off
6" Leads

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70010	10	
70011	100 Bulk	




PULL CHAIN
Nickel
With String
SPST, On-Off
6" Leads

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70020	10	
70021	100 Bulk	




PULL CHAIN
Brass

3 Way/2 Circuit
6" Leads

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70025	10	




PULL CHAIN
Brass

3 SPEED
OFF-ON-ON-ON
STAB CONNECTIONS

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70040	10	




MOMENTARY CONTACT

SPST
NORMALLY OFF

6 AMP, 120VAC
3 AMP, 240VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70140	10	




MOMENTARY CONTACT

SPST
NORMALLY ON

6 AMP, 120VAC
3 AMP, 240VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70150	10	




PUSH BUTTON

SPST, ON-OFF

8 AMP, 125VAC
4 AMP, 250VAC
1/3HP, 125VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70160	10	



ROCKER SWITCH

OPENING 7/16" X 1"

16 AMP, 125VAC, 1/3HP
10 AMP, 250VAC, 1/2HP

R **U** **Ⓢ**

Cat No.	Bag Qty	Poles	Circuitry	Each
70180	10	SPST	On-Off	
70181	10	SPDT	On-Off-On	




LIGHTED ROCKER SWITCH

SPST, ON-OFF
OPENING 7/16" X 1"

16 AMP, 125VAC, 1/3HP
10 AMP, 250VAC, 1/2HP

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70190	10	



PUSH CANOPY
Brass

SPST, ON-OFF
6" LEADS

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70200	10	




PUSH CANOPY
Nickel

SPST, ON-OFF
6" LEADS

6 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70210	10	




ROTARY CANOPY
Brass

SPST, ON-OFF
6" LEADS

1 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**

Cat No.	Bag Qty	Each
70220	10	



ROTARY CANOPY
Brass

SPST
OFF-ON-ON-ON
6" LEADS

1 AMP, 125VAC
3 AMP, 250VAC

R **U** **Ⓢ**


Cat No.	Bag Qty	Each
70230	10	



RUBBER COVER AND NUT
For Toggle Switch

- Protects switches from moisture, dirt, salt & spray
- Built-in nut base
- Fits Standard Toggles

Cat No.	Bag Qty	Each
70240	10	
70241	100 Bulk	



ROTARY SWITCH
Black Plastic

SPST, ON-OFF
#18AWG 6" LEADS


3 AMP, 125VAC
1.5 AMP, 250VAC

.60 Dia.
.73 Ht.

Rotary switches are perfect for household appliances, ceiling fixtures and lamps

Cat No.	Bag Qty	Each
70422	10	

Switches are Individually Labeled & Bagged in Sealed Plastic Bags




TOGGLE SWITCH
Medium Duty

SPST, ON-OFF
6" LEADS

8 AMP, 125VAC
4 AMP, 250VAC
1/3HP, 125VAC

Cat No.	Bag Qty	Each
70050	10	




TOGGLE SWITCH
Medium Duty

SPST, ON-OFF
2 SCREW TERMINALS

15 AMP, 120VAC
10 AMP, 240VAC

Cat No.	Bag Qty	Each
70060	10	



TOGGLE SWITCH
Heavy Duty

SPST, ON-OFF
2 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP, 125/250VAC

Cat No.	Bag Qty	Each
70070	10	



TOGGLE SWITCH
Heavy Duty

SPDT, ON-OFF-ON
3 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP, 125/250VAC

Cat No.	Bag Qty	Each
70080	10	




TOGGLE SWITCH
Heavy Duty

SPDT, ON-ON
3 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP, 125/250VAC

Cat No.	Bag Qty	Each
70090	10	




TOGGLE SWITCH
Heavy Duty

DPST, ON-OFF
4 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70100	10	




TOGGLE SWITCH
Heavy Duty

DPDT, ON-OFF-ON
6 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70110	10	




NONMETALLIC TOGGLE SWITCH
Heavy Duty

SPST, ON-OFF
2 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC

Cat No.	Bag Qty	Each
70120	10	




TOGGLE SWITCH
Heavy Duty

DPDT, ON-ON
6 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70130	10	




TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

SPST, OFF-(ON)
2 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP 125/250VAC

Cat No.	Bag Qty	Each
70250	10	




TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

SPDT, ON-OFF-(ON)
3 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP 125/250VAC

Cat No.	Bag Qty	Each
70270	10	




TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

SPDT, (ON)-OFF-(ON)
3 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
3/4HP 125/250VAC

Cat No.	Bag Qty	Each
70280	10	




TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

DPST, ON-(OFF)
4 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70260	10	




TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

DPDT, ON-OFF-(ON)
6 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70290	10	



TOGGLE SWITCH
MOMENTARY = ()
Heavy Duty

DPDT, (ON)-OFF-(ON)
6 SCREW TERMINALS

20 AMP, 125VAC
10 AMP, 277VAC
1-1/2HP 125/250VAC

Cat No.	Bag Qty	Each
70300	10	

Heavy-Duty Toggle Switches - 3 Pole & 4 Pole



- Great for power tool and motor control switch applications
- Rugged long-wearing solid brass/nickel-plated bushings
- ½ in. Diameter mounting hole
- Screw Terminals
- Individually bagged, 10 per Master Bag



Cat. No.	Poles	Circuitry	Number of Terminals	Amps 125 VAC	Amps 277VAC	HP 125-250 VAC	Dimensions L" x W" x H"	Bag Qty	Each
70301	3PST	On-Off	6	15	10	¾	1.31x1.09x.80	10	
70302	3PDT	On-On	9	15	10	¾	1.31x1.09x.80	10	
70303	3PDT	On-Off-On	9	15	10	¾	1.31x1.09x.80	10	
70304	4PST	On-Off	8	15	10	¾	1.31x1.44x.80	10	
70305	4PDT	On-On	12	15	10	¾	1.31x1.44x.80	10	
70306	4PDT	On-Off-On	12	15	10	¾	1.31x1.44x.80	10	



Pull Chain Lampholder

Medium Base, Incandescent, Aluminum Brass Dipped 250W, 250V

Cat No.	Type	Bag Qty	Each
45200	On-off	10	
45203	3-Way	10	



Keyless Lampholder

Medium Base, Incandescent Aluminum Brass Dipped 660W, 250V

Cat No.	Bag Qty	Each
45205	10	



Push Thru Lampholder

Medium Base, Incandescent, On/Off Aluminum Brass Dipped 660W, 250V

Cat No.	Bag Qty	Each
45210	10	



Turn Knob Lampholder

Medium Base, Incandescent Aluminum Brass Dipped 250W, 250V

Cat No.	Type	Bag Qty	Each
45215	On-off	10	
45220	3-Way	10	



T-8 Low Profile Lampholder

Medium Bi-Pin Fluorescent Slide-On with Captive Nut Push Wire Terminations 660W, 600V

Cat No.	Bag Qty	Each
45225	10	



T-8 Tall Profile Lampholder

Medium Bi-Pin Fluorescent Slide-On with Captive Nut Push Wire Terminations 660W, 600V

Cat No.	Bag Qty	Each
45226	10	



Single Pin Lampholder

Fluorescent Pedestal Type Single Pin Lamp Fa8, Slide-On Base Push Wire Terminations 660W, 1000V

Cat No.	Type	Bag Qty	Each
45232	Plunger	10	
45233	Fixed	10	




High Output Lampholder

Pedestal Type for High Output Lamp R17d Slide-On Base Push Wire Terminations 660W, 1000V

Cat No.	Type	Bag Qty	Each
45234	Plunger	10	
45235	Fixed	10	

WIRING DEVICES


Rectangular Indicator Pilot Lamp



250VAC Incandescent

Cat No.	Color	Bag Qty	Each
70310	Green	10	
70311	Red	10	
70312	Amber	10	

Round Indicator Pilot Lamp Incandescent



Cat No.	Color	Ratings	Termination Style	Bag Qty	Each
70320	Green	250VAC	Spade	10	
70321	Red	250VAC	Spade	10	
70322	Amber	250VAC	Spade	10	
70323	Green	125VAC	6" Wire Leads	10	
70324	Red	125VAC	6" Wire Leads	10	
70325	Amber	125VAC	6" Wire Leads	10	
70326	Green	24VDC	6" Wire Leads	10	
70327	Red	24VDC	6" Wire Leads	10	
70328	Amber	24VDC	6" Wire Leads	10	

Major Appliance Air Conditioner Cords



- 15A 120 Volt Parallel Blades
- 14/3 SPT-3 Cord w/ground
- Beige Color



Cat No.	Length	Box Qty	Each
89212	3'	24	
89214	6'	24	
89216	9'	12	
89218	12'	12	
89220	15'	12	

3 Outlet Heavy Duty T-Tap Extension Cord



- 2 Foot Length, Orange Color
- 15 Amp-125 Volt, 12/3 STW Cord
- Approved Under OSHA Standards For Outdoor and Indoor Use

Cat No.	Length	Box Qty	Each
89312	2'	12	

3 Outlet Power Adapter



- 15A/125V
- Converts Single Grounded Outlet to Provide Three Grounded Outlets
- Unbreakable Hard Rubber Material

Cat No.	Case Qty	Each
89412	144	

Lightning Arrester / Surge Suppressor



#89112



#89114



- Model 89114 has indicator light that shows surge protection is present, ground present and power on
- Installs at electrical panel, electrical disconnect
- cULus Listed, ANSI/IEEE C62.11
- Hardwire parallel connection
- Unlimited (Parallel Installation) continuous current
- Response Time: <5 nSec Installed, <1 nSec component level
- MCOV: 130 VAC (L - G), 260 VAC (L - L)
- Operating Frequency: 0 - 400 Hz
- AC protection Modes: L - L & L - G
- Service Voltage: 120/240 VAC Single Phase
- Black high impact plastic housing
- Housing size: 3" x 2.25" x .75"

Cat No.	Indicator Light	Surge Current	Max Energy Dissipation	Case Qty	Each
89112	No	50,000 A.	420 Joules	48	
89114	Yes	100,000 A.	840 Joules	48	

WIRING DEVICES


Straight Blade Plugs and Connectors



Straight Plug



Angle Plug



- Rugged construction resists impact, sunlight, chemicals and rough use
- All contacts are solid one-piece brass for better conductivity
- Heavy-duty power contacts set in deep pockets to resist damage

Cat No.	Amps	Volts	NEMA#	Box Qty	Each
Straight Plug					
89612	15	125	5-15P	10	
89614	20	125	5-20P	10	
89616	15	250	6-15P	10	
89618	20	250	6-20P	10	
Angle Plug					
89632	15	125	5-15P	10	
89634	20	125	5-20P	10	
89636	15	250	6-15P	10	
89638	20	250	6-20P	10	

Locking Receptacles




- 3 Pole 4 Wire
- 125/250 VAC
- Industrial Grade

Cat No.	Amps	NEMA #	Box Qty	Each
89742	20	L14-20R	10	
89744	30	L14-30R	10	

Twist Lock Connectors

These styles commonly used for Most Generators



Cat No.	Type	Amps	Volts	NEMA#	Box Qty	Each
3 Pole 4 Wire 20 Amp 125-250VAC						
89752	Male Cap	20	125/250	L14-20P	10	
89754	Female	20	125/250	L14-20R	10	
3 Pole 4 Wire 30 Amp 125-250VAC						
89756	Male Cap	30	125/250	L14-30P	10	
89758	Female	30	125/250	L14-30R	10	

Feed-Thru Cord Switches



- 3 Amp 250 VAC, 6 Amp 125 VAC
- Miniature Single Pole
- On-Off Sequence
- Captive Screw
- For use with #18 SPT-1 Wire

Cat No.	Color	Bag Qty
70450	Brown	10
70451	White	10
70452	Black	10

138

Generator Power Cord Sets



These cord sets are designed for use with manual transfer switches, transfer panels, and power inlet boxes. UL listed.
300V SJTOW Rubber Cord
-30°F (-34°C) Outdoor Use & Oil Resistant



Cat No.	Amps	Size	Length	NEMA#	Max Gen Input	Box Qty	Each
89342	20	12/4	10 Ft	L14-20	5 KW	16	
89344	20	12/4	20 Ft	L14-20	5 KW	10	
89346	20	12/4	40 Ft	L14-20	5 KW	5	
89348	30	10/4	10 Ft	L14-30	7.5 KW	10	
89350	30	10/4	20 Ft	L14-30	7.5 KW	6	
89352	30	10/4	40 Ft	L14-30	7.5 KW	3	

Home Network Wiring System

- Provides a fast and easy access point for all voice, audio, video and data connections
- Media Center modules snap into place (no tool required), precise hole spacing allows flexibility for mounting
- Fully integrates, manages and distributes broadband and multimedia services
- Choose between Surface and Recessed units
- Uses multiple knock-outs and pre-punched holes for fast and easy installations
- Includes raised mounting rails to create a clean wiring channel behind mounted modules
- Features 180° captured hinge cover design for easy access and positive closing latch
- Modules can be mounted in Enclosure or mounted as individual units directly on any surface - simply remove existing push pins and insert screw to fasten on desired surface



Home Network Enclosures with Hinged Door



Hold up to 4 Modules Pg 141
or 3 Modules Pg 139-140

Holds up to 16 Modules Pg 141
or 8 Modules Pg 139-140

Holds up to 16 Modules Pg 141
or 8 Modules Pg 139-140

Cat No.	Mounting	Size	Each
87100	Surface	6.7" W x 10.2"H x 3.4"D	
87102	Surface	14.5" W x 18.9"H x 4.3"D	
87106	Flush	14.4" W x 21.3"H x 3.7"D	

- Fully supported broadband and multimedia integration
- Our innovative series of modules and enclosures manage and distribute voice, video, data, and audio on a fully flexible and customizable platform
- All enclosures have a keyed latch installed for positive closure and added security
- Captured hinge cover design allows easy access while eliminating lost parts
- 18 Gauge steel construction provides strength and excellent EMI/RFI protection
- Multiple knock outs and pre punched holes accommodate tie wraps, mounting screws, ground screws, and wire bundles.
- Raised mounting rails provide clean wiring channel behind mounted modules

Television Master Hub



- Television distribution to 6 rooms
- Accepts 2 inputs allowing insertion of video camera feed
- Built-In Amplifier, 0db insertion loss
- Return loss 10dB—isolation 20dB
- 9VDC 300mA power supply included
- 6-1/2" (W) x 2-7/8" (H) x 1" (D)

Cat No.	Each
87158	


Telephone Master Hub



- Extends 4 lines (phone, fax, or modem) to 6 rooms
- Expandable Cat5 telephone hub
- Integral RJ-31X security interface and RJ-45 expansion jack
- 6-1/2" (W) x 2-7/8" (H) x 1" (D)

Cat No.	Each
87154	

Cat5e Data Master Hub



- Allows serviceable termination of data wires from 8 locations
- Color coded 110 IDC blocks for simple and secure terminations
- Gold plated RJ-45 terminals provide clean and solid connections
- Conforms to EIA/TIA 568B standards
- 6-1/2" (W) x 2-7/8" (H) x 1" (D)

Cat No.	Each
87156	

Telephone & TV Master Hub



- Extends 4 lines (phone, fax, or modem) to 6 rooms & Cable to 6 locations
- Expandable Cat5 telephone hub
- Integral RJ-31X Security interface & RJ45 expansion jack
- Accepts 2 inputs allowing insertion of video camera feed
- Power supply eliminates insertion loss
- Return loss 10dB - isolation 20dB 9
- 9VDC 300mA power supply included
- 6-1/2" (W) x 4-7/8" (H) x 1" (D)

Cat No.	Each
87152	

Home Network Wiring System


Telephone Expansion Hub



- Adds 8 more telephone extensions to an existing telephone hub
- Use a RJ45 patch cord to jump
- 6-1/2"(W) x 2-7/8"(H) X 1"(D)

Cat No.	Each
87168	

Audio Master Hub



- Distribution of 2 audio channels to 6 rooms
- Solid brass binding posts provide secure connections for 14AWG wire
- Binding post holes are angled for convenient and neat wire installation
- 10mA max - 1.1kVAC max
- 6-1/2" (W) x 2-7/8" (H) x 1" (D)

Cat No.	Each
87160	

120VAC Power Module



- Conveniently provides power within the master enclosure
- Rear 1/2" knockout hole supplied with plastic NM-B cable connector for fast secure installation
- UL listed NEMA 5-15R receptacle
- 6-1/2" (W) x 2-5/8"(H) x 1"(D)

Cat No.	Each
87162	

Video Amplifier



- Full band amplifier for boosting signal for 1-4 locations
- Input signal UHF, VHF, FM & DAB
- Frequency 47MHz - 860MHz
- 6-1/2"(W) x 2-7/8"(H) X 1"(D)

Cat No.	Each
87174	

Ethernet 10/100 Base T Switch



- Conveniently networks PC's to create an integrated home network
- Gold plated RJ-45 terminals provide clean and solid connections
- RJ-45 ports - slide switch uplink auto negotiation all ports
- 12VDC 500mA power supply included
- 6-1/2" (W) x 1" (D)

Cat No.	Ports	Height	Each
87164	5	3-1/4"	
87170	8	4-1/4"	

Audio/Video Modulator



Must install a separate channel filter on CATV line to remove desired channel from incoming service

- Digitally tuned modulator that converts any bassband video & audio signal to a user selected UHF or CATV channel
- View security camera broadcasts at any TV for added home security
- Output channels 14-128 set by dip switch
- 12VDC 500mA power supply included
- 6-1/2"(W) x 3"(H) x 2-3/8"(D)

Cat No.	Each
87166	

Satellite 4-Way Switch



- Provide Satellite TV to 4 locations
- 250 MHz
- 6-1/2"(W) x 4-3/8"(H)

Cat No.	Each
87172	

6 Way CATV Splitter Module



- Takes 1 Coax cable and distributes it up to 6 other locations
- 1 GHz
- 6-1/2"(W) x 2-7/8"(H)

Cat No.	Each
87176	

8 Way CATV Splitter Module



- Takes 1 Coax cable and distributes it up to 8 other locations
- 1 GHz
- 6-1/2"(W) x 2-7/8"(H)

Cat No.	Each
87178	

Home Network Wiring System Module Dimensions 6.5" x 1.75"

1x9 Bridged Voice Module



Basic telephone distribution



- Bridge up to 4 telephone lines to 9 locations
- Connect up to 9 separate phones per line
- Circuit board module, 4-pair 110-type IDC punchdowns
- The first 110 connection is terminated to the demarcation point from the service provider

Cat No.	Each
87112	

8-Port Cat5e Voice/Data Module



Basic Home Networking Expansion Module



- Patch phone or data connections to 8 locations
- Combine with a TLDM, key system, or network hubs for additional applications
- Printed circuit board module
- 4-pair 110-type IDC punchdowns and 8 CAT 5e RJ-45 ports

Cat No.	Each
87114	

Voice & Security Module



Includes Security Interface



- Bridge up to 4 telephone lines to 8 locations
- Connect up to 8 separate telephones per line
- Connect to security system
- Printed circuit board module
- 4-pair 110 type IDC punchdowns

Cat No.	Each
87116	

1x8 Voice & Expansion Module



- Bridge up to 4 telephone lines to 8 locations
- Connect up to 8 separate telephones per line
- Printed circuit board module
- 4-pair 100 type IDC punchdown

Cat No.	Each
87118	

Voice/Data/Security & Exp. Module



Includes Security Interface



- Bridge up to 4 telephone lines to 11 locations
- Printed circuit board module
- One incoming 4-pair 110-type IDC punchdown and 11 outgoing RJ-45 jack connections
- Combine with a Category 5e board to route telephone to remote locations

Cat No.	Each
87120	

1x6 Audio Connection Module



- Supports up to six pairs of speakers
- Combine with volume controls to control up to six pairs of speakers from one amplifier or receiver
- Parallel connection scheme insures sound quality
- User-removable connectors facilitate installation
- Connects with standard fire-related speaker wire

Cat No.	Each
87122	

Voice/Data & Expansion Module



Basic telephone distribution



- Bridge up to 4 telephone lines to 11 locations
- Printed circuit board module
- One incoming 4-pair 110-type IDC punchdown and 11 outgoing RJ-45 jack connections
- Combine with a Category 5e board to route telephone to remote locations

Cat No.	Each
87124	

Video Amplifier UHF/VHF/FM



- Run cable TV or other video signals through the video amplifier before splitting & distributing throughout the home or office
- 30db, 60hz
- Bi-Directional

Cat No.	Each
87128	

WIRING DEVICES

6 Outlet Power Strip



Display Box Packaging

No Protection

- Integrated Circuit Breaker Switch (2 in 1)
- AC 125V/15A
- ABS Plastic Housing
- Mounting Bracket
- UL 1363

Cat No.	Cord Length	Box Qty	Each
89022	6'	36	

6 Outlet Power Strip Surge Protector



Display Box Packaging

Good Protection

- 750 Joules Surge Dissipation
- 500V Clamping Voltage
- Integrated Circuit Breaker Switch (2 in 1)
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Indicator
- AC 125V/15A
- ABS Plastic Housing
- Mounting Bracket
- UL 1363 & 1449

Cat No.	Cord Length	Box Qty	Each
89030	4'	36	
89032	6'	36	
89034	12'	36	

6 Outlet Metal Strip Surge Protector



Display Box Packaging

Good Protection

- 750 Joules Surge Dissipation
- 400V (L-N) Clamping Voltage
- 500V (L-G,N-G) Clamping Voltage
- 6000V Max Surge Volts
- 13,500 Amps Max Current Spike
- AC 125V/15A
- Integrated Circuit Breaker Switch

Cat No.	Cord Length	Box Qty	Each
89060	6'	20	

6 Outlet Surge Protector Antenna/CATV Protection



Display Box Packaging

Best Protection

- 1050 Joules Surge Dissipation
- 400V (L-N, N-G) Clamping Voltage
- 500V (L-G) Clamping Voltage
- 6000V Max Surge Volts
- 19,500 Amps Max Current Spike
- AC 125V/15A
- CATV Protection
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge Indicator
- ABS Plastic Housing

Cat No.	Cord Length	Box Qty	Each
89080	4'	24	

6 Outlet Surge Protector Phone/Fax/Modem Protection



Display Box Packaging

Best Protection

- 1050 Joules Surge Dissipation
- 400V (L-N, N-G) Clamping Voltage
- 500V (L-G) Clamping Voltage
- 6000V Max Surge Volts
- 19,500 Amps Max Current Spike
- AC 125V/15A
- Phone/Fax/Modem Protection
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge Indicator
- ABS Plastic Housing

Cat No.	Cord Length	Box Qty	Each
89070	6'	24	

9 Outlet Surge Protector Phone/Fax/Modem/CATV Protection



Display Box Packaging

Ultimate Protection

- 2100 Joules Surge Dissipation
- 400V Clamping Voltage
- 6000V Max Surge Volts
- 39,000 Amps Max Current Spike
- AC 125V/15A
- Phone/Fax/Modem/CATV Protection
- Full 3 line surge protection
- EMI/RFI noise filter
- LED surge indicator
- ABS Plastic Housing

Cat No.	Cord Length	Box Qty	Each
89090	6'	20	

6 Outlet Surge Wall Tap Wall Tap



Hanging Card Packaging

- 1050 Joules Surge Dissipation
- 400V (L-N) Clamping Voltage
- 500V (L-G,N-G) Clamping Voltage
- 6000V Max Surge Volts
- 19,500 Amps Max Current Spike
- AC 120V/15A
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge Indicator
- ABS Plastic Housing

Cat No.	Box Qty	Each
89010	24	

6 Outlet Surge Wall Tap Phone/Fax/Modem Protection



- 420 Joules Surge Dissipation
- 330V Clamping Voltage
- 6500V Max Surge Volts
- 19,500 Amps Max Current Spike
- AC 125V/15A
- Phone/Fax/Modem Protection
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge Indicator
- ABS Plastic Housing
- Hanging Card Packaging

Cat No.	Box Qty	Each
89012	40	

6 Outlet Surge Wall Tap Antenna/CATV Protection



- 420 Joules Surge Dissipation
- 330V Clamping Voltage
- 6500V Max Surge Volts
- 19,500 Amps Max Current Spike
- AC 125V/15A
- CATV Protection
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge Indicator
- ABS Plastic Housing
- Hanging Card Packaging

Cat No.	Box Qty	Each
89014	40	

3 Outlet Wall Outlet Surge Protector



Good Protection

Hanging Card Packaging

- 750 Joules Surge Dissipation
- 500V Clamping Voltage
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Surge & Wiring Indicator
- AC 125V/15A, Resets Automatically
- UL 498A and 1449

Cat No.	Box Qty	Each
89040	48	

Single Surge Outlet Phone/Fax/Modem Protection



Good Protection

Hanging Card Packaging


- 750 Joules Surge Dissipation
- 500V Clamping Voltage
- Full 3 Line Surge Protection
- EMI/RFI Noise Filter
- LED Indicator
- Phone/Fax/Modem Protection
- AC 125V/15A
- UL 498A and 1449

Cat No.	Box Qty	Each
89050	60	

25-Pair 66 IDC Wiring Blocks



Wiring Block



Mounting Bracket



Cover

- Hooked contacts for smooth wire placement
- Nickel plating gives secure connection
- Clear plastic cover fits over entire block, protects contacts & allows a clear view of all connections without removing cover
- High-Impact PVC construction

Cat No.	Description	Each
40130	Wiring Block	
40132	Mounting Bracket	
40133	Cover	



WIRING DEVICES



Builders Chime Kit



Contents:
 (1) Chime (white)
 (2) Push buttons (white)
 (1) 16V 10W transformer

- White cover designed to go with any décor
- High quality sound bars provide pleasing tone
- Non-stick buttons & non-stick plungers provide years of trouble free performance
- 28 volt low density bulbs in lit pushbuttons for long life
- Chime Dimensions 7" x 4" x 2"
- Easy installation

Cat No.	Description	Kits/Case	Each Kit
78010	Kit with 2 Unlit Pushbuttons	24	
78020	Kit with 2 Lit Pushbuttons	24	
78000	Chime Only (no buttons or transformer)	24	



Builders Chime Kit With 5/8" Diameter Pushbutton



Contents:
 (1) Chime (White)
 (1) Lit gold rim pearl push button
 (1) 16Volt 10 Watt transformer

- White cover designed to go with any décor
- High quality sound bars provide pleasing tone
- Non-stick buttons & non-stick plungers provide years of trouble free performance
- 28 volt low density bulbs in lit pushbuttons for long life
- Chime Dimensions 7" x 4" x 2"
- Easy installation

Cat No.	Description	Kits/Case	Each Kit
78030	Kit with 1 Lit 5/8" Dia. Pushbutton	24	

Wireless Battery Powered Door Chime Kit



- 3 different chime tunes (8 note Westminster, 2 note ding dong & 1 note ding)
- Weatherproof pushbutton
- 12V A23 battery included
- 100 ft. operating range
- Receiver takes 2-C batteries (not included)

Cat No.	Description	Case Qty	Each
78040	Wireless Chime with Pushbutton	24	
78049	Wireless Pushbutton Only	—	

Wireless Plug-In Door Chime Kit



- 120 VAC plug fits into any outlet
- 3 different chime tunes (8 note Westminster, 2 note ding dong & 1 note ding)
- Weatherproof pushbutton
- 12V A23 battery included
- 100 ft. operating range

Cat No.	Description	Case Qty	Each
78045	Plug-in Wireless Chime with Pushbutton	24	
78049	Wireless Pushbutton Only	--	

Transformers



- Quality transformers, engineered to ensure long life with bells, buzzers, chimes, door openers, etc.
- 120 VAC Input
- Thermally Protected
- Fits Standard Wiring Knockout
- Class 2 Energy Limiting Type
- Quick Clamp mounting feature allows quick & easy installation



Cat No.	Volts	Case Qty	Each
78200	16V10VA	20	
78202	16V15VA	20	
78204	8V10VA, 16V10VA, 24V20VA	20	
78206	16V30VA	30	
78208	8V20VA, 16V30VA, 24V30VA	30	
78210	24V40VA	30	
78212	10V5VA	20	

Bells



- Satin Aluminum Finish With Snap-On Cover For Easy Installation
- May Be Operated By 6 VDC or 8-16 VAC Transformer

Cat No.	Description	Each
78120	2 1/2" bell	
78130	3" bell	
78140	4" bell	

Buzzer



- Satin Aluminum Finish With Snap-On Cover For Easy Installation
- May Be Operated By 6VDC or 8-16 VAC Transformer

Cat No.	Description	Each
78110	Buzzer	



WIRING DEVICES



Plastic Pushbuttons

- Surface Mount
- Plastic material
- White color
- 7/8" X 2-7/8"

Cat No.	Type	Each
78231	Unlit	
78232	Lit	

Gold Rim Lit Pushbutton



- 5/8" Diameter lighted gold rim pearl pushbutton
- Chrome finish

Cat No.	Each
78220	

Lit Stucco Pushbutton



- 5/8" Diameter Lighted Gold Rim Pearl Button
- 2-1/2" Diameter Gold Anodized aluminum plate and spring set

Cat No.	Each
78240	

Round Push Buttons



- 1-3/4" diameter
- Max 16VDC
- Traditional, round push button
- Attractive brass finish
- Unlit, Surface Mount

Cat No.	Color	Each
78234	Polished Brass	
78235	Antique Brass	

Decorative Pushbuttons



Fig 1



Fig 2



Fig 3

- Lit
- Flush Mount
- 16VDC

Cat No.	Color	Fig	Each
78252	White	1	
78253	Black	2	
78256	Pewter	3	

Electric Door Release



- Commonly used in Apartments & offices
- Allows remote opening when energized
- Reversible for right or left hand doors
- Normally closed or locked
- Mortise type
- Use with 78200 transformer

- For new or replacement, wood or metal
- Brass finish face plate includes 2 brass mounting screws
- 8-16V AC, 3-6V DC
- Face Plate: 1-1/4" x 5-7/8"
- Case: 1-5/16" x 3-5/8" x 1-7/16"
- Latch: 1-3/8" opening

Cat No.	Box Qty	Each
70330	1	

Reed Switch



- Triggers an alarm when doors, windows or similar entry-ways are opened
- SPDT .5 Amp 24VDC
- Magnetic Switch
- Normally Closed & Normally Open
- 3 Terminals
- Adhesive Backing

Cat No.	Color	Bag Qty	Each
70501	White	10	

Roller Ball Contacts



- Suitable for security & alarm systems, signaling circuits and all types of general low voltage switching applications
- Used with Doors or Windows
- Designed to operate when depressed from any angle
- No mechanical wear, dustproof & corrosion resistant
- Low Voltage Only
- 48V AC Max.
- 1 per box with 2 nickel wood screws
- 70332
Door Closed - Circuit Off (light off)
Door Open - Circuit On (light on)
- 70334
Door Closed - Circuit On (light on)
Door Open - Circuit Off (light off)

Cat No.	Type	Contact Volts	Amps AC	Amps DC
70332	Open Circuit On	12	2	2
70334	Open Circuit Off	24	2	1
70336	Make & Break Circuit	48	1	0.5

Door Switch



- Typically used for closets, dark rooms, walk-in refrigerators
- Push button switch with metal box, cover plate and mounting hardware to operate lights when door is opened
- Mounts in door jam
- 6" wire leads
- Fits in 1.25" x 2.75" x 2.0" deep, approximate mounting hole
- Normally on momentary contact
- AC/DC SPST
- 10A/125VAC, 10A.250VAC, 10A/277VAC 1/2HP 125-277VAC



Cat. No.	Box Qty	Each
70420	1	