

13697 - GE Cool White T12

F72T12CW/HO 15PK

**Product Photo** 



## **CAUTIONS & WARNINGS**

Caution

Lamp may shatter and cause injury if broken

Wear safety glasses and gloves when handling lamp.

Do not use excessive force when installing lamp.

Warning

Risk of Electric Shock

Turn power off before inspection

installation or removal.



## **GENERAL CHARACTERISTICS**

Base Description Recessed Double Contact

Pin/Plug-In Base Type Mercury Content 90 mg Mercury-Picogrm per mean Im hr 1358.7 Starting Temp (MIN) C-degrees -29 °C **Bulb Material** Soda lime Rated Life Hours-nominal 12000 h **Primary Application** Full Wattage **Product Technology** Linear Fluorescent

Base R17d Bulb Shape T12

## PHOTOMETRIC CHARACTERISTICS

Mean Lumens nominal5520 lmNominal Initial Lumen per Watt75Initial Lumens-nominal6350 lmColor Rendering Index-CRI60Color Temperature4100 K

PRODUCT INFORMATION

Product Code 13697

Description F72T12CW/HO 15PK

Alternative Unit Of Measure CASE

Standard Package Quantity

Ean UPC 043168136976 Standard Package GTIN 0043168136973

No Of Items Per Sales Unit No Of Items Per Standard Package

Sales Unit Case

UCC 043168136976

**DIMENSIONS** 

Bulb Diameter (DIA) <Max>1.59 inBulb Diameter (DIA) <Min>1.41 inDiameter1.5 inEnd of Base Pin to Pin69.72 inNominal Length72.0 in

## **ELECTRICAL CHARACTERISTICS**

Current Crest Factor (MAX) 1.7

Open Circuit Voltage (rapid start) Min @ 395.00 V @ 10 °C

Temperature

420.00 V @ -29 °C Cathode Resistance Ratio -

Rh/Rc (MIN)

4.250 Cathode Resistance Ratio -

Rh/Rc (MAX)

6.500 Rated power (Watts)



Jan 6, 2017 10:52:51 AM For additional information, visit www.gelighting.com