Section 1: Product & Company Identification

Product Name: Super Degreaser™ Cleaner/Degreaser (aerosol)

Product Number (s): 03110

Product Use: General purpose degreaser

Manufacturer / Supplier Contact Information:

<u>In United States</u>: <u>In Canada</u>: <u>In Mexico</u>:

CRC Industries, Inc.

CRC Canada Co.

CRC Industries Mexico

Av. Benito Juárez 4055 G

Warminster, PA 18974 Mississauga, Ontario L5S 1R2 Colonia Orquídea

<u>www.crcindustries.com</u> <u>www.crc-canada.ca</u> San Luís Potosí, SLP CP 78394 1-215-674-4300 (General) 1-905-670-2291 www.crc-mexico.com

1-215-674-4300 (General) 1-905-6 (800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

24-Hr Emergency - CHEMTREC: (800) 424-9300 or (703) 527-3887

Section 2: Hazards Identification

Emergency Overview

52-444-824-1666

WARNING: Vapor Harmful. Contents Under Pressure. Appearance & Odor: Clear, colorless liquid with a strong odor

Potential Health Effects:

ACUTE EFFECTS:

EYE: May cause moderate irritation ranging from redness to burning.

SKIN: May cause moderate irritation ranging from redness to burning.

INHALATION: May irritate nose, throat and lungs. Symptoms include coughing, wheezing, and laryngitis. Exposure to

high doses may cause central nervous system depression, including headache, nausea, giddiness,

confusion and delirium. Such doses may also cause adverse effects in liver, kidney and lung.

INGESTION: Low toxicity; not expected to be a hazard in normal use.

CHRONIC EFFECTS: Long term overexposure may lead to central nervous system, liver or kidney effects.

TARGET ORGANS: central nervous system, liver, kidney

Medical Conditions Aggravated by Exposure: dermatitis, respiratory disorders, central nervous system disorders

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Number (s): 03110

Section 3: Composition/Information on Ingredients

COMPONENT	CAS NUMBER	% by Wt.
1-Bromopropane (nPB)	106-94-5	45 - 55
t-Butanol	75-65-0	< 2
1,2-Butylene oxide	106-88-7	< 1
1,1,1,2-Tetrafluoroethane (HFC-134a)	811-97-2	45 - 55
Carbon Dioxide	124-38-9	< 5

Section 4: First Aid Measures

Eye Contact: Immediately flush with plenty of water for 15 minutes. Call a physician if irritation persists.

Skin Contact: Remove contaminated clothing and wash affected area with soap and water. Call a physician if

irritation persists. Wash contaminated clothing prior to re-use.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If

breathing is difficult give oxygen. Call a physician.

Ingestion: Wash mouth with plenty of water. If conscious, give person a glass of water to drink. Call a

physician.

Note to Physicians: Treat symptomatically.

Section 5: Fire-Fighting Measures

Flammable Properties: This product is not flammable in accordance with aerosol flammability definitions.

(See 16 CFR 1500.3(c)(6)). However, it could be made to burn or flash under certain

conditions.

Flash Point: None (TCC) Upper Explosive Limit: 8.0 Autoignition Temperature: 914°F / 490°C Lower Explosive Limit: 4.0

Fire and Explosion Data:

Suitable Extinguishing Media: Carbon dioxide, dry chemical, foam, Class B fire extinguisher

Products of Combustion: Hydrogen bromide or bromine, hydrogen fluoride, oxides of carbon

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for

protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Use water spray to keep fire-exposed containers cool

and to knock down vapors which may result from product decomposition.

Section 6: Accidental Release Measures

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into

sewers or storm drains.

Product Number (s): 03110

Methods for Containment & Clean-up: Dike area to contain spill. V

Dike area to contain spill. Ventilate the area with fresh air. If in confined space or limited air circulation area, clean-up workers should wear appropriate respiratory protection. Recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste

containers.

Section 7: Handling and Storage

Handling Procedures: Wear appropriate personal protective equipment. Use only with adequate ventilation. Open

doors or windows to provide fresh air in poor circulation areas. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions,

please see the product label.

Storage Procedures: Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F /

49°C to prevent cans from rupturing.

Aerosol Storage Level: I

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines:

	0;	SHA	AC	GIH	0	THER	
COMPONENT	TWA	STEL	TWA	STEL	TWA	SOURCE	UNIT
1-Bromopropane (nPB)	NE	NE	10	NE	25	EPA	ppm
t-Butanol	100	NE	100	NE	NE		ppm
1,2-Butylene oxide	NE	NE	NE	NE	2	AIHA	ppm
1,1,1,2-Tetrafluoroethane	NE	NE	NE	NE	1000	AIHA	ppm
Carbon dioxide	5000	30000(v)	5000	30000	NE		ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

Controls and Protection:

Engineering Controls: Area should have ventilation to provide fresh air. Local exhaust ventilation is generally

preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA

regulations.

Respiratory Protection: None required for normal work where adequate ventilation is provided. If engineering controls

are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and

for emergencies.

Eye/face Protection: For normal conditions, wear safety glasses. Where there is reasonable probability of liquid

contact, wear splash-proof goggles.

Skin Protection: Use protective gloves such as Viton or Norfoil. Also, use full protective clothing if there is

prolonged or repeated contact of liquid with skin.

Product Number (s): 03110

Section 9: Physical and Chemical Properties

Physical State: liquid
Color: clear, colorless
Odor: strong solvent odor
Odor Threshold: ND

Odor Threshold: ND Specific Gravity: 1.33

Initial Boiling Point: 160°F / 71°C

Freezing Point: ND

Vapor Pressure: 112 mmHg @ 68°F / 20°C Vapor Density: ~ 4.3 (air = 1) Evaporation Rate: fast

Solubility: 0.25 g/100 mL @ 68°F / 20°C Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 49.9 g/L: 665 <u>lbs./gal:</u> 5.53

Section 10: Stability and Reactivity

Stability: Stable

Conditions to Avoid: Keep away from ignition sources

Incompatible Materials: Strong oxidizers and strong bases

Hazardous Decomposition Products: Hydrogen bromide and/or bromine, oxides of carbon, hydrofluoric acids

Possibility of Hazardous Reactions: No

Section 11: Toxicological Information

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

Acute Toxicity:

<u>Component</u>	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 (rat)
1-Bromopropane (nPB)	4260 mg/kg	No data	253 g/m ³ /30M
t-Butanol	3500 mg/kg	> 2 g/kg	> 10,000 ppm/4H
1,2-Butylene oxide	500 mg/kg	2100 μL/kg	6300 mg/m3/4H
1,1,1,2-Tetrafluoroethane	No data	No data	1500 g/m ³ /4H
Carbon dioxide	No data	No data	470,000 ppm/30M

Chronic Toxicity:

	OSHA	IARC	NTP		
<u>Component</u>	Carcinogen	Carcinogen	Carcinogen	<u>Irritant</u>	Sensitizer
1-Bromopropane (nPB)	No	No	No	E, S & R (mild)	Unknown
t-Butanol	No	No	No	Unknown	Unknown
1,2-Butylene oxide	No	Group 2B	No	E, S & R (mild)	Unknown
1,1,1,2-Tetrafluoroethane	No	No	No	No	No
Carbon dioxide	No	No	No	No	No

E – Eye S – Skin R - Respiratory

Product Number (s): 03110

Reproductive Toxicity: No information available Teratogenicity: No information available

Mutagenicity: 1-Bromopropane (nPB): Ames test – negative

1,2-Butylene oxide: in vitro mutagenicity studies were positive animal mutagenicity studies were negative

Synergistic Effects: No information available

Section 12: Ecological Information

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: 1-Bromopropane – 96 Hr LC50 Fathead minnow: 67.3 mg/L (flow-through)

Persistence / Degradability: No information available Bioaccumulation / Accumulation: No information available No information available No information available

Section 13: Disposal Considerations

Waste Classification: The dispensed liquid product is not a RCRA hazardous waste. (See 40 CFR Part 261.20 –

261.33)

Empty aerosol containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

Section 14: Transport Information

US DOT (ground): Consumer Commodity, ORM-D

ICAO/IATA (air): Consumer Commodity, ID8000, 9

IMO/IMDG (water): Aerosols, UN1950, 2.2, Limited Quantity

Special Provisions: None

Section 15: Regulatory Information

U.S. Federal Regulations:

Toxic Substances Control Act (TSCA):

All ingredients are either listed on the TSCA inventory or are exempt.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Reportable Quantities (RQ's) exist for the following ingredients: 1,2-Butylene oxide (100 lbs)

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

Product Number (s): 03110

Superfund Amendments Reauthorization Act (SARA) Title III:

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories: Fire Hazard No

Reactive Hazard No Release of Pressure Yes Acute Health Hazard Yes Chronic Health Hazard Yes

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements

of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372:

1,2-Butylene oxide (< 1%), t-Butanol (< 3%)

Clean Air Act:

Section 112 Hazardous Air Pollutants (HAPs): 1,2-Butylene oxide

Occupational Safety and Health Administration:

This product is regulated by the Hazard Communications Standard.

U.S. State Regulations:

Consumer Products VOC Regulations: This product is not compliant to be sold for use in California. In other states with

Consumer Product VOC regulations, this product is compliant as a General

Purpose Degreaser.

State Right to Know:

New Jersey: 75-05-8, 124-38-9, 75-65-0, 106-88-7, 811-97-2

Pennsylvania: 75-05-8, 124-38-9, 75-65-0, 106-88-7, 106-94-5, 811-97-2 Massachusetts: 75-05-8, 124-38-9, 75-65-0, 106-88-7, 106-94-5, 811-97-2

Rhode Island: 75-05-8, 124-38-9, 75-65-0, 106-88-7, 811-97-2

Canadian Regulations:

Controlled Products Regulations:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, D2A, D2B

<u>Canadian DSL Inventory</u>: All ingredients are either listed on the DSL Inventory or are exempt.

European Union Regulations:

RoHS Compliance: This product is compliant with Directive 2002/95/EC of the European Parliament and of the

Council of 27 January 2003. This product does not contain any of the restricted substances as

listed in Article 4(1) of the RoHS Directive.


Additional Regulatory Information: This product contains less than 0.05% isopropyl bromide.

Product Number (s): 03110

Section 16: Other Information

HMIS® (II)			
Health:	2		
Flammability:	0		
Reactivity:	0		
PPE:	В		

Ratings range from 0 (no hazard) to 4 (severe hazard)



Prepared By: Michelle Rudnick CRC #: 435 / 435A **Revision Date:** 09/23/2011

Changes since last revision: Section 13: Disposal Considerations

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstract Service CFR: Code of Federal Regulations DOT: Department of Transportation DSL: **Domestic Substance List**

g/L: grams per Liter

HMIS: Hazardous Materials Identification System International Agency for Research on Cancer IARC: IATA: International Air Transport Association ICAO: International Civil Aviation Organization International Maritime Dangerous Goods IMDG: IMO: International Maritime Organization

lbs./gal: pounds per gallon Lethal Concentration LC:

LD: Lethal Dose

Not Applicable NA: ND: Not Determined

NIOSH: National Institute of Occupational Safety & Health

NFPA: National Fire Protection Association NTP: National Toxicology Program

Occupational Safety and Health Administration OSHA:

Pensky-Martens Closed Cup PMCC: Personal Protection Equipment PPE:

Parts per Million ppm:

RoHS: Restriction of Hazardous Substances

Short Term Exposure Limit STEL: TCC:

Tag Closed Cup

Time Weighted Average TWA:

WHMIS: Workplace Hazardous Materials Information

System